

(19) World Intellectual Property Organization
International Bureau(43) International Publication Date
9 August 2001 (09.08.2001)

PCT

(10) International Publication Number
WO 01/57276 A2

- (51) International Patent Classification⁷: **C12Q 1/68** 94043 (US). **RANK, David, R.** [US/US]; 117 El Dorado Commons, Fremont, CA 94539 (US).
- (21) International Application Number: PCT/US01/00668
- (22) International Filing Date: 30 January 2001 (30.01.2001)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
- | | | |
|------------|--------------------------------|----|
| 60/180,312 | 4 February 2000 (04.02.2000) | US |
| 60/207,456 | 26 May 2000 (26.05.2000) | US |
| 09/608,408 | 30 June 2000 (30.06.2000) | US |
| 09/632,366 | 3 August 2000 (03.08.2000) | US |
| 60/234,687 | 21 September 2000 (21.09.2000) | US |
| 60/236,359 | 27 September 2000 (27.09.2000) | US |
| 0024263.6 | 4 October 2000 (04.10.2000) | GB |
- (71) Applicant (for all designated States except US): **MOLECULAR DYNAMICS, INC.** [—/US]; 928 East Arques Avenue, Sunnyvale, CA 94086 (US).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): **PENN, Sharron, G.** [GB/US]; 617 South Delaware Street, San Mateo, CA 94402 (US). **HANZEL, David, K.** [US/US]; 988 Loma Verde Avenue, Palo Alto, CA 94303 (US). **CHEN, Wensheng** [CN/US]; 210 Easy Street #25, Mountain View, CA
- (74) Agent: **RONNING, Royal, N., Jr.**; Amersham Pharmacia Biotech, Inc., 800 Centennial Avenue, Piscataway, NJ 08855 (US).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).
- Published:**
- without international search report and to be republished upon receipt of that report
 - entirely in electronic form (except for this front page) and available upon request from the International Bureau
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

**WO 01/57276 A2**

(54) Title: HUMAN GENOME-DERIVED SINGLE EXON NUCLEIC ACID PROBES USEFUL FOR ANALYSIS OF GENE EXPRESSION IN HUMAN BONE MARROW

(57) Abstract: A single exon nucleic acid microarray comprising a plurality of single exon nucleic acid probes for measuring gene expression in a sample derived from human bone marrow is described. Also described are single exon nucleic acid probes expressed in the bone marrow and their use in methods for detecting gene expression.

HUMAN GENOME-DERIVED SINGLE EXON NUCLEIC ACID PROBES USEFUL
FOR ANALYSIS OF GENE EXPRESSION IN HUMAN BONE MARROW

CROSS REFERENCE TO RELATED APPLICATIONS

5

The present application is a continuation-in-part of U.S.
patent application serial nos. 09/632,366, filed August 3,
2000 and 09/608,408, filed June 30, 2000; claims the
benefit under 35 U.S.C. s 119(e) of U.S. provisional patent
10 application serial nos. 60/236,359, filed September 27,
2000, 60/234,687, filed September 21, 2000, 60/207,456,
filed May 26, 2000, and 60/180,312, filed February 4, 2000;
and further claims the benefit under 35 U.S.C. s 119(a) of
UK patent application no. 0024263.6, filed October 4, 2000,
15 the disclosures of which are incorporated herein by
reference in their entireties.

REFERENCE TO SEQUENCE LISTING AND INCORPORATION BY
REFERENCE THEREOF

20

The present application includes a Sequence Listing in
electronic format, filed pursuant to PCT Administrative
Instructions 801 - 806 on a single CD-R disc, in
triplicate, containing a file named pto_BONE_MARROW.txt,
25 created 24 January 2001, having 26,421,347 bytes. The
Sequence Listing contained in said file on said disc is
incorporated herein by reference in its entirety.

Field of the Invention

30

The present invention relates to genome-derived
single exon microarrays useful for verifying the expression
of regions of genomic DNA predicted to encode protein. In
particular, the present invention relates to unique genome-
35 derived single exon nucleic acid probes expressed in human

bone marrow and single exon nucleic acid microarrays that include such probes.

Background of the Invention

5 For almost two decades following the invention of general techniques for nucleic acid sequencing, Sanger et al., *Proc. Natl. Acad. Sci. USA* 70(4):1209-13 (1973); Gilbert et al., *Proc. Natl. Acad. Sci. USA* 70(12):3581-4 (1973), these techniques were used principally as tools to
10 further the understanding of proteins – known or suspected – about which a basic foundation of biological knowledge had already been built. In many cases, the cloning effort that preceded sequence identification had been both informed and directed by that antecedent
15 biological understanding.

 For example, the cloning of the T cell receptor for antigen was predicated upon its known or suspected cell type-specific expression, by its suspected membrane association, and by the predicted assembly of its gene via
20 T cell-specific somatic recombination. Subsequent sequencing efforts at once confirmed and extended understanding of this family of proteins. Hedrick et al., *Nature* 308(5955):153-8 (1984).

 More recently, however, the development of high
25 throughput sequencing methods and devices, in concert with large public and private undertakings to sequence the human and other genomes, has altered this investigational paradigm: today, sequence information often precedes understanding of the basic biology of the encoded protein
30 product.

 One of the approaches to large-scale sequencing is predicated upon the proposition that expressed sequences – that is, those accessible through isolation of mRNA – are of greatest initial interest. This "expressed
35 sequence tag" ("EST") approach has already yielded vast

amounts of sequence data (see for example Adams et al.,
Science 252:1651 (1991); Williamson, *Drug Discov. Today*
4:115 (1999)). For nucleic acids sequenced by this
approach, often the only biological information that is
5 known *a priori* with any certainty is the likelihood of
biologic expression itself. By virtue of the species and
tissue from which the mRNA had originally been obtained,
most such sequences are also annotated with the identity of
the species and at least one tissue in which expression
10 appears likely.

More recently, the pace of genomic sequencing has
accelerated dramatically. When genomic DNA serves as the
initial substrate for sequencing efforts, expression cannot
be presumed; often the only *a priori* biological information
15 about the sequence includes the species and chromosome (and
perhaps chromosomal map location) of origin.

With the ever-accelerating pace of sequence
accumulation by directed, EST, and genomic sequencing
approaches – and in particular, with the accumulation of
20 sequence information from multiple genera, from multiple
species within genera, and from multiple individuals within
a species – there is an increasing need for methods that
rapidly and effectively permit the functions of nucleic
sequences to be elucidated. And as such functional
25 information accumulates, there is a further need for
methods of storing such functional information in
meaningful and useful relationship to the sequence itself;
that is, there is an increasing need for means and
apparatus for annotating raw sequence data with known or
30 predicted functional information.

Although the increase in the pace of genomic
sequencing is due in large part to technological changes in
sequencing strategies and instrumentation, Service, *Science*
280:995 (1998); Pennisi, *Science* 283: 1822-1823 (1999),
35 there is an important functional motivation as well.

While it was understood that the EST approach would rarely be able to yield sequence information about the noncoding portions of the genome, it now also appears the EST approach is capable of capturing only a fraction of
5 a genome's actual expression complexity.

For example, when the *C. elegans* genome was fully sequenced, gene prediction algorithms identified over 19,000 potential genes, of which only 7,000 had been found by EST sequencing. *C. elegans* Sequencing Consortium,
10 *Science* 282:2012 (1998). Analogously, the recently completed sequence of chromosome 2 of *Arabidopsis* predicts over 4000 genes, Lin et al., *Nature*, 402:761 (1999), of which only about 6% had previously been identified via EST sequencing efforts. Although the human genome has the
15 greatest depth of EST coverage, it is still woefully short of surrendering all of its genes. One recent estimate suggests that the human genome contains more than 146,000 genes, which would at this point leave greater than half of the genes undiscovered. It is now predicted that many
20 genes, perhaps 20 to 50%, will only be found by genomic sequencing.

There is, therefore, a need for methods that permit the functional regions of genomic sequence — and most importantly, but not exclusively, regions that
25 function to encode genes — to be identified.

Much of the coding sequence of the human genome is not homologous to known genes, making detection of open reading frames ("ORFs") and predictions of gene function difficult. Computational methods exist for predicting
30 coding regions in eukaryotic genomes. Gene prediction programs such as GRAIL and GRAIL II, Uberbacher et al., *Proc. Natl. Acad. Sci. USA* 88(24):11261-5 (1991); Xu et al., *Genet. Eng.* 16:241-53 (1994); Uberbacher et al., *Methods Enzymol.* 266:259-81 (1996); GENEFINDER, Solovyev et
35 al., *Nucl. Acids. Res.* 22:5156-63 (1994); Solovyev et al.,

Ismb 5:294-302 (1997); and GENESCAN, Burge et al., *J. Mol. Biol.* 268:78-94 (1997), predict many putative genes without known homology or function. Such programs are known, however, to give high false positive rates. Burset et al., *Genomics* 34:353-367 (1996). Using a consensus obtained by a plurality of such programs is known to increase the reliability of calling exons from genomic sequence. Ansari-Lari et al., *Genome Res.* 8(1):29-40 (1998)

Identification of functional genes from genomic data remains, however, an imperfect art. For example, in reporting the full sequence of human chromosome 21, the Chromosome 21 Mapping and Sequencing Consortium reports that prior bioinformatic estimates of human gene number may need to be revised substantially downwards. *Nature* 405:311-199 (2000); Reeves, *Nature* 405:283-284 (2000).

Thus, there is a need for methods and apparatus that permit the functions of the regions identified bioinformatically – and specifically, that permit the expression of regions predicted to encode protein – readily to be confirmed experimentally.

Recently, the development of nucleic acid microarrays has made possible the automated and highly parallel measurement of gene expression. Reviewed in Schena (ed.), DNA Microarrays : A Practical Approach (Practical Approach Series), Oxford University Press (1999) (ISBN: 0199637768); *Nature Genet.* 21(1)(suppl):1 - 60 (1999); Schena (ed.), Microarray Biochip: Tools and Technology, Eaton Publishing Company/BioTechniques Books Division (2000) (ISBN: 1881299376).

It is common for microarrays to be derived from cDNA/EST libraries, either from those previously described in the literature, such as those from the I.M.A.G.E. consortium, Lennon et al., *Genomics* 33(1):151-2 (1996), or from the construction of "problem specific" libraries targeted at a particular biological question, R.S. Thomas

et al., *Cancer Res.* (in press). Such microarrays by definition can measure expression only of those genes found in EST libraries, and thus have not been useful as probes for genes discovered solely by genomic sequencing.

5 The utility of using whole genome nucleic acid microarrays to answer certain biological questions has been demonstrated for the yeast *Saccharomyces cerevisiae*. De Risi et al., *Science* 278:680 (1997). The vast majority of yeast nuclear genes, approximately 95% however, are single
10 exon genes, i.e., lack introns, Lopez et al., *RNA* 5:1135-1137 (1999); Goffeau et al., *Science* 274:563-67 (1996), permitting coding regions more readily to be identified. Whole genome nucleic acid microarrays have not generally been used to probe gene expression from more complex
15 eukaryotic genomes, and in particular from those averaging more than one intron per gene.

Because bone marrow is the tissue in which blood cells originate, diseases of the bone marrow are a significant cause of human morbidity and mortality.
20 Increasingly, genetic factors are being found that contribute to predisposition, onset, and/or aggressiveness of most, if not all, of these diseases. Although mutations in single genes have in some cases been identified as causal - notably in the thalassemias and sickle cell anemia
25 - disorders of the bone marrow are, for the most part, believed to have polygenic etiologies. There is a need for methods and apparatus that permit prediction, diagnosis and prognosis of diseases of the bone marrow, particularly those diseases with polygenic etiology.

30

Summary of the Invention

The present invention solves these and other problems in the art by providing methods and apparatus for
35 predicting, confirming, and displaying functional

information derived from genomic sequence. The present invention also provides apparatus for verifying the expression of putative genes identified within genomic sequence.

5 In particular, the invention provides novel genome-derived single exon nucleic acid microarrays useful for verifying the expression of putative genes identified within genomic sequence.

 The present invention also provides compositions
10 and kits for the ready production of nucleic acids identical in sequence to, or substantially identical in sequence to, probes on the genome-derived single exon microarrays of the present invention.

 Accordingly, in a first aspect of the invention,
15 there is provided a spatially-addressable set of single exon nucleic acid probes for measuring gene expression in a sample derived from human bone marrow, comprising a plurality of single exon nucleic acid probes according to any one of the nucleotide sequences set out in SEQ ID NOs:
20 1 - 13,114 or a complementary sequence, or a portion of such a sequence.

 By plurality is meant at least two, suitably at least 20, most suitably at least 100, preferably at least 1000 and, most preferably, upto 5000.

25 In one embodiment of the first aspect, each of said plurality of probes is separately and addressably amplifiable.

 In an alternative embodiment, each of said plurality of probes is separately and addressably
30 isolatable from said plurality.

 In a preferred embodiment, each of said plurality of probes is amplifiable using at least one common primer. Preferably, each of said plurality of probes is amplifiable using a first and a second common primer.

35 In yet another embodiment, said set of single

exon nucleic acid probes comprises between 50 - 20,000 probes, for example, 50 - 5000.

Suitably, said set of single exon nucleic acid probes comprises at least 50 - 1000 discrete single exon nucleic acid probes having a sequence as set out in any of SEQ ID NOS.: 1 - 26,012 or a complimentary sequence, or a portion of such a sequence.

Preferably, the average length of the single exon nucleic acid probes is between 200 and 500 bp. It is preferred that the average length should be at least 200bp, suitably at least 250bp, most suitably at least 300bp, preferably at least 400bp and, most preferably, 500 bp.

In another embodiment, the single exon nucleic acid probes lack prokaryotic and bacteriophage vector sequence. It is preferred that at least 50%, suitably at least 60%, most suitably at least 70%, preferably at least 75%, more preferably at least 80, 85, 90, 95 or 99% of said single exon nucleic acid probes lack prokaryotic and bacteriophage vector sequence.

In another preferred embodiment, said single exon nucleic acid lack homopolymeric stretches of A or T. It is preferred that at least 50%, suitably at least 60%, most suitably at least 70%, preferably at least 75%, more preferably at least 80, 85, 90, 95 or 99% of said single exon nucleic acid probes lack homopolymeric stretches of A or T.

Preferably, a spatially-addressable set of single exon nucleic acid probes in accordance with the first aspect of the invention is addressably disposed upon a substrate.

Suitable substrates include a filter membrane which may, preferably, be nitrocellulose or nylon. The nylon may preferably, be positively-charged. Other suitable substrates include glass, amorphous silicon, crystalline silicon, and plastic. Further suitable materials include

polymethylacrylic, polyethylene, polypropylene,
polyacrylate, polymethylmethacrylate, polyvinylchloride,
polytetrafluoroethylene, polystyrene, polycarbonate,
polyacetal, polysulfone, celluloseacetate,
5 cellulosenitrate, nitrocellulose, and mixtures thereof.

In a second aspect of the invention, there is provided a microarray comprising a spatially addressable set of single exon nucleic acid probes in accordance with the first aspect of the invention.

10 In one embodiment, a genome-derived single-exon microarray is packaged together with such an ordered set of amplifiable probes corresponding to the probes, or one or more subsets of probes, thereon. In alternative embodiments, the ordered set of amplifiable probes is
15 packaged separately from the genome-derived single exon microarray.

In another aspect, the invention provides genome-derived single exon nucleic acid probes useful for gene expression analysis, and particularly for gene expression
20 analysis by microarray. In particular embodiments of this aspect, the present invention provides human single-exon probes that include specifically-hybridizable fragments of SEQ ID Nos. 13,115 - 26,012, wherein the fragment hybridizes at high stringency to an expressed human gene.
25 In particular embodiments, the invention provides single exon probes comprising SEQ ID Nos. 1 - 13,114.

Accordingly, in a third aspect of the invention, there is provided a single exon nucleic acid probe for measuring human gene expression in a sample derived from
30 human bone marrow which is a nucleic acid molecule comprising a nucleotide sequence as set out in any of SEQ ID NOS.: 1 - 13,114 or a complementary sequence or a fragment thereof wherein said probe hybridizes at high stringency to a nucleic acid expressed in the human bone
35 marrow.

In one embodiment, a single exon nucleic acid probe in accordance with the third aspect comprises a nucleotide sequence as set out in any of SEQ ID NOs.: 13,115 - 26,012 or a complementary sequence or a fragment thereof.

In a fourth aspect of the invention, there is provided a single exon nucleic acid probe for measuring human gene expression in a sample derived from human bone marrow which is a nucleic acid molecule having a sequence encoding a peptide comprising a peptide sequence as set out in any of SEQ ID NOs.: 26,013 - 38,628 or a complementary sequence or a fragment thereof wherein said probe hybridizes at high stringency to a nucleic acid expressed in the human bone marrow.

Preferably, a single exon nucleic acid probe in accordance with the third or fourth aspects of the invention comprises between at least 15 and 50 contiguous nucleotides of said SEQ ID NO:. It is preferred that the single exon nucleic acid probe comprises at least 15, suitably at least 20, more suitably at least 25 or preferably at least 50 contiguous nucleotides of said SEQ ID NO:.

In another preferred embodiment, a single exon nucleic acid probe in accordance with the third or fourth aspects of the invention is between 3kb and 25kb in length. It is preferred that said probe is no more than 3kb, suitably no more than 5kb, more suitably no more than 10kb, preferably 15kb, more preferably 20kb or, most preferably, no more than 20kb in length.

Preferably, a single exon nucleic acid probe in accordance with either the fifth or sixth aspect of the invention is DNA, preferably single-stranded DNA, RNA or PNA.

In another embodiment of either the third or fourth aspect of the invention, a single exon nucleic acid

probe is detectably labeled. Suitable detectable labels include a radionuclide, a fluorescent label or a first member of a specific binding pair. Suitable fluorescent labels include dyes such as cyanine dyes, preferably Cy3 and Cy5 although other suitable dyes will be known to those skilled in the art.

In a particularly preferred embodiment, a single exon nucleic acid probe in accordance with either the third or fourth aspect of the invention lacks prokaryotic and bacteriophage vector sequence. In yet another embodiment, a single exon nucleic acid probe in accordance with either the third or fourth aspect of the invention lacks homopolymeric stretches of A or T.

In a fifth aspect of the invention, there is provided an amplifiable nucleic acid composition, comprising:

the single exon nucleic acid probe in accordance with either of the third or fourth aspects of the invention; and at least one nucleic acid primer;

wherein said at least one primer is sufficient to prime enzymatic amplification of said probe.

In an sixth aspect of the invention, there is provided a method of measuring gene expression in a sample derived from human bone marrow, comprising:

contacting the single exon microarray in accordance with the second aspect of the invention, with a first collection of detectably labeled nucleic acids, said first collection of nucleic acids derived from mRNA of human bone marrow; and then

measuring the label detectably bound to each probe of said microarray.

In a seventh aspect of the invention, there is provided a method of identifying exons in a eukaryotic genome, comprising:

algorithmically predicting at least one exon from

genomic sequence of said eukaryote; and then
detecting specific hybridization of detectably
labeled nucleic acids to a single exon probe,
wherein said detectably labeled nucleic acids are
5 derived from mRNA from the bone marrow of said eukaryote,
said probe is a single exon probe having a fragment
identical in sequence to, or complementary in sequence to,
said predicted exon, said probe is included within a single
exon microarray in accordance with the first aspect of the
10 invention, and said fragment is selectively hybridizable at
high stringency.

In a eighth aspect of the invention, there is
provided a method of assigning exons to a single gene,
comprising:

15 identifying a plurality of exons from genomic
sequence in accordance with the seventh aspect of the
invention; and then
measuring the expression of each of said exons in
a plurality of tissues and/or cell types using
20 hybridization to single exon microarrays having a probe
with said exon,
wherein a common pattern of expression of said
exons in said plurality of tissues and/or cell types
indicates that the exons should be assigned to a single
25 gene.

In an ninth aspect of the invention, there is
provided a nucleic acid sequence as set out in any of SEQ
ID NOs: 1 - 26,012 wherein said sequence encodes a peptide.

In a tenth aspect of the invention, there is
30 provided a peptide encoded by a sequence comprising a
sequence as set out in any of SEQ ID NOs: 13,115 - 26,012,
or a complementary sequence or coding portion thereof.

In a preferred embodiment, a peptide may be
encoded by a sequence comprising a sequence set out in any
35 of SEQ ID NOS.: 1 - 13,114.

In a further aspect, the invention provides peptides comprising an amino acid sequence translated from the DNA fragments, said amino acid sequences comprising SEQ ID NOS.: 26,013 - 38,628.

5 Accordingly in a eleventh aspect of the invention there is provided a peptide comprising a sequence as set out in any of SEQ ID NOs: 26,013 - 38,628, or fragment thereof.

 In another aspect, the invention provides means
10 for displaying annotated sequence, and in particular, for displaying sequence annotated according to the methods and apparatus of the present invention. Further, such display can be used as a preferred graphical user interface for electronic search, query, and analysis of such annotated
15 sequence.

Detailed Description of the Invention

20 Definitions

 As used herein, the term "microarray" and phrase "nucleic acid microarray" refer to a substrate-bound collection of plural nucleic acids, hybridization to each of the plurality of bound nucleic acids being separately
25 detectable. The substrate can be solid or porous, planar or non-planar, unitary or distributed.

 As so defined, the term "microarray" and phrase "nucleic acid microarray" include all the devices so called in Schena (ed.), DNA Microarrays: A Practical Approach
30 (Practical Approach Series), Oxford University Press (1999) (ISBN: 0199637768); Nature Genet. 21(1)(suppl):1 - 60 (1999); and Schena (ed.), Microarray Biochip: Tools and Technology, Eaton Publishing Company/BioTechniques Books Division (2000) (ISBN: 1881299376). As so defined, the
35 term "microarray" and phrase "nucleic acid microarray"

further include substrate-bound collections of plural nucleic acids in which the nucleic acids are distributably disposed on a plurality of beads, rather than on a unitary planar substrate, as is described, *inter alia*, in Brenner
5 *et al.*, *Proc. Natl. Acad. Sci. USA* 97(4):166501670 (2000); in such case, the term "microarray" and phrase "nucleic acid microarray" refer to the plurality of beads in aggregate.

As used herein with respect to a nucleic acid
10 microarray, the term "probe" refers to the nucleic acid that is, or is intended to be, bound to the substrate; in such context, the term "target" thus refers to nucleic acid intended to be bound thereto by Watson-Crick complementarity. As used herein with respect to solution
15 phase hybridization, the term "probe" refers to the nucleic acid of known sequence that is detectably labeled.

As used herein, the expression "probe comprising SEQ ID NO.", and variants thereof, intends a nucleic acid probe, at least a portion of which probe has either (i) the
20 sequence directly as given in the referenced SEQ ID NO., or (ii) a sequence complementary to the sequence as given in the referenced SEQ ID NO., the choice as between sequence directly as given and complement thereof dictated by the requirement that the probe hybridize to mRNA.

25 As used herein, the term "open reading frame" and the equivalent acronym "ORF" refer to that portion of an exon that can be translated in its entirety into a sequence of contiguous amino acids i.e. a nucleic acid sequence that, in at least one reading frame, does not possess stop
30 codons; the term does not require that the ORF encode the entirety of a natural protein.

As used herein, the term "amplicon" refers to a PCR product amplified from human genomic DNA, containing the predicted exon.

35 As used herein the term "exon" refers to the

consensus prediction of the various exon and gene predicting algorithms i.e. a nucleic acid sequence bioinformatically predicted to encode a portion of a natural protein.

5 As used herein, the term "peptide" refers to a sequence of amino acids. The sequences referred to as PEPTIDE SEQ ID NOS.: are the predicted peptide sequences that would be translated from one of the exons, or a portion thereof set out in exon SEQ ID NOS.: The codons
10 encoding the peptide are wholly contained within the exon.

 As used herein, a "portions" of a defined nucleotide sequence or sequences can be and, preferably, are fragments unique to that sequence or to one or a combination of those sequences. A fragment unique to a
15 nucleic acid molecule is one that is a signature for the larger nucleic acid molecule.

 As used herein, the phrase "expression of a probe" and its linguistic variants means that the ORF present within the probe, or its complement, is present
20 within a target mRNA.

 As used herein, "stringent conditions" refers to parameters well known to those skilled in the art. When a nucleic acid molecule is said to be hybridisable to another of a given sequence under "stringent conditions" it is
25 meant that it is homologous to the given sequence.

 As used herein, the phrase "specific binding pair" intends a pair of molecules that bind to one another with high specificity. Binding pairs are said to exhibit specific binding when they exhibit avidity of at least 10^7 ,
30 preferably at least 10^8 , more preferably at least 10^9 liters/mole. Nonlimiting examples of specific binding pairs are: antibody and antigen; biotin and avidin; and biotin and streptavidin.

 As used herein with respect to the visual display
35 of annotated genomic sequence, the term "rectangle" means

any geometric shape that has at least a first and a second border, wherein the first and second borders each are capable of mapping uniquely to a point of another visual object of the display.

5 As used herein, a "Mondrian" means a visual display in which a single genomic sequence is annotated with predicted and experimentally confirmed functional information.

10

Brief Description of the Drawings

The present invention is further illustrated with reference to the following non-limiting figures and
15 examples in which:

FIG. 1 illustrates a process for predicting functional regions from genomic sequence, confirming the functional activity of such regions experimentally, and associating and displaying the data so obtained in
20 meaningful and useful relationship to the original sequence data;

FIG. 2 further elaborates that portion of the process schematized in FIG. 1 for predicting functional regions from genomic sequence;

25 FIG. 3 illustrates a Mondrian visual display;

FIG. 4 presents a Mondrian showing a hypothetical annotated genomic sequence;

FIG. 5 is a histogram showing the distribution of ORF length and PCR products as obtained, with ORF length
30 shown in black and PCR product length shown in dotted lines;

FIG. 6 is a histogram showing the distribution, among exons predicted according to the methods described, of expression as measured using simultaneous two color
35 hybridization to a genome-derived single exon microarray.

The graph shows the number of sequence-verified products that were either not expressed ("0"), expressed in one or more but not all tested tissues ("1" - "9"), or expressed in all tissues tested ("10");

5 FIG. 7 is a pictorial representation of the expression of verified sequences that showed expression with signal intensity greater than 3 in at least one tissue, with: FIG. 7A showing the expression as measured by microarray hybridization in each of the 10 measured
10 tissues, and the expression as measured "bioinformatically" by query of EST, NR and SwissProt databases; with FIG. 7B showing the legend for display of physical expression (ratio) in FIG. 7A; and with FIG. 7C showing the legend for scoring EST hits as depicted in FIG. 7A;

15 FIG. 8 shows a comparison of normalized CY3 signal intensity for arrayed sequences that were identical to sequences in existing EST, NR and SwissProt databases or that were dissimilar (unknown), where black denotes the signal intensity for all sequence-verified products with a
20 BLAST Expect ("E") value of greater than $1e-30$ (1×10^{-30}) ("unknown") and a dotted line denotes sequence-verified spots with a BLAST expect ("E") value of less than $1e-30$ (1×10^{-30}) ("known");

FIG. 9 presents a Mondrian of BAC AC008172 (bases
25 25,000 to 130,000), containing the carbamyl phosphate synthetase gene (AF154830.1); and

FIG. 10 is a Mondrian of BAC A049839.

30 Methods and Apparatus for Predicting, Confirming,
Annotating, and Displaying Functional Regions From Genomic
Sequence Data

FIG. 1 is a flow chart illustrating in broad
35 outline a process for predicting functional regions from

genomic sequence, confirming and characterizing the functional activity of such regions experimentally, and then associating and displaying the information so obtained in meaningful and useful relationship to the original
5 sequence data.

The initial input into process 10 of the present invention is drawn from one or more databases 100 containing genomic sequence data. Because genomic sequence is usually obtained from subgenomic fragments, the sequence
10 data typically will be stored in a series of records corresponding to these subgenomic sequenced fragments. Some fragments will have been catenated to form larger contiguous sequences ("contigs"); others will not. A finite percentage of sequence data in the database will
15 typically be erroneous, consisting *inter alia* of vector sequence, sequence created from aberrant cloning events, sequence of artificial polylinkers, and sequence that was erroneously read.

Each sequence record in database 100 will
20 minimally contain as annotation a unique sequence identifier (accession number), and will typically be annotated further to identify the date of accession, species of origin, and depositor. Because database 100 can contain nongenomic sequence, each sequence will typically
25 be annotated further to permit query for genomic sequence. Chromosomal origin, optionally with map location, can also be present. Data can be, and over time increasingly will be, further annotated with additional information, in part through use of the present invention, as described below.
30 Annotation can be present within the data records, in information external to database 100 and linked to the records thereto, or through a combination of the two.

Databases useful as genomic sequence database 100 in the present invention include GenBank, and particularly
35 include several divisions thereof, including the

htgs(draft), NT (nucleotide, command line), and NR (nonredundant) divisions. GenBank is produced by the National Institutes of Health and is maintained by the National Center for Biotechnology Information (NCBI).

5 Databases of genomic sequence from species other than human, such as mouse, rat, *Arabidopsis*, *C. elegans*, *C. briggsii*, *Drosophila*, zebra fish, and other higher eukaryotic organisms will also prove useful as genomic sequence database 100.

10 Genomic sequence obtained by query of genomic sequence database 100 is then input into one or more processes 200 for identification of regions therein that are predicted to have a biological function as specified by the user. Such functions include, but are not limited to,

15 encoding protein, regulating transcription, regulating message transport after transcription into mRNA, regulating message splicing after transcription into mRNA, of regulating message degradation after transcription into mRNA, and the like. Other functions include directing

20 somatic recombination events, contributing to chromosomal stability or movement, contributing to allelic exclusion or X chromosome inactivation, and the like.

The particular genomic sequence to be input into process 200 will depend upon the function for which

25 relevant sequence is to be identified as well as upon the approach chosen for such identification. Process step 200 can be iterated to identify different functions within a given genomic region. In such case, the input often will be different for the several iterations.

30 Sequences predicted to have the requisite function by process 200 are then input into process 300, where a subset of the input sequences suitable for experimental confirmation is identified. Experimental confirmation can involve physical and/or bioinformatic

35 assay. Where the subsequent experimental assay is

bioinformatic, rather than physical, there are fewer constraints on the sequences that can be tested, and in this latter case therefore process 300 can output the entirety of the input sequence.

5 The subset of sequences output from process 300 is then used in process 400 for experimental verification and characterization of the function predicted in process 200, which experimental verification can, and often will, include both physical and bioinformatic assay.

10 Process 500 annotates the sequence data with the functional information obtained in the physical and/or bioinformatic assays of process 400. Such annotation can be done using any technique that usefully relates the functional information to the sequence, as, for example, by
15 incorporating the functional data into the sequence data record itself, by linking records in a hierarchical or relational database, by linking to external databases, by a combination thereof, or by other means well known within the database arts. The data can even be submitted for
20 incorporation into databases maintained by others, such as GenBank, which is maintained by NCBI.

As further noted in FIG. 1, additional annotation can be input into process 500 from external sources 600.

The annotated data is then displayed in process
25 800, either before, concomitantly with, or after optional storage 700 on nontransient media, such as magnetic disk, optical disc, magnetooptical disk, flash memory, or the like.

FIG. 1 shows that the experimental data output
30 from process 400 can be used in each preceding step of process 10: e.g., facilitating identification of functional sequences in process 200, facilitating identification of an experimentally suitable subset thereof in process 300, and facilitating creation of physical and/or informational
35 substrates for, and performance of subsequent assay, of

functional sequences in process 400.

Information from each step can be passed directly to the succeeding process, or stored in permanent or interim form prior to passage to the succeeding process.

5 Often, data will be stored after each, or at least a plurality, of such process steps. Any or all process steps can be automated.

FIG. 2 further elaborates the prediction of functional sequence within genomic sequence according to
10 process 200.

Genomic sequence database 100 is first queried 20 for genomic sequence.

The sequence required to be returned by query 20 will depend, in the first instance, upon the function to be
15 identified.

For example, genomic sequences that function to encode protein can be identified *inter alia* using gene prediction approaches, comparative sequence analysis approaches, or combinations of the two. In gene prediction
20 analysis, sequence from one genome is input into process 200 where at least one, preferably a plurality, of algorithmic methods are applied to identify putative coding regions. In comparative sequence analysis, by contrast, corresponding, e.g., syntenic, sequence from a plurality of
25 sources, typically a plurality of species, is input into process 200, where at least one, possibly a plurality, of algorithmic methods are applied to compare the sequences and identify regions of least variability.

The exact content of query 20 will also depend
30 upon the database queried. For example, if the database contains both genomic and nongenomic sequence, perhaps derived from multiple species, and the function to be determined is protein coding regions in human genomic sequence, the query will accordingly require that the
35 sequence returned be genomic and derived from humans.

Query 20 can also incorporate criteria that compel return of sequence that meets operative requirements of the subsequent analytical method. Alternatively, or in addition, such operative criteria can be enforced in
5 subsequent preprocess step 24.

For example, if the function sought to be identified is protein coding, query 20 can incorporate criteria that return from genomic sequence database 100 only those sequences present within contigs sufficiently
10 long as to have obviated substantial fragmentation of any given exon among a plurality of separate sequence fragments.

Such criteria can, for example, consist of a required minimal individual genomic sequence fragment
15 length, such as 10 kb, more typically 20 kb, 30 kb, 40kb, and preferably 50 kb or more, as well as an optional further or alternative requirement that sequence from any given clone, such as a bacterial artificial chromosome ("BAC"), be presented in no more than a finite maximal
20 number of fragments, such as no more than 20 separate pieces, more typically no more than 15 fragments, even more typically no more than about 10 - 12 fragments.

Results using the present invention have shown that genomic sequence from bacterial artificial chromosomes
25 (BACs) is sufficient for gene prediction analysis according to the present invention if the sequence is at least 50 kb in length, and if additionally the sequence from any given BAC is presented in fewer than 15, and preferably fewer than 10, fragments. Accordingly, query 20 can incorporate
30 a requirement that data accessioned from BAC sequencing be in fewer than 15, preferably fewer than 10, fragments.

An additional criterion that can be incorporated into the query can be the date, or range of dates, of sequence accession. Although the process has been
35 described above as if genomic sequence database 100 were

static, it is of course understood that the genomic
sequence databases need not be static, and indeed are
typically updated on a frequent, even hourly, basis. Thus,
as further described in Examples 1 and 2, *infra*, it is
5 possible to query the database for newly added sequence,
either newly added after an absolute date, or newly added
relative to a prior analysis performed using the methods
and apparatus of the present invention. In this way, the
process herein described can incorporate a dynamic,
10 temporal component.

One utility of such temporal limitation is to
identify, from newly accessioned genomic sequence, the
presence of novel genes, particularly those not previously
identified by EST sequencing (or other sequencing efforts
15 that are similarly based upon gene expression). As further
described in Example 1, such an approach has shown that
newly accessioned human genomic sequence, when analyzed for
sequences that function to encode protein, readily
identifies genes that are novel over those in existing EST
20 and other expression databases. This makes the methods of
the present invention extremely powerful gene discovery
tools. And as would be appreciated, such gene discovery
can be performed using genomic sequence from species other
than human.

25 If query 20 incorporates multiple criteria, such
as above-described, the multiple criteria can be performed
as a series of separate queries or as a single query,
depending in part upon the query language, the complexity
of the query, and other considerations well known in the
30 database arts.

If query 20 returns no genomic sequence meeting
the query criteria, the negative result can be reported by
process 22, and process 200 (and indeed, entire process 10)
ended 23, as shown. Alternatively, or in addition to
35 report and termination of the initial inquiry, a new query

20 can be generated that takes into account the initial negative result.

When query 20 returns sequence meeting the query criteria, the returned sequence is then passed to optional preprocessing 24, suitable and specific for the desired
5 analytical approach and the particular analytical methods thereof to be used in process 25.

Preprocessing 24 can include processes suitable for many approaches and methods thereof, as well as
10 processes specifically suited for the intended subsequent analysis.

Preprocessing 24 suitable for most approaches and methods will include elimination of sequence irrelevant to, or that would interfere with, the subsequent analysis.
15 Such sequence includes repetitive sequence, such as Alu repeats and LINE elements, vector sequence, artificial sequence, such as artificial polylinkers, and the like. Such removal can readily be performed by identification and subsequent masking of the undesired sequence.

20 Identification can be effected by comparing the genomic sequence returned by query 20 with public or private databases containing known repetitive sequence, vector sequence, artificial sequence, and other artifactual sequence. Such comparison can readily be done using
25 programs well known in the art, such as CROSS_MATCH, or by proprietary sequence comparison programs the engineering of which is well within the skill in the art.

Alternatively, or in addition, undesirable, including artifactual, sequence can be identified
30 algorithmically without comparison to external databases and thereafter removed. For example, synthetic polylinker sequence can be identified by an algorithm that identifies a significantly higher than average density of known restriction sites. As another example, vector sequence can
35 be identified by algorithms that identify nucleotide or

codon usage at variance with that of the bulk of the genomic sequence.

Once identified, undesired sequence can be removed. Removal can usefully be done by masking the undesired sequence as, for example, by converting the specific nucleotide references to one that is unrecognized by the subsequent bioinformatic algorithms, such as "X". Alternatively, but at present less preferred, the undesired sequence can be excised from the returned genomic sequence, leaving gaps.

Preprocessing 24 can further include selection from among duplicative sequences of that one sequence of highest quality. Higher quality can be measured as a lower percentage of, fewest number of, or least densely clustered occurrence of ambiguous nucleotides, defined as those nucleotides that are identified in the genomic sequence using symbols indicating ambiguity. Higher quality can also or alternatively be valued by presence in the longest contig.

Preprocessing 24 can, and often will, also include formatting of the data as specifically appropriate for passage to the analytical algorithms of process 25. Such formatting can and typically will include, *inter alia*, addition of a unique sequence identifier, either derived from the original accession number in genomic sequence database 100, or newly applied, and can further include additional annotation. Formatting can include conversion from one to another sequence listing standard, such as conversion to or from FASTA or the like, depending upon the input expected by the subsequent process.

Preprocessing, which can be optional depending upon the function desired to be identified and the informational requirements of the methods for effecting such identification, is followed by sequence processing 25, where sequences with the desired function are identified

within the genomic sequence.

As mentioned above, such functions can include, but are not limited to, encoding protein, regulating transcription, regulating message transport after
5 transcription into mRNA, regulating message splicing after transcription, of regulating message degradation, and the like. Other functions include directing somatic recombination events, contributing to chromosomal stability or movement, contributing to allelic exclusion or X
10 chromosome inactivation, or the like.

The methods of the present invention are particularly useful for gene discovery, that is, for identifying, from genomic sequence, regions that function to encode genes, and in a particularly useful embodiment,
15 for identifying regions that function to encode genes not hitherto identified by expression-based or directed cloning and sequencing. In conjunction with verification using the novel single exon microarrays of the present invention, as further described below, the methods herein described
20 become powerful gene discovery tools.

Accordingly, in a preferred embodiment of the present invention, process 25 is used to identify putative coding regions. Two preferred approaches in process 25 for identifying sequence that encodes putative genes are gene
25 prediction and comparative sequence analysis.

Gene prediction can be performed using any of a number of algorithmic methods, embodied in one or more software programs, that identify open reading frames (ORFs) using a variety of heuristics, such as GRAIL, DICTION, and
30 GENEFINDER. Comparative sequence analysis similarly can be performed using any of a variety of known programs that identify regions with lower sequence variability.

As further described in Example 1, below, gene finding software programs yield a range of results. For
35 the newly accessioned human genomic sequence input in

Example 1, for example, GRAIL identified the greatest percentage of genomic sequence as putative coding region, 2% of the data analyzed; GENEFINDER was second, calling 1%; and DICTION yielded the least putative coding region, with
5 0.8% of genomic sequence called as coding region.

Increased reliability can be obtained when consensus is required among several such methods. Although discussed herein particularly with respect to exon calling, consensus among methods will in general increase
10 reliability of predicting other functions as well.

Thus, as indicated by query 26, sequence processing 25, optionally with preprocessing 24, can be repeated with a different method, with consensus among such iterations determined and reported in process 27.

15 Process 27 compares the several outputs for a given input genomic sequence and identifies consensus among the separately reported results. The consensus itself, as well as the sequence meeting that consensus, is then stored in process 29a, displayed in process 29b, and/or output to
20 process 300 for subsequent identification of a subset thereof suitable for assay.

Multiple levels of consensus can be calculated and reported by process 27. For example, as further described in Example 1, *infra*, process 27 can report
25 consensus as between all specific pairs of methods of gene prediction, as consensus among any one or more of the pairs of methods of gene prediction, or as among all of the gene prediction algorithms used. Thus, in Example 1, process 27 reported that GRAIL and GENEFINDER programs agreed on 0.7%
30 of genomic sequence, that GRAIL and DICTION agreed on 0.5% of genomic sequence, and that the three programs together agreed on 0.25% of the data analyzed. Put another way, 0.25% of the genomic sequence was identified by all three of the programs as containing putative coding region.

35 Furthermore, consensus can be required among

different approaches to identifying a chosen function.

For example, if the function desired to be identified is coding of protein sequence, and a first used approach to exon calling is gene prediction, the process
5 can be repeated on the same input sequence, or subset thereof, with another approach, such as comparative sequence analysis. In such a case, where comparative sequence analysis follows gene prediction, the comparison can be performed not only on genomic nucleic acid sequence,
10 but additionally or alternatively can be performed on the predicted amino acid sequence translated from the ORFs prior identified by the gene prediction approach.

Although shown as an iterative process, the multiple analyses required to achieve consensus can be done
15 in series, in parallel, or some combination thereof.

Predicted functional sequence, optionally representing a consensus among a plurality of methods and approaches for determination thereof, is passed to process
300 for identification of a subset thereof for functional
20 assay.

In the preferred embodiment of the methods of the present invention, wherein the function sought to be identified is protein coding, process 300 is used to identify a subset thereof suitable for experimental
25 verification by physical and/or bioinformatic approaches.

For example, putative ORFs identified in process 200 can be classified, or binned, bioinformatically into putative genes. This binning can be based *inter alia* upon consideration of the average number of exons/gene in the
30 species chosen for analysis, upon density of exons that have been called on the genomic sequence, and other empirical rules. Thereafter, one or more among the gene-specific ORFs can be chosen for subsequent use in gene expression assay.

35 Where such subsequent gene expression assay uses

amplified nucleic acid, considerations such as desired amplicon length, primer synthesis requirements, putative exon length, sequence GC content, existence of possible secondary structure, and the like can be used to identify
5 and select those ORFs that appear most likely successfully to amplify. Where subsequent gene expression assay relies upon nucleic acid hybridization, whether or not using amplified product, further considerations involving hybridization stringency can be applied to identify that
10 subset of sequences that will most readily permit sequence-specific discrimination at a chosen hybridization and wash stringency. One particular such consideration is avoidance of putative exons that span repetitive sequence; such sequence can hybridize spuriously to nonspecific message,
15 reducing specific signal in the hybridization.

For bioinformatic assay, there are fewer constraints on the sequences that can be tested experimentally, and in this latter case therefore process 300 can output the entirety of the input sequence.

20 The subset of sequences identified by process 300 as suitable for use in assay is then used in process 400 to create the physical and/or informational substrate for experimental verification of the predictions made in process 200, and thereafter to assay those substrates.

25 As mentioned, the methods of the present invention are particularly useful for identifying potential coding regions within genomic sequence. In a preferred embodiment of process 400, therefore, the expression of the sequences predicted to encode protein is verified. The
30 combination of the predictive and experimental methods provides a powerful gene discovery engine.

Thus, in another aspect, the present invention provides methods and apparatus for verifying the expression of putative genes identified within genomic sequence. In
35 particular, the invention provides a novel method of

verifying gene expression in which expression of predicted ORFs is measured and confirmed using a novel type of nucleic acid microarray, the genome-derived single exon nucleic acid microarrays of the present invention.

5 Putative ORFs as predicted by a consensus of gene calling, particularly gene prediction, algorithms in process 200, and as further identified as suitable by process 300, are amplified from genomic DNA using the polymerase chain reaction (PCR). Although PCR is
10 conveniently used, other amplification approaches can also be used.

Amplification schemes can be designed to capture the entirety of each predicted ORF in an amplicon with minimal additional (that is, intronic or intergenic)
15 sequence. Because ORFs predicted from human genomic sequence using the methods of the present invention differ in length, such an approach results in amplicons of varying length.

However, most predicted ORFs are shorter than 500
20 bp in length, and although amplicons of at least about 100 or 200 base pairs can be immobilized as probes on nucleic acid microarrays, early experimental results using the methods of the present invention have suggested that longer amplicons, at least about 400 or 500 base pairs, are more
25 effective. Furthermore, certain advantages derive from application to the microarray of amplicons of defined size.

Therefore, amplification schemes can alternatively, and preferably, be designed to amplify regions of defined size, preferably at least about 300, 400
30 or 500 bp, centered about each predicted ORF. Such an approach results in a population of amplicons of limited size diversity, but that typically contain intronic and/or intergenic nucleic acid in addition to putative ORF.

Conversely, somewhat fewer than 10% of ORFs
35 predicted from human genomic sequence according to the

methods of the present invention exceed 500 bp in length. Portions of such extended ORFs, preferably at least about 300, 400 or 500 bp in length, can be amplified. However, it has been discovered that the percentage success at
5 amplifying pieces of such ORFs is low, and that such putative exons are more effectively amplified when larger fragments, at least about 1000 or 1500 bp, and even as large as 2000 bp are amplified.

The putative ORFs selected in process 300 are
10 thus input into one or more primer design programs, such as PRIMER3 (available online for use at <http://www-genome.wi.mit.edu/cgi-bin/primer/>), with a goal of amplifying at least about 500 base pairs of genomic sequence centered within or about ORFs predicted to be no
15 more than about 500 bp, or at least about 1000 - 1500 bp of genomic sequence for ORFs predicted to exceed 500 bp in length, and the primers synthesized by standard techniques. Primers with the requisite sequences can be purchased commercially or synthesized by standard techniques.

20 Conveniently, a first predetermined sequence can be added commonly to the ORF-specific 5' primer and a second, typically different, predetermined sequence commonly added to each 3' ORF-unique primer. This serves to immortalize the amplicon, that is, serves to permit
25 further amplification of any amplicon using a single set of primers complementary respectively to the common 5' and common 3' sequence elements. The presence of these "universal" priming sequences further facilitates later sequence verification, providing a sequence common to all
30 amplicons at which to prime sequencing reactions. The common 5' and 3' sequences further serve to add a cloning site should any of the ORFs warrant further study.

Such predetermined sequence is usefully at least about 10, 12 or 15 nt in length, and usually does not
35 exceed about 25 nt in length. The "universal" priming

sequences used in the examples presented *infra* were each 16 nt long.

The genomic DNA to be used as substrate for amplification will come from the eukaryotic species from which the genomic sequence data had originally been obtained, or a closely related species, and can conveniently be prepared by well known techniques from somatic or germline tissue or cultured cells of the organism. See, e.g., Short Protocols in Molecular Biology : A Compendium of Methods from Current Protocols in Molecular Biology, Ausubel et al. (eds.), 4th edition (April 1999), John Wiley & Sons (ISBN: 047132938X) and Maniatis et al., Molecular Cloning : A Laboratory Manual, 2nd edition (December 1989), Cold Spring Harbor Laboratory Press (ISBN: 0879693096). Many such prepared genomic DNAs are available commercially, with the human genomic DNAs additionally having certification of donor informed consent.

Although the intronic and intergenic material flanking putative coding regions in the amplicons could potentially interfere with hybridizations during microarray experiments, we have found, surprisingly, that differential expression ratios are not significantly affected. Rather, the predominant effect of exon size is to alter the absolute signal intensity, rather than its ratio. Equally surprising, the art had suggested that single exon probes would not provide sufficient signal intensity for high stringency hybridization analyses; we find that such probes not only provide adequate signal, but have substantial advantages, as herein described.

After partial purification, as by size exclusion spin column, with or without confirmation as to amplicon quality as by gel electrophoresis, each amplicon (single exon probe) is disposed in an array upon a support substrate.

Methods for creating microarrays by deposition and fixation of nucleic acids onto support substrates are well known in the art (Reviewed by Schena et al., see above).

5 Typically, the support substrate will be glass, although other materials, such as amorphous or crystalline silicon or plastics. Such plastics include polymethylacrylic, polyethylene, polypropylene, polyacrylate, polymethylmethacrylate, polyvinylchloride, 10 polytetrafluoroethylene, polystyrene, polycarbonate, polyacetal, polysulfone, celluloseacetate, cellulosenitrate, nitrocellulose, or mixtures thereof, can also be used. Typically, the support will be rectangular, although other shapes, particularly circular disks and even 15 spheres, present certain advantages. Particularly advantageous alternatives to glass slides as support substrates for array of nucleic acids are optical discs, as described in WO 98/12559.

The amplified nucleic acids can be attached 20 covalently to a surface of the support substrate or, more typically, applied to a derivatized surface in a chaotropic agent that facilitates denaturation and adherence by presumed noncovalent interactions, or some combination thereof.

25 Robotic spotting devices useful for arraying nucleic acids on support substrates can be constructed using public domain specifications (The MGuide, version 2.0, <http://cmgm.stanford.edu/pbrown/mguide/index.html>), or can conveniently be purchased from commercial sources 30 (MicroArray GenII Spotter and MicroArray GenIII Spotter, Molecular Dynamics, Inc., Sunnyvale, CA). Spotting can also be effected by printing methods, including those using ink jet technology.

As is well known in the art, microarrays 35 typically also contain immobilized control nucleic acids.

For controls useful in providing measurements of background signal for the genome-derived single exon microarrays of the present invention, a plurality of *E. coli* genes can readily be used. As further described in Example 1, 16 or
5 32 *E. coli* genes suffice to provide a robust measure of background noise in such microarrays.

As is well known in the art, the amplified product disposed in arrays on a support substrate to create a nucleic acid microarray can consist entirely of natural
10 nucleotides linked by phosphodiester bonds, or alternatively can include either nonnative nucleotides, alternative internucleotide linkages, or both, so long as complementary binding can be obtained in the hybridization. If enzymatic amplification is used to produce the
15 immobilized probes, the amplifying enzyme will impose certain further constraints upon the types of nucleic acid analogs that can be generated.

Although particularly described herein as using high density microarrays constructed on planar substrates,
20 the methods of the present invention for confirming the expression of ORFs predicted from genomic sequence can use any of the known types of microarrays, as herein defined, including lower density planar arrays, and microarrays on nonplanar, nonunitary, distributed substrates.

25 For example, gene expression can be confirmed using hybridization to lower density arrays, such as those constructed on membranes, such as nitrocellulose, nylon, and positively-charged derivatized nylon membranes. Further, gene expression can also be confirmed using
30 nonplanar, bead-based microarrays such as are described in Brenner et al., *Proc. Natl. Acad. Sci. USA* 97(4):166501670 (2000); U.S. Patent No. 6,057,107; and U.S. Patent No. 5,736,330. In theory, a packed collection of such beads provides in aggregate a higher density of nucleic acid
35 probe than can be achieved with spotting or lithography

techniques on a single planar substrate.

Planar microarrays on solid substrates, however, provide certain useful advantages, including high throughput and compatibility with existing readers. For example, each standard microscope slide can include at least 1000, typically at least 2000, preferably 5000 and upto 10,000 - 50,000 or more nucleic acid probes of discrete sequence. The number of sequences deposited will depend on their required application.

Each putative gene can be represented in the array by a single predicted ORF. Alternatively, genes can be represented by more than one predicted ORF. For purposes of measuring differential splicing, more than one predicted ORF will be provided for a putative gene. And as is well known in the art, each probe of defined sequence, representing a single predicted ORF, can be deposited in a plurality of locations on a single microarray to provide redundancy of signal.

The genome-derived single exon microarrays described above differ in several fundamental and advantageous ways from microarrays presently used in the gene expression art, including (1) those created by deposition of mRNA-derived nucleic acids, (2) those created by *in situ* synthesis of oligonucleotide probes, and (3) those constructed from yeast genomic DNA.

Most nucleic acid microarrays that are in use for study of eukaryotic gene expression have as immobilized probes nucleic acids that are derived - either directly or indirectly - from expressed message. As discussed above, it is common, for example, for such microarrays to be derived from cDNA/EST libraries, either from those previously described in the literature, see Lennon *et al.*, or from the *de novo* construction of "problem specific" libraries targeted at a particular biological question, R.S. Thomas *et al.*, *Cancer Res.* (in press). Such

microarrays are herein collectively denominated "EST microarrays".

Such EST microarrays by definition can measure expression only of those genes found in EST libraries, shown herein to represent only a fraction of expressed genes. Furthermore, such libraries – and thus microarrays based thereupon – are biased by the tissue or cell type of message origin, by the expression levels of the respective genes within the tissues, and by the ability of the message successfully to have been reverse-transcribed and cloned.

Thus, as further discussed in Example 1, the methods of the present invention enable sequences that do not appear in EST or other expression databases to be determined – subsequently arrayed for expression measurements could not, therefore, have been represented as probes on an EST microarray. And as further demonstrated in the examples, *infra*, the remaining population of genes identified from genomic sequence by the methods of the present invention – that is, the one third of sequences that had previously been accessioned in EST or other expression databases – are biased toward genes with higher expression levels.

Representation of a message in an EST and/or cDNA library depends upon the successful reverse transcription, optionally but typically with subsequent successful cloning, of the message. This introduces substantial bias into the population of probes available for arraying in EST microarrays.

In contrast, neither reverse transcription nor cloning is required to produce the probes arrayed on the genome-derived single exon microarrays of the present invention. And although the ultimate deposition of a probe on the genome-derived single exon microarray of the present invention depends upon a successful amplification from genomic material, *a priori* knowledge of the sequence of the

desired amplicon affords greater opportunity to recover any given probe sequence recalcitrant to amplification than is afforded by the requirement for successful reverse transcription and cloning of unknown message in EST
5 approaches.

Thus, the genome-derived single exon microarrays of the present invention present a far greater diversity of probes for measuring gene expression, with far less bias, than do EST microarrays presently used in the art.

10 As a further consequence of their ultimate origin from expressed message, the probes in EST microarrays often contain poly-A (or complementary poly-T) stretches derived from the poly-A tail of mature mRNA. These homopolymeric stretches contribute to cross-hybridization, that is, to a
15 spurious signal occasioned by hybridization to the homopolymeric tail of a labeled cDNA that lacks sequence homology to the gene-specific portion of the probe.

In contrast, the probes arrayed in the genome-derived single exon microarrays of the present invention
20 lack homopolymeric stretches derived from message polyadenylation, and thus can provide more specific signal. Typically, at least about 50, 60 or 75% of the probes on the genome-derived single exon microarrays of the present invention lack homopolymeric regions consisting of A or T,
25 where a homopolymeric region is defined for purposes herein as stretches of 25 or more, typically 30 or more, identical nucleotides.

A further distinction, which also affects the specificity of hybridization, is occasioned by the typical
30 derivation of EST microarray probes from cloned material. Because much of the probe material disposed as probes on EST microarrays is excised or amplified from plasmid, phage, or phagemid vectors, EST microarrays typically include a fair amount of vector sequence, more so when the
35 probes are amplified, rather than excised, from the vector.

In contrast, the vast majority of probes in the genome-derived single exon microarrays of the present invention contain no prokaryotic or bacteriophage vector sequence, having been amplified directly or indirectly from genomic DNA. Typically, therefore, at least about 50, 60, 70 or 80% or more of individual exon-including probes disposed on a genome-derived single exon microarray of the present invention lack vector sequence, and particularly lack sequences drawn from plasmids and bacteriophage. Preferably, at least about 85, 90 or more than 90% of exon-including probes in the genome-derived single exon microarray of the present invention lack vector sequence. With attention to removal of vector sequences through preprocessing 24, percentages of vector-free exon-including probes can be as high as 95 - 99%. The substantial absence of vector sequence from the genome-derived single exon microarrays of the present invention results in greater specificity during hybridization, since spurious cross-hybridization to a probe vector sequence is reduced.

As a further consequence of excision or amplification of probes from vectors in construction of EST microarrays, the probes arrayed thereon often contain artificial sequence, derived from vector polylinker multiple cloning sites, at both 5' and 3' ends. The probes disposed upon the genome-derived single exon microarrays need have no such artificial sequence appended thereto.

As mentioned above, however, the ORF-specific primers used to amplify putative ORFs can include artificial sequences, typically 5' to the ORF-specific primer sequence, useful for "universal" (that is, independent of ORF sequence) priming of subsequent amplification or sequencing reactions. When such "universal" 5' and/or 3' priming sequences are appended to the amplification primers, the probes disposed upon the genome-derived single exon microarray will include

artificial sequence similar to that found in EST
microarrays. However, the genome-derived single exon
microarray of the present invention can be made without
such sequences, and if so constructed, presents an even
5 smaller amount of nonspecific sequence that would
contribute to nonspecific hybridization.

Yet another consequence of typical use of cloned
material as probes in EST microarrays is that such
microarrays contain probes that result from cloning
10 artifacts, such as chimeric molecules containing coding
region of two separate genes. Derived from genomic
material, typically not thereafter cloned, the probes of
the genome-derived single exon microarrays of the present
invention lack such cloning artifacts, and thus provide
15 greater specificity of signal in gene expression
measurements.

A further consequence of the cloned origin of
probes on many EST microarrays is that the individual
probes often have disparate sizes, which can cause the
20 optimal hybridization stringency to vary among probes on a
single microarray. In contrast, as discussed above, the
probes arrayed on the genome-derived single exon
microarrays of the present invention can readily be
designed to have a narrow distribution in sizes, with the
25 range of probe sizes no greater than about 10% of the
average size, typically no greater than about 5% of the
average probe size.

Because of their origin from fully- or partially-
spliced message, probes disposed upon EST arrays will often
30 include multiple exons. The percentage of such exon-
spanning probes in an EST microarray can be calculated, on
average, based upon the predicted number of exons/gene for
the given species and the average length of the immobilized
probes. For human genes, the near-complete sequence of
35 human chromosome 22, Dunham *et al.*, *Nature* 402(6761):489-95

(1999), predicts that human genes average 5.5 exons/gene. Even with probes of 200 - 500 bp, the vast majority of human EST microarray probes include more than one exon.

In contrast, by virtue of their origin from
5 algorithmically identified ORFs in genomic sequence, the probes in the genome-derived single exon microarrays of the present invention can consist of individual exons. Thus, in contrast to EST microarrays, at least about 50, 60, 70, 75, 80, 85, 95 or 99% of probes deposited in the genome-
10 derived microarray of the present invention consist of, or include, no more than one predicted ORF.

This provides the ability, not readily achieved using EST microarrays, to use the genome-derived single exon microarrays of the present invention to measure
15 tissue-specific expression of individual exons, which in turn allows differential splicing events to be detected and characterized, and in particular, allows the correlation of differential splicing to tissue-specific expression patterns.

20 Furthermore, the exons that are represented in EST microarrays are often biased toward the 3' or 5' end of their respective genes, since sequencing strategies used for EST identification are so biased. In contrast, no such 3' or 5' bias necessarily inheres in the selection of exons
25 for disposition on the genome-derived single exon microarrays of the present invention.

Conversely, the probes provided on the genome-derived single exon microarrays of the present invention typically, but need not necessarily, include intronic
30 and/or intergenic sequence that is absent from EST microarrays, which are derived from mature mRNA. Typically, at least about 50, 60, 70, 80 or 90% of the exon-including probes on the genome-derived single exon microarrays of the present invention include sequence drawn
35 from noncoding regions. As discussed above, the additional

presence of noncoding region does not significantly interfere with measurement of gene expression, and provides the additional opportunity to assay prespliced RNA, and thus measure such phenomena such as nuclear export control.

5 The genome-derived single exon microarrays of the present invention are also quite different from *in situ* synthesis microarrays, where probe size is severely constrained by inadequacies in the photolithographic synthesis process.

10 Typically, probes arrayed on *in situ* synthesis microarrays are limited to a maximum of about 25 bp. As a well known consequence, hybridization to such chips must be performed at low stringency. In order, therefore, to achieve unambiguous sequence-specific hybridization
15 results, the *in situ* synthesis microarray requires substantial redundancy, with concomitant programmed arraying for each probe of probe analogues with altered (*i.e.*, mismatched) sequence.

 In contrast, the longer probe length of the
20 genome-derived single exon microarrays of the present invention allows much higher stringency hybridization and wash. Typically, therefore, exon-including probes on the genome-derived single exon microarrays of the present invention average at least about 100, 200, 300, 400 or
25 500 bp in length. By obviating the need for substantial probe redundancy, this approach permits a higher density of probes for discrete exons or genes to be arrayed on the microarrays of the present invention than can be achieved for *in situ* synthesis microarrays.

30 A further distinction is that the probes in *in situ* synthesis microarrays typically are covalently linked to the substrate surface. In contrast, the probes disposed on the genome-derived microarray of the present invention typically are, but need not necessarily be, bound
35 noncovalently to the substrate.

Furthermore, the short probe size on *in situ* microarrays causes large percentage differences in the melting temperature of probes hybridized to their complementary target sequence, and thus causes large percentage differences in the theoretically optimum stringency across the array as a whole.

In contrast, the larger probe size in the microarrays of the present invention create lower percentage differences in melting temperature across the range of arrayed probes.

A further significant advantage of the microarrays of the present invention over *in situ* synthesized arrays is that the quality of each individual probe can be confirmed before deposition. In contrast, the quality of probes cannot be assessed on a probe-by-probe basis for the *in situ* synthesized microarrays presently being used.

The genome-derived single exon microarrays of the present invention are also distinguished over, and present substantial benefits over, the genome-derived microarrays from lower eukaryotes such as yeast. Lashkari *et al.*, *Proc. Natl. Acad. Sci. USA* 94:13057-13062 (1997).

Only about 220 - 250 of the 6100 or so nuclear genes in *Saccharomyces cerevisiae* - that is, only about 4 - 5% - have standard, spliceosomal, introns, Lopez *et al.*, *Nucl. Acids Res.* 28:85-86 (2000); Spingola *et al.*, *RNA* 5(2):221-34 (1999). Furthermore, the entire yeast genome has already been sequenced. These two facts permit the ready amplification and disposition of single-ORF amplicons on such microarray without the requirement for antecedent use of gene prediction and/or comparative sequence analyses.

Thus, a significant aspect of the present invention is the ability to identify and to confirm expression of predicted coding regions in genomic sequence

drawn from eukaryotic organisms that have a higher percentage of genes having introns than do yeast such as *Saccharomyces cerevisiae*, particularly in genomic sequence drawn from eukaryotes in which at least about 10, 20 or 50% of protein-encoding genes have introns. In preferred embodiments, the methods and apparatus of the present invention are used to identify and confirm expression of novel genes from genomic sequence of eukaryotes in which the average number of introns per gene is at least about one, two or three or more.

After the physical substrate is prepared, experimental verification of predicted function is performed.

In a preferred embodiment of the present invention, where the function sought to be identified in genomic sequence is protein coding, experimental verification is performed by measuring expression of the putative ORFs, typically through nucleic acid hybridization experiments, and in particularly preferred embodiments, through hybridization to genome-derived single exon microarrays prepared as above- described.

Expression is conveniently measured and expressed for each probe in the microarray as a ratio of the expression measured concurrently in a plurality of mRNA sources, according to techniques well known in the microarray art, Reviewed in Schena et al., and as further described in Example 2, below. The mRNA source for the reference against which specific expression is measured can be drawn from a homogeneous mRNA source, such as a single cultured cell-type, or alternatively can be heterogeneous, as from a pool of mRNA derived from multiple tissues and/or cell types, as further described in Example 2, *infra*.

mRNA can be prepared by standard techniques, see Ausubel et al. and Maniatis et al., or purchased commercially. The mRNA is then typically reverse-

transcribed in the presence of labeled nucleotides: the index source (that in which expression is desired to be measured) is reverse transcribed in the presence of nucleotides labeled with a first label, typically a fluorophore (fluorochrome; fluor; fluorescent dye); the reference source is reverse transcribed in the presence of a second label, typically a fluorophore, typically fluorometrically-distinguishable from the first label. As further described in Example 2, *infra*, Cy3 and Cy5 dyes prove particularly useful in these methods. After partial purification of the index and reference targets, hybridization to the probe array is conducted according to standard techniques, typically under a coverslip.

After wash, microarrays are conveniently scanned using a commercial microarray scanning device, such as a Gen3 Scanner (Molecular Dynamics, Sunnyvale, CA). Data on expression is then passed, with or without interim storage, to process 500, where the results for each probe are related to the original sequence.

Often, hybridization of target material to the genome-derived single exon microarray will identify certain of the probes thereon as of particular interest. Thus, it is often desirable that the user be able readily to obtain sufficient quantities of an individual probe, either for subsequent arrayed deposition upon an additional support substrate, often as part of a microarray having a plurality of probes so identified, or alternatively or additionally as a solitary solid-phase or solution-phase probe, for further use.

Thus, in another aspect, the present invention provides compositions and kits for the ready production of nucleic acids identical in sequence to, or substantially identical in sequence to, probes on the genome-derived single exon microarrays of the present invention.

In this aspect, a small quantity of each probe is

disposed, typically without attachment to substrate, in a spatially-addressable ordered set, typically one per well of a microtiter dish. Although a 96 well microtiter plate can be used, greater efficiency is obtained using higher
5 density arrays, such as are provided by microtiter plates having 384, 864, 1536, 3456, 6144, or 9600 wells, and although microtiter plates having physical depressions (wells) are conveniently used, any device that permits addressable withdrawal of reagent from fluidly-
10 noncommunicating areas can be used.

In this aspect of the invention, therefore, a fluidly noncommunicating addressable ordered set of individual probes, corresponding to those on a genome-derived single exon microarray, is provided, with each
15 probe in sufficient quantity to permit amplification, such as by PCR. As earlier mentioned, the ORF-specific 5' primers used for genomic amplification can have a first common sequence added thereto, and the ORF-specific 3' primers used for genomic amplification can have a second,
20 different, common sequence added thereto, thus permitting, in this preferred embodiment, the use of a single set of 5' and 3' primers to amplify any one of the probes from the amplifiable ordered set.

Each discrete amplifiable probe can also be
25 packaged with amplification primers, solutes, buffers, etc., and can be provided in dry (e.g., lyophilized) form or wet, in the latter case typically with addition of agents that retard evaporation.

In another aspect of the present invention, a
30 genome-derived single-exon microarray is packaged together with such an ordered set of amplifiable probes corresponding to the probes, or one or more subsets of probes, thereon. In alternative embodiments, the ordered set of amplifiable probes is packaged separately from the
35 genome-derived single exon microarray.

In some embodiments, the microarray and/or ordered probe set are further packaged with recordable media that provide probe identification and addressing information, and that can additionally contain annotation
5 information, such as gene expression data. Such recordable media can be packaged with the microarray, with the ordered probe set, or with both.

If the microarray is constructed on a substrate that incorporates recordable media, such as is described in
10 international patent application no. WO 98/12559, then separate packaging of the genome-derived single exon microarray and the bioinformatic information is not required.

The amount of amplifiable probe material should
15 be sufficient to permit at least one amplification sufficient for subsequent hybridization assay.

Although the use of high density genome-derived microarrays on solid planar substrates is presently a preferred approach for the physical confirmation and
20 characterization of the expression of sequences predicted to encode protein, other types of microarrays (as herein defined) can also be used.

Furthermore, as earlier mentioned, experimental verification of the function predicted from genomic
25 sequence in process 200 can be bioinformatic, rather than, or additional to, physical verification.

For example, where the function desired to be identified is protein coding, the predicted ORFs can be compared bioinformatically to sequences known or suspected
30 of being expressed.

Thus, the sequences output from process 300 (or process 200), can be used to query expression databases, such as EST databases, SNP ("single nucleotide polymorphism") databases, known cDNA and mRNA sequences,
35 SAGE ("serial analysis of gene expression") databases, and

more generalized sequence databases that allow query for expressed sequences. Such query can be done by any sequence query algorithm, such as BLAST ("basic local alignment search tool"). The results of such query –
5 including information on identical sequences and information on nonidentical sequences that have diffuse or focal regions of sequence homology to the query sequence – can then be passed directly to process 500, or used to inform analyses subsequently undertaken in process 200,
10 process 300, or process 400.

Experimental data, whether obtained by physical or bioinformatic assay in process 400, is passed to process 500 where it is usefully related to the sequence data itself, a process colloquially termed "annotation". Such
15 annotation can be done using any technique that usefully relates the functional information to the sequence, as, for example, by incorporating the functional data into the record itself, by linking records in a hierarchical or relational database, by linking to external databases, or
20 by a combination thereof. Such database techniques are well within the skill in the art.

The annotated sequence data can be stored locally, uploaded to genomic sequence database 100, and/or displayed 800.

25 The methods and apparatus of the present invention rapidly produce functional information from genomic sequence. Coupled with the escalating pace at which sequence now accumulates, the rapid pace of sequence annotation produces a need for methods of displaying the
30 information in meaningful ways.

FIG. 3 shows visual display 80 presenting a single genomic sequence annotated according to the present invention. Because of its nominal resemblance to artistic works of Piet Mondrian, visual display 80 is alternatively
35 described herein as a "Mondrian".

Each of the visual elements of display 80 is aligned with respect to the genomic sequence being annotated (hereinafter, the "annotated sequence"). Given the number of nucleotides typically represented in an annotated sequence, representation of individual nucleotides would rarely be readable in hard copy output of display 80. Typically, therefore, the annotated sequence is schematized as rectangle 89, extending from the left border of display 80 to its right border. By convention herein, the left border of rectangle 89 represents the first nucleotide of the sequence and the right border of rectangle 89 represents the last nucleotide of the sequence.

As further discussed below, however, the Mondrian visual display of annotated sequence can serve as a convenient graphical user interface for computerized representation, analysis, and query of information stored electronically. For such use, the individual nucleotides can conveniently be linked to the X axis coordinate of rectangle 89. This permits the annotated sequence at any point within rectangle 89 readily to be viewed, either automatically - for example, by time-delayed appearance of a small overlaid window upon movement of a cursor or other pointer over rectangle 89 - or through user intervention, as by clicking a mouse or other pointing device at a point in rectangle 89.

Visual display 80 is generated after user specification of the genomic sequence to be displayed. Such specification can consist of or include an accession number for a single clone (e.g., a single BAC accessioned into GenBank), wherein the starting and stopping nucleotides are thus absolutely identified, or alternatively can consist of or include an anchor or fulcrum point about which a chosen range of sequence is anchored, thus providing relative endpoints for the

sequence to be displayed. For example, the user can anchor such a range about a given chromosomal map location, gene name, or even a sequence returned by query for similarity or identity to an input query sequence. When visual
5 display 80 is used as a graphical user interface to computerized data, additional control over the first and last displayed nucleotide will typically be dynamically selectable, as by use of standard zooming and/or selection tools.

10 Field 81 of visual display 80 is used to present the output from process 200, that is, to present the bioinformatic prediction of those sequences having the desired function within the genomic sequence. Functional sequences are typically indicated by at least one rectangle
15 83 (83a, 83b, 83c), the left and right borders of which respectively indicate, by their X-axis coordinates, the starting and ending nucleotides of the region predicted to have function.

Where a single bioinformatic method or approach
20 identifies a plurality of regions having the desired function, a plurality of rectangles 83 is disposed horizontally in field 81. Where multiple methods and/or approaches are used to identify function, each such method and/or approach can be represented by its own series of
25 horizontally disposed rectangles 83, each such horizontally disposed series of rectangles offset vertically from those representing the results of the other methods and approaches.

Thus, rectangles 83a in FIG. 3 represent the
30 functional predictions of a first method of a first approach for predicting function, rectangles 83b represent the functional predictions of a second method and/or second approach for predicting that function, and rectangles 83c represent the predictions of a third method and/or
35 approach.

Where the function desired to be identified is protein coding, field 81 is used to present the bioinformatic prediction of sequences encoding protein. For example, rectangles 83a can represent the results from
5 GRAIL or GRAIL II, rectangles 83b can represent the results from GENEFINDER, and rectangles 83c can represent the results from DICTION.

Optionally, and preferably, rectangles 83 collectively representing predictions of a single method
10 and/or approach are identically colored and/or textured, and are distinguishable from the color and/or texture used for a different method and/or approach.

Alternatively, or in addition, the color, hue, density, or texture of rectangles 83 can be used further to
15 report a measure of the bioinformatic reliability of the prediction. For example, many gene prediction programs will report a measure of the reliability of prediction. Thus, increasing degrees of such reliability can be indicated, e.g., by increasing density of shading. Where
20 display 80 is used as a graphical user interface, such measures of reliability, and indeed all other results output by the program, can additionally or alternatively be made accessible through linkage from individual rectangles 83, as by time-delayed window ("tool tip" window), or by
25 pointer (e.g., mouse)-activated link.

As earlier described, increased predictive reliability can be achieved by requiring consensus among methods and/or approaches to determining function. Thus, field 81 can include a horizontal series of rectangles 83
30 that indicate one or more degrees of consensus in predictions of function.

Although FIG. 3 shows three series of horizontally disposed rectangles in field 81, display 80 can include as few as one such series of rectangles and as
35 many as can discriminably be displayed, depending upon the

number of methods and/or approaches used to predict a given function.

Furthermore, field 81 can be used to show predictions of a plurality of different functions.

5 However, the increased visual complexity occasioned by such display makes more useful the ability of the user to select a single function for display. When display 80 is used as a graphical user interface for computer query and analysis, such function can usefully be indicated and user-
10 selectable, as by a series of graphical buttons or tabs (not shown in FIG. 3).

Rectangle 89 is shown in FIG. 3 as including interposed rectangle 84. Rectangle 84 represents the portion of annotated sequence for which predicted
15 functional information has been assayed physically, with the starting and ending nucleotides of the assayed material indicated by the X axis coordinates of the left and right borders of rectangle 84. Rectangle 85, with optional inclusive circles 86 (86a, 86b, and 86c) displays the
20 results of such physical assay.

Although a single rectangle 84 is shown in FIG. 3, physical assay is not limited to just one region of annotated genomic sequence. It is expected that an increasing percentage of regions predicted to have function
25 by process 200 will be assayed physically, and that display 80 will accordingly, for any given genomic sequence, have an increasing number of rectangles 84 and 85, representing an increased density of sequence annotation.

Where the function desired to be identified is
30 protein coding, rectangle 84 identifies the sequence of the probe used to measure expression. In embodiments of the present invention where expression is measured using genome-derived single exon microarrays, rectangle 84 identifies the sequence included within the probe
35 immobilized on the support surface of the microarray. As

noted *supra*, such probe will often include a small amount of additional, synthetic, material incorporated during amplification and designed to permit reamplification of the probe, which sequence is typically not shown in display 80.

5 Rectangle 87 is used to present the results of bioinformatic assay of the genomic sequence. For example, where the function desired to be identified is protein coding, process 400 can include bioinformatic query of expression databases with the sequences predicted in
10 process 200 to encode exons. And as earlier discussed, because bioinformatic assay presents fewer constraints than does physical assay, often the entire output of process 200 can be used for such assay, without further subsetting thereof by process 300. Therefore, rectangle 87 typically
15 need not have separate indicators therein of regions submitted for bioinformatic assay; that is, rectangle 87 typically need not have regions therein analogous to rectangles 84 within rectangle 89.

 Rectangle 87 as shown in FIG. 3 includes smaller
20 rectangles 880 and 88. Rectangles 880 indicate regions that returned a positive result in the bioinformatic assay, with rectangles 88 representing regions that did not return such positive results. Where the function desired to be predicted and displayed is protein coding, rectangles 880
25 indicate regions of the predicted exons that identify sequence with significant similarity in expression databases, such as EST, SNP, SAGE databases, with rectangles 88 indicating genes novel over those identified in existing expression data bases.

30 Rectangles 880 can further indicate, through color, shading, texture, or the like, additional information obtained from bioinformatic assay.

 For example, where the function assayed and displayed is protein coding, the degree of shading of
35 rectangles 880 can be used to represent the degree of

sequence similarity found upon query of expression databases. The number of levels of discrimination can be as few as two (identity, and similarity, where similarity has a user-selectable lower threshold). Alternatively, as
5 many different levels of discrimination can be indicated as can visually be discriminated.

Where display 80 is used as a graphical user interface, rectangles 880 can additionally provide links directly to the sequences identified by the query of
10 expression databases, and/or statistical summaries thereof. As with each of the precedingly-discussed uses of display 80 as a graphical user interface, it should be understood that the information accessed via display 80 need not be resident on the computer presenting such display, which
15 often will be serving as a client, with the linked information resident on one or more remotely located servers.

Rectangle 85 displays the results of physical assay of the sequence delimited by its left and right
20 borders.

Rectangle 85 can consist of a single rectangle, thus indicating a single assay, or alternatively, and increasingly typically, will consist of a series of rectangles (85a, 85b, 85c) indicating separate physical
25 assays of the same sequence.

Where the function assayed is gene expression, and where gene expression is assayed as herein described using simultaneous two-color fluorescent detection of hybridization to genome-derived single exon microarrays,
30 individual rectangles 85 can be colored to indicate the degree of expression relative to control. Conveniently, shades of green can be used to depict expression in the sample over control values, and shades of red used to depict expression less than control, corresponding to the
35 spectra of the Cy3 and Cy5 dyes conventionally used for

respective labeling thereof. Additional functional information can be provided in the form of circles 86 (86a, 86b, 86c), where the diameter of the circle can be used to indicate expression intensity. As discussed *infra*, such
5 relative expression (expression ratios) and absolute expression (signal intensity) can be expressed using normalized values.

Where display 80 is used as a graphical user interface, rectangle 85 can be used as a link to further
10 information about the assay. For example, where the assay is one for gene expression, each rectangle 85 can be used to link to information about the source of the hybridized mRNA, the identity of the control, raw or processed data from the microarray scan, or the like.

15 FIG. 4 is rendition of display 80 representing gene prediction and gene expression for a hypothetical BAC, showing conventions used in the Examples presented *infra*. BAC sequence ("Chip seq.") 89 is presented, with the physically assayed region thereof (corresponding to
20 rectangle 84 in FIG. 3) shown in white. Algorithmic gene predictions are shown in field 81, with predictions by GRAIL shown, predictions by GENEFINDER, and predictions by DICTION shown. Within rectangle 87, regions of sequence that, when used to query expression databases, return
25 identical or similar sequences ("EST hit") are shown as white rectangles (corresponding to rectangles 880 in FIG. 3), gray indicates low homology, and black indicates unknowns (where black and gray would correspond to rectangles 88 in FIG. 3).

30 Although FIGS. 3 and 4 show a single stretch of sequence, uninterrupted from left to right, longer sequences are usefully represented by vertical stacking of such individual Mondrians, as shown in FIGS. 9 and 10.

35 Single Exon Probes Useful For Measuring Gene Expression

The methods and apparatus of the present invention rapidly produce functional information from genomic sequence. Where the function to be identified is protein coding, the methods and apparatus of the present invention rapidly identify and confirm the expression of portions of genomic sequence that function to encode protein. As a direct result, the methods and apparatus of the present invention rapidly yield large numbers of single-exon nucleic acid probes, the majority from previously unknown genes, each of which is useful for measuring and/or surveying expression of a specific gene in one or more tissues or cell types.

It is, therefore, another aspect of the present invention to provide genome-derived single exon nucleic acid probes useful for gene expression analysis, and particularly for gene expression analysis by microarray.

Using the methods and genome-derived single-exon microarrays of the present invention, we have for example readily identified a large number of unique ORFs from human genomic sequence. Using single exon probes that encompass these ORFs, we have demonstrated, through microarray hybridization analysis, the expression of 13,114 of these ORFs in bone marrow.

As would immediately be appreciated by one of skill in the art, each single exon probe having demonstrable expression in bone marrow is currently available for use in measuring the level of its ORF's expression in bone marrow.

Because bone marrow is the tissue in which blood cells originate, diseases of the bone marrow are a significant cause of human morbidity and mortality. Increasingly, genetic factors are being found that contribute to predisposition, onset, and/or aggressiveness of most, if not all, of these diseases. Although mutations

in single genes have in some cases been identified as causal - notably in the thalassemias and sickle cell anemia - disorders of the bone marrow are, for the most part, believed to have polygenic etiologies.

5 For example, cancers that originate in the bone marrow and lymphatic tissues such as the lymphomas, leukemias, and myeloma have been recognized as a major health concern. An estimated 632,000 Americans are presently living with lymphoma, leukemia or myeloma, and
10 over 110,000 new cases are anticipated each year. The new cases alone account for 11% of all cancer cases reported in the United States.

 Lymphoma is a general term for a group of cancers of lymphocytes that manifest in the tissues of the
15 lymphatic system. Eventually, monoclonal proliferation crowds out healthy cells and creates tumors which enlarge lymph nodes. Approximately 450,000 members of the U.S. population are living with lymphoma: 160,000 with Hodgkin disease (HD) and 290,000 with non-Hodgkin lymphoma.

20 Hodgkin disease (HD) is a specialized form of lymphoma, and represent about 8% of all lymphomas. HD can be distinguish in tissues by the presence of an abnormal cell called the Reed-Sternberg cell. Incidence rates of HD are higher in adolescents and young adults, but HD is
25 considered to be one of the most curable forms of cancer. Symptoms of HD include painless swelling of lymph glands, fatigue, recurrent high fever, sweating at night, skin irritations and loss of weight.

 Although an infectious etiology has been proposed
30 to account for the disproportionate incidence of HD among siblings reared together - particularly an association with Epstein Barr Virus (EBV) - multiple genetic contributions have also been suggested.

 As early as 1986, linkage to HLA was suggested,
35 with Klitz et al., Am. J. Hum. Genet. 54: 497-505 (1994)

reporting an overall association of the nodular sclerosing (NSHD) group with the HLA class II region. Results of the study suggested that susceptibility to NSHD is influenced by more than 1 locus within the class II region. Through a
 5 literature search, Shugart and Collins (2000), Europ. J. Hum. Genet. 8: 460-463 (2000), performed a combined segregation and linkage analysis on 59 nuclear families with HD and concluded that HD is most likely determined by both an HLA-associated major gene and other non-HLA genetic
 10 factors, in conjunction with environmental effects.

Non-Hodgkin lymphoma (NHL) is a malignant monoclonal proliferation of the lymphoid cells in the immune system, including bone marrow, spleen, liver and GI tract. The pathologic classification of NHL continues to
 15 evolve, reflecting new insights into the cells of origin and the biologic bases of these heterogeneous diseases. The course of NHL varies from indolent and initially well tolerated to rapidly fatal. Furthermore, common clinical symptoms of NHL, but rare in HD, are congestion and edema
 20 of the face and neck and ureteral compression.

Non-Hodgkin lymphoma (NHL) has been linked to a variety of specific genetic defects, including 26 mutated genes and at least 9 identified chromosomal translocations. Among the mutated genes are: ALK (2p23); API2 (MIHC, CIAP2)
 25 (11q22-q23); API4 (survivin, SVV) (17q25(?)); ATM (ATA, ATC) (11q22.3); BCL1 (11q13.3); BCL10 (CLAP, CIPER) (1p22); BCL2 (18q21.3); BCL6 (LAZ3, ZNF51) (3q27); BLYM (1p32); BMI1 (10p13); CCND1 (D11S287E, Cyclin D, PRAD1) (11q13); CD44 (MDU3, HA, MDU2) (11pter-p13); FRAT1 (10q23-q24(?)); FRAT2
 30 (GBP) (10(?)); IL6 (IFNB2) (7p21); IRF4 (MUM1, LSIRF) (6p25-p23); LCP1 (PLS2) (13q14.1-q14.3); MALT1 (MLT) (18q21); MUC1 (PUM, PEM) (1q21); MYBL1 (AMYB, A-MYB) (8q22); MYC (CMYC, C-MYC) (8q24.12-q24.13); NBS1 (8q21); NPM1 (B23) (5q35); PCNA (20p12); TIAM1 (21q22.1); and TP53 (p53, P53) (17q13.1).

35 Among the chromosomal abnormalities are: t(1;14)

(p22;q32); t(14;18)(q32;q21); t(3;14)(q27;q32);
t(6;14)(p25;q32); t(11;18)(q21;q21); t(1;14)(q21;q32);
t(2;5)(p23;q35); add(14q32) / dup(14p32); and
t(11;14)(q13;q32).

5 Additional genetic loci, as yet undiscovered, are
believed to account for other occurrences of NHL.

As another example, acute leukemia is a malignant
disease of blood-forming tissues such as the bone marrow.
It is characterized by the uncontrolled growth of white
10 blood cells. As a result, immature myeloid cells (in acute
myelogenous leukemia (AML)) or lymphoid cells (in acute
lymphocytic leukemia (ALL)) rapidly accumulate and
progressively replace the bone marrow; diminished
production of normal red cells, white cells, and platelets
15 ensues. This loss of normal marrow function in turn gives
rise to the typical clinical complications of leukemia:
anemia, infection, and bleeding.

If untreated, ALL is rapidly fatal; most patients
die within several months of diagnosis. With appropriate
20 therapy, many patients can be cured. The survival rate for
patients diagnosed with AML or ALL is 14% and 58%
respectively. However, the incidences of AML is expected
to be greater than ALL: an estimated 10,000 new cases of
AML, predominantly in older adults, is anticipated in the
25 U.S. alone, whereas 3,100 new cases of ALL are expected,
with 1,500 of these new cases occurring among children.

The etiology of acute leukemia is not known.
Although human T-cell lymphotropic virus type I (HTLV-I), a
causative agent of adult T-cell leukemia, and HTLV-II,
30 obtained from several patients with a syndrome resembling
hairy cell leukemia, have been isolated, the etiologic link
between HTLV and malignancy is uncertain. There is,
however, evidence which suggests a genetic predisposition
to incidences of acute leukemia.

35 For example, genetic disorders such as Fanconi

anemia and Down syndrome appear to increase risk of acute leukemia, specifically, AML. Evidence supporting a chromosome 21 locus for acute myelogenous leukemia (AML) includes the finding of linkage to 21q22.1-q22.2 in a family with a platelet disorder and propensity to develop AML (Ho et al., Blood 87: 5218-5224 (1996), an increased incidence of leukemia in Down syndrome, and frequent somatic translocation in leukemia involving the CBFA gene on 21q22.3. In addition, Horwitz et al., Am. J. Hum. Genet. 61:873-881 (1997), suggest that a gene on 16q22 may be a second cause of acute myelogenous leukemia. Nonparametric linkage analysis gave a P-value of 0.00098 for the conditional probability of linkage. Mutational analysis excluded expansion of the AT-rich minisatellite repeat FRA16B fragile site and the CAG trinucleotide repeat in the E2F-4 transcription factor. Large CAG repeat expansion was excluded as a cause of leukemia in this family.

Similarly, acute lymphoblastic leukemia (ALL) has been suggested to have a genetic predisposition. In particular, linkage to chromosome 9p has been reported by a number of groups. Chilcote et al., New Eng. J. Med. 313: 286-291 (1985), found that 6 of 8 patients with clinical features of lymphomatous ALL (LALL), a distinct category of ALL of T-cell lineage, had karyotypic abnormalities leading to loss of bands 9p22-p21. The mechanisms varied and included deletions, unbalanced translocations, and loss of the entire chromosome; only 1 of 57 patients without LALL had an abnormality of chromosome 9 at diagnosis. Kowalczyk et al., Cancer Genet. Cytogenet. 9:383-385 (1981), had earlier found changes in 9p in a subgroup of ALL cases. Chilcote et al. (1985) pointed out that there is a fragile site at 9p21 and raised the question of familial predisposition on this basis. This fragile site is the breakpoint in the translocation t(9;11)(p21-22;q23), which

is associated with acute nonlymphocytic leukemia with monocytic features, ANLL-AMoL-M5a. In a large series, Murphy et al., New Eng. J. Med. 313:1611 (1985), confirmed an abnormality of 9p in 10 to 11% of cases (33 out of more
5 than 300) of acute lymphoblastic leukemia. The breakpoints in 9p clustered in the p22-p21 region. They could not, however, corroborate the specific association with T-cell origin or so-called lymphomatous clinical features. In addition, Taki et al., Proc. Natl. Acad. Sci. USA 96:14535
10 (1999), recently identified AF5q31, a new AF4-related gene, fused to MLL in infant ALL with ins(5;11)(q31;q13q23), and suspects that AF5q31 and AF4 might define a new family particularly involved in the pathogenesis of 11q23-associated-ALL.

15 As yet a further example of a disease affecting bone marrow with likely polygenic etiology is multiple myeloma (MM).

MM is a cancer of plasma cells, the final differentiated stage of B lymphocyte maturation. The
20 malignant clone proliferates in the bone marrow and frequently invades the adjacent bone, producing extensive skeletal destruction that results in bone pain and fractures. Anemia, hypercalcemia, and renal failure are some clinical manifestations associated with MM.

25 MM causes 1% of all cancer deaths in Western countries. A genetic component to its etiology is suggested by disparate incidence among various groups in the country. Its incidence is higher in men than in women, in people of African descent relative to the U.S.
30 population at large, and in older adults as compared to the young. It has been estimated that 14,000 new cases of myeloma will be diagnosed in the U.S., and over 11,000 persons will die from MM within the year.

Although, Kaposi's sarcoma-associated herpes
35 virus has been associated with MM (Retig et al., Science

276:1851 (1997)), there is evidence that chromosomal abnormalities, such as the deletion of 13q14 and rearrangements of 14q increase the proliferation of myeloma cells.

5 Up to 30% of patients who suffer with MM have a balanced translocation, t(4;14)(p16.3;q32), that places the fibroblast growth factor receptor 3 (FGFR3) gene under the control of IgH promoter elements (Chesi et al., Nat. Genet. 16:260 (1997)). This results in increased expression of
10 FGFR3, a member of a family of tyrosine kinase receptors implicated in control of cellular proliferation.

According to Zoger et al., Blood 95:1925 (2000), monoallelic deletions of the retinoblastoma-1 (rb-1) gene and the D13S319 locus were observed in 48 of 104 patients
15 (46.2%) and in 28 of 72 (38.9%) patients, respectively, with newly diagnosed MM. Fluorescence in situ hybridization (FISH) studies found that 13q14 was deleted in all 17 patients with karyotypic evidence of monosomy 13 or deletion of 13q but also in 9 of 19 patients with
20 apparently normal karyotypes. Patients with a 13q14 deletion were more likely to have higher serum levels of beta(2)-microglobulin (P=0.059) and a higher percentage of bone marrow plasma cells (P=0.085) than patients with a normal 13q14 status on FISH analysis. In patients with a
25 deletion of 13q14, myeloma cell proliferation was markedly increased. The presence of a 13q14 deletion on FISH analysis was associated with a significantly lower rate of response to conventional-dose chemotherapy (40.8% compared with 78.6%; P =.009) and a shorter overall
30 survival (24.2 months compared with > 60 months; P <.005) than in patients without the deletion.

There are numerous other mutated genes and chromosomal abnormalities that may predispose to MM. Examples of such genes are: B2M (15q21-q22); CCND1
35 (D11S287E, Cyclin D, PRAD1)(11q13); CD19 (16p11.2); HGF

(HPTA) (7q21.1); IL6 (IFNB2) (7p21); IRF4 (MUM1, LSIRF) (6p25-p23); LTA (TNFB, LT) (6p21.3); SDC1 (2p24.1); and TNF (TNFA, TNFSF2, DIF) (6p21.3). Examples of chromosomal abnormalities include: t(6;14) (p25;q32) and
5 t(11;14) (q13;q32).

Other significant diseases or disorders of the bone marrow are also believed, or likely to have, a genetic, typically polygenic, etiologic component. These diseases include, for example, chronic myeloid leukemia,
10 chronic lymphoid leukemia, polycythemia vera, myelofibrosis, primary thrombocythemia, myelodysplastic syndromes, Wiskott-Aldrich, lymphoproliferative syndrome, aplastic anemia, Fanconi anemia, Down syndrome, sickle cell disease, thalassemia, granulocyte disorders, Kostmann
15 syndrome, chronic granulomatous disease, Chediak-Higashi syndrome, platelet disorders, Glanzmann thrombasthenia, Bernard-Soulier syndrome, metabolic storage diseases, osteoporosis, congenital hemophagocytic syndrome.

The human genome-derived single exon nucleic acid
20 probes and microarrays of the present invention are useful for predicting, diagnosing, grading, staging, monitoring and prognosing diseases of human bone marrow, particularly those diseases with polygenic etiology. With each of the single exon probes described herein shown to be expressed
25 at detectable levels in human bone marrow, and with about 2/3 of the probes identifying novel genes, the single exon microarrays of the present invention provide exceptionally high informational content for such studies.

For example, diagnosis, grading, and/or staging
30 of a disease can be based upon the quantitative relatedness of a patient gene expression profile to one or more reference expression profiles known to be characteristic of a given bone marrow disease, or to specific grades or stages thereof.

35 In one embodiment, the patient gene expression

profile is generated by hybridizing nucleic acids obtained directly or indirectly from transcripts expressed in the patient's bone marrow (or cells cultured therefrom) to the genome-derived single exon microarray of the present
5 invention. Reference profiles are obtained similarly by hybridizing nucleic acids obtained directly or indirectly from transcripts expressed in the bone marrow of individuals with known disease. Methods for quantitatively relating gene expression profiles, without regard to the
10 function of the protein encoded by the gene, are disclosed in WO 99/58720, incorporated herein by reference in its entirety.

In another approach, the genome-derived single exon probes and microarrays of the present invention can be
15 used to interrogate genomic DNA, rather than pools of expressed message; this latter approach permits predisposition to and/or prognosis of diseases of bone marrow to be assessed through the massively parallel determination of altered copy number, deletion, or mutation
20 in the patient's genome of exons known to be expressed in human bone marrow. The algorithms set forth in WO 99/58720 can be applied to such genomic profiles without regard to the function of the protein encoded by the interrogated gene.

25 The utility is specific to the probe; at sufficiently high hybridization stringency, which stringencies are well known in the art - see Ausubel et al. and Maniatis et al. - each probe reports the level of expression of message specifically containing that ORF.

30 It should be appreciated, however, that the probes of the present invention, for which expression in the bone marrow has been demonstrated are useful for both measurement in the bone marrow and for survey of expression in other tissues.

35 Significant among such advantages is the presence

of probes for novel genes.

As mentioned above and further detailed in Examples 1 and 2, the methods described enable ORFs which are not present in existing expression databases to be
5 identified. And the fewer the number of tissues in which the ORF can be shown to be expressed, the more likely the ORF will prove to be part of a novel gene: as further discussed in Example 2, ORFs whose expression was measurable in only a single of the tested tissues were
10 represented in existing expression databases at a rate of only 11%, whereas 36% of ORFs whose expression was measurable in 9 tissues were present in existing expression databases, and fully 45% of those ORFs expressed in all ten tested tissues were present in existing expressed sequence
15 databases.

Either as tools for measuring gene expression or tools for surveying gene expression, the genome-derived single exon probes of the present invention have significant advantages over the cDNA or EST-based probes
20 that are currently available for achieving these utilities.

The genome-derived single exon probes of the present invention are useful in constructing genome-derived single exon microarrays; the genome-derived single exon microarrays, in turn, are useful devices for measuring and
25 for surveying gene expression in the human.

Gene expression analysis using microarrays – conventionally using microarrays having probes derived from expressed message – is well-established as useful in the biological research arts (see Lockhart et al. Nature 405,
30 827-836).

Microarrays have been used to determine gene expression profiles in cells in response to drug treatment (see, for example, Kaminski et al., "Global Analysis of Gene Expression in Pulmonary Fibrosis Reveals Distinct
35 Programs Regulating Lung Inflammation and Fibrosis," *Proc.*

- Natl. Acad. Sci. USA 97(4):1778-83 (2000); Bartosiewicz et al., "Development of a Toxicological Gene Array and Quantitative Assessment of This Technology," *Arch. Biochem. Biophys.* 376(1):66-73 (2000)), viral infection (see for
5 example, Geiss et al., "Large-scale Monitoring of Host Cell Gene Expression During HIV-1 Infection Using cDNA Microarrays," *Virology* 266(1):8-16 (2000)) and during cell processes such as differentiation, senescence and apoptosis (see, for example, Shelton et al., "Microarray Analysis of
10 Replicative Senescence," *Curr. Biol.* 9(17):939-45 (1999); Voehringer et al., "Gene Microarray Identification of Redox and Mitochondrial Elements That Control Resistance or Sensitivity to Apoptosis," *Proc. Natl. Acad. Sci. USA* 97(6):2680-5 (2000)).
- 15 Microarrays have also been used to determine abnormal gene expression in diseased tissues (see, for example, Alon et al., "Broad Patterns of Gene Expression Revealed by Clustering Analysis of Tumor and Normal Colon Tissues Probed by Oligonucleotide Arrays," *Proc. Natl.*
20 *Acad. Sci. USA* 96(12):6745-50 (1999); Perou et al., "Distinctive Gene Expression Patterns in Human Mammary Epithelial Cells and Breast Cancers," *Proc. Natl. Acad. Sci. USA* 96(16):9212-7 (1999); Wang et al., "Identification of Genes Differentially Over-expressed in Lung Squamous Cell
25 Carcinoma Using Combination of cDNA Subtraction and Microarray Analysis," *Oncogene* 19(12):1519-28 (2000); Whitney et al., "Analysis of Gene Expression in Multiple Sclerosis Lesions Using cDNA Microarrays," *Ann. Neurol.* 46(3):425-8 (1999)), in drug discovery screens (see, for
30 example, Scherf et al., "A Gene Expression Database for the Molecular Pharmacology of Cancer," *Nat. Genet.* 24(3):236-44 (2000)) and in diagnosis to determine appropriate treatment strategies (see, for example, Sgroi et al., "In vivo Gene Expression Profile Analysis of Human Breast Cancer

Progression," *Cancer Res.* 59(22):5656-61 (1999)).

In microarray-based gene expression screens of pharmacological drug candidates upon cells, each probe provides specific useful data. In particular, it should be appreciated that even those probes that show no change in
5 expression are as informative as those that do change, serving, in essence, as negative controls.

For example, where gene expression analysis is used to assess toxicity of chemical agents on cells, the failure of the agent to change a gene's expression level is
10 evidence that the drug likely does not affect the pathway of which the gene's expressed protein is a part.

Analogously, where gene expression analysis is used to assess side effects of pharmacological agents — whether in lead compound discovery or in subsequent screening of lead
15 compound derivatives — the inability of the agent to alter a gene's expression level is evidence that the drug does not affect the pathway of which the gene's expressed protein is a part.

WO 99/58720 provides methods for quantifying the relatedness of a first and second gene expression profile and for ordering the relatedness of a plurality of gene expression profiles. The methods so described permit
20 useful information to be extracted from a greater percentage of the individual gene expression measurements from a microarray than methods previously used in the art.
25

Other uses of microarrays are described in Gerhold et al., *Trends Biochem. Sci.* 24(5):168-173 (1999) and Zweiger, *Trends Biotechnol.* 17(11):429-436 (1999);
30 Schena et al.

The invention particularly provides genome-derived single-exon probes known to be expressed in bone marrow. The individual single exon probes can be provided in the form of substantially isolated and purified
35 nucleic acid, typically, but not necessarily, in a quantity

sufficient to perform a hybridization reaction.

Such nucleic acid can be in any form directly hybridizable to the message that contains the probe's ORF, such as double stranded DNA, single-stranded DNA
5 complementary to the message, single-stranded RNA complementary to the message, or chimeric DNA/RNA molecules so hybridizable. The nucleic acid can alternatively or additionally include either nonnative nucleotides, alternative internucleotide linkages, or both, so long as
10 complementary binding can be obtained. For example, probes can include phosphorothioates, methylphosphonates, morpholino analogs, and peptide nucleic acids (PNA), as are described, for example, in U.S. Patent Nos. 5,142,047; 5,235,033; 5,166,315; 5,217,866; 5,184,444; 5,861,250.

15 Usefully, however, such probes are provided in a form and quantity suitable for amplification, where the amplified product is thereafter to be used in the hybridization reactions that probe gene expression. Typically, such probes are provided in a form and quantity
20 suitable for amplification by PCR or by other well known amplification technique. One such technique additional to PCR is rolling circle amplification, as is described, *inter alia*, in U.S. Patent Nos. 5,854,033 and 5,714,320 and international patent publications WO 97/19193 and
25 WO 00/15779. As is well understood, where the probes are to be provided in a form suitable for amplification, the range of nucleic acid analogues and/or internucleotide linkages will be constrained by the requirements and nature of the amplification enzyme.

30 Where the probe is to be provided in form suitable for amplification, the quantity need not be sufficient for direct hybridization for gene expression analysis, and need be sufficient only to function as an amplification template, typically at least about 1, 10 or
35 100 pg or more.

Each discrete amplifiable probe can also be packaged with amplification primers, either in a single composition that comprises probe template and primers, or in a kit that comprises such primers separately packaged therefrom. As earlier mentioned, the ORF-specific 5' primers used for genomic amplification can have a first common sequence added thereto, and the ORF-specific 3' primers used for genomic amplification can have a second, different, common sequence added thereto, thus permitting, in this embodiment, the use of a single set of 5' and 3' primers to amplify any one of the probes. The probe composition and/or kit can also include buffers, enzyme, etc., required to effect amplification.

As mentioned earlier, when intended for use on a genome-derived single exon microarray of the present invention, the genome-derived single exon probes of the present invention will typically average at least about 100, 200, 300, 400 or 500 bp in length, including (and typically, but not necessarily centered about) the ORF. Furthermore, when intended for use on a genome-derived single exon microarray of the present invention, the genome-derived single exon probes of the present invention will typically not contain a detectable label.

When intended for use in solution phase hybridization, however – that is, for use in a hybridization reaction in which the probe is not first bound to a support substrate (although the target may indeed be so bound) – length constraints that are imposed in microarray-based hybridization approaches will be relaxed, and such probes will typically be labeled.

In such case, the only functional constraint that dictates the minimum size of such probe is that each such probe must be capable of specifically identifying in a hybridization reaction the exon from which it is drawn. In theory, a probe of as little as 17 nucleotides is capable

of uniquely identifying its cognate sequence in the human genome. For hybridization to expressed message - a subset of target sequence that is much reduced in complexity as compared to genomic sequence - even fewer nucleotides are
5 required for specificity.

Therefore, the probes of the present invention can include as few as 20, 25 or 50 bp or ORF, or more. In particular embodiments, the ORF sequences are given in SEQ ID NOS. 13,115 - 26,012, respectively, for probe SEQ ID
10 NOS. 1 - 13,114. The minimum amount of ORF required to be included in the probe of the present invention in order to provide specific signal in either solution phase or microarray-based hybridizations can readily be determined for each of ORF SEQ ID NOS. 13,115 - 26,012 individually
15 by routine experimentation using standard high stringency conditions.

Such high stringency conditions are described, *inter alia*, in Ausubel et al. and Maniatis et al. For microarray-based hybridization, standard high stringency
20 conditions can usefully be 50% formamide, 5X SSC, 0.2 µg/µl poly(dA), 0.2 µg/µl human c_{ot}1 DNA, and 0.5 % SDS, in a humid oven at 42°C overnight, followed by successive washes of the microarray in 1X SSC, 0.2% SDS at 55°C for 5 minutes, and then 0.1X SSC, 0.2% SDS, at 55°C for 20
25 minutes. For solution phase hybridization, standard high stringency conditions can usefully be aqueous hybridization at 65°C in 6X SSC. Lower stringency conditions, suitable for cross-hybridization to mRNA encoding structurally- and functionally-related proteins, can usefully be the same as
30 the high stringency conditions but with reduction in temperature for hybridization and washing to room temperature (approximately 25°C).

When intended for use in solution phase hybridization, the maximum size of the single exon probes
35 of the present invention is dictated by the proximity of

other expressed exons in genomic DNA: although each single exon probe can include intergenic and/or intronic material contiguous to the ORF in the human genome, each probe of the present invention will include portions of only one
5 expressed exon.

Thus, each single exon probe will include no more than about 25 kb of contiguous genomic sequence, more typically no more than about 20 kb of contiguous genomic sequence, more usually no more than about 15 kb, even more
10 usually no more than about 10 kb. Usually, probes that are maximally about 5 kb will be used, more typically no more than about 3 kb.

It will be appreciated that the Sequence Listing appended hereto presents, by convention, only that strand
15 of the probe and ORF sequence that can be directly translated reading from 5' to 3' end. As would be well understood by one of skill in the art, single stranded probes must be complementary in sequence to the ORF as present in an mRNA; it is well within the skill in the art
20 to determine such complementary sequence. It will further be understood that double stranded probes can be used in both solution-phase hybridization and microarray-based hybridization if suitably denatured.

Thus, it is an aspect of the present invention to
25 provide single-stranded nucleic acid probes that have sequence complementary to those described herein above and below, and double-stranded probes one strand of which has sequence complementary to the probes described herein.

The probes can, but need not, contain intergenic
30 and/or intronic material that flanks the ORF, on one or both sides, in the same linear relationship to the ORF that the intergenic and/or intronic material bears to the ORF in genomic DNA. The probes do not, however, contain nucleic acid derived from more than one expressed ORF.

35 And when intended for use in solution

hybridization, the probes of the present invention can usefully have detectable labels. Nucleic acid labels are well known in the art, and include, *inter alia*, radioactive labels, such as ^3H , ^{32}P , ^{33}P , ^{35}S , ^{125}I , ^{131}I ; fluorescent
5 labels, such as Cy3, Cy5, Cy5.5, Cy7, SYBR[®]

Green and other labels described in Haugland, *Handbook of Fluorescent Probes and Research Chemicals*, 7th ed., Molecular Probes Inc., Eugene, OR (2000), or fluorescence resonance energy transfer tandem conjugates
10 thereof; labels suitable for chemiluminescent and/or enhanced chemiluminescent detection; labels suitable for ESR and NMR detection; and labels that include one member of a specific binding pair, such as biotin, digoxigenin, or the like.

15 The probes, either in quantity sufficient for hybridization or sufficient for amplification, can be provided in individual vials or containers.

Alternatively, such probes can usefully be packaged as a plurality of such individual genome-derived
20 single exon probes.

When provided as a collection of plural individual probes, the probes are typically made available in amplifiable form in a spatially-addressable ordered set, typically one per well of a microtiter dish. Although a 96
25 well microtiter plate can be used, greater efficiency is obtained using higher density arrays.

If, as earlier mentioned, the ORF-specific 5' primers used for genomic amplification had a first common sequence added thereto, and the ORF-specific 3'
30 primers used for genomic amplification had a second, different, common sequence added thereto, a single set of 5' and 3' primers can be used to amplify all of the probes from the amplifiable ordered set.

Such collections of genome-derived single exon
35 probes can usefully include a plurality of probes chosen

for the common attribute of expression in the human bone marrow.

In such defined subsets, typically at least 50, 60, 75, 80, 85, 90 or 95% or more of the probes will be
5 chosen by their expression in the defined tissue or cell type.

The single exon probes of the present invention, as well as fragments of the single exon probes comprising selectively hybridizable portions of the probe ORF, can be
10 used to obtain the full length cDNA that includes the ORF by (i) screening of cDNA libraries; (ii) rapid amplification of cDNA ends ("RACE"); or (iii) other conventional means, as are described, *inter alia*, in Ausubel et al. and Maniatis et al.

15 It is another aspect of the present invention to provide genome-derived single exon nucleic acid microarrays useful for gene expression analysis, where the term "microarray" has the meaning given in the definitional section of this description, *supra*.

20 The invention particularly provides genome-derived single-exon nucleic acid microarrays comprising a plurality of probes known to be expressed in human bone marrow. In preferred embodiments, the present invention provides human genome-derived single exon microarrays
25 comprising a plurality of probes drawn from the group consisting of SEQ ID NOS.: 1 - 13,114.

When used for gene expression analysis, the genome-derived single exon microarrays provide greater physical informational density than do the genome-derived
30 single exon microarrays that have lower percentages of probes known to be expressed commonly in the tested tissue. At a fixed probe density, for example, a given microarray surface area of the defined subset genome-derived single exon microarray can yield a greater number of expression
35 measurements. Alternatively, at a given probe density, the

same number of expression measurements can be obtained from a smaller substrate surface area. Alternatively, at a fixed probe density and fixed surface area, probes can be provided redundantly, providing greater reliability in
5 signal measurement for any given probe. Furthermore, with a higher percentage of probes known to be expressed in the assayed tissue, the dynamic range of the detection means can be adjusted to reveal finer levels discrimination among the levels of expression.

10 Although particularly described with respect to their utility as probes of gene expression, particularly as probes to be included on a genome-derived single exon microarray, each of the nucleic acids having SEQ ID NOS.: 1 - 13,114 contains an open-reading frame, set forth
15 respectively in SEQ ID NOS.: 13,115 - 26,012, that encodes a protein domain. Thus, each of SEQ ID NOS. 1 - 13,114 can be used, or that portion thereof in SEQ ID NOS. 13,115 - 26,012 used, to express a protein domain by standard *in vitro* recombinant techniques. See Ausubel et al. and
20 Maniatis et al.

Additionally, kits are available commercially that readily permit such nucleic acids to be expressed as protein in bacterial cells, insect cells, or mammalian cells, as desired (e.g., HAT[™] Protein Expression &
25 Purification System, ClonTech Laboratories, Palo Alto, CA; Adeno-X[™] Expression System, ClonTech Laboratories, Palo Alto, CA; Protein Fusion & Purification (pMAL[™]) System, New England Biolabs, Beverley, MA)

Furthermore, shorter peptides can be chemically
30 synthesized using commercial peptide synthesizing equipment and well known techniques. Procedures are described, *inter alia*, in Chan et al. (eds.), Fmoc Solid Phase Peptide Synthesis: A Practical Approach (Practical Approach Series, (Paper)), Oxford Univ. Press (March 2000) (ISBN:
35 0199637245); Jones, Amino Acid and Peptide Synthesis

(Oxford Chemistry Primers, No 7) , Oxford Univ. Press
(August 1992) (ISBN: 0198556683); and Bodanszky, Principles
of Peptide Synthesis (Springer Laboratory), Springer Verlag
(December 1993) (ISBN: 0387564314).

5 It is, therefore, another aspect of the invention
to provide peptides comprising an amino acid sequence
translated from SEQ ID NOS.: 13,115 - 26,012. Such amino
acid sequences are set out in SEQ ID NOS: 26,013 - 38,628.
Any such recombinantly-expressed or synthesized peptide of
10 at least 8, and preferably at least about 15, amino acids,
can be conjugated to a carrier protein and used to generate
antibody that recognizes the peptide. Thus, it is a
further aspect of the invention to provide peptides that
have at least 8, preferably at least 15, consecutive amino
15 acids.

The following examples are offered by way of
illustration and not by way of limitation.

20 EXAMPLE 1

Preparation of Single Exon Microarrays from ORFs Predicted
in Human Genomic Sequence

Bioinformatics Results

25 All human BAC sequences in fewer than 10 pieces
that had been accessioned in a five month period
immediately preceding this study were downloaded from
GenBank. This corresponds to ~2200 clones, totaling ~350
MB of sequence, or approximately 10% of the human genome.

30 After masking repetitive elements using the
program CROSS_MATCH, the sequence was analyzed for open
reading frames using three separate gene finding programs.
The three programs predict genes using independent
algorithmic methods developed on independent training sets:
35 GRAIL uses a neural network, GENEFINDER uses a hidden

Markoff model, and DICTION, a program proprietary to Genetics Institute, operates according to a different heuristic. The results of all three programs were used to create a prediction matrix across the segment of genomic
5 DNA.

The three gene finding programs yielded a range of results. GRAIL identified the greatest percentage of genomic sequence as putative coding region, 2% of the data analyzed. GENEFINDER was second, calling 1%, and DICTION
10 yielded the least putative coding region, with 0.8% of genomic sequence called as coding region.

The consensus data were as follows. GRAIL and GENEFINDER agreed on 0.7% of genomic sequence, GRAIL and DICTION agreed on 0.5% of genomic sequence, and the three
15 programs together agreed on 0.25% of the data analyzed. That is, 0.25% of the genomic sequence was identified by all three of the programs as containing putative coding region.

ORFs predicted by any two of the three programs
20 ("consensus ORFs") were assorted into "gene bins" using two criteria: (1) any 7 consecutive exons within a 25 kb window were placed together in a bin as likely contributing to a single gene, and (2) all ORFs within a 25 kb window were placed together in a bin as likely contributing to a single
25 gene if fewer than 7 exons were found within the 25 kb window.

PCR

The largest ORF from each gene bin that did not
30 span repetitive sequence was then chosen for amplification, as were all consensus ORFs longer than 500 bp. This method approximated one exon per gene; however, a number of genes were found to be represented by multiple elements.

Previously, we had determined that DNA fragments
35 fewer than 250 bp in length do not bind well to the amino-

modified glass surface of the slides used as support substrate for construction of microarrays; therefore, amplicons were designed in the present experiments to approximate 500 bp in length.

5 Accordingly, after selecting the largest ORF per gene bin, a 500 bp fragment of sequence centered on the ORF was passed to the primer picking software, PRIMER3 (available online for use at <http://www-genome.wi.mit.edu/cgi-bin/primer/>). A first
10 additional sequence was commonly added to each ORF-unique 5' primer, and a second, different, additional sequence was commonly added to each ORF-unique 3' primer, to permit subsequent reamplification of the amplicon using a single set of "universal" 5' and 3' primers, thus immortalizing
15 the amplicon. The addition of universal priming sequences also facilitates sequence verification, and can be used to add a cloning site should some ORFs be found to warrant further study.

 The ORFs were then PCR amplified from genomic
20 DNA, verified on agarose gels, and sequenced using the universal primers to validate the identity of the amplicon to be spotted in the microarray.

 Primers were supplied by Operon Technologies (Alameda, CA). PCR amplification was performed by standard
25 techniques using human genomic DNA (Clontech, Palo Alto, CA) as template. Each PCR product was verified by SYBR® green (Molecular Probes, Inc., Eugene, OR) staining of agarose gels, with subsequent imaging by Fluorimager (Molecular Dynamics, Inc., Sunnyvale, CA). PCR
30 amplification was classified as successful if a single band appeared.

 The success rate for amplifying ORFs of interest directly from genomic DNA using PCR was approximately 75%. FIG. 5 graphs the distribution of predicted ORF (exon)
35 length and distribution of amplified PCR products, with ORF

length shown in red and PCR product length shown in blue (which may appear black in the figure). Although the range of ORF sizes is readily seen to extend to beyond 900 bp, the mean predicted exon size was only 229 bp, with a median
5 size of 150 bp (n=9498). With an average amplicon size of 475 ± 25 bp, approximately 50% of the average PCR amplification product contained predicted coding region, with the remaining 50% of the amplicon containing either intron, intergenic sequence, or both.

10 Using a strategy predicated on amplifying about 500 bp, it was found that long exons had a higher PCR failure rate. To address this, the bioinformatics process was adjusted to amplify 1000, 1500 or 2000 bp fragments from exons larger than 500 bp. This improved the rate of
15 successful amplification of exons exceeding 500 bp, constituting about 9.2% of the exons predicted by the gene finding algorithms.

Approximately 75% of the probes disposed on the array (90% of those that successfully PCR amplified) were
20 sequence-verified by sequencing in both the forward and reverse direction using MegaBACE sequencer (Molecular Dynamics, Inc., Sunnyvale, CA), universal primers, and standard protocols.

Some genomic clones (BACs) yielded very poor PCR
25 and sequencing results. The reasons for this are unclear, but may be related to the quality of early draft sequence or the inclusion of vector and host contamination in some submitted sequence data.

Although the intronic and intergenic material
30 flanking coding regions could theoretically interfere with hybridization during microarray experiments, subsequent empirical results demonstrated that differential expression ratios were not significantly affected by the presence of noncoding sequence. The variation in exon size was
35 similarly found not to affect differential expression

ratios significantly; however, variation in exon size was observed to affect the absolute signal intensity (data not shown).

The 350 MB of genomic DNA was, by the above-
5 described process, reduced to 9750 discrete probes, which were spotted in duplicate onto glass slides using commercially available instrumentation (MicroArray GenII Spotter and/or MicroArray GenIII Spotter, Molecular Dynamics, Inc., Sunnyvale, CA). Each slide additionally
10 included either 16 or 32 *E. coli* genes, the average hybridization signal of which was used as a measure of background biological noise.

Each of the probe sequences was BLASTed against the human EST data set, the NR data set, and SwissProt
15 GenBank (May 7, 1999 release 2.0.9).

One third of the probe sequences (as amplified) produced an exact match (BLAST Expect ("E") values less than 1 e^{-100}) to either an EST (20% of sequences) or a known mRNA (13% of sequences). A further 22% of the probe
20 sequences showed some homology to a known EST or mRNA (BLAST E values from 1 e^{-5} to 1 e^{-99}). The remaining 45% of the probe sequences showed no significant sequence homology to any expressed, or potentially expressed, sequences present in public databases.

25 All of the probe sequences (as amplified) were then analyzed for protein similarities with the SwissProt database using BLASTX, Gish et al., *Nature Genet.* 3:266 (1993). The predicted functional breakdowns of the 2/3 of probes identical or homologous to known sequences are
30 presented in Table 1.

Table 1

Function of Predicted ORFs As Deduced From Comparative Sequence Analysis
--

Total	V6 chip	V7 chip	Function Predicted from Comparative Sequence Analysis
211	96	115	Receptor
120	43	77	Zinc Finger
30	11	19	Homeobox
25	9	16	Transcription Factor
17	11	7	Transcription
118	57	61	Structural
95	39	56	Kinase
36	18	18	Phosphatase
83	31	52	Ribosomal
45	19	26	Transport
21	17	14	Growth Factor
17	12	5	Cytochrome
50	33	17	Channel

As can be seen, the two most common types of genes were transcription factors and receptors, making up 2.2% and 1.8% of the arrayed elements, respectively.

5

EXAMPLE 2

Gene Expression Measurements From Genome-Derived Single Exon Microarrays

10

The two genome-derived single exon microarrays prepared according to Example 1 were hybridized in a series of simultaneous two-color fluorescence experiments to (1)
 15 Cy3-labeled cDNA synthesized from message drawn individually from each of brain, heart, liver, fetal liver, placenta, lung, bone marrow, HeLa, BT 474, or HBL 100 cells, and (2) Cy5-labeled cDNA prepared from message

pooled from all ten tissues and cell types, as a control in each of the measurements. Hybridization and scanning were carried out using standard protocols and Molecular Dynamics equipment.

5 Briefly, mRNA samples were bought from commercial sources (Clontech, Palo Alto, CA and Amersham Pharmacia Biotech (APB)). Cy3-dCTP and Cy5-dCTP (both from APB) were incorporated during separate reverse transcriptions of 1 µg of polyA⁺ mRNA performed using 1 µg oligo(dT)12-18 primer
10 and 2 µg random 9mer primers as follows. After heating to 70°C, the RNA:primer mixture was snap cooled on ice. After snap cooling on ice, added to the RNA to the stated final concentration was: 1X Superscript II buffer, 0.01 M DTT, 100µM dATP, 100 µM dGTP, 100 µM dTTP, 50 µM dCTP, 50 µM
15 Cy3-dCTP or Cy5-dCTP 50 µM, and 200 U Superscript II enzyme. The reaction was incubated for 2 hours at 42°C. After 2 hours, the first strand cDNA was isolated by adding 1 U Ribonuclease H, and incubating for 30 minutes at 37°C. The reaction was then purified using a Qiagen PCR cleanup
20 column, increasing the number of ethanol washes to 5. Probe was eluted using 10 mM Tris pH 8.5.

Using a spectrophotometer, probes were measured for dye incorporation. Volumes of both Cy3 and Cy5 cDNA corresponding to 50 pmoles of each dye were then dried in a
25 Speedvac, resuspended in 30 µl hybridization solution containing 50% formamide, 5X SSC, 0.2 µg/µl poly(dA), 0.2 µg/µl human c₀t1 DNA, and 0.5 % SDS.

Hybridizations were carried out under a coverslip, with the array placed in a humid oven at 42°C
30 overnight. Before scanning, slides were washed in 1X SSC, 0.2% SDS at 55°C for 5 minutes, followed by 0.1X SSC, 0.2% SDS, at 55°C for 20 minutes. Slides were briefly dipped in water and dried thoroughly under a gentle stream of nitrogen.

35 Slides were scanned using a Molecular Dynamics

Gen3 scanner, as described. Schena (ed.), Microarray Biochip: Tools and Technology, Eaton Publishing Company/BioTechniques Books Division (2000) (ISBN: 1881299376).

5 Although the use of pooled cDNA as a reference permitted the survey of a large number of tissues, it attenuates the measurement of relative gene expression, since every highly expressed gene in the tissue/cell type-specific fluorescence channel will be present to a level of
10 at least 10% in the control channel. Because of this fact, both signal and expression ratios (the latter hereinafter, "expression" or "relative expression") for each probe were normalized using the average ratio or average signal, respectively, as measured across the whole slide.

15 Data were accepted for further analysis only when signal was at least three times greater than biological noise, the latter defined by the average signal produced by the *E. coli* control genes.

 The relative expression signal for these probes
20 was then plotted as function of tissue or cell type, and is presented in FIG. 6.

 FIG. 6 shows the distribution of expression across a panel of ten tissues. The graph shows the number of sequence-verified products that were either not
25 expressed ("0"), expressed in one or more but not all tested tissues ("1" - "9"), and expressed in all tissues tested ("10").

 Of 9999 arrayed elements on the two microarrays (including positive and negative controls and "failed"
30 products), 2353 (51%) were expressed in at least one tissue or cell type. Of the gene elements showing significant signal - where expression was scored as "significant" if the normalized Cy3 signal was greater than 1, representing signal 5-fold over biological noise (0.2) - 39% (991) were
35 expressed in all 10 tissues. The next most common class

(15%) consisted of gene elements expressed in only a single tissue.

The genes expressed in a single tissue were further analyzed, and the results of the analyses are
5 compiled in FIG. 7.

FIG. 7A is a matrix presenting the expression of all verified sequences that showed expression greater than 3 in at least one tissue. Each clone is represented by a column in the matrix. Each of the 10 tissues assayed is
10 represented by a separate row in the matrix, and relative expression of a clone in that tissue is indicated at the respective node by intensity of green shading, with the intensity legend shown in panel B. The top row of the matrix ("EST Hit") contains "bioinformatic" rather than
15 "physical" expression data — that is, presents the results returned by query of EST, NR and SwissProt databases using the probe sequence. The legend for "bioinformatic expression" (i.e., degree of homology returned) is presented in panel C. Briefly, white is known, black is
20 novel, with gray depicting nonidentical with significant homology (white: E values < $1e-100$; gray: E values from $1e-05$ to $1e-99$; black: E values > $1e-05$).

As FIG. 7 readily shows, heart and brain were demonstrated to have the greatest numbers of genes that
25 were shown to be uniquely expressed in the respective tissue. In brain, 200 uniquely expressed genes were identified; in heart, 150. The remaining tissues gave the following figures for uniquely expressed genes: liver, 100; lung, 70; fetal liver, 150; bone marrow, 75; placenta, 100;
30 HeLa, 50; HBL, 100; and BT474, 50.

It was further observed that there were many more "novel" genes among those that were up-regulated in only one tissue, as compared with those that were down-regulated in only one tissue. In fact, it was found that ORFs whose
35 expression was measurable in only a single of the tested

tissues were represented in sequencing databases at a rate of only 11%, whereas 36% of the ORFs whose expression was measurable in 9 of the tissues were present in public databases. As for those ORFs expressed in all ten tissues, fully 45% were present in existing expressed sequence databases. These results are not unexpected, since genes expressed in a greater number of tissues have a higher likelihood of being, and thus of having been, discovered by EST approaches.

10

Comparison of Signal from Known and Unknown Genes

The normalized signal of the genes found to have high homology to genes present in the GenBank human EST database were compared to the normalized signal of those genes not found in the GenBank human EST database. The data are shown in FIG. 8.

FIG. 8 shows the normalized Cy3 signal intensity for all sequence-verified products with a BLAST Expect ("E") value of greater than $1e-30$ (designated "unknown") upon query of existing EST, NR and SwissProt databases, and shows in blue the normalized Cy3 signal intensity for all sequence-verified products with a BLAST Expect value of less than $1e-30$ ("known"). Note that biological background noise has an averaged normalized Cy3 signal intensity of 0.2.

As expected, the most highly expressed of the ORFs were "known" genes. This is not surprising, since very high signal intensity correlates with very commonly-expressed genes, which have a higher likelihood of being found by EST sequence.

However, a significant point is that a large number of even the high expressers were "unknown". Since the genomic approach used to identify genes and to confirm their expression does not bias exons toward either the 3' or 5' end of a gene, many of these high expression genes

will not have been detected in an end-sequenced cDNA library.

The significant point is that presence of the gene in an EST database is *not* a prerequisite for incorporation into a genome-derived microarray, and further, that arraying such "unknown" exons can help to assign function to as-yet undiscovered genes.

Verification of Gene Expression

10 To ascertain the validity of the approach described above to identify genes from raw genomic sequence, expression of two of the probes was assayed using reverse transcriptase polymerase chain reaction (RT PCR) and northern blot analysis.

15 Two microarray probes were selected on the basis of exon size, prior sequencing success, and tissue-specific gene expression patterns as measured by the microarray experiments. The primers originally used to amplify the two respective ORFs from genomic DNA were used in RT PCR
20 against a panel of tissue-specific cDNAs (Rapid-Scan gene expression panel 24 human cDNAs) (OriGene Technologies, Inc., Rockville, MD).

Sequence AL079300_1 was shown by microarray hybridization to be present in cardiac tissue, and sequence
25 AL031734_1 was shown by microarray experiment to be present in placental tissue (data not shown). RT-PCR on these two sequences confirmed the tissue-specific gene expression as measured by microarrays, as ascertained by the presence of a correctly sized PCR product from the respective tissue
30 type cDNAs.

Clearly, all microarray results cannot, and indeed should not, be confirmed by independent assay methods, or the high throughput, highly parallel advantages of microarray hybridization assays will be lost. However,
35 in addition to the two RT-PCR results presented above, the

observation that 1/3 of the arrayed genes exist in expression databases provides powerful confirmation of the power of our methodology – which combines bioinformatic prediction with expression confirmation using genome-derived single exon microarrays – to identify novel genes from raw genomic data.

To verify that the approach further provides correct characterization of the expression patterns of the identified genes, a detailed analysis was performed of the microarrayed sequences that showed high signal in brain.

For this latter analysis, sequences that showed high (normalized) signal in brain, but which showed very low (normalized) signal (less than 0.5, determined to be biological noise) in all other tissues, were further studied. There were 82 sequences that fit these criteria, approximately 2% of the arrayed elements. The 10 sequences showing the highest signal in brain in microarray hybridizations are detailed in Table 2, along with assigned function, if known or reasonably predicted.

Table 2

Function of the Most Highly Expressed Genes Expressed Only in Brain				
Microarray Sequence Name	Normalized Signal	Expression Ratio	Homology to EST present in GenBank	Gene Function as described by GenBank
AP000217-1	5.2	+7.7	High	S-100 protein, b-chain, Ca ²⁺ binding protein expressed in central nervous

				system
AP000047-1	2.3		High	Unknown Function
AC006548-9	1.7		High	Similar to mouse membrane glyco-protein M6, expressed in central nervous system
AC007245-5	1.5		High	Similar to amphiphysin, a synaptic vesicle- associated protein. Ref 21
L44140-4	1.2	+2.0	High	Endothelial actin-binding protein found in nonmuscle filamin
AC004689-9	1.2	+3.5	High	Protein Phosphatase PP2A, neuronal/ downregulates activated protein kinases
AL031657-1	1.2	+3.0	High	Unknown function/ Contains the anhyrin motif, a common protein sequence motif
AC009266-2	1.1	+3.7	Low	Low homology to

				the Synaptotagmin I protein in rat/present at low levels throughout rat brain
AP000086-1	1.0	+2.7	Low	Unknown, very poor homology to collagen
AC004689-3	1.0		High	Protein Phosphatase PP2A, neuronal/ downregulates activated protein kinases

Of the ten sequences studied by these latter confirmatory approaches, eight were previously known. Of these eight, six had previously been reported to be
5 important in the central nervous system or brain. The exon giving the highest signal (AP00217-1) was found to be the gene encoding an S100B Ca^{2+} binding protein, reported in the literature to be highly and uniquely expressed in the central nervous system. Heizmann, *Neurochem. Res.* 9:1097
10 (1997).

A number of the brain-specific probe sequences (including AC006548-9, AC009266-2) did not have homology to any known human cDNAs in GenBank but did show homology to rat and mouse cDNAs. Sequences AC004689-9 and AC004689-3
15 were both found to be phosphatases present in neurons (Millward *et al.*, *Trends Biochem. Sci.* 24(5):186-191 (1999)). Two microarray sequences, AP000047-1 and AP000086-1 have unknown function, with AP000086-1 being absent from GenBank. Functionality can now be narrowed

down to a role in the central nervous system for both of these genes, showing the power of designing microarrays in this fashion.

Next, the function of the chip sequences with the highest (normalized) signal intensity in brain, regardless of expression in other tissues, was assessed. In this latter analysis, we found expression of many more common genes, since the sequences were not limited to those expressed only in brain. For example, looking at the 20 highest signal intensity spots in brain, 4 were similar to tubulin (AC00807905; AF146191-2; AC007664-4; AF14191-2), 2 were similar to actin (AL035701-2; AL034402-1), and 6 were found to be homologous to glyceraldehyde-3-phosphate dehydrogenase (GAPDH) (AL035604-1; Z86090-1; AC006064-L, AC006064-K; AC035604-3; AC006064-L). These genes are often used as controls or housekeeping genes in microarray experiments of all types.

Other interesting genes highly expressed in brain were a ferritin heavy chain protein, which is reported in the literature to be found in brain and liver (Joshi et al., *J. Neurol. Sci.* 134(Suppl):52-56 (1995)), a result duplicated with the array. Other highly expressed chip sequences included a translation elongation factor 1 α (AC007564-4), a DEAD-box homolog (AL023804-4), and a Y-chromosome RNA-binding motif (Chai et al., *Genomics* 49(2):283-89 (1998)) (AC007320-3). A low homology analog (AP00123-1/2) to a gene, DSCR1, thought to be involved in trisomy 21 (Down's syndrome), showed high expression in both brain and heart, in agreement with the literature (Fuentes et al., *Mol. Genet.* 4(10):1935-44 (1995)).

As a further validation of the approach, we selected the BAC AC006064 to be included on the array. This BAC was known to contain the GAPDH gene, and thus could be used as a control for the ORF selection process. The gene finding and exon selection algorithms resulted in

choosing 25 exons from BAC AC006064 for spotting onto the array, of which four were drawn from the GAPDH gene. Table 3 shows the comparison of the average expression ratio for the 4 exons from BAC006064 compared with the average expression ratio for 5 different dilutions of a commercially available GAPDH cDNA (Clontech).

Table 3

Comparison of Expression Ratio, for each tissue, of GAPDH		
	AC006064 (n = 4)	Control (n = 5)
Bone Marrow	-1.81 \pm 0.11	-1.85 \pm 0.08
Brain	-1.41 \pm 0.11	-1.17 \pm 0.05
BT474	1.85 \pm 0.09	1.66 \pm 0.12
Fetal Liver	-1.62 \pm 0.07	-1.41 \pm 0.05
HBL100	1.32 \pm 0.05	2.64 \pm 0.12
Heart	1.16 \pm 0.09	1.56 \pm 0.10
HeLa	1.11 \pm 0.06	1.30 \pm 0.15
Liver	-1.62 \pm 0.22	-2.07 \pm
Lung	-4.95 \pm 0.93	-3.75 \pm 0.21
Placenta	-3.56 \pm 0.25	-3.52 \pm 0.43

10

Each tissue shows excellent agreement between the experimentally chosen exons and the control, again demonstrating the validity of the present exon mining approach. In addition, the data also show the variability of expression of GAPDH within tissues, calling into question its classification as a housekeeping gene and utility as a housekeeping control in microarray experiments.

20 EXAMPLE 3

Representation of Sequence and Expression Data as a
"Mondrian"

For each genomic clone processed for microarray
5 as above-described, a plethora of information was
accumulated, including full clone sequence, probe sequence
within the clone, results of each of the three gene finding
programs, EST information associated with the probe
sequences, and microarray signal and expression for
10 multiple tissues, challenging our ability to display the
information.

Accordingly, we devised a new tool for visual
display of the sequence with its attendant annotation
which, in deference to its visual similarity to the
15 paintings of Piet Mondrian, is hereinafter termed a
"Mondrian". FIGS. 3 and 4 present the key to the
information presented on a Mondrian.

FIG. 9 presents a Mondrian of BAC AC008172 (bases
25,000 to 130,000 shown), containing the carbamyl phosphate
20 synthetase gene (AF154830.1). Purple background within the
region shown as field 81 in FIG. 3 indicates all 37 known
exons for this gene.

As can be seen, GRAIL II successfully identified
27 of the known exons (73%), GENEFINDER successfully
25 identified 37 of the known exons (100%), while DICTION
identified 7 of the known exons (19%).

Seven of the predicted exons were selected for
physical assay, of which 5 successfully amplified by PCR
and were sequenced. These five exons were all found to be
30 from the same gene, the carbamyl phosphate synthetase gene
(AF154830.1).

The five exons were arrayed, and gene expression
measured across 10 tissues. As is readily seen in the
Mondrian, the five chip sequences on the array show
35 identical expression patterns, elegantly demonstrating the

reproducibility of the system..

FIG. 10 is a Mondrian of BAC AL049839. We selected 12 exons from this BAC, of which 10 successfully sequenced, which were found to form between 5 and 6 genes. Interestingly, 4 of the genes on this BAC are protease inhibitors. Again, these data elegantly show that exons selected from the same gene show the same expression patterns, depicted below the red line. From this figure, it is clear that our ability to find known genes is very good. A novel gene is also found from 86.6 kb to 88.6 kb, upon which all the exon finding programs agree. We are confident we have two exons from a single gene since they show the same expression patterns and the exons are proximal to each other. Backgrounds in the following colors indicate a known gene (top to bottom): red = kallistatin protease inhibitor (P29622); purple = plasma serine protease inhibitor (P05154); turquoise = α 1 anti-chymotrypsin (P01011); mauve = 40S ribosomal protein (P08865). Note that chip sequence 8 and 12 did not sequence verify.

EXAMPLE 4

Genome-Derived Single Exon Probes Useful For Measuring Human Gene Expression

The protocols set forth in Examples 1 and 2, *supra*, were applied to additional human genomic sequence as it became newly available in GenBank to identify unique exons in the human genome that could be shown to be expressed at significant levels in bone marrow tissue.

These unique exons are within longer probe sequences. Each probe was completely sequenced on both strands prior to its use on a genome-derived single exon microarray; sequencing confirms the exact chemical

structure of each probe. An added benefit of sequencing is that it placed us in possession of a set of single base-incremented fragments of the sequenced nucleic acid, starting from the sequencing primer 3' OH. (Since the
5 single exon probes were first obtained by PCR amplification from genomic DNA, we were of course additionally in possession of an even larger set of single base incremented fragments of each of the 13,114 single exon probes, each fragment corresponding to an extension product from one of
10 the two amplification primers.)

The structures of the 13,114 unique single exon probes are clearly presented in the Sequence Listing as SEQ ID Nos.: 1 - 13,114 . The 16 nt 5' primer sequence and 16 nt 3' primer sequence present on the amplicon are not
15 included in the sequence listing. The sequences of the exons present within each of these probes is presented in the Sequence Listing as SEQ ID Nos.: 13,115 - 26,012, respectively. It will be noted that some amplicons have more than one exon, some exons are contained in more than
20 one amplicon.

As detailed in Example 2, expression was demonstrated by disposing the amplicons as single exon probes on nucleic acid microarrays and then performing two-color fluorescent hybridization analysis; significant
25 expression is based on a statistical confidence that the signal is significantly greater than negative biological control spots. The negative biological control is formed from spotted DNA sequences from a different species. Here, 32 sequences from E.Coli were spotted in duplicate to give
30 a total of 64 spots.

For each hybridisation (each slide, each colour) the median value of the signal from all of the spots is determined. The normalised signal value is the arithmetic mean of the signal from duplicate spots divided by the
35 population median.

Control spots are eliminated if there is more than a five-fold difference between each one of the duplicate spots raw signals.

The median of the signal from the remaining
5 control spots is calculated and all subsequent calculations are done with normalised signals.

Control spots having a signal of greater than median + 2.4 (the value 2.4 is roughly 12 times the observed standard deviation of control spot populations)
10 are eliminated. Spots with such high signals are considered to be "outliers".

The mean and standard deviation of the modified control spot populations are calculated.

The mean + 3x the standard deviation (mean +
15 (3*SD)) is used as the signal threshold qualifier for that particular hybridisation. Thus, individual thresholds are determined for each channel and each hybridisation.

This means that, assuming that the data is distributed normally, there is a 99% confidence that any
20 signal exceeding the threshold is significant.

The probes and their expression data are presented in Table 4, set forth respectively in Example 5. Example 5 presents the subset of probes that is significantly expressed in the human bone marrow and thus
25 presents the subset of probes that was recognized to be useful for measuring expression of their cognate genes in human bone marrow tissue.

The sequence of each of the exon probes identified by SEQ ID NOS.: 13,115 - 26,012 was individually
30 used as a BLAST (or, for SWISSPROT, BLASTX) query to identify the most similar sequence in each of dbEST, SwissProt (BLASTX), and NR divisions of GenBank. Because the query sequences are themselves derived from genomic sequence in GenBank, only nongenomic hits from NR were
35 scored.

The smallest in value of the BLAST (or BLASTX) expect ("E") scores for each query sequence across the three database divisions was used as a measure of the "expression novelty" of the probe's ORF. Table 4 is sorted
5 in descending order based on this measure, reported as "Most Similar (top) Hit BLAST E Value". Those sequences for which no "Hit E Value" is listed are those exons which were found to have no similar sequences.

As sorted, Table 4 thus lists its respective
10 probes (by "AMPLICON SEQ ID NO.:" and additionally by the SEQ ID NO:. of the exon contained within the probe:"EXON SEQ ID NO.:") from least similar to sequences known to be expressed (i.e., highest BLAST E value), at the beginning of the table, to most similar to sequences known to be
15 expressed (i.e., lowest BLAST E value), at the bottom of the table.

Table 4 further provides, for each listed probe, the accession number of the database sequence that yielded the "Most Similar (top) Hit BLAST E Value", along with the
20 name of the database in which the database sequence is found ("Top Hit Database Source").

Table 4 further provides SEQ ID NOS. corresponding to the predicted amino acid sequences where they have been determined for the probe and exon nucleotide
25 sequences. These are set out as PEPTIDE SEQ ID NOS.:. The peptide sequences for a given exon are predicted as follows: Since each chip exon is a consensus sequence drawn from predictions from various exon finding programs (i.e. Grail, GeneFinder and GenScan), the multiple initial ORFs
30 are first determined in a uniform way according to each prediction. In particular, the reading frame for predicting the first amino acid in the peptide sequence always starts with the first base of any codon and ends with the last base of non-termination codon. Next, for each strand of the
35 exon, initial ORFs are merged into one or more final ORFs

in an exhaustive process based on the following criteria:
1) the merging ORFs must be overlapping, and 2) the merging ORFs must be in the same frame.

The Sequence Listing, which is a superset of all
5 of the data presented in Table 4, further includes, for each probe, the most similar hit, with accession number and BLAST E value, from the each of the three queried databases.

Table 4 further lists, for each probe, a portion
10 of the descriptor for the top hit ("Top Hit Descriptor") as provided in the sequence database. For those ORFs that are similar in sequence, but nonidentical to known sequences (e.g., those with BLAST E values between about $1e-05$ and $1e-100$), the descriptor reveals the likely function of the
15 protein encoded by the probe's ORF.

Using BLAST E value cutoffs of $1e-05$ (i.e., 1×10^{-5}) and $1e-100$ (i.e., 1×10^{-100}) as evidence of similarity to sequences known to be expressed is of course arbitrary: in Example 2, *supra*, a BLAST E value of $1e-30$ was used as
20 the boundary when only two classes were to be defined for analysis (unknown, $>1e-30$; known $<1e-30$) (see also FIG. 8). Furthermore, even when the "Most Similar (Top) Hit BLAST E Value" is low, e.g., less than about $1e-100$ – which is probative evidence that the query sequence has previously
25 been shown to be expressed – the top hit is highly unlikely exactly to match the probe sequence.

First, such expression entries typically will not have the intronic and/or intergenic sequence present within the single exon probes listed in the Table. Second, even
30 the ORF itself is unlikely in such cases to be present identically in the databases, since most of the EST and mRNA clones in existing databases include multiple exons, without any indication of the location of exon boundaries.

As noted, the data presented in Table 4 represent
35 a proper subset of the data present within the attached

sequence listing. For each amplicon probe (SEQ ID NOs.: 1 - 13,114) and probe exon (SEQ ID NOs.: 13,115 - 26,012, respectively), the sequence listing further provides, through iterated annotation fields <220> and <223>:

- 5 (a) the accession number of the BAC from which the sequence was derived ("MAP TO"), thus providing a link to the chromosomal map location and other information about the genomic milieu of the probe sequence;
- (b) the most similar sequence provided by BLAST
10 query of the EST database, with accession number and BLAST E value for the "hit";
- (c) the most similar sequence provided by BLAST query of the GenBank NR database, with accession number and BLAST E value for the "hit"; and
- 15 (d) the most similar sequence provided by BLASTX query of the SWISSPROT database, with accession number and BLAST E value for the "hit".

20 EXAMPLE 5

Genome-Derived Single Exon Probes Useful For Measuring Expression of Genes in Human Bone marrow

Table 4 (546 pages) presents expression, homology, and
25 functional information for the genome-derived single exon probes that are expressed significantly in human bone marrow.

30

CLAIMS

1. A spatially-addressable set of single exon nucleic acid probes for measuring gene expression in a sample derived
5 from human bone marrow comprising a plurality single exon nucleic probes, said probes comprising any one of the nucleotide sequences set out in SEQ ID NOs: 1 - 13,114 or a complementary sequence, or a portion of such a sequence.
- 10 2. A spatially-addressable set of single exon nucleic acid probes as claimed in claim 1 wherein each of said plurality of probes is separately and addressably amplifiable.
- 15 3. A spatially-addressable set of single exon nucleic acid probes as claimed in claim 1 wherein each of said plurality of probes is separately and addressably isolatable from said plurality.
- 20 4. A spatially-addressable set of single exon nucleic acid probes as claimed in any of claims 1 to 3 wherein said probes comprise any one of the nucleotide sequences set out in SEQ ID NOS.: 13,115 - 26,012.
- 25 5. A spatially-addressable set of single exon nucleic acid probes as claimed in any of claims 1 to 4, wherein each of said plurality of probes is amplifiable using at least one common primer.
- 30 6. A spatially-addressable set of single exon nucleic acid probes as claimed in any of claims 1 to 5 wherein the set comprises between 50 - 20,000 single exon nucleic acid probes.
- 35 7. A spatially-addressable set of single exon nucleic acid probes as claimed in any of claims 1 to 6, wherein the

average length of the single exon nucleic acid probes is between 200 and 500 bp.

8. A spatially-addressable set of single exon nucleic acid probes as claimed in any of claims 1 to 7, wherein at least 50% of said single exon nucleic acid probes lack prokaryotic and bacteriophage vector sequence.

9. A spatially-addressable set of single exon nucleic acid probes as claimed in any of claims 1 to 8, wherein at least 50% of said single exon nucleic acid probes lack homopolymeric stretches of A or T.

10. A spatially-addressable set of single exon nucleic acid probes as claimed in any of claims 1 - 9 characterised in that said set of probes is addressably disposed upon a substrate.

11. A spatially-addressable set of single exon nucleic acid probes as claimed in claim 10 wherein said substrate is selected from glass, amorphous silicon, crystalline silicon and plastic.

12. A microarray comprising a spatially addressable set of single exon nucleic acid probes as claimed in any of claims 1 - 11.

13. A single exon nucleic acid probe for measuring human gene expression in a sample derived from human bone marrow comprising a nucleotide sequence as set out in any of SEQ ID NOs.: 1 - 13,114 or a complementary sequence or a fragment thereof wherein said probe hybridizes at high stringency to a nucleic acid molecule expressed in the human bone marrow.

35

14. A single exon nucleic acid probe as claimed in claim 13 comprising a nucleotide sequence as set out in any of SEQ ID NOs.: 13,115 - 26,012 or a complementary sequence or a fragment thereof.
- 5
15. A single exon nucleic acid probe for measuring human gene expression in a sample derived from human bone marrow which is a nucleic acid molecule having a sequence encoding a peptide comprising a peptide sequence as set out in any
10 of SEQ ID NOs.: 26,013 - 38,628, or a complementary sequence or a fragment thereof wherein said probe hybridizes at high stringency to a nucleic acid expressed in the human bone marrow.
- 15 16. A single exon nucleic acid probe as claimed in any one of claims 13 to 15 wherein said single exon nucleic acid probe comprises between 15 and 25 contiguous nucleotides of said SEQ ID NO.
- 20 17. A single exon nucleic acid probe as claimed in any one of claims 13 to 15, wherein said probe is between 3 - 25 kb in length.
18. A single exon nucleic acid probe as claimed in any one
25 of claims 13 - 17, wherein said probe is DNA, RNA or PNA.
19. A single exon nucleic acid probe as claimed in any one of claims 13 - 18, wherein said probe is detectably labeled.
- 30
20. A single exon nucleic acid probe as claimed in any one of claims 13 - 19, wherein said probe lacks prokaryotic and bacteriophage vector sequence.
- 35 21. A single exon nucleic acid probe as claimed in any one

of claims 13 - 20, wherein said probe lacks homopolymeric stretches of A or T.

22. A method of measuring gene expression in a sample
5 derived from human bone marrow, comprising:
 contacting the microarray of claim 12, with a first
 collection of detectably labeled nucleic acids,
 said first collection of nucleic acids derived
 from mRNA of human bone marrow; and then
10 measuring the label detectably bound to each probe of
 said microarray.

23. A method of identifying exons in a eukaryotic genome,
comprising:
15 algorithmically predicting at least one exon from
 genomic sequence of said eukaryote; and then
 detecting specific hybridization of detectably labeled
 nucleic acids to a single exon probe,
wherein said detectably labeled nucleic acids are derived
20 from mRNA from the bone marrow of said eukaryote, said
probe is a single exon probe having a fragment identical in
sequence to, or complementary in sequence to, said
predicted exon, said probe is included within a microarray
according to claim 12, and said fragment is selectively
25 hybridizable at high stringency.

24. A method of assigning exons to a single gene,
comprising:
 identifying a plurality of exons from genomic
30 sequence according to the method of claim 23; and
 then
 measuring the expression of each of said exons in a
 plurality of tissues and/or cell types using
 hybridization to single exon microarrays having a
35 probe with said exon,

wherein a common pattern of expression of said exons in said plurality of tissues and/or cell types indicates that the exons should be assigned to a single gene.

5 25. A nucleic acid sequence as set out in any of SEQ ID Nos: 1 - 26,012 which encodes a peptide.

26. A peptide encoded by a sequence as set out in any of SEQ ID Nos: 1 - 26,012.

10

27. A peptide comprising a sequence as set out in any of SEQ ID Nos: 26,013 - 38,628.

Page 1 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
460	13523	26455	4.57				
890	13945	26903	10.48				
1046	14092		3.88				
1305	14341	27305	7.19				
1618	14650	27829	4.21				
1642	14674	27647	6.05				
1738	14768	27753	2.88				
1784	14793	27778	1.27				
1770	14799	27785	9.04				
1808	14832	27928	1.24				
1995	15016	28023	2.44				
2175	15191	28212	2.92				
2287	15300	28324	2.97				
3200	16256	29175	3.13				
3404	16510	29431	1.32				
3527	16573	29498	10.05				
3574	16619		0.85				
3968	17008		1.15				
4225	17254	30141	1.68				
4290	17319	30198	6.25				
4310	17339	30218	0.83				
4310	17339	30219	0.83				
4384	17391		1.03				
4420	17447	30338	0.63				
4874	17891	30780	1.27				
4959	17974	30865	0.74				
5083	18093	30969	5.95				
5095	18105	30980	1.42				
6329	18435	31187	1.78				
6329	18435	31188	1.78				
6496	18598		4.07				
6678	18773		7.77				
6782	18598		3.48				
5824	18914	32097	0.65				

Page 2 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5830	18920	32103	3.19				
6138	25655	32443	1.58				
6167	19242	32473	2.11				
6558	18618		1.24				
6700	19757	33034	0.89				
6700	19757	33035	0.89				
7332	20303	33647	1.52				
7332	20303	33648	1.52				
7642	20602	33968	1.45				
7642	20602	33967	1.45				
8114	21061		0.81				
8398	21365	34774	1.55				
8830	21797	35218	1.21				
9212	22178	35608	0.57				
9212	22178	35609	0.57				
9892	22845	36302	5.91				
10124	23050	36529	0.69				
10241	23168	36653	1.44				
10383	23305	36782	0.91				
10675	23597	37083	0.49				
10675	23597	37094	0.49				
10784	23715	37216	0.6				
10784	23715	37217	0.6				
11043	24007		2.14				
11388	24314		1.61				
11687	24653	38232	1.82				
11829	24712		1.94				
12600	25302		1.5				
12888	25476	31730	1.34				
6170	19245	32477	15.3	9.9E+00	AJ239028.1	NT	Homo sapiens LSS gene, partial, exons 15, 16, 17 and 18
8339	21308	34723	1.75	9.8E+00	U32716.1	NT	Haemophilus influenzae Rd section 31 of 163 of the complete genome
10100	23026	36502	0.47	9.8E+00	Y18930.1	NT	Sulfolobus solfataricus 281 kb genomic DNA fragment, strain P2
10100	23026	36503	0.47	9.8E+00	Y18930.1	NT	Sulfolobus solfataricus 281 kb genomic DNA fragment, strain P2
7194	20218	33549	0.66	9.6E+00	AF065630.1	NT	Gallus gallus ornithine transcarbamylase (OTC) gene, exon 1

Page 3 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7184	20218	33550	0.66	9.6E+00	AF065630.1	NT	Gallus gallus ornithine transcarbamylase (OTC) gene, exon 1
10787	23708	37209	1.19	9.6E+00	AF242432.1	NT	Mus musculus Nalp3 gene, exon 1; neuronal apoptosis inhibitory protein 1 (Nalp1) and general transcription factor I1H polypeptide 2 (Gtf2h2) genes, complete cds
10787	23708	37210	1.19	9.6E+00	AF242432.1	NT	Mus musculus Nalp3 gene, exon 1; neuronal apoptosis inhibitory protein 1 (Nalp1) and general transcription factor I1H polypeptide 2 (Gtf2h2) genes, complete cds
2835	15963	28913	3.21	9.4E+00	AB043785.1	NT	Mus musculus A13 gene for antithrombin, complete cds
6457	19522	32773	0.54	9.4E+00	P75130	SWISSPROT	HYPOTHETICAL PROTEIN MG447 HOMOLOG
11811	24792	38381	2.45	9.4E+00	O99825	SWISSPROT	NADH-UBIQUINONE OXIDOREDUCTASE CHAIN 4
11911	24792	38382	2.45	9.4E+00	O99825	SWISSPROT	NADH-UBIQUINONE OXIDOREDUCTASE CHAIN 4
8435	21404	34817	0.86	9.3E+00	AF130990.1	NT	Homo sapiens ectodysplasin-A receptor protein (EDAR) gene, exons 2, 3, and 4
9356	22321	35748	3.15	9.3E+00	P11210	SWISSPROT	IMMEDIATE-EARLY PROTEIN 1 (IE1) (IMMEDIATE-EARLY PHOSPHOPROTEIN PP89)
5369	18474	31346	2.66	9.1E+00	AF095609.1	NT	Leuciscus cephalus orientalis cytochrome b (cyt b) gene, partial cds; mitochondrial gene for mitochondrial product
5369	18474	31347	2.66	9.1E+00	AF095609.1	NT	Leuciscus cephalus orientalis cytochrome b (cyt b) gene, partial cds; mitochondrial gene for mitochondrial product
8785	22726	32456	0.95	9.0E+00	P09241	SWISSPROT	RHODOPSIN
6162	19227	32456	5.82	8.9E+00	BE971806.1	EST_HUMAN	601651038R1 NIH_MGC_81 Homo sapiens cDNA clone IMAGE:3934592 3'
6517	19580	32837	2.21	8.7E+00	AB019788.1	NT	Cynops pyrrhogaster CpTbx3 premature mRNA, partial cds
6517	19580	32838	2.21	8.7E+00	AB019788.1	NT	Cynops pyrrhogaster CpTbx3 premature mRNA, partial cds
440	13514	26445	1.03	8.4E+00	5031804	NT	Homo sapiens insulin receptor substrate 1 (IRS1) mRNA
9810	21133	34536	3.58	8.1E+00	AJ131719.1	NT	Zea mays mRNA for legumain-like protease (see2a)
11504	24446		1.54	8.0E+00	P41820	SWISSPROT	BREFELDIN A RESISTANCE PROTEIN
8491	21459		0.82	7.6E+00	Z21489.1	NT	African swine fever virus NP1450L gene encoding RNA polymerase largest subunit
7569	20532		2.17	7.5E+00	AL445095.1	NT	Thermoplasma acidophilum complete genome, segment 3/5
8704	21872	35095	1.58	7.5E+00	P35441	SWISSPROT	THROMBOSPONDIN 1 PRECURSOR
8704	21872	35096	1.58	7.5E+00	P35441	SWISSPROT	THROMBOSPONDIN 1 PRECURSOR
5898	18985	32176	3.53	7.4E+00	BF700517.1	EST_HUMAN	602128876F1 NIH_MGC_56 Homo sapiens cDNA clone IMAGE:4285506 5'
9106	22072	35498	2.72	7.4E+00	P04929	SWISSPROT	HISTIDINE-RICH GLYCOPROTEIN PRECURSOR
9106	22072	35499	2.72	7.4E+00	P04929	SWISSPROT	HISTIDINE-RICH GLYCOPROTEIN PRECURSOR
2890	16048	28968	4.7	7.2E+00	L12051.1	NT	Lycopodium obscurum Mill. GTPase (SAR2) mRNA, complete cds
2890	16048	28969	4.7	7.2E+00	L12051.1	NT	Lycopodium obscurum Mill. GTPase (SAR2) mRNA, complete cds
7230	20252	33598	1.12	7.2E+00	BE179090.1	EST_HUMAN	RC0-H10613-200300-031-a07 H10613 Homo sapiens cDNA
7356	20326	33873	1.1	7.1E+00	P28166	SWISSPROT	ZINC-FINGER PROTEIN 1 (ZINC-FINGER HOMEODOMAIN PROTEIN 1)
7356	20326	33874	1.1	7.1E+00	P28166	SWISSPROT	ZINC-FINGER PROTEIN 1 (ZINC-FINGER HOMEODOMAIN PROTEIN 1)

Page 4 of 546
Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
9957	22884		6.86	7.1E+00	AL161595.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 81
11715	24678	36256	2.96	7.1E+00	P06850	SWISSPROT	HYPOTHETICAL 17.3 KDA PROTEIN IN MRDA-PHPB INTERGENIC REGION
11909	24790	36379	4.81	7.1E+00	P06106	SWISSPROT	MET17 PROTEIN [INCLUDES: O-ACETYLHOMOSERINE SULFHYDRYLASE (OAH SULFHYDRYLASE); O-ACETYL-SERINE SULFHYDRYLASE (OAS SULFHYDRYLASE)]
10341	23265	36744	3.43	7.0E+00	P48610	SWISSPROT	ARGININE KINASE (AK)
11580	24518	36074	1.7	7.0E+00	O22469	SWISSPROT	WD-40 REPEAT PROTEIN MS13
8626	21594	35014	3.94	6.9E+00	P35678	SWISSPROT	60S RIBOSOMAL PROTEIN L4 (L2)
10716	23638	37131	1.32	6.9E+00	P44834	SWISSPROT	DNA MISMATCH REPAIR PROTEIN MUTS
10734	23656	37149	0.44	6.9E+00	P34226	SWISSPROT	SKT5 PROTEIN
8240	21209	34613	1.31	6.8E+00	W03412.1	EST_HUMAN	2a07c11.1 Soares melanocyte 2NbrHM Homo sapiens cDNA clone IMAGE:291860 5'
8240	21209	34614	1.31	6.8E+00	W03412.1	EST_HUMAN	2a07c11.1 Soares melanocyte 2NbrHM Homo sapiens cDNA clone IMAGE:291860 5'
9488	22452		1.35	6.8E+00	P36307	SWISSPROT	OUTER CAPSID PROTEIN VP4 (HEMAGGLUTININ) (OUTER LAYER PROTEIN VP4) [CONTAINS: OUTER CAPSID PROTEINS VP5 AND VP8]
10569	23491	36983	3.31	6.8E+00	Q03570	SWISSPROT	HYPOTHETICAL 157.0 KDA PROTEIN C38C10.5 IN CHROMOSOME III
5356	18461		0.74	6.6E+00	Q09028	SWISSPROT	CATECHOL-O-METHYLTRANSFERASE, SOLUBLE FORM (S-COMT)
6895	19762	33029	0.72	6.6E+00	BF872121.1	EST_HUMAN	602162573F1 NIH_MGC_81 Homo sapiens cDNA clone IMAGE:4293427 5'
10434	23358	36842	1.87	6.6E+00	Q9ZE07	SWISSPROT	URIDYLATE KINASE (UK) (URIDINE MONOPHOSPHATE KINASE) (UMP KINASE)
10434	23358	36843	1.87	6.6E+00	Q9ZE07	SWISSPROT	URIDYLATE KINASE (UK) (URIDINE MONOPHOSPHATE KINASE) (UMP KINASE)
11463	24406		2.49	6.6E+00	Q10309	SWISSPROT	PROBABLE CATION-TRANSPORTING ATPASE C6C3.05C
9535	22498	36946	7.17	6.5E+00	P03374	SWISSPROT	ENV POLYPROTEIN [CONTAINS: COAT PROTEIN GP52; COAT PROTEIN GP36]
10667	23589	37088	0.47	6.5E+00	BE866001.1	EST_HUMAN	601678435F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:3660969 5'
10098	23025	36501	1.17	6.2E+00	AY010801.1	NT	Schizosaccharomyces commune unknown mRNA
10927	23847	37362	0.55	6.2E+00	6754621	NT	Mus musculus mannose 2, alpha B1 (Man2b1), mRNA
7236	20257	33591	1.35	6.0E+00	BE780163.1	EST_HUMAN	601468031F1 NIH_MGC_87 Homo sapiens cDNA clone IMAGE:3871303 5'
10175	23100	36580	0.46	6.0E+00	AP000006.1	NT	Pyrococcus horikoshii OT3 genomic DNA, 1168001-1485000 nt, position (677)
10680	23800	37302	0.83	6.0E+00	AE001862.1	NT	Deinococcus radiodurans R1 section 1 of 2 of the complete chromosome 2
10680	23800	37303	0.83	6.0E+00	AE001862.1	NT	Deinococcus radiodurans R1 section 1 of 2 of the complete chromosome 2
6670	19727	33003	6.7	5.9E+00	AF155142.1	NT	Mus musculus mixed lineage kinase 3 (Mlk3) and two pore domain K+ channel subunit (Konk8) genes, complete cds
3638	16682		0.88	5.8E+00	7661557	NT	Homo sapiens DESC1 protein (DESC1), mRNA
7369	20339	33690	0.55	5.7E+00	AF302046.1	NT	Mus musculus immunoglobulin scavenger receptor IgSR mRNA, complete cds
7369	20339	33691	0.55	5.7E+00	AF302046.1	NT	Mus musculus immunoglobulin scavenger receptor IgSR mRNA, complete cds
7819	20768		1.5	5.6E+00	P75080	SWISSPROT	DNA POLYMERASE III, ALPHA CHAIN POLC-TYPE (POLIII)
11805	23960	37485	2.98	5.6E+00	Q56276	SWISSPROT	LYCOPENE BETA CYCLASE

Page 5 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6390	19448	32689	0.78	5.6E+00	P47447	SWISSPROT	HEAT-INDUCIBLE TRANSCRIPTION REPRESSOR HRCA
10138	23064		0.47	5.5E+00	P13983	SWISSPROT	EXTENSIN PRECURSOR (CELL WALL HYDROXYPROLINE-RICH GLYCOPROTEIN)
11803	23958	37482	2.35	5.5E+00	P11980	SWISSPROT	PNEUMOLYSIN (THIOL-ACTIVATED CYTOLYSIN)
7115	20049	33351	1.1	5.4E+00	X02212.1	NT	Chicken alpha-cardiac actin gene
7115	20049	33352	1.1	5.4E+00	X02212.1	NT	Chicken alpha-cardiac actin gene
7552	20515		0.84	5.4E+00	Q89435	SWISSPROT	NEL PROTEIN PRECURSOR (NEL-RELATED PROTEIN 2)
8143	21080	34480	0.6	5.4E+00	P50391	SWISSPROT	NEUROPEPTIDE Y RECEPTOR TYPE 4 (NPY4R) (PANCREATIC POLYPEPTIDE RECEPTOR 1) (PP1)
							VITELLOGENIN PRECURSOR (VTG) [CONTAINS: LIPOVITELLIN LV-1N; LIPOVITELLIN LV-1C;
8202	21172		1.72	5.4E+00	Q91062	SWISSPROT	LIPOVITELLIN LV-2)
9151	22117	35543	0.73	5.4E+00	P40379	SWISSPROT	REP1 PROTEIN
9151	22117	35544	0.73	5.4E+00	P40379	SWISSPROT	REP1 PROTEIN
10396	23318	36799	1.41	5.4E+00	Q17094	SWISSPROT	RHODOPSIN
10396	23318	36800	1.41	5.4E+00	Q17094	SWISSPROT	RHODOPSIN
4824	17841	30739	1.22	5.3E+00	L43126.1	NT	Bovine Immunodeficiency-like virus surface envelope gene, 5' end of cds
5635	19693		0.6	5.3E+00	P41779	SWISSPROT	HOMEBOX PROTEIN CEH-20
8415	21354		3.9	5.3E+00	P64098	SWISSPROT	DNA POLYMERASE GAMMA (MITOCHONDRIAL DNA POLYMERASE CATALYTIC SUBUNIT)
9335	22300		0.53	5.3E+00	AB034990.1	NT	Homo sapiens HERPUD1 gene for stress protein Herp, complete cds
11950	24828	38425	1.84	5.3E+00	Q27605	SWISSPROT	PROBABLE ANTIBACTERIAL PEPTIDE POLYPROTEIN PRECURSOR
12093	24954	38559	2.34	5.3E+00	Z72683.1	NT	S.cerevisiae chromosome VII reading frame ORF YGL141w
12093	24954	38560	2.34	5.3E+00	Z72683.1	NT	S.cerevisiae chromosome VII reading frame ORF YGL141w
5539	18636		1.22	5.2E+00	BE184840.1	EST_HUMAN	QV4-HT0691-270400-188-409 HT0691 Homo sapiens cDNA
10738	23660		0.78	5.2E+00	AF248070.1	NT	Drosophila oenitacea R1B retrotransposable element reverse transcriptase gene, partial cds
11527	24468		1.46	5.2E+00	Q10136	SWISSPROT	HYPOPHETICAL 61.1 KD PROTEIN C23E2.03C IN CHROMOSOME 1
9313	22278	35709	0.85	5.1E+00	O18005	SWISSPROT	RHODOPSIN
10184	23109	36592	1.07	5.1E+00	P09182	SWISSPROT	COLICIN N IMMUNITY PROTEIN (MICROCIN N IMMUNITY PROTEIN)
11617	24555	38117	3.01	5.1E+00	P55200	SWISSPROT	ZINC FINGER PROTEIN HRX (ALL-1)
6418	19485	32734	0.66	5.0E+00	BF310443.1	EST_HUMAN	601894910F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:4124114 5'
10554	23476		0.65	5.0E+00	BF308561.1	EST_HUMAN	601890420F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:4131509 5'
10796	23717	37219	3.79	5.0E+00	AF162445.2	NT	Canis familiaris skeletal muscle chloride channel CIC-1 (CLCN1) mRNA, complete cds
11622	24560	38122	6.39	5.0E+00	Z63860.1	NT	Mycobacterium tuberculosis H37Rv complete genome, segment 103/162
							Human hereditary haemochromatosis region, histone 2A-like protein gene, hereditary haemochromatosis (HLA-H) gene, RoRet gene, and sodium phosphate transporter (NP13) gene, complete cds
10592	23514		0.63	4.9E+00	U91328.1	NT	Eunice australis histone H3 (H3) gene, partial cds
4090	17124		9.81	4.8E+00	AF185255.1	NT	

Page 6 of 546
Table 4
Single Exon Probes Expressed In Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8494	21462	34878	0.53	4.8E+00	BF367909.1	EST_HUMAN	RC3-GN0042-100800-011-c10 GN0042 Homo sapiens cDNA
8986	21852		5.15	4.8E+00	AW750067.1	EST_HUMAN	PMO-BT0547-310100-002-b04 BT0547 Homo sapiens cDNA
289	13384	26311	2.03	4.7E+00	BF240552.1	EST_HUMAN	601876654F1 NIH_MGC_55 Homo sapiens cDNA clone IMAGE:4099716 5'
290	13384	26311	1.69	4.7E+00	BF240552.1	EST_HUMAN	601876654F1 NIH_MGC_55 Homo sapiens cDNA clone IMAGE:4099716 5'
3287	18341	29280	1.66	4.7E+00	AL163280.2	NT	Homo sapiens chromosome 21 segment HS21C080
8064	21001	34397	0.55	4.6E+00	U67569.1	NT	Methanococcus jannaschii section 111 of 150 of the complete genome
8551	22513	35963	1.12	4.6E+00	BE846437.1	EST_HUMAN	7e86g10.x1 NCI_CGAP_GLL1 Homo sapiens cDNA clone IMAGE:3292098 3' similar to TR:O75140 O75140
9551	22513	35964	1.12	4.6E+00	BE846437.1	EST_HUMAN	KIAA0645 PROTEIN. :contains element PTR5 repetitive element ;
10755	23877		0.6	4.6E+00	AF240786.1	NT	Homo sapiens glutathione S-transferase theta 2 (GSTT2) and glutathione S-transferase theta 1 (GSTT1) genes, complete cds
8047	20884		0.81	4.5E+00	AF126177.1	NT	Isaatchenia orientalis inositolphosphorylceramide synthase (IPC1) gene, complete cds
11930	24911	38408	2.19	4.5E+00	AE001044.1	NT	Archaeoglobus fulgidus section 63 of 172 of the complete genome
12055	24928	38528	1.67	4.5E+00	BF688841.1	EST_HUMAN	602123238F1 NIH_MGC_56 Homo sapiens cDNA clone IMAGE:4280216 5'
3053	16110	29024	0.76	4.4E+00	BF530893.1	EST_HUMAN	602072585F1 NCI_CGAP_Brm67 Homo sapiens cDNA clone IMAGE:4215284 5'
3053	16110	29025	0.76	4.4E+00	BF530893.1	EST_HUMAN	602072585F1 NCI_CGAP_Brm67 Homo sapiens cDNA clone IMAGE:4215284 5'
6326	19386		1.69	4.4E+00	X13414.1	NT	Murine I gene for MHC class II(a) associated invariant chain
6394	19462	32709	0.59	4.4E+00	AF156696.1	NT	Nicotiana tabacum inorganic phosphate transporter (PT1) mRNA, complete cds
8240	18313		0.71	4.3E+00	AF059679.1	NT	Homo sapiens neutrophil collagenase (CLGNA) gene, promoter region and 5'UTR
7672	20630	33994	3.53	4.3E+00	Y13402.1	NT	Plasmodium falciparum R25R+var1 gene, exon 1
7874	20818	34196	0.81	4.3E+00	AE001222.1	NT	Treponema pallidum section 38 of 87 of the complete genome
11210	24164	37694	7.01	4.3E+00	AF240786.1	NT	Homo sapiens glutathione S-transferase theta 2 (GSTT2) and glutathione S-transferase theta 1 (GSTT1) genes, complete cds
11279	24230		1.93	4.3E+00	11526311	NT	Homo sapiens DIGeorge syndrome critical region gene 2 (DGCR2), mRNA
5595	18691		3.57	4.2E+00	P18444	SWISSPROT (RDP)	MICROSOMAL DIPEPTIDASE PRECURSOR (MDP) (DEHYDROPEPTIDASE-I) (RENAL DIPEPTIDASE)
5675	18770	31942	1.35	4.2E+00	P51826	SWISSPROT	LAF-4 PROTEIN (LYMPHOID NUCLEAR PROTEIN)
5854	18945		0.58	4.2E+00	O27830	SWISSPROT	PUTATIVE ATP-DEPENDENT HELICASE MTH1802
6938	20162	33463	1.69	4.2E+00	P13983	SWISSPROT	EXTENSIN PRECURSOR (CELL WALL HYDROXYPROLINE-RICH GLYCOPROTEIN)
6938	20162	33464	1.69	4.2E+00	P13983	SWISSPROT	EXTENSIN PRECURSOR (CELL WALL HYDROXYPROLINE-RICH GLYCOPROTEIN)
9311	22276	35708	5.1	4.2E+00	AI809013.1	EST_HUMAN	w67g03.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2360692 3'
10278	23203	36688	1.1	4.2E+00	P31368	SWISSPROT	NUBBIN PROTEIN (TWIN PROTEIN) (POU DOMAIN PROTEIN 1) (PDM-1) (DPOU-19) (DOCT1)
10508	23430		0.53	4.2E+00	P40886	SWISSPROT	HEXOSE TRANSPORTER HXT8

Page 7 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8048	25652	32334	0.84	4.1E+00	O09185	SWISSPROT	CELLULAR TUMOR ANTIGEN P53
8046	25652	32335	0.84	4.1E+00	O09185	SWISSPROT	CELLULAR TUMOR ANTIGEN P53
7319	20290	33633	0.76	4.1E+00	BE253688.1	EST_HUMAN	60110727F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3351634 5'
7420	20387	33738	0.55	4.1E+00	BF247939.1	EST_HUMAN	601859030F1 NIH_MGC_58 Homo sapiens cDNA clone IMAGE:4069758 5'
7923	20868	34254	7.87	4.1E+00	O23810	SWISSPROT	YY1 PROTEIN PRECURSOR
8061	20998		0.64	4.1E+00	AB041523.1	NT	Patinopecten yessoensis mRNA for calcineurin A, complete cds
8065	21002	34398	3.95	4.1E+00	P28964	SWISSPROT	GENE 68 PROTEIN
8065	21002	34399	3.95	4.1E+00	P28964	SWISSPROT	GENE 68 PROTEIN
8249	21218	34828	2.5	4.1E+00	U57503.1	NT	Pan troglodytes novel repetitive sdo LTR element in the RNU2 locus
8998	22851	36310	0.52	4.1E+00	P11253	SWISSPROT	50S RIBOSOMAL PROTEIN L4
10031	22858	36426	2.43	4.1E+00	BF682425.1	EST_HUMAN	602247938F1 NIH_MGC_62 Homo sapiens cDNA clone IMAGE:4333209 5'
10889	23591		0.45	4.1E+00	P46414	SWISSPROT	CYCLIN-DEPENDENT KINASE INHIBITOR 1B (CYCLIN-DEPENDENT KINASE INHIBITOR P27) (P27KIP1)
10981	23901	37414	0.47	4.1E+00	O84242	SWISSPROT	3-OXOACYL-[ACYL-CARRIER-PROTEIN] SYNTHASE III (BETA-KETOACYL-ACP SYNTHASE III) (KAS III)
11231	24184		2.3	4.1E+00	P09716	SWISSPROT	HYPOTHETICAL PROTEIN HVLf1
11317	24267		13.22	4.1E+00	BE885880.1	EST_HUMAN	601507510F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3808051 5'
3558	16602		0.7	4.0E+00	P38229	SWISSPROT	GLC7-INTERACTING PROTEIN 1
5534	20057	33361	0.94	4.0E+00	O62653	SWISSPROT	SUCRASE-ISOMALTASE, INTESTINAL [CONTAINS: SUCRASE; ISOMALTASE]
5534	20057	33362	0.94	4.0E+00	O62653	SWISSPROT	SUCRASE-ISOMALTASE, INTESTINAL [CONTAINS: SUCRASE; ISOMALTASE]
7123	20057	33361	1.01	4.0E+00	O62653	SWISSPROT	SUCRASE-ISOMALTASE, INTESTINAL [CONTAINS: SUCRASE; ISOMALTASE]
7123	20057	33362	1.01	4.0E+00	O62653	SWISSPROT	SUCRASE-ISOMALTASE, INTESTINAL [CONTAINS: SUCRASE; ISOMALTASE]
7395	20363	33715	1.47	4.0E+00	O33010	SWISSPROT	CELL DIVISION PROTEIN FTSY HOMOLOG
9225	22191	35621	0.44	4.0E+00	Q14157	SWISSPROT	HYPOTHETICAL PROTEIN KIAA0144
10303	23228	36711	0.43	4.0E+00	O61309	SWISSPROT	NITRIC-OXIDE SYNTHASE (NOS, TYPE I) (NEURONAL NOS) (N-NOS)
10526	23448	36948	0.6	4.0E+00	AE002132.1	NT	Ureaplasma urealyticum section 33 of 59 of the complete genome
10620	23542	37041	0.49	4.0E+00	Q00511	SWISSPROT	URICASE (URATE OXIDASE)
10620	23542	37042	0.49	4.0E+00	Q00511	SWISSPROT	URICASE (URATE OXIDASE)
11802	23957	37481	1.87	4.0E+00	P14546	SWISSPROT	CYTOCHROME C OXIDASE POLYPEPTIDE III
11875	24757	38340	2.68	4.0E+00	P07564	SWISSPROT	GENOME POLYMERASE [CONTAINS: CAPSID PROTEIN C (CORE PROTEIN); MATRIX PROTEIN (ENVELOPE GLYCOPROTEIN M); MAJOR ENVELOPE PROTEIN E; NONSTRUCTURAL PROTEINS NS1, NS2A, NS2B, NS4A AND NS4B; HELICASE (NS3); RNA-DIRECTED RNA POLYMERASE (NS5)]

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
11875	24757	38341	2.68	4.0E+00	P07594	SWISSPROT	GENOME POLYPROTEIN [CONTAINS: CAPSID PROTEIN C (CORE PROTEIN); MATRIX PROTEIN (ENVELOPE GLYCOPROTEIN M); MAJOR ENVELOPE PROTEIN E; NONSTRUCTURAL PROTEINS NS1, NS2A, NS2B, NS4A AND NS4B; HELICASE (NS3); RNA-DIRECTED RNA POLYMERASE (NS5)]
3513	16559	29453	4.65	3.9E+00	XG4518.1	NT	N. tabacum chitinase gene 50 for class I chitinase C
4349	17376		0.98	3.9E+00	AF055466.1	NT	Mus musculus seminal vesicle secretory protein 99 (MSVSP99) gene, promoter region
5741	18835	32015	2.98	3.9E+00	BE814357.1	EST_HUMAN	MRO-BN0070-300500-028-H05 BN0070 Homo sapiens cDNA
5741	18835	32016	2.98	3.9E+00	BE814357.1	EST_HUMAN	MRO-BN0070-300500-028-H05 BN0070 Homo sapiens cDNA
6791	19845	33129	0.95	3.9E+00	AF298209.1	NT	Dicotyledon discoidium non-LTR retrotransposon TRE5-B, polyprotein (gag) and group-specific antigen (pol) genes, complete cds
6848	19901	33195	0.67	3.9E+00	U91328.1	NT	Human hereditary haemochromatosis region, histone 2A-like protein gene, hereditary haemochromatosis (HLA-H) gene, RoRet gene, and sodium phosphate transporter (NP-T3) gene, complete cds
7057	20078	33388	4.24	3.9E+00	P39299	SWISSPROT	HYPOTHETICAL TRANSCRIPTIONAL REGULATOR IN AIDB-RPSF INTERGENIC REGION
7587	20548	33908	4.15	3.9E+00	M23907.1	NT	Human MHC class II lymphocyte antigen (DPw4-beta-1) gene, exon 2
8660	21628	35049	2.34	3.9E+00	X65865.1	NT	Xlaevis mRNA for M4 muscarinic receptor
11720	23917	37434	2.93	3.9E+00	Y18000.1	NT	Homo sapiens NF2 gene
11742	24927	38206	1.89	3.9E+00	AA681489.1	EST_HUMAN	nr18a12.s1 NCI_CGAP_Ew1 Homo sapiens cDNA clone IMAGE:1188318 similar to gb:A10416
2637	15636		1.27	3.8E+00	AE001592.1	NT	METALLOPROTEINASE INHIBITOR 1 PRECURSOR (HUMAN);
6530	19593	32854	0.93	3.8E+00	Q57830	SWISSPROT	Helicobacter pylori, strain J99 section 123 of 132 of the complete genome
6837	20161	33482	0.59	3.8E+00	A1493849.1	EST_HUMAN	HYPOTHETICAL PROTEIN M0385
8775	21742	35164	1.03	3.8E+00	D4725.1	EST_HUMAN	qz5107.xt NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2030437 3'
10154	23079		0.59	3.8E+00	AJ390961.1	NT	HUMSUPY135 Human brain cDNA Homo sapiens cDNA clone 148
12119	24989		15.21	3.8E+00	9631294	NT	Streptococcus oralis partial xpt gene for xanthine phosphoribosyltransferase, strain NCTC7884.
4049	17086	29982	9.75	3.7E+00	AL161539.2	NT	Melanoplus sanguinipes entomopoxvirus, complete genome
7372	20342		0.9	3.7E+00	AL445065.1	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 39
9056	22022		0.49	3.7E+00	4503950	NT	Thermoplasma acidophilum complete genome; segment 3/5
9532	22495	35943	0.92	3.7E+00	U43541.1	NT	Homo sapiens glucokinase (hexokinase 4, maturity onset diabetes of the young 2) (GCK), nuclear gene encoding mitochondrial protein, mRNA
11760	24888	38269	1.73	3.7E+00	BF669279.1	EST_HUMAN	Mus musculus laminin beta 2 gene, exons 17-33, and complete cds
11760	24688	38270	1.73	3.7E+00	BF669279.1	EST_HUMAN	602120561F1 NIH_MGC_66 Homo sapiens cDNA clone IMAGE:4277748 5'
12256	25082		2.5	3.7E+00	AB013746.3	NT	602120561F1 NIH_MGC_66 Homo sapiens cDNA clone IMAGE:4277748 5'
595	13682	26575	4.04	3.6E+00	AV761055.1	EST_HUMAN	Gallus gallus mRNA for hypoxia-inducible factor-1 alpha, complete cds
							AV761055 MDS Homo sapiens cDNA clone MDSBUE10 5'

Page 9 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5286	18292	31153	0.83	3.6E+00	Z89109.1	NT	Bacillus subtilis complete genome (section 6 of 21): from 699501 to 1209540
5327	18433	31185	0.73	3.6E+00	BF316316.1	EST_HUMAN	601901866.F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:4131016 5'
8897	21863	35285	0.93	3.6E+00	D12387.1	EST_HUMAN	HUM0007B08 Liver HepG2 cell line. Homo sapiens cDNA clone tb08
8897	21863	35286	0.93	3.6E+00	D12387.1	EST_HUMAN	HUM0007B08 Liver HepG2 cell line. Homo sapiens cDNA clone tb08
8892	21858	35383	4.21	3.6E+00	AE004447.1	NT	Pseudomonas aeruginosa PA01, section 8 of 529 of the complete genome
8892	21858	35384	4.21	3.6E+00	AE004447.1	NT	Pseudomonas aeruginosa PA01, section 8 of 529 of the complete genome
10022	22949	36416	0.44	3.6E+00	U72775.1	NT	Ciconia episcopus cytochrome b gene, mitochondrial gene encoding mitochondrial protein, partial cds
10022	22949	36417	0.44	3.6E+00	U72775.1	NT	Ciconia episcopus cytochrome b gene, mitochondrial gene encoding mitochondrial protein, partial cds
11200	24155		3.18	3.6E+00	M96795.1	NT	Escherichia coli glycerophosphate dehydrogenase (gldD) gene, partial cds; and the translation start site has been verified (gldE), the translation start site has been verified (gldG), and repressor protein (gldR) genes, complete cds
6115	19193		1.1	3.5E+00	L42898.1	NT	Borrelia burgdorferi (strain 25015) outer surface protein (ospC) gene, partial cds
6337	19408	32647	0.96	3.5E+00	R19745.1	EST_HUMAN	Y940008.1 Soares Infant brain INIB Homo sapiens cDNA clone IMAGE:34940 5'
8087	21023	34422	0.5	3.5E+00	P97808	SWISSPROT	5-OXOPROLINASE (5-OXO-L-PROLINASE)/(PYROGLUTAMASE) (5-OPASE)
8094	21030	34428	0.54	3.5E+00	AA992102.1	EST_HUMAN	o37110.s1 Soares testis, NHT Homo sapiens cDNA clone IMAGE:1618987 3' similar to gb:J04213
8124	21061	34459	0.56	3.5E+00	4505264	NT	CELLULAR RETINALDEHYDE-BINDING PROTEIN (HUMAN);
8829	21798		0.6	3.5E+00	P24557	SWISSPROT	Homo sapiens macrophage stimulating 1 receptor (G-met-related tyrosine kinase) (MST1R) mRNA
9387	22362	35782	0.91	3.5E+00	AA190998.1	EST_HUMAN	THROMBOXANE-A SYNTHASE (TXA SYNTHASE) (TXS)
9387	22362	35782	0.91	3.5E+00	AA190998.1	EST_HUMAN	z986b04.s1 Stratagene HeLa cell s3 937216 Homo sapiens cDNA clone IMAGE:627055 3' similar to contains Alu repetitive element; contains element MSR1 repetitive element;
9387	22362	35783	0.91	3.5E+00	AA190998.1	EST_HUMAN	z986b04.s1 Stratagene HeLa cell s3 937216 Homo sapiens cDNA clone IMAGE:627055 3' similar to contains Alu repetitive element; contains element MSR1 repetitive element;
9850	22786	36240	0.96	3.5E+00	AL161553.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 53
1514	14546	27517	5.3	3.4E+00	AF254577.1	NT	Brassica napus RP85d mRNA, complete cds
6893	19945	33241	0.49	3.4E+00	U77617.1	NT	Chloranite-Aster yellows phytoplasma acetate kinase gene, complete cds
7586	20547	33907	2.99	3.4E+00	P04052	SWISSPROT	DNA-DIRECTED RNA POLYMERASE II LARGEST SUBUNIT
7868	20807	34298	0.9	3.4E+00	P04052	SWISSPROT	DNA-DIRECTED RNA POLYMERASE II LARGEST SUBUNIT
9025	21991		0.88	3.4E+00	U85406.1	NT	Human alternatively spliced potassium channels ROM-K1, ROM-K2, ROM-K3, ROM-K4, ROM-K5, and ROM-K6 (KCNU1) gene, complete cds
9428	22392	35831	0.73	3.4E+00	AJ220042.1	NT	Homo sapiens 959 kb contig between AML1 and CBR1 on chromosome 21q22, segment 2/3
9467	22431	35869	0.55	3.4E+00	AJ250567.1	NT	Homo sapiens partial TM4SF2 gene for tetraspanin protein, exon 6
10827	23549	37049	2.59	3.4E+00	AF013167.1	NT	Saccharomyces cerevisiae MSS1 gene, complete cds

Page 10 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
11881	24743	38327	2.86	3.4E+00	L77570.1	NT	Homo sapiens DGeorge syndrome critical region, centromeric end
6186	19261	32498	1.03	3.3E+00	Q09669	SWISSPROT	PUTATIVE IRON ALCOHOL DEHYDROGENASE
6188	19261	32497	1.03	3.3E+00	Q09669	SWISSPROT	PUTATIVE IRON ALCOHOL DEHYDROGENASE
8225	21184	34601	0.9	3.3E+00	AF111168.2	NT	Homo sapiens serine palmitoyl transferase, subunit II gene, complete cds, and unknown genes
10830	23751	37250	0.9	3.3E+00	AP001511.1	NT	Bacillus halodurans genomic DNA, section 5/14
10830	23751	37251	0.9	3.3E+00	AP001511.1	NT	Bacillus halodurans genomic DNA, section 5/14
501	13573	26495	1.85	3.2E+00	X99422.1	NT	D.refio zp-50 POU gene
4066	13573	26495	0.89	3.2E+00	X99422.1	NT	D.refio zp-50 POU gene
4759	17779	30674	1.35	3.2E+00	450240.4	NT	Homo sapiens carcinoembryonic antigen-related cell adhesion molecule 1 (biliary glycoprotein) (CEACAM1), mRNA
5648	18744	31910	1.2	3.2E+00	P54924	SWISSPROT	SQUALENE-HOPENE CYCLASE
5648	18744	31911	1.2	3.2E+00	P54924	SWISSPROT	SQUALENE-HOPENE CYCLASE
5683	18778	31950	2.79	3.2E+00	P12783	SWISSPROT	PHOSPHOGLYCERATE KINASE, CYTOSOLIC
5683	18778	31951	2.78	3.2E+00	P12783	SWISSPROT	PHOSPHOGLYCERATE KINASE, CYTOSOLIC
8439	19504	32754	1.66	3.2E+00	P18931	SWISSPROT	NADH-UBIQUINONE OXIDOREDUCTASE CHAIN 4
8439	19504	32755	1.66	3.2E+00	P18931	SWISSPROT	NADH-UBIQUINONE OXIDOREDUCTASE CHAIN 4
7883	20807	34185	0.71	3.2E+00	P04275	SWISSPROT	VON WILLEBRAND FACTOR PRECURSOR (VWF)
8052	20989	34386	2.47	3.2E+00	Y13655.1	NT	Chlamydomonas reinhardtii chloroplast DNA for rps8, ycf4, ycf3, rps18 genes
8052	20989	34387	2.47	3.2E+00	Y13655.1	NT	Chlamydomonas reinhardtii chloroplast DNA for rps8, ycf4, ycf3, rps18 genes
9385	22350	36298	4.78	3.2E+00	P13081	SWISSPROT	PERIPLASMIC [NIFE] HYDROGENASE SMALL SUBUNIT (NIFE HYDROGENLYASE SMALL CHAIN)
9888	22841	36298	1.87	3.2E+00	M36383.1	NT	S.cerevisiae threonine deaminase (ILD1) gene, complete cds
10500	23422	36921	2	3.2E+00	AB016081.2	NT	Oryzias latipes OIG66 gene for guanylyl cyclase C, complete cds
12217	25055		2.84	3.2E+00	L33936.1	NT	Sus scrofa choline acetyltransferase gene, promoter region
5976	19080	32267	2.25	3.1E+00	Q10135	SWISSPROT	HYPOTHETICAL 142.5 KD PROTEIN C23E2.02 IN CHROMOSOME 1
7618	20578	33941	0.9	3.1E+00	P52178	SWISSPROT	TRIOSE PHOSPHATE PHOSPHATE TRANSLOCATOR, NON-GREEN PLASTID PRECURSOR (CTPT)
7999	20938		1	3.1E+00	AF303225.1	NT	Bacillus alcalophilus pectate lyase (pelE) gene, complete cds
8424	21393	34804	0.43	3.1E+00	P40885	SWISSPROT	PROBABLE UBIQUITIN-PROTEIN LIGASE HUL4
8949	21915	35338	4.37	3.1E+00	P49894	SWISSPROT	TYPE I IODOTHYRONINE DEIODINASE (TYPE I 5DEIODINASE) (DIOI) (TYPE 1 DI) (5DI)
8949	21915	35339	4.37	3.1E+00	P49894	SWISSPROT	TYPE I IODOTHYRONINE DEIODINASE (TYPE I 5DEIODINASE) (DIOI) (TYPE 1 DI) (5DI)
9614	22618		3.9	3.1E+00	Q14957	SWISSPROT	GLUTAMATE (NMDA) RECEPTOR SUBUNIT EPSILON 3 PRECURSOR (N-METHYL D-ASPARTATE RECEPTOR SUBTYPE 2C) (NR2C) (NMDAR2C)
9680	22633	36089	0.48	3.1E+00	Q01149	SWISSPROT	COLLAGEN ALPHA 2(I) CHAIN PRECURSOR
10256	23181	36698	0.86	3.1E+00	7524759	NT	Chlorella vulgaris chloroplast, complete genome
10347	23271		0.61	3.1E+00	Q10125	SWISSPROT	HYPOTHETICAL 96.3 KD PROTEIN F52C8.5 IN CHROMOSOME III

Page 11 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
10700	23622	37118	5.2	3.1E+00	P48365	SWISSPROT	DEOXYHYDROLYSINE SYNTHASE (DHS)
11791	23946		1.96	3.1E+00	P33515	SWISSPROT	GENOME POLYPROTEIN [CONTAINS: CAPSID PROTEIN C (CORE PROTEIN); MATRIX PROTEIN (ENVELOPE PROTEIN M); MAJOR ENVELOPE PROTEIN E; NONSTRUCTURAL PROTEINS NS1, NS2A, NS2B, NS4A AND NS4B; HELICASE (NS3); RNA-DIRECTED RNA POLYMERASE (NS5)]
11811	24696		2.78	3.1E+00	S96680.1	NT	retinoid acid nuclear receptor isoform beta 2 [mice, embryonal carcinoma cell line, PCC7-MZ1, mRNA, 2971 nt]
2849	15909	28833	1.5	3.0E+00	8923984	NT	Homo sapiens hypothetical protein PR00389 (PRO0389), mRNA
5411	18514	31392	1.33	3.0E+00	X53096.1	NT	S.aureus genes encoding Sau981 DNA methyltransferase and Sau981 restriction endonuclease
6708	19764	33043	0.79	3.0E+00	X56037.1	NT	Corynebacterium glutamicum thrC gene for threonine synthase (EC 4.2.99.2)
6708	19764	33044	0.79	3.0E+00	X56037.1	NT	Corynebacterium glutamicum thrC gene for threonine synthase (EC 4.2.99.2)
7363	20333		9.68	3.0E+00	P18406	SWISSPROT	CYR61 PROTEIN PRECURSOR (3CH61)
7402	20370		0.59	3.0E+00	Q13201	SWISSPROT	ENDOTHELIAL CELL MULTIMERIN PRECURSOR
9258	22224		1.21	3.0E+00	X67838.1	NT	B.napus DNA for myosinase
10657	23579	37076	0.54	3.0E+00	Q58605	SWISSPROT	S-ADENOSYLMETHIONINE SYNTHETASE (METHIONINE ADENOSYLTRANSFERASE) (ADOMET SYNTHETASE)
11008	23973	37497	1.65	3.0E+00	Q19181	SWISSPROT	ODC10 PROTEIN HOMOLOG
11351	24301	37827	4.64	3.0E+00	P51842	SWISSPROT	RETINAL GUANYLYL CYCLASE 2 PRECURSOR (GUANYLYL CYCLASE 2F, RETINAL) (RETGC-2) (ROD OUTER SEGMENT MEMBRANE GUANYLYL CYCLASE 2) (ROS-GC2) (GUANYLYL CYCLASE F) (GC-F)
11351	24301	37828	4.64	3.0E+00	P51842	SWISSPROT	RETINAL GUANYLYL CYCLASE 2 PRECURSOR (GUANYLYL CYCLASE 2F, RETINAL) (RETGC-2) (ROD OUTER SEGMENT MEMBRANE GUANYLYL CYCLASE 2) (ROS-GC2) (GUANYLYL CYCLASE F) (GC-F)
2026	15046	28059	2.33	2.9E+00	AE002225.2	NT	Chlamydia pneumoniae AR39, section 53 of 94 of the complete genome
6192	19286		0.6	2.9E+00	AB026033.1	NT	Bonapartia pediculus mitochondrial DNA for 16S ribosomal RNA
7094	20028	33332	1.97	2.9E+00	Z36879.1	NT	F.pringlei gdsA gene for P-protein of the glycine cleavage system
7418	20385	33734	5.15	2.9E+00	O14514	SWISSPROT	BRAIN-SPECIFIC ANGIOGENESIS INHIBITOR 1 PRECURSOR
7418	20385	33735	5.15	2.9E+00	O14514	SWISSPROT	BRAIN-SPECIFIC ANGIOGENESIS INHIBITOR 1 PRECURSOR
7689	20647	34011	5.32	2.9E+00	P46589	SWISSPROT	ADHERENCE FACTOR (ADHESION AND AGGREGATION MEDIATING SURFACE ANTIGEN)
8200	21170	34580	0.61	2.9E+00	P05844	SWISSPROT	STRUCTURAL POLYPROTEIN [CONTAINS: MAJOR STRUCTURAL PROTEIN VP2; NONSTRUCTURAL PROTEIN VP4; MINOR STRUCTURAL PROTEIN VP3]
8200	21170	34581	0.61	2.9E+00	P05844	SWISSPROT	STRUCTURAL POLYPROTEIN [CONTAINS: MAJOR STRUCTURAL PROTEIN VP2; NONSTRUCTURAL PROTEIN VP4; MINOR STRUCTURAL PROTEIN VP3]
8434	21403	34816	0.82	2.9E+00	BF344171.1	EST_HUMAN	602017413FT NCI_CGAP_Bm64 Homo sapiens cDNA clone IMAGE:4153059 5'
1451	14494	27460	4.16	2.8E+00	AF186398.1	NT	Buxus harlandii maturase K (matK) gene, partial cds; chloroplast gene for chloroplast product

Table 4

Single Exon Probes Expressed In Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1637	14688		2.57	2.8E+00	AL161552.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 52
7529	20492	33854	4.93	2.8E+00	8393724	NT	Mus musculus endomucin (LOC93423), mRNA
9972	22898		0.56	2.8E+00	BE566182.1	EST_HUMAN	601342758F1 NIH_MGC_53 Homo sapiens cDNA clone IMAGE:3684807 5'
11048	20492	33854	1.73	2.8E+00	8393724	NT	Mus musculus endomucin (LOC93423), mRNA
233	13333	26256	13.36	2.7E+00	6878306	NT	Mus musculus per-hexamer repeat gene 3 (Phxr3), mRNA
233	13333	26257	13.36	2.7E+00	6878306	NT	Mus musculus per-hexamer repeat gene 3 (Phxr3), mRNA
5631	18727	31888	1.11	2.7E+00	L14005.1	NT	Homo sapiens apolipoprotein A polymorphism K'ingle IV gene, exons 1 and 2
8485	21453		0.68	2.7E+00	U15947.1	NT	Iponosia purpurea chalcone synthase (CHSB) gene including complete 5'UTR and complete cds
9319	22284		1.69	2.7E+00	AL116459.1	NT	Botrytis cinerea strain T4 cDNA library under conditions of nitrogen deprivation
9787	21110	34510	0.64	2.7E+00	AW088191.1	EST_HUMAN	xc88612.x1 NCL_CGAP_Brn35 Homo sapiens cDNA clone IMAGE:2691374 3' similar to gb:U17733
10866	23786		1.69	2.7E+00	BE053527.1	EST_HUMAN	THYMOSIN BETA-4 (HUMAN);
4701	17722	30615	6.29	2.6E+00	AF068749.1	NT	CMO-BT0281-031199-087-h04 BT0281 Homo sapiens cDNA
5627	18723	31883	2.06	2.6E+00	6755601	NT	Mus musculus sphingosine kinase (SPHK1b) mRNA, complete cds
5627	18723	31884	2.06	2.6E+00	6755601	NT	Mus musculus SRY-box containing gene 13 (Sox13), mRNA
5925	19011		3.9	2.6E+00	Y17062.1	NT	Mus musculus SRY-box containing gene 13 (Sox13), mRNA
7803	28002		0.7	2.6E+00	AJ224639.1	NT	Mycobacterium fortitum furA II gene
						NT	Homo sapiens Surf-5 and Surf-6 genes
7987	20906		32.15	2.6E+00	AF235502.1	NT	Mus musculus SH2-containing Inositol 5-phosphatase (Ship) gene, exons 16 through 27, and complete cds
8394	21363	34770	1.12	2.6E+00	AJ132180.1	NT	faba bean necrotic yellows virus C2-Eg gene, isolate Egyptian EV1-93
8394	21363	34771	1.12	2.6E+00	AJ132180.1	NT	faba bean necrotic yellows virus C2-Eg gene, isolate Egyptian EV1-93
10015	22842	39408	3.12	2.6E+00	AL161540.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 40
10720	23842		1.61	2.6E+00	9055183	NT	Mus musculus cleavage and polyadenylation specificity factor 3 (Cpsf3), mRNA
12841	25877		2.58	2.6E+00	11419220	NT	Homo sapiens ATP-binding cassette, sub-family B (MDR/TAP), member 4 (ABCB4), mRNA
1480	14493	27466	3.73	2.6E+00	AJ271844.1	NT	Aspergillus nidulans recQ gene for DNA helicase, exons 1-4
1480	14493	27467	3.73	2.6E+00	AJ271844.1	NT	Aspergillus nidulans recQ gene for DNA helicase, exons 1-4
5911	18997	32186	2.32	2.5E+00	P13485	SWISSPROT	TEICHOIC ACID BIOSYNTHESIS PROTEIN F
5911	18997	32187	2.32	2.5E+00	P13485	SWISSPROT	TEICHOIC ACID BIOSYNTHESIS PROTEIN F
6601	18997	32188	1.49	2.5E+00	P13485	SWISSPROT	TEICHOIC ACID BIOSYNTHESIS PROTEIN F
6601	18997	32187	1.49	2.5E+00	P13485	SWISSPROT	TEICHOIC ACID BIOSYNTHESIS PROTEIN F
6892	18944	33240	0.68	2.5E+00	D30052.1	NT	Vibrio cholerae cba gene and cbaB gene for cholera toxin, complete cds
7980	20801	34283	0.55	2.5E+00	P17588	SWISSPROT	LATENCY-RELATED PROTEIN 1
8035	20872	34368	0.97	2.5E+00	AW949158.1	EST_HUMAN	QV4-F0005-110500-205-g07 FT0005 Homo sapiens cDNA
8085	21031	34429	0.51	2.5E+00	4502902	NT	Homo sapiens clathrin, heavy polypeptide-like 1 (GLTCL1) mRNA

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
9459	22423	35861	1.49	2.5E+00	D50307.1	NT	Rice DNA for aldolase C-1, complete cds
10211	23136	36623	0.73	2.5E+00	BE297758.1	EST_HUMAN	601175779F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3531090 5'
12214	25053		2.5	2.5E+00	AF289665.1	NT	Mus musculus EIF4H gene, partial cds; LIMK1 gene, complete cds; and ELN gene, partial cds
3026	16083	28006	1.1	2.4E+00	M24282.1	NT	Chicken alpha-3 collagen type VI mRNA, 3' end
4944	17980	30851	5.31	2.4E+00	4503352	NT	Homo sapiens double G2-like domains, alpha (DOC2A) mRNA
6126	19204	32427	3.62	2.4E+00	P02843	SWISSPROT	VITELLOGENIN I PRECURSOR (YOLK PROTEIN 1)
7606	20567	33927	0.71	2.4E+00	BF667502.1	EST_HUMAN	602120856F1 NIH_MGC_56 Homo sapiens cDNA clone IMAGE:4278012 5'
7606	20567	33928	0.71	2.4E+00	BF667502.1	EST_HUMAN	602120856F1 NIH_MGC_56 Homo sapiens cDNA clone IMAGE:4278012 5'
8479	21448	34864	2.08	2.4E+00	P26842	SWISSPROT	CD27L RECEPTOR PRECURSOR (T-CELL ACTIVATION ANTIGEN CD27) (T14)
8479	21448	34865	2.08	2.4E+00	P26842	SWISSPROT	CD27L RECEPTOR PRECURSOR (T-CELL ACTIVATION ANTIGEN CD27) (T14)
8554	21522		2.82	2.4E+00	AE001486.1	NT	Helicobacter pylori, strain J99 section 47 of 132 of the complete genome
8998	21954		1.46	2.4E+00	AW875126.1	EST_HUMAN	RC2.PT0004-031299-011-405 PT0004 Homo sapiens cDNA
9180	22146	35573	9.52	2.4E+00	P24091	SWISSPROT	ENDOCHITININASE B PRECURSOR (CHN-B)
10398	23320	36803	2.34	2.4E+00	P13673	SWISSPROT	SKIN GRANULE PROTEIN PRECURSOR
10398	23320	36804	2.34	2.4E+00	P13673	SWISSPROT	SKIN GRANULE PROTEIN PRECURSOR
10466	23388	36882	2.1	2.4E+00	X92511.1	NT	H. sapiens CTGF gene and promoter region
10604	23526		6.1	2.4E+00	P09099	SWISSPROT	XYLOSE KINASE (XYLOKINASE)
10685	23607	37100	1.67	2.4E+00	BE326702.1	EST_HUMAN	hr63106.x1 NC1_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:3133187 3'
10685	23607	37101	1.67	2.4E+00	BE326702.1	EST_HUMAN	hr63106.x1 NC1_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:3133187 3'
10955	23875	37389	1.14	2.4E+00	Q51481	SWISSPROT	DENITRIFICATION REGULATORY PROTEIN N1RQ
11415	24359	37894	2.2	2.4E+00	Y14079.1	NT	Bacillus subtilis chromosomal DNA, region 75 degrees: glpPKD operon and downstream
11517	24458		1.66	2.4E+00	AF096872.1	NT	Capra hircus alphaS2-casein type C gene, intron 15
11696	24652	38231	2.14	2.4E+00	AF158652.2	NT	Fragaria x ananassa cytosolic ascorbate peroxidase (ApxSC) gene, ApxSC-c allele, complete cds
1258	14293	27257	11.33	2.3E+00	Z46724.1	NT	G. domesticus artificial single chain antibody gene (L3)
4147	17178		1.45	2.3E+00	AJ401081.1	NT	Bos taurus partial cyt b gene for cytochrome b
5934	19020		0.99	2.3E+00	N86245.1	EST_HUMAN	J7340F Human fetal heart, Lambda ZAP Express Homo sapiens cDNA clone J7340 5' similar to PROLYLCARBOXYPEPTIDASE
7687	20645	34009	2.42	2.3E+00	6978554	NT	Rattus norvegicus ATPase, Ca++ transporting, ubiquitous (Atp2a3), mRNA
7893	20003		2.79	2.3E+00	P07199	SWISSPROT	MAJOR CENTROMERE AUTOANTIGEN B (CENTROMERE PROTEIN B) (CENP-B)
8059	20986	34392	1.12	2.3E+00	X60265.1	NT	M. mazel dnaK and dnaJ genes homologues coding for DnaK and DnaJ
9465	22429	35668	0.54	2.3E+00	5835317	NT	Polyporus ornamentalis mitochondrion, complete genome
9525	22488	35936	2.03	2.3E+00	Q11127	SWISSPROT	ALPHA-(1,3)-FUCOSYLTRANSFERASE (GALACTOSIDE 3-L-FUCOSYLTRANSFERASE) (FUCOSYLTRANSFERASE 4) (FUCT4V)

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
10958	23878	37390	0.45	2.3E+00	P02461	SWISSPROT	COLLAGEN ALPHA 1(III) CHAIN PRECURSOR
11153	24113	37638	7.84	2.3E+00	Q07076	SWISSPROT	ANNEXIN VII (SYNEXIN)
11897	24778	38364	1.59	2.3E+00	P45931	SWISSPROT	HYPOTHETICAL 171.0 KD PROTEIN IN SPOLIIC-CWLA INTERGENIC REGION
12072	24945	38539	2.34	2.3E+00	BF541987.1	EST_HUMAN	602069121F1 NIH_MGC_58 Homo sapiens cDNA clone IMAGE:4086173 5'
12072	24945	38540	2.34	2.3E+00	BF541987.1	EST_HUMAN	602069121F1 NIH_MGC_58 Homo sapiens cDNA clone IMAGE:4086173 5'
12443	25205	31828	6.31	2.3E+00	BE985237.1	EST_HUMAN	601433673F1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3918643 5'
13077	25609		1.3	2.3E+00	AF281862.1	NT	Neurospora crassa G protein alpha subunit GNA-3 (gna-3) gene, complete cds
4046	17084	29981	1.42	2.2E+00	AF020528.1	NT	Magnaporthe grisea Class IV chitin synthase (chs4) gene, complete cds
4342	17369	30251	3.8	2.2E+00	D67071.1	NT	Rat gene for regucalcin, exon1 (non-coding exon)
4342	17369	30252	3.8	2.2E+00	D67071.1	NT	Rat gene for regucalcin, exon1 (non-coding exon)
5415	18518	31395	11.02	2.2E+00	O88307	SWISSPROT	SORTILIN-RELATED RECEPTOR PRECURSOR (SORTING PROTEIN-RELATED RECEPTOR CONTAINING LDLR CLASS A REPEATS) (MSORLA) (SORLA-1) (LOW-DENSITY LIPOPROTEIN RECEPTOR RELATIVE WITH 11 LIGAND-BINDING REPEATS) (LDLR RELATIVE WITH 11 LIGAND-BINDING REPEATS) (LR11) (>)
5415	18518	31396	11.02	2.2E+00	O88307	SWISSPROT	SORTILIN-RELATED RECEPTOR PRECURSOR (SORTING PROTEIN-RELATED RECEPTOR CONTAINING LDLR CLASS A REPEATS) (MSORLA) (SORLA-1) (LOW-DENSITY LIPOPROTEIN RECEPTOR RELATIVE WITH 11 LIGAND-BINDING REPEATS) (LDLR RELATIVE WITH 11 LIGAND-BINDING REPEATS) (LR11) (>)
5953	19038	32234	1.83	2.2E+00	BE927220.1	EST_HUMAN	RC3-CT0254-300800-022-e08 CT0254 Homo sapiens cDNA
5953	19038	32235	1.83	2.2E+00	BE927220.1	EST_HUMAN	RC3-CT0254-300800-022-e08 CT0254 Homo sapiens cDNA
6180	19255	32486	8.78	2.2E+00	BE250383.1	EST_HUMAN	600943401T1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:2859777 3'
6489	19554	32804	3.91	2.2E+00	Q00335	SWISSPROT	MINOR VIRION STRUCTURAL PROTEIN MU-2
6750	19804	33086	3.14	2.2E+00	P51459	SWISSPROT	INSULIN-LIKE GROWTH FACTOR II PRECURSOR (IGF-II) (SOMATOMEDIN A)
7149	18381		3.5	2.2E+00	AA594574.1	EST_HUMAN	n85602.61 NCL CGAP_Cot10 Homo sapiens cDNA clone IMAGE:1058379 3'
7639	20502	33861	0.95	2.2E+00	AA137027.1	EST_HUMAN	zn97604.1 Stratagene fetal retina 937202 Homo sapiens cDNA clone IMAGE:566143 5'
7865	20809	34187	18.24	2.2E+00	AA448012.1	EST_HUMAN	z05g10.1 Soares fetal Nb2HF8_gw Homo sapiens cDNA clone IMAGE:785634 5'
7953	20894	34287	0.66	2.2E+00	P54918	SWISSPROT	ALANINE RACEMASE
8439	21408	34820	0.69	2.2E+00	BE301560.1	EST_HUMAN	bb17h12.x1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:2963207 3' similar to gb:D45836 Mouse mRNA for nuclear pore-targeting-complex component of (MOUSE);
8439	21408	34821	0.69	2.2E+00	BE301560.1	EST_HUMAN	bb17h12.x1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:2963207 3' similar to gb:D45836 Mouse mRNA for nuclear pore-targeting-complex component of (MOUSE);
9697	22650		11.22	2.2E+00	BE741678.1	EST_HUMAN	601594733F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3948561 5'
9927	25698		2.53	2.2E+00	Q04708	SWISSPROT	TRANSPOSON TY1 PROTEIN A

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
10413	23335	36819	1.57	2.2E+00	AI290373.1	EST_HUMAN	qm69b03.x1 Soares_placenta_8tc9weeks_2NbHP8b9W Homo sapiens cDNA clone IMAGE:1893965 3' similar to gb:Y00433 GLUTATHIONE PEROXIDASE (HUMAN);
10413	23335	36820	1.57	2.2E+00	AI290373.1	EST_HUMAN	qm69b03.x1 Soares_placenta_8tc9weeks_2NbHP8b9W Homo sapiens cDNA clone IMAGE:1893965 3' similar to gb:Y00433 GLUTATHIONE PEROXIDASE (HUMAN);
10458	23378	36871	2.22	2.2E+00	BF246782.1	EST_HUMAN	qm69b03.x1 Soares_placenta_8tc9weeks_2NbHP8b9W Homo sapiens cDNA clone IMAGE:1893965 3' similar to gb:Y00433 GLUTATHIONE PEROXIDASE (HUMAN);
10822	23743	37244	3.08	2.2E+00	AF183416.1	NT	601855591F1 NIH_MGC_57 Homo sapiens cDNA clone IMAGE:4075391 5'
11768	23923	37442	3.23	2.2E+00	P07911	SWISSPROT	Homo sapiens ovarian granulosa cell 13.0 kDa protein hGR74 homolog mRNA, complete cds
11937	24818	38415	6.31	2.2E+00	P10407	SWISSPROT	UROMODULIN PRECURSOR (TAMM-HORSFALL URINARY GLYCOPROTEIN) (THP)
571	15844	26555	12.39	2.1E+00	AF132612.2	NT	EARLY E1A 28 KD PROTEIN
3601	18648	26555	0.83	2.1E+00	AW449366.1	EST_HUMAN	Mus musculus pre-T cell receptor alpha gene, enhancer region and upstream region
6255	19328		0.86	2.1E+00	P75357	SWISSPROT	UHL-H-BIG-akt-e-08-0-J1.s1 NCI_CGAP_Sub5 Homo sapiens cDNA clone IMAGE:2734550 3'
6980	20203	33532	3.45	2.1E+00	O70159	SWISSPROT	HYPOTHETICAL PROTEIN MG302 HOMOLOG
7225	20247	33581	0.81	2.1E+00	4503430	NT	ALPHA-2HS-GLYCOPROTEIN PRECURSOR (FETUIN-A)
7246	19981	33278	5.97	2.1E+00	N29575.1	EST_HUMAN	Homo sapiens dysferlin, limb girdle muscular dystrophy 2B (autosomal recessive) (DYSF) mRNA, and translated products
8842	21809		1.82	2.1E+00	AU123630.1	EST_HUMAN	y008a10.s1 Soares melanocyte 2NbHM Homo sapiens cDNA clone IMAGE:270618 3' similar to gb:M55654 TRANSCRIPTION INITIATION FACTOR TFIIID (HUMAN);
1201	14240	27197	1.39	2.0E+00	AF180527.1	NT	AU123630 NT2RM2 Homo sapiens cDNA clone NT2RM2000671 5'
1201	14240	27198	1.39	2.0E+00	AF180527.1	NT	Homo sapiens p22Dokdel (DOKDEL) mRNA, complete cds
1338	14372	27342	1.19	2.0E+00	AF204927.1	NT	Homo sapiens p22Dokdel (DOKDEL) mRNA, complete cds
1578	14611		3.42	2.0E+00	P25582	SWISSPROT	Oryctolagus cuniculus Na ⁺ K ⁺ -ATPase beta 1 subunit mRNA, complete cds
2159	15175	28195	4.98	2.0E+00	Z78279.1	NT	PUTATIVE RRNA METHYLTRANSFERASE SPB1
2159	15175	28196	4.98	2.0E+00	Z78279.1	NT	R.norvegicus mRNA for collagen alpha1 type I
4127	17160	30048	2.24	2.0E+00	AW684496.1	EST_HUMAN	R.norvegicus mRNA for collagen alpha1 type I
4127	17160	30049	2.24	2.0E+00	AW684496.1	EST_HUMAN	h13c05.x1 NCI_CGAP_GU1 Homo sapiens cDNA clone IMAGE:2972168 3' similar to gb:X01677 GLYCERALDEHYDE 3-PHOSPHATE DEHYDROGENASE, LIVER (HUMAN);
7798	20750		0.85	2.0E+00	P07566	SWISSPROT	h13c05.x1 NCI_CGAP_GU1 Homo sapiens cDNA clone IMAGE:2972168 3' similar to gb:X01677 GLYCERALDEHYDE 3-PHOSPHATE DEHYDROGENASE, LIVER (HUMAN);
8358	21327	34738	3.84	2.0E+00	AB008676.1	NT	STRUCTURAL POLYPEPTIDE [CONTAINS: NUCLEOCAPSID PROTEIN C; MEMBRANE GLYCOPROTEINS E1 AND E2]
8358	21327	34739	3.84	2.0E+00	AB008676.1	NT	Escherichia coli 0157 DNA, map position at 46 min., complete cds
8358	21327	34740	3.84	2.0E+00	AB008676.1	NT	Escherichia coli 0157 DNA, map position at 46 min., complete cds
9274	22240	35668	3.22	2.0E+00	F31500.1	EST_HUMAN	Escherichia coli 0157 DNA, map position at 46 min., complete cds
12758	25838	31427	4.52	2.0E+00	5834843	NT	HSPD22703 HM3 Homo sapiens cDNA clone s4000117B08

Page 16 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4829	17848	30746	0.98	1.9E+00	AF209488.1	NT	Danio rerio Rh50-like protein mRNA, complete cds
5878	18774	31945	4.52	1.9E+00	6754389	NT	Mus musculus inositol 1,4,5-triphosphate receptor 1 (Itpr1), mRNA
5879	18774	31946	4.52	1.9E+00	6754389	NT	Mus musculus inositol 1,4,5-triphosphate receptor 1 (Itpr1), mRNA
6219	19293	32527	1.05	1.9E+00	BE969695.1	EST_HUMAN	601879636F1 NIH_MGC_78 Homo sapiens cDNA clone IMAGE:3949881 5'
6810	19684		1.19	1.9E+00	AW845889.1	EST_HUMAN	MRO-CT0083-071089-002-g02 CT0083 Homo sapiens cDNA
6912	19964		2.37	1.9E+00	Q63827	SWISSPROT	GTD-BINDING SR-LIKE PROTEIN RA4
8802	21769	35183	1.72	1.9E+00	P02467	SWISSPROT	COLLAGEN ALPHA 2(I) CHAIN PRECURSOR
8802	21769	35194	1.72	1.9E+00	P02467	SWISSPROT	COLLAGEN ALPHA 2(I) CHAIN PRECURSOR
9006	21972		3.6	1.9E+00	BF380206.1	EST_HUMAN	GM3-MT0114-010800-323-h12 MT0114 Homo sapiens cDNA
9245	22211		1.52	1.9E+00	O61781	SWISSPROT	ARGININE DEIMINASE (ADI) (ARGININE DIHYDROLASE) (AD)
9888	22815	36380	0.53	1.9E+00	AA688125.1	EST_HUMAN	ab94a04.s1 Stratagene Lung (#937210) Homo sapiens cDNA clone IMAGE:854574 3' similar to contains Alu repetitive element; contains element L1 L1 repetitive element;
10928	23849	37364	0.63	1.9E+00	AF248269.1	NT	Homo sapiens gag-pro-pol precursor protein gene, partial cds
3109	16166	29077	1.5	1.8E+00	P21004	SWISSPROT	PROTEIN B8 PRECURSOR
3137	16194	29103	10.81	1.8E+00	U04356.1	NT	Synechococcus sp. PC07942 copper transporting P-ATPase (ctaA) and ATP synthase epsilon subunit (atpE) genes, complete cds
3137	16194	29104	10.81	1.8E+00	U04356.1	NT	Synechococcus sp. PC07942 copper transporting P-ATPase (ctaA) and ATP synthase epsilon subunit (atpE) genes, complete cds
5967	19052		1.84	1.8E+00	P18502	SWISSPROT	HEDGEHOG RECEPTOR (PATCHED PROTEIN)
6224	19298	32532	2.2	1.8E+00	BF311989.1	EST_HUMAN	601897854F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:4127364 5'
6538	19600		1.19	1.8E+00	BF683927.1	EST_HUMAN	602139470F1 NIH_MGC_48 Homo sapiens cDNA clone IMAGE:4298272 5'
6804	19956	33253	1.02	1.8E+00	BF305652.1	EST_HUMAN	601893489F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:4139038 5'
7260	19995	33292	1.07	1.8E+00	P21249	SWISSPROT	MAJOR ANTIGEN
7476	20442		0.7	1.8E+00	P27127	SWISSPROT	LIPOPOLYSACCHARIDE 1,8-GALACTOSYLTRANSFERASE (UDP-D-GALACTOSE-(GLUCOSYL)-LIPOLYSACCHARIDE-ALPHA-1,3-D-GALACTOSYLTRANSFERASE)
8454	21423	34838	0.8	1.8E+00	P11369	SWISSPROT	RETROVIRUS-RELATED POL POLYPROTEIN [CONTAINS: REVERSE TRANSCRIPTASE; ENDONUCLEASE]
8454	21423	34839	0.8	1.8E+00	P11369	SWISSPROT	RETROVIRUS-RELATED POL POLYPROTEIN [CONTAINS: REVERSE TRANSCRIPTASE; ENDONUCLEASE]
8812	21779	35204	0.46	1.8E+00	P48634	SWISSPROT	LARGE PROLINE-RICH PROTEIN BAT2 (HLA-B-ASSOCIATED TRANSCRIPT 2)
8812	21779	35205	0.46	1.8E+00	P48634	SWISSPROT	LARGE PROLINE-RICH PROTEIN BAT2 (HLA-B-ASSOCIATED TRANSCRIPT 2)
8812	21779	35206	0.46	1.8E+00	P48634	SWISSPROT	LARGE PROLINE-RICH PROTEIN BAT2 (HLA-B-ASSOCIATED TRANSCRIPT 2)
9206	22172	35603	2.21	1.8E+00	O43281	SWISSPROT	EMBRYONAL FYN-ASSOCIATED SUBSTRATE (HEFS)
9530	22493	35641	0.66	1.8E+00	R31042.1	EST_HUMAN	h72c08.r1 Soares placenta Nb2HP Homo sapiens cDNA clone IMAGE:135276 5'

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
9617	22561	36009	0.64	1.8E+00	AW880004.1	EST_HUMAN	QVO-OT030-070300-148-a03 OT0030 Homo sapiens cDNA
10208	23133	36620	0.93	1.8E+00	P27050	SWISSPROT	CHITINASE D PRECURSOR
10646	23568		2.88	1.8E+00	AF111849.1	NT	Homo sapiens PRO5530 mRNA, complete cds
10919	23839		0.75	1.8E+00	P44325	SWISSPROT	CYTIDINE DEAMINASE (CYTIDINE AMINOHYDROLASE) (CDA)
12563	25808		8.17	1.8E+00	AF314254.1	NT	Chlamydomonas reinhardtii alternative oxidase 1 (AOX1) gene, nuclear gene encoding mitochondrial protein
12642	26326		5.63	1.8E+00	9506404	NT	Rattus norvegicus Actin-related protein complex 1b (Atp1b), mRNA
1110	14154	27104	2.43	1.7E+00	Q60114	SWISSPROT	LEVANSUCRASE (BETA-D-FRUCTOFURANOSYL TRANSFERASE) (SUCROSE 6-FRUCTOSYL TRANSFERASE)
2279	15292	28317	3.08	1.7E+00	AL163280.2	NT	Homo sapiens chromosome 21 segment HS21C080
2382	15390	28415	1.67	1.7E+00	AI141067.1	EST_HUMAN	α43H05.X1 Soares_NhlhMPu_S1 Homo sapiens cDNA clone IMAGE:1678137 3'
4487	17512	30400	0.9	1.7E+00	Q60114	SWISSPROT	LEVANSUCRASE (BETA-D-FRUCTOFURANOSYL TRANSFERASE) (SUCROSE 6-FRUCTOSYL TRANSFERASE)
5694	18789	31959	1.66	1.7E+00	BE063546.1	EST_HUMAN	GM0-BT0282-171299-127-a05 BT0282 Homo sapiens cDNA
5694	18789	31960	1.66	1.7E+00	BE063546.1	EST_HUMAN	GM0-BT0282-171299-127-a05 BT0282 Homo sapiens cDNA
5955	19040	32238	0.49	1.7E+00	R58748.1	EST_HUMAN	G4846 Fetal heart Homo sapiens cDNA clone G4846 5' end
6133	19210	32436	3.14	1.7E+00	Q9TTR8	SWISSPROT	COUP TRANSCRIPTION FACTOR 1 (COUP-TF1) (COUP-TF I)
6703	19759	33038	0.59	1.7E+00	P35816	SWISSPROT	(PYRUVATE DEHYDROGENASE (LIPOAMIDE) PHOSPHATASE, MITOCHONDRIAL PRECURSOR (PDP) (PYRUVATE DEHYDROGENASE PHOSPHATASE, CATALYTIC SUBUNIT) (PDP-C)
7428	20395	33746	1.01	1.7E+00	Q03703	SWISSPROT	HYPOTHETICAL 38.0 KD PROTEIN IN CAT2-AMD1 INTERGENIC REGION
7428	20395	33747	1.01	1.7E+00	Q03703	SWISSPROT	HYPOTHETICAL 38.0 KD PROTEIN IN CAT2-AMD1 INTERGENIC REGION
8187	21157	34566	0.81	1.7E+00	AF021335.1	NT	Mus musculus T cell receptor gamma locus, TOR gamma 2 and gamma 4 gene clusters
8367	21336	34748	1.21	1.7E+00	6755715	NT	Mus musculus T-cell acute lymphocytic leukemia 1 (Tal1), mRNA
8397	21366	34775	0.54	1.7E+00	BF530630.1	EST_HUMAN	602071917F1 NCI_CGAP_Bm67 Homo sapiens cDNA clone IMAGE:4214669 5'
8887	21853	35273	0.45	1.7E+00	AF245513.1	EST_HUMAN	Hippoglossus hippoglossus Interferon Inducible Mx protein (Mx) mRNA, complete cds
8974	21940		1.92	1.7E+00	BF308000.1	EST_HUMAN	601894255F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:4140084 5'
9052	22018	35442	0.51	1.7E+00	X69063.1	NT	M.musculus Ank-1 mRNA for erythroid ankyrin
9052	22018	35443	0.51	1.7E+00	X69063.1	NT	M.musculus Ank-1 mRNA for erythroid ankyrin
9166	22132	35558	0.43	1.7E+00	U19832.1	NT	Rattus norvegicus SA gene, partial cds
9504	25697	35909	2.37	1.7E+00	O60479	SWISSPROT	HOMEBOX PROTEIN DLX-3
9504	25697	35910	2.37	1.7E+00	O60479	SWISSPROT	HOMEBOX PROTEIN DLX-3
9665	22892		1.4	1.7E+00	AF161380.1	NT	Homo sapiens HSPC282 mRNA, partial cds
10532	23454		0.5	1.7E+00	AW953681.1	EST_HUMAN	EST365751 IMAGE resequences, MAGC Homo sapiens cDNA

Page 18 of 546
Table 4
Single Exon Probes Expressed In Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
12518	25249	31803	1.78	1.7E+00	AI678443.1	EST_HUMAN	tu82d07.x1 NCI_CGAP_Gas4 Homo sapiens cDNA clone IMAGE:2257649 3' similar to contains MSR1.11 MSR1 repetitive element:
2049	15068	28088	14.89	1.6E+00	AF199339.1	NT	Homo sapiens lens epithelium-derived growth factor gene, alternatively spliced, complete cds
2059	15078	28097	3.29	1.6E+00	AF077374.1	NT	Homo sapiens small proline-rich protein (SPRR3) gene, exons 1, 2, and 3 and complete cds
2065	15083	28102	1.62	1.6E+00	Y11344.1	NT	Mus musculus ST8GaiNacIII gene, exon 2
2292	15304		1.33	1.6E+00	X98373.1	NT	B. napus gene encoding endo-polygalacturonase
2872	16030	28953	1.88	1.6E+00	W58426.1	EST_HUMAN	zid25f01.r1 Soares_fetal_heart_LNbH19W Homo sapiens cDNA clone IMAGE:341689 5' similar to gb:D29805 N-ACETYL LACTOSAMINE SYNTHASE (HUMAN);
4063	17098		7.07	1.6E+00	BF570077.1	EST_HUMAN	602186095T1 NIH_MGC_45 Homo sapiens cDNA clone IMAGE:4310591 3'
4379	17407	30287	1.28	1.6E+00	AF155827.1	NT	Homo sapiens proliferation-associated SNF2-like protein (SMARCA8) mRNA, complete cds
4379	17407	30288	1.28	1.6E+00	AF155827.1	NT	Homo sapiens proliferation-associated SNF2-like protein (SMARCA8) mRNA, complete cds
5120	18130	31006	2.98	1.6E+00	Y11344.1	NT	Mus musculus ST8GaiNacIII gene, exon 2
5120	18130	31007	2.98	1.6E+00	Y11344.1	NT	Mus musculus ST8GaiNacIII gene, exon 2
5926	19012	32204	2.21	1.6E+00	L04808.1	NT	Brachydanio rerio MHC class II DA-beta-2*01 gene, 3' end
6020	19103	32305	0.82	1.6E+00	AF005631.1	NT	Homo sapiens transglutaminase type I (TgaseI) gene, promoter region
6614	19672	32950	0.83	1.6E+00	BF380703.1	EST_HUMAN	IL2-U70073-060900-145-E02 U70073 Homo sapiens cDNA
6868	19821	33217	0.97	1.6E+00	AW294881.1	EST_HUMAN	UI-H-B12-dhr-b-04-O-U.1 NCI_CGAP_Sub4 Homo sapiens cDNA clone IMAGE:2727511 3'
7456	20422	33777	2.47	1.6E+00	BE697287.1	EST_HUMAN	RC0-CT0415-200700-032-c10 CT0415 Homo sapiens cDNA
8364	21333		1.1	1.6E+00	Q46378	SWISSPROT	VIRULENCE FACTOR MVIN HOMOLOG
8722	21690	35117	3.42	1.6E+00	AJ297131.1	NT	Mus musculus SIL, MAP_17, CYP_a, SCL & CYP_b genes
9251	22217	35847	0.9	1.6E+00	11437222	NT	Homo sapiens hypothetical protein PRO0971 (PRO0971), mRNA
9251	22217	35848	0.9	1.6E+00	11437222	NT	Homo sapiens hypothetical protein PRO0971 (PRO0971), mRNA
9815	25695	34540	1.54	1.6E+00	X52048.1	NT	M. musculus COL3A1 gene for collagen alpha-1
9815	25695	34541	1.54	1.6E+00	X52048.1	NT	M. musculus COL3A1 gene for collagen alpha-1
9945	22872		0.48	1.6E+00	AF043466.1	NT	Thermotoga bacter ethanolicus D-xylose-binding protein (xyf) gene, complete cds
10091	23017	36493	1.23	1.6E+00	T41280.1	EST_HUMAN	ph6b6_1911TV Outward Alu-primed IncDNA library Homo sapiens cDNA clone ph6b6_1911TV
10506	23428	36925	0.48	1.6E+00	AF121361.1	NT	Drosophila melanogaster signal transducing adaptor protein (STAM), serine threonine kinase Ial (IAL), and zinc finger protein (DNZ1) genes, complete cds
10545	23467	36961	1.12	1.6E+00	AW835644.1	EST_HUMAN	QV4-L-T0016-090200-100-d07 LT0016 Homo sapiens cDNA
10545	23467	36962	1.12	1.6E+00	AW835644.1	EST_HUMAN	QV4-L-T0016-090200-100-d07 LT0016 Homo sapiens cDNA
10709	23631	37126	0.78	1.6E+00	AF037352.1	NT	Mus musculus T cell receptor gamma locus, TCR gamma 1 and gamma 3 gene clusters
11123	24083	37809	1.73	1.6E+00	P54817	SWISSPROT	CAPSID PROTEIN P40 [CONTAINS: ASSEMBLIN (PROTEASE); CAPSID ASSEMBLY PROTEIN]
11192	19103	32305	5.78	1.6E+00	AF005631.1	NT	Homo sapiens transglutaminase type I (TgaseI) gene, promoter region
12017	24894	38491	2.83	1.6E+00	AF104313.1	NT	Homo sapiens unknown mRNA

Page 19 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
35	13155	26056	3.54	1.5E+00	U53449.1	NT	Rattus norvegicus jun dimerization protein 2 (jdp-2) mRNA, complete cds
234	13334	28258	2.63	1.5E+00	AE002201.2	NT	Chlamydia pneumoniae AR39, section 32 of 94 of the complete genome
622	13687		2.04	1.5E+00	6752861	NT	Mus musculus a disintegrin and metalloproteinase domain (ADAM) 15 (metagridin) (Adam15), mRNA
2420	15427	28450	3.2	1.5E+00	AJ131402.1	NT	Potato virus A RNA complete genome, isolate U
2822	15525	28547	2.17	1.5E+00	6678350	NT	Mus musculus T-cell lymphoma invasion and metastasis 1 (Tiam1), mRNA
3155	15427	28450	2.96	1.5E+00	AJ131402.1	NT	Potato virus A RNA complete genome, isolate U
3386	16435	29362	0.92	1.5E+00	AE001945.1	NT	Deinococcus radiodurans R1 section 82 of 229 of the complete chromosome 1
5817	18907	32090	0.82	1.5E+00	AI655301.1	EST_HUMAN	tt12f10.x1 NCI_CGAP_GC8 Homo sapiens cDNA clone IMAGE:2240587 3' similar to TR:O00237 O00237 HKF-1;
5817	18907	32091	0.82	1.5E+00	AI655301.1	EST_HUMAN	tt12f10.x1 NCI_CGAP_GC8 Homo sapiens cDNA clone IMAGE:2240587 3' similar to TR:O00237 O00237 HKF-1;
6546	19607	32869	2.71	1.5E+00	R17879.1	EST_HUMAN	y910a02r1 Soares infant brain (NIB) Homo sapiens cDNA clone IMAGE:31693 5'
7335	20308		1.48	1.5E+00	BE785356.1	EST_HUMAN	601478745F1 NIH_MGC_68 Homo sapiens cDNA clone IMAGE:3881556 5'
7368	20338	33688	16.72	1.5E+00	P47179	SWISSPROT	HYPOTHETICAL 118.4 KD PROTEIN IN BAT2-DAL5 INTERGENIC REGION PRECURSOR
7368	20338	33689	16.72	1.5E+00	P47179	SWISSPROT	HYPOTHETICAL 118.4 KD PROTEIN IN BAT2-DAL5 INTERGENIC REGION PRECURSOR
7568	20531	33890	0.6	1.5E+00	AA88259.1	EST_HUMAN	ek26f10.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1407115 3'
7850	20796	34172	0.73	1.5E+00	AI003254.1	EST_HUMAN	an07b11.s1 Striatagene schizo brain S11 Homo sapiens cDNA clone IMAGE:1684893 3' similar to gb:S056936 SEROTRANSFERRIN PRECURSOR (HUMAN);
8144	21081		0.67	1.5E+00	AB039887.1	NT	Homo sapiens WDR4 gene for WD repeat protein, complete cds
8459	21428	34845	0.91	1.5E+00	BE887446.1	EST_HUMAN	601509586F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3911181 5'
8514	21482	34896	0.48	1.5E+00	AB040887.1	NT	Homo sapiens mRNA for KIAA1454 protein, partial cds
8991	21957	35382	1.08	1.5E+00	K02138.1	NT	Mouse germline IgM chain gene, mu-delta region
9370	22335		0.47	1.5E+00	AB038516.1	NT	Homo sapiens hGPIb alpha gene for platelet glycoprotein Ib alpha, complete cds
9489	22453	35893	0.55	1.5E+00	BF217818.1	EST_HUMAN	601882662F1 NIH_MGC_57 Homo sapiens cDNA clone IMAGE:4095135 5'
9838	22774	36229	0.91	1.5E+00	R81928.1	EST_HUMAN	y03h01.r1 Soares placenta Nb2HP Homo sapiens cDNA clone IMAGE:147697 5'
9993	22920	36387	1.09	1.5E+00	AW375697.1	EST_HUMAN	QV3-C10192-261098-008-409 C10192 Homo sapiens cDNA
10219	23144	36633	6.14	1.5E+00	BF376754.1	EST_HUMAN	RCO-TN0078-150800-034-g05 TN0078 Homo sapiens cDNA
10412	23334		1.42	1.5E+00	BF337844.1	EST_HUMAN	602035771F1 NCI_CGAP_Bm64 Homo sapiens cDNA clone IMAGE:4183865 5'
10556	23478	36972	2.92	1.5E+00	AA017689.1	EST_HUMAN	ze38g06.r1 Soares retina N2b4-HR Homo sapiens cDNA clone IMAGE:361306 5'
10556	23478	36973	2.92	1.5E+00	AA017689.1	EST_HUMAN	ze38g06.r1 Soares retina N2b4-HR Homo sapiens cDNA clone IMAGE:361306 5'
11727	24913	38190	5.98	1.5E+00	AL134197.1	EST_HUMAN	DKFZp547P243.s1 547 (synonym: hbr1) Homo sapiens cDNA clone DKFZp547P243 3'
11869	24751		6.39	1.5E+00	X07380.1	NT	Malze mitochondrial tRNA-Ser gene and tRNA-Phe pseudogene
12112	24982	38583	1.53	1.5E+00	BE257562.1	EST_HUMAN	601109621F1 NIH_MGC_18 Homo sapiens cDNA clone IMAGE:3350477 5'

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
12362	25151		1.87	1.5E+00	8753287	NT	Mus musculus caspase 8 associated protein 2 (Casp8ap2), mRNA
12610	25899	31420	1.51	1.5E+00	D63480.1	NT	Human mRNA for KIAA0148 gene, partial cds
12723	25376		4.94	1.5E+00	AL445065.1	NT	Thermoplasma acidophilum complete genome; segment 3/5
12821	25443		1.33	1.5E+00	6978492	NT	Rattus norvegicus 5 - Lipoxigenase (Alox5), mRNA
32	13152	28052	1.41	1.4E+00	7661685	NT	Homo sapiens DKFZP586M0122 protein (DKFZP586M0122), mRNA
32	13152	28053	1.41	1.4E+00	7661685	NT	Homo sapiens DKFZP586M0122 protein (DKFZP586M0122), mRNA
2285	15298		0.9	1.4E+00	AF053357.1	NT	Helicobacter pylori glutamine synthetase (glnA) gene, complete cds
2341	15351		8.77	1.4E+00	U67922.1	NT	Ovis aries prion protein gene, complete cds
2677	15873	28693	1.83	1.4E+00	X74463.1	NT	Human papillomavirus type 7 genomic DNA
2784	15776	28794	2.75	1.4E+00	AF064564.2	NT	Fugu rubripes neurofibromatosis type 1 (NF1), A-kinase anchor protein (AKAP84), BAW protein (BAW), and WSB1 protein (WSB1) genes, complete cds
2784	15776	28795	2.75	1.4E+00	AF064564.2	NT	Fugu rubripes neurofibromatosis type 1 (NF1), A-kinase anchor protein (AKAP84), BAW protein (BAW), and WSB1 protein (WSB1) genes, complete cds
3345	16396		0.63	1.4E+00	5453733	NT	WSB1 protein (WSB1) genes, complete cds
4284	17313	30191	1.38	1.4E+00	AW900455.1	EST_HUMAN	Homo sapiens Mad4 homolog (MAD4) mRNA
4284	17313	30192	1.38	1.4E+00	AW900455.1	EST_HUMAN	CM6-NN1005-140300-286-H08 NN1005 Homo sapiens cDNA
4590	16144	28056	0.92	1.4E+00	AE002324.2	NT	Chlamydia muridarum, section 55 of 85 of the complete genome
4590	16144	28057	0.92	1.4E+00	AE002324.2	NT	Chlamydia muridarum, section 55 of 85 of the complete genome
4615	17638		1.71	1.4E+00	BF681547.1	EST_HUMAN	602156687F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:4287656 5'
5446	18648	31461	1.58	1.4E+00	AW054976.1	EST_HUMAN	w45g07.x1 NCL CGAP_Pan1 Homo sapiens cDNA clone IMAGE:2810460 3'
5608	18702		5.52	1.4E+00	AB032883.1	NT	Homo sapiens mRNA for KIAA1157 protein, partial cds
6410	19478	32725	3.06	1.4E+00	Q13472	SWISSPROT	DNA TOPOISOMERASE III ALPHA
6427	25998		4.2	1.4E+00	AB020712.1	NT	Homo sapiens mRNA for KIAA0905 protein, complete cds
6552	19813	32875	2.65	1.4E+00	Q82777	SWISSPROT	SYNAPSIN II
6552	19813	32876	2.65	1.4E+00	Q82777	SWISSPROT	SYNAPSIN II
6781	19836	33119	0.56	1.4E+00	BE007870.1	EST_HUMAN	QV0-BN0148-050500-215-b11 BN0148 Homo sapiens cDNA
6781	19836	33120	0.56	1.4E+00	BE007870.1	EST_HUMAN	QV0-BN0148-050500-215-b11 BN0148 Homo sapiens cDNA
6996	20122	33436	0.86	1.4E+00	AW893057.1	EST_HUMAN	CM3-NN0006-300300-132-b12 NN0006 Homo sapiens cDNA
7603	20468	33829	2.02	1.4E+00	AJ133269.1	NT	Homo sapiens caveolin-1/2 locus, Contig1, D7S522, genes CAV2 (exons 1, 2a, and 2b), CAV1 (exons 1 and 2)
7521	20486	33848	1.15	1.4E+00	AW467760.1	EST_HUMAN	he23f05.x1 NCL CGAP_CML1 Homo sapiens cDNA clone IMAGE:2819873 3' similar to contains Alu repetitive element;
7882	20544	33904	0.58	1.4E+00	P55288	SWISSPROT	LAMININ BETA-2 CHAIN PRECURSOR (S-LAMININ)
7882	20544	33905	0.58	1.4E+00	P55288	SWISSPROT	LAMININ BETA-2 CHAIN PRECURSOR (S-LAMININ)

Page 21 of 546
Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7611	20571	33835	0.66	1.4E+00	Q80905	SWISSPROT	MINOR CAPSID PROTEIN L2
8678	21646		0.6	1.4E+00	P07683	SWISSPROT	GLUCOAMYLASE PRECURSOR (GLUCAN 1,4-ALPHA-GLUCOSIDASE)(1,4-ALPHA-D-GLUCAN GLUCOHYDROLASE)
9146	22112		4.9	1.4E+00	AJ271735.1	NT	Homo sapiens Xq pseudautosomal region; segment 1/2
9449	22413	35849	1.56	1.4E+00	R20459.1	EST_HUMAN	y933f12.r1 Soares Infant brain 1N1B Homo sapiens cDNA clone IMAGE:34345 5'
9552	22514	35965	3.46	1.4E+00	BE064667.1	EST_HUMAN	RC1-BT0313-301289-072-r05 BT0313 Homo sapiens cDNA
9587	22549	36000	0.45	1.4E+00	AF134844.1	NT	Sceloporus undulatus ornithine transcarbamylase (OTC) mRNA, complete cds
10568	23490	36982	0.89	1.4E+00	BF575545.1	EST_HUMAN	602133135F1 NIH_MGC_81 Homo sapiens cDNA clone IMAGE:4288137 5'
10613	23535	37032	0.89	1.4E+00	BE145374.1	EST_HUMAN	IL5-HT0198-291099-008-C04 HT0198 Homo sapiens cDNA
10613	23535	37033	0.89	1.4E+00	BE145374.1	EST_HUMAN	IL5-HT0198-291099-008-C04 HT0198 Homo sapiens cDNA
10892	23812	37319	0.92	1.4E+00	D63441.1	NT	Pandorina colimaniae chloroplast rbcL gene for ribulose biphosphate carboxylase, partial cds
10892	23812	37320	0.92	1.4E+00	D63441.1	NT	Pandorina colimaniae chloroplast rbcL gene for ribulose biphosphate carboxylase, partial cds
11559	24499	38055	4.43	1.4E+00	AB006882.1	NT	Homo sapiens APECED mRNA for AIRE-1, complete cds
11733	24619	38196	2.83	1.4E+00	BE962107.2	EST_HUMAN	601655184R1 NIH_MGC_65 Homo sapiens cDNA clone IMAGE:3845805 3'
11733	24619	38197	2.83	1.4E+00	BE962107.2	EST_HUMAN	601655184R1 NIH_MGC_65 Homo sapiens cDNA clone IMAGE:3845805 3'
11756	24684	38263	2.15	1.4E+00	U30790.1	NT	Pneumocystis carinii f. sp. ratii guanine nucleotide binding protein alpha subunit (pcg1) gene, complete cds
11756	24684	38264	2.15	1.4E+00	U30790.1	NT	Pneumocystis carinii f. sp. ratii guanine nucleotide binding protein alpha subunit (pcg1) gene, complete cds
12360	25827		1.7	1.4E+00	AL161500.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 12
13068	25602		1.4	1.4E+00	7657624	NT	Homo sapiens staufen (Drosophila, RNA-binding protein) homolog 2 (STAU2), mRNA
572	13641		1.56	1.3E+00	Z73640.1	NT	M.mucedo gene encoding 4-Dihydroxyethyl-trisporate dehydrogenase
903	13958	26915	3.12	1.3E+00	AJ271192.1	NT	Carthartellus sp. partial 25S rRNA gene, isolate Tibet
1131	14174		32.4	1.3E+00	Y19213.1	NT	Homo sapiens putative psihHba pseudogene for hair keratin, exons 2 to 7
1300	14336	27299	19.22	1.3E+00	4507998	NT	Homo sapiens zinc finger protein 157 (HZF22) (ZNF157) mRNA
1300	14336	27300	19.22	1.3E+00	4507998	NT	Homo sapiens zinc finger protein 157 (HZF22) (ZNF157) mRNA
1358	14393		0.99	1.3E+00	U61730.2	NT	Cox lacryma-jobi dihydrodipicolinate synthase (dapa) gene, complete cds
1614	14646		2.59	1.3E+00	AE002338.2	NT	Chlamydia muridarum, section 66 of 85 of the complete genome
2255	15269		1.22	1.3E+00	AB030447.1	NT	Cyprinus carpio MRPb and MASPb genes for mannose-binding lectin-associated serine protease (MASP) and MASP-related protein, complete cds
2416	15422	28445	1.03	1.3E+00	P25391	SWISSPROT	LAMININ ALPHA-1 CHAIN PRECURSOR (LAMININ A CHAIN)
2557	15559		2.6	1.3E+00	BE966735.2	EST_HUMAN	601661233R1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3916945 3'
2550	16007	28931	0.67	1.3E+00	6755621	NT	Mus musculus alpha-spectrin 1, erythroid (Spha1), mRNA

Page 22 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3611	16656	29574	1.02	1.3E+00	AF016494.1	NT	Fugu rubripes gamma-aminobutyric acid receptor beta subunit gene, partial cds; 55kd erythrocyte membrane protein (P55), synaptic vesicle-associated integral membrane protein (VAMP-1), procollagen C-proteinase enhancer protein (PCOLCE) genes, complete cds
5284	18290	31152	0.9	1.3E+00	AJ390500.1	NT	Candida albicans partial mRNA for ribonucleotide reductase large subunit (mr1 gene)
5592	18688	31657	1.08	1.3E+00	P19732	SWISSPROT	PHENOL HYDROXYLASE P3 PROTEIN (PHENOL 2-MONOXYGENASE P3 COMPONENT)
5794	18886	32087	0.52	1.3E+00	M27138.1	NT	Human estradiol 17 beta-dehydrogenase gene, complete cds
6063	19144	32355	0.84	1.3E+00	BF663825.1	EST_HUMAN	602145764F1 NIH_MGC_48 Homo sapiens cDNA clone IMAGE:4309095 5'
6134	19211	32437	8.25	1.3E+00	AW392834.1	EST_HUMAN	PMO-CT0289-291199-004-f08 CT0289 Homo sapiens cDNA
6134	19211	32438	8.25	1.3E+00	AW362834.1	EST_HUMAN	PMO-CT0289-291199-004-f08 CT0289 Homo sapiens cDNA
6557	19617	32802	1.14	1.3E+00	M33496.1	NT	D melanogaster no-on-transient A gene product, complete cds
6914	19966		0.69	1.3E+00	Q00159	SWISSPROT	HYPOTHETICAL GENE 84 PROTEIN
6958	20181		0.54	1.3E+00	P49940	SWISSPROT	SPORE GERMINATION PROTEIN KB
7014	20140	33457	0.81	1.3E+00	M13918.2	NT	Homo sapiens fibronectin receptor alpha-subunit precursor (ITGA5) mRNA, partial cds
7124	25673	33363	0.52	1.3E+00	AW621580.1	EST_HUMAN	IL2-ST0311-020200-040-G12 ST0311 Homo sapiens cDNA
7141	20117	33430	1.04	1.3E+00	BE638819.1	EST_HUMAN	601061420F1 NIH_MGC_10 Homo sapiens cDNA clone IMAGE:3447965 5'
7307	20278	33616	0.8	1.3E+00	BE243571.1	EST_HUMAN	TCBAP1D0959 Pediatric pre-B cell acute lymphoblastic leukemia Baylor-HGSC project-TCBA Homo sapiens cDNA clone TCBAP0959
7691	20849	34013	0.72	1.3E+00	P24540	SWISSPROT	ACYLPHOSPHATASE, ORGAN-COMMON TYPE ISOZYMES A AND B (ACYLPHOSPHATE PHOSPHOHYDROLASE)
8641	21609	35032	1.09	1.3E+00	AJ009912.1	NT	Sus scrofa plp gene
8760	21757	35179	2.29	1.3E+00	BE963379.2	EST_HUMAN	601657145R1 NIH_MGC_87 Homo sapiens cDNA clone IMAGE:3868195 3'
8907	21873	35299	0.87	1.3E+00	BE974280.1	EST_HUMAN	601680250R2 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:3950532 3'
9059	22025		1.98	1.3E+00	9810247	NT	Homo sapiens GL004 protein (GL004), mRNA
9142	22108	35534	0.92	1.3E+00	A1927629.1	EST_HUMAN	wo85a07.x1 NCJ_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2462100 3'
9973	22826		4.88	1.3E+00	AF042084.1	NT	Homo sapiens heparan glucosaminyl N-deacetylase/sulfotransferase-2 gene, complete cds
9882	22835	36288	2.2	1.3E+00	X72019.1	NT	S. alba phr-1 mRNA for photolase
9882	22835	36289	2.2	1.3E+00	X72019.1	NT	S. alba phr-1 mRNA for photolase
9982	22809	36374	1.02	1.3E+00	AF059250.1	NT	Homo sapiens lipoxigenase (ALOX12B) mRNA, complete cds
10029	22966	36424	1.57	1.3E+00	O00754	SWISSPROT	LYSOSOMAL ALPHA-MANNOSIDASE PRECURSOR (MANNOSIDASE, ALPHA B) (LYSOSOMAL ACID ALPHA-MANNOSIDASE) (LAMN)
10108	23034	36511	1.32	1.3E+00	A1927629.1	EST_HUMAN	wo85a07.x1 NCJ_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2462100 3'
10185	23110	36593	0.83	1.3E+00	AJ223962.1	NT	Lactococcus lactis cremoris NCDO-inv1 chromosomal inversion junction DNA
10185	23110	36594	0.83	1.3E+00	AJ223962.1	NT	Lactococcus lactis cremoris NCDO-inv1 chromosomal inversion junction DNA
10225	23150	36639	3.75	1.3E+00	BE963379.2	EST_HUMAN	601657145R1 NIH_MGC_87 Homo sapiens cDNA clone IMAGE:3868195 3'

Page 23 of 546
Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
10288	23211		0.64	1.3E+00	AI559944.1	EST_HUMAN	ig77a12.x1 NCI_CGAP_UH1 Homo sapiens cDNA clone IMAGE:2214814 3' similar to gb:X14723
10509	23431	36927	0.45	1.3E+00	AF061251.1	NT	CLUSTERIN PRECURSOR (HUMAN);
10509	23431	36928	0.45	1.3E+00	AF061251.1	NT	Eschericia coli serotype O157:H7 O antigen gene cluster
10574	23496	36989	1.24	1.3E+00	AE004392.1	NT	Eschericia coli serotype O157:H7 O antigen gene cluster
10591	23513	37006	1.53	1.3E+00	M29953.1	NT	Vibrio cholerae chromosome II, section 49 of 93 of the complete chromosome
10948	23688		0.85	1.3E+00	AL163302.2	NT	Campylobacter jejuni kanamycin phosphotransferase (aphA-7) gene, complete cds
10975	23895	37409	0.49	1.3E+00	AI690846.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C102
10987	23907		0.43	1.3E+00	8923637	NT	ws32e10.x1 NCI_CGAP_GC6 Homo sapiens cDNA clone IMAGE:2498922 3' similar to SW:TRXB_HUMAN
11052	24015		3.63	1.3E+00	Q14117	SWISSPROT	Q16881 THIOREDOXIN REDUCTASE ;
11252	24205	37727	2.35	1.3E+00	P25299	SWISSPROT	Homo sapiens hypothetical protein FLJ20707 (FLJ20707), mRNA
11273	24225	37751	1.71	1.3E+00	Z18892.2	NT	DHYDROPYRIMIDINASE (DHPASE) (HYDANTOINASE) (DHP)
11867	24749	38331	2.61	1.3E+00	D42042.1	NT	MRNA 3'-END PROCESSING PROTEIN RNA15
11945	24825	38420	2.1	1.3E+00	Z98082.1	NT	Mus musculus desmin gene
12001	24878		1.55	1.3E+00	L31891.1	NT	Human mRNA for KIAA0085 gene, partial cds
12498	25239		3.37	1.3E+00	AF187873.1	NT	Bacillus subtilis genomic DNA 23.9kb fragment
12669	25344	31762	0.47	1.3E+00	BF348043.1	EST_HUMAN	Arabidopsis thaliana 3-ketacyl-acyl carrier protein synthase III (KAS III) mRNA, complete cds
12679	25724		3.24	1.3E+00	P33464	SWISSPROT	Arabidopsis thaliana 3-ketacyl-acyl carrier protein synthase III (KAS III) mRNA, complete cds
12765	25407		1.68	1.3E+00	AF187035.1	NT	Cavia porcellus inwardly-rectifying potassium channel Kir2.2 (KCNJ12) gene, complete cds
651	13717	26639	13.29	1.2E+00	AA676246.1	EST_HUMAN	602023185F1 NCI_CGAP_Bn67 Homo sapiens cDNA clone IMAGE:4158452 5'
824	13882	26833	1.37	1.2E+00	P05228	SWISSPROT	E1 GLYCOPROTEIN PRECURSOR (MATRIX GLYCOPROTEIN) (MEMBRANE GLYCOPROTEIN)
824	13882	26834	1.37	1.2E+00	P05228	SWISSPROT	Stumtia lilium cytochrome b gene, complete cds; mitochondrial gene for mitochondrial product
824	13882	26835	1.37	1.2E+00	P05228	SWISSPROT	z122d08.s1 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:431535 3'
879	13934		0.95	1.2E+00	8924234	NT	HISTIDINE-RICH PROTEIN PRECURSOR (CLONE PFHRP-II)
1165	14206	27160	7.4	1.2E+00	AF080245.2	NT	HISTIDINE-RICH PROTEIN PRECURSOR (CLONE PFHRP-III)
1210	14248	27206	1.43	1.2E+00	AJ252242.1	NT	HISTIDINE-RICH PROTEIN PRECURSOR (CLONE PFHRP-III)
1210	14248	27207	1.43	1.2E+00	AJ252242.1	NT	HISTIDINE-RICH PROTEIN PRECURSOR (CLONE PFHRP-III)
2025	15045	28058	1.06	1.2E+00	AF140631.1	NT	Homo sapiens hypothetical protein PRO3077 (PRO3077), mRNA
3127	16184	28093	0.99	1.2E+00	AB020681.1	NT	Elaeis oleifera sesquiterpene synthase mRNA, complete cds
3179	16234	29151	6.14	1.2E+00	AL161563.2	NT	pea seed-borne mosaic virus complete genome
3179	16234	29152	6.14	1.2E+00	AL161563.2	NT	pea seed-borne mosaic virus complete genome
3299	16352		3.07	1.2E+00	P64910	SWISSPROT	Homo sapiens G-protein coupled receptor 14 (GPR14) gene, complete cds
3367	16417	28343	0.78	1.2E+00	AF188740.1	NT	Homo sapiens mRNA for KIAA0874 protein, partial cds
							Arabidopsis thaliana DNA chromosome 4, contig fragment No. 63
							Arabidopsis thaliana DNA chromosome 4, contig fragment No. 63
							CONJUGAL TRANSFER PROTEIN TRBE PRECURSOR
							Homo sapiens LHX3 gene, intron 2

Page 24 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3726	16767	29678	8.46	1.2E+00	U75902.1	NT	Mus musculus subtilisin-like serine protease [PC (PC7) gene, exons 1 to 9, partial cds
4012	17051	29957	1.78	1.2E+00	BF373570.1	EST_HUMAN	MR0-FT0175-050900-203-g06_1 FT0175 Homo sapiens cDNA
4327	16417	29343	1.09	1.2E+00	AF188740.1	NT	Homo sapiens LHX3 gene, intron 2
4498	17523		2.12	1.2E+00	M87090.1	NT	Rattus rattus cardiac AE3 gene, exons 1-23
4551	17574	30464	1.33	1.2E+00	AL161509.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 21
4592	17613	30507	2.1	1.2E+00	AF156485.1	NT	Homo sapiens post-synaptic density 95 (DLG4) gene, complete cds
4619	17640		6.6	1.2E+00	Y09200.1	NT	T. pinnaum chloroplast rbcL gene, partial
5052	18094	30842	2.36	1.2E+00	P05228	SWISSPROT	HISTIDINE-RICH PROTEIN PRECURSOR (CLONE PFHRP-III)
5052	18094	30843	2.36	1.2E+00	P05228	SWISSPROT	HISTIDINE-RICH PROTEIN PRECURSOR (CLONE PFHRP-III)
5052	18094	30844	2.36	1.2E+00	P05228	SWISSPROT	HISTIDINE-RICH PROTEIN PRECURSOR (CLONE PFHRP-III)
5512	18612	31544	1.06	1.2E+00	U20760.1	NT	Human extracellular calcium-sensing receptor mRNA, complete cds
5634	18730	31892	1.89	1.2E+00	AW813276.1	EST_HUMAN	MR3-ST0191-140200-013-c05 ST0191 Homo sapiens cDNA
5894	18982		0.57	1.2E+00	X61878.1	NT	Calicivirus cDNA for orf1, orf2 and orf3
5974	19059	32260	0.78	1.2E+00	AF016052.1	NT	Homo sapiens zinc finger protein ZNF191 (ZNF191) gene, complete cds
6275	19348	32560	2.39	1.2E+00	X74885.1	NT	D. hydei a1 repeat cluster DNA, fragment D
6338	19407	32648	4.12	1.2E+00	BE003113.1	EST_HUMAN	QV4-BN0090-270400-190-a03 BN0090 Homo sapiens cDNA
6423	19490	32741	1.41	1.2E+00	X89084.1	NT	C. glutamicum pia gene and ackA gene
6423	19490	32742	1.41	1.2E+00	X89084.1	NT	C. glutamicum pia gene and ackA gene
6467	19532	32780	38.6	1.2E+00	AA759254.1	EST_HUMAN	ah8-gt12.s1 Soares testis NHT Homo sapiens cDNA clone 1322374 3'
6576	19635						Y096b12.s1 Soares melanocyte 2NBHM Homo sapiens cDNA clone IMAGE:273599 3' similar to
6576	19635	32901	0.6	1.2E+00	N33295.1	EST_HUMAN	gbIM87935JHUMAAUJ472 Human carcinoma cell-derived Alu RNA transcript (rRNA); gb-J04970
6650	19708	32984	0.71	1.2E+00	P17671	SWISSPROT	CARBOXYPEPTIDASE M PRECURSOR (HUMAN);
6654	19711	32988	2.01	1.2E+00	AW813276.1	EST_HUMAN	ECDSONE-INDUCIBLE PROTEIN E75-A
7100	20034	33337	1.17	1.2E+00	AB029010.1	NT	MR3-ST0191-140200-013-c05 ST0191 Homo sapiens cDNA
7113	20047	33349	2.68	1.2E+00	AJ002141.1	NT	Homo sapiens mRNA for KIAA1087 protein, partial cds
7465	20431		0.64	1.2E+00	AJ002141.1	NT	Mus musculus DSPP gene
7610	25685	33934	1.64	1.2E+00	AJ271735.1	NT	Homo sapiens Xq pseudautosomal region; segment 1/2
7912	20855	34243	2.6	1.2E+00	AV734585.1	EST_HUMAN	AV734585 cda Homo sapiens cDNA clone cdaAFH03 5'
8122	21059	34457	0.53	1.2E+00	X74207.1	NT	L. lactis pyrD and pyrF genes
8915	21881	35307	3.24	1.2E+00	BE787646.1	EST_HUMAN	607481761F1 NIH_MGC 68 Homo sapiens cDNA clone IMAGE:3884270 5'
					AB033030.1	NT	Homo sapiens mRNA for KIAA1204 protein, partial cds
9010	21976	35398	0.65	1.2E+00	P39427	SWISSPROT	ALPHA-ALPHA-TREHALOSE-PHOSPHATE SYNTHASE [UDP-FORMING] 123 KD SUBUNIT (TREHALOSE-6-PHOSPHATE SYNTHASE) (UDP-GLUCOSE-GLUCOSEPHOSPHATE GLUCOSYLTRANSFERASE)

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
9228	22194		0.58	1.2E+00	7706271	NT	Homo sapiens CGI-30 protein (LOC81611), mRNA
9380	22345	35777	1.88	1.2E+00	AW377210.1	EST_HUMAN	MR2-CT0222-201099-001-e07 CT0222 Homo sapiens cDNA
9594	22556	36006	0.47	1.2E+00	H48599.1	EST_HUMAN	yc80a06.r1 Soares fetal liver spleen 1NfLS Homo sapiens cDNA clone IMAGE:202066 5'
9753	22694	36150	3.63	1.2E+00	Z32850.1	NT	R. communis gene for pyrophosphate-dependent phosphofructokinase beta subunit
9964	22891	36353	1.71	1.2E+00	D11745.1	EST_HUMAN	HUMH01A01 Liver HepG2 cell line. Homo sapiens cDNA clone hm01a01
10291	23216	36700	3.52	1.2E+00	X56832.1	NT	H. sapiens ENO3 gene for muscle specific enolase
10689	23611		0.73	1.2E+00	AB009666.1	NT	Homo sapiens klotho gene, exon 1
11674	24640	38219	1.89	1.2E+00	AW817817.1	EST_HUMAN	PMO-ST0264-161199-001-d01 ST0264 Homo sapiens cDNA
11713	24676		7.68	1.2E+00	BE160761.1	EST_HUMAN	PM1-HT0422-160200-007-g10 HT0422 Homo sapiens cDNA
11785	23940	37462	2.59	1.2E+00	U50147.1	NT	Rattus norvegicus synapse-associated protein 102 mRNA, complete cds
12466	25799	31524	18.09	1.2E+00	AL163203.2	NT	Homo sapiens chromosome 21 segment HS21C003
12487	25232		2.7	1.2E+00	AP001515.1	NT	Bacillus halodurans genomic DNA, section 9/14
464	13537	26463	1.43	1.1E+00	D86880.1	NT	Human mRNA for KIAA0227 gene, partial cds
1777	14806	27792	1.97	1.1E+00	AW995393.1	EST_HUMAN	QV0-BN0042-170300-163-g12 BN0042 Homo sapiens cDNA
1915	14939	27935	1.08	1.1E+00	AW579889.1	EST_HUMAN	UHF-BR0p-alk-f-02-Q-UI.s1 NIH_MGC_52 Homo sapiens cDNA clone IMAGE:3074834 3'
3341	16392	29313	7.34	1.1E+00	AL163213.2	NT	Homo sapiens chromosome 21 segment HS21C013
3341	16392	29314	7.34	1.1E+00	AL163213.2	NT	Homo sapiens chromosome 21 segment HS21C013
3498	16545	29471	0.79	1.1E+00	8922641	NT	Homo sapiens hypothetical protein FLJ10749 (FLJ10749), mRNA
3593	16638	29558	3.34	1.1E+00	AI808360.1	EST_HUMAN	wf54h11.x1 Soares NFL T. GBC S1 Homo sapiens cDNA clone IMAGE:2859461 3' similar to
3731	16773	29684	1.52	1.1E+00	AE003886.1	NT	SW:P531_HUMAN Q12888 P53-BINDING PROTEIN 53BP1 ;
3731	16773	29685	1.52	1.1E+00	AE003886.1	NT	Xyella fastidiosa, section 32 of 229 of the complete genome
3831	16871		0.86	1.1E+00	X85374.1	NT	Xyella fastidiosa, section 32 of 229 of the complete genome
3964	17004	29918	0.87	1.1E+00	8922641	NT	H. parahaemolyticus hphIM(A), hphIM(C), hphIR and menB genes
4050	17087	29983	1.02	1.1E+00	6755205	NT	Homo sapiens hypothetical protein FLJ10749 (FLJ10749), mRNA
4243	17272		6.78	1.1E+00	5835331	NT	Mus musculus proteasome (prosome, macropain) subunit, beta type 7 (Pamb7), mRNA
5028	18042	30925	3.15	1.1E+00	U18466.1	NT	R. unicornis complete mitochondrial genome
						NT	African swine fever virus, complete genome
5085	18095	30971	3.91	1.1E+00	U34740.1	NT	Emertella nidulans slerigmacyclin biosynthetic gene cluster, (stcA), (stcB), (stcC), (stcE), (stcF), (stcI), (stcJ), (stcK), (stcL), (stcO), (stcQ), (stcR), (stcS), (stcT), (stcU), (stcV) and (stcW) genes, complete cds
5109	18119	30993	1.04	1.1E+00	X78425.1	NT	E. faecalis pbp5 gene
5269	18276	31130	0.9	1.1E+00	6680080	NT	Homo sapiens putative GR6 protein (GR6), mRNA
5380	18484	31359	1.53	1.1E+00	6978530	NT	Rattus norvegicus Aquaporin 4 (Aqp4), mRNA
5695	18780	31961	13.39	1.1E+00	BE960184.1	EST_HUMAN	601652776R1 NIH_MGC_58 Homo sapiens cDNA clone IMAGE:3825835 3'

Page 26 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5715	18809	31087	0.99	1.1E+00	AI138582.1	EST_HUMAN	q68503.x1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1738260 3'
6211	19285	32517	1.93	1.1E+00	11419739	NT	Homo sapiens solute carrier family 6 (neurotransmitter transporter), member 14 (SLC6A14), mRNA
6405	19473	32721	0.94	1.1E+00	AF197881.1	NT	Macgregoria pulchra cytochrome b gene, complete cds; mitochondrial gene for mitochondrial product
6847	19608	32870	0.83	1.1E+00	R06037.1	EST_HUMAN	ye8903.r1 Soares fetal liver spleen 1N1LS Homo sapiens cDNA clone IMAGE:124824 5'
6878	19928	33228	1.21	1.1E+00	AJ404004.1	NT	Mus musculus mRNA for ER protein 58 (EP58 gene)
7468	20434	33840	0.68	1.1E+00	AF101091.1	NT	Homo sapiens collagen type XI alpha-1 (COL11A1) gene, exons 25 through 28
7614	20479	34050	0.82	1.1E+00	X55981.1	NT	Maize mRNA for endase (2-phospho-D-glycerate hydrolase)
7732	20887	34050	1.83	1.1E+00	Z72338.1	NT	Herpes simplex virus type 1 (strain KOS) UL41 gene
7732	20887	34051	1.83	1.1E+00	Z72338.1	NT	Herpes simplex virus type 1 (strain KOS) UL41 gene
7754	20707	34078	8.13	1.1E+00	AL161588.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 84
7833	25691	34158	0.94	1.1E+00	11987960	NT	Mus musculus silent mating type information regulation 2, (S.cerevisiae, homolog)-like (Sir2), mRNA
8470	21439	34857	2.95	1.1E+00	BF693998.1	EST_HUMAN	602082982F1 NIH_MGC_81 Homo sapiens cDNA clone IMAGE:4246828 5'
8563	21831	34951	0.73	1.1E+00	AI478339.1	EST_HUMAN	tm39h11.x1 NCI CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2180549 3'
9089	22056	35479	0.63	1.1E+00	AB003088.1	NT	Acetabularia calliculus mitochondrial COX-like gene
9167	22133	35559	1.42	1.1E+00	S80750.1	NT	VH-anti-cytomegalovirus glycoprotein B antibody 4D4 heavy chain variable region [human, mRNA Partial, 375 nt]
9278	22244	35673	0.45	1.1E+00	AI079946.1	EST_HUMAN	q234f05.x1 Soares_NhHMPu_S1 Homo sapiens cDNA clone IMAGE:1877249 3'
9792	21115	36378	0.94	1.1E+00	BE384976.1	EST_HUMAN	601278278F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3617418 5'
9886	22913	36378	0.95	1.1E+00	AJ245772.1	NT	Mus musculus mRNA for stretch responsive muscle (X-chromosome) protein (Srmx gene)
10040	22987		0.69	1.1E+00	Y12227.1	NT	Arabidopsis thaliana DNA, 24 kb surrounding PFL locus
10130	23056	36534	0.95	1.1E+00	L76301.1	NT	Yersinia pseudotuberculosis psaE, psaF, adhesin (psaA), chaperone (psaB), and usher (psaC) genes, complete cds
10192	23117	36601	1.38	1.1E+00	AB023151.1	NT	Homo sapiens mRNA for KIAA0934 protein, partial cds
10287	23222	36706	5.66	1.1E+00	AL161515.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 27
10357	23281	36757	20.92	1.1E+00	8754021	NT	Mus musculus guanine nucleotide binding protein (G protein), gamma 3 subunit (Gng3), mRNA
10867	23787	37287	1.09	1.1E+00	P73769	SWISSPROT	DNA MISMATCH REPAIR PROTEIN MUTS
10889	23909	37422	0.63	1.1E+00	BF343644.1	EST_HUMAN	602014488F1 NCI CGAP_Bm84 Homo sapiens cDNA clone IMAGE:4150508 5'
10889	23909	37423	0.83	1.1E+00	BF343644.1	EST_HUMAN	602014488F1 NCI CGAP_Bm84 Homo sapiens cDNA clone IMAGE:4150508 5'
11012	23977	37502	2.03	1.1E+00	11067364	NT	Homo sapiens KIAA0628 gene product (KIAA0628), mRNA
11084	24027		3.83	1.1E+00	AF068942.1	NT	Klebsiellidium fulvians cytochrome c oxidase subunit 2 (cox2) gene, mitochondrial gene encoding mitochondrial protein, partial cds

Page 27 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
11435	18340		4.65	1.1E+00	8922873	NT	Homo sapiens hypothetical protein FLJ11280 (FLJ11280), mRNA
11439	24382	37921	3.12	1.1E+00	AF012862.1	NT	Petroselinum crispum cytosolic glucose-6-phosphate dehydrogenase 1 (cG6PDH1) mRNA, complete cds
11439	24382	37922	3.12	1.1E+00	AF012862.1	NT	Petroselinum crispum cytosolic glucose-6-phosphate dehydrogenase 1 (cG6PDH1) mRNA, complete cds
11853	24649	38227	3.44	1.1E+00	AI809698.1	EST_HUMAN	wf76e11.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2361548 3'
12439	25202		3.12	1.1E+00	P07866	SWISSPROT	LOW TEMPERATURE ESSENTIAL PROTEIN
12539	25263	31807	1.55	1.1E+00	AF216698.1	NT	Taenia solium immunogenic protein Ts76 mRNA, partial cds
12681	25796		2.26	1.1E+00	AF234169.1	NT	Dictyostelium discoideum isopentenyl pyrophosphate isomerase (Dip) mRNA, complete cds
99	13215		1.55	1.0E+00	U23808.1	NT	Xenopus laevis rhodopsin gene, complete cds
113	13224	26148	1.66	1.0E+00	D88425.1	NT	Carlia cobaya mRNA for serine/threonine kinase, complete cds
418	13491		3.03	1.0E+00	AB021684.1	NT	Marchantia polymorpha genes for 26S rRNA, 5S rRNA, 18S rRNA, 5.8S rRNA and 26S rRNA
578	13647	26560	2.22	1.0E+00	AJ251660.1	NT	Giardia lamblia mRNA for homeodomain transcription factor (so gene)
678	13741	26668	6.74	1.0E+00	AL163218.2	NT	Homo sapiens chromosome 21 segment HS21C018
679	13742		1.35	1.0E+00	AF125984.1	NT	Aedes aegypti mucin-like protein MUC1 mRNA, complete cds
1386	15886		3.53	1.0E+00	X80416.1	NT	V. carteri Algal-CAM mRNA
1771	14800	27786	0.97	1.0E+00	AB006531.1	NT	Plasmodium falciparum RNA for nonstructural polyprotein, capsid protein precursor, complete cds
2493	15496	28521	1.42	1.0E+00	P48355	SWISSPROT	DNA GYRASE SUBUNIT B
2493	15496	28522	1.42	1.0E+00	P48355	SWISSPROT	DNA GYRASE SUBUNIT B
2887	15946	28861	4.42	1.0E+00	P24008	SWISSPROT	3-OXO-5-ALPHA-STEROID 4-DEHYDROGENASE 1 (STEROID 5-ALPHA-REDUCTASE 1) (SR TYPE 1)
2887	15946	28862	4.42	1.0E+00	P24008	SWISSPROT	3-OXO-5-ALPHA-STEROID 4-DEHYDROGENASE 1 (STEROID 5-ALPHA-REDUCTASE 1) (SR TYPE 1)
2978	16036		0.81	1.0E+00	O14226	SWISSPROT	HYPOTHETICAL 67.9 KD PROTEIN C8F12.08C IN CHROMOSOME I
3212	16287	29190	1.08	1.0E+00	AA628453.1	EST_HUMAN	af26g08.s1 Soares_total_fetus_Nb2HF8_9w/Homo sapiens cDNA clone IMAGE:1032830 3' similar to
3613	13215		0.93	1.0E+00	U23808.1	NT	WP-C4D8.3 CE04204 ; contains element MER22 MER22 repetitive element ;
3693	16736	28649	1.33	1.0E+00	AJ223816.1	NT	Xenopus laevis rhodopsin gene, complete cds
						NT	Agaricus bisporus mRNA for tyrosinase
4097	17131	30024	1.16	1.0E+00	AF223391.1	NT	Homo sapiens calcium channel alpha1E subunit (CACNA1E) gene, exons 7-49, and partial cds, alternatively spliced
4304	17333		0.73	1.0E+00	8922245	NT	Homo sapiens hypothetical protein FLJ10139 (FLJ10139), mRNA
4843	17860	30755	1.94	1.0E+00	AL163247.2	NT	Homo sapiens chromosome 21 segment HS21C047
5053	18065		0.9	1.0E+00	D10852.1	NT	Rattus norvegicus mRNA for N-acetylglucosaminyltransferase III, complete cds

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5354	18459	31328	3.23	1.0E+00	Z97022.1	NT	Hordeum vulgare gene encoding cysteine proteinase
5949	19035	32228	5.05	1.0E+00	AF248054.1	NT	Bos taurus micromolar calcium activated neutral protease 1 (CAPN1) gene, exons 11-20, and partial cds
5949	19035	32229	5.05	1.0E+00	AF248054.1	NT	Bos taurus micromolar calcium activated neutral protease 1 (CAPN1) gene, exons 11-20, and partial cds
6067	19148	32360	1.44	1.0E+00	Z97341.2	NT	Arabidopsis thaliana DNA chromosome 4, ESSA1 FCA contig fragment No. 6
6236	19309	32541	4.52	1.0E+00	P04501	SWISSPROT	FIBER PROTEIN
6243	19318	32548	1.77	1.0E+00	AW452782.1	EST_HUMAN	UI-H-B13-alk-d-09-Q-U1.s1 NCJ_CGAP_Sub5 Homo sapiens cDNA clone IMAGE:3088989 3'
6637	19695	32972	2.12	1.0E+00	U75902.1	NT	Mus musculus subtilisin-like serine protease LPC (PC7) gene, exons 1 to 9, partial cds
6691	19748	33025	0.88	1.0E+00	AF104669.1	NT	Homo sapiens cell cycle protein (PA2G4) gene, exons 2 through 5
6786	19841		0.98	1.0E+00	P46506	SWISSPROT	SRB-11 PROTEIN
6813	19867	33155	0.71	1.0E+00	BE797716.1	EST_HUMAN	601581891F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3936382 5'
6813	19867	33156	0.71	1.0E+00	BE797716.1	EST_HUMAN	601581891F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3936382 5'
6944	20168	33491	1.17	1.0E+00	Y11204.1	NT	V.carteri gene encoding valvopsin
7033	18365	31252	0.64	1.0E+00	U63721.1	NT	Human elastin (ELN) gene, partial cds, and LIM-kinase (LIMK1) gene, complete cds
7345	20316	33681	1	1.0E+00	S52770.1	NT	Insulin-like growth factor-binding protein 4 [cattle, pulmonary artery endothelial cells, mRNA, 2028 nt]
7719	20876						B-CELL RECEPTOR CD22 PRECURSOR (LEU-14) (B-LYMPHOCYTE CELL ADHESION MOLECULE) (BL-CAM)
7979	20918	34309	8.7	1.0E+00	P20273	SWISSPROT	Homo sapiens endothelin-converting enzyme 2 (ECE2) mRNA, complete cds
7997	20936	34330	1.52	1.0E+00	AF192531.1	NT	ac79b08.s1 Stratagene lung (#637210) Homo sapiens cDNA clone IMAGE:868791 3'
8165	21103		6.07	1.0E+00	AA775191.1	EST_HUMAN	602163792F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:4294727 5'
8294	21263	34673	0.57	1.0E+00	BF679213.1	EST_HUMAN	601443950F1 NIH_MGC_65 Homo sapiens cDNA clone IMAGE:3848005 5'
8294	21263	34674	1.49	1.0E+00	BE668287.1	EST_HUMAN	601443950F1 NIH_MGC_65 Homo sapiens cDNA clone IMAGE:3848005 5'
8481	18065		1.22	1.0E+00	D10852.1	NT	Rattus norvegicus mRNA for N-acetylglucosaminyltransferase III, complete cds
							PEROXISOMAL HYDRATASE-DEHYDROGENASE-EPIMERASE (HDE) (MULTIFUNCTIONAL BETA-OXIDATION PROTEIN) (MFP) [INCLUDES: 2-ENOYL-COA HYDRATASE ; D-3-HYDROXYACYL COA DEHYDROGENASE]
8693	21681	35084	2.31	1.0E+00	Q02207	SWISSPROT	PEROXISOMAL HYDRATASE-DEHYDROGENASE-EPIMERASE (HDE) (MULTIFUNCTIONAL BETA-OXIDATION PROTEIN) (MFP) [INCLUDES: 2-ENOYL-COA HYDRATASE ; D-3-HYDROXYACYL COA DEHYDROGENASE]
8693	21681	35085	2.31	1.0E+00	Q02207	SWISSPROT	PEROXISOMAL HYDRATASE-DEHYDROGENASE-EPIMERASE (HDE) (MULTIFUNCTIONAL BETA-OXIDATION PROTEIN) (MFP) [INCLUDES: 2-ENOYL-COA HYDRATASE ; D-3-HYDROXYACYL COA DEHYDROGENASE]
8821	21788		0.83	1.0E+00	P51784	SWISSPROT	UBIQUITIN CARBOXYL-TERMINAL HYDROLASE 11 (UBIQUITIN THIOLESTERASE 11) (UBIQUITIN-SPECIFIC PROCESSING PROTEASE 11) (DEUBIQUITINATING ENZYME 11)

Page 29 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8855	21822	35242	0.44	1.0E+00	Q9Y5T5	SWISSPROT	UBIQUITIN CARBOXYL-TERMINAL HYDROLASE 16 (UBIQUITIN THIOLESTERASE 16) (UBIQUITIN-SPECIFIC PROCESSING PROTEASE 16) (DEUBIQUITINATING ENZYME 16) (UBIQUITIN PROCESSING PROTEASE UBP-M)
8855	21822	35243	0.44	1.0E+00	Q9Y5T5	SWISSPROT	UBIQUITIN CARBOXYL-TERMINAL HYDROLASE 16 (UBIQUITIN THIOLESTERASE 16) (UBIQUITIN-SPECIFIC PROCESSING PROTEASE 16) (DEUBIQUITINATING ENZYME 16) (UBIQUITIN PROCESSING PROTEASE UBP-M)
8883	25696		2.37	1.0E+00	BE147331.1	EST_HUMAN	RC1-HT0229-181099-011-e06 HT0229 Homo sapiens cDNA
8923	21869	35316	0.89	1.0E+00	U42720.2	NT	Simian immunodeficiency virus Gag protein (gag) gene, complete cds; Pol protein (pol) gene, partial cds; and Vif protein (vif), Vpr protein (vpr), Tat protein (tat), Rev protein (rev), Vpu protein (vpu), Env protein (env), and Nef protein (nef) genes, >
9075	22041	35464	1.55	1.0E+00	M38427.1	NT	Human immunodeficiency virus type 1 (HIV-1), isolate SF33.
9626	22570	36019	2.14	1.0E+00	BE907592.1	EST_HUMAN	601497581F1 NIH_MGC_70 Homo sapiens cDNA clone IMAGE:3899421 5'
9836	22772	36227	1.25	1.0E+00	6753429	NT	Mus musculus chloride channel calcium activated 1 (Clca1), mRNA
9836	22772	36228	1.25	1.0E+00	6753429	NT	Mus musculus chloride channel calcium activated 1 (Clca1), mRNA
9969	22896	36359	1.94	1.0E+00	AV689554.1	EST_HUMAN	AV689554 GKC Homo sapiens cDNA clone GKCCYA11 5'
9974	22901	36364	1.23	1.0E+00	U44952.1	NT	Xenopus laevis zona pellucida C glycoprotein precursor (xZPC) mRNA, complete cds
9974	22901	36365	1.23	1.0E+00	U44952.1	NT	Xenopus laevis zona pellucida C glycoprotein precursor (xZPC) mRNA, complete cds
10212	23137	36624	0.56	1.0E+00	X15498.1	NT	Human Coronavirus gene for membrane protein
10212	23137	36625	0.56	1.0E+00	X15498.1	NT	Human Coronavirus gene for membrane protein
10471	23393	36889	0.72	1.0E+00	5174562	NT	Homo sapiens MHC binding factor, beta (MHCBBF) mRNA
10471	23393	36890	0.72	1.0E+00	5174562	NT	Homo sapiens MHC binding factor, beta (MHCBBF) mRNA
10564	23486	36980	0.68	1.0E+00	A077920.1	EST_HUMAN	cy15d07.s1 Soares_senescent_fibroblasts_NbHSF Homo sapiens cDNA clone IMAGE:1665901 3'
10590	23612	37106	3.7	1.0E+00	AV758825.1	EST_HUMAN	AV758825 BM Homo sapiens cDNA clone BMFAW C04 5'
10842	23762	37262	20.08	1.0E+00	AA004982.1	EST_HUMAN	zh94a02.r1 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:428906 5'
10842	23762	37263	20.08	1.0E+00	AA004982.1	EST_HUMAN	zh94a02.r1 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:428906 5'
10876	23796	37297	1.18	1.0E+00	L11910.1	NT	Human retinoblastoma susceptibility gene exons 1-27, complete cds
12046	18459	31328	1.66	1.0E+00	Z97022.1	NT	Hordeum vulgare gene encoding cysteine proteinase
12327	26129		3.26	1.0E+00	P15306	SWISSPROT	THROMBOMODULIN PRECURSOR (FETOMODULIN) (TM)
12650	25333		2.49	1.0E+00	AW976184.1	EST_HUMAN	EST338293 MAGe resequences, MAGN Homo sapiens cDNA
1575	14608	27580	3.22	9.9E-01	AF245455.1	NT	Drosophila melanogaster regulator of G-protein signalling LOCO III mRNA, complete cds
1575	14608	27581	3.22	9.9E-01	AF245455.1	NT	Drosophila melanogaster regulator of G-protein signalling LOCO III mRNA, complete cds
2645	15642	28666	1	9.9E-01	AL163302.2	NT	Homo sapiens chromosome 21 segment HS21C102
3619	16663		1.1	9.9E-01	AF174585.1	NT	Apple mosaic virus RNA 2 putative polymerase gene, complete cds
5717	18811	31960	8.62	9.9E-01	P49657	SWISSPROT	SERINE/THREONINE PROTEIN KINASE MINIBRAIN

Page 30 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5959	19054	32254	0.79	9.8E-01	Q09632	SWISSPROT	PROBABLE OXIDOREDUCTASE ZK1290.5 IN CHROMOSOME II
9616	22590		1.4	9.8E-01	U65697.1	NT	Lyoparsicon esculentum putative Mt1 copy1 nematode-resistance gene
9913	22734		3.02	9.8E-01	Q28642	SWISSPROT	B2 BRADYKININ RECEPTOR (BK-2 RECEPTOR)
11069	24032	37556	1.48	9.8E-01	AJ005029.1	NT	Danio rerio mRNA for Eph-like receptor tyrosine kinase rtk8
524	13595	26513	1.12	9.8E-01	P22587	SWISSPROT	AMINO-ACID ACETYLTRANSFERASE (N-ACETYLGLUTAMATE SYNTHASE) (AGS) (NAGS)
2305	15317		1.28	9.8E-01	AJ003108.1	NT	Callithrix jacchus UBE1 gene derived retroposon on the Y chromosome
2813	15805		1.29	9.8E-01	AF174944.1	NT	Xenopus laevis rac GTPase mRNA, complete cds
7406	20374	33725	4.12	9.8E-01	AJ302158.1	NT	Enterobacteriaceae sp. JM983 partial groES gene for GroES-like protein and partial groEL gene for GroEL-like protein, isolate JM983
7406	20374	33726	4.12	9.8E-01	AJ302158.1	NT	Enterobacteriaceae sp. JM983 partial groES gene for GroES-like protein and partial groEL gene for GroEL-like protein, isolate JM983
7907	20850	34236	0.99	9.8E-01	BF034016.1	EST_HUMAN	601455337F1 NIH_MGC_96 Homo sapiens cDNA clone IMAGE:3860049 6'
7907	20850	34237	0.99	9.8E-01	BF034016.1	EST_HUMAN	601455337F1 NIH_MGC_96 Homo sapiens cDNA clone IMAGE:3860049 6'
9069	22035	35458	0.88	9.8E-01	P38652	SWISSPROT	PHOSPHOGLUCOMUTASE (GLUCOSE PHOSPHOMUTASE) (PGM)
10804	23725		0.53	9.8E-01	AA825565.1	EST_HUMAN	cd55d04.s1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:1371847 3'
11339	24289	37813	2.06	9.8E-01	BE258705.1	EST_HUMAN	601110258F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3350750 5'
11339	24289	37814	2.06	9.8E-01	BE258705.1	EST_HUMAN	601110258F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3350750 5'
12545	25288		1.41	9.8E-01	U52111.2	NT	Homo sapiens X28 region near ALD locus containing dual specificity phosphatase 9 (DUSP9), ribosomal protein L18a (RPL18a), Ca2+/Calmodulin-dependent protein kinase I (CAMKI), creatine transporter (CRT), CDM protein (CDM), adrenoleukodystrophy protein >
7366	20336	33686	2.3	9.7E-01	U26716.1	NT	Drosophila melanogaster sodium channel protein (para) gene, exons 9, 10, 11, 12 and optional segments b, c, d and e, partial cds
8848	21815	35235	1.81	9.7E-01	AF149112.1	NT	Triticum aestivum stripe rust resistance protein Yr10 (Yr10) gene, complete cds
8854	21821	35241	1.33	9.7E-01	M00544.1	NT	Salmonella typhimurium adenine-methyltransferase (mod) and restriction endonuclease (res)
11505	24447		3.87	9.7E-01	BF511209.1	EST_HUMAN	UIH-B14-ad-e-07-Q-U1.s1 NCI_CGAP_Sub88 Homo sapiens cDNA clone IMAGE:3085140 3'
12117	24987	38589	2.28	9.7E-01	U87514.1	NT	Dicotyledon discoidium CAR3 gene, promoter region
4486	17511	30399	1.68	9.8E-01	AW799674.1	EST_HUMAN	PM2-UM0053-240300-005-f12 UM0053 Homo sapiens cDNA
5179	18188	31065	0.9	9.8E-01	7662375	NT	Homo sapiens KIAA0914 gene product (KIAA0914), mRNA
5847	18937	32121	3.85	9.8E-01	Z70556.1	NT	Parvovirus B19 DNA, patient C, genome position 2448-2894
5847	18937	32122	3.85	9.8E-01	Z70556.1	NT	Parvovirus B19 DNA, patient C, genome position 2448-2894
6910	18962	33256	0.57	9.8E-01	Z97341.2	NT	Arabidopsis thaliana DNA chromosome 4, ESSA I FCA contig fragment No. 6
8735	21703		1.21	9.8E-01	X9275.1	NT	P. falciparum complete gene map of plasid-like DNA (IR-A)
9203	22189	35599	0.51	9.8E-01	U81138.1	NT	Rattus norvegicus (strain R21) Rps2f gene, complete cds

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
9446	22410	35847	0.44	9.6E-01	AF228843.1	NT	Mus musculus WNT-2 gene, partial cds; putative ankyrin-related protein and cystic fibrosis transmembrane conductance regulator (CFTR) genes, section 1 of 2 of the complete cds; and unknown gene
11848	24731	38317	3.04	9.6E-01	AV752605.1	EST_HUMAN	AV752605 NP2 Homo sapiens cDNA clone NPDBAG06 5'
11848	24731	38318	3.04	9.6E-01	AV752605.1	EST_HUMAN	AV752605 NP2 Homo sapiens cDNA clone NPDBAG06 5'
12223	25060		2.19	9.6E-01	11421722	NT	Homo sapiens centrosomal protein 2 (CEP2), mRNA
12839	25874	31416	3.03	9.6E-01	U91423.1	NT	Sphyma tiburo NADH dehydrogenase subunit 2 (NADH2) gene, mitochondrial gene encoding mitochondrial protein, partial cds
2484	15488	28512	1.03	9.5E-01	7705591	NT	Homo sapiens CGI-125 protein (LOC51003), mRNA
3796	18836	29741	2.39	9.5E-01	BE902340.1	EST_HUMAN	601675639F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3958473 5'
3796	18836	29742	2.39	9.5E-01	BE902340.1	EST_HUMAN	601675639F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3958473 5'
9354	22319	35745	0.88	9.5E-01	A190162.1	EST_HUMAN	q057407.x1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1733581 3'
9461	22425	35663	1.1	9.5E-01	AW861102.1	EST_HUMAN	RC1-CT0285-241189-011-b02 CT0285 Homo sapiens cDNA
11574	24512	38069	1.5	9.5E-01	BF218771.1	EST_HUMAN	601885163F1 NIH_MGC_57 Homo sapiens cDNA clone IMAGE:4103630 5'
11780	23935	37456	1.52	9.5E-01	AW283789.1	EST_HUMAN	U1-H-B12-ahp-f-03-0-U1 st_NCI_CGAP_Sub4 Homo sapiens cDNA clone IMAGE:2727677 3'
3214	16269		3.77	9.4E-01	AF165990.1	NT	Bartonella clarridgeiae RNA polymerase beta subunit (rpoB) gene, partial cds
3231	16286		1.93	9.4E-01	AF080595.1	NT	Pimpla brachycarpa zinc finger protein (ZFP1) mRNA, complete cds
9217	22183	35616	0.69	9.4E-01	M90724.1	NT	Human Fc-gamma-receptorIIA (FCGR2A) gene, exon 4
12490	25235		2.09	9.4E-01	BE781251.1	EST_HUMAN	601466703F1 NIH_MGC_67 Homo sapiens cDNA clone IMAGE:3869929 5'
12838	25790		1.93	9.4E-01	11419857	NT	Homo sapiens epidermal growth factor receptor (avian erythroblastic leukemia viral (v-erb-b) oncogene homolog) (EGFR), mRNA
1745	14774		1.34	9.3E-01	AF242382.1	NT	Homo sapiens phytoeyl-CoA hydroxylase (PHYH) gene, exon 5
2641	15639	28663	1.01	9.3E-01	BE071172.1	EST_HUMAN	RC5-BT0503-271189-011-B01 BT0503 Homo sapiens cDNA
4066	17102	29963	0.82	9.3E-01	M20219.1	NT	Bovine papillomavirus type 2, complete genome
4066	17102	29994	0.82	9.3E-01	M20219.1	NT	Bovine papillomavirus type 2, complete genome
5673	18768	31940	1.47	9.3E-01	AF213884.1	NT	Homo sapiens nuclear factor of kappa light polypeptide gene enhancer in B-cells 1 (NFKB1) gene, complete cds
5761	18854	32034	3.92	9.3E-01	L36189.1	NT	Spodoptera frugiperda methylenetetrahydrofolate dehydrogenase mRNA, complete cds
7554	20517		0.76	9.3E-01	AF270848.1	NT	Plasmodium falciparum mature parasite-infected erythrocyte surface antigen (MESA) gene, complete cds
8402	21371	34778	1.75	9.3E-01	AA847040.1	EST_HUMAN	ce09503.s1 NCI_CGAP_OV2 Homo sapiens cDNA clone IMAGE:1385357
9165	22131		0.95	9.3E-01	AF081981.1	NT	Xenopus laevis CCOH zinc finger protein C3H-2 (C3H-2) mRNA, complete cds
9289	22255	35685	0.91	9.3E-01	AL161534.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 34
12953	26528	31713	1.34	9.3E-01	11440298	NT	Homo sapiens inositol 1,4,5-trisphosphate receptor, type 2 (ITPR2), mRNA

Page 32 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
12665	25534		3.29	9.3E-01	AF271207.1	NT	Aedes triseriatus putative large subunit ribosomal protein rPL34 mRNA, complete cds
3253	18307	28231	3.14	9.2E-01	BE622702.1	EST_HUMAN	601441338T1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3918184 3'
5808	18898		1.73	9.2E-01	7108410	NT	Mus musculus solute carrier family 30 (zinc transporter), member 4 (Slc30a4), mRNA
6101	19180	32399	4.04	9.2E-01	BF037586.1	EST_HUMAN	601461153F1 NIH_MGC_66 Homo sapiens cDNA clone IMAGE:3864861 5'
6789	19843	33127	0.61	9.2E-01	M64703.1	NT	N.crassa valy-1 RNA synthetase (cyt-20/un-3) gene
10018	22945	38412	0.77	9.2E-01	AL161565.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 65
10105	23031	38509	1.21	9.2E-01	6671677	NT	Mus musculus carbonic anhydrase 4 (Car4), mRNA
10828	23550	37050	3.42	9.2E-01	11430983	NT	Homo sapiens lysosomal apyrase-like protein 1 (LALP1), mRNA
10780	23701	37199	1.84	9.2E-01	BF593251.1	EST_HUMAN	7c58e06.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:3578219 3' similar to SW.NUSM_TRYBB
12031	24907	38501	1.54	9.2E-01	BF132402.1	EST_HUMAN	P04540 NADH-UBIQUINONE OXIDOREDUCTASE CHAIN 5;
1629	14662	27638	2.31	9.1E-01	T96875.1	EST_HUMAN	601820312F1 NIH_MGC_58 Homo sapiens cDNA clone IMAGE:4052018 5'
2134	15151		2.06	9.1E-01	8923056	NT	ye5270.1, s1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:121369 3' similar to contains
2582	15583	28602	1.12	9.1E-01	AF062919.1	NT	Alu repetitive element;
3218	16273	29195	1.11	9.1E-01	T26418.1	EST_HUMAN	Homo sapiens hypothetical protein FLJ20048 (FLJ20048), mRNA
3218	16273	29195	1.11	9.1E-01	T26418.1	EST_HUMAN	Pseudomonas fluorescens DNA polymerase III (dnaE) gene, complete cds
6291	19363	32602	1.68	9.1E-01	L36033.1	NT	AB200G8R Infant brain, LLNL array of Dr. M. Soares 1NIB Homo sapiens cDNA clone LLAB200G8 5'
6655	19712	32889	2.94	9.1E-01	Q61704	SWISSPROT	AB200G8R Infant brain, LLNL array of Dr. M. Soares 1NIB Homo sapiens cDNA clone LLAB200G8 5'
7827	20775	34152	16.4	9.1E-01	AA806623.1	EST_HUMAN	Human pre-B cell stimulating factor homologue (SDF1b) mRNA, complete cds
8011	20949	34342	2.58	9.1E-01	U72995.1	NT	INTER-ALPHA-TRYPsin INHIBITOR HEAVY CHAIN H3 PRECURSOR (ITI HEAVY CHAIN H3)
10536	23458	36955	0.45	9.1E-01	P39432	SWISSPROT	ob71g08.s1 NCI_CGAP_GCBT Homo sapiens cDNA clone IMAGE:1336962 3'
12580	29867		10.31	9.1E-01	AF050113.1	NT	Rattus norvegicus Rab3 GDP/GTP exchange protein mRNA, complete cds
4408	17434	30319	1.77	9.0E-01	AF089810.1	NT	P80-COLLIN
7622	20582	33946	0.65	9.0E-01	L42547.1	NT	Homo sapiens uncoupling protein-3 (UCP3) gene, complete cds
7652	20612		1.32	9.0E-01	D38621.1	NT	Homo sapiens neuroxin II-alpha gene, partial cds
9704	22657	36112	0.65	9.0E-01	AF088761.1	NT	Danio rerio LIM class homeodomain protein (lim5) mRNA, complete cds
10189	23114	36598	0.44	9.0E-01	U39702.1	NT	Xenopus laevis gene for aldolase, complete cds
							Danio rerio semaphorin Z1a mRNA, complete cds
							Mycoplasma genitalium section 24 of 51 of the complete genome
5781	18873	32054	2.37	8.9E-01	AF026198.1	NT	Fugu rubripes neural cell adhesion molecule L1 homolog (L1-CAM) gene, complete cds; putative protein 1
6377	19445		1.28	8.9E-01	X60096.1	NT	(PUT1) gene, partial cds; mitosis-specific chromosome segregation protein SMC1 homolog (SMC1) gene; complete cds; and calcium channel alpha-1 subunit>
							Rabbit MHC fragment RLA-DF DNA

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6605	25663	32937	0.69	8.9E-01	BF217939.1	EST_HUMAN	601882708F1 NIH_MGC_57 Homo sapiens cDNA clone IMAGE:4095216 5'
6605	25663	32938	0.69	8.9E-01	BF217939.1	EST_HUMAN	601882708F1 NIH_MGC_57 Homo sapiens cDNA clone IMAGE:4095216 5'
7408	20375		0.54	8.9E-01	AB042297.1	NT	Homo sapiens PTS gene for 6-pyruvyltetrahydropterin synthase, complete cds
8553	21521		0.43	8.9E-01	AF260226.1	NT	Homo sapiens TESTIN 2 and TESTIN 3 genes, complete cds, alternatively spliced
8769	21736	35157	1.09	8.9E-01	AF259687.1	NT	Olithona nana cytochrome-c oxidase subunit I (cox) gene, partial cds; mitochondrial gene for mitochondrial product
12074	24946	38541	2.99	8.9E-01	AE003944.1	NT	Xylella fastidiosa, section 90 of 229 of the complete genome
12420	25190		5.46	8.9E-01	AE002186.2	NT	Chlamydia pneumoniae AR39, section 21 of 94 of the complete genome
4573	17595	30489	1.58	8.8E-01	O26350	SWISSPROT	PUTATIVE F420-DEPENDENT NADP REDUCTASE
5238	18248	31118	0.9	8.8E-01	L41654.1	NT	Trypanosoma brucei microtubule-associated protein (MAPP15) mRNA, 3' end of cds
5447	18549	31462	0.7	8.8E-01	AF310617.1	NT	Pseudorabies Virus Ea glycoprotein M gene, complete cds
11418	24362	37897	2.31	8.8E-01	Z28337.1	NT	M.aeruginosa (HUB 5-2-4) DNA from plasmid PMA1
12082	24954	38549	6.51	8.8E-01	AA808055.1	EST_HUMAN	oc33h11.s1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:1352037 3' similar to contains Alu repetitive element; contains element MER22 repetitive element;
12237	25952		2.3	8.8E-01	D90911.1	NT	Synechocystis sp. PCC6803 complete genome, 13127, 1576593-1719643
465	13538	26464	1.78	8.7E-01	AF106953.2	NT	Homo sapiens SOS1 (SOS1) gene, partial cds
2411	15418	28442	0.91	8.7E-01	5901893	NT	Homo sapiens AT-binding transcription factor 1 (ATBF1), mRNA
2865	15944	28859	5.42	8.7E-01	AA595963.1	EST_HUMAN	nn05f11.s1 NCI_CGAP_P14.1 Homo sapiens cDNA clone IMAGE:1076877
5043	18056		2.78	8.7E-01	AF121970.1	NT	Pseudomonas aeruginosa topoisomerase (top), putative transcriptional regulatory protein OhbR (ohbR), ortho-halobenzoate 1,2-dioxygenase beta-ISP protein OhbA (ohbA), OhbC (ohbC), ortho-halobenzoate 1,2-dioxygenase alpha-ISP protein OhbB (ohbB), and put
5247	18255	31125	0.97	8.7E-01	BF219306.1	EST_HUMAN	601883175F1 NIH_MGC_57 Homo sapiens cDNA clone IMAGE:4095378 5'
8374	21343	34754	0.65	8.7E-01	AW897335.1	EST_HUMAN	RC4-NN0057-120500-013-c07 NN0057 Homo sapiens cDNA
9282	22248	35677	0.71	8.7E-01	AI239456.1	EST_HUMAN	qh36e06.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1846786 3'
9282	22248	35678	0.71	8.7E-01	AI239456.1	EST_HUMAN	qh36e06.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1846786 3'
10095	23021	36496	1.32	8.7E-01	AE004963.1	NT	Pseudomonas aeruginosa PAO1, section 523 of 529 of the complete genome
11181	24137	37669	4.56	8.7E-01	BF363970.1	EST_HUMAN	QV0-NN1021-100800-337-c03 NN1021 Homo sapiens cDNA
12042	24917	38512	3.97	8.7E-01	BF107694.1	EST_HUMAN	601823684R1 NIH_MGC_79 Homo sapiens cDNA clone IMAGE:4043594 3'
12042	24917	38513	3.97	8.7E-01	BF107694.1	EST_HUMAN	601823684R1 NIH_MGC_79 Homo sapiens cDNA clone IMAGE:4043594 3'
475	13547		2.65	8.6E-01	X17012.1	NT	Rat IGFI gene for insulin-like growth factor II
859	13915	26874	4.32	8.6E-01	W69089.1	EST_HUMAN	zd44e03.r1 Soares_Fetal_heart_NHHH19W Homo sapiens cDNA clone IMAGE:343516 5'
2278	15291	28318	1	8.6E-01	4503210	NT	Homo sapiens cytochrome P450, subfamily XXVIIA (steroid 27-hydroxylase, cerebrotendinous xanthomatosis), polypeptide 1 (CYP27A1b) mRNA
3635	16678	26592	0.87	8.6E-01	AL161665.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 65

Page 34 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3813	18853	29760	1.38	8.6E-01	U49724.1	NT	Drosophila melanogaster melin (Dmerlin) mRNA, complete cds
5207	18216	31081	2.6	8.6E-01	BE147809.1	EST_HUMAN	RC1-HT0229-160300Q-019-c05 HT0229 Homo sapiens cDNA
6001	19084	32283	7.79	8.6E-01	X60547.1	NT	Chicken lipoprotein lipase gene
6001	19084	32284	7.79	8.6E-01	X60547.1	NT	Chicken lipoprotein lipase gene
6515	25661	32835	0.54	8.6E-01	S78772.1	NT	polyprotein [Coxsackie B4 virus CB4, host=mice, E2, originally derived from Edwards CB4 human strain,
6887	19920	33215	1.7	8.6E-01	AF143732.1	NT	Genomic RNA Complete, 7397 nt]
6887	19920	33216	1.7	8.6E-01	AF143732.1	NT	Grus canadensis recombination activating protein 1 (RAG-1) gene, partial cds
7770	20723		0.81	8.6E-01	AE000591.1	NT	Helicobacter pylori 26695 section 89 of 134 of the complete genome
8280	21229		1.29	8.6E-01	AP001518.1	NT	Bacillus halodurans genomic DNA, section 12/14
8377	21348	34757	0.51	8.6E-01	AF077837.1	NT	Drosophila melanogaster collapsin response mediator protein (CRMP) mRNA, complete cds
10044	22971		0.46	8.6E-01	AE000979.1	NT	Archaeoglobus fulgidus section 128 of 172 of the complete genome
12788	25717		1.44	8.6E-01	AL112182.1	NT	Botrytis cinerea strain T4 cDNA library under conditions of nitrogen deprivation
6888	19940	33235	1.5	8.6E-01	AF165214.1	NT	Bacteriophage D3, complete genome
7768	20721	34093	2.49	8.6E-01	BE542812.1	EST_HUMAN	601067107F1 NIH_MGC_10 Homo sapiens cDNA clone IMAGE:3463505 5'
8323	21292	34708	0.42	8.6E-01	AL161572.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 68
8761	21728	35150	0.93	8.6E-01	P06601	SWISSPROT	SEGMENTATION PROTEIN PAIRED
8761	21728	35151	0.93	8.6E-01	P06601	SWISSPROT	SEGMENTATION PROTEIN PAIRED
8849	21816	35236	0.57	8.6E-01	AJ243213.1	NT	Homo sapiens partial 6-HT4 receptor gene, exons 2 to 5
10715	23637	37129	1.35	8.6E-01	AB008799.1	NT	Cyanidium caldarium gene for SigC, complete cds
10715	23637	37130	1.35	8.6E-01	AB006799.1	NT	Cyanidium caldarium gene for SigC, complete cds
12565	25869		2.25	8.6E-01	11418543	NT	Homo sapiens human immunodeficiency virus type 1 enhancer-binding protein 1 (HIVEP1), mRNA
12572	25263		1.37	8.6E-01	9507008	NT	Rattus norvegicus protein tyrosine phosphatase, non-receptor type 5 (Ptpn5), mRNA
4782	17802	30693	0.85	8.4E-01	AF083975.2	NT	Fowl adenovirus 8, complete genome
5571	25841	31627	2.68	8.4E-01	L78726.1	NT	Human fibroblast growth factor receptor 3 (FGFR3) gene, intron 7
5571	25841	31628	2.68	8.4E-01	L78726.1	NT	Human fibroblast growth factor receptor 3 (FGFR3) gene, intron 7
8107	21044	34443	0.51	8.4E-01	AF051142.1	NT	Mamestra brassicae pheromone binding protein 2 precursor (PBP2) mRNA, complete cds
10317	23241		3.25	8.4E-01	AJ248287.1	NT	Pyrococcus abyssi complete genome, segment 5/6
12005	24882	38478	1.54	8.4E-01	M55584.1	NT	Human collagenase type IV (CLG4) gene, exon 4
743	13804	28743	3.01	8.3E-01	M93437.1	NT	Thermus thermophilus cytochrome c-552 (cycA) and CycB (cycB) genes, complete cds
3111	16188	29078	3.15	8.3E-01	AL161506.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 18
3823	16863	28767	0.83	8.3E-01	AB010879.1	NT	Nicotiana tabacum mRNA for chloroplast ribosomal protein L10, complete cds
4040	17078	29878	3.15	8.3E-01	Y19177.1	NT	Streptomyces antibioticus polyketide biosynthetic gene cluster
5341	18446	31199	2.42	8.3E-01	AL161540.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 40

Page 35 of 546
Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
10028	22855		4.53	8.3E-01	A1791952.1	EST_HUMAN	nr01112.y5 NCL CGAP_Co8 Homo sapiens cDNA clone IMAGE:1076495 5' similar to contains THR.t1 THR repetitive element;
10469	23391	36886	1.1	8.3E-01	AF098070.1	NT	Drosophila melanogaster Lls1 homolog mRNA, complete cds
10579	23501	36993	3.97	8.3E-01	AF108133.1	NT	Mus musculus neuro-d4 gene, exons 3 through 12 and partial cds
11033	23997	37524	2.97	8.3E-01	AE000903.1	NT	Methanobacterium thermoautotrophicum from bases 1270510 to 1283409 (section 109 of 148) of the complete genome
11050	24013		1.92	8.3E-01	7212472	NT	Phytophthora infestans mitochondrion, complete genome
11634	24571	38135	2.22	8.3E-01	AF020503.1	NT	Homo sapiens FRA3B common fragile region, diadenosine triphosphate hydrolase (FHIT) gene, exon 5
2088	15085	28103	2.24	8.2E-01	AB000489.1	NT	Rattus norvegicus mRNA for RPHO-1, complete cds
2101	15118		1.08	8.2E-01	AF145589.1	NT	Mus musculus trophinin (Tnn) gene, complete cds
2688	15884		1.08	8.2E-01	AW376890.1	EST_HUMAN	IL3-CT0216-161199-031-C08 CT0219 Homo sapiens cDNA
3918	15958	29871	0.75	8.2E-01	AB014574.1	NT	Homo sapiens mRNA for KIAA0874 protein, partial cds
3940	16980	29895	0.92	8.2E-01	AF083417.1	NT	Tarantulum orbicular elongation factor 1-alpha mRNA, partial cds
6800	18654	33139	0.57	8.2E-01	X95283.1	NT	G.gallus mRNA for C-Serrat-1 protein
6800	18654	33140	0.57	8.2E-01	X95283.1	NT	G.gallus mRNA for C-Serrat-1 protein
6941	20165	33488	0.95	8.2E-01	AJ010142.1	NT	Ananias muscaria mRNA for SCIL25 protein
7082	20103	33414	3.69	8.2E-01	AW379433.1	EST_HUMAN	CM4-HT0243-081199-037-e01 HT0243 Homo sapiens cDNA
7484	25682	33807	4.38	8.2E-01	Z12126.1	NT	S.cerevisiae MET, LEU4, and POL1 genes encoding MET14 protein, alpha-isopropylmalate (alpha-IPM) synthetase (partial), and DNA polymerase alpha (partial)
8787	21754	35176	0.58	8.2E-01	BE263145.1	EST_HUMAN	601144885F2 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:3160412 5'
10385	23307	36785	0.96	8.2E-01	AB014530.1	NT	Homo sapiens mRNA for KIAA0630 protein, partial cds
10419	23341	36827	1.59	8.2E-01	AF082659.1	NT	Homo sapiens thiredoxin-related protein mRNA, complete cds
10583	23505	36998	0.59	8.2E-01	AF223888.1	NT	Oncorhynchus tshawytscha isolate T-20 somatolactin precursor gene, exon 1
10583	23505	36999	0.59	8.2E-01	AF223888.1	NT	Oncorhynchus tshawytscha isolate T-20 somatolactin precursor gene, exon 1
10751	23673	37169	3.84	8.2E-01	Q8J170	SWISSPROT	MCKUSICK-KAUFMAN/BARDET-BIEDL SYNDROMES PUTATIVE CHAPERONIN
10751	23673	37170	3.84	8.2E-01	Q8J170	SWISSPROT	MCKUSICK-KAUFMAN/BARDET-BIEDL SYNDROMES PUTATIVE CHAPERONIN
11957	24836	38432	2.97	8.2E-01	L10127.1	NT	Molluscum contagiosum virus type 1 ORF1 and ORF2 DNA
12038	24913	38507	4.82	8.2E-01	P10383	SWISSPROT	OVARIAN TUMOR LOCUS PROTEIN
12043	24918	38514	6.1	8.2E-01	H87398.1	EST_HUMAN	yy1402.1 Scores_placenta_80c9weeks_2NbhP89W Homo sapiens cDNA clone IMAGE:252105 5' similar to gb:M36072 60S RIBOSOMAL PROTEIN L7A (HUMAN);
12586	25290	31781	2.98	8.2E-01	AJ001261.1	NT	Mus musculus mRNA for NIPSNAP2 protein
2789	15761		1.48	8.1E-01	AF191839.1	NT	Mus musculus TANK binding kinase TBK1 (Tbk1) mRNA, complete cds
3472	16518	29439	3.67	8.1E-01	AF055096.1	NT	Homo sapiens MHC class 1 region

Page 36 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3472	16518	26440	3.67	8.1E-01	AF050688.1	NT	Homo sapiens MHC class 1 region
5782	18884	32068	0.51	8.1E-01	Q01727	SWISSPROT	MELANOCYTE STIMULATING HORMONE RECEPTOR (MSH-R) (MELANOTROPIN RECEPTOR)
6448	19513	32763	0.84	8.1E-01	U16780.1	NT	(MELANOCORTIN-1 RECEPTOR) (MC1-R)
6777	19832	33114	2.47	8.1E-01	Q13491	SWISSPROT	Mus musculus putative collagen alpha-2 (X1) chain (COL11A2) gene, partial cds
6777	19832	33115	2.47	8.1E-01	Q13491	SWISSPROT	NEURONAL MEMBRANE GLYCOPROTEIN M6-B
7755	20708	34077	0.55	8.1E-01	Q47477	SWISSPROT	NEURONAL MEMBRANE GLYCOPROTEIN M6-B
							CYTCHROME B
8243	21212	34618	1.12	8.1E-01	AF022713.2	NT	Drosophila melanogaster putative inorganic phosphate cotransporter (Picot) gene, partial cds; putative sodium channel (Nach) and putative amylase-related protein (Amyrel) genes, complete cds; and putative serine-enriched protein (gprs) gene, partial cds
8243	21212	34618	1.12	8.1E-01	AF022713.2	NT	Drosophila melanogaster putative inorganic phosphate cotransporter (Picot) gene, partial cds; putative sodium channel (Nach) and putative amylase-related protein (Amyrel) genes, complete cds; and putative serine-enriched protein (gprs) gene, partial cds
8956	21922	35349	0.91	8.1E-01	AP001517.1	NT	Bacillus halodurans genomic DNA, section 11/14
8956	21922	35350	0.91	8.1E-01	AP001517.1	NT	Bacillus halodurans genomic DNA, section 11/14
9122	22088	35516	1.13	8.1E-01	AW242847.1	EST_HUMAN	nt01h03.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2692469 3' similar to SW:LYAR_MOUSE
10484	23406	36802	0.64	8.1E-01	P06425	SWISSPROT	Q08288 CELL GROWTH REGULATING NUCLEOLAR PROTEIN; contains MER22.b1 PTR8 repetitive element
10776	23697	37195	0.42	8.1E-01	N84541.1	EST_HUMAN	PROBABLE E4 PROTEIN
11812	24687	38277	4.05	8.1E-01	BE938558.1	EST_HUMAN	KK8872F Human fetal heart, Lambda ZAP Express Homo sapiens cDNA clone KK8872 5' similar to EST(1)CLONE C-0PE(1)
11812	24687	38278	4.05	8.1E-01	BE938558.1	EST_HUMAN	RCO-TN0080-220800-028-d10 TN0080 Homo sapiens cDNA
12288	25109	31839	1.73	8.1E-01	AE001711.1	NT	RCO-TN0080-220800-028-d10 TN0080 Homo sapiens cDNA
178	13278	26310	3.32	8.0E-01	AJ271510.1	NT	Thermotoga maritima section 23 of 136 of the complete genome
288	13393	26310	5.97	8.0E-01	AJ132772.1	NT	Staphylococcus aureus partial pla gene for phosphate acetyltransferase allele 16
2081	15070	29065	1.72	8.0E-01	BF530982.1	EST_HUMAN	Bos taurus tub and rtf genes
3093	16151	29065	1.41	8.0E-01	AF127897.1	NT	602072473F1 NCI_CGAP_Bm87 Homo sapiens cDNA clone IMAGE:4215091 5'
3324	16375	29296	1.3	8.0E-01	AB008193.1	NT	Salmonella enteritidis serovar A strain Z4491 complete genome; segment 7/7
3717	16780	30478	2.36	8.0E-01	AL162758.2	NT	Mus musculus gene for oviductal glycoprotein, complete cds
4563	17686	30478	6.45	8.0E-01	X83739.2	NT	Neisseria meningitidis serogroup A strain Z4491 complete genome; segment 7/7
8322	21291		2.31	8.0E-01	AW801489.1	EST_HUMAN	G.gallus mRNA for nicotinic acetylcholine receptor (nAChR) beta 3 subunit
8870	21837	35259	1.05	8.0E-01	Y11095.1	NT	RCO-NN1012-270300-021-n06 NN1012 Homo sapiens cDNA
11303	24283	37779	1.58	8.0E-01	Q92793	SWISSPROT	Rice stripe virus RNA 3
							CREB-BINDING PROTEIN

Page 37 of 546
Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
454	13527	26457	0.78	7.9E-01	D11476.1	NT	Lymantria dispar nuclear polyhedrosis virus gene for DNA polymerase, complete cds
716	13778		0.78	7.9E-01	AE002130.1	NT	Ureaplasma urealyticum section 31 of 59 of the complete genome
1809	14841		23.05	7.9E-01	AB040885.1	NT	Homo sapiens mRNA for KIAA1452 protein, partial cds
1663	14895		1.28	7.9E-01	U32739.1	NT	Haemophilus influenzae Rd section 54 of 163 of the complete genome
2272	15285	28311	7.38	7.9E-01	AB004816.1	NT	Oryctolagus cuniculus mRNA for mitsugumin28, complete cds
2273	15286	28312	2.36	7.9E-01	AF130459.1	NT	Danio rerio Trp4-associated protein Tap1A (tap1A) mRNA, complete cds
3528	16574	28497	3	7.9E-01	AF228664.1	NT	Gallus gallus SOX8 transcription factor (SOX8) mRNA, complete cds
4330	17358		0.88	7.9E-01	BE263612.1	EST_HUMAN	601182033F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3535785 5'
4842	17663	30551	1.15	7.9E-01	6753745	NT	Mus musculus embigin (Emb), mRNA
4842	17663	30552	1.15	7.9E-01	6753745	NT	Mus musculus embigin (Emb), mRNA
5244	18252	31123	1.03	7.9E-01	AF228843.1	NT	Mus musculus WNT-2 gene, partial cds; putative ankyrin-related protein and cystic fibrosis transmembrane conductance regulator (CFTR) genes, section 1 of 2 of the complete cds; and unknown gene
6479	19544	32792	0.76	7.9E-01	D38145.1	NT	Human mRNA for prostacyclin synthase, complete cds
8446	21415	34928	3.37	7.9E-01	X90966.1	NT	P. sativum GR gene
8905	22857	36319	4.3	7.9E-01	U01912.1	NT	Giardia lamblia variant-specific surface protein G3M-B (vspG3M-B) mRNA, partial cds
10409	23331	36816	4.3	7.9E-01	P19719	SWISSPROT	SMALL HYDROPHOBIC PROTEIN
10451	23373	36864	0.82	7.9E-01	AV700860.1	EST_HUMAN	AV700860 GKC Homo sapiens cDNA clone GKCDRE12 3'
10877	23797	37298	0.82	7.9E-01	AB000631.1	NT	Streptococcus mutans DNA for sigma 42 protein, dTDP-4-keto-L-rhamnose reductase, complete cds
11350	24300		2.81	7.9E-01	7662471	NT	Homo sapiens KIAA1072 protein (KIAA1072), mRNA
11546	24487	38041	2.22	7.9E-01	P19022	SWISSPROT	NEURAL-CADHERIN PRECURSOR (N-CADHERIN)
877	13932		1.96	7.8E-01	Z43785.1	EST_HUMAN	HSC1KH041 normalized infant brain cDNA Homo sapiens cDNA clone c-1k404
2283	15286	28320	6.12	7.8E-01	AW059567.1	EST_HUMAN	EST1371637 MAGE resequences, MAGF Homo sapiens cDNA
4730	17750	30642	1.33	7.8E-01	U87305.1	NT	Rattus norvegicus transmembrane receptor Unc5H1 mRNA, complete cds
5075	18085		0.8	7.8E-01	AW753353.1	EST_HUMAN	RC3-C10254-130100-023-c02 C10254 Homo sapiens cDNA
6187	19262	32498	2.5	7.8E-01	AF115856.1	NT	Sphenodon punctatus alpha endolase mRNA, partial cds
6344	19413	32655	1.04	7.8E-01	P05231	SWISSPROT	INTERLEUKIN-6 PRECURSOR (IL-6) (B-CELL STIMULATORY FACTOR 2) (BSF-2) (INTERFERON BETA-2) (HYBRIDOMA GROWTH FACTOR)
6806	19664	32639	0.72	7.8E-01	AL445066.1	NT	Thermoplasma acidophilum complete genome; segment 4/5
8836	21803	35221	1.29	7.8E-01	BF108927.1	EST_HUMAN	7154405.x1 Scores_NSF_F8_9W_OT_PA_P_S1 Homo sapiens cDNA clone IMAGE:3525176 3'
9589	22551	36002	1.34	7.8E-01	Y10159.1	NT	D discoideum racGAP gene
9687	22640	36097	0.52	7.8E-01	4826873	NT	Homo sapiens nucleoporin 214kD (GAIN) (NUP214), mRNA
10483	23405		1.01	7.8E-01	Q25452	SWISSPROT	MUSCLE CALCIUM CHANNEL ALPHA-1 SUBUNIT (MDL-ALPHA1)

Page 38 of 546
Table 4
Single Exon Probes Expressed In Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
12559	25848		2.32	7.8E-01	L29280.1	NT	Arabidopsis thaliana 1-amino-1-cyclopropanecarboxylate synthase (ACS5) gene, complete cds
145	13248	26177	6.69	7.7E-01	AF184345.1	NT	Lycopodium obscurum ADP-glucose pyrophosphorylase large subunit (AGP-L1) mRNA, complete cds
727	13788		3.28	7.7E-01	AF050157.1	NT	Mus musculus major histocompatibility locus class II region: major histocompatibility protein class II alpha chain (IaIpha) and major histocompatibility protein class II beta chain (IbIbeta) genes, complete cds;
2724	15718	28736	2	7.7E-01	O33915	SWISSPROT	butyrophilin-like (NG9), butyrophilin-IP> CITRATE SYNTHASE
3368	16418		0.76	7.7E-01	8393408	NT	Homo sapiens UDP-N-acetyl-alpha-D-galactosamine:polypeptide N-acetylgalactosaminyltransferase 7 (GALNAC-T7) (GALNAC-T7), mRNA
3614	16658	29576	3.83	7.7E-01	AF118085.1	NT	Homo sapiens PRO1875 mRNA, complete cds
4429	17452	30343	3.04	7.7E-01	AF199488.1	NT	Coturnix coturnix japonica sub-species japonica beta-actin mRNA, partial cds
4425	17452	30344	3.04	7.7E-01	AF199488.1	NT	Coturnix coturnix japonica sub-species japonica beta-actin mRNA, partial cds
5640	18736	31899	1.25	7.7E-01	P16553	SWISSPROT	RAFFINOSE INVERTASE (INVERTASE)
5640	18736	31900	1.25	7.7E-01	P16553	SWISSPROT	RAFFINOSE INVERTASE (INVERTASE)
6086	19147	32359	0.53	7.7E-01	R08600.1	EST_HUMAN	yf24b02.s1 Soares fetal liver spleen 1NPLS Homo sapiens cDNA clone IMAGE:127755 3'
10204	23129	36816	0.72	7.7E-01	AB021134.1	NT	Daphnia magna hemoglobin gene cluster (dhb3, dhb1 and dhb2 genes), complete cds
12447	25207		5.53	7.7E-01	11497621	NT	Archaeoglobus fulgidus, complete genome
6218	19292	32525	4.49	7.6E-01	AF059510.1	NT	Arabidopsis thaliana 3-methylcrotonyl-CoA carboxylase non-biotinylated subunit (MCCB) mRNA, complete cds
6218	19292	32528	4.49	7.6E-01	AF059510.1	NT	Arabidopsis thaliana 3-methylcrotonyl-CoA carboxylase non-biotinylated subunit (MCCB) mRNA, complete cds
6667	19724	32959	0.65	7.6E-01	P37938	SWISSPROT	MATING-TYPE PROTEIN A-ALPHA Z4
7029	18361	31248	0.98	7.6E-01	AI253399.1	EST_HUMAN	eq14b12.x1 Stanley Frontal NS pool 2 Homo sapiens cDNA clone IMAGE:2030879
7029	18361	31282	0.98	7.6E-01	AI253399.1	EST_HUMAN	eq14b12.x1 Stanley Frontal NS pool 2 Homo sapiens cDNA clone IMAGE:2030879
7252	19987	33285	0.89	7.6E-01	U72487.1	NT	Rattus norvegicus calcium-independent alpha-latrotoxin receptor mRNA, complete cds
8400	21369	34778	1.33	7.6E-01	AF146793.2	NT	Mus musculus neuromedin U precursor (Nmu) gene, partial cds; (PHLP (Tphlp) gene, partial cds; CLOCK (Clock) gene, complete cds; PFT27 (Pft27) gene, complete cds; and H5AR (H5ar) gene, complete cds
8464	21433	34849	1.92	7.6E-01	6857752	NT	Mus musculus adyllin (Adyllin-pending), mRNA
8464	21433	34850	1.92	7.6E-01	6857752	NT	Mus musculus adyllin (Adyllin-pending), mRNA
8668	21836	35058	0.43	7.6E-01	Q01098	SWISSPROT	GLUTAMATE (NMDA) RECEPTOR SUBUNIT EPSILON 3 PRECURSOR (N-METHYL D-ASPARTATE RECEPTOR SUBTYPE 2C) (NR2C) (NMDAR2C)
8668	21836	35059	0.43	7.6E-01	Q01098	SWISSPROT	GLUTAMATE (NMDA) RECEPTOR SUBUNIT EPSILON 3 PRECURSOR (N-METHYL D-ASPARTATE RECEPTOR SUBTYPE 2C) (NR2C) (NMDAR2C)

Page 39 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
9318	22283	35714	1.01	7.6E-01	6753577	NT	Mus musculus cytochrome P450, 2B9, phenobarbital inducible, type a (Cyp2b9), mRNA
9634	22578	36028	5.25	7.6E-01	P30372	SWISSPROT	MUSCARINIC ACETYLCHOLINE RECEPTOR M2
9634	22578	36029	5.25	7.6E-01	P30372	SWISSPROT	MUSCARINIC ACETYLCHOLINE RECEPTOR M2
11685	24651	38229	2.09	7.6E-01	X86347.1	NT	H. aspersa mRNA for neurofilament NF70
11685	24651	38230	2.09	7.6E-01	X86347.1	NT	H. aspersa mRNA for neurofilament NF70
12020	24897		3.05	7.6E-01	AL161592.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 88
12203	25045		3.8	7.6E-01	AB020702.1	NT	Homo sapiens mRNA for KIAA0895 protein, partial cds
514	13585		1.87	7.5E-01	AL163301.2	NT	Homo sapiens chromosome 21 segment HS21C101
586	13654	26568	1.01	7.5E-01	AF020503.1	NT	Homo sapiens FRA3B common fragile region, diadenosine triphosphate hydrolase (FHT) gene, exon 5
7764	20717	34080	0.78	7.5E-01	AF052730.1	NT	Drosophila melanogaster tyrosine kinase receptor protein (eph) mRNA, complete cds
12516	25247		4.53	7.5E-01	AF163151.2	NT	Homo sapiens dentin elaiophosphoprotein precursor (DSPP) gene, complete cds
13027	25575	31697	1.57	7.5E-01	AE000823.1	NT	Methanobacterium thermoautotrophicum from bases 317350 to 328792 (section 29 of 148) of the complete genome
1132	14175	27124	1.35	7.4E-01	AI598146.1	EST_HUMAN	th14b08.x1 NCI_CGAP_Bm25 Homo sapiens cDNA clone IMAGE:2167577 3' similar to contains Alu repetitive element/contains element MIR repetitive element;
2350	15359	28381	0.93	7.4E-01	AB011106.1	NT	Homo sapiens mRNA for KIAA0634 protein, partial cds
3739	16781	29693	18.81	7.4E-01	AF112538.1	NT	Malva pusilla actin (Act1) mRNA, complete cds
3919	16959	29872	2.01	7.4E-01	AF133310.1	NT	Vibrio cholerae phage CTXphi Calcutta-rstR-a (rstR-a) and Calcutta-rstR-b (rstR-b) genes, complete cds
4340	17367	30250	6.99	7.4E-01	AL163246.2	NT	Homo sapiens chromosome 21 segment HS21C046
8176	21146	34553	1.04	7.4E-01	AL161551.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 51
8176	21146	34554	1.04	7.4E-01	AL161551.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 51
8980	21946	35370	0.78	7.4E-01	BF346266.1	EST_HUMAN	602018456F1 NCI_CGAP_Bm67 Homo sapiens cDNA clone IMAGE:4154340 5'
9063	22029		0.64	7.4E-01	U87980.1	NT	Rattus norvegicus leukocyte common antigen receptor (LAR) gene, trans-spliced alternative untranslated exon
9452	22416	35854	7.09	7.4E-01	BE747503.1	EST_HUMAN	601573026F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3834174 5'
9511	22474	35918	1.14	7.4E-01	AA187986.1	EST_HUMAN	zp67h01.s1 Stragene endothelial cell 937223 Homo sapiens cDNA clone IMAGE:625297 3' similar to SW:TCPO_MOUSE P42932 T-COMPLEX PROTEIN 1, THETA SUBUNIT ;
10767	23888	37185	0.74	7.4E-01		NT	Homo sapiens NY-REN-45 antigen (LOC51133), mRNA
12171	25021		4.46	7.4E-01	6753217	NT	Mus musculus complement component 1 inhibitor (C1inh), mRNA
12284	25101		1.54	7.4E-01	A472641.1	EST_HUMAN	ta13h01.x1 NCI_CGAP_Lym5 Homo sapiens cDNA clone IMAGE:2043985 3'
3999	17038		0.64	7.3E-01	AF000062.1	NT	Aeropyrum pernix genom DNA, section 87
4647	17668	30555	0.97	7.3E-01	AE001166.1	NT	Borrelia burgdorferi (section 52 of 70) of the complete genome

Page 40 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4729	17749	30841	4.57	7.3E-01	AF225421.1	NT	Homo sapiens HT017 mRNA, complete cds
5135	18144	31024	1.18	7.3E-01	O43103	SWISSPROT	FERRICHRONE SIDEROPHORE PEPTIDE SYNTHETASE
6761	19815	33094	6.03	7.3E-01	L35772.1	NT	Mus musculus antigen (CD72) gene
6761	19815	33095	6.03	7.3E-01	L35772.1	NT	Mus musculus antigen (CD72) gene
7301	25679	33608	0.92	7.3E-01	AJ011418.1	NT	Lycopodium obscurum mRNA for ubiquitin activating enzyme
7692	20650	34014	0.63	7.3E-01	Z14133.1	NT	D melanogaster Cdc mRNA for clathrin heavy chain
7794	20746	34119	7.46	7.3E-01	M26511.1	NT	V. alginolyticus sucrose (scrB) gene, complete cds
7794	20746	34120	7.46	7.3E-01	M26511.1	NT	V. alginolyticus sucrose (scrB) gene, complete cds
8115	21052	34450	0.51	7.3E-01	U34631.1	NT	Mus musculus alpha-4 integrin gene, exon 7
11759	24687	38267	3.11	7.3E-01	AA678019.1	EST_HUMAN	2125b08.s1 Soares_fetal_liver_spleen_INFLS_S1 Homo sapiens cDNA clone IMAGE:431789 3'
11759	24687	38268	3.11	7.3E-01	AA678019.1	EST_HUMAN	2125b08.s1 Soares_fetal_liver_spleen_INFLS_S1 Homo sapiens cDNA clone IMAGE:431789 3'
832	13689		2.03	7.2E-01	L29281.1	NT	Rattus norvegicus initiation factor-2 kinase (eIF-2a) mRNA, complete cds
1974	14995	27997	3.23	7.2E-01	X79140.1	NT	N. tabacum Nelf-4A13 mRNA
2468	15472	28495	1.91	7.2E-01	AB009605.1	NT	Gallus gallus gene for melanocortin 2-receptor, complete cds
3080	16137	29048	1.47	7.2E-01	AF198100.1	NT	Fowlpox virus, complete genome
3467	16513	29434	2.44	7.2E-01	AF065606.1	NT	Giardia intestinalis variant-specific surface protein (vsp417-6) gene, vsp417-6(A-I) allele, complete cds
4803	17820	30714	2.99	7.2E-01	D90314.1	NT	L. mesenteroides gene for sucrose phosphorylase (EC 2.4.1.7)
5159	18168	31048	1.57	7.2E-01	AF196779.1	NT	Homo sapiens transcription factor (GHM enhancer 3, JM11 protein, JM4 protein, JM5 protein, T54 protein, JM10 protein, A4 differentiation-dependent protein, triple LIM domain protein 6, and synaptophysin genes, complete cds; and L-type calcium channel α)
5159	18168	31047	1.57	7.2E-01	AF196779.1	NT	Homo sapiens transcription factor (GHM enhancer 3, JM11 protein, JM4 protein, JM5 protein, T54 protein, JM10 protein, A4 differentiation-dependent protein, triple LIM domain protein 6, and synaptophysin genes, complete cds; and L-type calcium channel α)
7421	20388	33739	0.78	7.2E-01	U69633.1	NT	Solanum tuberosum cold-stress inducible protein (C17) gene, complete cds
8797	21764	35186	1.24	7.2E-01	AF236061.1	NT	Oryctolagus cuniculus RING-finger binding protein mRNA, partial cds
9314	22279		0.52	7.2E-01	AV743773.1	EST_HUMAN	AV743773 CB Homo sapiens cDNA clone CBMAFD06 5'
10705	23627	37123	2.59	7.2E-01	BF670061.1	EST_HUMAN	602118381F1 NH_MGC_56 Homo sapiens cDNA clone IMAGE:4275381 5'
11091	24051	37574	3.38	7.2E-01	U82623.1	NT	Rattus norvegicus cytochrome mRNA, complete cds
12523	18343	31291	1.43	7.2E-01	U02568.1	NT	Drosophila melanogaster polyprotein antigen precursor (DvA) mRNA, complete cds
12700	26360		5.56	7.2E-01	AP000063.1	NT	Aeropyrum pernix genomic DNA, section 6/7
693	13755	26685	13.3	7.1E-01	D21070.1	NT	Rana catesbeiana mRNA for bullfrog skeletal muscle calcium release channel (ryanodine receptor) alpha isoform (RyR1), complete cds
3075	18132	29045	13.21	7.1E-01	AJ270777.1	NT	Homo sapiens partial TCF-4 gene for T-cell transcription factor-4, exons 16-18

Page 41 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4236	17265	30161	3.29	7.1E-01	7305360	NT	Mus musculus obogelin (Obog), mRNA
4236	17265	30152	3.29	7.1E-01	7305360	NT	Mus musculus obogelin (Obog), mRNA
6058	19139	32350	1.55	7.1E-01	BF681034.1	EST_HUMAN	602155438F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:4286344 5'
6058	19139	32351	1.55	7.1E-01	BF681034.1	EST_HUMAN	602155438F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:4286344 5'
7137	20113	33428	6.92	7.1E-01	U36232.1	NT	Drosophila melanogaster 6-pyruvoyltryptophan synthase (pr) gene, complete cds
8533	21601	34918	0.48	7.1E-01	H54244.1	EST_HUMAN	yq89409.s1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:202861 3'
9088	22054	35477	0.85	7.1E-01	BE074185.1	EST_HUMAN	RC1-BT0567-301299-011-409 BT0567 Homo sapiens cDNA
9088	22054	35478	0.85	7.1E-01	BE074185.1	EST_HUMAN	RC1-BT0567-301299-011-409 BT0567 Homo sapiens cDNA
10214	23139	36628	1.28	7.1E-01	BE904405.1	EST_HUMAN	601486330F1 NIH_MGC_70 Homo sapiens cDNA clone IMAGE:3898495 5'
10774	23895	37193	1.13	7.1E-01	M12981.1	NT	Human T-cell receptor gamma-chain J2 gene
12499	25773	27229	2.34	7.1E-01	AA21492.1	EST_HUMAN	zu06h11.s1 Soares, testis, NHT Homo sapiens cDNA clone IMAGE:731109 3'
1233	14270	27229	1.13	7.0E-01	AB014514.1	NT	Homo sapiens mRNA for KIAA0614 protein, partial cds
1233	14270	27230	1.13	7.0E-01	AB014514.1	NT	Homo sapiens mRNA for KIAA0614 protein, partial cds
2455	15460	28482	1.09	7.0E-01	N62412.1	EST_HUMAN	y273e07.s1 Soares, multiple, sclerosis, 2NbHMSP Homo sapiens cDNA clone IMAGE:288708 3' similar to contains Alu repetitive element;
2455	15460	28483	1.09	7.0E-01	N62412.1	EST_HUMAN	y273e07.s1 Soares, multiple, sclerosis, 2NbHMSP Homo sapiens cDNA clone IMAGE:288708 3' similar to contains Alu repetitive element;
5096	18108		2.11	7.0E-01	AL163301.2	NT	Homo sapiens chromosome 21 segment HS21C101
6062	19143		0.95	7.0E-01	AB021316.1	NT	Arabidopsis thaliana mRNA for chlorophyll b synthase, complete cds
8721	21689		8.51	7.0E-01	AE000253.1	NT	Escherichia coli K-12 MG1655 section 143 of 400 of the complete genome
9671	22624	36077	0.52	7.0E-01	U53888.1	NT	Clostridium acetobutylicum mannitol-specific phosphotransferase system (PTS) system, mtlA, mtlR, mtlF, and mtlD genes, complete cds
9671	22624	36078	0.52	7.0E-01	U53888.1	NT	Clostridium acetobutylicum mannitol-specific phosphotransferase system (PTS) system, mtlA, mtlR, mtlF, and mtlD genes, complete cds
11454	24397	37943	1.71	7.0E-01	AV763842.1	EST_HUMAN	AV763842 MDS Homo sapiens cDNA clone MDSCH04 5'
11454	24397	37944	1.71	7.0E-01	AV763842.1	EST_HUMAN	AV763842 MDS Homo sapiens cDNA clone MDSCH04 5'
13036	26811	31528	1.35	7.0E-01	9630464	NT	Bacteriophage NT15 virion, complete genome
971	14023	26976	12.59	6.9E-01	U69674.1	NT	Candida albicans squalene epoxidase (CAERG1) gene, complete cds and translational regulator gene, partial cds
971	14023	26977	12.59	6.9E-01	U69674.1	NT	Candida albicans squalene epoxidase (CAERG1) gene, complete cds and translational regulator gene, partial cds
1313	14349	27315	2.22	6.9E-01	AA893530.1	EST_HUMAN	hm28a09.s1 NCI_CGAP_Gas1 Homo sapiens cDNA clone IMAGE:1085178 3'
3233	16288	29210	1.8	6.9E-01	AE002271.2	NT	Chlamydia muridarum, section 3 of 85 of the complete genome
5249	18257	31126	0.92	6.9E-01	AV714502.1	EST_HUMAN	AV714502 DCB Homo sapiens cDNA clone DCBTD12 5'

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5878	18967	32168	0.8	6.9E-01	AB035692.1	NT	Branchiostoma belcheri BbNA3 mRNA for notochord actin, complete cds
6104	19183	32402	0.55	6.9E-01	Y18278.1	NT	Drosophila melanogaster mRNA for A-kinase anchor protein DAKAP560, partial
6506	19570	32822	1.5	6.9E-01	BE296188.1	EST_HUMAN	601177333F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3532328 5'
8312	21281	34692	3.39	6.9E-01	AL161573.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 69
8312	21281	34693	3.39	6.9E-01	AL161573.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 69
9526	22489		0.73	6.9E-01	AF118046.1	NT	Entamoeba dispar caton transporting ATPase (atpase) gene, partial cds
10053	22980	36447	0.55	6.9E-01	AF206319.1	NT	Musa acuminata pectate lyase 1 (PL1) mRNA, complete cds
10053	22980	36448	0.55	6.9E-01	AF206319.1	NT	Musa acuminata pectate lyase 1 (PL1) mRNA, complete cds
11587	24525	38081	2.03	6.9E-01	D89013.1	NT	Homo sapiens DAN gene, complete cds
11587	24525	38082	2.03	6.9E-01	D89013.1	NT	Homo sapiens DAN gene, complete cds
12145	25766		3.91	6.9E-01	Q99958	SWISSPROT	FORKHEAD BOX PROTEIN C2 (FORKHEAD-RELATED PROTEIN FKHL14) (MESENCHYME FORK HEAD PROTEIN 1) (MFL-1 PROTEIN) (TRANSCRIPTION FACTOR FKHL-14)
958	14011	26964	1.52	6.8E-01	AF017784.1	NT	Giardia intestinalis carboxymethyl kinase gene, complete cds
2582	15878		1.26	6.8E-01	D89017.1	NT	Synechocystis sp. PCC6803 complete genome, 27/27, 3418852-3573470
2840	14851	27627	1.5	6.8E-01	AA854475.1	EST_HUMAN	aj75a05.s1 Soares parathyroid tumor_NbHPA Homo sapiens cDNA clone IMAGE:1402258 3' similar to gb:X58411.1 mat ALCOHOL DEHYDROGENASE CLASS II PI CHAIN (HUMAN);
4802	17623	30816	1.75	6.8E-01	J00762.1	NT	Rat(hooded) prolactin gene : exon iii and flanks
9996	22923	36388	1.67	6.8E-01	AB037786.1	NT	Homo sapiens mRNA for KIAA1345 protein, partial cds
11424	24368	37903	1.77	6.8E-01	AJ278675.1	NT	Stagonospora avenae bg11 gene for beta-glucosidase, exons 1-4
11424	24368	37904	1.77	6.8E-01	AJ278675.1	NT	Stagonospora avenae bg11 gene for beta-glucosidase, exons 1-4
11450	24393	37938	1.82	6.8E-01	AF038839.1	NT	Mus musculus zinc finger protein (Peg3) mRNA, complete cds
11450	24393	37939	1.82	6.8E-01	AF038839.1	NT	Mus musculus zinc finger protein (Peg3) mRNA, complete cds
							Mus musculus major histocompatibility complex region NG27, NG28, RPS28, NADH oxidoreductase, NG29, KIFC1, Fas-binding protein, BING1, lapasin, RalGDS-like, KE2, BING4, beta 1,3-galactosyl transferase, and RPS18 genes, complete cds; Sacm21 gene, partial>
11931	24812	38407	1.49	6.8E-01	AF110520.1	NT	Mus musculus major histocompatibility complex region NG27, NG28, RPS28, NADH oxidoreductase, NG29, KIFC1, Fas-binding protein, BING1, lapasin, RalGDS-like, KE2, BING4, beta 1,3-galactosyl transferase, and RPS18 genes, complete cds; Sacm21 gene, partial>
11931	24812	38408	1.49	6.8E-01	AF110520.1	NT	Mus musculus major histocompatibility complex region NG27, NG28, RPS28, NADH oxidoreductase, NG29, KIFC1, Fas-binding protein, BING1, lapasin, RalGDS-like, KE2, BING4, beta 1,3-galactosyl transferase, and RPS18 genes, complete cds; Sacm21 gene, partial>
298	13392	26320	25.45	6.7E-01	AF213884.1	NT	Homo sapiens nuclear factor of kappa light polypeptide gene enhancer in B-cells 1 (NFKB1) gene, complete cds
339	13428	26350	28.03	6.7E-01	AF213884.1	NT	Homo sapiens nuclear factor of kappa light polypeptide gene enhancer in B-cells 1 (NFKB1) gene, complete cds
1927	14951		1.07	6.7E-01	M12132.1	NT	Quail fast skeletal muscle troponin I gene, complete cds

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2157	15173	28192	1.79	6.7E-01	AA451864.1	EST_HUMAN	zx12g12.s1 Soares_talal_fetus Nb2HF8_9w Homo sapiens cDNA clone IMAGE:786310 3' similar to contains element TAR1 repetitive element ;
2176	15886	28213	2.65	6.7E-01	AF186073.1	NT	Drosophila melanogaster Mst85C gene, complete cds; NMDMC isoform (Nmdmc) gene, complete cds, alternatively spliced; and transcription factor (Relish) gene, complete cds, alternatively spliced
3009	16067	28987	3.96	6.7E-01	6678580	NT	Mus musculus Wiskott-Aldrich syndrome protein (Wasp), mRNA
4481	17508	30396	0.78	6.7E-01	X74421.1	NT	S.tuberosum mRNA for glucose-6-phosphata dehydrogenase
5002	18016	30903	0.97	6.7E-01	AW078110.1	EST_HUMAN	x895g12.x1 NCL CGAP_Co17 Homo sapiens cDNA clone IMAGE:2574598 3'
5587	18683	31851	0.7	6.7E-01	J04836.1	NT	M.barkeri ATPase alpha and beta subunit (atpA and atpB) genes, complete cds
5587	18683	31852	0.7	6.7E-01	J04836.1	NT	M.barkeri ATPase alpha and beta subunit (atpA and atpB) genes, complete cds
6073	19154	32366	0.93	6.7E-01	AE001486.1	NT	Helicobacter pylori, strain J99 section 47 of 132 of the complete genome
6456	19521	32771	1.26	6.7E-01	9635035	NT	Gallid herpesvirus 2, complete genome
6456	19521	32772	1.26	6.7E-01	9635035	NT	Gallid herpesvirus 2, complete genome
7537	20500		4.57	6.7E-01	AE004606.1	NT	Pseudomonas aeruginosa PAO1, section 167 of 529 of the complete genome
7563	20526	33884	0.98	6.7E-01	AE001486.1	NT	Helicobacter pylori, strain J99 section 47 of 132 of the complete genome
10503	23425		0.82	6.7E-01	M34046.1	NT	Human placental protein 14 (PP14) gene, complete cds
11300	24250	37776	2.62	6.7E-01	BF354649.1	EST_HUMAN	CM3-HT0769-010600-197-c03 HT0769 Homo sapiens cDNA
11787	23942	37464	3.23	6.7E-01	D14357	SWISSPROT	N-ACETYLGLUCOSAMINYL-PHOSPHATIDYLINOSITOL BIOSYNTHETIC PROTEIN GPI1
11969	24847	38444	1.62	6.7E-01	AA342521.1	EST_HUMAN	EST48065 Fetal spleen Homo sapiens cDNA 3' and
2509	15512	28538	1.92	6.6E-01	AF075240.1	NT	Homo sapiens SLIT1 protein (SLIT2) mRNA, partial cds
2711	15705	28721	1.4	6.6E-01	AF193339.1	NT	Homo sapiens lens epithelium-derived growth factor gene, alternatively spliced, complete cds
3501	16548	29474	1.41	6.6E-01	4506880	NT	Homo sapiens sema domain, seven thrombospondin repeats (type 1 and type 1-like), transmembrane domain (TM) and short cytoplasmic domain, (semaphorin) 5A (SEMASA) mRNA
3670	16713	29628	4.37	6.6E-01	Y07669.1	NT	Calbicans random DNA marker, 282bp
4136	17168						Human hereditary haemochromatosis region, histone 2A-like protein gene, hereditary haemochromatosis (HLA-H) gene, RoRet gene, and sodium phosphate transporter (NP73) gene, complete cds
5258	18266	31134	1.13	6.6E-01	AL161572.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 68
5282	18288	31150	0.95	6.6E-01	Z82002.1	NT	S.pneumoniae popB and popC genes
5282	18288	31151	0.95	6.6E-01	Z82002.1	NT	S.pneumoniae popB and popC genes
6466	19531	32779	3.83	6.6E-01	6680577	NT	Mus musculus kinesin light chain 2 (Klc2), mRNA
7949	20890	34281	3.57	6.6E-01	AV660506.1	EST_HUMAN	AV660506 GLC Homo sapiens cDNA clone GLCGID04 3'
8912	21878	36304	0.56	6.6E-01	AV704700.1	EST_HUMAN	AV704700 ADB Homo sapiens cDNA clone ADBCAF11 5'
10023	22950		1.56	6.6E-01	AL163278.2	NT	Homo sapiens chromosome 21 segment HS21C078

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
12746	25395	31758	1.76	6.6E-01	AE004382.1	NT	Vibrio cholerae chromosome II, section 39 of 93 of the complete chromosome
624	13689	26606	0.96	6.6E-01	M75140.1	NT	H.vulgaris Na,K-ATPase alpha subunit mRNA, complete cds
624	13689	26607	0.96	6.6E-01	M75140.1	NT	H.vulgaris Na,K-ATPase alpha subunit mRNA, complete cds
3446	16493	28412	4.63	6.6E-01	AB041225.1	NT	Mus musculus gene for Tob2, complete cds
4311	17340	30220	4.28	6.6E-01	AJ272265.1	NT	Homo sapiens SPP2 gene for secreted phosphoprotein 24 precursor, exons 1-3
5102	18112	30984	3.71	6.6E-01	U28921.1	NT	Phaseolus vulgaris ATPase gamma subunit mRNA, nuclear gene encoding mitochondrial protein, partial cds
5204	18213	31088	1.73	6.6E-01	Z70628.1	NT	H.sapiens mRNA for immunoglobulin heavy chain variable region (BD4-A6, VH4, 4-69/DP-71)
5518	26640	31551	2.13	6.6E-01	P18480	SWISSPROT	TRANSCRIPTION REGULATORY PROTEIN SNF5 (SWI/SNF COMPLEX COMPONENT SNF5) (TRANSCRIPTION FACTOR TFE4)
5802	18894	32077	0.58	6.6E-01	AL163249.2	NT	Homo sapiens chromosome 21 segment HS21C049
6887	19939	33234	1.24	6.6E-01	D88348.1	NT	Chicken mRNA for 115-kDa melanosomal matrix protein, complete cds
7841	20788	34163	0.84	6.6E-01	X04759.1	NT	Murine Ig-related lambda(50) gene (exon 1) transcribed selectively in pre-B lymphocytes
7930	20873	34262	0.89	6.6E-01	A1799882.1	EST_HUMAN	wc46a02.x1 NCI_CGAP_P128 Homo sapiens cDNA clone IMAGE:2321642 3'
10197	23122	37117	1.03	6.6E-01	T78904.1	EST_HUMAN	yc21b04.s1 Soares fetal liver spleen (NFLS) Homo sapiens cDNA clone IMAGE:108847 3'
10699	23621	37117	2.2	6.6E-01	AF118676.1	NT	Mus musculus small GTP-binding protein RAB25 (Rab25) gene, complete cds
10997	23963	37487	2.19	6.6E-01	H87583.1	EST_HUMAN	yw17706.r1 Soares_placenta_8tc8weeks_2NbHP8tc9W Homo sapiens cDNA clone IMAGE:252615 5'
11048	24009	37635	2.88	6.6E-01	AA601287.1	EST_HUMAN	no15c07.s1 NCI_CGAP_Phe1 Homo sapiens cDNA clone IMAGE:1100748 3'
11143	24103		3.43	6.6E-01	AU138078.1	EST_HUMAN	AU138078 PLACE1 Homo sapiens cDNA clone PLACE1007610 5'
11925	24808	38399	2.3	6.6E-01	AF014115.1	NT	Plasmodium berghei cytochrome c oxidase subunit III, cytochrome c oxidase subunit I, and cytochrome b genes, mitochondrial genes encoding mitochondrial proteins, complete cds
11970	24848	38445	1.47	6.6E-01	AF146687.1	NT	Fugu rubripes U2 small nuclear ribonucleoprotein auxiliary factor subunit-related protein (U2AF1-RS2), 19 kDa Gdgi adaptor protein adaptin (AP19), and phosphorylase kinase alpha 2 subunit (PHKA2) genes, complete cds; kelch protein (KELCH1) and kelch p>
12130	24999	38604	1.61	6.6E-01	AL161580.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 76
12554	25278		2.55	6.6E-01	BE465050.1	EST_HUMAN	h747410.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:31787130 3'
252	13349	28276	10.51	6.4E-01	U48848.1	NT	Drosophila melanogaster 8kd dynein light chain mRNA, complete cds
3470	16516	29437	3.28	6.4E-01	U48854.2	NT	Mus musculus dystroglycan 1 (DAG1) gene, exons 1 and 2 and complete cds
3875	16914	29823	1.34	6.4E-01	AB046827.1	NT	Homo sapiens mRNA for KIAA1607 protein, partial cds
4519	17544	30430	0.89	6.4E-01	Y12488.1	NT	M.musculus whn gene
4519	17544	30431	0.89	6.4E-01	Y12488.1	NT	M.musculus whn gene
5192	18201	31073	1	6.4E-01	H85337.1	EST_HUMAN	rs90608.r1 Soares retina N2b5HR Homo sapiens cDNA clone IMAGE:222086 5'
8960	21928	33353	1.57	6.4E-01	AE001247.1	NT	Treponema pallidum section 63 of 87 of the complete genome

Page 45 of 546
Table 4

Single Exon Probes Expressed In Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
10449	23371	36863	6.94	6.4E-01	U82828.1	NT	Homo sapiens ataxia telangiectasia (ATM) gene, complete cds
10454	23388	36879	1.18	6.4E-01	BF670405.1	EST_HUMAN	602150289F1 NIH_MGC_81 Homo sapiens cDNA clone IMAGE:4291128 5'
12666	25342		5.76	6.4E-01	AV759212.1	EST_HUMAN	AV759212 MDS Homo sapiens cDNA clone MDSGCG09 5'
434	13508	26442	3.27	6.3E-01	P05228	SWISSPROT	HISTIDINE-RICH PROTEIN PRECURSOR (CLONE PFHRP-II)
536	13607	26525	2.19	6.3E-01	U32889.1	NT	Haemophilus influenzae Rd section 4 of 163 of the complete genome
2171	15187	26208	3.4	6.3E-01	U81136.1	NT	Shigella flexneri multi-antigen resistance locus
2583	15584	26603	2.72	6.3E-01	U75331.1	NT	Gallus gallus bone morphogenetic protein 1 (BMP1) mRNA, partial cds
2583	15584	26604	2.72	6.3E-01	U75331.1	NT	Gallus gallus bone morphogenetic protein 1 (BMP1) mRNA, partial cds
3029	16087		0.8	6.3E-01	Y17275.1	NT	Lycopodium obscurum p69a gene, complete cds
6182	19257	32490	0.87	6.3E-01	BE093906.1	EST_HUMAN	PMO-BT0757-010500-002-a05 BT0757 Homo sapiens cDNA
6753	19807	33088	1.07	6.3E-01	L27798.1	NT	Streptococcus dysgalactiae (mag) gene, complete cds
6753	19807	33089	1.07	6.3E-01	L27798.1	NT	Streptococcus dysgalactiae (mag) gene, complete cds
8866	21833		3.17	6.3E-01	BE902044.1	EST_HUMAN	601676889F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3959351 5'
9238	22204		0.8	6.3E-01	S62927.1	NT	glycoprotein IIIa (Alu 1 and 3 fusion junction) [human, Genomic Mutant, 300 nt]
9575	22537	35636	0.74	6.3E-01	BF216984.1	EST_HUMAN	601884050F1 NIH_MGC_57 Homo sapiens cDNA clone IMAGE:4102596 5'
9775	22716	36171	2.86	6.3E-01	9827521	NT	Varicella virus, complete genome
9775	22716	36172	2.86	6.3E-01	9827521	NT	Varicella virus, complete genome
10298	23223		0.63	6.3E-01	AE002329.2	NT	Chlamydia muridarum, section 59 of 85 of the complete genome
10792	23713	37215	1.55	6.3E-01	Z73003.1	NT	S.cerevisiae chromosome VII reading frame ORF YGR218w
10895	23815	37322	0.96	6.3E-01	AE000313.1	NT	Escherichia coli K-12 MG1655 section 203 of 400 of the complete genome
11400	24345	37878	1.52	6.3E-01	AA87715.1	EST_HUMAN	m09h06.s1 NC1_CGAP_Ca10 Homo sapiens cDNA clone IMAGE:1161371 3' similar to TR:002916 002916 HLARK.
11663	24599	38173	6.95	6.3E-01	AB04160.1	EST_HUMAN	GM-BT043-090298-046 BT043 Homo sapiens cDNA
11754	24882	38261	1.79	6.3E-01	P47003	SWISSPROT	HYPOHETICAL 13.7 KD PROTEIN IN INO1-IDS2 INTERGENIC REGION
11915	24798	38387	2.09	6.3E-01	P36073	SWISSPROT	HYPOHETICAL 15.3 KD PROTEIN IN VMA12-APN1 INTERGENIC REGION
12258	25928	31308	5.44	6.3E-01	9910293	NT	Mus musculus keratin complex 2, gene 6g (Kr12-6g), mRNA
12359	25149		1.81	6.3E-01	AF105227.1	NT	Homo sapiens 3'-phosphoadenosine 5'-phosphosulfate synthetase (PAPSS) mRNA, complete cds
12570	25845		3.19	6.3E-01	X83528.1	NT	Climacium pscD gene
5970	19055	32255	2.37	6.2E-01	Q10135	SWISSPROT	HYPOHETICAL 142.5 KD PROTEIN C23E2.02 IN CHROMOSOME 1
7737	20692		2.75	6.2E-01	AF022253.1	NT	Mus musculus calcium-sensing receptor related protein 4 (Casr-rs4) mRNA, partial cds
7791	25690	34117	1.12	6.2E-01	AL021127.2	NT	Mus musculus chromosome X contigA; putative Mage9 gene, Caltractin, NAD(P) steroid dehydrogenase and Zinc finger protein 185
8644	21612	35034	5.41	6.2E-01	HT7255.1	EST_HUMAN	ys01e08.s1 Soares fetal liver spleen 1N1FLS Homo sapiens cDNA clone IMAGE:213542 3'

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
9208	22174	35805	0.54	6.2E-01	AF034411.1	NT	Lycopodium esculentum cytosolic Cu,Zn superoxide dismutase (Sod) gene, partial cds; and dehydroquininate dehydratase/chikimate:NADP oxidoreductase gene, complete cds
9804	21127	34531	1.87	6.2E-01	BE862887.1	EST_HUMAN	801336146F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3890010 5'
9888	22804		2.17	6.2E-01	M24461.1	NT	Human pulmonary surfactant-associated protein SP-B (SFTPB) mRNA, complete cds
10438	23360	36849	7.04	6.2E-01	AL161611.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 23
10902	23822	37332	5.32	6.2E-01	P27410	SWISSPROT	NON-STRUCTURAL POLYPEPTIDE [CONTAINS: RNA-DIRECTED RNA POLYMERASE; THIOL PROTEASE P3C; HELICASE (2C LIKE PROTEIN); COAT PROTEIN]
10902	23822	37333	5.32	6.2E-01	P27410	SWISSPROT	NON-STRUCTURAL POLYPEPTIDE [CONTAINS: RNA-DIRECTED RNA POLYMERASE; THIOL PROTEASE P3C; HELICASE (2C LIKE PROTEIN); COAT PROTEIN]
2404	15411		5.9	6.1E-01	8678078	NT	Mus musculus secreted acidic cytosine rich glycoprotein (Sparc), mRNA
5614	18710	31868	1.3	6.1E-01	M5940.1	NT	Caenorhabditis elegans N2 Calyculin D (hh-1) alternatively spliced genes, complete cds
7053	20075	33382	3.54	6.1E-01	M84733.1	NT	Rat TRPM-2 gene, complete cds
7053	20075	33383	3.54	6.1E-01	M84733.1	NT	Rat TRPM-2 gene, complete cds
7216	20238	33572	0.7	6.1E-01	AW105553.1	EST_HUMAN	xs50103.x1 NCI_CGAP_Ov23 Homo sapiens cDNA clone IMAGE:2597237 3' similar to gb:X12871_mai HETEROGENEOUS NUCLEAR RIBONUCLEOPROTEIN A1 (HUMAN);
7312	20283	33624	0.64	6.1E-01	Q83769	SWISSPROT	SUSHI REPEAT-CONTAINING PROTEIN SRPX PRECURSOR (DRS PROTEIN) (DOWN-REGULATED BY V-SRC)
8575	21543	34963	3.68	6.1E-01	AF033535.1	NT	Arabidopsis thaliana putative zinc transporter (ZIP1) mRNA, complete cds
9147	22113	35537	1.17	6.1E-01	11431085	NT	Homo sapiens mitogen-activated protein kinase kinase kinase 4 (MAP4K4), mRNA
9147	22113	35538	1.17	6.1E-01	11431085	NT	Homo sapiens mitogen-activated protein kinase kinase kinase 4 (MAP4K4), mRNA
9770	22711	36165	23.08	6.1E-01	AF236117.1	NT	Homo sapiens G-protein coupled receptor EDG-7 mRNA, complete cds
9770	22711	36166	23.08	6.1E-01	AF236117.1	NT	Homo sapiens G-protein coupled receptor EDG-7 mRNA, complete cds
10202	23127	36813	0.99	6.1E-01	AE004452.1	NT	Pseudomonas aeruginosa PA01, section 13 of 629 of the complete genome
10406	23328	36812	1.53	6.1E-01	AF119117.1	NT	Homo sapiens dopamine transporter (SLC6A3) gene, complete cds
11308	24258		1.91	6.1E-01	X74507.1	NT	P. sativum mdh mRNA for chloroplast malate dehydrogenase (NADP+)
12041	24916	38510	1.63	6.1E-01	S83182.1	NT	hyaluronan-binding protein-hepatocyte growth factor activator homolog [human, plasma, mRNA, 2408 nt]
12041	24916	38511	1.63	6.1E-01	S83182.1	NT	hyaluronan-binding protein-hepatocyte growth factor activator homolog [human, plasma, mRNA, 2408 nt]
12555	25731	31616	2.77	6.1E-01	AB041350.1	NT	Mus musculus Col4a5 mRNA for type IV collagen alpha 5 chain, complete cds
495	13667	28490	1.41	6.0E-01	D87676.1	NT	Homo sapiens DNA for amyloid precursor protein, complete cds
563	13633		2.75	6.0E-01	5802899	NT	Homo sapiens adaptor-related protein complex 3, mu 2 subunit (CLA20), mRNA
1364	14368	27369	1.92	6.0E-01	AF065253.1	NT	Human respiratory syncytial virus strain CH93-53b attachment protein (G) gene, complete cds
3828	16968	29770	0.9	6.0E-01	AJ233386.1	NT	Viral hemorrhagic septicemia virus N, P, M, G, Nv, L genes, French strain 07-71

Page 47 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4217	17246		1.61	6.0E-01	AF058895.1	NT	Homo sapiens Notch3 (NOTCH3) gene, exons 26, 27, and 28
4279	17308	30187	0.99	6.0E-01	AB025319.1	NT	Yaba monkey tumor virus DNA, BamH1 restriction fragment E, M and partial C, partial and complete cds
5353	18458	31327	2.14	6.0E-01	P20288	SWISSPROT	D(2) DOPAMINE RECEPTOR
5514	18614	31547	2.22	6.0E-01	AW139713.1	EST_HUMAN	UI-H-B11-aab-a-10-0-UI.s1 NCL_CGAP_Sub3 Homo sapiens cDNA clone IMAGE:2718619 3'
6889	19746	33022	2.68	6.0E-01	U38813.1	NT	Musca domestica Insecticide-susceptible strain voltage-sensitive sodium channel mRNA, complete cds
6818	19872	33181	0.67	6.0E-01	Q04912	SWISSPROT	MACROPHAGE-STIMULATING PROTEIN RECEPTOR PRECURSOR (MSP RECEPTOR) (P185-RON) (CDW136) (CD136 ANTIGEN)
6988	20211	33539	0.78	6.0E-01	L10234.1	NT	Strongylocentrotus purpuratus kinesin light chain isoform 2 mRNA, complete cds
6988	20211	33540	0.78	6.0E-01	L10234.1	NT	Strongylocentrotus purpuratus kinesin light chain isoform 2 mRNA, complete cds
7577	20539	33898	5.51	6.0E-01	AJ277661.1	NT	Homo sapiens partial LMO1 gene for LIM domain only 1 protein, exon 1
8461	21430	34847	4.55	6.0E-01	P02835	SWISSPROT	SEGMENTATION PROTEIN FUSHI TARAZU
8461	21430	34848	4.55	6.0E-01	P02835	SWISSPROT	SEGMENTATION PROTEIN FUSHI TARAZU
10182	23107	36589	1.84	6.0E-01	AB008189.1	NT	Homo sapiens genes for leukotriene B4 receptor BLT2, leukotriene B4 receptor BLT1, complete cds
10636	23558		1.66	6.0E-01	Q01497	SWISSPROT	PEROXISOMAL MEMBRANE PROTEIN PER9 (PEROXIN-3)
10749	23871		0.46	6.0E-01	BE837779.1	EST_HUMAN	RC2-FN0094-190700-017-008 FN0094 Homo sapiens cDNA
11878	24760	38345	2.79	6.0E-01	A1420623.1	EST_HUMAN	h08107.x1 NCL_CGAP_P728 Homo sapiens cDNA clone IMAGE:2095621 3'
12638	25322	31788	1.87	6.0E-01	11421663	NT	Homo sapiens nuclear factor (erythroid-derived 2)-like 3 (NFE2L3), mRNA
12731	25384		2.78	6.0E-01	AA706087.1	EST_HUMAN	z96g05.s1 Scarsa fetal liver spleen INF1L S1 Homo sapiens cDNA clone IMAGE:462776 3'
12918	25777	31522	4.71	6.0E-01	8055303	NT	Mus musculus cGMP-inhibited phosphodiesterase (Pde3a), mRNA
12947	25715		3.4	6.0E-01	BE157617.1	EST_HUMAN	RC1-HT0375-030500-018-c03 HT0375 Homo sapiens cDNA
1002	14053	27005	0.97	5.9E-01	U32701.1	NT	Haemophilus influenzae Rd section 16 of 163 of the complete genome
3283	16337	29256	4.95	5.9E-01	AL163267.2	NT	Homo sapiens chromosome 21 segment HS21C067
3283	16337	29257	4.95	5.9E-01	AL163267.2	NT	Homo sapiens chromosome 21 segment HS21C067
4250	17279		4.09	5.9E-01	AF162756.1	NT	Rattus norvegicus cenein 2 mRNA, partial cds
6809	19867	32943	1.45	5.9E-01	AF065440.2	NT	Homo sapiens low density lipoprotein receptor-related protein II (LRP2) gene, exon 1 and partial cds
7481	20447	33803	2.44	5.9E-01	AB023486.1	NT	Homo sapiens gene for histamine H2 receptor, promoter region and complete cds
8332	21301	34718	0.46	5.9E-01	D90911.1	NT	Synechocystis sp. PCC6803 complete genome, 13/27, 1576593-1719843
8985	21951	35375	0.48	5.9E-01	D12922.1	NT	Legionella pneumophila gene for iron superoxide dismutase, complete cds
9901	22853	36314	0.89	5.9E-01	AF063204.2	NT	Chlamydia trachomatis strain KUW31/Cx major outer membrane protein (omp1) gene, complete cds

Page 48 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
10273	23108		0.66	5.9E-01	P08463	SWISSPROT	E6 PROTEIN
10548	23470	36865	1.19	5.9E-01	P59284	SWISSPROT	VASCULAR ENDOTHELIAL-CADHERIN PRECURSOR (VE-CADHERIN) (CADHERIN-5)
11031	23995	37523	2.46	5.9E-01	Q9X013	SWISSPROT	THYMIDYLATE KINASE (DTMP KINASE)
11037	24001	37526	49.8	5.9E-01	AF197944.1	NT	Xenopus laevis receptor protein tyrosine phosphatase delta (XTP-D) mRNA, complete cds
11309	24259	37786	2.49	5.9E-01	AW937175.1	EST_HUMAN	PM1-DT0041-190100-002-h03 DT0041 Homo sapiens cDNA
11526	24467	38021	1.53	5.9E-01	AF084626.1	NT	Mus spretus strain SPRET/EI CD48 antigen (Cd48) gene, partial cds
12297	25108	31838	2.43	5.9E-01	L42320.1	NT	Oryctolagus cuniculus alpha 1 anti-trypsin (alpha 1 AT) gene, promoter region
12541	25264		2.88	5.9E-01	AB017705.1	NT	Aspergillus oryzae pyrG gene for orotidine-5'-phosphate decarboxylase, complete cds
12740	25390		6.24	5.9E-01	P34926	SWISSPROT	MICROTUBULE-ASSOCIATED PROTEIN 1A [CONTAINS: MAP1 LIGHT CHAIN LC2]
1924	14948	27944	1.28	5.9E-01	P40472	SWISSPROT	SIM1 PROTEIN
2571	15572	28592	1	5.8E-01	7305230	NT	Mus musculus low density lipoprotein B (Ldlb), mRNA
4009	17048	28854	1	5.8E-01	BF695738.1	EST_HUMAN	6018527471 NIH_MGC_56 Homo sapiens cDNA clone IMAGE:4076131 5'
4542	17565	30452	4.23	5.8E-01	AB009077.1	NT	Vigna radiata mRNA for proton pyrophosphatase, complete cds
5449	18550		0.84	5.8E-01	AE002152.1	NT	Ureaplasma urealyticum section 53 of 59 of the complete genome
5609	18705	31862	0.75	5.8E-01	Q10699	SWISSPROT	POTENTIAL 5'-3' EXONUCLEASE
6308	19378	32618	1.82	5.8E-01	D78659.1	EST_HUMAN	HUM500E06B Human placenta polyA+ (TFIIIVara) Homo sapiens cDNA clone GEN-500E06 5'
6445	19510	32760	0.73	5.8E-01	D50601.1	NT	Shigella sonnei DNA for 26 ORFs, complete cds
6985	20208		2.55	5.8E-01	S65091.1	NT	cyclic AMP-regulated phosphoprotein [rata, mRNA, 1030 nt]
8219	21188		2.63	5.8E-01	H41571.1	EST_HUMAN	yr91b03.a1 Soares adult brain N2b5HB55Y Homo sapiens cDNA clone IMAGE:175757 3' similar to
8423	21392	34802	0.59	5.8E-01	A1280051.1	EST_HUMAN	gb:S78187 M-PHASE INDUCER PHOSPHATASE 2 (HUMAN);
8423	21392	34803	0.59	5.8E-01	A1280051.1	EST_HUMAN	q85d10.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1853779 3'
8532	21500	34916	2.67	5.8E-01	P14328	SWISSPROT	q85d10.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1853779 3'
8532	21500	34917	2.57	5.8E-01	P14328	SWISSPROT	SPORE COAT PROTEIN SP96
8532	21500	34917	2.57	5.8E-01	P14328	SWISSPROT	SPORE COAT PROTEIN SP96
8923	22209	35640	9.77	5.8E-01	A1270774.1	NT	Homo sapiens partial TCF-4 gene for T-cell transcription factor-4, exons 8-11
9323	22288	35718	1.02	5.8E-01	Q27398	SWISSPROT	TRANSCRIPTION FACTOR E2F
9324	22289	35719	0.46	5.8E-01	Q20471	SWISSPROT	PUTATIVE CASEIN KINASE I F46F2.2 IN CHROMOSOME X
9954	22881		0.81	5.8E-01	BF031606.1	EST_HUMAN	601567774F1 NIH_MGC_58 Homo sapiens cDNA clone IMAGE:3827298 5'
11334	24284	37808	6.9	5.8E-01	A1243213.1	NT	Homo sapiens partial 6-HT4 receptor gene, exons 2 to 5
11373	24320		2.69	5.8E-01	BF700092.1	EST_HUMAN	602127577F1 NIH_MGC_56 Homo sapiens cDNA clone IMAGE:4284403 5'
11476	24419		1.61	5.8E-01	BF700092.1	EST_HUMAN	602127577F1 NIH_MGC_56 Homo sapiens cDNA clone IMAGE:4284403 5'
1492	14525	27496	1.11	5.7E-01	P08727	SWISSPROT	APOLIPOPROTEIN A-IV PRECURSOR (APO-AIV)
1492	14525	27497	1.11	5.7E-01	P08727	SWISSPROT	APOLIPOPROTEIN A-IV PRECURSOR (APO-AIV)
3056	16113		0.77	5.7E-01	6755253	NT	Mus musculus plasmacytoma variant translocation 1 (Pvt1), mRNA

Page 49 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3237	16292	28214	1.38	5.7E-01	Q9WTJ2	SWISSPROT	PUTATIVE TRANSCRIPTION FACTOR OVO-LIKE 1 (MOVO1) (MOVO1A)
3515	16561		2.79	5.7E-01	AB033503.1	NT	Populus euramericana peacs-2 mRNA for 1-aminocyclopropane-1-carboxylate synthase, complete cds
3922	16962	28876	1.05	5.7E-01	AF011581.1	NT	Homo sapiens T cell receptor beta chain (BV6S72-BJ1S1) mRNA, partial cds
5213	18222	31097	11.22	5.7E-01	4505050	NT	Homo sapiens lymphocyte antigen 6 complex, locus H (LY6H) mRNA
6490	19555	32805	4.38	5.7E-01	BF035413.1	EST_HUMAN	601454962F1 NIH_MGC_86 Homo sapiens cDNA clone IMAGE:3858590 5'
6869	19922	33218	0.82	5.7E-01	AA194201.1	EST_HUMAN	z38c06.r1 Soares_NhHMPu_S1 Homo sapiens cDNA clone IMAGE:665674 5'
7042	18374	31262	1.3	5.7E-01	AL111440.1	NT	Botrytis cinerea strain T4 cDNA library under conditions of nitrogen deprivation
8041	20978	34374	2.13	5.7E-01	P00373	SWISSPROT	PYRROLINE-5-CARBOXYLATE REDUCTASE (P5CR) (P5C REDUCTASE)
8303	21272		0.51	5.7E-01	AJ251835.1	NT	Mus musculus Kcnq1, Ltpc5, Mash2, Tapa-1, Tesc4 and Tesc6 genes, alternative transcripts
8723	21691		0.52	5.7E-01	AJ065061.1	EST_HUMAN	HA0895 Human fetal liver cDNA library Homo sapiens cDNA
10159	23084	36560	1.22	5.7E-01	AL161532.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 32
10159	23084	36561	1.22	5.7E-01	AL161532.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 32
10940	23860	37376	0.75	5.7E-01	BF540882.1	EST_HUMAN	602087712F1 NIH_MGC_88 Homo sapiens cDNA clone IMAGE:4066610 5'
12252	25078		1.49	5.7E-01	BE715051.1	EST_HUMAN	MR3-HT0736-180700-003-a02 HT0736 Homo sapiens cDNA
1889	14914	27907	1.8	5.0E-01	AF097732.1	NT	Homo sapiens caspase recruitment domain-containing protein (BCL10) gene, complete cds
1889	14914	27908	1.6	5.0E-01	AF097732.1	NT	Homo sapiens caspase recruitment domain-containing protein (BCL10) gene, complete cds
3376	18426	29351	1.53	5.0E-01	AB018283.2	NT	Homo sapiens mRNA for KIAA0740 protein, partial cds
3376	18426	29352	1.53	5.0E-01	AB018283.2	NT	Homo sapiens mRNA for KIAA0740 protein, partial cds
4268	17297	30174	0.77	5.0E-01	D83135.1	NT	Chicken TBP gene, exon8, complete cds
5205	18214	31089	0.93	5.0E-01	BF032377.1	EST_HUMAN	601452855F1 NIH_MGC_86 Homo sapiens cDNA clone IMAGE:3856717 5'
9155	22121	35550	14.66	5.0E-01	AV684703.1	EST_HUMAN	AV684703 GK Homo sapiens cDNA clone GKCF5F05 5'
9155	22121	35551	14.66	5.0E-01	AV684703.1	EST_HUMAN	AV684703 GK Homo sapiens cDNA clone GKCF5F05 5'
9730	22788	36211	1.23	5.0E-01	AB038782.1	NT	Homo sapiens MUC3A gene for intestinal mucin, partial cds
12153	25011		3.4	5.0E-01	BE988280.1	EST_HUMAN	601514007F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3916457 5'
12270	25092	38178	1.73	5.0E-01	AA493535.1	EST_HUMAN	ng75g10.s1 NCL_CGAP_P16 Homo sapiens cDNA clone IMAGE:940674 similar to contains element PTR7 repetitive element;
12636	18341	31290	1.51	5.0E-01	AL161501.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 13
12662	25340		3.05	5.0E-01	P50505	SWISSPROT	HIGH AFFINITY POTASSIUM TRANSPORTER
13080	25596		4.95	5.0E-01	BF573829.1	EST_HUMAN	602132029F1 NIH_MGC_81 Homo sapiens cDNA clone IMAGE:4271334 5'
13110	25630		1.33	5.0E-01	AA663881.1	EST_HUMAN	ae74b04.s1 Stralagene schizo brain S11 Homo sapiens cDNA clone IMAGE:969871 3'
1216	14284	27212	0.82	5.0E-01	8883912	NT	Rattus norvegicus Propionyl Coenzyme A carboxylase, beta polypeptide (Pccb), mRNA
2712	15706	28722	5.31	5.5E-01	P03341	SWISSPROT	GAG POLYPEPTIDE[CONTAINS: INNER COAT PROTEIN P12; CORE PROTEIN P15; CORE SHELL PROTEIN P30; NUCLEOPROTEIN P10]

Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2712	15706	28723	5.31	5.5E-01	P03341	SWISSPROT	GAG POLYPROTEIN [CONTAINS: INNER COAT PROTEIN P12; CORE PROTEIN P16; CORE SHELL PROTEIN P30; NUCLEOPROTEIN P10]
2829	15987	28908	0.78	5.5E-01	5802085	NT	Homo sapiens superkiller viralicidic activity 2 (S. cerevisiae homolog)-like (SKIV2L), mRNA
3079	16138	29148	1.48	5.5E-01	I46219.1	EST_HUMAN	yo18a10.s1 Soares adult brain N2bFIB65Y Homo sapiens cDNA clone IMAGE:178266 3'
3248	16303	29227	4.75	5.5E-01	AF227240.1	NT	Rabbit oral papillomavirus, complete genome
3704	16747	29661	2.24	5.5E-01	P48766	SWISSPROT	FOS-RELATED ANTIGEN-1
5209	18218	31094	1.06	5.5E-01	U60097.1	NT	Bos taurus MHC class II beta-chain BOLA-DIB1 gene, partial cds
7467	20433	33789	0.58	5.5E-01	AF030001.1	NT	Mus musculus major histocompatibility locus class III region:butyrophilin-like protein gene, partial cds; Notch4, PBX2, RAGE, lysophosphatidic acid acyl transferase-alpha, palmitoyl-protein thioesterase 2 (PPT2), CREB-RP, and tenascin X (TNX) genes, complex
7467	20433	33789	0.58	5.5E-01	AF030001.1	NT	Mus musculus major histocompatibility locus class III region:butyrophilin-like protein gene, partial cds; Notch4, PBX2, RAGE, lysophosphatidic acid acyl transferase-alpha, palmitoyl-protein thioesterase 2 (PPT2), CREB-RP, and tenascin X (TNX) genes, complex
7504	20469	33789	0.67	5.5E-01	AF030001.1	NT	Carassius auratus gene for gonadotropin II beta subunit, complete cds
8792	21759	35181	0.66	5.5E-01	AJ791766.1	EST_HUMAN	or82c01.y5 NCI_CGAP_Lu5 Homo sapiens cDNA clone IMAGE:1602336 5'
10125	23051		0.69	5.5E-01	U88415.1	NT	Crimson-Congo hemorrhagic fever virus strain SPU 415/85 nucleoprotein gene, complete cds
10743	23665	37160	0.87	5.5E-01	T05047.1	EST_HUMAN	EST02635 Fetal brain, Strategene (cat#936206) Homo sapiens cDNA clone HFBCQ35
146	13249	26178	9.02	5.4E-01	7657266	NT	Homo sapiens KIAA0929 protein Mex2 interacting nuclear target (MINT) homolog (KIAA0929), mRNA
146	13249	26179	9.02	5.4E-01	7657266	NT	Homo sapiens KIAA0929 protein Mex2 interacting nuclear target (MINT) homolog (KIAA0929), mRNA
587	13655	26569	1.34	5.4E-01	AF232006.1	NT	Pseudomonas syringae pv. tomato strain DC3000 AvrE (avrE), HrpW (hrpW), and Gsta (gsta) genes, complete cds; and unknown genes
587	13655	26570	1.34	5.4E-01	AF232006.1	NT	Pseudomonas syringae pv. tomato strain DC3000 AvrE (avrE), HrpW (hrpW), and Gsta (gsta) genes, complete cds; and unknown genes
1276	14311	27272	2.99	5.4E-01	AW86087.1	EST_HUMAN	QV4-NN0040-070400-160-c04 NN0040 Homo sapiens cDNA
2116	15133		2.81	5.4E-01	AE002247.2	NT	Chlamydomonas reinhardtii AR39, section 74 of 84 of the complete genome
2265	15279	28304	2.28	5.4E-01	AJ276682.1	NT	Drosophila melanogaster mRNA for 15.15' beta cardene dioxygenase (beta-diox gene)
5740	18834	32014	0.91	5.4E-01	AW842327.1	EST_HUMAN	PM2-CH0030-030200-003-c10 CH0030 Homo sapiens cDNA
6315	18366	32628	0.8	5.4E-01	AB025017.1	NT	Rattus norvegicus gene for TIS11, complete cds
7226	20248	33562	0.77	5.4E-01	BE866592.2	EST_HUMAN	801660276R1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3806090 3'
7558	20521	33877	0.76	5.4E-01	Z21619.1	NT	S. cerevisiae RIB3 gene encoding DBP synthase
7558	20521	33878	0.76	5.4E-01	Z21619.1	NT	S. cerevisiae RIB3 gene encoding DBP synthase

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7560	20523	33881	1.78	5.4E-01	Q64428	SWISSPROT	MITOCHONDRIAL TRIFUNCTIONAL ENZYME ALPHA SUBUNIT PRECURSOR (TP-ALPHA) [INCLUDES: LONG-CHAIN ENOYL-COA HYDRATASE; LONG CHAIN 3-HYDROXYACYL-COA DEHYDROGENASE]
10349	23273		1.93	5.4E-01	BF572536.1	EST_HUMAN	602076545F1 NIH_MGC 62 Homo sapiens cDNA clone IMAGE:4243690 5'
11414	24358	37893	2.19	5.4E-01	P36858	SWISSPROT	NITRATE REDUCTASE [NADPH](NR)
11652	24689	38159	1.82	5.4E-01	AW373694.1	EST_HUMAN	QV4-BT0536-271289-059-H04 BT0536 Homo sapiens cDNA
11941	24821	38416	3.29	5.4E-01	Q60675	SWISSPROT	LAMININ ALPHA-2 CHAIN PRECURSOR (LAMININ M CHAIN) (MEROSIN HEAVY CHAIN)
11941	24821	38417	3.29	5.4E-01	Q60675	SWISSPROT	LAMININ ALPHA-2 CHAIN PRECURSOR (LAMININ M CHAIN) (MEROSIN HEAVY CHAIN)
12215	25054		3.88	5.4E-01	A1858398.1	EST_HUMAN	wk37g04.x1 NCL_CGAP_U11 Homo sapiens cDNA clone IMAGE:2427126 3' similar to gb:M13452 LAMIN A (HUMAN);
517	13598	26508	1.86	5.3E-01	AF019413.1	NT	Homo sapiens HLA class III region containing tenascin X (tenascin-X) gene, partial cds; cytochrome P450 21- hydroxylase (CYP21B), complement component C4 (C4B) G11, helicase (SK12W), RD, complement factor B (Bf), and complement component C2 (C2) genes.>
2150	15166	28182	0.97	5.3E-01	AF113919.1	NT	Brassica oleracea var. capitata phospholipase D2 (PLD2) gene, complete cds
2180	15166	28183	0.97	5.3E-01	AF113919.1	NT	Brassica oleracea var. capitata phospholipase D2 (PLD2) gene, complete cds
2794	15786	28803	8.62	5.3E-01	4506328	NT	Homo sapiens protein tyrosine phosphatase, receptor-type, zeta polypeptide 1 (PTPRZ1) mRNA
2794	15786	28804	8.62	5.3E-01	4506328	NT	Homo sapiens protein tyrosine phosphatase, receptor-type, zeta polypeptide 1 (PTPRZ1) mRNA
3257	16311	29232	3.25	5.3E-01	AF087658.1	NT	Homo sapiens secreted C-type lectin precursor (L-SLCL) gene, complete cds
4239	17268		1.33	5.3E-01	U39687.1	NT	Mycoplasma genitalium section 9 of 51 of the complete genome
5533	18631	31569	2.06	5.3E-01	A1820921.1	EST_HUMAN	zu42h12.y5 Soares ovary tumor NbHOT Homo sapiens cDNA clone IMAGE:740711 5'
5533	18631	31570	2.06	5.3E-01	A1820921.1	EST_HUMAN	zu42h12.y5 Soares ovary tumor NbHOT Homo sapiens cDNA clone IMAGE:740711 5'
5633	18729	31890	0.76	5.3E-01	AA193872.1	EST_HUMAN	zu42g09.r1 Soares_NhHMPu_S1 Homo sapiens cDNA clone IMAGE:666112 5'
5633	18729	31891	0.76	5.3E-01	AA193872.1	EST_HUMAN	zu42g09.r1 Soares_NhHMPu_S1 Homo sapiens cDNA clone IMAGE:666112 5'
5729	18823	32003	2	5.3E-01	BE645620.1	EST_HUMAN	7e73c12.x1 NCL_CGAP_Pr28 Homo sapiens cDNA clone IMAGE:3288118 3' similar to gb:J02783
5729	18823	32004	2	5.3E-01	BE645620.1	EST_HUMAN	7e73c12.x1 NCL_CGAP_Pr28 Homo sapiens cDNA clone IMAGE:3288118 3' similar to gb:J02783
9255	22221		1.94	5.3E-01	L01950.2	NT	PROTEIN DISULFIDE ISOMERASE PRECURSOR (HUMAN); Roridula gorgonias ribulose 1,5-bisphosphate carboxylase (rbcl) gene, partial cds; chloroplast gene for chloroplast product
9307	22272	35703	0.76	5.3E-01	BF433956.1	EST_HUMAN	7q71c12.x1 NCL_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3' similar to contains element MER29 repetitive element;
9307	22272	35704	0.76	5.3E-01	BF433956.1	EST_HUMAN	7q71c12.x1 NCL_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3' similar to contains element MER29 repetitive element;

Page 52 of 546
Table 4
Single Exon Probes Expressed In Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
10572	23494	36986	0.74	5.3E-01	AI954210.1	EST_HUMAN	w094b02.x1 NCI_CGAP_Mel15 Homo sapiens cDNA clone IMAGE:2551275 3' similar to SW:COXA_HUMAN P20874 CYTOCHROME C OXIDASE POLYPEPTIDE VA PRECURSOR;
10977	23897	37410	0.7	5.3E-01	11428833	NT	Homo sapiens nucleoporin 214kD (CAN) (NUP214). mRNA
11886	24767	36354	5.19	5.3E-01	BE666261.1	EST_HUMAN	601339867F1 NIH_MGC_53 Homo sapiens cDNA clone IMAGE:3682168 5'
12144	25775		4.97	5.3E-01	AA918053.1	EST_HUMAN	og30605.s1 NCI_CGAP_Br7 Homo sapiens cDNA clone IMAGE:1441376 3' similar to gb:J02611
817	13875	26823	16.24	5.2E-01	L20770.1	NT	Drosophila melanogaster helix-loop-helix mRNA, complete cds
1168	14209	27163	7.88	5.2E-01	Q9WV30	SWISSPROT	NUCLEAR FACTOR OF ACTIVATED T CELLS 5 (T CELL TRANSCRIPTION FACTOR NFAT5) (REL DOMAIN-CONTAINING TRANSCRIPTION FACTOR NFAT5)
1196	14235	27190	3.01	5.2E-01	AF224492.1	NT	Homo sapiens phospholipid scramblase 1 gene, complete cds
1903	14927		3.19	5.2E-01	AL163285.2	NT	Homo sapiens chromosome 21 segment HS21C085
2156	15172	28191	2.36	5.2E-01	AB018283.2	NT	Homo sapiens mRNA for KIAA0740 protein, partial cds
3136	16183	29102	1.57	5.2E-01	U65942.1	NT	Chlamydomonas abortus strain S26/3 POMP91A and POMP90A precursor, genes, complete cds
3251	16308		1.14	5.2E-01	D73443.1	NT	Azotobacter vinelandii lsd gene for isocitrate dehydrogenase, complete cds
3416	16484		1.39	5.2E-01	AL118780.1	NT	Botrytis cinerea strain T4 cDNA library under conditions of nitrogen deprivation
3458	16504	29424	2.72	5.2E-01	AA984165.1	EST_HUMAN	em77g05.s1 Stratagene schizo brain S11 Homo sapiens cDNA clone IMAGE:1616504 3'
3648	16691		1	5.2E-01	AF020269.1	NT	Medicago sativa chloroplast malate dehydrogenase precursor (p1mdh) mRNA, nuclear gene encoding chloroplast protein, complete cds
5180	18189		1.04	5.2E-01	AL163281.2	NT	Homo sapiens chromosome 21 segment HS21C081
5736	18830	32008	1.02	5.2E-01	AA284261.1	EST_HUMAN	zc44d09.T7 Soares_senescent_fibroblasts_NbHSF_Homo sapiens cDNA clone IMAGE:325168 3'
10088	25700	36489	0.84	5.2E-01	X02218.1	NT	Chicken duplicated genes for histone H2A, H4 and a histone H3 gene
10088	25700	36490	0.84	5.2E-01	X02218.1	NT	Chicken duplicated genes for histone H2A, H4 and a histone H3 gene
10292	23217	36701	0.52	5.2E-01	AA194518.1	EST_HUMAN	zq05b09.r1 Stratagene muscle 637209 Homo sapiens cDNA clone IMAGE:828793 5'
10367	23309	36787	1.76	5.2E-01	AF143952.2	NT	Homo sapiens PELOTA (PELOTA) gene, complete cds
13031	25578		6.62	5.2E-01	P18516	SWISSPROT	RETINOIC ACID RECEPTOR GAMMA (RAR-GAMMA) (RETINOIC ACID RECEPTOR DELTA) (RAR-DELTA)
919	13694	26602	2.34	5.1E-01	M69509.1	NT	Human adrenocortical reductase gene, exons 3 to 12
649	13715	26636	3.53	5.1E-01	AJ233944.1	NT	Polyangium vitellinum (strain PI vt1) 16S rRNA gene
649	13715	26637	3.53	5.1E-01	AJ233944.1	NT	Polyangium vitellinum (strain PI vt1) 16S rRNA gene
1690	14692		1.28	5.1E-01	X87895.1	NT	R.norvegicus mRNA for mammalian fusca protein
4103	17137	30032	4.81	5.1E-01	AJ858495.1	EST_HUMAN	w39b12.x1 NCI_CGAP_U11 Homo sapiens cDNA clone IMAGE:2427263 3'
4216	17246	30130	2.99	5.1E-01	P96390	SWISSPROT	TRANSCRIPTION-REPAIR COUPLING FACTOR (TRCF)
6348	19417	32658	0.57	5.1E-01	BE541068.1	EST_HUMAN	601063606F1 NIH_MGC_10 Homo sapiens cDNA clone IMAGE:3450000 5'
6407	19475		0.83	5.1E-01	AV712326.1	EST_HUMAN	AV712326 DCA Homo sapiens cDNA clone DCAAUF07 5'

Page 53 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7102	20036	33339	1.52	5.1E-01	R80873.1	EST_HUMAN	y94a09.s1 Soares placenta Nb2HP Homo sapiens cDNA clone IMAGE:146872 3'
8918	21884	35309	0.62	5.1E-01	AW808881.1	EST_HUMAN	QV4-ST0023-160400-172-a01 ST0023 Homo sapiens cDNA
8918	21884	35310	0.62	5.1E-01	AW808881.1	EST_HUMAN	QV4-ST0023-160400-172-a01 ST0023 Homo sapiens cDNA
10043	22970	36437	4.3	5.1E-01	J05412.1	NT	Human regenerating protein (reg) gene, complete cds
10046	22973	36440	3.2	5.1E-01	W22302.1	EST_HUMAN	55B1 Human retina cDNA Tsp509I-cleaved sublibrary Homo sapiens cDNA not directional
10521	23443	36941	0.89	5.1E-01	M94579.1	NT	Human carboxyl ester lipase (CEL) gene, complete cds
12264	25088	38174	2.09	5.1E-01	BF540777.1	EST_HUMAN	602067471F1 NIH_MGC_58 Homo sapiens cDNA clone IMAGE:4086744 5'
12368	25709		2.47	5.1E-01	BF030207.1	EST_HUMAN	601559863F1 NIH_MGC_58 Homo sapiens cDNA clone IMAGE:3826797 5'
12611	25310		3.62	5.1E-01	BF439982.1	EST_HUMAN	hac511f10.x1 NCI_CGAP_Bm23 Homo sapiens cDNA clone IMAGE:3406218 3' similar to contains element TAR1 repetitive element;
2144	15161	28176	0.97	5.0E-01	4885552	NT	Homo sapiens postmeiotic segregation increased 2-like 9 (PMS2L9), mRNA
2144	15161	28177	0.97	5.0E-01	4885552	NT	Homo sapiens postmeiotic segregation increased 2-like 9 (PMS2L9), mRNA
2154	15170	28187	2.39	5.0E-01	AF008210.1	NT	Buchnera aphidicola genomic fragment containing (chaperone Hsp60) groEL, DNA biosynthesis initiating protein (dnaA), ATP operon (apICDGAHFEB), and putative chromosome replication protein (gidA) genes, complete cds; and termination factor Rho (rho) gene>
2154	15170	28188	2.39	5.0E-01	AF008210.1	NT	Buchnera aphidicola genomic fragment containing (chaperone Hsp60) groEL, DNA biosynthesis initiating protein (dnaA), ATP operon (apICDGAHFEB), and putative chromosome replication protein (gidA) genes, complete cds; and termination factor Rho (rho) gene>
2172	15188		0.91	5.0E-01	AL161533.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 33
3761	16802	28714	0.8	5.0E-01	U55574.1	NT	Mus musculus anti-DNA immunoglobulin light chain IgM mRNA, antibody 363p.138, partial cds
3842	16882	28786	1	5.0E-01	L39483.1	NT	Rattus norvegicus jagged protein mRNA, complete cds
3887	16927	29835	2.74	5.0E-01	AB033010.1	NT	Homo sapiens mRNA for KIAA1184 protein, partial cds
6801	19855		0.64	5.0E-01	BF576199.1	EST_HUMAN	602132642F1 NIH_MGC_81 Homo sapiens cDNA clone IMAGE:4271939 5'
7926	20869	34256	0.66	5.0E-01	AL161549.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 49
7926	20869	34257	0.66	5.0E-01	AL161549.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 49
8875	21842		1.87	5.0E-01	M92304.1	NT	Xenopus laevis smooth muscle beta-tropomyosin mRNA, complete cds
9018	21984	35404	0.59	5.0E-01	BF107848.1	EST_HUMAN	601823850R1 NIH_MGC_79 Homo sapiens cDNA clone IMAGE:4043485 3'
9813	21136	34538	3.16	5.0E-01	BF317212.1	EST_HUMAN	601903871F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:4136632 5'
9983	22910	36375	1.31	5.0E-01	P35573	SWISSPROT	GLYCOTRANSFERRING ENZYME (GLYCOTRANSFERRING) [INCLUDES: 4-ALPHA-GLUCANOTRANSFERASE (OLIGO-1,4-1,4-GLUCANOTRANSFERASE); AMYLO-1,6-GLUCOSIDASE (DEXTRIN 6-ALPHA-D-GLUCOSIDASE)]
9983	22910	36376	1.31	5.0E-01	P35573	SWISSPROT	GLYCOTRANSFERRING ENZYME (GLYCOTRANSFERRING) [INCLUDES: 4-ALPHA-GLUCANOTRANSFERASE (OLIGO-1,4-1,4-GLUCANOTRANSFERASE); AMYLO-1,6-GLUCOSIDASE (DEXTRIN 6-ALPHA-D-GLUCOSIDASE)]

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
10756	23678		1.38	5.0E-01	BE89218.1	EST_HUMAN	601446024F1 NIH_MGC_66 Homo sapiens cDNA clone IMAGE:3849436 5'
12302	25113		6.28	5.0E-01	AF029215.1	NT	Mus musculus MRC OX-2 antigen homolog gene, exons 2-5, and complete cds
13004	28558		2.21	5.0E-01	AL163302.2	NT	Homo sapiens chromosome 21 segment HS21C102
13011	28583		5.6	5.0E-01	O13961	SWISSPROT	NUCLEAR ENVELOPE PROTEIN CUT11
780	13849	26796	2.03	4.9E-01	BF571462.1	EST_HUMAN	602076849F1 NIH_MGC_62 Homo sapiens cDNA clone IMAGE:4243860 5'
1668	14700	27675	2.37	4.9E-01	AJ243955.1	NT	Xenopus laevis mRNA for e-Jun protein, 1878 BP
1921	14945	27941	0.99	4.9E-01	U40889.1	NT	Cavia porcellus pulmonary surfactant protein A (SP-a) mRNA, complete cds
5480	18580	31491	1.43	4.9E-01	Q61554	SWISSPROT	FIBRILLIN 1 PRECURSOR
6153	19228	32457	2.67	4.9E-01	AF020931.1	NT	Homo sapiens diacylglycerol kinase 3 (DAGK3) gene, exon 10
6153	19228	32458	2.67	4.9E-01	AF020931.1	NT	Homo sapiens diacylglycerol kinase 3 (DAGK3) gene, exon 10
7685	20643	34007	1.69	4.9E-01	AB040051.1	NT	Oryza sativa subsp. japonica mEF-G mRNA for mitochondrial elongation factor G, complete cds
7972	20911	34301	0.7	4.9E-01	Q10608	SWISSPROT	PUTATIVE UNDECAPRENYL-PHOSPHATE ALPHA-N-ACETYLGLUCOSAMINYLTRANSFERASE
7972	20911	34302	0.7	4.9E-01	Q10506	SWISSPROT	PUTATIVE UNDECAPRENYL-PHOSPHATE ALPHA-N-ACETYLGLUCOSAMINYLTRANSFERASE
9341	22306		1.77	4.9E-01	BF209781.1	EST_HUMAN	601874984F1 NIH_MGC_54 Homo sapiens cDNA clone IMAGE:4102803 5'
9542	22505	35954	0.99	4.9E-01	AW339905.1	EST_HUMAN	hc90c02.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2807286 3' similar to TR:O85714
9651	26009		2.64	4.9E-01	10948863	NT	O65714 HERC2 ;
10681	23603	37097	0.86	4.9E-01	AF053980.1	NT	Mus musculus unc13 homolog (C. elegans) 1 (Unc13h1), mRNA
10886	23808	37314	0.57	4.9E-01	X90000.1	NT	Mus musculus adenyl cyclase 1 (Adcy1) cDNA, partial cds
12196	25041		1.41	4.9E-01	AF176912.1	NT	H. sapiens DNA for BCL7A gene and BCL7A/IGH locus fusion
12897	25963		6.43	4.9E-01	AA613662.1	EST_HUMAN	Homo sapiens neurotrophin-1/B-cell stimulating factor-3 gene, complete cds
5585	18681	31649	8.83	4.8E-01	J02987.1	NT	nc22e11.s1 NCI_CGAP_Cot0 Homo sapiens cDNA clone IMAGE:1144552 3'
5836	19889	33184	0.69	4.8E-01	U92882.1	NT	Saccharomyces cerevisiae) sporulation protein (SPOT11) gene required for meiotic recombination, complete cds
6846	19899		3.82	4.8E-01	AA659878.1	EST_HUMAN	Mus musculus slow skeletal muscle troponin T (Tnni1) gene, complete cds
7538	20501		1.98	4.8E-01	5031650	NT	nu85f08.s1 NCI_CGAP_A1V1 Homo sapiens cDNA clone IMAGE:1217513
7929	20872	34261	0.78	4.8E-01	AL163209.2	NT	Homo sapiens chromosome 21 segment HS21C009
8037	20974	34369	3.56	4.8E-01	AL161492.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 4
8037	20974	34370	3.56	4.8E-01	AL161492.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 4
8237	21208	34611	0.98	4.8E-01	A1820744.1	EST_HUMAN	M77f10.y5 Soares breast 2NblHBst Homo sapiens cDNA clone IMAGE:154795 5' similar to contains element
8600	22604		0.87	4.8E-01	BE155148.1	EST_HUMAN	MER6 repetitive element ;
10368	23291		0.56	4.8E-01	BF568633.1	EST_HUMAN	PM1-HT0350-201289-004-504 HT0350 Homo sapiens cDNA
11081	24043		1.75	4.8E-01	X83502.1	NT	602184267F1 NIH_MGC_42 Homo sapiens cDNA clone IMAGE:4300048 5'
							S.cerevisiae ORFs from chromosome X

Page 55 of 546
Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
12277	25096		1.65	4.8E-01	AL163227.2	NT	Homo sapiens chromosome 21 segment HS21C027
12503	25737		3.32	4.8E-01	AF227565.1	NT	Trypanosoma cruzi transposon VIP II SJRE repeat region
13088	25796		1.49	4.8E-01	AJ132984.1	NT	Chlamydomonas reinhardtii cop gene, exons 1-8
6684	19721	32996	8.88	4.7E-01	BF217173.1	EST_HUMAN	601883880F1 NIH_MGC_57 Homo sapiens cDNA clone IMAGE:4096387 5'
7241	19978	33273	0.92	4.7E-01	A1204374.1	EST_HUMAN	q172a09.x1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1735544 3'
8197	21167	34577	0.59	4.7E-01	T11414.1	EST_HUMAN	hbc811 Human pancreatic islet Homo sapiens cDNA clone hbc811 5'end
8197	21167	34578	0.59	4.7E-01	T11414.1	EST_HUMAN	hbc811 Human pancreatic islet Homo sapiens cDNA clone hbc811 5'end
9430	22394	35834	0.67	4.7E-01	6981501	NT	Rattus norvegicus Spermatine binding protein (Sbp), mRNA
11193	24148		4.78	4.7E-01	AF102873.1	NT	Influenza A virus isolate hk51697 hemagglutinin (HA) gene, partial cds
11422	24366	37901	1.78	4.7E-01	U41069.1	NT	Human collagen alpha2(X) (COL11A2) gene, exons 8 through 16, and partial cds
11613	24551	38111	1.74	4.7E-01	BF629658.1	EST_HUMAN	602043889F1 NCI_OGAP_Brm67 Homo sapiens cDNA clone IMAGE:4181303 5'
11704	24689	38246	1.49	4.7E-01	AW889448.1	EST_HUMAN	RC6-NT0029-240400-011-E08 NT0029 Homo sapiens cDNA
12399	25173		1.63	4.7E-01	BE887763.1	EST_HUMAN	601511333F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3912488 5'
12929	25513		1.38	4.7E-01	BF879515.1	EST_HUMAN	602153928F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:4294974 5'
3756	16798	29709	1.53	4.6E-01	BF693300.1	EST_HUMAN	602081103F1 NIH_MGC_81 Homo sapiens cDNA clone IMAGE:4245481 5'
3756	16798	29710	1.53	4.6E-01	BF693300.1	EST_HUMAN	602081103F1 NIH_MGC_81 Homo sapiens cDNA clone IMAGE:4245481 5'
5190	18199		0.93	4.6E-01	M11267.1	NT	Bovine steroid 21-hydroxylase gene (P-450-c21) gene, complete cds
5493	18593	31503	1	4.6E-01	BF313593.1	EST_HUMAN	601900234F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:4129472 5'
5493	18593	31504	1	4.6E-01	BF313593.1	EST_HUMAN	601900234F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:4129472 5'
5548	18645	31586	3.33	4.6E-01	Q90643	SWISSPROT	INTERFERON REGULATORY FACTOR 3 (IRF-3)
5548	18645	31587	3.33	4.6E-01	Q90643	SWISSPROT	INTERFERON REGULATORY FACTOR 3 (IRF-3)
5625	18721	31880	1.95	4.6E-01	BE734781.1	EST_HUMAN	601568755F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3843637 5'
5639	18735	31897					qh59h02.x1 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:1849011 3' similar to
5639	18735	31898	3.12	4.6E-01	A1247679.1	EST_HUMAN	qh59h02.x1 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:1849011 3' similar to
5647	18743	31909	1.46	4.6E-01	P20050	SWISSPROT	MEIOSIS SPECIFIC PROTEIN HOP1
5730	18824		0.85	4.6E-01	AF212124.1	NT	Andis schwarzii cytochrome b gene, partial cds; mitochondrial gene for mitochondrial product
5821	18911		0.78	4.6E-01	BE817247.1	EST_HUMAN	PMO-BN0260-120600-001-F07 BN0260 Homo sapiens cDNA
6002	19085	32285	0.51	4.6E-01	D28215.1	NT	Unidentified soil bacteria 16S rRNA gene encoding 16S ribosomal RNA
6385	19454	32699	0.92	4.6E-01	AE000894.1	NT	Methanobacterium thermoautotrophicum from bases 1165751 to 1176238 (section 100 of 148) of the complete genome
6881	19933	33231	0.52	4.6E-01	AF115340.1	NT	Bacillus subtilis BbmA (bbmA) gene, complete cds

Page 56 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6932	20156	33474	1.43	4.9E-01	U82332.1	NT	Emmericella nidulans NEMPA (nempA) gene, mitochondrial gene encoding putative mitochondrial protein, complete cds
6932	20156	33475	1.43	4.9E-01	U82332.1	NT	Emmericella nidulans NEMPA (nempA) gene, mitochondrial gene encoding putative mitochondrial protein, complete cds
7441	25681	33759	0.53	4.9E-01	L07320.1	NT	Mutne cytomagalovirus s1 protein gene, complete cds
8001	20940	34333	0.78	4.9E-01	AA493577.1	EST_HUMAN	nm0405.s1 NCL_CGAP_Thy1 Homo sapiens cDNA clone IMAGE:943353 similar to contains Alu repetitive element; contains element L1 repetitive element;
8093	21028		0.53	4.9E-01	AE004031.1	NT	Xylella fastidiosa, section 177 of 229 of the complete genome
8663	21631	35052	13.28	4.9E-01	BF697399.1	EST_HUMAN	602130853F1 NIH_MGC_56 Homo sapiens cDNA clone IMAGE:4287828 5'
9098	22065	35490	0.47	4.9E-01	AA932237.1	EST_HUMAN	0076508.s1 NCL_CGAP_Kid5 Homo sapiens cDNA clone IMAGE:1572087 3' similar to gb:M36341 ADP-RIBOSYLATION FACTOR 4 (HUMAN);
9098	22065	35491	0.47	4.9E-01	AA932237.1	EST_HUMAN	0076508.s1 NCL_CGAP_Kid5 Homo sapiens cDNA clone IMAGE:1572087 3' similar to gb:M36341 ADP-RIBOSYLATION FACTOR 4 (HUMAN);
9656	22599	36048	0.99	4.9E-01	P55202	SWISSPROT	ATRIAL NATRIURETIC PEPTIDE RECEPTOR B PRECURSOR (ANP-B) (ANPRB) (GC-B) (GUANYLATE CYCLASE)
9656	22599	36049	0.99	4.9E-01	P55202	SWISSPROT	ATRIAL NATRIURETIC PEPTIDE RECEPTOR B PRECURSOR (ANP-B) (ANPRB) (GC-B) (GUANYLATE CYCLASE)
10024	22951	36418	0.89	4.9E-01	AF182283.1	NT	Glycine max acetyl-CoA carboxylase (accB-1) gene, complete cds; nuclear gene for chloroplast product
10024	22951	36419	0.89	4.9E-01	AF182283.1	NT	Glycine max acetyl-CoA carboxylase (accB-1) gene, complete cds; nuclear gene for chloroplast product
10335	23259	36736	1.62	4.9E-01	AI915634.1	EST_HUMAN	wg73e12.x1 Soares_NSf_F8_9W_OT_PA_P_S1 Homo sapiens cDNA clone IMAGE:2370768 3'
10335	23259	36737	1.62	4.9E-01	AI915634.1	EST_HUMAN	wg73e12.x1 Soares_NSf_F8_9W_OT_PA_P_S1 Homo sapiens cDNA clone IMAGE:2370768 3'
11335	24285		2.29	4.9E-01	P98163	SWISSPROT	PUTATIVE VITELLOGENIN RECEPTOR PRECURSOR (YL)
11343	24283	37818	4.94	4.9E-01	BE185449.1	EST_HUMAN	IL5-HT0730-100500-075-g05 HT0730 Homo sapiens cDNA
11343	24293	37819	4.94	4.9E-01	BE185449.1	EST_HUMAN	IL5-HT0730-100500-075-g05 HT0730 Homo sapiens cDNA
11445	24388	37930	3.88	4.9E-01	BE272325.1	EST_HUMAN	601126086F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:2989885 5'
11799	23954	37478	4.41	4.9E-01	AF019369.1	NT	Human thiopurine methyltransferase (TPMT) gene, exon 10 and complete cds
11799	23954	37477	4.41	4.9E-01	AF019369.1	NT	Human thiopurine methyltransferase (TPMT) gene, exon 10 and complete cds
12449	25208		1.69	4.9E-01	D53316.1	EST_HUMAN	HUM105F03B Clontech human fetal brain polyA+ mRNA (#6635) Homo sapiens cDNA clone GEN-105F03 5'
1718	14748		0.92	4.5E-01	BE311420.1	EST_HUMAN	601142105F1 NIH_MGC_14 Homo sapiens cDNA clone IMAGE:3505993 5'
1928	14950	27948	1.34	4.5E-01	AE001931.1	NT	Deinococcus radiodurans R1 section 68 of 229 of the complete chromosome 1
1928	14950	27947	1.34	4.5E-01	AE001931.1	NT	Deinococcus radiodurans R1 section 68 of 229 of the complete chromosome 1

Page 57 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2881	15940	28857	5.36	4.5E-01	AA077086.1	EST_HUMAN	255d02.s1 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:454179 3'
3328	18379	29300	3.85	4.5E-01	Q05783	SWISSPROT	BASEMENT MEMBRANE-SPECIFIC HEPARAN SULFATE PROTEOGLYCAN CORE PROTEIN
3389	16438	26364	1.82	4.5E-01	AF126378.1	NT	PRECURSOR (HSPG) (PERLECAN) (PLC)
4060	17096		1.23	4.5E-01	Q28247	SWISSPROT	Mus musculus DNA polymerase epsilon catalytic subunit (Pole) gene, exons 2 through 12
4101	17135	30030	1.12	4.5E-01	A1708908.1	EST_HUMAN	COLLAGEN ALPHA 5(V) CHAIN
4205	18325		4.08	4.5E-01	AW673495.1	EST_HUMAN	as9609.x1 Barehead aorta HPLR86 Homo sapiens cDNA clone IMAGE:2353480 3'
4980	17995	30884	1.09	4.5E-01	BE963445.2	EST_HUMAN	hc60p02.x1 Soares_NFL_1_GBC_S1 Homo sapiens cDNA clone IMAGE:3041810 3'
5628	18724	31885	1.3	4.5E-01	AW608814.1	EST_HUMAN	601857225R1 NIH_MGC_67 Homo sapiens cDNA clone IMAGE:3866023 3'
6760	19814		1.74	4.5E-01	Q00956	SWISSPROT	QV2-PT0012-140100-031-c09 PT0012 Homo sapiens cDNA
7644	20804	33969	0.93	4.5E-01	M37038.1	NT	COAT PROTEIN
7867	20811	34188	2.64	4.5E-01	A1858849.1	EST_HUMAN	Rat nuclear proteins B23.1 and B23.2
7981	20930	34325	0.51	4.5E-01	P50070	SWISSPROT	w32e02.x1 NCL_CGAP_U11 Homo sapiens cDNA clone IMAGE:2426618 3' similar to TR:Q92823 Q92823
8650	21618		0.87	4.5E-01	M32961.1	NT	SWISNF COMPLEX 170 KDA SUBUNIT. ;
8746	21714	35137	3.86	4.5E-01	A1648596.1	EST_HUMAN	DNA PRIMASE
							D melanogaster Shaw2 protein mRNA, complete cds
							tb56g11.x1 NCL_CGAP_Ov35 Homo sapiens cDNA clone IMAGE:2292644 3'
8905	21871	35297	0.74	4.5E-01	Q52728	SWISSPROT	POLY-BETA-HYDROXYBUTYRATE POLYMERASE (POLY(3-HYDROXYBUTYRATE) POLYMERASE)
9133	22059		1.72	4.5E-01	11444786	NT	(PHB POLYMERASE) (PHB SYNTHASE) (POLY(3-HYDROXYALKANOATE) POLYMERASE) (PHA
9351	22316	35742	0.78	4.5E-01	AE000218.1	NT	POLYMERASE) (PHA SYNTHASE) (POLYHYDROXYALKANOIC ACID SYNTHASE)
10300	23225		0.89	4.5E-01	9630816	NT	Homo sapiens hypothetical protein DKFZp547G183 (DKFZp547G183), mRNA
10861	23781	37281	26.2	4.5E-01	M86006.1	EST_HUMAN	Escherichia coli K-12 MG1655 section 108 of 400 of the complete genome
10861	23781	37282	26.2	4.5E-01	M86006.1	EST_HUMAN	Bombyx mori nuclear polyhedrosis virus, complete genome
11212	24165	37695	2.3	4.5E-01	AW591271.1	EST_HUMAN	EST02531 Fetal brain, Stragogene (cat#9336206) Homo sapiens cDNA clone HFBCY17
12165	25955		5.3	4.5E-01	BE871461.1	EST_HUMAN	EST02531 Fetal brain, Stragogene (cat#9336206) Homo sapiens cDNA clone HFBCY17
12349	25144		1.48	4.5E-01	O18638	SWISSPROT	xo14h01.x1 NCL_CGAP_U13 Homo sapiens cDNA clone IMAGE:2703985 3' similar to SW:INT6_MOUSE
12452	25211		1.54	4.5E-01	AJ132045.1	NT	Q64252 VIRAL INTEGRATION SITE PROTEIN INT-6. [1];
12891	25478		8.22	4.5E-01	11422089	NT	601449201F1 NIH_MGC_65 Homo sapiens cDNA clone IMAGE:3862961 5'
2052	15071		2.23	4.5E-01	6680503	NT	OUT AT FIRST PROTEIN
							Thellieria annulata shaT2 gene
							Homo sapiens testis-specific kinase 2 (TESK2), mRNA
							Mus musculus integral membrane-associated protein 1 (ltnap1), mRNA
2398	15405	28430	7.02	4.5E-01	P49765	SWISSPROT	VASCULAR ENDOTHELIAL GROWTH FACTOR B PRECURSOR (VEGF-B) (VEGF RELATED FACTOR)

Page 58 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3328	16377	29298	1.36	4.4E-01	AF058790.1	NT	Rattus norvegicus SynGAP-b mRNA, complete cds
3328	16377	29299	1.36	4.4E-01	AF058790.1	NT	Rattus norvegicus SynGAP-b mRNA, complete cds
3330	16381	29302	1.9	4.4E-01	BF056728.1	EST_HUMAN	791d02.y1 NCL_CGAP_B16 Homo sapiens cDNA clone IMAGE:3383795 5'
4262	17291		1.75	4.4E-01	BE378707.1	EST_HUMAN	601237139F1 NIH_MGC 44 Homo sapiens cDNA clone IMAGE:3609393 5'
5484	18594	31505	1.83	4.4E-01	P04929	SWISSPROT	HISTIDINE-RICH GLYCOPROTEIN PRECURSOR
5494	18594	31506	1.83	4.4E-01	P04929	SWISSPROT	HISTIDINE-RICH GLYCOPROTEIN PRECURSOR
5772	18864	32045	1.77	4.4E-01	S65019.1	NT	mucin [rats, Sprague-Dawley, sulfur-dioxide-treated tracheal epithelium, mRNA Partial, 390 nt]
5790	18882	32064	1.82	4.4E-01	AV720408.1	EST_HUMAN	AV720408 GLC Homo sapiens cDNA clone GLCCSC12 5'
						EST_HUMAN	q182h11.x1 NCL_CGAP_Bm25 Homo sapiens cDNA clone IMAGE:1861125 3' similar to TR:Q29168 Q29168
6064	19145	32358	1.42	4.4E-01	AI198413.1	EST_HUMAN	UNKNOWN PROTEIN ;
6064	19145	32357	1.42	4.4E-01	AI198413.1	EST_HUMAN	UNKNOWN PROTEIN ;
6368	19436	32880	1.9	4.4E-01	AW080795.1	EST_HUMAN	xc27e08.x1 NCL_CGAP_Cot18 Homo sapiens cDNA clone IMAGE:2585510 3' similar to TR:Q95154 Q95154 AF1AT0XIN B1-ALDEHYDE REDUCTASE ;
8482	19527		1.17	4.4E-01	AA776132.1	EST_HUMAN	ae85d11.s1 Stratagene echizo brain S11 Homo sapiens cDNA clone IMAGE:970965 3' similar to gb:M18038 TYROSINE-PROTEIN KINASE LYN (HUMAN);
7927	20887	33950	0.96	4.4E-01	AE000571.1	NT	Helicobacter pylori 26695 section 49 of 134 of the complete genome
8173	21143		12.58	4.4E-01	Z11679.1	NT	S.tuberosum mRNA for induced stolon tip protein (partial)
9115	22081	35509	0.74	4.4E-01	AA056427.1	EST_HUMAN	269a03.at Stratagene colon (#837204) Homo sapiens cDNA clone IMAGE:509836 3'
9506	22469	35913	0.72	4.4E-01	AF112540.1	NT	HIV-1 isolate 08107v8 from USA, envelope glycoprotein (env) gene, partial cds
						EST_HUMAN	hh05c08.x1 NCL_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2954222 3' similar to SW:MSH6_HUMAN P52701 DNA MISMATCH REPAIR PROTEIN MSH6 ;
9538	22501	35949	0.56	4.4E-01	AW612578.1	EST_HUMAN	ZINC FINGER X-CHROMOSOMAL PROTEIN
9545	22589	36038	1.21	4.4E-01	O62836	SWISSPROT	
10321	23245	36725	2.1	4.4E-01	AI288650.1	EST_HUMAN	q3809.x1 NCL_CGAP_Lu5 Homo sapiens cDNA clone IMAGE:1910821 3'
10322	23246		3.91	4.4E-01	P28922	SWISSPROT	GLYCOPROTEIN B PRECURSOR (GLYCOPROTEIN 14)
10457	23378	36872	5.07	4.4E-01	P35590	SWISSPROT	TYROSINE-PROTEIN KINASE RECEPTOR TIE-1 PRECURSOR
10740	23662	37156	1.27	4.4E-01	S78404.1	NT	beta-HKA-H,K-ATPase beta-subunit [rats, Genomic, 8983 nt, segment 2 of 2]
10740	23662	37157	1.27	4.4E-01	S78404.1	NT	beta-HKA-H,K-ATPase beta-subunit [rats, Genomic, 8983 nt, segment 2 of 2]
12432	25198	31824	5.76	4.4E-01		NT	Mus musculus sodium channel, type X, alpha polypeptide (Scn10a), mRNA
12661	26465	31727	2.83	4.4E-01		NT	Autographa californica nucleopolyhedrovirus, complete genome
12867	26535		1.45	4.4E-01	P54725	SWISSPROT	UV EXCISION REPAIR PROTEIN RAD23 HOMOLOG A (HHR23A)
4111	13484	26419	2.49	4.3E-01	AF155218.1	NT	Callithrix jacchus MW/LW opsin gene, upstream flanking region
4111	13484	26420	2.49	4.3E-01	AF155218.1	NT	Callithrix jacchus MW/LW opsin gene, upstream flanking region
1607	14639	27616	0.96	4.3E-01	AW886560.1	EST_HUMAN	QV4-SN0024-200400-183-b01 SN0024 Homo sapiens cDNA

Page 59 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2883	15942		1.83	4.3E-01	AW935269.1	EST_HUMAN	CM2-DT0003-010200-077-c01 DT0003 Homo sapiens cDNA
3073	16130	29042	0.94	4.3E-01	AW999477.1	EST_HUMAN	MRO-BN0070-270300-008-g04 BN0070 Homo sapiens cDNA
4178	17209	30095	1.32	4.3E-01	J00306.1	NT	Human sciatostatin 1 gene and flanks
4435	13484	28419	1.63	4.3E-01	AF155218.1	NT	Caillitrix jacchus MW/LW opsin gene, upstream flanking region
4435	13484	28420	1.63	4.3E-01	AF155218.1	NT	Caillitrix jacchus MW/LW opsin gene, upstream flanking region
5154	18164		1.17	4.3E-01	9635250	NT	Xestia c-nigrum granulovirus, complete genome
5291	18298	31157	1.10	4.3E-01	BE780162.1	EST_HUMAN	601468030F1 NIH_MGC_67 Homo sapiens cDNA clone IMAGE:3871255 5'
5438	18540	31448	0.89	4.3E-01	P48634	SWISSPROT	LARGE PROLINE-RICH PROTEIN BAT2 (HLA-B-ASSOCIATED TRANSCRIPT 2)
5438	18540	31450	0.89	4.3E-01	P48634	SWISSPROT	LARGE PROLINE-RICH PROTEIN BAT2 (HLA-B-ASSOCIATED TRANSCRIPT 2)
5990	18075	32273	1.5	4.3E-01	BE181655.1	EST_HUMAN	QV1-HT0638-070500-191-d08 HT0638 Homo sapiens cDNA
6010	18093	32293	1.93	4.3E-01	AF179925.1	NT	Salmon sclerous olfactory receptor (SSC186) gene, partial cds
6866	19919	33214	4	4.3E-01	AJ001678.1	NT	Coturnix coturnix japonica linc gene
7049	20071		0.86	4.3E-01	Q33367	SWISSPROT	DNA GYRASE SUBUNIT B
7692	20622		1.83	4.3E-01	BF348001.1	EST_HUMAN	602023134F1 NCI_CGAP_Brn67 Homo sapiens cDNA clone IMAGE:4158296 5'
8116	21053		0.62	4.3E-01	M58843.1	NT	Human lipoprotein associated coagulation inhibitor (LACI) gene, exon 2
8770	21737		2.56	4.3E-01	U97040.1	NT	Methanococcus voltae flagellar-related protein C-1 (flaC-flaI) genes, complete cds
9810	22614	36068	1.04	4.3E-01	Y14604.1	NT	Erwinia amylovora rcsV gene
10084	23011	36483	1.88	4.3E-01	AW630048.1	EST_HUMAN	hh74e10.y1 NCI_CGAP_GU1 Homo sapiens cDNA clone IMAGE:2868554 5'
10084	23011	36484	1.88	4.3E-01	AW630048.1	EST_HUMAN	hh74e10.y1 NCI_CGAP_GU1 Homo sapiens cDNA clone IMAGE:2868554 5'
10589	23511	37005	0.85	4.3E-01	AW170559.1	EST_HUMAN	xn63a05.x1 Soares_NHCC cervical tumor Homo sapiens cDNA clone IMAGE:2698400 3' similar to
10879	23799	37501	0.48	4.3E-01	H65292.1	EST_HUMAN	TR:O00189 O00189 MU-ADAPTIN-RELATED PROTEIN 2. ;
11277	20178	33603	1.55	4.3E-01	AF075628.1	NT	yr45b05.s1 Soares fetal liver spleen INFLS Homo sapiens cDNA clone IMAGE:208209 3'
11539	24480	38031	1.77	4.3E-01	AW993658.1	EST_HUMAN	Equus caballus microsatellite LEX027
11539	24480	38032	1.77	4.3E-01	AW993658.1	EST_HUMAN	RC3-BN0034-290200-013-c12 BN0034 Homo sapiens cDNA
13055	25592		2.24	4.3E-01	AJ003022.1	NT	RC3-BN0034-290200-013-c12 BN0034 Homo sapiens cDNA
1360	18665	27365	1.77	4.2E-01	Q39102	SWISSPROT	Streptomyces coelicolor whiH gene
3623	16668	29580	4.43	4.2E-01	AE003947.1	NT	CELL DIVISION PROTEIN FTSH HOMOLOG PRECURSOR
3651	16694	29609	1.04	4.2E-01	AI280338.1	EST_HUMAN	Xyella fastidiosa, section 93 of 229 of the complete genome
3724	18324		1.22	4.2E-01	N81203.1	EST_HUMAN	ql84b01.x1 Soares_NHMPu_S1 Homo sapiens cDNA clone IMAGE:1879945 3'
3893	18933	29843	0.69	4.2E-01	AW835527.1	EST_HUMAN	788E1 fetal brain cDNA Homo sapiens cDNA clone 788E1-K similar to R07878, 240498
4007	17046	29953	1.72	4.2E-01	Q04886	SWISSPROT	QV0-LT0015-180200-127-h01 LT0015 Homo sapiens cDNA
							SOX-8 PROTEIN
							h169h01.s1 NCI_CGAP_P110 Homo sapiens cDNA clone IMAGE:997777 similar to gb:M33800 HLA CLASS II HISTOCOMPATIBILITY ANTIGEN, DR-1 BETA CHAIN (HUMAN);
4726	17746	30637	4.9	4.2E-01	AA534093.1	EST_HUMAN	

Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4820	17837	30735	3.62	4.2E-01	R13467.1	EST_HUMAN	Y77601.1 Soares infant brain 1N1B Homo sapiens cDNA clone IMAGE:28278 5'
5801	18893	32078	1.38	4.2E-01	BF242056.1	EST_HUMAN	601879721F1 NIH_MGC_56 Homo sapiens cDNA clone IMAGE:4108493 5'
5878	18965	32156	1.23	4.2E-01	AW854162.1	EST_HUMAN	RC3-C10254-060400-029-g04 CT0254 Homo sapiens cDNA
6329	19399	32641	0.91	4.2E-01	AL163247.2	NT	Homo sapiens chromosome 21 segment HS21C047
7139	20115	33428	9.39	4.2E-01	AU158472.1	EST_HUMAN	AU158472 PLACE2 Homo sapiens cDNA clone PLACE2000470 3'
7139	20115	33429	9.39	4.2E-01	AU158472.1	EST_HUMAN	AU158472 PLACE2 Homo sapiens cDNA clone PLACE2000470 3'
7207	29877	33563	5.51	4.2E-01	S82604.1	NT	Braat1=breast cancer gene [rats, WF, spleen, Genomic, 419 nt, segment 2 of 2]
7300	20272	33607	5.9	4.2E-01	AL161547.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 47
7822	20770	34146	0.52	4.2E-01	AL163252.2	NT	Homo sapiens chromosome 21 segment HS21C052
8325	21294	34708	2.58	4.2E-01	AW957448.1	EST_HUMAN	EST369413 IMAGE resequences, IMAGE Homo sapiens cDNA
8325	21294	34709	2.56	4.2E-01	AW957448.1	EST_HUMAN	EST369413 IMAGE resequences, IMAGE Homo sapiens cDNA
8548	21516	34934	0.49	4.2E-01	4758039	NT	Homo sapiens cytochrome c oxidase subunit VIc (COX6C), nuclear gene encoding mitochondrial protein, mRNA
10329	23263	36958	0.72	4.2E-01	AA705007.1	EST_HUMAN	Z95901.s1 Soares fetal liver spleen_1N1FLS_S1 Homo sapiens cDNA clone IMAGE:462848 3'
10541	23463	36958	0.43	4.2E-01	AF181854.1	NT	Laesa virus strain 803213 glycoprotein precursor and nucleoprotein genes, complete cds
10862	23782	37283	1.53	4.2E-01	AW863866.1	EST_HUMAN	MR3-SN0010-280300-103-r07 SN0010 Homo sapiens cDNA
11382	24329	37858	2.39	4.2E-01	AB023489.1	NT	Oryzias latipes OIGC7 mRNA for membrane guanylyl cyclase, complete cds
11723	24609	38185	1.77	4.2E-01	BE966485.2	EST_HUMAN	60160352R1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3906085 3'
13090	28618	27090	1.4	4.2E-01	AI392837.1	EST_HUMAN	Ig10c05.x1 NCL CGAP_CELL1 Homo sapiens cDNA clone IMAGE:2108360 3'
1096	14140	27090	1.96	4.1E-01	AI905481.1	EST_HUMAN	RC-BT091-210199-142 BT091 Homo sapiens cDNA
1105	14149	27099	1.33	4.1E-01	AV705243.1	EST_HUMAN	AV705243 ADB Homo sapiens cDNA clone ADBAHF08 5'
1105	14149	27100	1.33	4.1E-01	AV705243.1	EST_HUMAN	AV705243 ADB Homo sapiens cDNA clone ADBAHF08 5'
2722	15716	28734	1.43	4.1E-01	7705283	NT	Homo sapiens anaphase-promoting complex subunit 7 (APC7), mRNA
2961	16008	28932	2.07	4.1E-01	AL161536.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 38
2951	16008	28933	2.07	4.1E-01	AL161536.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 38
3314	16387	29287	0.89	4.1E-01	AA908344.1	EST_HUMAN	q94b08.s1 Soares NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1505943 3'
4303	17332	30212	2.54	4.1E-01	AJ249207.1	NT	Rhodococcus sp. AD45 isoG, isoH, isoI, isoJ, isoK, isoL, isoM, isoN, isoO, isoP, isoQ, isoR, isoS, isoT, isoU, isoV, isoW, isoX, isoY, isoZ, isoAA, isoAB, isoAC, isoAD, isoAE, isoAF, isoAG, isoAH, isoAI, isoAJ, isoAK, isoAL, isoAM, isoAN, isoAO, isoAP, isoAQ, isoAR, isoAS, isoAT, isoAU, isoAV, isoAW, isoAX, isoAY, isoAZ, isoBA, isoBB, isoBC, isoBD, isoBE, isoBF, isoBG, isoBH, isoBI, isoBJ, isoBK, isoBL, isoBM, isoBN, isoBO, isoBP, isoBQ, isoBR, isoBS, isoBT, isoBU, isoBV, isoBW, isoBX, isoBY, isoBZ, isoCA, isoCB, isoCC, isoCD, isoCE, isoCF, isoCG, isoCH, isoCI, isoCJ, isoCK, isoCL, isoCM, isoCN, isoCO, isoCP, isoCQ, isoCR, isoCS, isoCT, isoCU, isoCV, isoCW, isoCX, isoCY, isoCZ, isoDA, isoDB, isoDC, isoDD, isoDE, isoDF, isoDG, isoDH, isoDI, isoDJ, isoDK, isoDL, isoDM, isoDN, isoDO, isoDP, isoDQ, isoDR, isoDS, isoDT, isoDU, isoDV, isoDW, isoDX, isoDY, isoDZ, isoEA, isoEB, isoEC, isoED, isoEE, isoEF, isoEG, isoEH, isoEI, isoEJ, isoEK, isoEL, isoEM, isoEN, isoEO, isoEP, isoEQ, isoER, isoES, isoET, isoEU, isoEV, isoEW, isoEX, isoEY, isoEZ, isoFA, isoFB, isoFC, isoFD, isoFE, isoFF, isoFG, isoFH, isoFI, isoFJ, isoFK, isoFL, isoFM, isoFN, isoFO, isoFP, isoFQ, isoFR, isoFS, isoFT, isoFU, isoFV, isoFW, isoFX, isoFY, isoFZ, isoGA, isoGB, isoGC, isoGD, isoGE, isoGF, isoGG, isoGH, isoGI, isoGJ, isoGK, isoGL, isoGM, isoGN, isoGO, isoGP, isoGQ, isoGR, isoGS, isoGT, isoGU, isoGV, isoGW, isoGX, isoGY, isoGZ, isoHA, isoHB, isoHC, isoHD, isoHE, isoHF, isoHG, isoHH, isoHI, isoHJ, isoHK, isoHL, isoHM, isoHN, isoHO, isoHP, isoHQ, isoHR, isoHS, isoHT, isoHU, isoHV, isoHW, isoHX, isoHY, isoHZ, isoIA, isoIB, isoIC, isoID, isoIE, isoIF, isoIG, isoIH, isoII, isoIJ, isoIK, isoIL, isoIM, isoIN, isoIO, isoIP, isoIQ, isoIR, isoIS, isoIT, isoIU, isoIV, isoIW, isoIX, isoIY, isoIZ, isoJA, isoJB, isoJC, isoJD, isoJE, isoJF, isoJG, isoJH, isoJI, isoJJ, isoJK, isoJL, isoJM, isoJN, isoJO, isoJP, isoJQ, isoJR, isoJS, isoJT, isoJU, isoJV, isoJW, isoJX, isoJY, isoJZ, isoKA, isoKB, isoKC, isoKD, isoKE, isoKF, isoKG, isoKH, isoKI, isoKJ, isoKK, isoKL, isoKM, isoKN, isoKO, isoKP, isoKQ, isoKR, isoKS, isoKT, isoKU, isoKV, isoKW, isoKX, isoKY, isoKZ, isoLA, isoLB, isoLC, isoLD, isoLE, isoLF, isoLG, isoLH, isoLI, isoLJ, isoLK, isoLL, isoLM, isoLN, isoLO, isoLP, isoLQ, isoLR, isoLS, isoLT, isoLU, isoLV, isoLW, isoLX, isoLY, isoLZ, isoMA, isoMB, isoMC, isoMD, isoME, isoMF, isoMG, isoMH, isoMI, isoMJ, isoMK, isoML, isoMN, isoMO, isoMP, isoMQ, isoMR, isoMS, isoMT, isoMU, isoMV, isoMW, isoMX, isoMY, isoMZ, isoNA, isoNB, isoNC, isoND, isoNE, isoNF, isoNG, isoNH, isoNI, isoNJ, isoNK, isoNL, isoNM, isoNO, isoNP, isoNQ, isoNR, isoNS, isoNT, isoNU, isoNV, isoNW, isoNX, isoNY, isoNZ, isoOA, isoOB, isoOC, isoOD, isoOE, isoOF, isoOG, isoOH, isoOI, isoOJ, isoOK, isoOL, isoOM, isoON, isoOO, isoOP, isoOQ, isoOR, isoOS, isoOT, isoOU, isoOV, isoOW, isoOX, isoOY, isoOZ, isoPA, isoPB, isoPC, isoPD, isoPE, isoPF, isoPG, isoPH, isoPI, isoPJ, isoPK, isoPL, isoPM, isoPN, isoPO, isoPP, isoPQ, isoPR, isoPS, isoPT, isoPU, isoPV, isoPW, isoPX, isoPY, isoPZ, isoQA, isoQB, isoQC, isoQD, isoQE, isoQF, isoQG, isoQH, isoQI, isoQJ, isoQK, isoQL, isoQM, isoQN, isoQO, isoQP, isoQQ, isoQR, isoQS, isoQT, isoQU, isoQV, isoQW, isoQX, isoQY, isoQZ, isoRA, isoRB, isoRC, isoRD, isoRE, isoRF, isoRG, isoRH, isoRI, isoRJ, isoRK, isoRL, isoRM, isoRN, isoRO, isoRP, isoRQ, isoRR, isoRS, isoRT, isoRU, isoRV, isoRW, isoRX, isoRY, isoRZ, isoSA, isoSB, isoSC, isoSD, isoSE, isoSF, isoSG, isoSH, isoSI, isoSJ, isoSK, isoSL, isoSM, isoSN, isoSO, isoSP, isoSQ, isoSR, isoSS, isoST, isoSU, isoSV, isoSW, isoSX, isoSY, isoSZ, isoTA, isoTB, isoTC, isoTD, isoTE, isoTF, isoTG, isoTH, isoTI, isoTJ, isoTK, isoTL, isoTM, isoTN, isoTO, isoTP, isoTQ, isoTR, isoTS, isoTT, isoTU, isoTV, isoTW, isoTX, isoTY, isoTZ, isoUA, isoUB, isoUC, isoUD, isoUE, isoUF, isoUG, isoUH, isoUI, isoUJ, isoUK, isoUL, isoUM, isoUN, isoUO, isoUP, isoUQ, isoUR, isoUS, isoUT, isoUU, isoUV, isoUW, isoUX, isoUY, isoUZ, isoVA, isoVB, isoVC, isoVD, isoVE, isoVF, isoVG, isoVH, isoVI, isoVJ, isoVK, isoVL, isoVM, isoVN, isoVO, isoVP, isoVQ, isoVR, isoVS, isoVT, isoVU, isoVV, isoVW, isoVX, isoVY, isoVZ, isoWA, isoWB, isoWC, isoWD, isoWE, isoWF, isoWG, isoWH, isoWI, isoWJ, isoWK, isoWL, isoWM, isoWN, isoWO, isoWP, isoWQ, isoWR, isoWS, isoWT, isoWU, isoWV, isoWW, isoWX, isoWY, isoWZ, isoXA, isoXB, isoXC, isoXD, isoXE, isoXF, isoXG, isoXH, isoXI, isoXJ, isoXK, isoXL, isoXM, isoXN, isoXO, isoXP, isoXQ, isoXR, isoXS, isoXT, isoXU, isoXV, isoXW, isoXX, isoXY, isoXZ, isoYA, isoYB, isoYC, isoYD, isoYE, isoYF, isoYG, isoYH, isoYI, isoYJ, isoYK, isoYL, isoYM, isoYN, isoYO, isoYP, isoYQ, isoYR, isoYS, isoYT, isoYU, isoYV, isoYW, isoYX, isoYY, isoYZ, isoZA, isoZB, isoZC, isoZD, isoZE, isoZF, isoZG, isoZH, isoZI, isoZJ, isoZK, isoZL, isoZM, isoZN, isoZO, isoZP, isoZQ, isoZR, isoZS, isoZT, isoZU, isoZV, isoZW, isoZX, isoZY, isoZZ

Page 61 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
9445	22409	35846	1.45	4.1E-01	6755521	NT	Mus musculus signaling intermediate in Toll pathway-evolutionarily conserved (Sitpec-pending), mRNA
9923	22807		0.58	4.1E-01	AF160597.1	NT	Vesalvo gymnocaudus Vgym560 cytochrome b (cytb) gene, complete cds; mitochondrial gene for
10626	23548		1.18	4.1E-01	AL139076.2	NT	Campylobacter jejuni NCTC11168 complete genome; segment 3/6
10776	23696	37194	1.1	4.1E-01	AV649579.1	EST_HUMAN	AV649579 GLC Homo sapiens cDNA clone GLCVD12 3'
10873	23793	37294	0.51	4.1E-01	P18584	SWISSPROT	PROBABLE SERINE PROTEASE DO-LIKE PRECURSOR (59 KDA IMMUNOGENIC PROTEIN) (SK59)
10873	23793	37295	0.51	4.1E-01	P18584	SWISSPROT	PROBABLE SERINE PROTEASE DO-LIKE PRECURSOR (59 KDA IMMUNOGENIC PROTEIN) (SK59)
10943	23863		2.1	4.1E-01	BF349382.1	EST_HUMAN	CM2-HT0137-200998-010-e08 HT0137 Homo sapiens cDNA
11188	24144	37877	39.55	4.1E-01	X58700.1	NT	Zea mays ZMPMS2 gene for 19 kDa zein protein
12751	25931		3	4.1E-01	D87875.1	NT	Homo sapiens DNA for amyloid precursor protein, complete cds
142	15833		0.65	4.0E-01	AW847123.1	EST_HUMAN	RC2-GT0201-280998-012-d10 GT0201 Homo sapiens cDNA
1040	14085	27036	0.71	4.0E-01	8404656	NT	Leaque rubellus mitochondrion, complete genome
1342	14377	27346	1.17	4.0E-01	AF203478.1	NT	Drosophila melanogaster Dalmatian (dmt) mRNA, complete cds
1481	14514		5.11	4.0E-01	6679258	NT	Mus musculus platelet derived growth factor receptor, beta polypeptide (Pdgfrb), mRNA
2022	15883	28054	1.12	4.0E-01	Z96933.1	NT	Ascaris lumbricoides msc2 gene
2022	15883	28055	1.12	4.0E-01	Z96933.1	NT	Ascaris lumbricoides msc2 gene
2167	15183	28203	1.09	4.0E-01	AE001931.1	NT	Deinococcus radiodurans R1 section 68 of 229 of the complete chromosome 1
2167	15183	28204	1.09	4.0E-01	AE001931.1	NT	Deinococcus radiodurans R1 section 68 of 229 of the complete chromosome 1
2816	13246	28176	1.27	4.0E-01	6678490	NT	Mus musculus ubiquitin-protein ligase e3 component n-recognition (Ubr1), mRNA
2979	16037	28959	1.34	4.0E-01	AL163280.2	NT	Homo sapiens chromosome 21 segment HS21C080
2979	16037	28960	1.34	4.0E-01	AL163280.2	NT	Homo sapiens chromosome 21 segment HS21C080
							Streptococcus pneumoniae Y1C (Y1C), Y1D (Y1D), penicillin-binding protein 2x (pbp2x), and undecaprenyl-phosphate-UDP-MurNAc-pentapeptide phospho-MurNAc-pentapeptide transferase (mraY) genes, complete cds
3709	16782	29668	2.32	4.0E-01	AF068903.1	NT	Ovis aries partial JD2 gene for T cell receptor delta chain (TCRDJ2), exon 1
3840	16880	29783	3.28	4.0E-01	AJ277511.1	NT	Ovis aries partial JD2 gene for T cell receptor delta chain (TCRDJ2), exon 1
3840	16880	29784	3.28	4.0E-01	AJ277511.1	NT	Ovis aries partial JD2 gene for T cell receptor delta chain (TCRDJ2), exon 1
4855	17872		9.36	4.0E-01	Q31849	SWISSPROT	NADH-PLASTOQUINONE OXIDOREDUCTASE CHAIN 5, CHLOROPLAST
6015	19098	32299	1.14	4.0E-01	AW970610.1	EST_HUMAN	EST T382691 IMAGE ressequencing, MAGK Homo sapiens cDNA
6226	19300	32533	0.51	4.0E-01	BF243741.1	EST_HUMAN	601877853F1 NIH_MGC_55 Homo sapiens cDNA clone IMAGE:4106221 5'
							STRUCTURAL POLYPEPTIDE (P130) [CONTAINS: COAT PROTEIN C; SPIKE GLYCOPROTEINS E3, E2 AND E1; 6 KD PEPTIDE]
6578	19638	32904	0.92	4.0E-01	P27285	SWISSPROT	Homo sapiens OCTN2 gene, complete cds
8345	21314	34729	0.8	4.0E-01	AB016625.1	NT	Homo sapiens OCTN2 gene, complete cds
9390	22325	35763	0.98	4.0E-01	AA323289.1	EST_HUMAN	EST T26068 Cerebellum II Homo sapiens cDNA 5' and similar to EST containing Alu repeat

Page 62 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
11895	24776		2	4.0E-01	BF030262.1	EST_HUMAN	601565283F1 NIH_MGC_58 Homo sapiens cDNA clone IMAGE:3828092 5'
12030	24908		1.75	4.0E-01	L76080.1	NT	Synechocystis sp. PCC 9413 transposase gene, complete cds
12448	25793		3.03	4.0E-01	AL163300.2	NT	Homo sapiens chromosome 21 segment HS21C100
12868	25536		1.6	4.0E-01	P36049	SWISSPROT	HYPOTHEICAL 49.7 KD PROTEIN IN GIN2-STE3 INTERGENIC REGION
1378	14412	27383	1.65	3.9E-01	AF206618.1	NT	Gorilla gorilla carboxyl-ester lipase (CEL) gene, complete cds
2850	15647	28670	3.62	3.9E-01	AB033019.1	NT	Homo sapiens mRNA for KIAA1163 protein, partial cds
2716	15710	28726	4.28	3.9E-01	X82032.1	NT	H. sapiens B-myb gene
2716	15710	28727	4.28	3.9E-01	X82032.1	NT	H. sapiens B-myb gene
3113	16170	29080	4.68	3.9E-01	AJ226896.1	NT	Sinorhizobium meliloti egf, syb2, cys3 genes and orf3
4108	17140	30035	1.25	3.9E-01	BF582611.1	EST_HUMAN	7161d01.x1 NCI CGAP_B116 Homo sapiens cDNA clone IMAGE:3339169 3'
5027	18041	30924	1.74	3.9E-01	BE728667.1	EST_HUMAN	601563948F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3833699 5'
6042	19124	32329	5.95	3.9E-01	BF208036.1	EST_HUMAN	601862362F1 NIH_MGC_53 Homo sapiens cDNA clone IMAGE:4082055 5'
6411	19479	32726	0.68	3.9E-01	UB2695.2	NT	Homo sapiens zinc finger protein 92 (ZFP92), expressed-Xq28STS protein (XQ28ORF), and biglycan (BGN) genes, complete cds; and plasma membrane calcium ATPase isoform 3 (PMCA3) gene, partial cds
8296	21255	34684	0.8	3.9E-01	U79415.1	NT	Homo sapiens prepro dipeptidyl peptidase I (DPP-I) gene, complete cds
9213	22179	35610	0.73	3.9E-01	AW177011.1	EST_HUMAN	CM3-CT0105-170899-004-508 CT0105 Homo sapiens cDNA
9222	22188		0.68	3.9E-01	BF348634.1	EST_HUMAN	602019944F1 NCI CGAP_Bm67 Homo sapiens cDNA clone IMAGE:4155322 5'
9590	22552	36003	1.41	3.9E-01	AW195888.1	EST_HUMAN	xn86d04.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2701351 3' similar to TR:064821
9903	22855	36316	1.83	3.9E-01	AB37337.1	EST_HUMAN	wp76d02.x1 NCI CGAP_Bm25 Homo sapiens cDNA clone IMAGE:2467658 3' similar to
10237	23162	36650	2.99	3.9E-01	M19879.1	NT	SW:RFX5_HUMAN P48382 BINDING REGULATORY FACTOR. ;
10305	23230		0.46	3.9E-01	11466620	NT	Human clabindin 27 gene, exons 10 and 11, and L1 and Alu repeats
10527	23449	36947	0.82	3.9E-01	D86722.1	NT	Porphyrin purpurea mitochondrion, complete genome
10985	23895	37397	0.48	3.9E-01	M18440.1	NT	Nicotiana tabacum mRNA for TATA binding protein (TBP), complete cds
12219	25688		4.08	3.9E-01	AF304354.1	NT	Human beta-B2-crystallin (B2-1) gene, exon 4, partial cds
12344	25142		2.01	3.9E-01	Q61670	SWISSPROT	Homo sapiens proteoglycan 3 (PRG3) gene, complete cds
12840	25452		1.49	3.9E-01	11433335	NT	HOMEOBOX PROTEIN HLX1
161	13264		9.02	3.8E-01	7019488	NT	Homo sapiens hypothetical protein FLJ10583 (FLJ10583), mRNA
508	13577		0.8	3.8E-01	AB029291.1	NT	Homo sapiens protein kinase PKNbeta (pknbeta), mRNA
1886	14911		1.19	3.8E-01	AE003870.1	NT	Mus musculus pcn-1 mRNA for pericentriolar material-1, complete cds
2465	15469	28493	1.24	3.8E-01	U41846.1	NT	Xylella fastidiosa, section 16 of 229 of the complete genome
2577	15578	28597	2.26	3.8E-01	AF214117.1	NT	Ceanorhabditis briggsae acetylcholinesterase (ace-1) gene, complete cds
						NT	Arabidopsis thaliana putative c-myc-like transcription factor (MYB3R-3) mRNA, complete cds

Page 63 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2640	15900	28662	4.89	3.8E-01	8678002	NT	Mus musculus solute carrier family 1, member 8 (Slc1a8), mRNA
3015	16073		0.88	3.8E-01	AJ251057.1	NT	Human immunodeficiency virus type 1 complete genome (isolate 98SE-MP1213)
3061	16118	29033	2.11	3.8E-01	AF043383.1	NT	Pleuroctes americanus aminopeptidase N (ampN) gene, partial cds
3495	16542	29466	9.24	3.8E-01	AL161618.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 30
3549	16595		0.75	3.8E-01	AI807219.1	EST_HUMAN	w388b12.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2357855 3'
3566	16595		0.97	3.8E-01	AI807219.1	EST_HUMAN	w388b12.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2357855 3'
3769	16811	29720	0.99	3.8E-01	BE154080.1	EST_HUMAN	PMO-HT0339-200400-010-G01 HT0339 Homo sapiens cDNA
5691	18798	31957	1.08	3.8E-01	Q04888	SWISSPROT	TRANSCRIPTION FACTOR SOX-10
6473	18538		0.6	3.8E-01	S48826.1	NT	prion protein [mink, Genomic, 2448 nt]
6779	19834	33117	5.49	3.8E-01	BE072399.1	EST_HUMAN	QV3-BT0537-271299-049-e02 BT0537 Homo sapiens cDNA
6924	20148	33468	4.76	3.8E-01	AI374601.1	EST_HUMAN	ts54f11.x1 Soares_total_fetus_Nb2HF8_9w Homo sapiens cDNA clone IMAGE:2047917 3' similar to contains Alu repetitive element;
7126	20059	33365	1.24	3.8E-01	AL161513.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 25
7743	20697	34063	0.51	3.8E-01	AA626274.1	EST_HUMAN	zu88c05.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:745064 3'
7759	20712		4.27	3.8E-01	X61597.1	NT	M.musculus gene for kaikrain-binding protein
7998	20937	34331	0.49	3.8E-01	V00693.1	NT	Yeast mitochondrial gene for ATPase (genes olt2 and olt4)
8640	21608	35031	0.45	3.8E-01	M81385.1	NT	Mouse liver receptor homologous protein (LRH-1) mRNA, complete cds
8903	21869	35294	2.04	3.8E-01	AB046851.1	NT	Homo sapiens mRNA for KIAA1631 protein, partial cds
8972	21938	35363	0.79	3.8E-01	11441284	NT	Homo sapiens FOS-like antigen-1 (FOSL1), mRNA
9169	22135	35561	1.47	3.8E-01	AL163279.2	NT	Homo sapiens chromosome 21 segment HS21C079
9919	22740		6.02	3.8E-01	T95413.1	EST_HUMAN	y643h06.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:120539 5' similar to contains Alu repetitive element; contains PTR5 repetitive element ;
11862	24744		3.41	3.8E-01	BE19219.1	EST_HUMAN	RC0-HT0841-040800-032-b12 HT0841 Homo sapiens cDNA
12000	24877	38473	2.61	3.8E-01	R42650.1	EST_HUMAN	y92h11.s1 Soares infant brain 1NIB Homo sapiens cDNA clone IMAGE:30289 3'
12000	24877	38474	2.61	3.8E-01	R42650.1	EST_HUMAN	y92h11.s1 Soares infant brain 1NIB Homo sapiens cDNA clone IMAGE:30289 3'
12433	25199		4.23	3.8E-01	AE001124.1	NT	Borrelia burgdorferi (section 10 of 70) of the complete genome
12557	25889		2.63	3.8E-01	U94788.1	NT	Human p53 (TP53) gene, complete cds
12667	25343		2.84	3.8E-01	BE829256.1	EST_HUMAN	QV3-ET0063-190700-271-e05 ET0063 Homo sapiens cDNA
13056	25864		2.03	3.8E-01	AF291483.1	NT	Mus musculus vomeronasal receptor V1RA4 (V1ra4) gene, complete cds
13063	25905	31422	1.4	3.8E-01	TS4787.1	EST_HUMAN	y642b11.s1 Stralagene fetal spleen (#937205) Homo sapiens cDNA clone IMAGE:73821 3' similar to similar to gb:A06977 SERUM ALBUMIN PRECURSOR (HUMAN)
13080	25611	31690	1.57	3.8E-01	AF194972.1	NT	Mus musculus developmental control protein mRNA, partial cds
2490	15493	28513	12.56	3.7E-01	AB037831.1	NT	Homo sapiens mRNA for KIAA1410 protein, partial cds
3474	16520	29442	11.71	3.7E-01	AF066336.1	NT	Danio rerio bone morphogenetic protein 4 precursor (BMP4) gene, complete cds

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3884	16924	29833	0.7	3.7E-01	AA319482.1	EST_HUMAN	EST T21715 Adrenal gland tumor Homo sapiens cDNA 5' end
4257	17286	30168	6.92	3.7E-01	AI218707.1	EST_HUMAN	ok39c07.x1 Soares_NSF_F8_9W_OT_PA_P_S1 Homo sapiens cDNA clone IMAGE:1610188 3'
4348	17375	30255	1.84	3.7E-01	AW878037.1	EST_HUMAN	MR3-OT0007-080300-104-602 OT0007 Homo sapiens cDNA
4416	17443	30334	3	3.7E-01	AE002408.1	NT	Neisseria meningitidis serogroup B strain MC56 section 50 of 206 of the complete genome
5857	18947	32132	1.16	3.7E-01	AF135187.1	NT	Homo sapiens interferon-induced protein p78 (MX1) gene, complete cds
6060	19141	32353	1.35	3.7E-01	AL163278.2	NT	Homo sapiens chromosome 21 segment HS21C078
6659	19716	32993	0.66	3.7E-01	M10808.1	NT	Chicken (White leghorn) delta-1 and delta-2 crystallin genes, complete cds
6980	19737		0.77	3.7E-01	L10353.1	NT	Mus saxicola haploglobin mRNA, complete cds
7350	20320	33667	3.48	3.7E-01	11525843	NT	Homo sapiens tumor endothelial marker 7 precursor (TEM7), mRNA
7658	20618	33983	0.65	3.7E-01	BE873743.1	EST_HUMAN	607483887F1 NIH_MGC_69 Homo sapiens cDNA clone IMAGE:3886662 5'
7658	20618	33984	0.65	3.7E-01	BE873743.1	EST_HUMAN	607483887F1 NIH_MGC_69 Homo sapiens cDNA clone IMAGE:3886662 5'
8069	21008	34404	0.71	3.7E-01	T68902.1	EST_HUMAN	ye50a07.3 Soares fetal liver spleen 1NFS Homo sapiens cDNA clone IMAGE:66324 5'
8672	21640	35064	1.93	3.7E-01	11436739	NT	Homo sapiens chromosome 12 open reading frame 4 (C12ORF4), mRNA
8672	21640	35065	1.93	3.7E-01	11436739	NT	Homo sapiens chromosome 12 open reading frame 4 (C12ORF4), mRNA
8708	21676	35101	0.69	3.7E-01	AA902912.1	EST_HUMAN	ok43b11.s1 NCI_CGAP_Le12 Homo sapiens cDNA clone IMAGE:1616701 3'
9558	22518		3.78	3.7E-01	AJ271386.1	NT	Gallus gallus mRNA for beta-carotene 15,15'-dioxygenase (bCDO gene)
10530	23452		0.52	3.7E-01	K00691.1	NT	mouse Ig germline alpha membrane exons region
10570	23492	36984	3.65	3.7E-01	A1336411.1	EST_HUMAN	qt46b07.x1 Soares_fetal_lung_NbHL19W Homo sapiens cDNA clone IMAGE:1950897 3'
11205	24159	37689	1.9	3.7E-01	X05958.1	NT	Rabbit mRNA for fast skeletal muscle myosin heavy chain (MHG)
11369	24316	37842	2.81	3.7E-01	AJ297357.1	NT	Homo sapiens partial LIMD1 gene for LIM domains containing protein 1 and KIAA0851 gene
11369	24316	37843	2.81	3.7E-01	AJ297357.1	NT	Homo sapiens partial LIMD1 gene for LIM domains containing protein 1 and KIAA0851 gene
11794	23949	37470	2.34	3.7E-01	X04122.1	NT	Bovine mRNA for terminal deoxynucleotidyltransferase (TdT) (EC 2.7.7.31)
12014	24891		1.53	3.7E-01	AA973540.1	EST_HUMAN	0046d03.s1 NCI_CGAP_Lu5 Homo sapiens cDNA clone IMAGE:1669221 3' similar to gb:M77698
12060	24933		3.22	3.7E-01	6677678	NT	TRANSCRIPTIONAL REPRESSOR PROTEIN YY1 (HUMAN);
12136	25501		2.6	3.7E-01	J04982.1	NT	Mus musculus retinoblastoma 1 (Rb1), mRNA
12309	25117		4.23	3.7E-01	AJ243525.1	NT	Human heart/skeletal muscle ATP/ADP translocator (ANT1) gene, complete cds
12764	25406		1.86	3.7E-01	AL121134.1	EST_HUMAN	Chlamydomonas reinhardtii psIIa1 partial omp1 gene for outer membrane protein 1
12829	25447	31722	2.71	3.7E-01	Y18000.1	NT	DKFZp762K075_r1 762 (synonym: hmel2) Homo sapiens cDNA clone DKFZp762K075 5'
897	14048		11.36	3.6E-01	U89241.1	NT	Homo sapiens NF2 gene
1317	14352	27320	2.68	3.6E-01	T60255.1	EST_HUMAN	Human mlbp gene, partial cds
1317	14352	27321	2.68	3.6E-01	T60255.1	EST_HUMAN	xd03e05.r1 Soares infant brain 1N1B Homo sapiens cDNA clone IMAGE:24443 5'
1831	14955	27931	6.09	3.6E-01	AW590184.1	EST_HUMAN	xd03e05.r1 Soares infant brain 1N1B Homo sapiens cDNA clone IMAGE:24443 5'
1831	14955	27932	6.09	3.6E-01	AW590184.1	EST_HUMAN	hg33f02.x1 NCI_CGAP_GC6 Homo sapiens cDNA clone IMAGE:2947419 3'
1831	14955	27932	6.09	3.6E-01	AW590184.1	EST_HUMAN	hg33f02.x1 NCI_CGAP_GC6 Homo sapiens cDNA clone IMAGE:2947419 3'

Page 65 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1988	14989	27992	6.4	3.6E-01	AF216207.1	NT	Mus musculus ribosomal protein S19 (Rps19) gene, complete cds
2399	15406		3.58	3.6E-01	X76725.1	NT	P. Irregular (P3804) gene for actin
2483	15487	28510	1.29	3.6E-01	L05435.1	NT	Rattus norvegicus synaptic vesicle protein (SV2) mRNA, complete cds
2483	15487	28511	1.29	3.6E-01	L05435.1	NT	Rattus norvegicus synaptic vesicle protein (SV2) mRNA, complete cds
2495	15498	28524	1.63	3.6E-01	AW812033.1	EST_HUMAN	RC5-ST0171-181098-011-g07 ST0171 Homo sapiens cDNA
							PROTEIN-L-ISOASPARTATE O-METHYLTRANSFERASE (PROTEIN-BETA-ASPARTATE METHYLTRANSFERASE) (PIMT) (PROTEIN L-ISOASPARTYL METHYLTRANSFERASE) (L-ISOASPARTYL PROTEIN CARBOXYL METHYLTRANSFERASE)
2638	15637	28660	1.23	3.6E-01	P24208	SWISSPROT	Drosophila melanogaster sugar transporter 3 (sug3) mRNA, complete cds
2910	18322		5.89	3.6E-01	AF199485.1	NT	H. sapiens serobinin transporter gene, exons 9 and 10
3483	16529	29453	2.01	3.6E-01	X76758.1	NT	H. sapiens serobinin transporter gene, exons 9 and 10
3483	16529	29454	2.01	3.6E-01	X76758.1	NT	H. sapiens serobinin transporter gene, exons 9 and 10
4436	17462	30351	1.14	3.6E-01	BE707883.1	EST_HUMAN	RC1-HT0545-150600-014-b12 HT0545 Homo sapiens cDNA
4787	17805	30697	0.72	3.6E-01	Y11526.1	NT	Z. mays mRNA for casein kinase II alpha subunit
5045	18058	30937	2.61	3.6E-01	AW339393.1	EST_HUMAN	hac2g04.x1 NCI CGAP_Lu24 Homo sapiens cDNA clone IMAGE:2872566 3'
5136	18145	31025	0.65	3.6E-01	BE067699.1	EST_HUMAN	MR4-BT0358-270300-005-g10 BT0358 Homo sapiens cDNA
5274	18280	31143	0.91	3.6E-01	AF067859.1	NT	Gallus gallus homeodomain protein HOXD-3 mRNA, complete cds
5274	18280	31144	0.91	3.6E-01	AF067859.1	NT	Gallus gallus homeodomain protein HOXD-3 mRNA, complete cds
5456	18558	31469	0.71	3.6E-01	AJ006565.1	NT	Homo sapiens lipo gene intron 5
							FORMATE HYDROGENLYASE SUBUNIT 5 PRECURSOR (FHL SUBUNIT 5) (HYDROGENASE-3 COMPONENT E)
6205	19279	32512	1.1	3.6E-01	P16431	SWISSPROT	Homo sapiens PHEX gene
6623	19681	32958	1.8	3.6E-01	Y10196.1	NT	X77406.r1 Soares fetal liver spleen 1NFSL Homo sapiens cDNA clone IMAGE:275987 5'
7355	20325		3.63	3.6E-01	R94090.1	EST_HUMAN	w72c10.x1 Soares thymus_NHFT Homo sapiens cDNA clone IMAGE:2513010 3' similar to TR:O15117
7500	20465	33826	1.86	3.6E-01	AW027174.1	EST_HUMAN	O15117 FYN BINDING PROTEIN. [1]
8566	21534	34954	0.64	3.6E-01	P98167	SWISSPROT	SCO-SPONDIN
8622	21590	35008	14.05	3.6E-01	AL161583.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 79
9330	22295	35724	0.53	3.6E-01	U91328.1	NT	Human hereditary haemochromatosis region, histone 2A-like protein gene, hereditary haemochromatosis (HLA-H) gene, RoRet gene, and sodium phosphate transporter (NPT3) gene, complete cds
9330	22295	35725	0.53	3.6E-01	U91328.1	NT	Human hereditary haemochromatosis region, histone 2A-like protein gene, hereditary haemochromatosis (HLA-H) gene, RoRet gene, and sodium phosphate transporter (NPT3) gene, complete cds
9355	22320	35746	2.84	3.6E-01	4504958	NT	Homo sapiens lysosomal-associated membrane protein 2 (LAMP2), transcript variant LAMP2A, mRNA

Page 66 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
9355	22320	35747	2.84	3.6E-01	4504958	NT	Homo sapiens lysosomal-associated membrane protein 2 (LAMP2), transcript variant LAMP2A, mRNA
9347	22510	35958	1.12	3.6E-01	AL163204.2	NT	Homo sapiens chromosome 21 segment HS21C004
9754	22695	36151	0.93	3.6E-01	X17550.1	NT	D. melanogaster singed gene, exons 3, 4, 5 & 6
9754	22695	36152	0.93	3.6E-01	X17550.1	NT	D. melanogaster singed gene, exons 3, 4, 5 & 6
9824	22673		0.54	3.6E-01	X62825.1	NT	G. perflingens plc gene for phospholipase C upstream region containing bent DNA fragment
10222	23147	36636	10.68	3.6E-01	Q53194	SWISSPROT	PROBABLE PEPTIDE ABC TRANSPORTER ATP-BINDING PROTEIN Y4TS
10352	23276	36750	0.48	3.6E-01	AW752901.1	EST_HUMAN	MR2-CT0222-211099-002-b10 CT0222 Homo sapiens cDNA
10352	23276	36751	0.48	3.6E-01	AW752901.1	EST_HUMAN	MR2-CT0222-211099-002-b10 CT0222 Homo sapiens cDNA
11292	24242	37769	3.04	3.6E-01	BE002390.1	EST_HUMAN	601876418F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:39898997 5'
11442	24385	37925	3.26	3.6E-01	AB004293.1	NT	Arabidopsis thaliana mRNA for SigB, complete cds
11772	23927	37448	5.83	3.6E-01	AE000856.1	NT	Methanobacterium thermoautotrophicum from bases 702375 to 714311 (section 62 of 148) of the complete genome
12174	26989		2.05	3.6E-01	Y19210.1	NT	Homo sapiens HHb5 gene for hair keratin, exons 1 to 9
12247	26076		1.42	3.6E-01	D90901.1	NT	Synechocystis sp. PCC6803 complete genome, 9/27, 271600-402289
12257	26083		6.35	3.6E-01	AE000335.1	NT	Escherichia coli K-12 MG1655 section 225 of 400 of the complete genome
12417	25187		6.26	3.6E-01	U66888.1	NT	Mus musculus Emr1 mRNA, complete cds
12770	25410		1.97	3.6E-01	11432598	NT	Homo sapiens myeloid/lymphoid or mixed-lineage leukemia (t(11q24) (Drosophila) homolog); translocated to, 10 (AF10), mRNA
13033	25934		3.33	3.6E-01	AW190229.1	EST_HUMAN	x60e11.x1 NCL_CGAP_Pan1 Homo sapiens cDNA clone IMAGE:2679116 3' similar to gb:K00558 TUBULIN ALPHA-1 CHAIN (HUMAN);
115	13226	26150	1.42	3.5E-01	AL161536.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 36
210	13311	26238	3.29	3.5E-01	6978933	NT	Mus musculus meninose receptor, C type 2 (Mrc2), mRNA
726	13767	26722	1.48	3.5E-01	7706138	NT	Homo sapiens GAP-like protein (LOC51306), mRNA
726	13767	26723	1.48	3.5E-01	7706138	NT	Homo sapiens GAP-like protein (LOC51306), mRNA
790	13840	26785	4.95	3.5E-01	BF129796.1	EST_HUMAN	601811060R1 NIH_MGC_48 Homo sapiens cDNA clone IMAGE:4053951 3'
1623	14656	27634	0.96	3.5E-01	BF310698.1	EST_HUMAN	601894953F2 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:4124244 5'
1646	14678	27651	2.57	3.5E-01	U35776.1	NT	Rattus norvegicus ADP-ribosylation factor-directed GTPase activating protein mRNA, complete cds
2291	15303	28328	1.28	3.5E-01	P06798	SWISSPROT	HOMEBOX PROTEIN HOX-A4 (HOX-1.4) (MH-3)
2813	15999	28636	1.13	3.5E-01	AA223252.1	EST_HUMAN	z08a09.s1 Stragene NT2 neuronal precursor 937230 Homo sapiens cDNA clone IMAGE:650872 3'
3818	16858		7.27	3.5E-01	AA642138.1	EST_HUMAN	nr60d03.s1 NCL_CGAP_Lym3 Homo sapiens cDNA clone IMAGE:1172357 3'
4291	17320	30199	2.18	3.5E-01	AF071253.1	NT	Danio rerio homeobox protein (hox5b) gene, complete cds

Page 67 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4922	17939	30831	0.71	3.5E-01	N81203.1	EST_HUMAN	788IE1 fetal brain cDNA Homo sapiens cDNA clone 788IE1-K similar to R07879, Z40498
4969	17984	30874	6.48	3.5E-01	M18349.1	NT	Rat leukocyte common antigen (L-CA) gene, exons 1 through 5
5407	18510	31387	0.84	3.5E-01	Q96687	SWISSPROT	EARLY E2A DNA-BINDING PROTEIN
5407	18510	31388	0.84	3.5E-01	Q96687	SWISSPROT	EARLY E2A DNA-BINDING PROTEIN
5629	18725	31886	1.36	3.5E-01	D42045.1	NT	Human mRNA for KIAA0086 gene, complete cds
6365	19434		0.77	3.5E-01	AW863918.1	EST_HUMAN	PM4-SN0012-030400-001-a11 SN0012 Homo sapiens cDNA
6548	19609	32871	0.62	3.5E-01	AA431833.1	EST_HUMAN	zw7903.r1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:782429 5' similar to TR:G1066935
6593	19653	32825	0.88	3.5E-01	U37150.1	NT	Bos taurus peptide methionine sulfoxide reductase (msrA) mRNA, complete cds
6821	19875	33164	0.82	3.5E-01	O24357	SWISSPROT	GLUCOSE-6-PHOSPHATE 1-DEHYDROGENASE, CHLOROPLAST PRECURSOR (G6PD)
7257	19992		3.65	3.5E-01	X98505.1	NT	S. scrofa mRNA for CD31 protein (PECAM-1)
7789	20742	34115	0.81	3.5E-01	P47281	SWISSPROT	HISTIDYL-TRNA SYNTHETASE (HISTIDINE-TRNA LIGASE) (HISRS)
7789	20742	34116	0.81	3.5E-01	P47281	SWISSPROT	HISTIDYL-TRNA SYNTHETASE (HISTIDINE-TRNA LIGASE) (HISRS)
8023	20960	34356	0.7	3.5E-01	X06091.1	NT	E. coli L-arabinose transport operon with genes araF, araG and araH
8406	21375		2.17	3.5E-01	11448042	NT	Homo sapiens tumor protein p53-binding protein, 2 (TP53BP2), mRNA
8409	21378	34784	0.67	3.5E-01	BF359871.1	EST_HUMAN	RC4-ET0024-260600-014-d07 ET0024 Homo sapiens cDNA
8810	21777		0.58	3.5E-01	AF051561.1	NT	Rattus norvegicus Na-K-Cl cotransporter (Nkcc1) mRNA, complete cds
9279	22245	35674	1.14	3.5E-01	4507610	NT	Homo sapiens tyrosine kinase non-receptor 1 (TNK1), mRNA
10093	23019	36494	6.94	3.5E-01	Q07294	SWISSPROT	VOLTAGE-DEPENDENT N-TYPE CALCIUM CHANNEL ALPHA-1B SUBUNIT (CALCIUM CHANNEL, L TYPE, ALPHA-1 POLYPEPTIDE ISOFORM 5) (BRAIN CALCIUM CHANNEL III) (BII)
10246	23171	36660	5.51	3.5E-01	Z26825.1	NT	X. laevis gene for albumin including HP1 enhancer
10326	23250	36729	1.01	3.5E-01	BE174794.1	EST_HUMAN	QV2-H10577-090400-128-c07 H10577 Homo sapiens cDNA
11086	24047	37569	2.48	3.5E-01	X61084.1	NT	C. griseus rhodopsin gene for opsin protein
11362	24311	37838	1.68	3.5E-01	AJ243178.1	NT	Gallus gallus SPARC gene for osteonectin, promoter and exon 1
11362	24311	37839	1.68	3.5E-01	AJ243178.1	NT	Gallus gallus SPARC gene for osteonectin, promoter and exon 1
11919	24800	38391	1.67	3.5E-01	N77597.1	EST_HUMAN	yz20h12.r1 Soares_multiple_sclerosis_2NbhMSP Homo sapiens cDNA clone IMAGE:280375 5'
11940	24820		1.77	3.5E-01	M82885.1	NT	Drosophila melanogaster dual bar protein (BarH2) gene, exon 1
11991	24868	39463	1.6	3.5E-01	L05145.1	NT	Human glucokinase (GCK) gene, repeat polymorphism
12269	25991		1.8	3.5E-01	AF287468.1	NT	Schistosoma mansoni strain NIMRI chromatin assembly factor 1 small subunit-like protein (RBAP48) mRNA, complete cds
12341	25139		1.31	3.5E-01	X64595.1	NT	B. taurus atpA1 gene for F0(J)F(1) ATP synthase alpha-subunit
12501	25240		2.56	3.5E-01	AE001774.1	NT	Thermotoga maritima section 88 of 136 of the complete genome
13085	25842	31430	3.37	3.5E-01	H80814.1	EST_HUMAN	ys64f11.r1 Soares retina N2b4HR Homo sapiens cDNA clone IMAGE:219597 5'
13085	25842	31431	3.37	3.5E-01	H80814.1	EST_HUMAN	ys64f11.r1 Soares retina N2b4HR Homo sapiens cDNA clone IMAGE:219597 5'

Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
13106	25627		1.57	3.5E-01	4758297	NT	Homo sapiens v-erb-b2 avian erythroblastic leukemia viral oncogene homolog 2 (neurofiblastoma derived oncogene homolog) (ERBB2), mRNA
708	13770		1.97	3.4E-01	AJ242956.1	NT	Homo sapiens partial N-myc (exon 3), HPV45 L2, HPV45 E6, HPV45 E7 and HPV45 E1 genes isolated from IC4 cervical carcinoma cell line
977	14028	26982	9.08	3.4E-01	Y09798.2	NT	Pseudomonas fluorescens colR, colS genes, <i>orf222</i> and partial <i>inaA</i> gene
1329	14384	27332	2.79	3.4E-01	Y00554.1	NT	Azotobacter vinelandii <i>nifA</i> gene for NifA protein (positive regulatory element)
2410	15417	28441	2.01	3.4E-01	D80909.1	NT	<i>Synechocystis</i> sp. POC6803 complete genome, 11/27, 1311235-1430418
3014	16072	28982	0.88	3.4E-01	AL163210.2	NT	Homo sapiens chromosome 21 segment HS21C010
3014	16072	28993	0.86	3.4E-01	AL163210.2	NT	Homo sapiens chromosome 21 segment HS21C010
3175	16230	29146	6.62	3.4E-01	U83905.1	NT	Canis familiaris rod photoreceptor cGMP-gated channel alpha-subunit (CNGC1) mRNA, complete cds*
3354	16405	29326	0.94	3.4E-01	AF034862.1	NT	Homo sapiens pulmonary surfactant protein D, promoter region and exon 1
3542	16588	29512	3.42	3.4E-01	AF106835.1	NT	Methylovorus sp. strain SS1 putative GrpE (grpE), DnaK (dnaK), and putative DnaJ (dnaJ) genes, complete cds
3804	16844		1.78	3.4E-01	BF449010.1	EST_HUMAN	7f94a01.x1 NCI_CGAP_Ov18 Homo sapiens cDNA clone IMAGE:3872232 3' similar to TR:Q8UJ15 Q8UJ15 DJ18C8.1;
4082	17116		1.48	3.4E-01	AA684196.1	EST_HUMAN	nc11b10.s1 NCI_CGAP_Phe1 Homo sapiens cDNA clone IMAGE:1100347 3'
4674	17695	30582	1.72	3.4E-01	BE069912.1	EST_HUMAN	MR4-BT0403-230200-202-c01 BT0403 Homo sapiens cDNA
4989	18004		4.71	3.4E-01	AI240973.1	EST_HUMAN	q95c05.x1 NCI_CGAP_Kid3 Homo sapiens cDNA clone IMAGE:1867208 3' similar to contains Alu repetitive element;
5768	18860	32040	2.74	3.4E-01	AL161694.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 90.
5909	18995		5.14	3.4E-01	AA085313.1	EST_HUMAN	zn12d11.s1 Stratagene RNT neuron (8937233) Homo sapiens cDNA clone IMAGE:547221 3'
6122	19200		1.74	3.4E-01	L02971.1	NT	Echovirus 22 1AB, 1C, 1D, 2A, 2B, 2C, 3A, 3B, 3C, 3D proteins RNA, complete mature peptides and cds
6146	19221	32451	0.8	3.4E-01	BE748912.1	EST_HUMAN	601571811T1 NIH_MGC_55 Homo sapiens cDNA clone IMAGE:3838828 3'
6229	19303	32535	1.91	3.4E-01	AW204505.1	EST_HUMAN	UI-H-B11-aal-e-120-UJ.s1 NCI_CGAP_Sub3 Homo sapiens cDNA clone IMAGE:2719582 3'
6362	19431	32674	1.78	3.4E-01	AL120544.1	EST_HUMAN	DKFZp761A249_r1 761 (synonym: ham2) Homo sapiens cDNA clone DKFZp761A249 5'
6907	19969		1.19	3.4E-01	N95225.1	EST_HUMAN	z553e12.s1 Soares fetal lung NBHL19W Homo sapiens cDNA clone IMAGE:307342 3'
7135	20111	33424	1.14	3.4E-01	AI468082.1	EST_HUMAN	hm63g05.x1 NCI_CGAP_Bm25 Homo sapiens cDNA clone IMAGE:2162840 3' similar to gb:S37431 LAMININ RECEPTOR (HUMAN);
7261	19986	33293	0.61	3.4E-01	BF675702.1	EST_HUMAN	602085283F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:4248365 5'
8238	21207		0.54	3.4E-01	AE000493.1	NT	Escherichia coli K-12 MG1655 section 383 of 400 of the complete genome
8579	21547	34966	0.55	3.4E-01	Y14690.1	NT	Homo sapiens TCRAV28 gene, allele A4, partial
8832	21799		1.8	3.4E-01	AA337063.1	EST_HUMAN	EST41766 Endometrial tumor Homo sapiens cDNA 5' end

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8909	21875	35301	0.64	3.4E-01	L04690.1	NT	Oricetulus griseus cholesterol 7-alpha-hydroxylase gene, complete cds
9204	22170	35600	1.89	3.4E-01	9633624	NT	Bovine enterovirus strain K2577, complete genome
9567	22529	35978	4.43	3.4E-01	P26013	SWISSPROT	INTEGRIN BETA-8 PRECURSOR
9567	22529	35979	4.43	3.4E-01	P26013	SWISSPROT	INTEGRIN BETA-8 PRECURSOR
9776	22717		0.49	3.4E-01	AB017510.1	NT	Ephydratia fluviatilis mRNA for PLC-gammaS, complete cds
9801	21124	34527	6.03	3.4E-01	U19492.1	NT	Saccharomyces cerevisiae Maf1p (MAF1) gene, complete cds
9801	21124	34528	6.03	3.4E-01	U19492.1	NT	Saccharomyces cerevisiae Maf1p (MAF1) gene, complete cds
9855	22791	36243	0.43	3.4E-01	AF163857.1	NT	Dictyostelium discoideum putative CMF receptor CMFR1 mRNA, complete cds
10054	22981	36449	1.09	3.4E-01	U68763.1	NT	Glycine max putative transcription factor SCOF-1 (scf-1) mRNA, complete cds
10249	23174	36664	2.14	3.4E-01	AJ225084.1	NT	Homo sapiens FAA gene, exon 16, 17 and 18
10843	23763		0.68	3.4E-01	AE004096.1	NT	Vibrio cholerae chromosome I, section 4 of 251 of the complete chromosome
11357	24307		3.51	3.4E-01	AE000681.1	NT	Methanobacterium thermoautotrophicum from bases 1018444 to 1028212 (section 87 of 148) of the complete genome
11393	24339	37869	4.96	3.4E-01	P06925	SWISSPROT	PROBABLE E4 PROTEIN
11427	24371	37809	1.67	3.4E-01	AF045981.1	NT	Rutillus arcasii cytochrome b (cytb) gene, mitochondrial gene encoding mitochondrial protein, partial cds
11828	24711	38295	1.58	3.4E-01	AB035507.1	NT	Rattus norvegicus mRNA for g-glycerol/MUC18, complete cds
11856	24738	38323	3.3	3.4E-01	AL161515.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 27
12099	24970	38567	1.9	3.4E-01	AU559986.1	EST_HUMAN	ta77g08.x1 NCL CGAP_U11 Homo sapiens cDNA clone IMAGE:2214874 3' similar to contains L1.b1 L1 repetitive element;
12149	25008		2.08	3.4E-01	U93604.1	NT	Citrus variegation virus putative replicase gene, partial cds
12261	25085		1.59	3.4E-01	Z21621.1	NT	S.cerevisiae RIB5 gene encoding Riboflavin synthase
12485	25231		13.04	3.4E-01	L26339.1	NT	Human autotantigen mRNA, complete cds
12512	25761		3.88	3.4E-01	BE218652.1	EST_HUMAN	h42h08.x1 NCL CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3176127 3' similar to contains PTR5.i3 PTR5 repetitive element;
12567	25865		2.19	3.4E-01	963361	NT	Beta vulgaris mitochondrion, complete genome
12673	25345	31763	3.46	3.4E-01	AJ297131.1	NT	Mus musculus SIL, MAP_17, CYP_a, SOL & CYP_b genes
12972	25538		1.94	3.4E-01	AF019413.1	NT	Homo sapiens HLA class III region containing tenascin X (tenascin-X) gene, partial cds; cytochrome P450 21-hydroxylase (CYP21B), complement component C4 (C4B) G11, helicase (SKI2W), RD, complement factor B (Bf), and complement component C2 (C2) genes;
15	13135	26033	10.37	3.3E-01	X07990.1	NT	Rhizobium leguminosarum sym plasmid pRL5J nodX gene
106	13135	26033	4.34	3.3E-01	X07990.1	NT	Rhizobium leguminosarum sym plasmid pRL5J nodX gene
448	13521	26454	1.3	3.3E-01	AL161545.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 45
634	13700	26621	2.28	3.3E-01	7662465	NT	Homo sapiens KIAA1100 protein (KIAA1100), mRNA

Page 70 of 546
Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1205	14244	27203	3.29	3.3E-01	Q12446	SWISSPROT	PROLINE-RICH PROTEIN LAS17
1310	14346	27312	2.44	3.3E-01	BF568880.1	EST_HUMAN	602184016T1 NIH_MGC_42 Homo sapiens cDNA clone IMAGE:4300251 3'
1610	14642	27618	1.55	3.3E-01	6753685	NT	Mus musculus disintegrin 5 (Digt5), mRNA
1752	14781		1.13	3.3E-01	AA332734.1	EST_HUMAN	EST38722 Embryo, 8 week (Homo sapiens cDNA 5' end
2043	15082		1.01	3.3E-01	AF031148.1	NT	Methylococcus capsulatus strain Bath outer membrane protein MopB (mopB) gene, complete cds
2414	15421		4.45	3.3E-01	4507834	NT	Homo sapiens uridine monophosphate synthetase (uridate phosphorylase) transferase and orodline-5'-decarboxylase) (UMPS) mRNA
2960	16018	28945	1.76	3.3E-01	AJ251805.1	NT	Bacteriophage phi-Y603-12 complete genome
3028	16086		0.8	3.3E-01	O02743	SWISSPROT	INTERLEUKIN-12 ALPHA CHAIN PRECURSOR (IL-12A) (CYTOTOXIC LYMPHOCYTE MATURATION FACTOR 35 KD SUBUNIT) (CLMF P35)
3088	16125	29038	0.91	3.3E-01	AJ007832.2	NT	Streptomyces arifilaceus mitramycin biosynthetic genes
3506	16553	29479	1.27	3.3E-01	AB012922.1	NT	Homo sapiens MTA1-L1 gene, complete cds
3822	16862	29766	2.18	3.3E-01	O94645	SWISSPROT	EXODEOXYRIBONUCLEASE V BETA CHAIN
3832	16872	29773	0.8	3.3E-01	P22602	SWISSPROT	GENOME POLYPROTEIN (CONTAINS: N-TERMINAL PROTEIN (P1); HELPER COMPONENT PROTEINASE (HC-PRO); PROTEIN P3)
3889	17029	29839	1.54	3.3E-01	AL161498.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 10
4026	17064	29865	2.02	3.3E-01	AF200446.1	NT	Hypoxylon fragiforme chitin synthase gene, partial cds
4395	17423		1.51	3.3E-01	D31662.1	NT	Rattus norvegicus DNA for regucalcin, partial cds
4715	17735		1.41	3.3E-01	AI539114.1	EST_HUMAN	tp78b12.x1 NCI_CGAP_U13 Homo sapiens cDNA clone IMAGE:2205407 3' similar to gb:X57522 ANTIGEN PEPTIDE TRANSPORTER 1 (HUMAN);
4875	17892	30781	1.33	3.3E-01	D64003.1	NT	Synechocystis sp. PCC6803 complete genome, 22/27, 2755703-2868766
5397	18500	31377	2.48	3.3E-01	X89819.1	NT	R.norvegicus mRNA for 3'UTR of ubiquitin-like protein
5397	18500	31378	2.48	3.3E-01	X89819.1	NT	R.norvegicus mRNA for 3'UTR of ubiquitin-like protein
5664	18759	31928	0.55	3.3E-01	P35055	SWISSPROT	DYNAMIN
5684	18759	31929	0.55	3.3E-01	P35055	SWISSPROT	DYNAMIN
5884	18973	32166	0.61	3.3E-01	BF213873.1	EST_HUMAN	601848090F1 NIH_MGC_55 Homo sapiens cDNA clone IMAGE:4078823 5'
6056	19137	32347	1.75	3.3E-01	BE619650.1	EST_HUMAN	601472768T1 NIH_MGC_68 Homo sapiens cDNA clone IMAGE:3875753 3'
6056	19137	32348	1.75	3.3E-01	BE619650.1	EST_HUMAN	601472768T1 NIH_MGC_68 Homo sapiens cDNA clone IMAGE:3875753 3'
6154	19229	32459	0.82	3.3E-01	P05691	SWISSPROT	CIRCUMSPOROZOITE PROTEIN (CS)
6660	20185	33508	0.63	3.3E-01	AB034233.1	NT	Flexibacter litorealis gyrB gene for DNA gyrase B subunit, partial cds
6660	20185	33509	0.63	3.3E-01	AB034233.1	NT	Flexibacter litorealis gyrB gene for DNA gyrase B subunit, partial cds
7073	20095	33404	4.16	3.3E-01	AI828131.1	EST_HUMAN	ty84h01.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2285809 3' similar to contains Alu repetitive element; contains element L1 repetitive element;

Page 71 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7073	20085	33405	4.16	3.3E-01	A1628131.1	EST_HUMAN	ly64h01.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2285809 3' similar to contains Alu repetitive element; contains element L1 repetitive element;
8062	20999	34395	1.81	3.3E-01	N85146.1	EST_HUMAN	J2498F Human fetal heart, Lambda ZAP Express Homo sapiens cDNA clone J2498 5' similar to TEGT
8908	21874	35300	22.63	3.3E-01	BF683954.1	EST_HUMAN	602140372F1 NIH_MGC_46 Homo sapiens cDNA clone IMAGE:4301800 5'
9080	22046	35469	0.68	3.3E-01	BF210322.1	EST_HUMAN	601873281F1 NIH_MGC_54 Homo sapiens cDNA clone IMAGE:4097180 5'
9469	22433	35871	0.85	3.3E-01	Q62925	SWISSPROT	MITOGEN-ACTIVATED PROTEIN KINASE KINASE 1 (MAPK/ERK KINASE 1) (MEK KINASE 1) (MEKK 1)
9733	22761	36215	0.88	3.3E-01	BE828461.1	EST_HUMAN	CM3-ET0041-180500-187-d10 ET0041 Homo sapiens cDNA
9733	22761	36216	0.88	3.3E-01	BE828461.1	EST_HUMAN	CM3-ET0041-180500-187-d10 ET0041 Homo sapiens cDNA
9869	22805	36258	2.8	3.3E-01	N68956.1	EST_HUMAN	za67h01.s1 Soares_fetal_lung_NbHL19W Homo sapiens cDNA clone IMAGE:297649 3'
9910	22731	36186	2.61	3.3E-01	BF376745.1	EST_HUMAN	RC4-TN0077-250800-011-g04 TN0077 Homo sapiens cDNA
10350	23274		2.12	3.3E-01	L41044.1	NT	Homo sapiens high-mobility group phosphoprotein (HMG1-C) gene, exons 1-3, complete cds
11076	24038	37561	2.85	3.3E-01	X63953.1	NT	D.mauritiana Adh gene
11078	24038	37562	2.85	3.3E-01	X63953.1	NT	D.mauritiana Adh gene
11365	24313		2.16	3.3E-01	BF526499.1	EST_HUMAN	602070802F1 NCI_CGAP_Bn64 Homo sapiens cDNA clone IMAGE:4213585 5'
11565	24505	38062	8.16	3.3E-01	BE218351.1	EST_HUMAN	hw51g02.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3176978 3'
11873	24639	38218	3.19	3.3E-01	P47953	SWISSPROT	GALECTIN-3 (GALACTOSE-SPECIFIC LECTIN 3) (MAC-2 ANTIGEN) (IGE-BINDING PROTEIN) (35 KD LECTIN) (CARBOHYDRATE BINDING PROTEIN 35) (CBP 35) (LAMININ-BINDING PROTEIN) (LECTIN L-29) (CBP30)
12027	24903		3.43	3.3E-01	AA806621.1	EST_HUMAN	cb71g02.st NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:1336850 3'
12044	13135	26033	1.97	3.3E-01	X07990.1	NT	Rhizobium leguminosarum sym plasmid pRL5J nodX gene
12246	25075	38170	1.84	3.3E-01	6588319	NT	Homo sapiens aldehyde oxidase 1 (AOX1), mRNA
12968	25530		4.92	3.3E-01	AF000002.1	NT	Pyrococcus horikoshii OT3 genomic DNA, 287001-544000 nt, position (2/7)
13113	25632	31621	1.59	3.3E-01	BE312820.1	EST_HUMAN	601146730F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:3162006 5'
457	13530		2.08	3.2E-01	AF018261.1	NT	Rattus norvegicus EH domain binding protein Epsin mRNA, complete cds
719	13781		0.76	3.2E-01	AL161561.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 61
1166	14207	27161	10.6	3.2E-01	AF047013.1	NT	Fusarium poae virus 1 RNA2 putative RNA dependent RNA polymerase gene, complete cds
1287	14322	27285	1.77	3.2E-01	Z50202.1	NT	P.vulgaris arc5-1 gene
1391	14425	27394	5.96	3.2E-01	Q48624	SWISSPROT	LACTOSE PERMEASE (LACTOSE-PROTON SYMPORT) (LACTOSE TRANSPORT PROTEIN)
1639	14671		0.9	3.2E-01	AF209730.1	NT	Arabidopsis thaliana cultivar Columbia RPP13 (RPP13) gene, complete cds
1789	14818	27803	1.5	3.2E-01	Z36041.1	NT	S.cerevisiae chromosome II reading frame ORF YBR172c
1799	14828	27815	5.47	3.2E-01	AW957194.1	EST_HUMAN	EST369264 IMAGE resequences, MAGD Homo sapiens cDNA
1799	14828	27816	5.47	3.2E-01	AW957194.1	EST_HUMAN	EST369264 IMAGE resequences, MAGD Homo sapiens cDNA

Page 72 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1860	14886	27882	1.03	3.2E-01	AL111655.1	NT	Botrytis cinerea strain T4 cDNA library under conditions of nitrogen deprivation
2168	15184	28205	2.33	3.2E-01	BF203817.1	EST_HUMAN	601868804F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:4111612 5'
2548	15549		2.3	3.2E-01	7710079	NT	Mus musculus Pbx/knotted 1 homeobox (Pbxk1), mRNA
2720	15714	28732	1.58	3.2E-01	AF060568.1	NT	Homo sapiens promyelocytic leukemia zinc finger protein (PLZF) gene, complete cds
3622	16665		0.79	3.2E-01	D10872.1	NT	Human h NAT allele 3-2 gene for arylamine N-acetyltransferase
4367	17394	30273	0.93	3.2E-01	4759195	NT	Homo sapiens symplekin (SYM) mRNA
4422	17449	30340	1.62	3.2E-01	M18818.1	NT	Rabbit beta-like globin gene cluster encoding the epsilon, gamma, delta (pseudogene) and beta globin polypeptides, complete cds
4526	17551	30439	1.3	3.2E-01	Q10286	SWISSPROT	HYPOTHETICAL 81.7 KD PROTEIN G13G7 04C IN CHROMOSOME 1 PRECURSOR
4767	17787		8.32	3.2E-01	BF693617.1	EST_HUMAN	602081972F1 NIH_MGC_81 Homo sapiens cDNA clone IMAGE:4246505 5'
4915	17932	30823	0.69	3.2E-01	Q57081	SWISSPROT	CYTADHERENCE HIGH MOLECULAR WEIGHT PROTEIN 3 (CYTADHERENCE ACCESSORY PROTEIN 3) (ACCESSORY ADHESIN PROTEIN 3) (P69)
5250	18258	31127	0.96	3.2E-01	A7008847.1	NT	Homo sapiens interleukin 12 p40 subunit (IL12B) gene, L12B-1 allele, complete cds
5260	18286		4.18	3.2E-01	A1989472.1	EST_HUMAN	was25b06.x1 NCI CGAP_G06 Homo sapiens cDNA clone IMAGE:2498195 3' similar to contains Alu repetitive element; contains element PTRY repetitive element
5344	18449	31320	2.71	3.2E-01	BE173984.1	EST_HUMAN	CMQ-HT0569-060300-268-F10 HT0569 Homo sapiens cDNA
6068	18149	32361	1.36	3.2E-01	L27221.1	NT	Giardia intestinalis pyruvate:flavodoxin oxidoreductase and flanking genes
6436	19502	32753	0.68	3.2E-01	AF016494.1	NT	Fugu rubripes gamma-aminobutyric acid receptor beta subunit gene, partial cds; 55kd erythrocyte membrane protein (P55), synaptic vesicle-associated integral membrane protein (VAMP-1), procollagen C-proteinase enhancer protein (PCOLCE) genes, complete cds
6749	19803	33084	0.91	3.2E-01	AV718037.1	EST_HUMAN	AV718037 FHTA Homo sapiens cDNA clone FHTAABH01 5'
6897	19849		1.03	3.2E-01	AB002359.1	NT	Human mRNA for KIAA0361 gene, KIAA0361 protein
8189	21159	34568	0.44	3.2E-01	AJ277661.1	NT	Homo sapiens partial LMO1 gene for LIM domain only 1 protein, exon 1
8512	21480	34894	1.43	3.2E-01	M60266.1	NT	Rat ISO-alpha1 natriuretic factor gene, complete cds
8609	21677	34993	0.45	3.2E-01	AJ231001.1	NT	Rattus norvegicus repeat; map NOS-D12Wox1
8710	21678	35103	18.12	3.2E-01	X02508.1	NT	H. sapiens gene fragment for acetylcholine receptor (AChR) alpha subunit exons 8, 9 and 3' flanking region
8713	21681	35108	17.12	3.2E-01	BF311635.1	EST_HUMAN	801897107F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:4126633 5'
8805	21772		1.54	3.2E-01	AL161574.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 70
8845	21812	35231	1.13	3.2E-01	BF246771.1	EST_HUMAN	801855580F1 NIH_MGC_57 Homo sapiens cDNA clone IMAGE:4075627 5'
8845	21812	35232	1.13	3.2E-01	BF246771.1	EST_HUMAN	801855580F1 NIH_MGC_57 Homo sapiens cDNA clone IMAGE:4075627 5'
8919	21885	35311	2.13	3.2E-01	AE002015.1	NT	Delonix regia radicle R1 section 152 of 229 of the complete chromosome 1
9019	21885	35405	0.63	3.2E-01	U51026.1	NT	Oryctolagus cuniculus Ig H-chain pseudogene, V-region (VH6-a2) gene, partial cds
9019	21885	35406	0.63	3.2E-01	U51026.1	NT	Oryctolagus cuniculus Ig H-chain pseudogene, V-region (VH6-a2) gene, partial cds

Page 73 of 546
Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
9422	22387	35826	0.49	3.2E-01	AL163204.2	NT	Homo sapiens chromosome 21 segment HS21C004
9432	22396		2.28	3.2E-01	MB6511.1	NT	Human monocyte antigen CD14 (CD14) mRNA, complete cds
9505	22498	35911	0.45	3.2E-01	AF041829.1	NT	Homo sapiens 6-phosphofructo-2-kinase/fructose-2,6-bisphosphatase (PF2K) gene, exons 12 and 13
9505	22498	35912	0.45	3.2E-01	AF041829.1	NT	Homo sapiens 6-phosphofructo-2-kinase/fructose-2,6-bisphosphatase (PF2K) gene, exons 12 and 13
10363	23277	36752	3.37	3.2E-01	U44914.1	NT	Borrelia burgdorferi plesmid cp32-2, erpC and erpD genes, complete cds; and unknown genes
10569	23481	36976	0.5	3.2E-01	BE326230.1	EST_HUMAN	hve905.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3181569 3'
10674	23596		3.71	3.2E-01	AB011399.1	NT	Homo sapiens gene for AF-6, complete cds
11028	23992	37519	3.03	3.2E-01	T08813.1	EST_HUMAN	ESTT04702 Fetal brain, Stragene (cat#36206) Homo sapiens cDNA clone HFBDD21
12288	25890		3.67	3.2E-01	L07288.1	NT	Drosophila melanogaster laminin A (Lam-A) mRNA, complete cds
12674	25943		1.39	3.2E-01	BE86846.1	EST_HUMAN	601507820F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3909532 5'
12804	25431		4.84	3.2E-01	O83217	SWISSPROT	ELONGATION FACTOR TU (EF-TU)
12890	25719		1.48	3.2E-01	AF157825.1	NT	Bos taurus inositol 1,4,5-trisphosphate receptor type I mRNA, complete cds
12936	25516		1.57	3.2E-01	L39874.1	NT	Homo sapiens deoxycytidylate deaminase gene, complete cds
13001	25925	31305	1.33	3.2E-01	BE385776.1	EST_HUMAN	601275480F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3616746 5'
13108	25628	31648	1.38	3.2E-01	AJ745111.1	EST_HUMAN	t21c06.x1 NCI_CGAP_OV23 Homo sapiens cDNA clone IMAGE:2218954 3' similar to contains MER10.11 MER10 repetitive element;
2679	15675	28696	3.02	3.1E-01	R18051.1	EST_HUMAN	ye90h06.r1 Soares fetal liver spleen 1NLS Homo sapiens cDNA clone IMAGE:125051 5' similar to gb:M64241 QM PROTEIN (HUMAN);
2708	15828	28717	4.64	3.1E-01	7661971	NT	Homo sapiens KIAA0174 gene product (KIAA0174), mRNA
2708	15828	28718	4.64	3.1E-01	7661971	NT	Homo sapiens KIAA0174 gene product (KIAA0174), mRNA
2869	15929		1.63	3.1E-01	AW629036.1	EST_HUMAN	h46h08.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2975391 3'
3188	16243		4.03	3.1E-01	AB029069.1	NT	Mus musculus gene for Ser/Thr kinase KKIAMRE, exon 6
3927	19967	29880	0.93	3.1E-01	AJ251866.1	NT	Daucus carota mRNA for transcription factor E2F (E2F gene)
4999	18014	30901	1.25	3.1E-01	AE003984.1	NT	Xylella fastidiosa, section 130 of 229 of the complete genome
5239	18247	31119	0.79	3.1E-01	AF130370.1	NT	Rattus norvegicus MEN1 tumor suppressor (Men1) mRNA, alternative splice product, complete cds
5297	18320	31162	2.59	3.1E-01	AL163203.2	NT	Homo sapiens chromosome 21 segment HS21C003
5555	18652	31596	9.78	3.1E-01	AF178114.1	NT	Homo sapiens hepatocyte nuclear factor-3 alpha (hNF3A) gene, exon 1
5681	18776	31948	0.65	3.1E-01	P44132	SWISSPROT	HYPOTHETICAL PROTEIN H17236
5682	18777	31949	0.87	3.1E-01	Z74883.1	NT	S.cerevisiae chromosome XV reading frame ORF YOL141W
5693	18788		1.01	3.1E-01	Y13278.1	NT	Mus musculus mRNA for polycystin
5866	18955	32142	2.3	3.1E-01	AF184122.1	NT	Homo sapiens filamin 2 (FLN2) gene, exons 10 through 22

Page 74 of 546
Table 4
Single Exon Probes Expressed In Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6418	25660	32732	0.61	3.1E-01	R64322.1	EST_HUMAN	yq41f04.1 Soares fetal liver spleen 1N1FLS Homo sapiens cDNA clone IMAGE:198367 5'
6610	19668	32944	2.69	3.1E-01	AW963349.1	EST_HUMAN	RC3-HN0001-310300-011-b04 HN0001 Homo sapiens cDNA
6683	19740	33016	0.85	3.1E-01	A1264458.1	EST_HUMAN	q39d01.x1 NCI_CGAP_C08 Homo sapiens cDNA clone IMAGE:1874689 3'
6840	19893	33188	0.88	3.1E-01	X71887.1	NT	H.sapiens gene for Immunoglobulin kappa light chain variable region A8 and A9
6930	20154		0.7	3.1E-01	AW377364.1	EST_HUMAN	MR2-CT0222-281099-005-h05 CT0222 Homo sapiens cDNA
7162	25834	31238	2.55	3.1E-01	BE737392.1	EST_HUMAN	601306121F1 NIH_MGC_39 Homo sapiens cDNA clone IMAGE:3840420 5'
7942	20884	34276	0.56	3.1E-01	4885390	NT	Homo sapiens hyaluronan synthase 2 (HAS2), mRNA
8038	20975	34371	0.49	3.1E-01	AF242431.1	NT	Mus musculus neuronal apoptosis inhibitory protein 6 (Naipe6) gene, complete cds; and Naipe3 gene, exons 2-9 and 11-16
8166	21104	34502	0.54	3.1E-01	AW850168.1	EST_HUMAN	IL3-CT0219-271099-022-E03 CT0219 Homo sapiens cDNA
8166	21104	34503	0.54	3.1E-01	AW850168.1	EST_HUMAN	IL3-CT0219-271099-022-E03 CT0219 Homo sapiens cDNA
8895	21961	35386	0.83	3.1E-01	R45318.1	EST_HUMAN	yq46f01.s1 Soares infant brain 1N1B Homo sapiens cDNA clone IMAGE:35639 3'
10262	23187	36871	0.52	3.1E-01	6679322	NT	Mus musculus phosphatidylinositol-4-phosphate 8-kinase, type 1 gamma (Pip5k1c), mRNA
10427	23349	36833	1	3.1E-01	BF696639.1	EST_HUMAN	602124743F1 NIH_MGC_56 Homo sapiens cDNA clone IMAGE:4281611 5'
10427	23349	36834	1	3.1E-01	BF696639.1	EST_HUMAN	602124743F1 NIH_MGC_56 Homo sapiens cDNA clone IMAGE:4281611 5'
10488	23410	36907	1.73	3.1E-01	A1244001.1	EST_HUMAN	qj61e11.x1 NCI_CGAP_K1d3 Homo sapiens cDNA clone IMAGE:1863980 3' similar to gb:355700 HYDROXYMETHYLGLUTARYL-COA LYASE PRECURSOR (HUMAN);
10686	23588		0.56	3.1E-01	T56325.1	EST_HUMAN	yq47f08.s1 Stralagene fetal spleen (#837205) Homo sapiens cDNA clone IMAGE:74367 3' similar to similar to gb:MF01036_maz2 HEMOGLOBIN GAMMA-A AND GAMMA-G CHAINS (HUMAN)
11188	24142	37676	2.35	3.1E-01	BF216117.1	EST_HUMAN	601883592F1 NIH_MGC_57 Homo sapiens cDNA clone IMAGE:4095814 5'
11864	24746	38328	2.3	3.1E-01	7662291	NT	Homo sapiens KIAA0764 gene product (KIAA0764), mRNA
12133	25002	38608	1.68	3.1E-01	AF048693.1	NT	Homo sapiens transcription factor forkhead-like 7 (FKHL7) gene, complete cds
12133	25002	38609	1.68	3.1E-01	AF048693.1	NT	Homo sapiens transcription factor forkhead-like 7 (FKHL7) gene, complete cds
12415	25186		1.57	3.1E-01	AF264308.1	NT	Anolis opalinus isolate QS NADH dehydrogenase subunit 2 (ND2) gene, complete cds, mitochondrial gene for mitochondrial product
12451	25210		4.64	3.1E-01	AF304162.1	NT	Stizostedion vitreum 40S ribosomal protein S11 mRNA, partial cds
12592	25296		4.19	3.1E-01	AF195953.1	NT	Homo sapiens membrane-bound aminopeptidase P (XNPEP2) gene, complete cds
12944	25523		3.39	3.1E-01	AF196779.1	NT	Homo sapiens transcription factor GHM enhancer 3, JM11 protein, JM4 protein, JM5 protein, T64 protein, JM10 protein, A4 differentiation-dependent protein, triple LIM domain protein 8, and synaptophysin genes, complete cds; and L-type calcium channel alpha
73	16808	26112	1.78	3.0E-01	8755083	NT	Mus musculus protein kinase C, epsilon (Pkcε), mRNA
254	13361	26277	8.98	3.0E-01	AJ271735.1	NT	Homo sapiens Xq pseudocentromeric region; segment 1/2
1227	14265	27222	2.16	3.0E-01	AW300400.1	EST_HUMAN	xs63f08.x1 NCI_CGAP_K1d11 Homo sapiens cDNA clone IMAGE:2774343 3'
1508	14541	27512	5.96	3.0E-01	AJ006755.1	NT	Balaenoptera physalus gene encoding atrial natriuretic peptide

Page 75 of 546
Table 4
Single Exon Probes Expressed In Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2148	15162	28178	1.13	3.0E-01	AF237778.1	NT	Rattus norvegicus Ca2+/calmodulin-dependent protein kinase II, alpha subunit mRNA, 3' untranslated region
3225	16280		1.28	3.0E-01	AB030481.1	NT	Corynebacterium sp. ALY-1 <i>elyPG</i> gene for polyglutamate lyase, complete cds
3879	16918	29827	1.46	3.0E-01	AW811785.1	EST_HUMAN	PM1-ST0262-261199-001-g01 ST0262 Homo sapiens cDNA
3998	17037	29844	1.02	3.0E-01	AJ271736.1	NT	Homo sapiens Xq pseudautosomal region, segment 2/2
4541	17584	30451	2.17	3.0E-01	AJ008755.1	NT	Balanopora physalus gene encoding atrial natriuretic peptide
5425	18528	31407	5.19	3.0E-01	BE741629.1	EST_HUMAN	601594960F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3948734 5'
5508	18606	31536					Homo sapiens mannosidase, beta A, lysosomal (MANBA) gene, and ubiquitin-conjugating enzyme E2D 3 (UBE2D3) genes, complete cds
5510	18610	31541	0.56	3.0E-01	AF224669.1	NT	Canitago orthopoxvirus hemagglutinin gene, complete cds
5582	18678	31641	0.76	3.0E-01	AF229247.1	NT	RC3-BT0333-180700-111-a03 BT0333 Homo sapiens cDNA
5582	18678	31642	3.81	3.0E-01	BE693575.1	EST_HUMAN	RC3-BT0333-180700-111-a03 BT0333 Homo sapiens cDNA
5619	18715	31674	4.05	3.0E-01	U01247.1	NT	Mus musculus 129/sv Clara cell 10 kd protein (mCC10) gene, complete cds
7005	20131	33448	2.98	3.0E-01	D16313.1	NT	Mouse cytochrome 15 gene, complete cds
7041	18373	31281	0.71	3.0E-01	U02369.1	NT	Strongylocentrotus purpuratus 34/67 kDa laminin-binding protein mRNA, partial cds
7111	20045	33347	0.96	3.0E-01	AF228247.1	NT	Canitago orthopoxvirus hemagglutinin gene, complete cds
7195	20219	33551	0.59	3.0E-01	X63941.1	NT	S Cerevisiae GAC1
7328	20299	33643	0.82	3.0E-01	AL163206.2	NT	Homo sapiens chromosome 21 segment HS21C006
7549	20512	33870	4.98	3.0E-01	10947007	NT	Mus musculus midnolin (Mdn-pending), mRNA
7744	20698	34084	1.33	3.0E-01	AF071810.1	NT	Streptococcus pneumoniae strain DBL5 PspA (pspA) gene, partial cds
8259	21228	34638	1.28	3.0E-01	AE001755.1	NT	Thermotoga maritima section 67 of 136 of the complete genome
8716	21684		4.13	3.0E-01	9910161	NT	Mus musculus C-type (calcium dependent carbohydrate recognition domain) lectin, superfamily member 9 (Clec3f), mRNA
8819	21786	36210	1.34	3.0E-01	BE566083.1	EST_HUMAN	601339079F1 NIH_MGC_53 Homo sapiens cDNA clone IMAGE:3681594 5'
9181	22147	35574	0.74	3.0E-01	AF141676.1	NT	Streptomyces sulfonolactams isopenicillin N synthase (pcbC) gene, partial cds
9223	22189		0.71	3.0E-01	7661685	NT	Homo sapiens DKFZP586M0122 protein (DKFZP586M0122), mRNA
9673	22535	35988	0.95	3.0E-01	AF220507.1	NT	Anabaena PCC7120 cytosine-specific DNA methyltransferase (dmnB) gene, complete cds; putative anthranilate phosphoribosyltransferase gene, partial cds; and unknown gene
9932	22859	36320	0.51	3.0E-01	P76389	SWISSPROT	HYPOTHETICAL 59.5 KD PROTEIN IN WZA-ASMA INTERGENIC REGION
10327	23251	36730	0.73	3.0E-01	BF574612.1	EST_HUMAN	602133271F1 NIH_MGC_81 Homo sapiens cDNA clone IMAGE:42883336 5'
10501	23423	36922	0.47	3.0E-01	AF152598.3	NT	Actinobacillus actinomycetemcomitans TadaA (tadaA), TadaB (tadB), TadaC (tadC), TadaD (tadD), Tade (tadE), TadeF (tadF), and TadeG (tadG) genes, complete cds
10501	23423	36923	0.47	3.0E-01	AF152598.3	NT	Actinobacillus actinomycetemcomitans TadaA (tadaA), TadaB (tadB), TadaC (tadC), Tade (tadE), TadeF (tadF), and TadeG (tadG) genes, complete cds

Table 4

Single Exon Probes Expressed In Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
10760	23681	37177	0.95	3.0E-01	AW118111.1	EST_HUMAN	xe03d10.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2608035 3'
10762	23683	37179	2.14	3.0E-01	AB030231.1	NT	Aspergillus oryzae b1pA gene for ER chaperone BIP, complete cds
10782	23703	37201	0.82	3.0E-01	BF983841.1	EST_HUMAN	602140133F1 NIH_MGC_48 Homo sapiens cDNA clone IMAGE:4301087 5'
10782	23703	37202	0.82	3.0E-01	BF683841.1	EST_HUMAN	602140133F1 NIH_MGC_48 Homo sapiens cDNA clone IMAGE:4301087 5'
12061	24934	38529	2.5	3.0E-01	H51028.1	EST_HUMAN	yp84b10.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:184107 5'
12061	24934	38530	2.5	3.0E-01	H51028.1	EST_HUMAN	yp84b10.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:184107 5'
12698	25875		1.57	3.0E-01	AJ287631.1	NT	Rattus norvegicus mRNA for glyceraldehyde-3-phosphate dehydrogenase type 2 (gapdh-2 gene)
12979	25917		2.52	3.0E-01	6677766	NT	Mus musculus ribose 5-phosphate isomerase A (Rpia), mRNA
1747	14776		0.92	2.9E-01	AJ246895.1	NT	Mus musculus mas proto-oncogene and Igf2r gene for insulin-like growth factor type 2 and L41pa and Au76 pseudogenes
2039	15058	28077	1.19	2.9E-01	AE000736.1	NT	Aquifex aeolicus section 68 of 109 of the complete genome
2260	15274	28298	1.2	2.9E-01	AF222718.1	NT	Chrysidolymus synurideus mitochondrion, complete genome
3265	16318	29240	1.92	2.9E-01	AW754239.1	EST_HUMAN	PM1-CT0326-171289-001-f12 CT0326 Homo sapiens cDNA
3265	16319	29241	1.92	2.9E-01	AW754239.1	EST_HUMAN	PM1-CT0326-171289-001-f12 CT0326 Homo sapiens cDNA
3912	16952	29863	1.03	2.9E-01	A1610836.1	EST_HUMAN	tp21a11.x1 NCI_CGAP_Gas4 Homo sapiens cDNA clone IMAGE:2188412 3' similar to gb:D16050 NIL-2-A ZINC FINGER PROTEIN (HUMAN); contains element L1 repetitive element;
3935	16995	29911	0.81	2.9E-01	A1769472.1	EST_HUMAN	wj14d10.x1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:2402803 3' similar to WP.C34F6.7 repetitive element;
4112	17146		0.7	2.9E-01	AW002802.1	EST_HUMAN	wr02f10.x1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:2480395 3'
4511	17936	30420	1.24	2.9E-01	AA284468.1	EST_HUMAN	zs57d12.r1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:701591 5' similar to contains Alu repetitive element;
4710	17731		1.5	2.9E-01	AL163207.2	NT	Homo sapiens chromosome 21 segment HS21C007
5156	18166		1.25	2.9E-01	A1670899.1	EST_HUMAN	wa06f03.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2297309 3' similar to contains L1.L2.L1 repetitive element;
5275	18261	31145	3.3	2.9E-01	AJ131017.1	NT	Mus musculus SCL gene locus
5277	18283	31146	1.12	2.9E-01	BE741380.1	EST_HUMAN	601594241F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3948178 5'
5330	18436		1.49	2.9E-01	R37485.1	EST_HUMAN	y77612.s1 Soares infant brain 1N1B Homo sapiens cDNA clone IMAGE:28291 3'
5469	20065	33372	0.75	2.9E-01	AF321001.1	NT	Suaeda maritima subsp. salsa S-adenosylmethionine synthetase 2 mRNA, complete cds
5858	18948	32133	5.1	2.9E-01	X56098.1	NT	B. subtilis levanase operon levD, levE, levF, levG and sacC (partial) genes for fructose phosphotransferase system polypeptides P16,18,28,30 and levanase
5858	18948	32134	5.1	2.9E-01	X56098.1	NT	B. subtilis levanase operon levD, levE, levF, levG and sacC (partial) genes for fructose phosphotransferase system polypeptides P16,18,28,30 and levanase
5871	18960	32149	6.12	2.9E-01	6679662	NT	Mus musculus Eph receptor A8 (Epha8), mRNA
6174	19249	32482	1.35	2.9E-01	AA418145.1	EST_HUMAN	z997b12.r1 Soares_NHMPu_S1 Homo sapiens cDNA clone IMAGE:767711 5'

Page 77 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6412	19480	32727	1.05	2.9E-01	AI707128.1	EST_HUMAN	wc27c05.x1 NCI CGAP_Lu24 Homo sapiens cDNA clone IMAGE:2342312 3' similar to contains L1, L1
6459	19524	32775	2.3	2.9E-01	U03420.1	NT	repetitive element;
6599	19659	32831	0.6	2.9E-01	R69194.1	EST_HUMAN	Bos taurus myosin I mRNA, complete cds
6599	19659	32832	0.6	2.9E-01	R69194.1	EST_HUMAN	y39d08.r1 Soares placenta Nb2HP Homo sapiens cDNA clone IMAGE:141615 5'
6883	19635		0.84	2.9E-01	Z50156.1	NT	y39d08.r1 Soares placenta Nb2HP Homo sapiens cDNA clone IMAGE:141615 5'
7043	20065	33372	0.58	2.9E-01	AF321001.1	NT	D.discoideum gene for 34 kD actin binding protein
7179	18410	31211	1.57	2.9E-01	AF142329.1	NT	Suaeda maritima subsp. salsa S-adenosylmethionine synthetase 2 mRNA, complete cds
7303	20274	33810	2.99	2.9E-01	Q04399	SWISSPROT	Mus musculus Filh protein (Filh) gene, complete cds; and Lgih protein (Lgih) gene, partial cds
7367	20337	33687	1.68	2.9E-01	AF100956.1	NT	PUTATIVE MULTICOPPER OXIDASE YDR506C
8252	21221	34630	1.67	2.9E-01	BE540422.1	EST_HUMAN	Mus musculus major histocompatibility locus class II region: Fas-binding protein Daxx (DAXX) gene, partial cds; Bing1 (BING1), tapasin (tapasin), RalGDS-like factor (RLF), KE2 (KE2), BING4 (BING4), beta1, 3-
8252	21221	34631	1.67	2.9E-01	BE540422.1	EST_HUMAN	galactosyl transferase (beta1,3-galactosyl tr>
8489	21457	34874	0.49	2.9E-01	AJ237937.1	NT	601065830F1 NIH_MGC_10 Homo sapiens cDNA clone IMAGE:3452287 5'
8489	21457	34875	0.49	2.9E-01	AJ237937.1	NT	601065830F1 NIH_MGC_10 Homo sapiens cDNA clone IMAGE:3452287 5'
8502	21470		1.16	2.9E-01	BF217743.1	EST_HUMAN	Bos taurus partial stat5A gene, exons 5-19
8882	21650		0.45	2.9E-01	AF197456.1	NT	Bos taurus partial stat5A gene, exons 5-19
8942	21908	35333	0.77	2.9E-01	AU150910.1	EST_HUMAN	601882570F1 NIH_MGC_57 Homo sapiens cDNA clone IMAGE:4095113 5'
9277	22243	35672	1.01	2.9E-01	AF225908.1	NT	Buchnera aphidicola plasmid pLeu isolate Mi 2-isopropylmalate synthase (leuA) gene, partial cds; 3-
9388	22353	35784	0.6	2.9E-01	M22452.1	NT	Isopropylmalate dehydrogenase (leuB) gene, complete cds; and Isopropylmalate dehydratase subunit (leuC) gene, partial cds
9601	22605	36053	0.76	2.9E-01	AJ248287.1	NT	AU150910 NT2RP2 Homo sapiens cDNA clone NT2RP2003901 3'
9601	22605	36054	0.76	2.9E-01	AJ248287.1	NT	Arabidopsis thaliana sulfonyleurea receptor-like protein mRNA, complete cds
11240	24193	37111	1.7	2.9E-01	AF128843.1	NT	Baboon lymphocyte homing/adhesion receptor mRNA, complete cds
11497	24440	37889	1.86	2.9E-01	V01394.1	NT	Pyrococcus abyssi complete genome; segment 5/6
11497	24440	37890	1.86	2.9E-01	V01394.1	NT	Pyrococcus abyssi complete genome; segment 5/6
11913	24794	38385	2.95	2.9E-01	AL139078.2	NT	Trypanosoma cruzi stage-specific surface glycoprotein gp82 (gp82) mRNA, partial cds
12109	24979	38579	2.1	2.9E-01	AW204742.1	EST_HUMAN	Torpedo californica mRNA encoding acetylcholine receptor gamma subunit
12651	25334	31760	1.47	2.9E-01	AW005671.1	EST_HUMAN	Torpedo californica mRNA encoding acetylcholine receptor gamma subunit
12728	25381	31747	4	2.9E-01	AF092453.1	NT	Campylobacter jejuni NCTC11168 complete genome; segment 5/6
13025	25573	31694	1.35	2.9E-01	Y08937.1	NT	UJ-H-BW0-alm-f-10-p-UJ.s1 NCI CGAP_Sub6 Homo sapiens cDNA clone IMAGE:2729994 3'
							wz88f05.x1 NCI CGAP_Bm25 Homo sapiens cDNA clone IMAGE:2565921 3' similar to contains element
							MER29 repetitive element;
							Homo sapiens TNF- α -inducible RNA binding protein (TIRP) gene, complete cds
							Chlamydomonas reinhardtii mRNA for nitrite reductase structural locus

Page 78 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
13025	25573	31695	1.35	2.9E-01	Y08937.1	NT	Chlamydomonas reinhardtii mRNA for nitrite reductase structural locus
670	13840		2.2	2.8E-01	U67136.1	NT	Rattus norvegicus A-kinase anchoring protein AKAP150 mRNA, complete cds
675	13844		1.41	2.8E-01	L28145.1	NT	Prune dwarf virus movement protein, complete cds; coat protein, complete cds
1085	14129	27083	3.9	2.8E-01	AF169050.1	NT	Guinea guinea oocyte maturation factor Mos (c-mos) gene, partial cds
1282	14317	27279	1.06	2.8E-01	BE313442.1	EST_HUMAN	601148733F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:3163688 5'
1282	14317	27280	1.06	2.8E-01	BE313442.1	EST_HUMAN	601148733F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:3163688 5'
1295	14330	27291	2.65	2.8E-01	D86550.1	NT	Human mRNA for serine/threonine protein kinase, complete cds
1740	14770	27756	2.22	2.8E-01	AW860020.1	EST_HUMAN	QV1-CT0364-120200-065-b05 CT0364 Homo sapiens cDNA
2028	15048	28082	2.08	2.8E-01	AL047820.1	EST_HUMAN	DKFZp586l2321_1 586 (synonym: hule1) Homo sapiens cDNA clone DKFZp586l2321
2141	15158	28174	1.51	2.8E-01	AW511195.1	EST_HUMAN	hd44503.x1 Soares NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2912333 3'
2478	15483	28507	2.18	2.8E-01	AE000494.1	NT	Escherichia coli K-12 MG1655 section 384 of 400 of the complete genome
2479	15483	28508	2.18	2.8E-01	AE000494.1	NT	Escherichia coli K-12 MG1655 section 384 of 400 of the complete genome
2554	15556		3.07	2.8E-01	AL161565.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 65
2674	15871	28689	1.35	2.8E-01	AB020975.1	NT	Arabidopsis thaliana mRNA for lipoyltransferase, complete cds
2882	16040		1.48	2.8E-01	AF179480.1	NT	Toxoplasma gondii 90kDa heat-shock protein (HSP90) mRNA, partial cds
2883	16041	28963	2.57	2.8E-01	Z14037.1	NT	B. taurus microsatellite (ETH121)
2883	16041	28964	2.57	2.8E-01	Z14037.1	NT	B. taurus microsatellite (ETH121)
3390	16439	28365	1.16	2.8E-01	AP000004.1	NT	Pyrococcus horikoshii OT3 genomic DNA, 777001-994000 nt. position (47)
4021	17059	28960	1.72	2.8E-01	AE001180.1	NT	Borrelia burgdorferi (section 66 of 70) of the complete genome
4150	17181		0.67	2.8E-01	AE004450.1	NT	Pseudomonas aeruginosa PAO1, section 11 of 528 of the complete genome
4226	17255		2.41	2.8E-01	AI090868.1	EST_HUMAN	ov44g10.x1 Soares testis_NHT Homo sapiens cDNA clone IMAGE:1640226 3' similar to contains Alu repetitive element; contains element MER22 repetitive element;
4498	17513	30401	2.62	2.8E-01	P13615	SWISSPROT	RNA POLYMERASE BETA SUBUNIT (LARGE STRUCTURAL PROTEIN) (L PROTEIN)
4822	17839	30737	0.92	2.8E-01	D15050.1	NT	Human mRNA for transcription factor AREB6, complete cds
4822	17839	30738	0.92	2.8E-01	D15050.1	NT	Human mRNA for transcription factor AREB6, complete cds
4866	17883	30771	2.71	2.8E-01	AF030154.1	NT	Bovine adenovirus 3 complete genome
4897	17914	30804	1.37	2.8E-01	BF528188.1	EST_HUMAN	602042801F1 NCI_CGAP_Brm67 Homo sapiens cDNA clone IMAGE:4180129 5'
4920	17937	30829	1.69	2.8E-01	AI272669.1	EST_HUMAN	q159c11.x1 Soares_NihMPu_S1 Homo sapiens cDNA clone IMAGE:4180129 5'
5384	25637	31362	23.73	2.8E-01	AA349997.1	EST_HUMAN	repetitive element; contains element L TR5 repetitive element;
5687	18782	31954	2.52	2.8E-01	AB016825.1	NT	EST157072 Infant brain Homo sapiens cDNA 5' end
5915	19001		1.04	2.8E-01	AW992583.1	EST_HUMAN	Homo sapiens OCTN2 gene, complete cds
6028	19111	32313	0.57	2.8E-01	AA765296.1	EST_HUMAN	CM1-BN0024-150200-118-g12 BN0024 Homo sapiens cDNA
							oe01d06.s1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:1303691 3' similar to gb:M34539 FK506-BINDING PROTEIN (HUMAN);

Page 79 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6048	19129		0.49	2.8E-01	AA0404576.1	EST_HUMAN	z441f01.r1 Soares ovary tumor NbHOT Homo sapiens cDNA clone IMAGE:724921 5' similar to contains Alu repetitive element;
6300	25994		0.78	2.8E-01	M36668.1	NT	Bovine 680 bp repeated unit of 1.723 satellite DNA
6343	19412	32653	2.02	2.8E-01	AF003124.1	NT	Mesembryanthemum crystallinum fructose-bisphosphate aldolase mRNA, complete cds
6343	19412	32654	2.02	2.8E-01	AF003124.1	NT	Mesembryanthemum crystallinum fructose-bisphosphate aldolase mRNA, complete cds
6895	19947	33244	8.31	2.8E-01	BF511215.1	EST_HUMAN	U1-H-B14-aa-4-04-0-J1.s1 NCL_CGAP_Sub8 Homo sapiens cDNA clone IMAGE:3085182 3'
7201	20225	33557	0.52	2.8E-01	U66300.1	NT	Orthogeomys heterodus cytochrome b (cyb) gene, mitochondrial gene encoding mitochondrial protein, complete cds
7579	20541	33900	0.51	2.8E-01	BE887455.1	EST_HUMAN	601490157F1 NIH_MGC_69 Homo sapiens cDNA clone IMAGE:3892142 5'
7675	20633		1.03	2.8E-01	U05933.1	NT	Marsilea quadrifolia ribulose-1,5-bisphosphate carboxylase/oxygenase large subunit (rbcl) gene, chloroplast gene encoding chloroplast protein, partial cds
7724	20680	34044	0.77	2.8E-01	X69980.1	NT	L. esculentum ypt2 mRNA for GTP-binding protein
8429	21398	34808	1.12	2.8E-01	A1346126.1	EST_HUMAN	qp48h01.x1 NCL_CGAP_Co8 Homo sapiens cDNA clone IMAGE:1926289 3' similar to gb:X06323_cds1 MITOCHONDRIAL 60S RIBOSOMAL PROTEIN L3 (HUMAN);
8429	21398	34809	1.12	2.8E-01	A1346126.1	EST_HUMAN	qp48h01.x1 NCL_CGAP_Co8 Homo sapiens cDNA clone IMAGE:1926289 3' similar to gb:X06323_cds1 MITOCHONDRIAL 60S RIBOSOMAL PROTEIN L3 (HUMAN);
8551	21519	34938	2.25	2.8E-01	U51988.1	NT	Homo sapiens lanosterol 14-alpha demethylase cytochrome P450 (CYP51) gene, exon 5
8959	21826	35249	0.49	2.8E-01	AA911629.1	EST_HUMAN	602205.s1 NCL_CGAP_Co12 Homo sapiens cDNA clone IMAGE:1419993 3' similar to gb:M87789 IG GAMMA-1 CHAIN C REGION (HUMAN);
8936	21902		7.34	2.8E-01	BF347847.1	EST_HUMAN	60202287F1 NCL_CGAP_Bm67 Homo sapiens cDNA clone IMAGE:4158525 5'
9821	22670	36127	0.91	2.8E-01	U17251.1	NT	Neurospora crassa negative regulator sulfur controller-2 (scon-2) gene, complete cds
10069	22996		0.85	2.8E-01	L13654.1	NT	Lycopodium esculentum peroxidase (TPX1) mRNA, complete cds
10248	23173	36662	0.93	2.8E-01	AF132728.1	NT	Escherichia coli translocated inlamin receptor Tir (tir) gene, complete cds
10248	23173	36663	0.93	2.8E-01	AF132728.1	NT	Escherichia coli translocated inlamin receptor Tir (tir) gene, complete cds
10310	23234	36716	0.6	2.8E-01	AF294393.1	NT	Rattus norvegicus glycerol-3-phosphate dehydrogenase gene, promoters A and B and exons 1a and 1b; nuclear gene for mitochondrial product
10420	23342	36828	4.98	2.8E-01	7706163	NT	Homo sapiens hypothetical protein (LOC51319). mRNA
10676	23598		0.94	2.8E-01	9626154	NT	Fujinami sarcoma virus, complete genome
10718	23640	37133	0.44	2.8E-01	BE959727.2	EST_HUMAN	601654822R1 NIH_MGC_57 Homo sapiens cDNA clone IMAGE:3839765 3'
11095	24055	37578	1.9	2.8E-01	BF241082.1	EST_HUMAN	601880794F1 NIH_MGC_55 Homo sapiens cDNA clone IMAGE:4109350 5'
11095	24055	37579	1.9	2.8E-01	BF241082.1	EST_HUMAN	601880794F1 NIH_MGC_55 Homo sapiens cDNA clone IMAGE:4109350 5'
11125	24085	37612	2.96	2.8E-01	BF696970.1	EST_HUMAN	601852148F1 NIH_MGC_56 Homo sapiens cDNA clone IMAGE:4076026 5'
11608	24346		4.02	2.8E-01	BF674023.1	EST_HUMAN	602137418F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:4273853 5'
12312	25120	31843	1.39	2.8E-01	AF268477.1	NT	Ovis aries tissue inhibitor of metalloproteinase 1 (TIMP1) gene, partial cds

Page 80 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
12884	25351		23.54	2.8E-01	D83329.1	NT	Mus musculus DNA for prostaglandin D2 synthase, complete cds
12788	25420	31736	3.09	2.8E-01	BE178699.1	EST_HUMAN	PM4-HT0606-030400-001-a07 HT0606 Homo sapiens cDNA
12817	25439	31742	1.37	2.8E-01	BE900116.1	EST_HUMAN	601679020F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3855988 5'
12869	25879		3.15	2.8E-01	11433629	NT	Homo sapiens CDC42-binding protein kinase beta (DMPK-like) (CDC42BPB), mRNA
13097	25973		1.76	2.8E-01	AW025400.1	EST_HUMAN	wu96g05.x1 NCI_CGAP_Kid3 Homo sapiens cDNA clone IMAGE:2827928 3'
477	13549	26477	2.95	2.7E-01	Y17324.1	NT	Rattus norvegicus CDK104 mRNA
616	13880	26596	9.43	2.7E-01	AA450081.1	EST_HUMAN	z38b10.s1 Soares_fetal_fetus_Nb2HF8_gw Homo sapiens cDNA clone IMAGE:78827 3' similar to contains Alu repetitive element
1266	14301	27262	2.18	2.7E-01	AB004906.1	NT	Ipomoea purpurea transposable element Tip100 gene for transposase, complete cds
1625	14658		2.21	2.7E-01	X79815.1	NT	G.lamblii SR2 gene
1742	14772	27757	2.88	2.7E-01	W58087.1	EST_HUMAN	z22h10.11 Soares_fetal_heart_NbHH19W Homo sapiens cDNA clone IMAGE:341443 5'
1781	14820	27805	2.49	2.7E-01	P03341	SWISSPROT	GAG POLYPEPTIDE [CONTAINS: INNER COAT PROTEIN P12; CORE PROTEIN P16; CORE SHELL PROTEIN P30; NUCLEOPROTEIN P10]
2145	15885		2.29	2.7E-01	AF047575.1	NT	Rattus norvegicus vesicular monoamine transporter type 2, promoter region and exon 1
2375	15383	28405	9.36	2.7E-01	Y13868.1	NT	Feline immunodeficiency virus env gene, isolate ITT0089PIU (M89), partial repetitive element
2481	15465	28488	3.97	2.7E-01	A1310858.1	EST_HUMAN	ta43c11.x2 NCI_CGAP_Lu25 Homo sapiens cDNA clone IMAGE:2046838 3' similar to contains element L1 repetitive element
2909	15968	28891	1	2.7E-01	AF251276.1	NT	Mus musculus serine protease inhibitor 14 (Spi14) mRNA, complete cds
2997	16055		0.91	2.7E-01	BF088284.1	EST_HUMAN	GM1-HT0875-060900-385-e05 HT0875 Homo sapiens cDNA
4038	17076	29976	1.74	2.7E-01	A1928015.1	EST_HUMAN	wc92a11.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2482828 3'
4053	17080	29985	0.76	2.7E-01	AF216214.1	NT	Drosophila buzzatii alpha-esterase 6 (aE6) gene, partial cds
4053	17080	29986	0.76	2.7E-01	AF216214.1	NT	Drosophila buzzatii alpha-esterase 6 (aE6) gene, partial cds
4061	17097	29991	2.33	2.7E-01	L77569.1	NT	Homo sapiens DGeorge syndrome critical region, telomeric end
4928	17945	30837	0.76	2.7E-01	L27516.1	NT	Triticum aestivum (W cs68) gene, complete cds
5078	18089		4.11	2.7E-01	AW856131.1	EST_HUMAN	RC1-CT0286-230200-018-e03 CT0286 Homo sapiens cDNA
5339	18444	31197	2.13	2.7E-01	P17277	SWISSPROT	HOMEOBOX PROTEIN HOXA-4 (HOXA-4)
5567	18664		1.11	2.7E-01	AB033171.1	NT	Astrocera myriophthalma mitochondrial cytb gene for cytochrome b, partial cds
6478	19541	32787	0.51	2.7E-01	Q00918	SWISSPROT	LATENT TRANSFORMING GROWTH FACTOR BETA BINDING PROTEIN 1 PRECURSOR (TRANSFORMING GROWTH FACTOR BETA-1 BINDING PROTEIN 1) (TGF-BETA1-BP-1) (TRANSFORMING GROWTH FACTOR BETA-1 MASKING PROTEIN, LARGE SUBUNIT)
6478	19541	32788	0.51	2.7E-01	Q00918	SWISSPROT	LATENT TRANSFORMING GROWTH FACTOR BETA BINDING PROTEIN 1 PRECURSOR (TRANSFORMING GROWTH FACTOR BETA-1 BINDING PROTEIN 1) (TGF-BETA1-BP-1) (TRANSFORMING GROWTH FACTOR BETA-1 MASKING PROTEIN, LARGE SUBUNIT)
6765	19819	33100	1.06	2.7E-01	AE001094.1	NT	Archaeoglobus fulgidus section 13 of 172 of the complete genome

Page 81 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6765	19819	33101	1.06	2.7E-01	AE001094.1	NT	Archaeoglobus fulgidus section 13 of 172 of the complete genome
6946	20170	33494	2.1	2.7E-01	Q61354	SWISSPROT	FIBRILLIN 1 PRECURSOR
7253	19988		0.64	2.7E-01	A1540070.1	EST_HUMAN	Id08H08.x1 NCI_CGAP_CLL1 Homo sapiens cDNA clone IMAGE:2075103 3'
7580	20542	33901	0.8	2.7E-01	Q11079	SWISSPROT	HYPOTHEICAL 20.9 KD PROTEIN B0563.3 IN CHROMOSOME X
7811	20760	34135	0.86	2.7E-01	Q01168	SWISSPROT	NITROGEN REGULATORY PROTEIN NUT1
7811	20760	34136	0.86	2.7E-01	Q01168	SWISSPROT	NITROGEN REGULATORY PROTEIN NUT1
7952	20893	34285	1.9	2.7E-01	AF248054.1	NT	Bos taurus micromolar calcium activated neutral protease 1 (CAPN1) gene, exons 11-20, and partial cds
7952	20893	34286	1.9	2.7E-01	AF248054.1	NT	Bos taurus micromolar calcium activated neutral protease 1 (CAPN1) gene, exons 11-20, and partial cds
8012	20950	34343	0.86	2.7E-01	AA351121.1	EST_HUMAN	EST58740 Infant brain Homo sapiens cDNA 5' and similar to myosin-binding protein H
8012	20950	34344	0.86	2.7E-01	AA351121.1	EST_HUMAN	EST58740 Infant brain Homo sapiens cDNA 5' and similar to myosin-binding protein H
8084	21021	34421	0.63	2.7E-01	L01081.1	NT	Oryctolagus cuniculus UDP-glucuronosyltransferase (UGT2B13) mRNA, complete cds
8196	21166	34576	0.86	2.7E-01	AA013147.1	EST_HUMAN	z335b11.s1 Soares retina N2b4-HR Homo sapiens cDNA clone IMAGE:360967 3' similar to contains Aliu repetitive element.
8360	21329		0.52	2.7E-01	AF048820.1	NT	Carassius auratus pituitary adenylate cyclase activating polypeptide type 1 receptor precursor mRNA, complete cds
8475	21444	34961	0.43	2.7E-01	AW868503.1	EST_HUMAN	MR1-SN0062-100500-002-409 SN0062 Homo sapiens cDNA
8527	21495	34909	0.52	2.7E-01	R39257.1	EST_HUMAN	yc91h06.s1 Soares Infant brain 1N1B Homo sapiens cDNA clone IMAGE:23811 3'
8634	21602	35025	0.74	2.7E-01	AL191952.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 52
9112	22078	35505	0.52	2.7E-01	Q14764	SWISSPROT	MAJOR VAULT PROTEIN (MVP) (LUNG RESISTANCE-RELATED PROTEIN)
9382	22347	35779	0.51	2.7E-01	X03216.1	NT	Staphylococcus aureus transposon Tn554
9689	22641	36098	11.09	2.7E-01	O83809	SWISSPROT	THREONYL-TRNA SYNTHETASE (THREONINE-TRNA LIGASE) (THRRS)
9888	22641	36099	11.09	2.7E-01	O83809	SWISSPROT	THREONYL-TRNA SYNTHETASE (THREONINE-TRNA LIGASE) (THRRS)
9891	22644		2.17	2.7E-01	P37928	SWISSPROT	FIMBRIAE W PROTEIN
10160	23085	36562	0.64	2.7E-01	D89660.1	NT	Rattus norvegicus DNA for peroxisome assembly factor-2, exon 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17 and complete cds
10441	23363	36853	0.85	2.7E-01	AF091848.1	NT	Oryctolagus cuniculus calgranulin C mRNA, partial cds
10477	23398	36896	2.83	2.7E-01	AF087434.1	NT	Mus musculus transcription factor NF-A1c isoform a (NF-A1c) mRNA, complete cds
10811	23533	37029	1.06	2.7E-01	AF156539.1	NT	Homo sapiens xeroderma pigmentosum complementation group C (XPC) gene, intron 9
10811	23533	37030	1.06	2.7E-01	AF156539.1	NT	Homo sapiens xeroderma pigmentosum complementation group C (XPC) gene, intron 9
11163	24121	37648	4.87	2.7E-01	AV705043.1	EST_HUMAN	AV705043 ADB Homo sapiens cDNA clone ADBCOD05 5'
11163	24121	37649	4.87	2.7E-01	AV705043.1	EST_HUMAN	AV705043 ADB Homo sapiens cDNA clone ADBCOD05 5'

Page 82 of 546
Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
11171	24128	37658	2.31	2.7E-01	AJ133289.1	NT	Homo sapiens cavedin-1/2 locus, Contig1, D7S522, genes CAV2 (exons 1, 2a, and 2b), CAV1 (exons 1 and 2)
12066	24939		2.08	2.7E-01	BE141036.1	EST_HUMAN	MRO-HT0067-201099-002-c10 HT0067 Homo sapiens cDNA
12090	24961		1.52	2.7E-01	Q14181	SWISSPROT	PUTATIVE 60S RIBOSOMAL PROTEIN C4F8.05C
12509	25244	31802	1.39	2.7E-01	AL163281.2	NT	Homo sapiens chromosome 21 segment HS21C081
12757	25768		1.46	2.7E-01	AB008792.1	NT	Arabidopsis thaliana mRNA for sulfate transporter, complete cds
12851	25460		1.63	2.7E-01	Q63627	SWISSPROT	CTD-BINDING SR-LIKE PROTEIN RA4
12948	25926		3.16	2.7E-01	AF217491.1	NT	Homo sapiens fragile 16D oxido reductase (FOR) gene, exon 6
470	15841	26470	1.97	2.6E-01	P78411	SWISSPROT	IROQUOIS-CLASS HOMEODOMAIN PROTEIN RX-2
481	13554		1.5	2.6E-01	D16459.1	NT	Bos taurus mRNA for mb-1, complete cds
1394	14428	27397	1.66	2.6E-01	BE885087.1	EST_HUMAN	601510839F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3912345 5'
1431	14465	27441	1.36	2.6E-01	AB013280.1	NT	Glycine max pseudogene for Bd 30K
1812	14936	27631	6.4	2.6E-01	AL161472.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 2
1912	14936	27632	6.4	2.6E-01	AL161472.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 2
2104	15121		7.48	2.6E-01	AW733152.1	EST_HUMAN	bb04d10.x1 NIH_MGC_14 Homo sapiens cDNA clone IMAGE:2859461 3' similar to gb:M36072 60S RIBOSOMAL PROTEIN L7A (HUMAN); gb:M14689_cds1 Mouse surfeit locus surfeit 3 protein gene (MOUSE);
2480	15484		0.99	2.6E-01	Y12896.1	NT	B. maritimus rbcL gene
2553	15555		8.24	2.6E-01	BE272440.1	EST_HUMAN	601128016F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:2980043 5'
3108	16165		1.02	2.6E-01	AW974531.1	EST_HUMAN	EST366635 MAGE resequences, MAGM Homo sapiens cDNA
3594	16539	29559	1.02	2.6E-01	M22342.1	NT	Bacteriophage T2 DNA-(adenine-N6)methyltransferase (dam) gene, complete cds
3657	16700	29616	2.11	2.6E-01	AF229118.1	NT	Homo sapiens acetylcholinesterase collagen-like tail subunit (COLQ) gene, exons 1A, 2, 3, 4, and 5
3982	17022	29932	0.77	2.6E-01	AJ012174.2	NT	Chlamydomonas reinhardtii partial mpb gene for RNase P RNA subunit
3982	17022	29933	0.77	2.6E-01	AJ012174.2	NT	Chlamydomonas reinhardtii partial mpb gene for RNase P RNA subunit
4181	17212	30100	17.99	2.6E-01	BE080598.1	EST_HUMAN	QV1-BT0630-040400-132-403 BT0630 Homo sapiens cDNA
4384	17412	30296	1.39	2.6E-01	AF176293.1	NT	Enterococcus faecium strain N97-330 vanD glycopeptide resistance gene cluster, complete cds; and unknown gene
4522	17547	30434	0.82	2.6E-01	AB021180.1	NT	Gallus gallus mRNA for skeletal myosin heavy chain, complete cds
4522	17547	30435	0.82	2.6E-01	AB021180.1	NT	Gallus gallus mRNA for skeletal myosin heavy chain, complete cds
4579	17601	30497	1.47	2.6E-01	AA457617.1	EST_HUMAN	aa9407.r1 Stratagene fetal retina 937202 Homo sapiens cDNA clone IMAGE:838477 5'
4677	17698	30685	2.31	2.6E-01	U01103.1	NT	Arabidopsis thaliana PSI type III chlorophyll a/b-binding protein (Lhca3*) mRNA, complete cds
4745	17765	30659	1.46	2.6E-01	AF142703.1	NT	Ophrestia radiciosa maturase-like protein (matK) gene, complete cds; chloroplast gene for chloroplast product

Page 83 of 546
Table 4
Single Exon Probes Expressed In Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5007	18021	30909	4.38	2.6E-01	H04858.1	EST_HUMAN	y51e05.r1 Soares placenta Nb2HP Homo sapiens cDNA clone IMAGE:152288 5'
5081	18091		0.76	2.6E-01	AA884825.1	EST_HUMAN	bm33b11.s1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1468605 3'
5414	18517		1.08	2.6E-01	AB035972.1	NT	Paraneurium caudatum gene for PAP, complete cds
5524	18623	31558	0.69	2.6E-01	M68060.1	NT	Acetobacter xylinum cellulose synthase (bcsA) gene, partial cds, CMCax and CcpA genes, complete cds
5651	18747		0.71	2.6E-01	AI862398.1	EST_HUMAN	td18a03.x1 NCI_CGAP_Co16 Homo sapiens cDNA clone IMAGE:2075788 3' similar to contains element MER35 repetitive element;
5869	18958	32146	0.88	2.6E-01	AF207550.1	NT	Homo sapiens protein translocase, JM26 protein, UDP-galactose translocator, plm-2 protooncogene homolog plm-2h, and shal-type potassium channel genes, complete cds; JM12 protein and transcription factorIGHM enhancer 3 genes, partial cds, and unknown g+
6189	25963		2.61	2.6E-01	AE001811.1	NT	Thermotoga maritima section 123 of 136 of the complete genome
6325	19395	32637	1.81	2.6E-01	AI582557.1	EST_HUMAN	ts02a12.x1 NCI_CGAP_Pan1 Homo sapiens cDNA clone IMAGE:2227438 3' similar to SW:NDF1_RAT Q64289 NEUROGENIC DIFFERENTIATION FACTOR 1 ; contains element LTR1 repetitive element ;
6325	19395	32638	1.81	2.6E-01	AI582557.1	EST_HUMAN	ts02a12.x1 NCI_CGAP_Pan1 Homo sapiens cDNA clone IMAGE:2227438 3' similar to SW:NDF1_RAT Q64289 NEUROGENIC DIFFERENTIATION FACTOR 1 ; contains element LTR1 repetitive element ;
6562	19622	32887	1.01	2.6E-01	AL162767.2	NT	Neisseria meningitidis serogroup A strain Z2491 complete genome; segment 6/7
6625	19679	33169	0.6	2.6E-01	BE792052.1	EST_HUMAN	601581754F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3936156 5'
6625	19679	33170	0.6	2.6E-01	BE792052.1	EST_HUMAN	601581754F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3936156 5'
7238	20259	33593	0.75	2.6E-01	AI914380.1	EST_HUMAN	wd48c04.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2331366 3' similar to gb:M37721 PEPTIDYL-GLYCINE ALPHA-AMIDATING MONOOXYGENASE PRECURSOR (HUMAN);
7620	20580	33844	0.72	2.6E-01	BE148961.1	EST_HUMAN	CMO-HT0245-031199-086-104 HT0245 Homo sapiens cDNA
7663	25686		0.73	2.6E-01	AI139077.2	NT	Campylobacter jejuni NCTC11168 complete genome; segment 4/6
7700	20658		0.81	2.6E-01	AA196149.1	EST_HUMAN	zp92a01.r1 Stralagene HeLa cell s3 937216 Homo sapiens cDNA clone IMAGE:627672 5'
8013	20951	34345	1.53	2.6E-01	R10365.1	EST_HUMAN	y07a03.s1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:129004 3' similar to gb:X12517 U1 SMALL NUCLEAR RIBONUCLEOPROTEIN C (HUMAN);
8071	21006	34406	0.65	2.6E-01	Q09855	SWISSPROT	HYPOTHETICAL TRP-ASP REPEATS CONTAINING PROTEIN C29C6.01 IN CHROMOSOME I
8182	21152	34559	1.13	2.6E-01	R02411.1	EST_HUMAN	y82a07.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:124212 5'
8236	21205	34610	1.17	2.6E-01	BE144331.1	EST_HUMAN	MRO-HT0166-181199-003-412 HT0166 Homo sapiens cDNA
8480	21449	34668	0.62	2.6E-01	X82641.1	NT	D.melanogaster mRNA for alpha 1,2 mannosidase (Berlin)
8480	21449	34667	0.62	2.6E-01	X82641.1	NT	D.melanogaster mRNA for alpha 1,2 mannosidase (Berlin)
8677	21645	35069	2.87	2.6E-01	BF343588.1	EST_HUMAN	602014422F1 NCI_CGAP_Bm84 Homo sapiens cDNA clone IMAGE:415396 5'
8753	21721	35143	1.92	2.6E-01	Q10199	SWISSPROT	HYPOTHETICAL 75.2 KD PROTEIN C11C1.02 IN CHROMOSOME II

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
9042	22008	36428	4.09	2.6E-01	BE830339.1	EST_HUMAN	RC5-ET0082-310600-021-F10 ET0082 Homo sapiens cDNA
9042	22008	36428	4.09	2.6E-01	BE830339.1	EST_HUMAN	RC5-ET0082-310600-021-F10 ET0082 Homo sapiens cDNA
9822	22871	36128	0.99	2.6E-01	X17604.1	NT	S. occidentalis INV gene for invertase (EC 3.2.1.26)
10096	23022		0.63	2.6E-01	AF057121.1	NT	Lontra canadensis cytochrome b (cytb) gene, mitochondrial gene encoding mitochondrial protein, complete cds
10227	23152	36841	1.08	2.6E-01	P87366	SWISSPROT	GREEN-SENSITIVE OPSIN (GREEN CONE PHOTORECEPTOR PIGMENT) (KHF-G)
10227	23152	36842	1.08	2.6E-01	P87366	SWISSPROT	GREEN-SENSITIVE OPSIN (GREEN CONE PHOTORECEPTOR PIGMENT) (KHF-G)
10550	23472		0.61	2.6E-01	Q28295	SWISSPROT	VON WILLEBRAND FACTOR PRECURSOR (VWF)
10875	23795		0.91	2.6E-01	Y10196.1	NT	Homo sapiens PHEX gene
10978	23998		0.48	2.6E-01	Y15874.2	NT	Danio rerio mRNA for RPTP-alpha protein
11854	24738		32.27	2.6E-01	X51755.1	NT	Human lambda-immunoglobulin constant region complex (germline)
12268	25091		2.77	2.6E-01	10190655	NT	Mus musculus jerky (Jrk), mRNA
12494	25883		3.3	2.6E-01	BE883491.1	EST_HUMAN	801511052F1 NIH_MGC 71 Homo sapiens cDNA clone IMAGE:3912612 5'
12828	25257	31806	4.42	2.6E-01	AF316806.1	NT	Homo sapiens NaK-ATPase gamma subunit (FXVD2) gene, complete cds, alternatively spliced
12846	26458		2.01	2.6E-01	D88425.1	NT	Cavia cobaya mRNA for serine/threonine kinase, complete cds
12874	25539		1.74	2.6E-01	AF141325.2	NT	Homo sapiens inositol polyphosphate 1-phosphatase (INPP1) gene, complete cds
13010	25662		3.07	2.6E-01	P47285	SWISSPROT	HYPOTHETICAL PROTEIN MG039
241	13340	26265	2.33	2.5E-01	4502298	NT	Homo sapiens ATP synthase, H+ transporting, mitochondrial F1 complex, delta subunit (ATP5D), nuclear gene encoding mitochondrial protein, mRNA
242	13340	26265	1.97	2.5E-01	4502298	NT	Homo sapiens ATP synthase, H+ transporting, mitochondrial F1 complex, delta subunit (ATP5D), nuclear gene encoding mitochondrial protein, mRNA
255	13352		4.63	2.5E-01	M26501.1	NT	Starfish (P. ochraceus) cytoplasmic actin gene, complete cds
833	13890	26944	1.87	2.5E-01	U09964.1	NT	Mus musculus [CR/Swiss] glyceraldehyde 3-phosphate dehydrogenase (Gapd-S) gene, complete cds
1123	14167	27119	9.8	2.5E-01	T89837.1	EST_HUMAN	ye11g07.r1 Strategene lung (#937210) Homo sapiens cDNA clone IMAGE:117488 5'
1522	14564	27525	1.55	2.5E-01	AL115624.1	NT	Borhyla chinerea strain T4 cDNA library under conditions of nitrogen deprivation
1741	14771		5.06	2.5E-01	4885406	NT	Homo sapiens hyperpolarization activated cyclic nucleotide-gated potassium channel 4 (HCN4) mRNA
1900	15880	27920	0.94	2.5E-01	BE696804.1	EST_HUMAN	PM4-CT0400-310700-005-d08 CT0400 Homo sapiens cDNA
1900	15880	27921	0.94	2.5E-01	BE696804.1	EST_HUMAN	PM4-CT0400-310700-006-d08 CT0400 Homo sapiens cDNA
2417	15424		13.96	2.5E-01	AE000875.1	NT	Aquifex aeolicus section 7 of 109 of the complete genome
2603	15506		1.09	2.5E-01	AA251987.1	EST_HUMAN	zs11a12.r1 NCJ CGAP_GCB1 Homo sapiens cDNA clone IMAGE:884862 5'
2644	15641	28665	0.94	2.5E-01	X95310.1	NT	B. taurus mRNA for D-aspartate oxidase
3423	16471		2.83	2.5E-01	AW973471.1	EST_HUMAN	EST365464 IMAGE sequences, MAGM Homo sapiens cDNA

Page 85 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3545	16591	29516	0.87	2.5E-01	AF233875.1	NT	Danio rerio peptide YY precursor gene, complete cds
3580	16606	29526	7.94	2.5E-01	AL161517.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 29
3881	16900	29803	1.15	2.5E-01	A1741483.1	EST_HUMAN	wg11c07.x1 Soares_NSF_F8_9W_OT_PA_P_S1 Homo sapiens cDNA clone IMAGE:2364780 3'
3881	16900	29804	1.15	2.5E-01	A1741483.1	EST_HUMAN	wg11c07.x1 Soares_NSF_F8_9W_OT_PA_P_S1 Homo sapiens cDNA clone IMAGE:2364780 3'
4096	17130		1.76	2.5E-01	P32323	SWISSPROT	A-AGGLUTININ ATTACHMENT SUBUNIT PRECURSOR
4346	17373		0.99	2.5E-01	Q03314	SWISSPROT	RHIB PROTEIN
4780	17800		1.34	2.5E-01	Q27225	SWISSPROT	MOLT-INHIBITING HORMONE PRECURSOR (MIH)
4788	17806	30698	4.71	2.5E-01	AF007768.1	NT	Chorisoneura fumiferana diapause associated protein 2 (DAP2) mRNA, complete cds
4821	17838	30736	2.32	2.5E-01	AE004418.1	NT	Vibrio cholerae chromosome II, section 73 of 93 of the complete chromosome
4840	17857		3.69	2.5E-01	AJ230113.1	NT	Mus musculus annexin V gene, intron 4 segment containing 5' LTR and gag portion of MuERV-L (murine endogenous retrovirus) element
4870	17887	30775	0.64	2.5E-01	BE988786.1	EST_HUMAN	601437488F1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3922600 5'
5089	18096	30972	0.84	2.5E-01	AW873588.1	EST_HUMAN	hca2111.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:3041997 3' similar to WP:Y71F9A_294.D CE22858:
5243	18251		0.96	2.5E-01	AA768389.1	EST_HUMAN	oa63a09.s1 NCL_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:1316920 3' similar to contains Alu repetitive element
5399	18502	31380	13.58	2.5E-01	S83390.1	NT	T3 receptor-associated cofactor-1 [human, fetal liver, mRNA, 2830 nt]
6070	19151	32363	0.94	2.5E-01	AJ006345.1	NT	Homo sapiens KVLQ11 gene
6071	19152		0.87	2.5E-01	AL163207.2	NT	Homo sapiens chromosome 21 segment HS21C007
6525	19588	32847	0.49	2.5E-01	P22219	SWISSPROT	PROTEIN KINASE VPS15
6780	19835	33118	0.86	2.5E-01	AJ251973.1	NT	Homo sapiens partial steerin-1 gene
7245	19980	33277	0.8	2.5E-01	8394138	NT	Rattus norvegicus rab1n 3 (RABIN3), mRNA
7575	20537	33896	0.79	2.5E-01	U13992.1	NT	Feline calicivirus CFI/68 RNA helicase/cysteine protease/RNA-dependent RNA polymerase polyprotein precursor and capsid protein precursor, genes, complete cds; and unknown gene
7604	20565		1.13	2.5E-01	AF134119.1	NT	Mus musculus SKD1 (Skd1) gene, complete cds
7852	20798	34174	0.68	2.5E-01	AL161506.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 18
7898	20841	34223	3.88	2.5E-01	AL163282.2	NT	Homo sapiens chromosome 21 segment HS21C082
8177	21147	34555	2.72	2.5E-01	BF109040.1	EST_HUMAN	7187a03.x1 Soares_NSF_F8_9W_OT_PA_P_S1 Homo sapiens cDNA clone IMAGE:3525389 3'
8188	21158	34567	0.62	2.5E-01	BE960712.1	EST_HUMAN	601653391R2 NIH_MGC_58 Homo sapiens cDNA clone IMAGE:3826198 3'
8568	21536	34958	2.02	2.5E-01	BF038595.1	EST_HUMAN	601459238F1 NIH_MGC_68 Homo sapiens cDNA clone IMAGE:3862809 5'
8740	21708	35131	0.67	2.5E-01	P04492	SWISSPROT	E1B PROTEIN, SMALL T-ANTIGEN (E1B 19K)
8953	21949	35373	3.37	2.5E-01	H33236.1	EST_HUMAN	yx84f07.r1 Soares fetal liver spleen 1NLS Homo sapiens cDNA clone IMAGE:202501 5'
9227	22193	35623	0.81	2.5E-01	M88526.1	NT	Mouse testis-specific protein (TPX-1) gene, exon 10
9874	22827	36280	16.45	2.5E-01	U89651.2	NT	Homo sapiens matrix metalloproteinase MMP1 Ras1-1 gene, promoter region

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
9874	22827	36281	16.45	2.5E-01	U89651.2	NT	Homo sapiens matrix metalloproteinase MMP Rast-1 gene, promoter region
9931	22814	36268	2.03	2.5E-01	AF085164.1	NT	Hordeum vulgare receptor-like kinase LRK10 gene, partial cds
9931	22814	36269	2.03	2.5E-01	AF085184.1	NT	Hordeum vulgare receptor-like kinase LRK10 gene, partial cds
10498	23380	36973	1.7	2.5E-01	AW581997.1	EST_HUMAN	RC3-ST0186-130100-015-a07 ST0186 Homo sapiens cDNA
10707	23628	37124	0.44	2.5E-01	11465652	NT	Porphyrin purpurea chloroplast, complete genome
10909	23829	37342	1.58	2.5E-01	AW152246.1	EST_HUMAN	X940c10.x1 NCL_CGAP_U01 Homo sapiens cDNA clone IMAGE:2830034 3' similar to contains Alu repetitive element; contains element MSR1 repetitive element;
10912	23832	37346	1.38	2.5E-01	X68491.1	NT	Mouse L1Md LINE DNA
10992	23912	37427	0.45	2.5E-01	AI934721.1	EST_HUMAN	wp88e11.x1 NCL_CGAP_Bm25 Homo sapiens cDNA clone IMAGE:2468876 3' similar to SW:CEBD_HUMAN P49716 CCAAT/ENHANCER BINDING PROTEIN DELTA;
10992	23912	37428	0.45	2.5E-01	AI934721.1	EST_HUMAN	wp88e11.x1 NCL_CGAP_Bm25 Homo sapiens cDNA clone IMAGE:2468876 3' similar to SW:CEBD_HUMAN P49716 CCAAT/ENHANCER BINDING PROTEIN DELTA;
11413	24357	37892	4.47	2.5E-01	D50914.1	NT	Human mRNA for KIAA0124 gene, partial cds
12120	24990	38591	2.34	2.5E-01	AE000711.1	NT	Aquifex aeolicus section 43 of 109 of the complete genome
12204	25046	38825	4.55	2.5E-01	AF200528.1	NT	Zea mays cellulose synthase-4 (Cesa-4) mRNA, complete cds
12230	25959		5.87	2.5E-01	AL161541.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 41
12691	25805	31527	1.54	2.5E-01	AF170072.1	NT	Spodoptera frugiperda CALNUG mRNA, complete cds
555	13625	26543	0.86	2.4E-01	AA936318.1	EST_HUMAN	ort70d04.s1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1562023 3'
849	13905	26864	2.97	2.4E-01	BF676124.1	EST_HUMAN	602132442F1 NIH_MGC_81 Homo sapiens cDNA clone IMAGE:4271878 5'
1307	14343	27307	15.11	2.4E-01	AJ289880.1	NT	Homo sapiens KIAA0851 gene (partial), XT3 gene and LZTFL1 gene
1307	14343	27308	15.11	2.4E-01	AJ289880.1	NT	Homo sapiens KIAA0851 gene (partial), XT3 gene and LZTFL1 gene
1384	14418	27387	1.01	2.4E-01	Y17293.1	NT	Homo sapiens FLI-1 gene, partial
1898	14893		27.14	2.4E-01	AF267753.1	NT	Mesembryanthemum crystallinum putative potassium channel protein Mkt1p mRNA, complete cds
1916	14940	27936	1.21	2.4E-01	AF251708.1	NT	Zaocys dhumnades fructose-1,6-bisphosphatase mRNA, complete cds
2148	15164	28180	0.97	2.4E-01	AF111168.2	NT	Homo sapiens serine palmitoyl transferase, subunit II gene, complete cds; and unknown genes
2178	15193		1.04	2.4E-01	P45384	SWISSPROT	IMMUNOGLOBULIN A1 PROTEASE PRECURSOR (IGA1 PROTEASE)
2271	15284	28310	2.23	2.4E-01	AE000680.1	NT	Aquifex aeolicus section 12 of 109 of the complete genome
2391	15399	28424	1.65	2.4E-01	BF002171.1	EST_HUMAN	7h23d04.x1 NCL_CGAP_Cot16 Homo sapiens cDNA clone IMAGE:3319807 3' similar to SW:PRSB_XENLA
2544	15546	28599	2.37	2.4E-01	Z36534.1	NT	O42586 26S PROTEASE REGULATORY SUBUNIT 6A;
2772	15764	28786	2.11	2.4E-01	X71783.1	NT	D.discoideum (A33-K) pomA gene
2767	15789	28807	3.03	2.4E-01	AF030154.1	NT	S.pombe swi6 gene
						NT	Bovine adenovirus 3 complete genome
3149	16206		3.16	2.4E-01	U72726.1	NT	Oryza longistaminata receptor kinase-like protein, family member D, and retrofit (gap/pol) genes, complete cds

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3163	16219	29134	1.71	2.4E-01	X74209.1	NT	H.sapiens AGT gene, PstI fragment of intron 4
3676	16718	29632	1	2.4E-01	AF169793.1	NT	Podospora anserina HET-C protein (Het-c) gene, complete cds
3773	16815	29724	0.95	2.4E-01	AE000312.1	NT	Escherichia coli K-12 MG1655 section 202 of 400 of the complete genome
4082	17098		0.87	2.4E-01	D28960.1	NT	Rattus norvegicus mRNA for alphaB crystallin-related protein, complete cds
4974	17989		0.98	2.4E-01	AL161589.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 85
5089	18099	30975	0.95	2.4E-01	D00944.1	NT	Hepatitis C virus genomic RNA for polyprotein, complete cds
5537	18634	31574	0.77	2.4E-01	A1925707.1	EST_HUMAN	wo33d05.x1 NCL_CGAP_Gas4 Homo sapiens cDNA clone IMAGE:2457129 3'
5537	18634	31575	0.77	2.4E-01	A1925707.1	EST_HUMAN	wo33d05.x1 NCL_CGAP_Gas4 Homo sapiens cDNA clone IMAGE:2457129 3'
5562	18659	31605	0.69	2.4E-01	D50871.1	NT	Glycine max mRNA for mitotic cyclin b1-type, complete cds
5738	18832	32011	9.32	2.4E-01	AF091216.1	NT	Mus musculus Wm protein (Wm) gene, complete cds
5738	18832	32012	9.32	2.4E-01	AF091216.1	NT	Mus musculus Wm protein (Wm) gene, complete cds
5766	18958		0.65	2.4E-01	M83377.1	NT	Callus gallus brain-derived neurotrophic factor (BDNF) gene, 5' end
5991	25849		1.03	2.4E-01	AJ133836.2	NT	Branchiostoma floridae mRNA for calmodulin 2 (calM2 gene)
							7154404.x1 NCL_CGAP_Br16 Homo sapiens cDNA clone IMAGE:3338503 3' similar to SW:SFR4_HUMAN
							Q08170 SPlicing FACTOR, ARGININE/SERINE-RICH 4; contains element TAR1 TAR1 repetitive element
5998	19082	32279	2.06	2.4E-01	BF592336.1	EST_HUMAN	
6098	19177	32395	2.07	2.4E-01	AF035546.1	NT	Drosophila melanogaster p38a MAP kinase gene, complete cds
6209	19283	32515	2.02	2.4E-01	7661801	NT	Homo sapiens HSPC142 protein (HSPC142), mRNA
6264	19337	32570	0.84	2.4E-01	AV733787.1	EST_HUMAN	AV733787 cda Homo sapiens cDNA clone cdaADE11 5'
6523	19586	32844	0.69	2.4E-01	AA398872.1	EST_HUMAN	z770402.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:727683 3'
							wc62c11.x1 NCL_CGAP_Pan1 Homo sapiens cDNA clone IMAGE:2323220 3' similar to gb:J03484
							PROCOLLAGEN ALPHA 2(I) CHAIN PRECURSOR (HUMAN);
6685	19742	33018	1.72	2.4E-01	A1698989.1	EST_HUMAN	
7247	19982	33279	0.54	2.4E-01	AF163863.1	NT	Mustela vison tyrosine aminotransferase gene, complete cds
7566	20529	33888	7.93	2.4E-01	L43001.1	NT	Bos taurus guanylyl cyclase-activating protein 2 (guca2) mRNA, complete cds
7748	20701	34068	0.55	2.4E-01	N48732.1	EST_HUMAN	w55c11.1 Soares_multiple_sclerosis_2NBHMSP Homo sapiens cDNA clone IMAGE:277460 5'
7894	20893		0.51	2.4E-01	U05013.1	NT	Rattus norvegicus Sprague-Dawley heme oxygenase-2 non-reducing isoform gene, complete cds
7996	20935	34329	0.97	2.4E-01	AF229844.1	NT	Mus musculus DXImx48e protein (DXImx48e) mRNA, complete cds
8416	21385	34792	0.51	2.4E-01	X97262.1	NT	M.musculus pah gene and promoter
8416	21385	34793	0.51	2.4E-01	X97262.1	NT	M.musculus pah gene and promoter
8692	21660	35083	1.5	2.4E-01	AJ012585.1	NT	Tetrahymena thermophila macronuclear gene encoding ribosomal protein L3, exons 1-2
8948	21912	35337	0.98	2.4E-01	BF242794.1	EST_HUMAN	601877679F1 NIH_MGC_55 Homo sapiens cDNA clone IMAGE:4106298 5'
9001	21987		0.57	2.4E-01	BF678276.1	EST_HUMAN	602086186F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:4260372 5'
9487	22451	35891	0.51	2.4E-01	AL139077.2	NT	Campylobacter jejuni NCTC11168 complete genome, segment 4/6

Page 88 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
9487	22451	35892	0.51	2.4E-01	AL139077.2	NT	Campylobacter jejuni NCTC11188 complete genome; segment 4/6
9921	22742	36193	7.63	2.4E-01	AF033515.1	EST_HUMAN	wd43e02.x1 Soares_NFL_T_OBC_S1 Homo sapiens cDNA clone IMAGE:2330908 3' similar to contains
10062	22889	36457	0.57	2.4E-01	AF220067.1	NT	MER22.b1 TAR1 repetitive element
10062	22889	36458	0.57	2.4E-01	AF220067.1	NT	Drosophila melanogaster SKPB gene, complete cds
10805	23728	37227	1.89	2.4E-01	Q03992	SWISSPROT	Drosophila melanogaster SKPB gene, complete cds
11119	24078	37803	2.88	2.4E-01	AL181494.2	NT	COLLAGEN ALPHA 1(X) CHAIN PRECURSOR
11185	24141	37875	1.77	2.4E-01	AF030199.1	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 8
11534	24473		1.52	2.4E-01	Z21647.1	NT	Mus musculus type 1 sigma receptor gene, complete cds
12096	24867	38564	4.86	2.4E-01	P08800	SWISSPROT	P. asialica mosaic virus genomic RNA
12160	25013	38617	2.5	2.4E-01	AF217491.1	NT	PROLINE RICH 33 KD EXTENSIN-RELATED PROTEIN PRECURSOR
12204	25749		1.93	2.4E-01	AF004213.1	NT	Homo sapiens fragile 16D oxidoreductase (FOR) gene, exon 8
12381	25150		2.1	2.4E-01	AJ278191.1	NT	Arabidopsis thaliana ethylene-insensitive3-like1 (EIL1) mRNA, complete cds
12575	25734		2.27	2.4E-01	V01507.1	NT	Mus musculus mRNA for putative mc7 protein (mc7 gene)
12782	25945		1.31	2.4E-01	BF229875.1	EST_HUMAN	Gallus gallus gene coding for e-actin
13006	25559		8.49	2.4E-01	AL163281.2	NT	RC3-CT0413-100800-023-b08 CT0413 Homo sapiens cDNA
389	13484	26394	0.98	2.3E-01	S75898.1	NT	Homo sapiens chromosome 21 segment HS21C081
638	13704		5.85	2.3E-01	U39713.1	NT	aromatase [Poephila guttata=zebra finches, ovary, mRNA, 3188 nt]
668	13733	26658	21.34	2.3E-01	U87596.1	NT	Mycoplasma genitalium section 35 of 51 of the complete genome
834	13987	26837	4.19	2.3E-01	BE311893.1	EST_HUMAN	Methanococcus jannaschii section 138 of 150 of the complete genome
1511	14543	27514	1.33	2.3E-01	6677880	NT	601142073F1 NIH_MGC_14 Homo sapiens cDNA clone IMAGE:3505816 5'
							Mus musculus vacuolar protein sorting 4b (vps4b), mRNA
1588	14601		1.02	2.3E-01	U22837.2	NT	Yersinia pestis HmsH (hmsH), HmsF (hmsF), HmsR (hmsR), and HmsS (hmsS) genes, complete cds
1608	14840	27617	1.21	2.3E-01	AJ245480.1	NT	Brassica napus sig gene for S-locus glycoprotein, cultivar T2
1636	14668	27844	2.52	2.3E-01	Y10887.2	NT	Mus musculus cdk5 gene, exon 1, partial
2091	15079		1.33	2.3E-01	AJ235353.1	NT	Mus musculus cdk5 gene, exon 1, partial
2452	15457	28478	2.76	2.3E-01	BE297718.1	EST_HUMAN	Homo sapiens partial intron 3 of the wild type AF-4/FEL gene
2660	15657	28676	1.27	2.3E-01	MT1319.1	NT	601175562F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3531015 5'
2835	14422	27391	2.34	2.3E-01	AB015033.1	NT	Human erythropoietin gene, complete cds
							Marinilabilla agerovans gyrB gene for DNA gyrase subunit B, partial cds, strain:IFO 14957
2974	16032	28955	1.25	2.3E-01	AA601378.1	EST_HUMAN	no16008.s1 NCL_CGAP_Phet1 Homo sapiens cDNA clone IMAGE:1100843 3' similar to contains Alu
3100	16157		7.15	2.3E-01	R21732.1	EST_HUMAN	repetitive element; contains element THR repetitive element
3383	16432	28960	1.28	2.3E-01	H69836.1	EST_HUMAN	y921b07.s1 Soares placenta Nb2HP Homo sapiens cDNA clone IMAGE:130357 3'
							y97h10.r1 Soares fetal liver spleen INFLS Homo sapiens cDNA clone IMAGE:213283 5'

Page 89 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3854	16894	28798	1.06	2.3E-01	S82821.1	NT	GSTA5=glutathione S-transferase Yc2 subunit (5' region, intron 1) [rats, Morris hepatoma cell line, Genomic, 2212 nt, segment 1 of 3]
3956	16896		5.02	2.3E-01	7662133	NT	Homo sapiens KIAA0450 gene product (KIAA0450), mRNA
4212	17241		0.82	2.3E-01	J03267.1	NT	Rat atrial natriuretic factor (ANF) gene, 5' end
4377	17405	30285	0.94	2.3E-01	R82262.1	EST_HUMAN	Y1701.11 Soares placenta NB2HP Homo sapiens cDNA clone IMAGE:149017 5'
4428	17455		2.24	2.3E-01	L78789.1	NT	Mus musculus renin (Ren-1c) gene, promoter region
4479	17504	30382	1.07	2.3E-01	D90899.1	NT	Synechocystis sp. PCC6803 complete genome, 1/27, 1-133859
4515	17540	30426	1.9	2.3E-01	AF092535.1	NT	Homo sapiens mitogen-activated protein kinase p38delta (PRKM13) mRNA, complete cds
4584	17606	30502	7.42	2.3E-01	5031984	NT	Homo sapiens nuclear transport factor 2 (nuclear protein 15) (NP15) mRNA
5087	18097	30873	0.65	2.3E-01	AB032400.1	NT	Mus musculus tulip 1 mRNA, complete cds
5200	18209	31083	0.91	2.3E-01	U91328.1	NT	Human hereditary haemochromatosis region, histone 2A-like protein gene, hereditary haemochromatosis (HLA-H) gene, RoRet gene, and sodium phosphate transporter (NPT3) gene, complete cds
5377	18481	31356	2.19	2.3E-01	AB040845.1	NT	Homo sapiens mRNA for KIAA1512 protein, partial cds
5503	18603	31532	2.51	2.3E-01	BF058381.1	EST_HUMAN	7k30b06.x1 NCJ CGAP_Ov18 Homo sapiens cDNA clone IMAGE:3476699 3' similar to SW:GAG_SMSAV
5608	18704	31861	4.56	2.3E-01	X96987.1	NT	P03330 GAG POLYPROTEIN [CONTAINS: CORE PROTEIN P15; INNER COAT PROTEIN P12; CORE SHELL PROTEIN P30; NUCLEOPROTEIN P10]; ;
5733	18827		1.01	2.3E-01	L39112.1	NT	C.familialis rom1 gene
5845	18935	32119	0.81	2.3E-01	S60371.1	NT	Vitellogenin coneum small subunit ribosomal RNA gene
6051	19132	32340	2.02	2.3E-01	A1708940.1	EST_HUMAN	23S rRNA [Leuconostoc carnosum, Genomic, 2866 nt]
6051	19132	32341	2.02	2.3E-01	A1708940.1	EST_HUMAN	as27e12.x1 Barstead aorta HPLRB6 Homo sapiens cDNA clone IMAGE:2318446 3' similar to gb:X13238
6812	19666	33154	0.76	2.3E-01	AF188089.1	NT	CYTROCHROME C OXIDASE POLYPEPTIDE VIC PRECURSOR (HUMAN);
7061	20083	33391	5.28	2.3E-01	A1718148.1	EST_HUMAN	as27e12.x1 Barstead aorta HPLRB6 Homo sapiens cDNA clone IMAGE:2318446 3' similar to gb:X13238
7318	20289	33632	0.69	2.3E-01	8923323	NT	CYTROCHROME C OXIDASE POLYPEPTIDE VIC PRECURSOR (HUMAN);
7505	20470	33830	0.78	2.3E-01	AF000227.1	NT	Oryctolagus cuniculus cytochrome oxidase subunit 1a (cox1a2) mRNA, complete cds; nuclear gene for mitochondrial product
7646	20608	33972	2.65	2.3E-01	AF175389.1	NT	as42f12.x1 Barstead aorta HPLRB6 Homo sapiens cDNA clone IMAGE:2318446 3' similar to contains Alu repetitive element;
7649	20609	33974	10.72	2.3E-01	AV719881.1	EST_HUMAN	Homo sapiens hypothetical protein FLJ20345 (FLJ20345), mRNA
7649	20609	33976	10.72	2.3E-01	AV719881.1	EST_HUMAN	Socle cereale omega eocalin gene, complete cds
7666	20810		3.39	2.3E-01	6754779	NT	Glycine max resistance protein LM17 precursor RNA, partial cds

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7871	20816	34193	1.36	2.3E-01	BE888071.1	EST_HUMAN	601511573F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3912859 5'
8028	20985		2.69	2.3E-01	N80983.1	EST_HUMAN	z12808.r1 Soares fetal liver spleen 1NFSL Homo sapiens cDNA clone IMAGE:292358 5'
8073	21010	34408	0.63	2.3E-01	11416821	NT	Homo sapiens protocadherin alpha cluster (LOC63960), mRNA
8073	21010	34409	0.63	2.3E-01	11416821	NT	Homo sapiens protocadherin alpha cluster (LOC63960), mRNA
8184	21154	34562	0.61	2.3E-01	AL161558.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 98
8326	21295	34710	2.02	2.3E-01	M68931.1	NT	Oxytricha nova macronuclear telomere-binding protein alpha subunit (tel-alpha alanine version) gene, complete cds
8838	21805	35222	0.54	2.3E-01	U57899.1	NT	Mus musculus prosaposin (psap)(SGP-1) gene, complete cds
9125	22091	35519	0.46	2.3E-01	AW090841.1	EST_HUMAN	xc80e06.x1 NCI_CGAP_Bn35 Homo sapiens cDNA clone IMAGE:2891554 3'
9240	22206	35639	0.45	2.3E-01	AW094480.1	EST_HUMAN	EST376533 IMAGE resequences, MAGH Homo sapiens cDNA
9496	22460	35900	0.59	2.3E-01	AA372184.1	EST_HUMAN	EST84061 Rhabdomyosarcoma Homo sapiens cDNA 5' end similar to DnaJ homolog (GB:X63368)
9496	22460	35901	0.59	2.3E-01	AA372184.1	EST_HUMAN	EST84061 Rhabdomyosarcoma Homo sapiens cDNA 5' end similar to DnaJ homolog (GB:X63368)
9940	22867	36328	0.63	2.3E-01	6678318	NT	Mus musculus phosphotylincoyl 3-kinase catalytic subunit delta (Plk3cd), mRNA
10086	23013	36488	0.78	2.3E-01	BE277860.1	EST_HUMAN	601120110F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:2868739 5'
10141	23067	36543	0.69	2.3E-01	AW084460.1	EST_HUMAN	EST376533 IMAGE resequences, MAGH Homo sapiens cDNA
10181	23116	36600	1.36	2.3E-01	X62124.1	NT	Haemophilus influenzae genes for HincII restriction-modification system (HincII methyltransferase (EC 2.1.1.72) and HincII endonuclease (EC 3.1.21.4))
10226	23151	36640	0.57	2.3E-01	AW364633.1	EST_HUMAN	PM2-DT0036-281289-001-04 DT0036 Homo sapiens cDNA
10294	23219	36702	2.8	2.3E-01	BE173060.1	EST_HUMAN	MRO-HT0559-240400-014-g11 HT0559 Homo sapiens cDNA
10351	23275	36749	2.33	2.3E-01	AJ283261.1	NT	Rhizobium leguminosarum partial genomic DNA for oxopolysaccharide biosynthesis genes
10809	23730	37232	0.8	2.3E-01	AF201929.1	NT	Murine hepatitis virus strain 2, complete genome
10820	23741		6.12	2.3E-01	BF133577.1	EST_HUMAN	601646159R2 NIH_MGC_99 Homo sapiens cDNA clone IMAGE:4102092 3'
11355	24305	37832	1.49	2.3E-01	AF004833.1	NT	Mus musculus tissue factor pathway inhibitor (TFPI) mRNA, complete cds
11355	24305	37833	1.49	2.3E-01	AF004833.1	NT	Mus musculus tissue factor pathway inhibitor (TFPI) mRNA, complete cds
11522	24463	38015	1.69	2.3E-01	AJ250189.1	NT	Mus musculus partial mRNA for muscle protein 534 (mg534 gene)
11522	24463	38016	1.69	2.3E-01	AJ250189.1	NT	Mus musculus partial mRNA for muscle protein 534 (mg534 gene)
11679	24645	38222	2.61	2.3E-01	AE002187.2	NT	Chlamydomonas reinhardtii 2.9-6 locus, ORF-A-D genes, section 4 of 94 of the complete genome
12098	24969	38568	1.47	2.3E-01	AE002187.2	NT	Chlamydomonas reinhardtii 2.9-6 locus, ORF-A-D genes, section 4 of 94 of the complete genome
12279	25098		6.42	2.3E-01	U45426.1	NT	Borrelia burgdorferi 2.9-6 locus, ORF-A-D genes, complete cds and REP+ gene, partial cds
12370	25156		6.49	2.3E-01	T27231.1	EST_HUMAN	HC0EST44 HT29M6 Homo sapiens cDNA clone HCoE44 5'
12403	25176		2.24	2.3E-01	AW863940.1	EST_HUMAN	PMA-SN0012-030400-001-b06 SN0012 Homo sapiens cDNA
12460	26892	31417	2.82	2.3E-01	AW303623.1	EST_HUMAN	x21d07.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2813773 3' similar to TR:Q8Z175 Q9Z175 LYSYL OXIDASE-RELATED PROTEIN 2, contains PTR5.b2 TAR1 repetitive element;

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
12494	25937	31312	11.07	2.3E-01	BE882464.1	EST_HUMAN	601507202F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3908689 5'
12544	25267		2.36	2.3E-01	BF683319.1	EST_HUMAN	602144459F1 NIH_MGC_48 Homo sapiens cDNA clone IMAGE:4297719 5'
12591	25295		3.71	2.3E-01	AJ006519.1	NT	Rattus norvegicus mRNA for acid gated ion channel
12680	25348		2.12	2.3E-01	U49645.1	NT	Pleurodeles waltl distal-less like protein PwDlx-3 (PwDlx-3) mRNA, complete cds
12926	25511		1.49	2.3E-01	BF475611.1	EST_HUMAN	nec39h12.x1 Lupsid_sciatic_nerve Homo sapiens cDNA clone IMAGE:3395950 3' similar to contains element MER38 repetitive element;
90	13206	26130	0.99	2.2E-01	AI052190.1	EST_HUMAN	oz14a10.x1 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:1675290 3' similar to TR:Q13040 Q13040 ATP-BINDING CASSETTE PROTEIN;
1567	14600	27576	2.33	2.2E-01	AF187850.1	NT	Homo sapiens PPAR delta gene, promoter region
2100	15117	28139	2.2	2.2E-01	M34640.1	NT	Fresh-water sponge Emf1 alpha collagen (COLF1) gene
2412	15419	28443	8.18	2.2E-01	BF67538.1	EST_HUMAN	602085508F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:4249869 5'
2593	15594	28611	2.54	2.2E-01	BE618288.1	EST_HUMAN	601462629F1 NIH_MGC_67 Homo sapiens cDNA clone IMAGE:3866190 5'
2593	15594	28612	2.54	2.2E-01	BE618288.1	EST_HUMAN	601462629F1 NIH_MGC_67 Homo sapiens cDNA clone IMAGE:3866190 5'
2893	15952	28968	4.89	2.2E-01	BE156625.1	EST_HUMAN	PM2-HT0353-281299-003-a12 HT0353 Homo sapiens cDNA
2893	15952	28969	4.89	2.2E-01	BE156625.1	EST_HUMAN	PM2-HT0353-281299-003-a12 HT0353 Homo sapiens cDNA
2932	15990		1.29	2.2E-01	AF020503.1	NT	Homo sapiens FRA3B common fragile region, diadenosine triphosphate hydrolase (FHIT) gene, exon 5
3403	16452		2.28	2.2E-01	AL161562.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 62
3827	16867		0.66	2.2E-01	AF155728.1	NT	Xiphophorus maculatus truncated Rex1 retrotransposon reverse transcriptase (RT) pseudogene
4240	17269		1.2	2.2E-01	AF119102.1	NT	Drosophila melanogaster UNC-119 (unc-119) gene, complete cds
4247	17276	30158	5.86	2.2E-01	AF155142.1	NT	Mus musculus mixed lineage kinase 3 (Mlik3) and two pore domain K+ channel subunit (Kcnk6) genes, complete cds
4292	17321	30200	2.33	2.2E-01	AF117340.1	NT	Mus musculus MAP kinase kinase 1 (Mek1) mRNA, complete cds
4292	17321	30201	2.33	2.2E-01	AF117340.1	NT	Mus musculus MAP kinase kinase 1 (Mek1) mRNA, complete cds
4383	17411	30294	1.21	2.2E-01	U01307.1	NT	Human scRNA (BC200 beta) pseudogene
4383	17411	30295	1.21	2.2E-01	U01307.1	NT	Human scRNA (BC200 beta) pseudogene
4456	17482	30370	23.17	2.2E-01	AW361098.1	EST_HUMAN	RC1-CT0249-141199-021-g04 CT0249 Homo sapiens cDNA
4863	17880		1.38	2.2E-01	D50604.1	NT	Human beta-cytoplasmic actin (ACTBP6) pseudogene
4868	17885	30773	1.67	2.2E-01	AA211216.1	EST_HUMAN	zq87c05.r1 Stralagene NNT neuron (#837233) Homo sapiens cDNA clone IMAGE:648968 5'
5082	18092		1.34	2.2E-01	L13299.1	NT	Mus musculus vnculin gene, exon 3
5160	18169	31048	1.22	2.2E-01	BE141035.1	EST_HUMAN	MR0-HT0067-201099-002-c10 HT0067 Homo sapiens cDNA
5181	18190	31066	1.51	2.2E-01	H60548.1	EST_HUMAN	y42h09.r1 Soares_fetal_liver_spleen_1NFLS Homo sapiens cDNA clone IMAGE:208001 5' similar to gb:Z14116_1ma1 CD59 GLYCOPROTEIN PRECURSOR (HUMAN);
5263	18271		1.06	2.2E-01	AL163206.2	NT	Homo sapiens chromosome 21 segment HS21C006

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5838	18928	32112	2.18	2.2E-01	5803002	NT	Homo sapiens diaphanous (Drosophila, homolog 2 (DIAPH2), transcript variant 156, mRNA
5849	18939		3.59	2.2E-01	D64000.1	NT	Synechocystis sp. PCC6803 complete genome, 19/27, 2392729-2538999
6114	19192	32415	0.61	2.2E-01	U07087.1	NT	Gallus gallus T-box containing protein (Ch-TbxT) mRNA, complete cds
6114	19192	32416	0.61	2.2E-01	U07087.1	NT	Gallus gallus T-box containing protein (Ch-TbxT) mRNA, complete cds
6864	18917	33211	0.7	2.2E-01	AB039490.1	NT	Homo sapiens gene for fukutin, complete cds
6864	20189	33514	0.58	2.2E-01	AA490106.1	EST_HUMAN	ab02609.s1 Stragene fetal retina 937202 Homo sapiens cDNA clone IMAGE:839656 3'
6964	20189	33515	0.58	2.2E-01	AA490106.1	EST_HUMAN	ab02609.s1 Stragene fetal retina 937202 Homo sapiens cDNA clone IMAGE:839656 3'
7222	20244	33578	7.76	2.2E-01	AV756238.1	EST_HUMAN	AV756238 BM Homo sapiens cDNA clone BMFAHC08 5'
7336	20307	33650	1.43	2.2E-01	AF082738.1	NT	Streptococcus pyogenes phosphatidylglycerophosphate synthase (pgsA) and ABC transporter ATP-binding protein (stpA) genes, complete cds; and unknown genes
7336	20307	33651	1.43	2.2E-01	AF082738.1	NT	Streptococcus pyogenes phosphatidylglycerophosphate synthase (pgsA) and ABC transporter ATP-binding protein (stpA) genes, complete cds; and unknown genes
7609	20474	33834	2.11	2.2E-01	M24136.1	NT	Human glycophorin B gene, exon 4
7609	20474	33835	2.11	2.2E-01	M24136.1	NT	Human glycophorin B gene, exon 4
7728	20884	34048	0.59	2.2E-01	AE000035.2	NT	Mycoplasma pneumoniae M129 section 45 of 63 of the complete genome
7966	20905	34297	0.6	2.2E-01	AF287967.1	NT	Homo sapiens homeobox B7 (HOXB7) gene, partial cds; and homeobox B6 (HOXB6), homeobox B5 (HOXB5), homeobox B4 (HOXB4), and homeobox B3 (HOXB3) genes, complete cds
8000	20939	34332	0.5	2.2E-01	AB024563.1	NT	Bacillus halodurans DNA, complete and partial cds, strain: C-125
8354	21323		2.51	2.2E-01	AF156143.1	NT	Mus musculus m23-M1 gene, promoter region
8425	21394	34805	1	2.2E-01	Z49833.1	NT	E. coli sepA and sepB genes
8896	21862	35284	0.49	2.2E-01	AJ132918.1	NT	Pan troglodytes MeCP2 gene 3'UTR
9234	22200	35629	0.51	2.2E-01	L23312.1	NT	Mouse HD protein mRNA, complete cds
9234	22200	35630	0.51	2.2E-01	L23312.1	NT	Mouse HD protein mRNA, complete cds
9247	22213	35643	4.12	2.2E-01	AE001713.1	NT	Thermotoga maritima section 25 of 136 of the complete genome
9267	22233	35663	0.47	2.2E-01	U09964.1	NT	Mus musculus ICR/Swiss glyceraldehyde 3-phosphate dehydrogenase (Gapd-S) gene, complete cds
9376	22341		3.89	2.2E-01	AW856039.1	EST_HUMAN	PM3-CT0263-241299-009-507 CT0263 Homo sapiens cDNA
9470	22434	35872	1.4	2.2E-01	8393247	NT	Mus musculus deformed epidermal autoregulatory factor 1 (Drosophila) (Deaf1), mRNA
9553	22516	35968	1.4	2.2E-01	BF376354.1	EST_HUMAN	MR1-TN0045-110900-008-c02 TN0045 Homo sapiens cDNA
9644	22688	36037	1.3	2.2E-01	W02988.1	EST_HUMAN	z0408.t1 Soares melanocyte 2NBHM Homo sapiens cDNA clone IMAGE:291691 5'
9662	22819	36274	15.89	2.2E-01	P48634	SWISSPROT	LARGE PROLINE-RICH PROTEIN BAT2 (HLA-B-ASSOCIATED TRANSCRIPT 2)
9707	22660	36116	0.66	2.2E-01	AJ009839.1	NT	Xenopus laevis mRNA for kinesin-like protein 3 (xklp3)
9718	22746	36197	0.78	2.2E-01	7657428	NT	Mus musculus osteoblast specific factor 2 (OSF-2), mRNA
9731	22759	36212	4.39	2.2E-01	MB9643.1	NT	Brachydanio rerio apendymin beta and gamma chains (Epd) gene, complete cds

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
9879	22908	36371	0.5	2.2E-01	Q80980	SWISSPROT	CYCLIC NUCLEOTIDE GATED CHANNEL, ROD PHOTORECEPTOR, ALPHA SUBUNIT (CNG CHANNEL 3) (CNG-3) (CNG3)
10174	23089	36579	3.74	2.2E-01	AF197941.1	NT	Funaria hygrometrica chloroplast-localized small heat shock protein (CPsHSP21) mRNA, complete cds;
10313	23237	36719	1.76	2.2E-01	BF206507.1	EST_HUMAN	nuclear gene for chloroplast product
10537	23459	36956	1	2.2E-01	9625671	NT	601869724F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:4100189 5'
10597	23619	37113	0.62	2.2E-01	T59472.1	EST_HUMAN	Human herpesvirus 5, complete genome
10597	23619	37114	0.62	2.2E-01	T59472.1	EST_HUMAN	y663408.t1 Stratagene ovary (#337217) Homo sapiens cDNA clone IMAGE:75855 5'
							y663408.t1 Stratagene ovary (#337217) Homo sapiens cDNA clone IMAGE:75855 5'
10735	23657	37150	0.51	2.2E-01	AF068284.1	NT	Pseudomonas aeruginosa quinolone ethanolic dehydrogenase (exaA) gene, partial cds; cytochrome c550 precursor (exaB), NAD+ dependent acetaldehyde dehydrogenase (exaC), and pyrroloquinoline quinone synthesis A (pqqA) genes, complete cds; and pyrroloquin>
10810	23731		0.68	2.2E-01	AF071001.1	NT	Mus musculus PHR1 (Phr1) gene, partial cds
10856	23776	37274	0.67	2.2E-01	AE001562.1	NT	Helicobacter pylori, strain J99 section 123 of 132 of the complete genome
10856	23776	37275	0.67	2.2E-01	AE001562.1	NT	Helicobacter pylori, strain J99 section 123 of 132 of the complete genome
11751	24838	38215	3.77	2.2E-01	X01918.1	NT	Drosophila 68C plus gene cluster
11789	23944	37468	3.41	2.2E-01	7706215	NT	Homo sapiens H-2K binding factor-2 (LOC61580), mRNA
12317	25960		2.32	2.2E-01	U82871.2	NT	Homo sapiens chromosome Xq28 melanoma antigen family A2a (MAGEA2A), melanoma antigen family A12 (MAGEA12), melanoma antigen family A2b (MAGEA2B), melanoma antigen family A3 (MAGEA3), caltactin (CAL T), NAD(P)H dehydrogenase-like protein (NSDHL), and L1>
12408	25179		3.88	2.2E-01	AF188843.1	NT	Vitis vinifera cultivar Pinot Noir plasma membrane aquaporin (PIP1a) mRNA, complete cds
12513	17482	30370	6.62	2.2E-01	AW361098.1	EST_HUMAN	RC1-CT0249-141199-021-g04 CT0249 Homo sapiens cDNA
12514	25246		1.7	2.2E-01	AW661922.1	EST_HUMAN	h17b02.x1 NCL_CGAP_GU1 Homo sapiens cDNA clone IMAGE:2872523 3'
13111	25948		1.36	2.2E-01	AF271265.1	NT	Phodopus sungorus uncoupling protein 3 mRNA, partial cds
972	14024	26978	1.58	2.1E-01	AA569289.1	EST_HUMAN	nm31et11.s1 NCL_CGAP_Lip2 Homo sapiens cDNA clone IMAGE:1061804
975	14026	26980	1.06	2.1E-01	AL161504.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 16
1128	14169		2.38	2.1E-01	AE002314.2	NT	Chlamydia muridarum, section 45 of 85 of the complete genome
1203	14242	27199	0.88	2.1E-01	6754299	NT	Mus musculus interferon (alpha and beta) receptor 2 (Ifnar2), mRNA
1203	14242	27200	0.88	2.1E-01	6754299	NT	Mus musculus interferon (alpha and beta) receptor 2 (Ifnar2), mRNA
1512	14544	27515	1.05	2.1E-01	AJ249895.1	NT	Mus musculus mas proto-oncogene and Igf2r gene for insulin-like growth factor type 2 and L41ps and Au78 pseudogenes
1929	14953	27949	1.94	2.1E-01	AA908824.1	EST_HUMAN	ok73902.s1 NCL_CGAP_GC4 Homo sapiens cDNA clone IMAGE:1518610 3' similar to gb:K02765
2165	15181	28201	3.26	2.1E-01	BF695073.1	EST_HUMAN	COMPLEMENT C3 PRECURSOR (HUMAN);
2489	15895	28516	2.19	2.1E-01	H73988.1	EST_HUMAN	602083129F1 NIH_MGC_81 Homo sapiens cDNA clone IMAGE:4247503 5'
							yu0407.s1 Soares fetal liver spleen 1NF1S Homo sapiens cDNA clone IMAGE:232837 3'

Page 94 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2489	15896	28517	2.19	2.1E-01	H73968.1	EST_HUMAN	y04f07.s1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:232837 3'
2838	15994	28914	2	2.1E-01	6912445	NT	Homo sapiens potassium voltage-gated channel, subfamily H (eag-related), member 4 (KCNH4), mRNA
3481	16507	29428	0.92	2.1E-01	AA639482.1	EST_HUMAN	ng90b10.s1 NCI_C69 Homo sapiens cDNA clone IMAGE:1169679 3'
3819	16859		6.5	2.1E-01	9838381	NT	Beta vulgaris mitochondrion, complete genome
4045	17083		1.16	2.1E-01	AE001793.1	NT	Thermotoga maritima section 105 of 136 of the complete genome
4084	17118	30013	1.48	2.1E-01	P11675	SWISSPROT	IMMEDIATE-EARLY PROTEIN IE180
4084	17118	30014	1.48	2.1E-01	P11675	SWISSPROT	IMMEDIATE-EARLY PROTEIN IE180
4403	17431		1.62	2.1E-01	AB033041.1	NT	Homo sapiens mRNA for KIAA1215 protein, partial cds
4607	17628	30520	1.75	2.1E-01	AB010273.1	NT	Homo sapiens pshp47 gene, complete cds
5063	18073	30963	5.08	2.1E-01	D13567.1	NT	Lampetra japonica mRNA for alpha-2-macroglobulin, complete cds
5110	18120	30984	1.13	2.1E-01	Q01338	SWISSPROT	ALPHA-2A ADRENERGIC RECEPTOR (ALPHA-2A ADRENOCEPTOR) (ALPHA-2AAR)
5216	18225	31099	0.92	2.1E-01	AE001526.1	NT	Helicobacter pylori, strain J99 section 87 of 132 of the complete genome
5374	18479	31352	5.48	2.1E-01	BF672695.1	EST_HUMAN	602152001F1 NIH_MGC 81 Homo sapiens cDNA clone IMAGE:4293001 5'
7071	20093	33403	1.15	2.1E-01	AJ223392.1	NT	Drosophila melanogaster 16S rRNA gene, partial cds
7083	20017	33320	1.92	2.1E-01	U04642.1	NT	Human olfactory receptor (OR17-2) gene, partial cds
7838	20596	33969	0.78	2.1E-01	Q01966	SWISSPROT	VOLTAGE-GATED POTASSIUM CHANNEL PROTEIN KV3.3 (KSHIID)
7836	20596	33960	0.78	2.1E-01	Q01966	SWISSPROT	VOLTAGE-GATED POTASSIUM CHANNEL PROTEIN KV3.3 (KSHIID)
7948	20808		2.34	2.1E-01	AE000972.1	NT	Archaeoglobus fulgidus section 135 of 172 of the complete genome
7973	20912	34303	1.77	2.1E-01	AF000949.1	NT	Canis familiaris keratin (KR19) gene, complete cds
8027	20964	34359	1.08	2.1E-01	AF068687.1	NT	Glycine max malate dehydrogenase (Mdh-2) gene, nuclear gene encoding mitochondrial protein, partial cds
8027	20964	34360	1.08	2.1E-01	AF068687.1	NT	Glycine max malate dehydrogenase (Mdh-2) gene, nuclear gene encoding mitochondrial protein, partial cds
8088	21022		0.51	2.1E-01	T87354.1	EST_HUMAN	y88501.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:114783 5'
8407	21378		1.04	2.1E-01	7305030	NT	Mus musculus erythrocyte protein band 4.1-like 3 (Epb4.13), mRNA
8847	21814	35234	5.05	2.1E-01	U68399.1	NT	Haemophilus influenzae hmcD, putative haemochromin processing protein (hmcC), putative ABC transporter (hmcB), putative haemochromin structural protein (hmcA), and haemochromin immunity protein (hmcI) genes, complete cds
9149	22115	35540	0.84	2.1E-01	AL040637.1	EST_HUMAN	DKFZp434H0614_r1 434 (synonym: hies3) Homo sapiens cDNA clone DKFZp434H0614 5'
9149	22115	35541	0.84	2.1E-01	AL040637.1	EST_HUMAN	DKFZp434H0614_r1 434 (synonym: hies3) Homo sapiens cDNA clone DKFZp434H0614 5'
9392	22357	35787	6.08	2.1E-01	Z35786.1	NT	S.cerevisiae chromosome II reading frame ORF YBL025w
9862	22798	36251	0.89	2.1E-01	N42638.1	EST_HUMAN	y11e10.r1 Soares melanocyte 2NBHM Homo sapiens cDNA clone IMAGE:270954 5'
9862	22798	36252	0.89	2.1E-01	N42638.1	EST_HUMAN	y11e10.r1 Soares melanocyte 2NBHM Homo sapiens cDNA clone IMAGE:270954 5'

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
9871	22824	36277	2.77	2.1E-01	X97378.1	NT	A.thaliana mRNA for AtRanBP1b protein
9976	22903	36367	1.28	2.1E-01	AB036529.1	NT	Homo sapiens p53R2 gene for ribonucleotide reductase, exon 6
10692	23614	37109	1.13	2.1E-01	Z97067.1	NT	Beta vulgaris mRNA for elongation factor 1-beta
10725	23647	37140	2.89	2.1E-01	P52824	SWISSPROT	DIACYLGLYCEROL KINASE, DELTA (DIGLYCERIDE KINASE) (DGK-DELTA) (DAG KINASE DELTA)
10731	23653	37146	0.93	2.1E-01	BF574254.1	EST_HUMAN	(80 KD DIACYLGLYCEROL KINASE)
11009	23974	37498	3.69	2.1E-01	AF294296.1	NT	602131427F1 NIH_MGC_81 Homo sapiens cDNA clone IMAGE:4270831 5'
11890	24771		2.15	2.1E-01	11036647	NT	Anolis lineatus isolate NG NADH dehydrogenase subunit 2 (ND2) gene, complete cds; mitochondrial gene for mitochondrial product
11905	24786	38376	1.61	2.1E-01	BE180422.1	EST_HUMAN	Homo sapiens pancreatic polypeptide 2 (PPY2), mRNA
12137	25502		1.38	2.1E-01	X57624.1	NT	RC3-HT0622-040500-013-b11 HT0622 Homo sapiens cDNA
12660	25339		1.94	2.1E-01	AF217490.1	NT	Drosophila melanogaster ALA-E6 DNA, repeat region
12860	25860		1.8	2.1E-01	L32586.1	NT	Homo sapiens fragile 16D oxidoreductase (FOR) gene, exons 8, 9, and partial cds
12914	25493		2	2.1E-01	BE622149.1	EST_HUMAN	Human granulosa gene
13045	25586	31682	1.62	2.1E-01	BE072330.1	EST_HUMAN	601440712F1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3915675 5'
201	13302	26231	1.32	2.0E-01	AB017437.1	NT	7a59e02.x1 NCI_CGAP_G08 Homo sapiens cDNA clone IMAGE:3223034 3'
535	13606		1.82	2.0E-01	7705601	NT	Gallus gallus mRNA for avena, complete cds
700	13762	26894	1.25	2.0E-01	M77065.1	NT	Homo sapiens CGI-18 protein (LOC51008), mRNA
811	13869	26818	1.96	2.0E-01	AF027865.1	NT	O cuniculus germline lgh heavy chain V-H pseudogene, allotype VH42
1013	14061	27012	0.72	2.0E-01	D90905.1	NT	Mus musculus Major Histocompatibility Locus class II region
1127	14170	27121	2.93	2.0E-01	AL163213.2	NT	Synechocystis sp. PCC6803 complete genome, 7127, 781449-920915
1259	14294	27258	1.42	2.0E-01	AJ132895.5	NT	Homo sapiens chromosome 21 segment HS21C013
1311	14347	27313	2.04	2.0E-01	AW384937.1	EST_HUMAN	Homo sapiens rac1 gene
1454	14487		1.39	2.0E-01	AJ243957.1	NT	PM1-HT0422-291299-002-c08 HT0422 Homo sapiens cDNA
1483	14516	27490	15.27	2.0E-01	4503408	NT	Plum pox virus strain M, complete genome, isolate PS
1555	14587	27559	2.13	2.0E-01	AB007974.1	NT	Homo sapiens dystrobrein, alpha (DTNA), mRNA
1560	14592	27565	1.52	2.0E-01	AF280700.1	NT	Homo sapiens mRNA, chromosome 1 specific transcript KIAA0505
1706	14736	27718	1.38	2.0E-01	U22346.1	NT	Homo sapiens sodium/iodide symporter mRNA, partial cds
1730	14760		2.09	2.0E-01	AF111170.3	NT	Human bradykinin B1 receptor (bradyb1) gene, complete cds
1772	14801		3.8	2.0E-01	U67525.1	NT	Homo sapiens 14q32 Jagged2 gene, complete cds; and unknown gene
1907	14931	27928	0.94	2.0E-01	BE871330.1	EST_HUMAN	Methanococcus jannaschii section 67 of 160 of the complete genome
1907	14931	27927	0.94	2.0E-01	BE871330.1	EST_HUMAN	601449441F1 NIH_MGC_65 Homo sapiens cDNA clone IMAGE:3853330 5'
2355	16364		1.88	2.0E-01	X82877.1	NT	601449441F1 NIH_MGC_65 Homo sapiens cDNA clone IMAGE:3853330 5'
						NT	H.sapiens Nat-D-glucose cotransport regulator gene

Table 4

Single Exon Probes Expressed In Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3499	16546	28472	0.74	2.0E-01	P46607	SWISSPROT	HOMEBOX PROTEIN GLABRA2 (HOMEBOX-LEUCINE ZIPPER PROTEIN ATHB-10) (HD-ZIP PROTEIN ATHB-10)
3592	16627		0.82	2.0E-01	AW238005.1	EST_HUMAN	xp15b02.x1 NCL_CGAP_HN9 Homo sapiens cDNA clone IMAGE:2740395 3' similar to contains element MER21 repetitive element :
3720	16763	29674	0.79	2.0E-01	P34641	SWISSPROT	CED-11 PROTEIN
3855	16896	29799	1.14	2.0E-01	AL163204.2	NT	Homo sapiens chromosome 21 segment HS21C004
3977	17017	28931	0.7	2.0E-01	Z46906.1	NT	Sus scrofa
4597	17618		10.26	2.0E-01	BE826165.1	EST_HUMAN	QV4-EN0032-190500-223-e03 EN0032 Homo sapiens cDNA
5078	18098	30968	7.06	2.0E-01	8922080	NT	Homo sapiens hypothetical protein ASH1 (ASH1), mRNA
5144	18153	31033	0.97	2.0E-01	Y19216.1	NT	Homo sapiens putative psihHbD pseudogene for hair keratin, exons 1 to 9
5298	18302	31163	0.93	2.0E-01	BE439491.1	EST_HUMAN	HTM1-122F1 HTM1 Homo sapiens cDNA
5520	18618	31563	2.31	2.0E-01	X66900.1	NT	Rat SOD-2 gene for manganese-containing superoxide dismutase
5831	18921	32104	1.89	2.0E-01	11432540	NT	Homo sapiens dual oxidase-like domains 2 (DUOX2), mRNA
5940	19026	32220	0.69	2.0E-01	X91856.1	NT	F.rubripes DNA encoding for valyl-RNA synthetase
6178	19253	32486	5.47	2.0E-01	U15300.1	NT	Saccharomyces cerevisiae Hal5p (HAL5) mRNA, complete cds
6298	19370		0.79	2.0E-01	M75967.1	NT	Human hepatocyte growth factor gene, exon 1
6417	19484	32733	0.56	2.0E-01	P02487	SWISSPROT	COLLAGEN ALPHA 2(I) CHAIN PRECURSOR
6669	19629	32895	3.06	2.0E-01	X61033.1	NT	M.aureus mu class glutathione transferase gene
6678	19736	33012	4.25	2.0E-01	AW360865.1	EST_HUMAN	PM1-CT0247-141089-001-g06 C.T0247 Homo sapiens cDNA
7612	20477	33838	1.27	2.0E-01	AF260371.1	NT	Mus musculus phosphofructokinase-1 C isozyme (Pfk) gene, exons 3 through 7
7679	20637	33989	0.72	2.0E-01	P64422	SWISSPROT	GAMMA-GLUTAMYLTRANSPEPTIDASE PRECURSOR
8054	20991	34389	0.61	2.0E-01	V00726.1	NT	Mouse germ line gene coding for beta-globin (Y2)
8285	21254		6.17	2.0E-01	AF028026.1	NT	Andes virus strain Q123133 glycoprotein G1 and G2 precursor, gene, partial cds
8542	21510	34927	3.1	2.0E-01	X91151.1	NT	M.musculus scp2 gene exon 14
9074	22040		0.43	2.0E-01	BE562247.1	EST_HUMAN	601344648F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3677794 5'
9706	22659	36115	1.09	2.0E-01	U82511.1	NT	Dichostellum discoideum random slug cDNA19 protein (rsol19) mRNA, partial cds
9745	22686	36141	0.76	2.0E-01	U71122.1	NT	Arabidopsis thaliana root gravitropism control protein (PIN2) gene, complete cds
9814	22735		6.23	2.0E-01	AE001278.1	NT	Chlamydia trachomatis section 5 of 87 of the complete genome
10103	23029	36506	0.62	2.0E-01	P11420	SWISSPROT	DAUGHTERLESS PROTEIN
10103	23029	36507	0.62	2.0E-01	P11420	SWISSPROT	DAUGHTERLESS PROTEIN
10251	23176		1.94	2.0E-01	AF146692.1	NT	Homo sapiens filamin 2 (FLN2) mRNA, complete cds
10401	23323	36807	1.94	2.0E-01	AF086907.1	NT	Arabidopsis thaliana root gravitropism control protein (PIN2) gene, complete cds
10401	23323	36808	1.94	2.0E-01	AF086907.1	NT	Arabidopsis thaliana root gravitropism control protein (PIN2) gene, complete cds
10528	23450	36948	0.64	2.0E-01	AF157814.1	NT	Homo sapiens cAMP specific phosphodiesterase (PDE4C) gene, exons 2 through 12

Page 97 of 546
Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
10528	23450	38949	0.64	2.0E-01	AF157814.1	NT	Homo sapiens cAMP specific phosphodiesterase (PDE4C) gene, exons 2 through 12
10575	23497		0.78	2.0E-01	X78388.1	NT	D melanogaster DNA mobile element (hoppe)
10770	23691	37188	0.97	2.0E-01	X87121.1	NT	R. norvegicus mRNA for NTR2 receptor
11189	24145	37678	2.24	2.0E-01	D88088.1	NT	Salvelinus pluvius mRNA for transferrin, complete cds
11189	24145	37679	2.24	2.0E-01	D89088.1	NT	Salvelinus pluvius mRNA for transferrin, complete cds
12841	25325		1.42	2.0E-01	AF206837.2	NT	Pimphales promelas liver glucose-6-phosphate-1-dehydrogenase mRNA, partial cds
12828	25779		1.66	2.0E-01	AF302773.1	NT	Homo sapiens nhe1n-Lm isoform (nhe1n) mRNA, complete cds
12837	25711	31609	1.34	2.0E-01	AW975287.1	EST_HUMAN	EST387405 MAGE resequences, MAGN Homo sapiens cDNA
12875	25508	31707	4.12	2.0E-01	A023582.1	EST_HUMAN	ov80a10.s1 Soares testis_NHT Homo sapiens cDNA clone IMAGE:1643610 3'
12898	25483		2.98	2.0E-01	AF078164.2	NT	Homo sapiens Ku70-binding protein (KUB3) mRNA, partial cds
110	13221		9.8	1.9E-01	7549743	NT	Rattus norvegicus Aryl hydrocarbon receptor nuclear translocator 1 (Ahr1), mRNA
352	13441	26366	6.09	1.9E-01	AF004533.1	NT	Mus musculus pale ear (ep) gene, wild type allele, 3' region, partial cds
657	13723	26647	2.66	1.9E-01	U32581.2	NT	Homo sapiens lamda101a protein kinase C-interacting protein mRNA, complete cds
657	13723	26648	2.66	1.9E-01	U32581.2	NT	Homo sapiens lamda101a protein kinase C-interacting protein mRNA, complete cds
664	13730	26655	8.69	1.9E-01	BE070801.1	EST_HUMAN	Homo sapiens lamda101a protein kinase C-interacting protein mRNA, complete cds
665	13730	26655	6.99	1.9E-01	BE070801.1	EST_HUMAN	RC3-BT0502-251199-011-d01 BT0502 Homo sapiens cDNA
988	14039		1.19	1.9E-01	7305180	NT	Mus musculus interleukin 2 receptor, gamma chain (il2rg), mRNA
1106	14150	27101	9.83	1.9E-01	AA358813.1	EST_HUMAN	EST67784 Fetal lung II Homo sapiens cDNA 5' end
1372	14408	27378	2.9	1.9E-01	AF081282.1	NT	Sorghum bicolor 22 kDa kafirin cluster
1430	14464		3.22	1.9E-01	AF184623.1	NT	Plasmodium vivax reticulocyte binding protein-2 (rbp-2) gene, complete cds
2390	15398	28423	3.89	1.9E-01	8922533	NT	Homo sapiens hypothetical protein FLJ10581 (FLJ10581), mRNA
2934	15992	28912	3.47	1.9E-01	U66066.1	NT	Sigmodon hispidus p53 gene, partial cds
2949	16006		4.89	1.9E-01	J00922.1	NT	Gallus gallus ovalbumin (Y) gene, complete cds
3408	16455	29378	4	1.9E-01	D13187.1	NT	Mouse gene for immunoglobulin diversity region D1
3492	16539	29484	5.36	1.9E-01	R16487.1	EST_HUMAN	Y42F10.1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:129547 5'
3817	16957	28763	0.87	1.9E-01	AF284017.1	NT	Rattus norvegicus arylacetamide deacetylase gene, complete cds
3848	16888	29791	2.26	1.9E-01	P39788	SWISSPROT	PAIR-RULE PROTEIN ODD-PAIRED
4018	17057	28959	3.91	1.9E-01	AB006784.1	NT	Schizosaccharomyces pombe DNA for cytoplasmic dynein heavy chain, complete cds
4110	17144	30038	1.42	1.9E-01	AW754106.1	EST_HUMAN	CM3-CT0315-271199-045-b11 CT0315 Homo sapiens cDNA
4259	17288	30169	1.24	1.9E-01	BE834943.1	EST_HUMAN	MR1-FN0010-280700-007-404 FN0010 Homo sapiens cDNA
4496	17521	30408	0.83	1.9E-01	AL161493.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 5
5047	18060		1.15	1.9E-01	AF223642.1	NT	Rattus norvegicus chemokine receptor CXCR3 mRNA, complete cds
5231	18239		1.01	1.9E-01	A1631199.1	EST_HUMAN	ts89g12.x1 NC1 CGAP_G06 Homo sapiens cDNA clone IMAGE:2238888 3' similar to gb:M21574 ALPHA PLATELET-DERIVED GROWTH FACTOR RECEPTOR PRECURSOR (HUMAN);

Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5885	18780		5.2	1.9E-01	AW130148.1	EST_HUMAN	x129a07.x1 NCL_CGAP_U11 Homo sapiens cDNA clone IMAGE:2618444 3' similar to gb:M73779 RETINOIC
5728	18822	32002	8.11	1.9E-01	AF127937.1	NT	ACID RECEPTOR ALPHA-1 (HUMAN);
5839	18025	32219	0.71	1.9E-01	AF091216.1	NT	Homo sapiens DNA polymerase epsilon catalytic subunit protein (POLE1) gene, exon 1a
5987	18072		2.15	1.9E-01	AU133116.1	EST_HUMAN	Mus musculus Wm protein (Wm) gene, complete cds
6461	18826	32778	0.95	1.9E-01	AI762391.1	EST_HUMAN	AU133116 NT2RP4 Homo sapiens cDNA clone NT2RP4001328 5'
6527	19590	32850	0.88	1.9E-01	AW148452.1	EST_HUMAN	w154a02.x1 NCL_CGAP_C018 Homo sapiens cDNA clone IMAGE:2394099 3'
7184	18395	31240	1.46	1.9E-01	R43212.1	EST_HUMAN	x114c08.x1 NCL_CGAP_K1d8 Homo sapiens cDNA clone IMAGE:2618030 3' similar to gb:X03559 ATP
7193	20217	33547	0.95	1.9E-01	AF034920.1	NT	SYNTHASE BETA CHAIN, MITOCHONDRIAL PRECURSOR (HUMAN);
7183	20217	33548	0.95	1.9E-01	AF034920.1	NT	yg09a12.s1 Soares infant brain 1N1B Homo sapiens cDNA clone IMAGE:31863 3' similar to contains MER13
7474	20440	33798	0.65	1.9E-01	U73846.1	NT	repetitive element ;
7708	20666	34033	0.75	1.9E-01	U63688.1	NT	Homo sapiens tubby like protein 1 (TULP1) gene, exons 9-11
7734	20688	34053	1.35	1.9E-01	U80922.1	NT	Homo sapiens tubby like protein 1 (TULP1) gene, exons 9-11
7784	20737	34109	2.54	1.9E-01	AF072724.1	NT	Homo sapiens tubby like protein 1 (TULP1) gene, exons 9-11
8318	21287	34701	1.41	1.9E-01	AL181557.2	NT	Drosophila melanogaster testis-specific RNA-binding protein (bruno) mRNA, complete cds
9034	22000	35421	12.98	1.9E-01	AB033024.1	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 57
9287	22263	35692	1.32	1.9E-01	M14568.1	NT	Homo sapiens mRNA for KIAA1198 protein, partial cds
9287	22263	35693	1.32	1.9E-01	M14568.1	NT	Marsupial cat beta-globin gene mRNA, partial cds
10234	23159	36847	0.67	1.9E-01	AA912486.1	EST_HUMAN	Marsupial cat beta-globin gene mRNA, partial cds
10602	23524	37019	0.72	1.9E-01	BE830353.1	EST_HUMAN	d86g10.s1 NCL_CGAP_PNS1 Homo sapiens cDNA clone IMAGE:1537506 3' similar to contains Alu
10602	23524	37020	0.72	1.9E-01	BE830353.1	EST_HUMAN	repetitive element;
11108	24068	37588	1.87	1.9E-01	AF223391.1	NT	RC5-ET0082-060700-022-A02 ET0082 Homo sapiens cDNA
11831	24714	38298	1.47	1.9E-01	M2253.1	NT	RC5-ET0082-060700-022-A02 ET0082 Homo sapiens cDNA
12033	24909	38504	3.54	1.9E-01	AJ243213.1	NT	Homo sapiens calcium channel alpha1E subunit (CACNA1E) gene, exons 7-49, and partial cds, alternatively
12049	24922	38519	1.53	1.9E-01	L07344.1	NT	spliced
12875	25540		1.62	1.9E-01	AF036959.1	NT	Rattus norvegicus sodium channel I mRNA, complete cds
34	13154	26055	2.78	1.9E-01	U73200.1	NT	Rattus norvegicus partial 5-HT4 receptor gene, exons 2 to 5
260	15837	26281	1.39	1.8E-01	AB022090.1	NT	Influenza A/Guangdong/243/73 nucleoprotein (seg 6) gene, 5' end
							Rattus norvegicus nuclear serine/threonine protein kinase mRNA, complete cds
							Mus musculus p16Rip mRNA, complete cds
							Mus musculus Cctg gene for chaperonin containing TCP-1 gamma subunit, partial cds

Page 99 of 546
Table 4

Single Exon Probes Expressed In Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
370	13456	26386	1.91	1.8E-01	4502532	NT	Homo sapiens calcium channel, voltage-dependent, beta 2 subunit (CACNB2) mRNA, and translated products
983	14034	26986	0.89	1.8E-01	AI912212.1	EST_HUMAN	wf7102.x1 NCL_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:2337061 3'
1093	14136	27087	1.05	1.8E-01	AF000580.1	NT	Dictyostelium discoideum plasmid Ddp5, complete genome
1293	14328	27290	9.43	1.8E-01	AL117189.1	NT	Yersinia pestis plasmid pCD1
1503	14536	27507	1.17	1.8E-01	6753947	NT	Mus musculus guanylate nucleotide binding protein 1 (Gbp1), mRNA
1503	14538	27508	1.17	1.8E-01	6753947	NT	Mus musculus guanylate nucleotide binding protein 1 (Gbp1), mRNA
1884	14889		1.37	1.8E-01	4505036	NT	Homo sapiens latent transforming growth factor beta binding protein 4 (LTBP4) mRNA
1882	14907		1.47	1.8E-01	AI733708.1	EST_HUMAN	qq22d10.x5 NCL_CGAP_Kid3 Homo sapiens cDNA clone IMAGE:1781811 3' similar to TR:O75638 O75938 GAMMA BUTYROBETAINE HYDROXYLASE
1930	14954	27950	1.66	1.8E-01	AB051897.1	NT	Mus musculus Soya6, Soya8, Soya16-ps, Soya5 genes for small inducible cytokine A6 precursor, small inducible cytokine A9 precursor, Soya16 pseudogene, small inducible cytokine A5 precursor, complete cds
2702	16698		3.94	1.8E-01	AW935728.1	EST_HUMAN	QV3-DT0018-081289-036-g04 DT0018 Homo sapiens cDNA
2908	15987		1.95	1.8E-01	AF184589.1	NT	Jonopsidium acaule LEAFY protein (LEAFY2) gene, partial cds
2914	16972	28896	0.85	1.8E-01	AW182300.1	EST_HUMAN	X41a03.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2659756 3'
3141	16198	29108	1.35	1.8E-01	AW995178.1	EST_HUMAN	QV0-BN0047-070300-147-c04 BN0041 Homo sapiens cDNA
3379	16428	29354	0.82	1.8E-01	BF183582.1	EST_HUMAN	G01809723R1 NIH_MGC_18 Homo sapiens cDNA clone IMAGE:4040621 3'
3637	16680	29594	1.69	1.8E-01	H03369.1	EST_HUMAN	Y45a01.s1 Soares placenta Nb2HP Homo sapiens cDNA clone IMAGE:151704 3' similar to contains Alu repetitive element;
3637	16680	29595	1.69	1.8E-01	H03369.1	EST_HUMAN	Y45a01.s1 Soares placenta Nb2HP Homo sapiens cDNA clone IMAGE:151704 3' similar to contains Alu repetitive element;
4380	17387		0.76	1.8E-01	D37954.1	NT	Bovine NB25 mRNA for MHC class II (Bcl.A-DQB), complete cds
4586	17608	30503	6.42	1.8E-01	AL161566.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 56
4806	17823	30718	2.5	1.8E-01	AB051897.1	NT	Mus musculus Soya6, Soya8, Soya16-ps, Soya5 genes for small inducible cytokine A6 precursor, small inducible cytokine A9 precursor, Soya16 pseudogene, small inducible cytokine A5 precursor, complete cds
5051	18063	30941	2.11	1.8E-01	X79794.1	NT	N. tabacum mRNA pNLA-35
5084	18094	30970	1.98	1.8E-01	AW814270.1	EST_HUMAN	MR3-ST0203-151289-112-g06 ST0203 Homo sapiens cDNA
5099	18109	30982	0.93	1.8E-01	AI792382.1	EST_HUMAN	an28g07.y5 Gessler Wilms tumor Homo sapiens cDNA clone IMAGE:1700028 5'
5131	18140	31018	2.96	1.8E-01	AF181268.1	NT	Messorhynchus auratus Na-taurocholate cotransporting polypeptide mRNA, partial cds
5214	18223		0.73	1.8E-01	U66150.1	NT	Loligo forbesi TTA repeat microsatellite region Lfor4
5371	18476	31349	0.64	1.8E-01	BE082626.1	EST_HUMAN	RC8-BT0641-300300-011-H03 BT0641 Homo sapiens cDNA
5908	18992	32183	1.91	1.8E-01	AL161594.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 90

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
12301	26112	31840	1.88	1.8E-01	BF348623.1	EST_HUMAN	602019928F1 NCI_CGAP_Bm67 Homo sapiens cDNA clone IMAGE:4155318 5'
12752	25388		2.05	1.8E-01	Q99882	SWISSPROT	DNA TERMINAL PROTEIN (BELLETT PROTEIN) (PTP PROTEIN)
12866	25489		1.85	1.8E-01	R24494.1	EST_HUMAN	YH48H10.1 Scores placenta Nb2HP Homo sapiens cDNA clone IMAGE:133027 5'
12907	25489		1.56	1.8E-01	Y11114.1	NT	E. dispar mRNA for hexokinase (hpk1)
578	13648	28561	1.77	1.7E-01	BE385184.1	EST_HUMAN	601274604F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3615788 5'
808	13864	26814	2.22	1.7E-01	X53330.1	NT	P. dumerilii histone gene cluster for core histones H2A, H2B, H3 and H4
982	14015		1.93	1.7E-01	P36616	SWISSPROT	NEUROFILAMENT TRIPLET L PROTEIN (NEUROFILAMENT LIGHT POLYPEPTIDE) (NFL)
1988	15018		3.18	1.7E-01	AF255081.1	NT	Homo sapiens BNIP3H (BNIP3H) gene, complete cds; nuclear gene for mitochondrial product
2871	15931	28848	2.3	1.7E-01	AF000716.1	NT	Vibrio cholerae hypoxanthine phosphoribosyltransferase (hpt) gene, partial cds, hemagglutinin/protease regulatory protein (hapR) gene, complete cds, and YRAL VIBCO gene, partial cds
2871	15931	28849	2.3	1.7E-01	AF000716.1	NT	Vibrio cholerae hypoxanthine phosphoribosyltransferase (hpt) gene, partial cds, hemagglutinin/protease regulatory protein (hapR) gene, complete cds, and YRAL VIBCO gene, partial cds
2838	15995	28917	1.89	1.7E-01	AA336909.1	EST_HUMAN	EST:41651 Endometrial tumor Homo sapiens cDNA 5' end
3010	16088	28988	1.22	1.7E-01	AJ238736.1	NT	Naja naja atra cdx-1 gene, exons 1-3
3010	16088	28989	1.22	1.7E-01	AJ238736.1	NT	Naja naja atra cdx-1 gene, exons 1-3
3122	16179	28089	1.68	1.7E-01	AF081514.1	NT	Taxus canadensis geranylgeranyl diphosphate synthase mRNA, complete cds
3378	16427	28353	0.82	1.7E-01	N55763.1	EST_HUMAN	J2346F Human fetal heart, Lambda ZAP Express Homo sapiens cDNA clone J2346 5'
3462	16506	29429	1.48	1.7E-01	AJ269505.1	NT	Anabaena sp. ORF4 (partial), ORF3, ORF2, ORF1, adpA gene, adpB gene, adpC gene, adpD gene, adpE gene and adpF gene
3959	16998	29914	5.69	1.7E-01	AJ235377.1	NT	Homo sapiens derivative 11 breakpoint fragment: partial intron 10 of the ALL-1/MLL/HRX gene fused to intron 5 of the AF-4/FEL gene
4591	17612		1.9	1.7E-01	X52836.1	NT	Schistosoma gregaria alpha repetitive DNA
4878	17893	30782	1.21	1.7E-01	AJ247635.1	EST_HUMAN	qh57e09.x1 Scores_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:1848808 3' similar to contains ORF.b1 OFR repetitive element
5165	18174		0.92	1.7E-01	AF072725.1	NT	Zea mays starch branching enzyme IIb (ae) gene, complete cds
5270	18218	31095	0.74	1.7E-01	BF030010.1	EST_HUMAN	601557256F1 NIH_MGC_58 Homo sapiens cDNA clone IMAGE:3827197 5'
5482	18582	31493	1.88	1.7E-01	AA470686.1	EST_HUMAN	ne13a02.s1 NCI_CGAP_Co3 Homo sapiens cDNA clone IMAGE:881066 3' similar to gb:M17886 60S
5482	18582	31494	1.88	1.7E-01	AA470686.1	EST_HUMAN	ACIDIC RIBOSOMAL PROTEIN P1 (HUMAN);
5674	18769	31941	0.74	1.7E-01	U43599.1	NT	ne13a02.s1 NCI_CGAP_Co3 Homo sapiens cDNA clone IMAGE:881066 3' similar to gb:M17886 60S
6463	19528	32777	12.89	1.7E-01	H72118.1	EST_HUMAN	Brugia pahangi microfilarial sheath protein SHP3 (shp3) gene, complete cds
							ys02g06.s1 Scores fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:213658 3'

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6526	19589	32848	0.9	1.7E-01	AI370976.1	EST_HUMAN	ta29c11.x1 Soares_fetal_lung_NbHL19W Homo sapiens cDNA clone IMAGE:2045492 3'
6526	19589	32848	0.9	1.7E-01	AI370976.1	EST_HUMAN	ta29c11.x1 Soares_fetal_lung_NbHL19W Homo sapiens cDNA clone IMAGE:2045492 3'
7031	18363	31250	0.78	1.7E-01	BE300288.1	EST_HUMAN	600944067T1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:2960248 3'
7063	20085		1.76	1.7E-01	AF026552.3	NT	Mesocricetus auratus oviductin precursor (OVI) gene, complete cds
7196	20220		0.79	1.7E-01	Z92910.1	NT	Homo sapiens HFE gene
7430	20397	33749	1.56	1.7E-01	AP000422.1	NT	Escherichia coli O157:H7 genomic DNA, Sakai-VT2 prophage inserted region
7515	20490	33841	8.55	1.7E-01	BE734179.1	EST_HUMAN	601569022F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3843964 5'
7721	20878	34043	1.42	1.7E-01	P16724	SWISSPROT	PROBABLE PROCESSING AND TRANSPORT PROTEIN UL58 (HFLF0 PROTEIN)
7739	25688	34057	0.71	1.7E-01	Q01955	SWISSPROT	COLLAGEN ALPHA 3(IV) CHAIN PRECURSOR
8194	21164	34573	1.24	1.7E-01	AF000573.1	NT	Homo sapiens homotetrasite 1,2-dioxygenase gene, complete cds
8295	21265	34676	0.62	1.7E-01	AF150669.1	NT	Pseudomonas putida long-chain-fatty-acid-CoA ligase (fadD) gene, complete cds
8620	21588	35004	7.37	1.7E-01	7706426	NT	Homo sapiens cleavage and polyadenylation specificity factor 3, 73kD subunit (CPSF3), mRNA
8620	21588	35005	7.37	1.7E-01	7706426	NT	Homo sapiens cleavage and polyadenylation specificity factor 3, 73kD subunit (CPSF3), mRNA
9045	22011	35433	0.6	1.7E-01	AW982873.1	EST_HUMAN	RG2-BN0032-120200-011-e10 BN0032 Homo sapiens cDNA
9079	22045	35468	3.22	1.7E-01	D00384.1	NT	Rat (SHR strain) SX1 gene
9196	22162	35590	0.81	1.7E-01	AF217413.1	NT	Homo sapiens neurologin 3 isoform gene, complete cds, alternatively spliced
9196	22162	35591	0.81	1.7E-01	AF217413.1	NT	Homo sapiens neurologin 3 isoform gene, complete cds, alternatively spliced
9349	22314	35739	0.44	1.7E-01	R77002.1	EST_HUMAN	y66g02.r1 Soares placenta Nb2HP Homo sapiens cDNA clone IMAGE:144242 5'
9523	22486	35933	0.43	1.7E-01	BE253142.1	EST_HUMAN	601116672F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3357184 5'
9523	22486	35934	0.43	1.7E-01	BE253142.1	EST_HUMAN	601116672F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3357184 5'
9948	22875	36337	8.16	1.7E-01	AP001508.1	NT	Bacillus halodurans genomic DNA, section 214
10056	22983	36451	0.47	1.7E-01	AW977455.1	EST_HUMAN	EST389564 MAGe resequences, MAGO Homo sapiens cDNA
10056	22983	36452	0.47	1.7E-01	AW977455.1	EST_HUMAN	EST389564 MAGe resequences, MAGO Homo sapiens cDNA
10073	23000	36470	1.93	1.7E-01	U16288.1	NT	Human class IV alcohol dehydrogenase (ADH7) gene, exon 3
10148	23074	36548	0.59	1.7E-01	Z34508.1	NT	Human immunodeficiency virus type 1 (B7.05) env gene (partial)
10148	23074	36549	0.59	1.7E-01	Z34508.1	NT	Human immunodeficiency virus type 1 (B7.05) env gene (partial)
10167	23092	36570	0.7	1.7E-01	AJ251749.1	NT	Drosophila melanogaster mRNA for serine protease inhibitor (serpin-6), (sp6 gene)
10593	23515		2.43	1.7E-01	AL163284.2	NT	Homo sapiens chromosome 21 segment HS21C084
10759	23690	37176	1.24	1.7E-01	11427203	NT	Homo sapiens solute carrier family 7 (cationic amino acid transporter, y+ system), member 2 (SLC7A2), mRNA
10761	23692	37178	1.61	1.7E-01	AA627972.1	EST_HUMAN	nc60607.s1 NCL_CGAP_Co9 Homo sapiens cDNA clone IMAGE:1148282 3' similar to gb.L25081 TRANSFORMING PROTEIN RHOC (HUMAN);
10966	23896		0.42	1.7E-01	AL161542.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 42
11040	24004	37530	8.17	1.7E-01	BE390835.1	EST_HUMAN	601286547F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3613258 5'

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
11157	24115	37641	2.51	1.7E-01	AA814617.1	EST_HUMAN	cd43a03.s1 NCI_CGAP_CNS1 Homo sapiens cDNA clone IMAGE:1429824 3'
11447	24390	37833	8.03	1.7E-01	7106300	NT	Mus musculus adenomatosis polyposis coli binding protein Eb1 (Eb1), mRNA
11447	24390	37834	8.03	1.7E-01	7106300	NT	Mus musculus adenomatosis polyposis coli binding protein Eb1 (Eb1), mRNA
11703	24668	38245	1.6	1.7E-01	AA883375.1	EST_HUMAN	al4509.s1 Scores_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1460287 3'
12021	24888		1.68	1.7E-01	P15272	SWISSPROT	AMP NUCLEOSIDASE
12141	26005	38616	1.74	1.7E-01	11418157	NT	Homo sapiens calcium channel, voltage-dependent, alpha 1I subunit (CACNA1I), mRNA
12273	25893		1.54	1.7E-01	AL163278.2	NT	Homo sapiens chromosome 21 segment HS21C078
12437	25736	31618	1.55	1.7E-01	AA847421.1	EST_HUMAN	os18h02.s1 NCI_CGAP_Ov2 Homo sapiens cDNA clone IMAGE:1366261
12655	25739		1.69	1.7E-01	AI824404.1	EST_HUMAN	bx69g05.x1 NCI_CGAP_Ut1 Homo sapiens cDNA clone IMAGE:2274872 3' similar to gb:M73779 RETINOIC
12833	25460	31723	14.15	1.7E-01	U01317.1	NT	Human beta globin region on chromosome 11
128	13233	26162	2.02	1.6E-01	AF217532.1	NT	Homo sapiens mevalonate kinase gene, exon 6 and 7
680	16814	26670	1.56	1.8E-01	R31497.1	EST_HUMAN	y175f12.r1 Scores placenta Nb2HP Homo sapiens cDNA clone IMAGE:135598 5'
1504	14537	27509	1.4	1.6E-01	AA549883.1	EST_HUMAN	nk28412.s1 NCI_CGAP_Co11 Homo sapiens cDNA clone IMAGE:1014839 3'
1625	14557	27528	4.54	1.6E-01	AF298117.1	NT	Homo sapiens homeobox protein OTX2 gene, complete cds
1941	14966	27982	1.79	1.6E-01	P22063	SWISSPROT	AXONIN-1 PRECURSOR (AXONAL GLYCOPROTEIN TAG-1)
2001	16022		1	1.6E-01	U10334.1	NT	Crassostrea gigas RNA polymerase II largest subunit mRNA, partial cds
2393	16892	28427	0.99	1.6E-01	X84232.1	NT	H. sapiens mRNA for novel T-cell activation protein
2501	15504	28531	1.19	1.6E-01	AB037729.1	NT	Homo sapiens mRNA for KIAA1308 protein, partial cds
2802	15961	28881	10.42	1.6E-01	AF185599.1	NT	Homo sapiens cytochrome P450 3A4 (CYP3A4) gene, promoter region
2802	15961	28882	10.42	1.6E-01	AF185599.1	NT	Homo sapiens cytochrome P450 3A4 (CYP3A4) gene, promoter region
3649	16692	29607	1.2	1.6E-01	AJ003165.1	NT	Populus trichocarpa cv. Trichobel ABI3 gene
3649	16692	29608	1.2	1.6E-01	AJ003165.1	NT	Populus trichocarpa cv. Trichobel ABI3 gene
3786	16827	29734	0.78	1.6E-01	AE000982.1	NT	Archaeoglobus fulgidus section 145 of 172 of the complete genome
4025	17063		2.81	1.6E-01	AE004413.1	NT	Vibrio cholerae chromosome II, section 70 of 93 of the complete chromosome
4356	17383	30265	10.43	1.6E-01	AF179680.1	NT	Homo sapiens apelin gene, complete cds
4484	17503		3.1	1.6E-01	AW968601.1	EST_HUMAN	EST380677 IMAGE: resesquences, MAGJ Homo sapiens cDNA
4491	17516		4.57	1.6E-01	Z28330.1	NT	Mus musculus chaperonin subunit 3 (gamma) (Cct3), mRNA
4916	17933	30824	1.43	1.6E-01	Z28330.1	NT	S.cerevisiae chromosome XI reading frame ORF YKR105c
4916	17933	30825	1.43	1.6E-01	Z28330.1	NT	S.cerevisiae chromosome XI reading frame ORF YKR105c
4982	17997	30885	4.36	1.6E-01	AA088343.1	EST_HUMAN	z184f03.s1 Stragene colon (#937204) Homo sapiens cDNA clone IMAGE:511361 3' similar to TR:E221955
5004	18018	30905	1.94	1.6E-01	AJ006356.1	NT	E221955 38,865 BP SEGMENT OF CHROMOSOME XIV. ;
5004	18018	30906	1.94	1.6E-01	AJ006356.1	NT	Lycopodium esculentum Real fragment 2, satellite region
5004	18018	30906	1.94	1.6E-01	AJ006356.1	NT	Lycopodium esculentum Real fragment 2, satellite region

Page 104 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5069	18079	30960	1.16	1.6E-01	BE018707.1	EST_HUMAN	bb83h08.y1 NIH_MGC_10 Homo sapiens cDNA clone IMAGE:3049023 5' similar to gb:M61715
5461	18583	31475	0.87	1.6E-01	L40608.1	NT	TRYPTOPHANYL-TRNA SYNTHETASE (HUMAN); gb:X89857 M.musculus (MOUSE);
5600	18596	31666	2.82	1.6E-01	AW197496.1	EST_HUMAN	Plasmodium falciparum (strain Dd2) variant-specific surface protein (var-1) gene, complete cds
5600	18596	31666	2.82	1.6E-01	AW197496.1	EST_HUMAN	HYPOTHETICAL 127.6 KD PROTEIN ;
5600	18596	31687	2.82	1.6E-01	AW197496.1	EST_HUMAN	xm43f01.x1 NCI_CGAP_GC6 Homo sapiens cDNA clone IMAGE:2686968 3' similar to TR:O75984 O75984
5612	18708	31865	2.31	1.6E-01	AF034716.1	NT	HYPOTHETICAL 127.6 KD PROTEIN ;
6144	19219	32449	0.9	1.6E-01	BE925803.1	EST_HUMAN	Rattus norvegicus CCAAT/enhancer binding protein epsilon (cebpe) gene, complete cds
6385	19453	32697	0.57	1.6E-01	BF183584.1	EST_HUMAN	RC3-BN0034-310800-113-h01 BN0034 Homo sapiens cDNA
6385	19453	32698	0.57	1.6E-01	BF183584.1	EST_HUMAN	601809725R1 NIH_MGC_18 Homo sapiens cDNA clone IMAGE:4040335 3'
6568	19628	32893	1.99	1.6E-01	AL161588.2	NT	601809728R1 NIH_MGC_18 Homo sapiens cDNA clone IMAGE:4040335 3'
6568	19628	32894	1.99	1.6E-01	AL161588.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 84
6950	20174	33498	0.55	1.6E-01	AA398047.1	EST_HUMAN	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 84
5969	20192	33519	0.66	1.6E-01	AB046786.1	NT	289404.r1 Soares testis_NHT Homo sapiens cDNA clone IMAGE:729511 5'
7156	18388	31232	4.63	1.6E-01	AW291215.1	EST_HUMAN	Homo sapiens mRNA for KIAA1568 protein, partial cds
7518	20483	33844	0.61	1.6E-01	Z49632.1	NT	UI-H-B12-egi-b-08-0-U1.s1 NCI_CGAP_Sub4 Homo sapiens cDNA clone IMAGE:2724418 3'
8056	20983	34390	1.59	1.6E-01	AW246359.1	EST_HUMAN	S.cerevisiae chromosome X reading frame ORF YJR132w
8090	21026	34425	0.57	1.6E-01	6753237	NT	2822248.5prime NIH_MGC_7 Homo sapiens cDNA clone IMAGE:2822248 5'
8102	21038		1.15	1.6E-01	AU136525.1	EST_HUMAN	Mus musculus Car-2>-dependent activator protein for secretion (Cadps), mRNA
8201	21171	34582	1.26	1.6E-01	L49349.1	NT	AU136525 PLACE1 Homo sapiens cDNA clone IMAGE:1004466 5'
8359	21328		0.51	1.6E-01	BE244087.1	EST_HUMAN	Gorilla gorilla androgen receptor gene, partial exon
8456	21425	34841	0.66	1.6E-01	U38243.1	NT	TCBAP1E0607 Pediatric pre-B cell acute lymphoblastic leukemia Baylor-HGSC project=TCBA Homo sapiens cDNA clone TCBAP0607
8979	21945	35369	0.85	1.6E-01	Z99119.1	NT	Bacteroides vulgatus beta-lactamase (crxA) gene, complete cds and mobilization protein (mobA) gene, complete cds
9178	22144	35571	0.71	1.6E-01	R19673.1	EST_HUMAN	Bacillus subtilis complete genome (section 16 of 21): from 2997771 to 3213410
9285	22251		0.63	1.6E-01	L38861.1	NT	yf60h08.r1 Soares infant brain 1NIB Homo sapiens cDNA clone IMAGE:26873 5'
9322	22287	35717	1.9	1.6E-01	Z49501.1	NT	Homo sapiens guanylate cyclase activating protein (GCAP) gene exons 1-4, complete cds
9466	22430		0.63	1.6E-01	AF111167.2	NT	S.cerevisiae chromosome X reading frame ORF YJR001w
10009	22936		2.05	1.6E-01	BF375171.1	EST_HUMAN	Homo sapiens jun dimerization protein gene, partial cds; cfos gene, complete cds; and unknown gene
10012	22939	36404	2	1.6E-01	Z49501.1	NT	RC3-ST0200-041199-011-h01 ST0200 Homo sapiens cDNA
10048	22875		0.96	1.6E-01	BE155664.1	EST_HUMAN	S.cerevisiae chromosome X reading frame ORF YJR001w
							PM2-HT0353-270100-004-111 HT0353 Homo sapiens cDNA

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
11017	23982	37509	2.59	1.6E-01	AW650853.1	EST_HUMAN	IL3-CT0220-111199-028-G01 CT0220 Homo sapiens cDNA
11122	24082	37607	1.82	1.6E-01	Z28073.1	NT	S.cerevisiae chromosome XI reading frame ORF_YKL073w
11122	24082	37608	1.82	1.6E-01	Z28073.1	NT	S.cerevisiae chromosome XI reading frame ORF_YKL073w
11344	24284	37820	1.5	1.6E-01	BE259649.1	EST_HUMAN	601145793F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:3161183 5'
11451	24394		3.84	1.6E-01	AF106084.1	NT	Plasmodium falciparum calcium-dependent protein kinase-3 (cdpk3) gene, complete cds
11740	24825	38204	6.59	1.6E-01	6871552	NT	Mus musculus adaptor-related protein complex AP-1, beta 1 subunit (Apt1b1), mRNA
12155	25906		1.75	1.6E-01	6879498	NT	Mus musculus protein kinase, cGMP-dependent, type II (Prkg2), mRNA
12275	25095	38179	6.75	1.6E-01	AV719585.1	EST_HUMAN	AV719585 GLC Homo sapiens cDNA clone GLOEMF07 5'
12608	25307		1.62	1.6E-01	AW839711.1	EST_HUMAN	RG1-LT0074-120200-014-H01_1 LT0074 Homo sapiens cDNA
12697	25721		22.15	1.6E-01	AB045310.1	NT	Cucumis sativus KS mRNA for anti-kaurine synthase, complete cds
12856	26463		2.73	1.6E-01	AK024406.1	NT	Homo sapiens mRNA for FLJ00104 protein, partial cds
12945	26524		2.56	1.6E-01	AF287344.1	NT	Fuchsia hybrid cultivar Qlu 94208 ribosomal protein S10 gene, partial cds; nuclear gene for mitochondrial product
12971	26537	31716	2.24	1.6E-01	9506522	NT	Rattus norvegicus chondroitin sulfate proteoglycan 5 (neuroglycan C) (Cspg5), mRNA
12978	26543		1.93	1.6E-01	BE287894.1	EST_HUMAN	601125469F1 NIH_MGC_8 Homo sapiens cDNA clone IMAGE:3345038 5'
248	13345	26270	1.73	1.5E-01	BE710087.1	EST_HUMAN	IL3-HT0619-040700-197-E05 HT0619 Homo sapiens cDNA
248	13345	26271	1.73	1.5E-01	BE710087.1	EST_HUMAN	IL3-HT0619-040700-197-E06 HT0619 Homo sapiens cDNA
589	15813		2.4	1.5E-01	AV711896.1	EST_HUMAN	AV711698 DCA Homo sapiens cDNA clone DCAADH08 5'
783	13843	26788	1.51	1.6E-01	AL163284.2	NT	Homo sapiens chromosome 21 segment HS21C084
1094	14138	27089	1.01	1.5E-01	AJ009795.1	NT	Cyprinus carpio mRNA for EGG522 myosin heavy chain, 3'UTR
1099	14143	27083	2.55	1.5E-01	AJ251885.1	NT	Homo sapiens partial SLG22A2 gene for organic cation transporter (OCT2), exon 1
1115	14159		1.57	1.5E-01	L36126.1	NT	Rattus norvegicus insulin-responsive glucose transporter (GLUT4) gene, 5' end
1280	14315	27276	3.58	1.5E-01	D26635.1	NT	Human gene for dihydrolipoamide succinyltransferase, complete cds (exon 1-16)
1280	14315	27277	3.58	1.5E-01	D26635.1	NT	Human gene for dihydrolipoamide succinyltransferase, complete cds (exon 1-16)
1478	14811	27487	2.54	1.5E-01	AF117340.1	NT	Mus musculus MAP kinase kinase kinase 1 (Mekk1) mRNA, complete cds
1923	14947	27943	1.65	1.5E-01	AW444451.1	EST_HUMAN	UJ-H-BI3-akb-b-09-0-UJ.s1 NCI_CGAP_Sub5 Homo sapiens cDNA clone IMAGE:2733641 3'
2723	15717	28736	1.47	1.5E-01	BF686381.1	EST_HUMAN	602083269F1 NIH_MGC_81 Homo sapiens cDNA clone IMAGE:4247637 5'
2824	15982		1.1	1.5E-01	AW572516.1	EST_HUMAN	xy66a02.x2 NCI_CGAP_Pan1 Homo sapiens cDNA clone IMAGE:2831978 3' similar to gb:X55072_maf1
3048	16105	28019	0.76	1.5E-01	M81441.1	NT	THYROID HORMONE RECEPTOR ALPHA-1 (HUMAN);
3363	16413	29338	5.55	1.5E-01	AA950408.1	EST_HUMAN	Bos taurus factor V variant 2 (factor V) mRNA, complete cds
3381	16430	28357	0.74	1.5E-01	Z23104.1	NT	cc68d05.s1 NCI_CGAP_GC4 Homo sapiens cDNA clone IMAGE:1571337 3' similar to gb:M11433
3381	16430	28358	0.74	1.5E-01	Z23104.1	NT	RETINOL-BINDING PROTEIN 1, CELLULAR (HUMAN);
3381	16430	28358	0.74	1.5E-01	Z23104.1	NT	L.steigalis mRNA for G protein-coupled receptor
3381	16430	28358	0.74	1.5E-01	Z23104.1	NT	L.steigalis mRNA for G protein-coupled receptor

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3440	16487	29405	0.97	1.5E-01	AW612237.1	EST_HUMAN	h129102.x1 NC1_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:2956539 3' similar to contains element
3768	16810	29719	2.22	1.5E-01	U09964.1	NT	MER16 repetitive element;
3782	16823	29731	0.8	1.5E-01	7108358	NT	Mus musculus ICR/Swiss glyceroldehyde 3-phosphate dehydrogenase (Gapd-S) gene, complete cds
3795	16835	29740	0.66	1.5E-01	M97882.1	NT	XYNA: Thermoanaerobacterium; xyna; 4182 base-pairs
3881	16920	29929	2.25	1.5E-01	AW665983.1	EST_HUMAN	h110106.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2981411 3'
3898	16938	29846	0.71	1.5E-01	AJ003165.1	NT	Populus trichocarpa cv. Trichobel ABI3 gene
3896	16936	29847	0.71	1.5E-01	AJ003165.1	NT	Populus trichocarpa cv. Trichobel ABI3 gene
4080	17115	30011	2.53	1.5E-01	AW366659.1	EST_HUMAN	RC2-HT0149-191089-012-c09 HT0149 Homo sapiens cDNA
4213	17242	30127	9.83	1.5E-01	AL163284.2	NT	Homo sapiens chromosome 21 segment HS21C084
4513	17538	30422	0.91	1.5E-01	BE791253.1	EST_HUMAN	601583968F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3938345 5'
4513	17538	30423	0.91	1.5E-01	BE791253.1	EST_HUMAN	601583968F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3938345 5'
4756	17776	30672	1.88	1.5E-01	BF687685.1	EST_HUMAN	602067192F1 NIH_MGC_57 Homo sapiens cDNA clone IMAGE:4066223 5'
4783	15717	28735	2.86	1.5E-01	BF695381.1	EST_HUMAN	6020683269F1 NIH_MGC_81 Homo sapiens cDNA clone IMAGE:4247637 5'
4830	17847	30748	1	1.5E-01	BE173796.1	EST_HUMAN	CMD-HT0565-280200-245-b10 HT0565 Homo sapiens cDNA
5034	18048	30928	1.2	1.5E-01	AL161560.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 60
5134	18143	31023	1.07	1.5E-01	AL161560.2	NT	Homo sapiens calbindin 1, (28kD) (CALB1), mRNA
5328	18434	31186	2.46	1.5E-01	P07996	SWISSPROT	THROMBOSPONDIN 1 PRECURSOR
5357	18482	31331	1.03	1.5E-01	AF258682.1	NT	Gelmin crocodilus MHC class II beta chain (hcIIbeta) gene, complete cds
5401	18504		5.5	1.5E-01	P15196	SWISSPROT	SEX HORMONE-BINDING GLOBULIN PRECURSOR (SHBG) (SEX STEROID-BINDING PROTEIN) (SBP)
5616	18712	31870	4.35	1.5E-01	AW650754.1	EST_HUMAN	IL3-CT0219-180200-064-F10 CT0219 Homo sapiens cDNA
5659	18755	31922	7.17	1.5E-01	U65016.1	NT	Mus musculus transforming growth factor alpha (TGFA) mRNA, complete cds
5659	18755	31923	7.17	1.5E-01	U65016.1	NT	Mus musculus transforming growth factor alpha (TGFA) mRNA, complete cds
6012	19095	32295	0.79	1.5E-01	4506810	NT	Homo sapiens sodium channel, voltage-gated, type VI, alpha polypeptide (SCN6A) mRNA
6120	19198	32422	1.74	1.5E-01	6753659	NT	Mus musculus DNA methyltransferase 2 (Dnm2), mRNA
6120	19198	32423	1.74	1.5E-01	6753659	NT	Mus musculus DNA methyltransferase 2 (Dnm2), mRNA
6161	19236	32467	1.96	1.5E-01	AJ276505.1	NT	Mus musculus genomic fragment, 279 Kb, chromosome 7
6319	19390	32630	3.25	1.5E-01	BE727658.1	EST_HUMAN	601584322F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3833981 5'
6375	19443		1.86	1.5E-01	4506396	NT	Homo sapiens RAD54 (S.cerevisiae)-like (RAD54L) mRNA

Page 107 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6478	19543	32791	1.7	1.5E-01	AF134907.1	NT	Influenza B virus (B/Nanchang/480/84) NB protein gene, complete cds; and neuraminidase gene, partial cds
6651	25664	32885	1.8	1.5E-01	AE001039.1	NT	Archaeoglobus fulgidus section 88 of 172 of the complete genome
6681	18738	33013	4.83	1.5E-01	11417236	NT	Homo sapiens chromosome 5 open reading frame 3 (C5ORF3), mRNA
6692	19749	33026	1.8	1.5E-01	P48508	SWISSPROT	GLUTAMATE-CYSTEINE LIGASE REGULATORY SUBUNIT (GAMMA-GLUTAMYL-CYSTEINE SYNTHETASE) (GAMMA-ECS) (GCS LIGHT CHAIN)
6740	19795	33075	2.35	1.5E-01	Q28462	SWISSPROT	AMELOGENIN
6842	19885	33189	0.85	1.5E-01	AA714780.1	EST_HUMAN	hw30d10.s1 NCL_CGAP_GCB0 Homo sapiens cDNA clone IMAGE:1241871 3'
6871	19924	33220	1.8	1.5E-01	P30143	SWISSPROT	HYPOTHETICAL 51.7 KD PROTEIN IN THRC-TALB INTERGENIC REGION (ORF8)
7171	18402	31247	5.15	1.5E-01	AW970285.1	EST_HUMAN	EST382378 MAGC resequences, MAGK Homo sapiens cDNA
7214	25678		0.71	1.5E-01	AA811545.1	EST_HUMAN	gb73f02.s1 NCL_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:1337019 3' similar to contains element LTR2 repetitive element;
7424	20391		1.81	1.5E-01	AF210842.1	NT	Homo sapiens HARP (HARP) gene, exon 17 and complete cds
7621	20891	33945	1.68	1.5E-01	AI973157.1	EST_HUMAN	wf52c08.x1 NCL_CGAP_U11 Homo sapiens cDNA clone IMAGE:2491310 3'
7646	20783	34169	0.96	1.5E-01	AF299073.1	NT	Bos taurus Niemann-Pick type C1 disease protein (NPC1) mRNA, complete cds
7946	20793	34170	0.96	1.5E-01	AF299073.1	NT	Bos taurus Niemann-Pick type C1 disease protein (NPC1) mRNA, complete cds
7857	20802	34177	1.84	1.5E-01	AW500611.1	EST_HUMAN	UI-HF-BND-akk-d-05-0-UI.r1 NIH_MGC_50 Homo sapiens cDNA clone IMAGE:3077409 5'
7857	20802	34178	1.84	1.5E-01	AW500611.1	EST_HUMAN	UI-HF-BND-akk-d-05-0-UI.r1 NIH_MGC_50 Homo sapiens cDNA clone IMAGE:3077409 5'
8014	20952	34346	0.71	1.5E-01	U46650.1	NT	Saccharomyces cerevisiae weak multicopy suppressor of lost-1 (SOL3) gene, complete cds
8393	21362	34769	1.21	1.5E-01	P21303	SWISSPROT	MEROZOITE RECEPTOR PK68 PRECURSOR (86 KD PROTECTIVE MINOR SURFACE ANTIGEN)
8562	21530	34950	0.97	1.5E-01	AA970317.1	EST_HUMAN	co85g12.s1 NCL_CGAP_Kid5 Homo sapiens cDNA clone IMAGE:1573030 3' similar to gb:M26082
8655	21623		1.01	1.5E-01	BE884789.1	EST_HUMAN	INTERLEUKIN-2 RECEPTOR BETA CHAIN PRECURSOR (HUMAN);
8743	21711		13.33	1.5E-01	C16800.1	EST_HUMAN	601510523F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3912004 5'
8776	21743	35165	1.69	1.5E-01	L27835.1	NT	C16800 Clontech human aorta polyA+ mRNA (#8572) Homo sapiens cDNA clone GEN-529H09 5'
8940	21808	35330	1.79	1.5E-01	D84476.1	NT	Pangasinodon gigas growth hormone (GH) mRNA, complete cds
8962	21928		0.74	1.5E-01	P43446	SWISSPROT	Homo sapiens mRNA for ASK1, complete cds
9180	22166	35585	1.31	1.5E-01	4501872	NT	WNT-10A PROTEIN PRECURSOR
9460	22424	35862	3.06	1.5E-01	N74226.1	EST_HUMAN	Homo sapiens adaptor-related protein complex 1, beta 1 subunit (ADTB1), mRNA
9548	22511	35960	1.03	1.5E-01	BF585465.1	EST_HUMAN	za59e08.s1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:298886 3' similar to PIR-S44443 S44443 RAD23 protein homolog2 - human;
9555	22517		2.73	1.5E-01	AV754819.1	EST_HUMAN	GVO000404 Human Psoriasis Differential Display Homo sapiens cDNA
9760	22701		0.87	1.5E-01	AU130007.1	EST_HUMAN	AV754819 TP Homo sapiens cDNA clone TPAAHB12 5'
9808	21131	34534	6.92	1.5E-01	U00455.1	NT	AU130007 NT2RP3 Homo sapiens cDNA clone NT2RP3000080 5'
							Acipenser transmontano vitellogenin mRNA, partial cds

Page 108 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
10176	23101	36581	0.58	1.5E-01	M77144.1	NT	Human type II 3-beta hydroxysteroid dehydrogenase/ 5-delta - 4-delta isomerase gene, complete cds
10281	23208	36690	6.22	1.5E-01	AF007570.1	NT	Aplysia californica carboxypeptidase D mRNA, complete cds
10281	23208	36691	6.22	1.5E-01	AF007570.1	NT	Aplysia californica carboxypeptidase D mRNA, complete cds
10563	23485	36979	2.67	1.5E-01	X98852.1	NT	P. lentus scutellum mRNA for integrin beta subunit
10651	23573		0.52	1.5E-01	AB027759.1	NT	Mesocricetus auratus mRNA for collagen type XVII, complete cds
10671	23593	37089	2.49	1.5E-01	AB184046.1	EST_HUMAN	wk53h12.x1 NCI_CGAP_P122 Homo sapiens cDNA clone IMAGE:2419175 3' similar to gb:M27508 BETA GALACTOSIDASE-RELATED PROTEIN PRECURSOR (HUMAN);
10671	23593	37090	2.49	1.5E-01	AB184046.1	EST_HUMAN	wk53h12.x1 NCI_CGAP_P122 Homo sapiens cDNA clone IMAGE:2419175 3' similar to gb:M27508 BETA GALACTOSIDASE-RELATED PROTEIN PRECURSOR (HUMAN);
10753	23675	37172	2.19	1.5E-01	U40982.1	NT	GALACTOSIDASE-RELATED PROTEIN PRECURSOR (HUMAN);
10906	23826	37338	2.14	1.5E-01	AJ011984.1	NT	Danio rerio transcription factor Pax9b (Pax9) mRNA, complete cds
10906	23826	37339	2.14	1.5E-01	AJ011984.1	NT	Claviceps purpurea ps1 gene
11173	24130	37659	4.35	1.5E-01	AL163280.2	NT	Claviceps purpurea ps1 gene
11173	24130	37660	4.35	1.5E-01	AL163280.2	NT	Homo sapiens chromosome 21 segment HS21C080
11412	24366	37891	1.71	1.5E-01	AW841916.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C080
11449	24392	37937	3.86	1.5E-01	AA425488.1	EST_HUMAN	IL5-CN0024-030300-025-D04 CN0024 Homo sapiens cDNA
11501	20581	33945	1.69	1.5E-01	AI973157.1	EST_HUMAN	zw46d02.r1 Soares_t04_fetus_Nb2HF8_9w Homo sapiens cDNA clone IMAGE:773091 5' similar to contains element MER22 repetitive element;
12229	25769		11.17	1.5E-01	BF700582.1	EST_HUMAN	wf62c08.x1 NCI_CGAP_U11 Homo sapiens cDNA clone IMAGE:2491310 3'
12607	25308		1.62	1.5E-01	AF030358.2	NT	602128753F1 NIH_MGC_56 Homo sapiens cDNA clone IMAGE:4285549 5'
12610	25309		1.81	1.5E-01	AJ238332.1	NT	Rattus norvegicus chemokine CX3C mRNA, complete cds
12668	25791		12.47	1.5E-01	R83077.1	EST_HUMAN	Mus musculus mRNA for death inducer-chiller-1 (Dlc-1)
12748	25814		2.45	1.5E-01	AV741272.1	EST_HUMAN	yp87e04.r1 Soares_fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:194430 5'
12855	25722	31613	7.87	1.5E-01	AL139074.2	NT	AV741272 CB Homo sapiens cDNA clone CBDA GD04 5'
13073	25608	31689	1.53	1.5E-01	AJ276242.1	NT	Campylobacter jejuni NCTC11168 complete genome; segment 1/6
299	13393		2.07	1.4E-01	AF009663.1	NT	Sus scrofa mRNA for sodium iodide symporter
911	13966		3.95	1.4E-01	D78638.1	NT	Homo sapiens T cell receptor beta locus, TCRBV8S9P to TCRBV21S2A2 region
1284	14299		2.77	1.4E-01	T91864.1	EST_HUMAN	Xenopus laevis mRNA for DNA (cytosine-5)-methyltransferase, complete cds
1763	14792		1.61	1.4E-01	6678980	NT	yd54c01.s1 Soares_fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:112032 3'
1766	14796	27780	1.82	1.4E-01	AE001710.1	NT	Mus musculus growth differentiation factor 5 (Gdf5), mRNA
2002	15023		12.82	1.4E-01	AA720615.1	EST_HUMAN	Thermotoga maritima section 22 of 136 of the complete genome
2482	15486	28509	1.15	1.4E-01	P30706	SWISSPROT	ny72d07.s1 NCI_CGAP_G0B1 Homo sapiens cDNA clone IMAGE:1283821 3'
2804	15796	28815	7.57	1.4E-01	AB93496.1	EST_HUMAN	GLYCEROL-3-PHOSPHATE ACYLTRANSFERASE PRECURSOR (GPAT)

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3914	16954	29885	0.93	1.4E-01	R69232.1	EST_HUMAN	y97a03.r1 Soares infant brain 1N1B Homo sapiens cDNA clone IMAGE:41467 5'
3914	16954	29886	0.93	1.4E-01	R69232.1	EST_HUMAN	y97a03.r1 Soares infant brain 1N1B Homo sapiens cDNA clone IMAGE:41467 5'
4202	17233	30120	11.04	1.4E-01	A1699094.1	EST_HUMAN	bx56c02.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:2273570 3'
4202	17233	30121	11.04	1.4E-01	A1699094.1	EST_HUMAN	bx56c02.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:2273570 3'
4265	17294	30173	3.98	1.4E-01	AE001710.1	NT	Thermotoga maritima section 22 of 138 of the complete genome
4440	17466		0.71	1.4E-01	AA776287.1	EST_HUMAN	z50b01.s1 Soares fetal liver Epstein-Barr virus (EBV) S1 Homo sapiens cDNA clone IMAGE:463673 3' similar to gb:X01057.ma1 INTERLEUKIN-2 RECEPTOR ALPHA CHAIN PRECURSOR (HUMAN); contains Alu repetitive element
4703	17724	30618	0.69	1.4E-01	5453861	NT	Homo sapiens phosphodiesterase 4A, cAMP-specific (dunce (Drosophila)-homolog phosphodiesterase E2) (PDE4A), mRNA
4907	17924	30817	0.92	1.4E-01	AV686559.1	EST_HUMAN	AV686559 GKGC Homo sapiens cDNA clone GKCDU009 5'
5379	18483	31358	4.72	1.4E-01	T90777.1	EST_HUMAN	ye16c11.s1 Stratagene lung (H937210) Homo sapiens cDNA clone IMAGE:117812 3'
5402	18506	31381	4.08	1.4E-01	AB004586.1	NT	Candida tropicalis DNA for mitochondrial NADP-linked isocitrate dehydrogenase, complete cds
5402	18505	31382	4.08	1.4E-01	AB004586.1	NT	Candida tropicalis DNA for mitochondrial NADP-linked isocitrate dehydrogenase, complete cds
6430	19486	32749	2.9	1.4E-01	BE326891.1	EST_HUMAN	hr67c02.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:3133638 3'
6629	19687	32965	6.1	1.4E-01	AU117147.1	EST_HUMAN	AU117147 HEMBA1 Homo sapiens cDNA clone HEMBA1000769 5'
6629	19687	32966	6.1	1.4E-01	AU117147.1	EST_HUMAN	AU117147 HEMBA1 Homo sapiens cDNA clone HEMBA1000769 5'
6723	19779	33058	3.48	1.4E-01	AW082796.1	EST_HUMAN	xb71d12.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2581751 3'
6737	19793	33093	1.26	1.4E-01	BE266536.1	EST_HUMAN	607193523F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3537681 5'
6769	19813	33093	2.02	1.4E-01	BF378533.1	EST_HUMAN	QV1-UM0038-080300-103-d09 UM0038 Homo sapiens cDNA
7333	20304		0.74	1.4E-01	AL118668.1	EST_HUMAN	DKFZp761A0910.t1 761 (synonym: hamy2) Homo sapiens cDNA clone DKFZp761A0910 5'
7616	20575		1.67	1.4E-01	AW015373.1	EST_HUMAN	U1-H-B10-aat-c-09-0-UJ.s1 NCI_CGAP_Sub1 Homo sapiens cDNA clone IMAGE:2710289 3'
7641	20601	33965	0.51	1.4E-01	F08745.1	EST_HUMAN	HSC1DB011 normalized infant brain cDNA Homo sapiens cDNA clone c-1db01
7694	20652		0.61	1.4E-01	AI762827.1	EST_HUMAN	w104f12.x1 NCI_CGAP_GLL1 Homo sapiens cDNA clone IMAGE:2389285 3' similar to SW:ICE4_HUMAN P49662 CASPASE-4 PRECURSOR
7883	20827	34203	0.82	1.4E-01	U85845.1	NT	Oryctolagus cuniculus fructose 1,6-bisphosphate aldolase (AldB) gene, complete cds
8029	20966	34361	1.24	1.4E-01	A1305192.1	EST_HUMAN	q190512.x1 Soares_NHMPu_S1 Homo sapiens cDNA clone IMAGE:1878683 3'
8818	21786		1.24	1.4E-01	AV659047.1	EST_HUMAN	AV659047 GLC Homo sapiens cDNA clone GLCFSH08 3'
9136	22102		0.67	1.4E-01	AI496093.1	EST_HUMAN	th92b12.x1 Soares_NSF_F8_BW_OT_PA_P_S1 Homo sapiens cDNA clone IMAGE:2126111 3' similar to TR:002710 002710 GAG POLYPROTEIN
9264	22230	35661	4.68	1.4E-01	AA307073.1	EST_HUMAN	EST178182 Colon carcinoma (HCC) cell line Homo sapiens cDNA 5' end
9346	22310	35735	0.56	1.4E-01	AW023636.1	EST_HUMAN	df58b03.y1 Morton Fetal Cochlea Homo sapiens cDNA clone IMAGE:2487485 5'
9478	22442	35883	0.94	1.4E-01	R62746.1	EST_HUMAN	y10h05.r1 Soares placenta Nb2HP Homo sapiens cDNA clone IMAGE:138873 5'
9478	22442	35884	0.94	1.4E-01	R62746.1	EST_HUMAN	y10h05.r1 Soares placenta Nb2HP Homo sapiens cDNA clone IMAGE:138873 5'

Page 110 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
9541	22504	35653	9.19	1.4E-01	BF310959.1	EST_HUMAN	601896465F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:4124824 5'
9630	22574	36024	1.19	1.4E-01	W93411.1	EST_HUMAN	z884a04.r1 Soares fetal heart_NbHH19W Homo sapiens cDNA clone IMAGE:357102 5' similar to contains element KER repetitive element ;
9702	22655	36109	0.43	1.4E-01	X73283.1	NT	M.vannielii genes rpoH, rpoB and rpoA
9702	22655	36110	0.43	1.4E-01	X73283.1	NT	M.vannielii genes rpoH, rpoB and rpoA
9713	22666	36123	1.44	1.4E-01	Y10196.1	NT	Homo sapiens PHEX gene
9713	22666	36124	1.44	1.4E-01	Y10196.1	NT	Homo sapiens PHEX gene
9805	21128	34532	2.06	1.4E-01	AF121361.1	NT	Drosophila melanogaster signal transducing adaptor protein (STAM), serine threonine kinase 1a1 (IAL), and zinc finger protein (DNZ1) genes, complete cds
10164	23089	36567	0.55	1.4E-01	X65092.1	NT	C.perfringens ORF for putative membrane transport protein
10346	23270	36747	1.12	1.4E-01	AF023813.1	NT	Macromitrium levetum small ribosomal protein 4 (psa4) gene, chloroplast gene encoding chloroplast protein, partial cds
10448	23370	36861	0.57	1.4E-01	AW021908.1	EST_HUMAN	d29h08.y1 Morton Fetal Cochlea Homo sapiens cDNA clone IMAGE:2485094 5'
10448	23370	36862	0.57	1.4E-01	AW021908.1	EST_HUMAN	d29h08.y1 Morton Fetal Cochlea Homo sapiens cDNA clone IMAGE:2485094 5'
10619	23541	37039	0.67	1.4E-01	BF375285.1	EST_HUMAN	MR3-ST0218-211299-013-a08 ST0218 Homo sapiens cDNA
10619	23541	37040	0.67	1.4E-01	BF375285.1	EST_HUMAN	MR3-ST0218-211299-013-a08 ST0218 Homo sapiens cDNA
10829	23750		0.56	1.4E-01	T84293.1	EST_HUMAN	y447d03.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:111365 5'
10862	23882	37395	0.71	1.4E-01	Z99117.1	NT	Bacillus subtilis complete genome (section 14 of 21): from 2599451 to 2812870
11191	24147	37680	2.59	1.4E-01	R53400.1	EST_HUMAN	y70c05.r1 Soares breast 2NbHBst Homo sapiens cDNA clone IMAGE:154088 5'
11432	24376	37916	2.53	1.4E-01	P08048	SWISSPROT	INTEGRIN ALPHA-5 PRECURSOR (FIBRONECTIN RECEPTOR ALPHA SUBUNIT) (INTEGRIN ALPHA-F) (VLA-5) (CD49E)
11752	24637		1.59	1.4E-01	AL161496.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 8
11797	23952	37474	2.38	1.4E-01	U28760.1	NT	Borrelia burgdorferi glyceraldehyde-3-phosphate dehydrogenase (GAPDH), phosphoglycerate kinase (PGK), triosephosphate isomerase (TPI) genes, complete cds
11855	24737		1.55	1.4E-01	X52102.1	NT	M.musculus p19K gene for 16 kDa protein
12549	25272	31776	2.33	1.4E-01	X74773.1	NT	P.salina plastid gene secY
12562	25280		2.24	1.4E-01	11968117	NT	Rattus norvegicus desmin (Des), mRNA
12605	25984		2.35	1.4E-01	BE513802.1	EST_HUMAN	601316338F1 NIH_MGC_8 Homo sapiens cDNA clone IMAGE:3634329 5'
12702	26362		2.29	1.4E-01	D64004.1	NT	Synechocystis sp. PCC6803 complete genome, 23/27, 2868767-3002965
12776	25981		4.86	1.4E-01	P10447	SWISSPROT	TYROSINE-PROTEIN KINASE TRANSFORMING PROTEIN ABL
12998	25792		3.72	1.4E-01	D82983.1	NT	Mus musculus mRNA for prolidase, complete cds
13067	26601		2.63	1.4E-01	AW377998.1	EST_HUMAN	MR0-HT0208-221296-204-c08 HT0208 Homo sapiens cDNA
322	13414	26338	2.48	1.3E-01	4768467	NT	Homo sapiens G protein-coupled receptor 50 (GPR50) mRNA
322	13414	26339	2.48	1.3E-01	4758467	NT	Homo sapiens G protein-coupled receptor 50 (GPR50) mRNA

Page 111 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal:	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
530	13601	26619	2.91	1.3E-01	AB013139.1	NT	Homo sapiens gene for NBS1, complete cds
637	13703	26624	0.78	1.3E-01	AJ277606.1	NT	Human calicivirus HU/NLV/Girlington/93/UK RNA for capsid protein (ORF2), strain HU/NLV/Girlington/93/UK
637	13703	26625	0.78	1.3E-01	AJ277606.1	NT	Human calicivirus HU/NLV/Girlington/93/UK RNA for capsid protein (ORF2), strain HU/NLV/Girlington/93/UK
845	13901	26659	1.04	1.3E-01	X53330.1	NT	P dumerilii histone gene cluster for core histones H2A, H2B, H3 and H4
895	13950	26808	1.76	1.3E-01	AF139518.1	NT	Rattus norvegicus A-kinase anchor protein mRNA, complete cds
1028	14074	27024	1.8	1.3E-01	AL117078.1	NT	Botrytis cinerea strain T4 cDNA library under conditions of nitrogen deprivation
1129	14172		2.88	1.3E-01	AL115265.1	NT	Botrytis cinerea strain T4 cDNA library under conditions of nitrogen deprivation
1220	14258	27215	1.51	1.3E-01	AV712487.1	EST_HUMAN	AV712487 DCA Homo sapiens cDNA clone DCAAFF05 5'
1438	14471		0.93	1.3E-01	AF146277.1	NT	Homo sapiens adapter protein CMS mRNA, complete cds
1976	14997	27999	2.07	1.3E-01	AL117078.1	NT	Botrytis cinerea strain T4 cDNA library under conditions of nitrogen deprivation
2180	16195		1.69	1.3E-01	AJ243578.1	NT	Rhodospseudomonas acidiphila pucB5, pucA5, pucB6, pucA7, pucB8, pucA8 and pucC genes and ORF151
2298	16310		0.96	1.3E-01	AW812104.1	EST_HUMAN	RC4-ST0173-191089-032-d12 ST0173 Homo sapiens cDNA
2389	16397		3.94	1.3E-01	AE001016.1	NT	Archaeoglobus fulgidus section 91 of 172 of the complete genome
2592	16593	28610	2.23	1.3E-01	M68918.1	NT	Cerassius auratus keratin type I mRNA, complete cds
3465	16511	29432	0.98	1.3E-01	M21572.1	NT	Bovine branched chain alpha-keto acid dihydrolipoyl transacylase mRNA, complete cds
3735	16777	29689	0.91	1.3E-01	AP000001.1	NT	Pyrococcus horikoshii OT3 genomic DNA, 1-287000 nt, position (1/7)
3741	16783	29690	0.91	1.3E-01	AP000001.1	NT	Pyrococcus horikoshii OT3 genomic DNA, 1-287000 nt, position (1/7)
3794	16777	29689	0.89	1.3E-01	AB032159.1	NT	Homo sapiens DD4 gene for dihydrolipoyl dehydrogenase 4 [AKR1C4], exon 2
3794	16777	29690	0.67	1.3E-01	AP000001.1	NT	Pyrococcus horikoshii OT3 genomic DNA, 1-287000 nt, position (1/7)
3816	16856	29762	0.74	1.3E-01	6878840	NT	Pyrococcus horikoshii OT3 genomic DNA, 1-287000 nt, position (1/7)
4014	17053		1.48	1.3E-01	AL161581.2	NT	Rattus norvegicus Fibrinogen, gamma polypeptide (Fgg), mRNA
4081	13703	26624	7.11	1.3E-01	AJ277606.1	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 77
4081	13703	26625	7.11	1.3E-01	AJ277606.1	NT	Human calicivirus HU/NLV/Girlington/93/UK RNA for capsid protein (ORF2), strain HU/NLV/Girlington/93/UK
4163	17194		1.12	1.3E-01	AF020713.1	NT	Human calicivirus HU/NLV/Girlington/93/UK RNA for capsid protein (ORF2), strain HU/NLV/Girlington/93/UK
4185	17216		4.1	1.3E-01	AW364341.1	EST_HUMAN	Bacteriophage SPBc2 complete genome
4194	17226	30114	2.47	1.3E-01	AF026805.1	NT	QV3-DT0018-081298-036-a03 DT0018 Homo sapiens cDNA
4215	17244	30129	20.19	1.3E-01	AW273741.1	EST_HUMAN	Schistosoma mansoni fructose biphosphate aldolase mRNA, complete cds
4343	17370		1.49	1.3E-01	AL163280.2	NT	xv23f10 x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2813995 3'
							Homo sapiens chromosome 21 segment HS21C080

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4503	17530	30414	0.8	1.3E-01	M21572.1	NT	Bovine branched chain alpha-keto acid dihydrolypoil transesterase mRNA, complete cds
4564	17587	30479	2.72	1.3E-01	BE272339.1	EST_HUMAN	601126096F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:2990063 5'
5014	18028		0.91	1.3E-01	AU136619.1	EST_HUMAN	AU136619 PLACE1 Homo sapiens cDNA clone PLACE1004683 5'
5060	18070		0.63	1.3E-01	BF081980.1	EST_HUMAN	RC4-TN0077-180900-012-c05 TN0077 Homo sapiens cDNA
							ha07b06.x1 NCL_CGAP_Kid12 Homo sapiens cDNA clone IMAGE:2872979 3' similar to contains L1,b1 L1
5398	18501	31379	0.76	1.3E-01	AW468988.1	EST_HUMAN	L1 repetitive element;
5436	18538	31446	1.98	1.3E-01	AW804417.1	EST_HUMAN	QVQ-UM0093-100400-189-at06 UM0093 Homo sapiens cDNA
5579	18675		0.91	1.3E-01	AF107783.1	NT	Emmericella nidulans DNA-dependent RNA polymerase II RPB140 (RPB2) gene, partial cds
5665	18760		0.68	1.3E-01	AF056880.1	NT	Hepatitis C virus 68_C1.10 genome polyprotein gene, partial cds
5813	18903	32086	0.85	1.3E-01	BF210920.1	EST_HUMAN	601874591F1 NIH_MGC_54 Homo sapiens cDNA clone IMAGE:4101119 5'
6099	19178	32396	0.58	1.3E-01	BF527281.1	EST_HUMAN	602039337F2 NCL_CGAP_Bm67 Homo sapiens cDNA clone IMAGE:4177233 5'
6099	18178	32397	0.58	1.3E-01	BF527281.1	EST_HUMAN	602039337F2 NCL_CGAP_Bm67 Homo sapiens cDNA clone IMAGE:4177233 5'
6630	19688	32967	17.29	1.3E-01	AB031326.1	NT	Schizosaccharomyces pombe gene for Alp41, complete cds
6720	19778	33055	2.08	1.3E-01	X88891.1	NT	C.jacchus intron 4 of visual pigment gene (red allele)
6940	20164	33487	0.64	1.3E-01	H73425.1	EST_HUMAN	yu02d01.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:232609 5'
6955	20180		0.82	1.3E-01	W26367.1	EST_HUMAN	2603 Human retina cDNA randomly primed sublibrary Homo sapiens cDNA
7009	20135	33450	1.04	1.3E-01	BE782926.1	EST_HUMAN	601465657F1 NIH_MGC_67 Homo sapiens cDNA clone IMAGE:3869079 5'
7009	20135	33451	1.04	1.3E-01	BE782926.1	EST_HUMAN	601465657F1 NIH_MGC_67 Homo sapiens cDNA clone IMAGE:3869079 5'
7211	20234		0.72	1.3E-01	BF528560.1	EST_HUMAN	502044345F1 NCL_CGAP_Bm67 Homo sapiens cDNA clone IMAGE:4181866 5'
7477	20443		2.15	1.3E-01	H48664.1	EST_HUMAN	yu33d02.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:207075 5'
8292	21261		0.97	1.3E-01	BE272339.1	EST_HUMAN	601126096F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:2990063 5'
8306	21275	34886	1.59	1.3E-01	11423294	NT	Homo sapiens PRO0611 protein (PRO0611), mRNA
8336	21305	34720	1.18	1.3E-01	BF690522.1	EST_HUMAN	602187015T1 NIH_MGC_49 Homo sapiens cDNA clone IMAGE:4298074 3'
8580	21548		0.96	1.3E-01	BE562528.1	EST_HUMAN	601335829F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3689934 5'
8617	21585	35001	0.6	1.3E-01	11421556	NT	Homo sapiens TED protein (TED), mRNA
8688	21656		4.88	1.3E-01	Z74102.1	NT	S.cerevisiae chromosome IV reading frame ORF YDL054c
8729	21697		4.2	1.3E-01	8923919	NT	Homo sapiens core histone macroH2A2.2 (MACROH2A2), mRNA
8873	21840	35263	1.05	1.3E-01	BF690522.1	EST_HUMAN	602187015T1 NIH_MGC_49 Homo sapiens cDNA clone IMAGE:4298074 3'
9300	22265	35694	0.55	1.3E-01	R11172.1	EST_HUMAN	yu39g11.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:129284 5' similar to
9300	22265						SP:RL2B_RAT P29316 60S RIBOSOMAL PROTEIN ;
9500	22536	35695	0.55	1.3E-01	R11172.1	EST_HUMAN	yu39g11.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:129284 5' similar to
9574	22536	35987	0.65	1.3E-01		EST_HUMAN	SP:RL2B_RAT P29316 60S RIBOSOMAL PROTEIN ;
9574	22536	35988	0.65	1.3E-01	11068003	NT	Plutella xylostella granulovirus, complete genome
9574	22536	35988	0.65	1.3E-01	11068003	NT	Plutella xylostella granulovirus, complete genome

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
9827	22676	36132	3.9	1.3E-01	AF023129.1	NT	Oryctolagus cuniculus Ht-K+-ATPase alpha 2c subunit mRNA, complete cds
10129	23055		0.74	1.3E-01	N88348.1	EST_HUMAN	J7637F Human fetal heart, Lambda ZAP Express Homo sapiens cDNA clone J7637 5' similar to B-CELL
10411	23333		0.89	1.3E-01	8393940	NT	RECEPTOR ASSOCIATED PROTEIN (BAP) 29
10489	23411	36908	0.86	1.3E-01	AW851599.1	EST_HUMAN	Rattus norvegicus peptidyl arginine deaminase, type IV (Pdi4), mRNA
10737	25702	37173	1.06	1.3E-01	AL163246.2	NT	MR2-CT0222-201098-001-e01 CT0222 Homo sapiens cDNA
10891	23811	37318	0.68	1.3E-01	AU121237.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C046
10936	23856	37372	0.45	1.3E-01	AW247836.1	EST_HUMAN	AU121237 HEMBB1 Homo sapiens cDNA clone HEMBB1002387 5'
10996	23962		2.57	1.3E-01	BF330999.1	EST_HUMAN	2820637.3prime NIH_MGC_7 Homo sapiens cDNA clone IMAGE:2820637 3'
11581	24519		3.56	1.3E-01	8671745	NT	MR4-BT0358-130700-010-h08 BT0358 Homo sapiens cDNA
11670	24606	38182	1.77	1.3E-01	AW082636.1	EST_HUMAN	Mus musculus collagen 2, muscle (C1i2), mRNA
11670	24606	38183	1.77	1.3E-01	AW082636.1	EST_HUMAN	xc20f09.x1 NCL_CGAP_Cot19 Homo sapiens cDNA clone IMAGE:2584841 3'
11922	24803	38395	2.33	1.3E-01	BE27949.1	EST_HUMAN	xc20f09.x1 NCL_CGAP_Cot19 Homo sapiens cDNA clone IMAGE:2584841 3'
12397	25171	31817	1.83	1.3E-01	BE18346.1	EST_HUMAN	601158052F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3504804 5'
12535	25260		3.3	1.3E-01	AJ242790.1	NT	601462741F1 NIH_MGC_67 Homo sapiens cDNA clone IMAGE:3866003 5'
12692	25357	31766	1.37	1.3E-01	BF572303.1	EST_HUMAN	Gallus gallus scyc1 gene for lympholactin, exons 1-3
12885	25475		1.48	1.3E-01	AB026829.1	NT	602077752F1 NIH_MGC_62 Homo sapiens cDNA clone IMAGE:4252092 5'
12915	25494		2.52	1.3E-01	AW001114.1	EST_HUMAN	Ephedra fluviatilis mRNA for sALK-6, complete cds
383	13498	26428	14.68	1.2E-01	A1421744.1	EST_HUMAN	wu24409.x1 Soares_Dieckgraefe_cdon_NHCD Homo sapiens cDNA clone IMAGE:2520977 3' similar to
424	13119		1.38	1.2E-01	U66912.1	NT	TR:O60287 O60287 KIAA0539 PROTEIN. ;
549	13619		2.78	1.2E-01	AF039442.1	NT	ANNEXIN V (HUMAN);
1377	14411	27381	2.19	1.2E-01	AU149148.1	EST_HUMAN	Dictyostellum discoideum ORF DG1016 gene, partial cds
1377	14411	27382	2.19	1.2E-01	AU149148.1	EST_HUMAN	Homo sapiens colon cancer antigen NY-CO-45 mRNA, partial cds
1383	14417		4.89	1.2E-01	AV735249.1	EST_HUMAN	AU149148 NT2RM4 Homo sapiens cDNA clone NT2RM4001691 3'
1388	14421		0.92	1.2E-01	AL445066.1	NT	AU149148 NT2RM4 Homo sapiens cDNA clone NT2RM4001691 3'
1507	14540		1.23	1.2E-01	AA897474.1	EST_HUMAN	AV735249 cda Homo sapiens cDNA clone cdaAJB11 5'
1635	14667	27643	1.82	1.2E-01	Q14934	SWISSPROT	Thermoplasma acidophilum complete genome, segment 4/5
1658	14690	27666	2.99	1.2E-01	A1285402.1	EST_HUMAN	al48e09.s1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1460584 3' similar to TR:Q16871
1783	14812		18.69	1.2E-01	X89211.1	NT	Q16871 ANTI-MULLERIAN HORMONE TYPE II RECEPTOR PRECURSOR. ;
1834	14958		1.76	1.2E-01	AW449368.1	EST_HUMAN	NUCLEAR FACTOR OF ACTIVATED T-CELLS, CYTOPLASMIC 4 (T CELL TRANSCRIPTION FACTOR
							NFAT3) (NF-ATC4) (NF-AT3)
							q169f09.x1 NCL_CGAP_Esc2 Homo sapiens cDNA clone IMAGE:1690553 3'
							H.sapiens DNA for endogenous retroviral like element
							UI-H-B13-ek1-10-0-UI.s1 NCL_CGAP_Sub5 Homo sapiens cDNA clone IMAGE:2734554 3'

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2193	15208	28227	1.65	1.2E-01	BF248490.1	EST_HUMAN	601821567F1 NIH_MGC_62 Homo sapiens cDNA clone IMAGE:4046224 5'
2294	15306	28329	1.21	1.2E-01	AL163213.2	NT	Homo sapiens chromosome 21 segment HS21C013
2595	15596	28614	2.05	1.2E-01	AW996556.1	EST_HUMAN	QV3-BN0046-220300-129-F10 BN0046 Homo sapiens cDNA
2602	15602	28624	1.61	1.2E-01	BE216989.1	EST_HUMAN	h6504.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3178303 3'
							ts18g07.x1 NCI_CGAP_Pan1 Homo sapiens cDNA clone IMAGE:2228888 3' similar to TR:Q14048 Q14048
							COLLAGEN VI ALPHA-2 ALTERNATIVE C-TERMINAL DOMAIN: [1]; contains element PTR5 repetitive element;
2738	15732	28748	37.59	1.2E-01	AJ823398.1	EST_HUMAN	Human E1A enhancer binding protein (E1A-F) mRNA, partial cds
2855	15915	28838	1.4	1.2E-01	U18018.1	NT	es80c09.x1 Barstead colon HPLRB7 Homo sapiens cDNA clone IMAGE:2335024 3' similar to gb.L05095
2913	15971	28895	2.03	1.2E-01	AJ720470.1	EST_HUMAN	60S RIBOSOMAL PROTEIN L30 (HUMAN);
2946	16004	28929	2.52	1.2E-01	M16364.1	NT	Human creatine kinase-B mRNA, complete cds
3017	16075	28998	0.73	1.2E-01	X56882.1	NT	Wheat mRNA for a group 3 late embryogenesis abundant protein (LEA)
3244	16289	29224	1.34	1.2E-01	AW370668.1	EST_HUMAN	QV1-BT0259-261099-021-005 BT0259 Homo sapiens cDNA
3271	16325		0.82	1.2E-01	U67600.1	NT	Methanococcus jannaschii section 142 of 150 of the complete genome
3533	16579	29502	0.86	1.2E-01	X56882.1	NT	Wheat mRNA for a group 3 late embryogenesis abundant protein (LEA)
3533	16579	29503	0.86	1.2E-01	X56882.1	NT	Wheat mRNA for a group 3 late embryogenesis abundant protein (LEA)
3780	16921		0.7	1.2E-01	Z99118.1	NT	Bacillus subtilis complete genome (section 15 of 21): from 2795131 to 3013540
4211	17240	30125	2.16	1.2E-01	BF128551.1	EST_HUMAN	601810788R1 NIH_MGC_48 Homo sapiens cDNA clone IMAGE:4053668 3'
4211	17240	30126	2.16	1.2E-01	Z54255.1	NT	P.clarkii mRNA; repeat region (ID 2MRT7)
4751	17771	30667	0.98	1.2E-01	Z48183.1	NT	P.clarkii mRNA; repeat region (ID 2MRT7)
5116	18126		1	1.2E-01	P16466	SWISSPROT	L.esculentum mRNA for glyoxalase-I
5150	18159	31038	0.91	1.2E-01	AL163227.2	NT	HEMOLYSIN PRECURSOR
5150	18159	31039	0.91	1.2E-01	AL163227.2	NT	Homo sapiens chromosome 21 segment HS21C027
5164	18173	31052	1	1.2E-01	AL161518.2	NT	Homo sapiens chromosome 21 segment HS21C027
5234	18242	31114	0.81	1.2E-01	BE974502.1	EST_HUMAN	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 30
5322	18428	31178	0.75	1.2E-01	AA744399.1	EST_HUMAN	601880463R2 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:3950711 3'
							h63c04.s1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:1282950 3'
							Homo sapiens calcium channel alpha1E subunit (CACNA1E) gene, exons 7-49, and partial cds, alternatively spliced
5373	18478	31351	0.91	1.2E-01	AF223391.1	NT	
5383	18487	31361	2.27	1.2E-01	W33035.1	EST_HUMAN	zc08c02.r1 Soares parathyroid tumor_NbHPA Homo sapiens cDNA clone IMAGE:321699 5'
5442	18544	31456	2.15	1.2E-01	Z98268.1	NT	Homo sapiens gene encoding plakophilin (exons 1-13)
5583	18679	31643	0.95	1.2E-01	Z48234.1	NT	MDomestica Borkh. Granny Smith adh mRNA for alcohol dehydrogenase
6324	19394	32636	2.68	1.2E-01	BE620945.1	EST_HUMAN	601483518F1 NIH_MGC_70 Homo sapiens cDNA clone IMAGE:3885613 5'
6376	19444	32686	1.1	1.2E-01	P10842	SWISSPROT	MATING-TYPE P-SPECIFIC POLYPEPTIDE PI

Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6431	19497	32750	2.19	1.2E-01	AW845275.1	EST_HUMAN	IL0-CT0031-221099-113-e04 CT0031 Homo sapiens cDNA
6499	19683	32815	1.38	1.2E-01	M26925.1	NT	Mouse galactosyltransferase mRNA, complete cds
6804	19858	33145	0.89	1.2E-01	BF347985.1	EST_HUMAN	602023112F1 NCI_CGAP_Bm67 Homo sapiens cDNA clone IMAGE:4158388 5'
6868	20190	33517	0.55	1.2E-01	AF295739.1	NT	JC virus antigen, VP2, VP3, VP1, large T antigen, and small T antigen genes, complete cds
7210	20233	33567	0.67	1.2E-01	H47789.1	EST_HUMAN	yp80f04.1 Scores fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:163759 5'
7210	20233	33568	0.67	1.2E-01	H47789.1	EST_HUMAN	yp80f04.1 Scores fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:163759 5'
7854	20789	34175	0.62	1.2E-01	AJ271741.1	NT	Homo sapiens partial ILF3 gene for interleukin enhancer binding factor 3 (alternative transcripts drbp76, drbp76 gamma, drbp76 alpha and ILF3)
8063	21000	34398	0.9	1.2E-01	BF860613.1	EST_HUMAN	602155195F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:4296382 5'
8098	21034	34433	0.57	1.2E-01	D87458.1	NT	Human mRNA for KIAA0282 gene, partial cds
8098	21034	34434	0.57	1.2E-01	D87458.1	NT	Human mRNA for KIAA0282 gene, partial cds
8224	21183		1.24	1.2E-01	BE007072.1	EST_HUMAN	PM3-BN0137-290300-002-709 BN0137 Homo sapiens cDNA
8295	21264	34675	3.1	1.2E-01	AI913793.1	EST_HUMAN	wc99g03.x1 NCI_CGAP_C03 Homo sapiens cDNA clone IMAGE:2328804 3' similar to SW:GST2_HUMAN
8341	21310	34724	0.76	1.2E-01	Q02369	SWISSPROT	Q89735 MICROSOMAL GLUTATHIONE S-TRANSFERASE II;
8652	21620	35040	0.61	1.2E-01	AI832681.1	EST_HUMAN	NADH:UBIQUINONE OXIDOREDUCTASE B22 SUBUNIT (COMPLEX I-B22) (CI-B22)
8739	21707		10.85	1.2E-01	AW083652.1	EST_HUMAN	at71b10.x1 Barstead colon HPLRB7 Homo sapiens cDNA clone IMAGE:2377435 3'
							xc49d07.x1 NCI_CGAP_E002 Homo sapiens cDNA clone IMAGE:2567597 3' similar to gb:M13452 LAMIN A (HUMAN);
8759	21726		3.98	1.2E-01	AF063772.1	NT	Staphylococcus aureus plasmid pSK23 putative recombinase Sin (sin) gene, partial cds; and transcriptional regulator QacR (qacR) and multidrug efflux protein QacB (qacB) genes, complete cds
8798	21765	35187	0.69	1.2E-01	J03956.1	NT	N.crassa vacuolar ATPase 57-Kd subunit (vma-2) gene, complete cds
8798	21765	35188	0.89	1.2E-01	J03956.1	NT	N.crassa vacuolar ATPase 57-Kd subunit (vma-2) gene, complete cds
8948	21914		0.81	1.2E-01	AJ271736.1	NT	Homo sapiens Xq pseudautosomal region: segment 2/2
9037	22003		2.01	1.2E-01	U32714.1	NT	Haemophilus influenzae Rd section 29 of 163 of the complete genome
9073	22039		0.64	1.2E-01	X15191.1	NT	M.musculus DNA fragment of Apolipoprotein B gene
9930	22813	36287	1.69	1.2E-01	X77961.1	NT	S.cerevisiae HXT5 gene
10365	23288	36765	1.64	1.2E-01	AV710857.1	EST_HUMAN	AY710857 Cu Homo sapiens cDNA clone CUAAKE08 5'
11232	24185		2.36	1.2E-01	D26184.1	NT	Yeast MPT5 gene for suppressor protein, complete cds
11404	24348		2.55	1.2E-01	BE962324.2	EST_HUMAN	601655578R1 NIH_MGC_65 Homo sapiens cDNA clone IMAGE:3846283 3'
11482	24425		1.57	1.2E-01	BF314481.1	EST_HUMAN	601900763F1 NIH_MGC_79 Homo sapiens cDNA clone IMAGE:4130103 5'
11584	24522	38077	2.45	1.2E-01	AF190493.1	NT	Homo sapiens dynein intermediate chain DNAI1 (DNAI1) gene, exon 17
11738	24623	38201	1.6	1.2E-01		NT	Homo sapiens UDP-Gal:betaGlcNAc beta 1,4-galactosyltransferase, polypeptide 4 (B4GALT4), mRNA

Page 116 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
11836	24719		1.54	1.2E-01	M65109.1	NT	Rabbit glycogen-associated protein phosphatase regulatory subunit (RG1) mRNA, complete cds
12162	25016		3.66	1.2E-01	AV68033.1	EST_HUMAN	AV68033 GLC Homo sapiens cDNA clone GLCIB12 3'
12517	25248		2.78	1.2E-01	AJ271736.1	NT	Homo sapiens Xq pseudautosomal region; segment 2/2
12583	25922	31304	6.17	1.2E-01	Q04912	SWISSPROT	MACROPHAGE-STIMULATING PROTEIN RECEPTOR PRECURSOR (MSP RECEPTOR) (P185-RON)
12805	25432		2.66	1.2E-01	X53981.1	NT	(CDW138) (CD138 ANTIGEN)
12867	25935	31310	1.58	1.2E-01	BE061418.1	EST_HUMAN	R. norvegicus NF68 gene for 68kDa neurofilament
12889	25477	31731	9.62	1.2E-01	A1299903.1	EST_HUMAN	QV4-BT0234-11199-031-g10 BT0234 Homo sapiens cDNA
12911	25490		2.91	1.2E-01	L10187.1	NT	qn20g05.x1 NCI_CGAP_Lu5 Homo sapiens cDNA clone IMAGE:1888840 3'
12917	25862		9.28	1.2E-01	O66433	SWISSPROT	Xenopus laevis integrin alpha 3 subunit mRNA, partial cds
12946	25525	31712	1.76	1.2E-01	AE004428.1	NT	CYCLIN T
13092	16538		2.08	1.2E-01	Z99118.1	NT	Vibrio cholerae chromosome II, section 85 of 93 of the complete chromosome
13098	25623		1.5	1.2E-01	BF314481.1	EST_HUMAN	Bacillus subtilis complete genome (section 15 of 21); from 2795131 to 3013540
13098	25623		1.01	1.1E-01	A1561003.1	EST_HUMAN	601900763F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:4130103 5'
566	13636	26552					tt18d08.x1 NCI_CGAP_Bin25 Homo sapiens cDNA clone IMAGE:2167983 3'
617	13982	26599	1.84	1.1E-01	AA569006.1	EST_HUMAN	nm08g11.s1 NCI_CGAP_Co10 Homo sapiens cDNA clone IMAGE:1059620 3' similar to gb:X06985_mna1
1057	14103	27054	1.55	1.1E-01	BF697308.1	EST_HUMAN	HEME OXYGENASE 1 (HUMAN);
1087	14131		1.48	1.1E-01	AL161580.2	NT	602129847F1 NIH_MGC_56 Homo sapiens cDNA clone IMAGE:4288771 5'
1163	15880	27158	4.6	1.1E-01	AW972158.1	EST_HUMAN	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 60
1254	14290	27255	2.03	1.1E-01	D64004.1	NT	EST384142 MAGE resequences, MAGL Homo sapiens cDNA
1524	14566	27527	2.46	1.1E-01	AU140363.1	EST_HUMAN	Synechocystis sp. PCC6803 complete genome, 23/27, 2888767-3002965
2322	15333		2.72	1.1E-01	6755215	NT	AU140363 PLACE2 Homo sapiens cDNA clone PLACE2000403 5'
2545	15926		0.93	1.1E-01	6978676	NT	Mus musculus pre T-cell antigen receptor alpha (Pctra), mRNA
2574	15575		0.93	1.1E-01	AW821909.1	EST_HUMAN	Rattus norvegicus Procollagen II alpha 1 (Col2a1), mRNA
3046	16103	29017	0.95	1.1E-01	F03295.1	EST_HUMAN	RCO-ST0379-210100-032-g04 ST0378 Homo sapiens cDNA
3352	16403		1.66	1.1E-01	6753231	NT	HSC1RF022 normalized infant brain cDNA Homo sapiens cDNA clone c-1f02 3'
3432	16480	29399	2.18	1.1E-01	BE393186.1	EST_HUMAN	HSC1RF022 normalized infant brain cDNA Homo sapiens cDNA clone c-1f02 3'
3466	16512	29493	1.3	1.1E-01	X62135.1	NT	Mus musculus calcium channel, voltage-dependent, T type, alpha 1G subunit (Cacna1g), mRNA
3596	16641	29560	0.8	1.1E-01	Y07695.1	NT	C. reinhardtii nuclear gene on linkage group XIX
3715	16756		0.86	1.1E-01	P97394	SWISSPROT	A. limnerus gene for transposase
3722	16785	29676	1.23	1.1E-01	X52708.1	NT	ANNEXIN XI (CALCYCLIN-ASSOCIATED ANNEXIN 50) (CAP-50)
4137	17169	30054	1.14	1.1E-01	AW819412.1	EST_HUMAN	G.gallus gene encoding non-histone chromosomal protein HMG-14b, exons 4 and 5
4137	17169	30055	1.14	1.1E-01	AW819412.1	EST_HUMAN	MR3-ST0290-290100-025-g07 ST0290 Homo sapiens cDNA
4281	17310		9.36	1.1E-01	AF157066.1	NT	MR3-ST0290-290100-025-g07 ST0290 Homo sapiens cDNA
							Drosophila melanogaster klarsicht protein (klar) mRNA, complete cds

Page 117 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4318	17345	30228	0.69	1.1E-01	AW802056.1	EST_HUMAN	IL5-UM0070-020500-088-a08 UM0070 Homo sapiens cDNA
4670	17691	30577	1.02	1.1E-01	S44667.1	NT	Tape-1=Integral membrane protein TAPA-1 [Mica, B cell lymphoma line 38C13, Genomic, 1973 nt, segment 1 of 7]
4869	17886	30774	0.98	1.1E-01	Y07695.1	NT	A. limnerus gene for transposase
5056	17174		0.76	1.1E-01	AF030001.1	NT	Mus musculus major histocompatibility locus class III region: butyrophilin-like protein gene, partial cds; CREB-RP, and tenascin X (TNX) genes, complete
5753	18847		1.36	1.1E-01	AA747216.1	EST_HUMAN	rx76a03.s1 NCJ_CGAP_Ew1 Homo sapiens cDNA clone IMAGE:1268140 similar to contains Alu repetitive element; contains element MER35 repetitive element;
5829	18919	32102	1.18	1.1E-01	AF020927.1	NT	6 Homo sapiens diacylglycerol kinase 3 (DAGK3) gene, exon 6
5868	18957	32145	0.95	1.1E-01	AL110965.1	NT	Botrytis cinerea strain T4 cDNA library under conditions of nitrogen deprivation
5904	18990	32180	0.73	1.1E-01	BF339519.1	EST_HUMAN	602039176F1 NCJ_CGAP_Bm64 Homo sapiens cDNA clone IMAGE:4186818 5'
5904	18990	32181	0.73	1.1E-01	BF339518.1	EST_HUMAN	602039178F1 NCJ_CGAP_Bm64 Homo sapiens cDNA clone IMAGE:4186818 5'
5935	19021	32215	1.67	1.1E-01	X68851.1	NT	S. pombe sie8 gene encoding protein kinase
5971	19056	32256	4.98	1.1E-01	M86533.1	NT	Providencia rettgeri penicillin G amidase gene
6142	19217	32446	1.63	1.1E-01	AJ007973.1	NT	Homo sapiens LGMD2B gene
6184	19239	32470	1.54	1.1E-01	BE789152.1	EST_HUMAN	PM3-FT0024-130600-004-F12 FT0024 Homo sapiens cDNA
6184	19259	32493	8	1.1E-01	AW653699.1	EST_HUMAN	RC3-C10254-280989-011-a01 C10254 Homo sapiens cDNA
6564	19624	32889	0.5	1.1E-01	AL163282.2	NT	Homo sapiens chromosome 21 segment HS21C082
6571	19631	32898	1.28	1.1E-01	AF035746.1	EST_HUMAN	AF035746 Human salivary gland cell line HSG Homo sapiens cDNA clone RL43
6617	19675	32953	0.84	1.1E-01	A1216307.1	EST_HUMAN	qg76d06.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1841098 3'
6762	19816	33096	6.18	1.1E-01	O68935	SWISSPROT	ACETYL-COENZYME A SYNTHETASE (ACETATE-COA LIGASE) (ACYL-ACTIVATING ENZYME)
6862	19915		2.81	1.1E-01	AF032922.1	NT	Homo sapiens syntaxin 4 binding protein UNC-18c (UNC-18c) mRNA, complete cds
6902	20187	33512	2.23	1.1E-01	11432372	NT	Homo sapiens phosphatidylinositol glycan, class B (PIGB), mRNA
7249	19984	33281	0.65	1.1E-01	AE002155.1	NT	Ureaplasma urealyticum section 56 of 59 of the complete genome
7249	19984	33282	0.65	1.1E-01	AE002155.1	NT	Ureaplasma urealyticum section 56 of 59 of the complete genome
7393	25999		0.94	1.1E-01	BF382768.1	EST_HUMAN	601816524F1 NIH_MGC_58 Homo sapiens cDNA clone IMAGE:4050663 6'
7523	25983	33860	1.59	1.1E-01	AP000006.1	NT	Pyrococcus horikoshii OT3 genomic DNA, 1166001-1485000 nt, position (6/7)
7781	20734	34105	7.69	1.1E-01	BF684628.1	EST_HUMAN	602140876F1 NIH_MGC_48 Homo sapiens cDNA clone IMAGE:4302019 5'
7781	20734	34106	7.69	1.1E-01	BF684628.1	EST_HUMAN	602140876F1 NIH_MGC_48 Homo sapiens cDNA clone IMAGE:4302019 5'
7839	20788	34161	0.54	1.1E-01	AJ989808.1	EST_HUMAN	ou44g03.s1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1629172 3'
7917	20960	34249	1.77	1.1E-01	P41067	SWISSPROT	TRAB PROTEIN
7959	20900		0.79	1.1E-01	Z14068.1	NT	B. subtilis gene encoding hypothetical polyketide synthase

Page 118 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7961	20902	34294	2.89	1.1E-01	AA788784.1	EST_HUMAN	eh31b06.s1 Soares parathyroid tumor_NbHPA Homo sapiens cDNA clone 1240403 3' similar to gb:J03483
8111	21048	34448	0.65	1.1E-01	BE782280.1	EST_HUMAN	CHROMOGRANIN A PRECURSOR (HUMAN);
8301	21270	34682	0.48	1.1E-01	U67482.1	NT	Methanococcus jannaschii section 34 of 150 of the complete genome
8550	21518	34936	1.61	1.1E-01	AA493574.1	EST_HUMAN	rh04g10.s1 NCL CGAP_Thy1 Homo sapiens cDNA clone IMAGE:943362
8550	21518	34937	1.61	1.1E-01	AA493574.1	EST_HUMAN	rh04g10.s1 NCL CGAP_Thy1 Homo sapiens cDNA clone IMAGE:943362
8598	21566	34982	1.1	1.1E-01	X91233.1	NT	H. sapiens IL15 gene
8637	21605		1.06	1.1E-01	AW817918.1	EST_HUMAN	PM1-ST0270-080200-001-409 ST0270 Homo sapiens cDNA
8694	21682	35086	1.59	1.1E-01	AL134349.1	EST_HUMAN	DKFZp547P194_t1 647 (synonym: hbr1) Homo sapiens cDNA clone DKFZp547P194 5'
9170	22136	35562	1.82	1.1E-01	U02482.1	NT	Pedococcus acidilactici H plasmid pSMB74 pediocin ACh production (pap) gene cluster papA, papB, papC and papD genes, complete cds
9263	22229	35660	0.96	1.1E-01	AI807474.1	EST_HUMAN	wf48c01.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2358816 3' similar to contains Alu repetitive element;
9362	22327	35766	0.56	1.1E-01	AF050081.1	NT	Homo sapiens C16orf3 large protein mRNA, complete cds
9398	22363	35794	2.27	1.1E-01	AA192153.1	EST_HUMAN	zp93b12.r1 Stralagene muscle 937209 Homo sapiens cDNA clone IMAGE:627743 5'
9398	22363	35795	2.27	1.1E-01	AA192153.1	EST_HUMAN	zp93b12.r1 Stralagene muscle 937209 Homo sapiens cDNA clone IMAGE:627743 5'
9490	22454	35894	0.77	1.1E-01	Y12727.1	NT	P. furiosus partial dph5 gene and argF gene
9520	22483	35928	2.1	1.1E-01	T72875.1	EST_HUMAN	yd18h03.s1 Soares fetal liver spleen 1NFSL Homo sapiens cDNA clone IMAGE:108726 3' similar to
9546	22509		0.62	1.1E-01	BE993260.1	EST_HUMAN	gb1M81181 SODIUM/POTASSIUM-TRANSPORTING ATPASE BETA-2 (HUMAN);
9777	22718		0.89	1.1E-01	BE142305.1	EST_HUMAN	601436972F1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3922048 5'
9853	22789		2.05	1.1E-01	BF085149.1	EST_HUMAN	CM3-HT0142-271089-026-g11 HT0142 Homo sapiens cDNA
10270	23195		0.68	1.1E-01	AL161543.2	NT	MR2-GN0027-040900-005-e08 GN0027 Homo sapiens cDNA
10478	23398		0.45	1.1E-01	BE316509.1	EST_HUMAN	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 43
10566	23488		1.01	1.1E-01	R80590.1	EST_HUMAN	601140231F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3049543 5'
10701	23623	37119	1.05	1.1E-01	U60528.1	NT	y9ba09.s1 Soares placenta Nb2-IP Homo sapiens cDNA clone IMAGE:147064 3'
11156	16103	28017	1.7	1.1E-01	F03285.1	EST_HUMAN	Ceratitis capitata yoyo retrotransposon gag-like, pol-like and env-like genes, complete cds
11267	24219		3.13	1.1E-01	AF169032.1	NT	HSC1RF022 normalized infant brain cDNA Homo sapiens cDNA clone c-1f02 3'
							Carassius auratus actvIn beta A precursor, mRNA, complete cds
							yh35f12.r1 Soares placenta Nb2-IP Homo sapiens cDNA clone IMAGE:131759 5' similar to contains Alu repetitive element; contains TAR1 repetitive element;
11384	24331	37860	3.51	1.1E-01	R23708.1	EST_HUMAN	
11392	24338	37868	1.54	1.1E-01	6881351	NT	Rattus norvegicus Phosphofructokinase, liver, B-type (PFK), mRNA
11542	24483	38035	2.18	1.1E-01	Z11910.1	NT	Z.mobilis tgt and lig genes encoding tRNA guanine transglycosylase and DNA ligase
11542	24483	38036	2.18	1.1E-01	Z11910.1	NT	Z.mobilis tgt and lig genes encoding tRNA guanine transglycosylase and DNA ligase
11636	24573	38137	3.68	1.1E-01	P17437	SWISSPROT	SKIN SECRETORY PROTEIN XP2 PRECURSOR (APEG PROTEIN)

Page 119 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
12260	25084		2.03	1.1E-01	AA192153.1	EST_HUMAN	z993b12.1 Stratagene muscle 937209 Homo sapiens cDNA clone IMAGE:627743 5'
12379	25161		3.68	1.1E-01	BE767023.1	EST_HUMAN	RC2-NT0112-120600-014-f03 NT0112 Homo sapiens cDNA
12626	26732		2.18	1.1E-01	BE974566.1	EST_HUMAN	601680551R2 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:3950604 3'
13038	26590	31699	1.89	1.1E-01	BF239763.1	EST_HUMAN	601906350F1 NIH_MGC_54 Homo sapiens cDNA clone IMAGE:4134085 5'
13098	25912		1.32	1.1E-01	P14400	SWISSPROT	ELECTROMOTOR NEURON-ASSOCIATED PROTEIN 1
1206	14245		2.05	1.0E-01	O62865	SWISSPROT	DEOXYRIBONUCLEASE II PRECURSOR (DNASE II) (ACID DNASE) (LYSOSOMAL DNASE II)
1277	14312		1.85	1.0E-01	A1985499.1	EST_HUMAN	ws08d01.x1 NCI CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2496577 3' similar to contains MER7.13
1393	14427	27273	2.26	1.0E-01	AL161504.2	NT	MER7 repetitive element;
2487	15500	28528	1.16	1.0E-01	AW451385.1	EST_HUMAN	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 16
3524	16570	29493	1.32	1.0E-01	BF033981.1	EST_HUMAN	U1H-B18-alc-d-07-0-U1.s1 NCI CGAP_Sub6 Homo sapiens cDNA clone IMAGE:2738420 3'
3732	16774	29886	0.88	1.0E-01	BF239818.1	EST_HUMAN	601456301F1 NIH_MGC_56 Homo sapiens cDNA clone IMAGE:3859849 5'
3849	16889	28792	2.49	1.0E-01	AF297081.1	NT	601906489F1 NIH_MGC_54 Homo sapiens cDNA clone IMAGE:4134071 5'
3976	17016	28930	2.68	1.0E-01	AF297081.1	NT	Escherichia coli enterotoxin EspC (espC) gene, complete cds; and unknown genes
4585	17607		0.86	1.0E-01	AF192349.1	EST_HUMAN	Escherichia coli enterotoxin EspC (espC) gene, complete cds; and unknown genes
4741	17761	30655	1.32	1.0E-01	U60450.1	NT	QV2-NT0048-160800-316-e05 NT0048 Homo sapiens cDNA
4957	17972	30863	2.34	1.0E-01	AW952344.1	EST_HUMAN	ans32c04.y6 Gassler Wilms tumor Homo sapiens cDNA clone IMAGE:1700358 5'
5267	18274	31138	0.97	1.0E-01	AV721471.1	EST_HUMAN	Drosophila melanogaster tyrosine kinase p45 isoform (fer) mRNA, complete cds
5273	18279		1.04	1.0E-01	AV763980.1	EST_HUMAN	AV721471 HTB Homo sapiens cDNA clone HTBBQE10 5'
5394	18497		8.1	1.0E-01	W86490.1	EST_HUMAN	AV763980 MDS Homo sapiens cDNA clone MDSBQB11 5'
5492	18592		0.89	1.0E-01	X54015.1	NT	zh62h04.s1 Soares fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:416695 3'
5960	19065		0.87	1.0E-01	AK024472.1	NT	Xcampetris genes for sensor and regulator protein
6140	19216	32445	12.15	1.0E-01	AF274875.1	NT	Homo sapiens growth factor receptor-bound protein 7 (GRB7) gene, complete cds
6468	19534	32782	0.9	1.0E-01	AA481878.1	EST_HUMAN	zw41g10.s1 Soares ovary tumor NbhOT Homo sapiens cDNA clone IMAGE:756298 3' similar to contains L1.t3 L1 repetitive element;
6483	19548	32797	0.65	1.0E-01	AA406039.1	EST_HUMAN	zw41g10.s1 Soares testis NHT Homo sapiens cDNA clone IMAGE:743062 3'
7220	20242		1.82	1.0E-01	R23821.1	EST_HUMAN	yh34h06.r1 Soares placenta Nb2HP Homo sapiens cDNA clone IMAGE:131675 5' similar to contains Alu repetitive element;
8009	20947		2.16	1.0E-01	Y12488.1	NT	M.musculus wtn gene
8108	21045	34444	0.65	1.0E-01	AJ011400.1	NT	Bos taurus mRNA for b17.2 subunit of NADH:ubiquinone oxidoreductase complex (complex I)
8108	21045	34445	0.65	1.0E-01	AJ011400.1	NT	Bos taurus mRNA for b17.2 subunit of NADH:ubiquinone oxidoreductase complex (complex I)
8265	21234	34845	0.63	1.0E-01	AA861091.1	EST_HUMAN	ak32g01.s1 Soares testis NHT Homo sapiens cDNA clone IMAGE:1407696 3' similar to gb.M34182 CAMP-DEPENDENT PROTEIN KINASE, GAMMA-CATALYTIC SUBUNIT (HUMAN);

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8287	21256	34665	0.45	1.0E-01	AF260225.1	NT	Homo sapiens TESTIN 2 and TESTIN 3 genes, complete cds, alternatively spliced
8287	21256	34666	0.45	1.0E-01	AF260225.1	NT	Homo sapiens TESTIN 2 and TESTIN 3 genes, complete cds, alternatively spliced
8508	21474		0.68	1.0E-01	4758365	NT	Homo sapiens fibroblast growth factor 13 (FGF13) mRNA
8837	21804		0.94	1.0E-01	AW189797.1	EST_HUMAN	x09b01.x1 NCI_CGAP_U4 Homo sapiens cDNA clone IMAGE:2675689 3' similar to gb:U17206 40S
9540	22503	35952	1.19	1.0E-01	AF102855.2	NT	RIBOSOMAL PROTEIN S4 (HUMAN); contains TAR1 & TAR1 repetitive element ;
9852	22788	36241	0.54	1.0E-01	R44983.1	EST_HUMAN	Rattus norvegicus synaptic SAPAP-interacting protein Synapton mRNA, complete cds
9865	22801		2.05	1.0E-01	M76729.1	NT	y033h04.s1 Soares Infant brain 1NIB Homo sapiens cDNA clone IMAGE:34549 3'
9808	22729		2.65	1.0E-01	AE001501.1	NT	Human pro-alpha-1 (V) collagen mRNA, complete cds
9922	22806	36259	0.61	1.0E-01	W01955.1	EST_HUMAN	Helicobacter pylori, strain J99 section 62 of 132 of the complete genome
10180	23105	36588	1.63	1.0E-01	BF240154.1	EST_HUMAN	z066c10.s1 Soares_fetal_heart_NBHH19W Homo sapiens cDNA clone IMAGE:327282 3'
10295	23220	36703	9.1	1.0E-01	AB046799.1	NT	601905661F1 NIH_MGC_54 Homo sapiens cDNA clone IMAGE:4133487 5'
10295	23220	36704	9.1	1.0E-01	AB046799.1	NT	Homo sapiens mRNA for KIAA1579 protein, partial cds
10502	23424		0.95	1.0E-01	AW957425.1	EST_HUMAN	Homo sapiens mRNA for KIAA1579 protein, partial cds
10507	23429	36926	0.55	1.0E-01	T51952.1	EST_HUMAN	EST369615 IMAGE resequences, IMAGE Homo sapiens cDNA
10694	23616	37110	0.99	1.0E-01	BE792750.1	EST_HUMAN	y029a06.s1 Stratagene fetal spleen (#837205) Homo sapiens cDNA clone IMAGE:72562 3' similar to
11018	23983		1.65	1.0E-01	AU159127.1	EST_HUMAN	contains Alu repetitive element
11370	24317	37844	2.25	1.0E-01	BF242948.1	EST_HUMAN	601584604F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3939096 5'
11370	24317	37845	2.25	1.0E-01	BF242946.1	EST_HUMAN	AU159127 THYRO1 Homo sapiens cDNA clone THYRO1000895 3'
11728	24614	38191	3.16	1.0E-01	BE790543.1	EST_HUMAN	601877703F1 NIH_MGC_55 Homo sapiens cDNA clone IMAGE:4106089 5'
12365	25481		4.11	1.0E-01	BE537719.1	EST_HUMAN	601877703F1 NIH_MGC_55 Homo sapiens cDNA clone IMAGE:4106089 5'
12588	25292		2.16	1.0E-01	7862165	NT	601582558F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3936734 5'
12604	25305		2.58	1.0E-01	X00854.1	NT	601065554F1 NIH_MGC_10 Homo sapiens cDNA clone IMAGE:3451833 5'
12796	25425		1.45	1.0E-01	AA737961.1	EST_HUMAN	Homo sapiens KIAA0514 gene product (KIAA0514), mRNA
12895	26481		4.47	1.0E-01	BE637719.1	EST_HUMAN	Drosophila melanogaster fiz gene
12943	25522		1.32	1.0E-01	BE158905.1	EST_HUMAN	rx11c08.s1 NCI_CGAP_GC3 Homo sapiens cDNA clone IMAGE:1255790 3'
12959	25691		6.14	1.0E-01	U66834.1	NT	601065554F1 NIH_MGC_10 Homo sapiens cDNA clone IMAGE:3451833 5'
13016	25666		7.59	1.0E-01	AP001507.1	NT	QV4-HT0401-211299-064-g03 HT0401 Homo sapiens cDNA
2789	15781	28797	1.74	9.9E-02	AF274008.1	NT	Saccharomyces cerevisiae suppressor of ABF1 (SAB2) gene, complete cds
2798	15790	28808	1.71	9.9E-02	BE545554.1	EST_HUMAN	Bacillus halodurans genomic DNA, section 1/14
2798	15790	28809	1.71	9.9E-02	BE545554.1	EST_HUMAN	Drosophila melanogaster cAMP-dependent protein kinase type II regulatory subunit (pka-RII) mRNA, complete cds
3280	16334	28254	1.48	9.9E-02	AF099810.1	NT	601070219F1 NIH_MGC_12 Homo sapiens cDNA clone IMAGE:3456365 5'
							601070219F1 NIH_MGC_12 Homo sapiens cDNA clone IMAGE:3456365 5'
							Homo sapiens neurexin III-alpha gene, partial cds

Page 121 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3974	17014	28928	0.87	9.9E-02	AB21637.1	EST_HUMAN	zu45c03.x6 Soares ovary tumor NbHOT Homo sapiens cDNA clone IMAGE:740932 3'
4707	17728	30622	1.02	9.9E-02	BE674249.1	EST_HUMAN	7d77c12.x1 NCI_CGAP_LU24 Homo sapiens cDNA clone IMAGE:3278998 3'
7044	20068	33373	2.59	9.9E-02	BE613498.1	EST_HUMAN	601504252F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3906084 5'
7163	18394	31239	7.77	9.9E-02	D63710.1	NT	Aspergillus terreus BSD mRNA for blebsistidin S deaminase, complete cds
8247	21218	34624	0.85	9.9E-02	AW103088.1	EST_HUMAN	xd43c09.x1 NCI_CGAP_Ov23 Homo sapiens cDNA clone IMAGE:2596528 3' similar to contains Alu repetitive element; contains element MIR MIR repetitive element ;
8247	21218	34625	0.85	9.9E-02	AW103088.1	EST_HUMAN	xd43c09.x1 NCI_CGAP_Ov23 Homo sapiens cDNA clone IMAGE:2596528 3' similar to contains Alu repetitive element; contains element MIR MIR repetitive element ;
9812	22618	36088	1.23	9.9E-02	6755111	NT	Mus musculus phospholipid transfer protein (Pltp), mRNA
565	13635		1.88	9.8E-02	X56338.1	NT	O. saliva RAmYdC gene for alpha-amylase
3160	16216	29130	4.25	9.8E-02	AF184274.1	NT	Daucus carota leucoanthocyanidin dioxygenase 2 (LDOX) mRNA, LDOX-2 allele, complete cds
4251	17280	30160	6.83	9.8E-02	AF257329.1	NT	Leptospira maculans beta-tubulin mRNA, complete cds
4251	17280	30161	6.93	9.8E-02	AF257328.1	NT	Leptospira maculans beta-tubulin mRNA, complete cds
7723	20678		0.94	9.8E-02	X54133.1	NT	Human HPTP delta mRNA for protein tyrosine phosphatase delta
9609	22613		1.21	9.8E-02	M61943.1	NT	Human laminin B1 chain gene, exon 28
11788	23943	37465	1.83	9.8E-02	BF037421.1	EST_HUMAN	601460793F1 NIH_MGC_86 Homo sapiens cDNA clone IMAGE:3864287 5'
12330	25131		1.84	9.8E-02	8393751	NT	Rattus norvegicus microtubule-associated protein tau (Mapt), mRNA
1352	14387	27357	1.75	9.7E-02	AB005808.1	NT	Aloe arborescens mRNA for NADP-malic enzyme, complete cds
1589	14821		1.33	9.7E-02	4503710	NT	Homo sapiens fibroblast growth factor receptor 3 (achondroplasia, thanatophoric dwarfism) (FGFR3) mRNA
2270	15283	28309	2.78	9.7E-02	BE168680.1	EST_HUMAN	QV1-HT0516-070300-085-a04 HT0516 Homo sapiens cDNA
4008	17047		4.89	9.7E-02	Q99795	SWISSPROT	CELL SURFACE A33 ANTIGEN PRECURSOR (GLYCOPROTEIN A33)
5418	18521	31388	0.88	9.7E-02	AF099189.1	NT	Caulobacter crescentus thymidylate kinase (tnk) and DNA polymerase III delta prime subunit (dnaC) genes, complete cds
5418	18521	31389	0.88	9.7E-02	AF099189.1	NT	Caulobacter crescentus thymidylate kinase (tnk) and DNA polymerase III delta prime subunit (dnaC) genes, complete cds
6130	19207	32432	1.48	9.7E-02	AW954476.1	EST_HUMAN	EST366546 MAGE resequences, MAGE Homo sapiens cDNA
7517	20482	33843	3.36	9.7E-02	Z99119.1	NT	Bacillus subtilis complete genome (section 18 of 21) from 2897771 to 3213410
8315	21284	34697	1.09	9.7E-02	N22798.1	EST_HUMAN	yw41c03.s1 Weizmann Olfactory Epithelium Homo sapiens cDNA clone IMAGE:254788 3'
8315	21284	34698	1.09	9.7E-02	N22798.1	EST_HUMAN	yw41c03.s1 Weizmann Olfactory Epithelium Homo sapiens cDNA clone IMAGE:254788 3'
9201	22167	35597	1.52	9.7E-02	AI953984.1	EST_HUMAN	wx78b06.x1 NCI_CGAP_Ov38 Homo sapiens cDNA clone IMAGE:264788 3'
11529	24470		2.01	9.7E-02	U58337.1	NT	PEPTIDYL-PROLYL CIS-TRANS ISOMERASE A (HUMAN);
2032	15051	28088	1.27	9.8E-02	AI080721.1	EST_HUMAN	Mus musculus ligatin (Lgtn) mRNA, partial cds
							oz47d111.x1 Soares_NHHMPu_S1 Homo sapiens cDNA clone IMAGE:1678485 3'

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2032	15051	28067	1.27	9.6E-02	AI080721.1	EST_HUMAN	oz47d11.x1 Soares_NIHMPU_S1 Homo sapiens cDNA clone IMAGE:1678485 3'
4372	17399	30279	6.7	9.6E-02	Z32686.2	NT	Proteus mirabilis fimbrial operon, strain H14320
5037	18050	30930	1.16	9.6E-02	AW966230.1	EST_HUMAN	EST1378303 IMAGE resequences, MAGI Homo sapiens cDNA
6225	19289		2.63	9.6E-02	BE910039.1	EST_HUMAN	60148088F1 NIH_MGC_70 Homo sapiens cDNA clone IMAGE:3900165 5'
8719	21687		0.65	9.6E-02	AU137084.1	EST_HUMAN	AU137084 PLAGE1 Homo sapiens cDNA clone PLAGE1005740 5'
9902	22854	36315	1.35	9.6E-02	AV687898.1	EST_HUMAN	AV687898 GKC Homo sapiens cDNA clone GKCAAH02 5'
10231	23156		1.29	9.6E-02	BE894895.1	EST_HUMAN	60143408F1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3918363 5'
10399	23321	36805	1.27	9.6E-02	AJ243211.1	NT	Homo sapiens DMBT1 candidate tumour suppressor gene, exons 1 to 55
10399	23321	36806	1.27	9.6E-02	AJ243211.1	NT	Homo sapiens DMBT1 candidate tumour suppressor gene, exons 1 to 55
10479	23401	36898	0.44	9.6E-02	BF67270.1	EST_HUMAN	802086769F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:4250989 5'
10511	23433	36930	1.37	9.6E-02	AB013985.1	NT	Antirrhinum majus transposon Tam3 pseudogene for transposase (in S-5 copy)
10511	23433	36931	1.37	9.6E-02	AB013985.1	NT	Antirrhinum majus transposon Tam3 pseudogene for transposase (in S-6 copy)
10621	23543	37043	3.5	9.6E-02	P08174	SWISSPROT	COMPLEMENT DECAY-ACCELERATING FACTOR PRECURSOR (CD65)
11094	24054	37577	5.31	9.6E-02	Z79702.1	NT	Mycobacterium tuberculosis H37Rv complete genome; segment 102/162
12028	24904	38498	1.53	9.6E-02	AA625755.1	EST_HUMAN	zu91g01.s1 Soares Infant brain 1N1B Homo sapiens cDNA clone IMAGE:48653 3'
12933	25515		1.81	9.6E-02	H14599.1	EST_HUMAN	ym18h03.s1 Soares Infant brain 1N1B Homo sapiens cDNA clone IMAGE:745392 3'
12995	25553	31719	1.51	9.6E-02	BE728219.1	EST_HUMAN	601563355F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3832908 5'
4128	17161	30050	2.66	9.5E-02	AW992395.1	EST_HUMAN	CM2-BN0023-050200-087-F12 BN0023 Homo sapiens cDNA
5748	18842	32025	0.81	9.5E-02	P51854	SWISSPROT	TRANSKETOLASE 2 (TK 2) (TRANSKETOLASE RELATED PROTEIN)
7294	20266	33601	0.51	9.5E-02	AA780728.1	EST_HUMAN	ac68a09.s1 Stralagene fetal retina 937202 Homo sapiens cDNA clone IMAGE:867736 3'
7522	20487	33849	4.14	9.5E-02	AB003473.1	NT	Trimeresurus flavoviridis DNA for phospholipase A2 inhibitor, complete cds
7818	20767	34144	7.16	9.5E-02	AL161538.2	NT	Arabisopsis thaliana DNA chromosome 4, contig fragment No. 38
7963	18842	32025	0.89	9.5E-02	P51854	SWISSPROT	TRANSKETOLASE 2 (TK 2) (TRANSKETOLASE RELATED PROTEIN)
8212	21181	34591	2.85	9.5E-02	BF035861.1	EST_HUMAN	601453642F1 NIH_MGC_66 Homo sapiens cDNA clone IMAGE:3857243 5'
8212	21181	34592	2.85	9.5E-02	BF035861.1	EST_HUMAN	601453642F1 NIH_MGC_66 Homo sapiens cDNA clone IMAGE:3857243 5'
11039	24003	37528	2.31	9.5E-02	BF035861.1	EST_HUMAN	601453642F1 NIH_MGC_66 Homo sapiens cDNA clone IMAGE:3857243 5'
11039	24003	37528	2.31	9.5E-02	BF035861.1	EST_HUMAN	601453642F1 NIH_MGC_66 Homo sapiens cDNA clone IMAGE:3857243 5'
1850	14876	27871	4.07	9.4E-02	BF671063.1	EST_HUMAN	602150882F1 NIH_MGC_81 Homo sapiens cDNA clone IMAGE:4291917 5'
3894	16934	29844	4.91	9.4E-02	Z33059.1	NT	M.capricornus DNA for CONTIG MC073
5240	18248		0.96	9.4E-02	X98108.1	NT	Lactobacillus bacteriophage phig1e complete genomic DNA
6450	18515	32766	1.21	9.4E-02	AF097363.1	NT	Triticum aestivum heat shock protein 101 (Hsp101a) mRNA, complete cds
7851	20787	34173	0.54	9.4E-02	L78833.1	NT	Human BRCA1, Rho7 and vail genes, complete cds, and p336 gene, partial cds
8947	21913		2.5	9.4E-02	Z46863.1	NT	Acinetobacter sp. cysD, cobQ, sodM, lysS, rubA, rubB, esbB, oxR, ppk, mtgA, ORF2 and ORF3 genes

Single Exon Probes Expressed In Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
11280	20797	34173	2.22	9.4E-02	L78833.1	NT	Human BRCA1, Rho7 and vail genes, complete cds, and lpf35 gene, partial cds
12212	25926		10.73	9.4E-02	U31815.1	NT	Rattus norvegicus calcium channel alpha-1C subunit (ROB2) mRNA, partial cds
13087	25617	31692	1.37	9.4E-02	U27699.1	NT	Human pephBGT-1 beta1ne-GABA transporter mRNA, complete cds
3002	16060		1.71	9.3E-02	4809280	NT	Homo sapiens BAI1-associated protein 3 (BAIAP3) mRNA
3041	16099		7.39	9.3E-02	8912525	NT	Homo sapiens nasopharyngeal epithelium specific protein 1 (NESG1), mRNA
3270	16324	29247	2.01	9.3E-02	BF575511.1	EST_HUMAN	602133086F1 NIH_MGC_81 Homo sapiens cDNA clone IMAGE:4288269 5'
4179	17210	30096	3.73	9.3E-02	BE391943.1	EST_HUMAN	601286082F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3607653 5'
4179	17210	30097	3.73	9.3E-02	BE391943.1	EST_HUMAN	601286082F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3607653 5'
4766	17796		2.29	9.3E-02	AV732224.1	EST_HUMAN	AV732224 HTF Homo sapiens cDNA clone HTFAUA06 5'
5745	18839		0.66	9.3E-02	AP001507.1	NT	Bacillus halodurans genomic DNA, section 1/14
8153	21091	34490	0.59	9.3E-02	AL163210.2	NT	Homo sapiens chromosome 21 segment HS21C010
8591	21599	34975	0.8	9.3E-02	AW566007.1	EST_HUMAN	EST169 Human Fetal Brain MATCHMAKER cDNA Library Homo sapiens cDNA
9480	22444		0.42	9.3E-02	AL113179.1	NT	Botrytis cinerea strain T4 cDNA library under conditions of nitrogen deprivation
10068	22995	36464	2.32	9.3E-02	BE962631.2	EST_HUMAN	601655988R1 NIH_MGC_66 Homo sapiens cDNA clone IMAGE:3655581 3'
10551	23473	36967	3.65	9.3E-02	Q15034	SWISSPROT	HYPOTHETICAL PROTEIN KIAA0032
10551	23473	36968	3.65	9.3E-02	Q15034	SWISSPROT	HYPOTHETICAL PROTEIN KIAA0032
10683	23605		3.59	9.3E-02	AW208117.1	EST_HUMAN	UH-H-B11-afx-h-05-0-UI.st NCI_CGAP_Sub3 Homo sapiens cDNA clone IMAGE:2723553 3'
12482	25750		2.55	9.3E-02	AJ249850.1	NT	Photobacterium damsela subsp. damsela partial gyrB gene for DNA gyrase B subunit
12831	25778		9.12	9.3E-02	AW468850.1	EST_HUMAN	hd28h12.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2810887 3'
							Mus musculus major histocompatibility locus class II region; Fas-binding protein Daxx (DAXX) gene, partial cds; Bln1 (BING1), tapasin (tapasin), RafGDS-like factor (RLF), KE2 (KE2), BING4 (BING4), beta1, 3-galactosyl transferase (beta1,3-galactosyl tr>
13040	25924		2.24	9.3E-02	AF100956.1	NT	Molluscum contagiosum virus subtype 1, complete genome
231	13331	26252	7.81	9.2E-02	U60315.1	NT	Molluscum contagiosum virus subtype 1, complete genome
231	13331	26253	7.81	9.2E-02	U60315.1	NT	Molluscum contagiosum virus subtype 1, complete genome
231	13331	26254	7.81	9.2E-02	U60315.1	NT	Molluscum contagiosum virus subtype 1, complete genome
2236	15250		2.72	9.2E-02	R54156.1	EST_HUMAN	y89807.r1 Soares Infant brain 1NIB Homo sapiens cDNA clone IMAGE:41618 5'
3194	16249	29167	3.72	9.2E-02	Q28631	SWISSPROT	MAJOR EPIDIDYMIS-SPECIFIC PROTEIN E4 (EPIDIDYMAL PROTEIN BE-20)
3316	16389	29289	0.99	9.2E-02	AA534354.1	EST_HUMAN	nt79e01.st NCI_CGAP_C03 Homo sapiens cDNA clone IMAGE:926136 3'
3599	16644		1.27	9.2E-02	6755215	NT	Mus musculus pre T-cell antigen receptor alpha (Ptra), mRNA
4266	17295		1.24	9.2E-02	U92048.1	NT	Human herpesvirus 1 strain KOS-63, latency-associated transcript, promoter region
4337	17364		0.94	9.2E-02	BE299722.1	EST_HUMAN	600944365F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:2960176 5'
4668	17689	30575	1.4	9.2E-02	X96402.1	NT	G.gallus Mia-CK gene
8342	21311	34725	1.87	9.2E-02	T49920.1	EST_HUMAN	y899c09.r1 Sitalagene placenta (#937225) Homo sapiens cDNA clone IMAGE:69808 5' similar to similar to gb:X56009 GUANINE NUCLEOTIDE-BINDING PROTEIN G(S), ALPHA SUBUNIT (HUMAN)

Page 124 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8517	21485	34899	2.19	9.2E-02	X95256.1	NT	H. vulgare xylose isomerase gene
12002	24879	38475	1.74	9.2E-02	AF026552.3	NT	Mesocricetus auratus oviductin precursor (OVI) gene, complete cds
13019	25986		1.31	9.2E-02	11466872	NT	Podiceps anserina mitochondrion, complete genome
423	13118	26017	7.62	9.1E-02	X77695.1	NT	O. cuniculus k12 keratin gene
3684	16727		0.96	9.1E-02	AW372568.1	EST_HUMAN	PM2-BT0348-161299-001-102 BT0349 Homo sapiens cDNA
4510	17535	30419	1.5	9.1E-02	AL161554.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 54
5304	18307		0.98	9.1E-02	AB010896.1	NT	Clona intestinalis endostyle-specific mRNA, complete cds
							Homo sapiens MSH55 gene, partial cds; and CLIC1, DDAH, G6b, G6c, G5b, G6d, G6e, G6f, BAT5, G5b, CSK2B, BAT4, G4, Apo M, BAT3, BAT2, AIF-1, 1C7, LST-1, 1C7, TNF, and LTA genes, complete cds
5819	18909	32093	1.27	9.1E-02	AF129756.1	NT	
7528	26000		0.52	9.1E-02	AF029308.1	NT	Homo sapiens chromosome 9 duplication of the T cell receptor beta locus and tyrosinogen gene families
7616	20576	33939	12.92	9.1E-02	AW150658.1	EST_HUMAN	au74605.Y1 Schneider fetal brain 00004 Homo sapiens cDNA clone IMAGE:2781968 5'
7937	20879	34269	0.74	9.1E-02	AF000061.1	NT	Aeropyrum pernix genomic DNA, section 4/7
7977	20916	34307	0.87	9.1E-02	U39073.1	NT	Mus musculus thymopoietin zeta mRNA, complete cds
9278	22242	35671	0.95	9.1E-02	Y14378.1	NT	Homo sapiens gamma adducin gene, exon 9
10793	23714		1.84	9.1E-02	T02984.1	EST_HUMAN	FB19F10 Fetal brain, Stratagene Homo sapiens cDNA clone FB19F10 3' end
10823	23744	37245	1.24	9.1E-02	S74059.1	NT	Tg616=Cyl actin [Tribreustes gratillae-sea urchins, embryos, Genomic, 5275 nt]
10852	23772	37271	0.8	9.1E-02	Y11187.1	NT	A. thaliana RH1, TC1, G14587-5, G14587-6, and PRL1 genes
12151	25009		3.53	9.1E-02	9633494	NT	Bacteriophage Mu, complete genome
12393	25919		2.15	9.1E-02	AA179901.1	EST_HUMAN	zp38h12.s1 Stratagene muscle 937209 Homo sapiens cDNA clone IMAGE:611783 3' similar to
12468	25217		1.82	9.1E-02	AF052695.1	NT	SW:TRT3_HUMAN P45378 TROPONIN T, FAST SKELETAL MUSCLE, ISOFORM BETA ;
12916	25771		1.78	9.1E-02	AJ291390.1	NT	Rattus norvegicus cell cycle protein p55CDC gene, complete cds
							Homo sapiens partial MUC3B gene for MUC3B much, exons 1-11
							FOLATE RECEPTOR ALPHA PRECURSOR (FR-ALPHA) (FOLATE RECEPTOR 1) (FOLATE RECEPTOR, ADULT) (ADULT FOLATE-BINDING PROTEIN) (FBP) (OVARIAN TUMOR-ASSOCIATED ANTIGEN MOV18) (KB CELLS FBP)
746	13807	26747	6.38	9.0E-02	P15328	SWISSPROT	ANTIGEN MOV18 (KB CELLS FBP)
							hvd9g10.x1 NC1 CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3175842 3' similar to contains Alu repetitive element
1640	14672	27645	6.7	9.0E-02	BE220482.1	EST_HUMAN	HIV-1 p8c095-06 from USA envelope glycoprotein (env) gene, partial cds
2815	15807	28826	6.5	9.0E-02	AF138522.1	NT	HIV-1 p8c095-06 from USA envelope glycoprotein (env) gene, partial cds
2815	15807	28827	6.5	9.0E-02	AF138522.1	NT	Dictyostelium discoideum spore coat structural protein SP65 (cotE) gene, complete cds
3347	16398	29321	1.11	9.0E-02	AF279135.1	NT	corticosteroid-binding globulin [Saimiri sciureus=squirrel monkeys, liver, mRNA, 1474 nt]
4328	17356	30243	0.83	9.0E-02	S68757.1	NT	corticosteroid-binding globulin [Saimiri sciureus=squirrel monkeys, liver, mRNA, 1474 nt]
4328	17356	30244	0.83	9.0E-02	S68757.1	NT	

Page 125 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4448	17474	30363	1.26	9.0E-02	P56288	SWISSPROT	LAMININ BETA-2 CHAIN PRECURSOR (S-LAMININ)
4695	17716	30611	2.37	9.0E-02	X65740.2	NT	Plasmodium falciparum P-type ATPase 3 gene
5261	18269	31137	0.93	9.0E-02	Q24597	SWISSPROT	REGULATORY PROTEIN ZESTE
8110	19189	32409	14.12	9.0E-02	W56037.1	EST_HUMAN	za68a12.r1 Soares_fetal_lung_NbHL19W Homo sapiens cDNA clone IMAGE:287694 5' similar to PIR:S52171 S52171 small G protein - human ;
6880	19632		1.14	9.0E-02	BF062651.1	EST_HUMAN	7h63d03.x1 NCI_CGAP_Cot16 Homo sapiens cDNA clone IMAGE:3320845 3' similar to contains Alu repetitive element;
6931	20155	33473	0.86	9.0E-02	R62805.1	EST_HUMAN	y111b08.s1 Soares placenta Nb2HP Homo sapiens cDNA clone IMAGE:138903 3'
12762	25404		2.03	9.0E-02	AF022236.1	NT	Escherichia coli strain E2348/89 pathogenicity island, rOrf1 (rOrf1), rOrf2 (rOrf2), EscR (escR), EscS (escS), EscT (escT), EscU (escU), CesD (cesD), EscC (escC), EscJ (escJ), SepZ (sepZ), EscV (escV), EscN (escN), SepQ (sepQ), Tir (tir), OrfU (orfU), >
1432	14466	27442	2.04	8.9E-02	BF701593.1	EST_HUMAN	602129030F2 NIH_MGC_56 Homo sapiens cDNA clone IMAGE:4285951 5'
1432	14466	27443	2.04	8.9E-02	BF701593.1	EST_HUMAN	602129030F2 NIH_MGC_56 Homo sapiens cDNA clone IMAGE:4285951 5'
2398	15403	28429	1.1	8.9E-02	BE153572.1	EST_HUMAN	PMO-HT0339-251199-003-d01 HT0339 Homo sapiens cDNA
4227	17256		2	8.9E-02	AF26055.1	NT	Attrichium angustatum AtranFlc2 protein (AtranFlc2) gene, partial cds
5950	19036	32230	2.64	8.9E-02	AW452122.1	EST_HUMAN	UI-H-B13-alo-f08-0-UI.s1 NCI_CGAP_Sub5 Homo sapiens cDNA clone IMAGE:3068294 3'
5950	19036	32231	2.64	8.9E-02	AW452122.1	EST_HUMAN	UI-H-B13-alo-f08-0-UI.s1 NCI_CGAP_Sub5 Homo sapiens cDNA clone IMAGE:3068294 3'
5966	19051	32262	3.5	8.9E-02	11433478	NT	Homo sapiens similar to endoglycan (H. sapiens) (LOC83107), mRNA
7399	20367	33720	1.49	8.9E-02	P47259	SWISSPROT	FOLD BIFUNCTIONAL PROTEIN [INCLUDES: METHYLENETETRAHYDROFOLATE DEHYDROGENASE ; METHENYL-TETRAHYDROFOLATE CYCLOHYDROLASE]
7607	20757		2.02	8.9E-02	Z78021.1	NT	H. sapiens flow-sorted chromosome 6 HindIII fragment, SC6pA20F8
8385	21354	34762		8.9E-02	P29475	SWISSPROT	NITRIC-OXIDE SYNTHASE, BRAIN (NOS, TYPE I) (NEURONAL NOS) (N-NOS) (NNOS) (CONSTITUTIVE NOS) (NC-NOS) (BNOS)
8468	21437	34855	0.7	8.9E-02	BF701665.1	EST_HUMAN	602129111F2 NIH_MGC_56 Homo sapiens cDNA clone IMAGE:4285827 5'
8468	21437	34856	0.7	8.9E-02	BF701665.1	EST_HUMAN	602129111F2 NIH_MGC_56 Homo sapiens cDNA clone IMAGE:4285827 5'
8945	21911	35336	5.01	8.9E-02	AA309319.1	EST_HUMAN	EST180187 Liver, hepatocellular carcinoma Homo sapiens cDNA 5' end
9978	22905	36369	0.62	8.9E-02	AI285627.1	EST_HUMAN	qu556c05.x1 NCI_CGAP_Lym6 Homo sapiens cDNA clone IMAGE:1986680 3' similar to contains MER10.b1 MER10 repetitive element ;
9978	22905	36370	0.62	8.9E-02	AI285627.1	EST_HUMAN	qu556c05.x1 NCI_CGAP_Lym6 Homo sapiens cDNA clone IMAGE:1986680 3' similar to contains MER10.b1 MER10 repetitive element ;
10090	23018	36492	0.67	8.9E-02	AA338356.1	EST_HUMAN	EST44454 Fetal brain Homo sapiens cDNA 5' end
12150	25743		1.3	8.9E-02	P30143	SWISSPROT	HYPOTHETICAL 51.7 KD PROTEIN IN THR-C-TALB INTERGENIC REGION (ORF8)
12211	25778		1.91	8.9E-02	P18524	SWISSPROT	MYOSIN-2 ISOFORM
12367	25154		9.08	8.9E-02	BF696918.1	EST_HUMAN	602129682F1 NIH_MGC_56 Homo sapiens cDNA clone IMAGE:4286180 5'

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
12530	25268		1.81	8.9E-02	6680220	NT	Mus musculus hippocampus abundant gene transcript 1 (Hiat1), mRNA
12571	25282		1.5	8.9E-02	U29895.1	NT	Human 4-hydroxyphenylpyruvate-dioxygenase gene, complete cds
1374	14408	27378	1.25	8.8E-02	Q27474	SWISSPROT	PROBABLE DNA LIGASE (POLYDEOXYRIBONUCLEOTIDE SYNTHASE [ATP])
3921	15961	28874	1.03	8.8E-02	AA299128.1	EST_HUMAN	EST11595 Uterus Homo sapiens cDNA 5' end
							TRANSCRIPTION INITIATION FACTOR TFIID 135 KDA SUBUNIT (TAFII135) (TAFII136) (TAFII-130) (TAFII130)
4055	17101		3.7	8.8E-02	O00268	SWISSPROT	Homo sapiens chromogranin A (parathyroid secretory protein 1) (CHGA) mRNA
4267	17296		1.26	8.8E-02	4502804	NT	Homo sapiens paired box gene 6 (enitidia, keratitis) (PAX6), isoform b, mRNA
4331	17359		2.3	8.8E-02	4580423	NT	Sheep mRNA for angiotensinogen, complete cds
7792	20744		0.86	8.8E-02	D17520.1	NT	z199a05.s1 Stratagene colon (#937204) Homo sapiens cDNA clone IMAGE:566288 3'
9339	22304	35732	1.32	8.8E-02	AA151872.1	EST_HUMAN	601191770F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3535648 5'
11453	24396	37941	3.43	8.8E-02	BE264455.1	EST_HUMAN	601191770F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3535648 5'
11453	24396	37942	3.43	8.8E-02	BE264455.1	EST_HUMAN	DKFZp434D1313_r1 434 (synonym: htes3) Homo sapiens cDNA clone DKFZp434D1313 5'
11593	24531	38088	5.78	8.8E-02	AL040129.1	EST_HUMAN	S. cerevisiae chromosome XIV reading frame ORF YNL285w
12441	25204	31827	2.4	8.8E-02	Z71561.1	NT	ox55b01.s1 Soares_NHMPu_S1 Homo sapiens cDNA clone IMAGE:1661161 3'
1654	14696	27661	1.55	8.7E-02	A1167281.1	EST_HUMAN	Homo sapiens zinc finger protein 92 (ZFP92), expressed-Xq28STS protein (XQ28ORF), and biglycan (BGN) genes, complete cds; and plasma membrane calcium ATPase isoform 3 (PMCA3) gene, partial cds
3707	16750	29665	3.84	8.7E-02	U82695.2	NT	Homo sapiens zinc finger protein 92 (ZFP92), expressed-Xq28STS protein (XQ28ORF), and biglycan (BGN) genes, complete cds; and plasma membrane calcium ATPase isoform 3 (PMCA3) gene, partial cds
3707	16750	29666	3.84	8.7E-02	U82695.2	NT	Homo sapiens zinc finger protein 92 (ZFP92), expressed-Xq28STS protein (XQ28ORF), and biglycan (BGN) genes, complete cds; and plasma membrane calcium ATPase isoform 3 (PMCA3) gene, partial cds
4736	17756	30650	1.2	8.7E-02	AF178636.1	NT	Mus musculus JNK interacting protein-3a (Jip3) mRNA, complete cds
							Methanobacterium thermoautotrophicum from bases 1176181 to 1189406 (section 101 of 148) of the complete genome
5138	18147		1.02	8.7E-02	AE000895.1	NT	Homo sapiens protein kinase C, nu (PRKGN), mRNA
5166	18175	31053	0.97	8.7E-02	6663384	NT	zs55g08.s1 NCI CGAP_GCB1 Homo sapiens cDNA clone IMAGE:701438 3'
5387	18490	31366	6.04	8.7E-02	AA286875.1	EST_HUMAN	zs55g08.s1 NCI CGAP_GCB1 Homo sapiens cDNA clone IMAGE:701438 3'
5387	18490	31366	6.04	8.7E-02	AA286875.1	EST_HUMAN	Mus musculus partial Kcnq1 gene for potassium channel protein, exons 10-14
7022	20147	33466	0.81	8.7E-02	AJ271885.2	NT	Mus musculus partial Kcnq1 gene for potassium channel protein, exons 10-14
7022	20147	33467	0.81	8.7E-02	AJ271885.2	NT	Mus musculus partial Kcnq1 gene for potassium channel protein, exons 10-14
7243	19978	33275	0.63	8.7E-02	AF281342.1	NT	Oncorhynchus mykiss TAT-binding protein 1 mRNA, partial cds
8860	21827	35250	0.71	8.7E-02	AE004787.1	NT	Pseudomonas aeruginosa PAO1, section 348 of 529 of the complete genome
8860	21827	35251	0.71	8.7E-02	AE004787.1	NT	Pseudomonas aeruginosa PAO1, section 348 of 529 of the complete genome
11067	24030		2.16	8.7E-02	L04758.1	NT	Oryzobolus cuniculus cytochrome P-450 (CYP4A4) gene, 5' end
11641	24578	38144	1.79	8.7E-02	AJ007763.1	NT	Glucobacter oxydans rRNA-11e and rRNA-11a genes

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
12123	24982	38593	1.89	8.7E-02	Z74080.1	NT	S.cerevisiae chromosome IV reading frame ORF YDL012c
12123	24982	38594	1.89	8.7E-02	Z74080.1	NT	S.cerevisiae chromosome IV reading frame ORF YDL012c
12428	25196		1.6	8.7E-02	X17116.1	NT	Human DNA for immunoglobulin alpha heavy chain from a case of alpha heavy chain disease
1257	14282	27256	6.2	8.6E-02	AJ271736.1	NT	Homo sapiens Xq pseudautosomal region; segment 2/2
2256	15270	28285	1.96	8.6E-02	BE408687.1	EST_HUMAN	601304016F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3638643 5'
3202	16267	29176	4.47	8.6E-02	L05468.1	NT	Trichomonas vaginalis beta-tubulin (btub1) gene, complete cds
3658	16701		4.37	8.6E-02	AF153382.1	NT	Dictyostelium discoideum adenyl cyclase (acra) gene, complete cds
3793	16834		0.66	8.6E-02	U29187.1	NT	Mus musculus long incubation prion protein (Prnpb) and prion-like protein (Prnd) genes, complete cds
4512	17537	30421	0.67	8.6E-02	U68179.1	NT	Oryctolagus cuniculus galectin-3 gene, untranslated exon and 5' flanking region
5170	18179		1.09	8.6E-02	L13419.1	NT	Chromatium vinosum tetraheme cytochrome c gene, 3' end, bacterial ankyrin homologue, flavocytochrome c heme subunit fca (complete cds) and flavin subunit, fcb (3' end)
5276	18282		1.09	8.6E-02	AB011163.1	NT	Homo sapiens mRNA for KIA0591 protein, partial cds
6213	19287	32520	4.24	8.6E-02	Y10826.1	NT	Homo sapiens LCN1b gene
6310	19574	32828	1.48	8.6E-02	J00440.1	NT	Mouse germline IgM chain gene, D region; D-q52, mu switch region (part a)
6510	19574	32829	1.48	8.6E-02	J00440.1	NT	Mouse germline IgM chain gene, D region; D-q52, mu switch region (part a)
7834	20781	34159	1.01	8.6E-02	P14616	SWISSPROT	INSULIN RECEPTOR-RELATED PROTEIN PRECURSOR (IRR) (IR-RELATED RECEPTOR)
8262	21231	34640	1.33	8.6E-02	5730066	NT	Homo sapiens Snf2-related CBP activator protein (SRCAP) mRNA
8262	21231	34641	1.33	8.6E-02	5730066	NT	Homo sapiens Snf2-related CBP activator protein (SRCAP) mRNA
8405	21374	34782	0.66	8.6E-02	11427428	NT	Homo sapiens hypothetical protein FLJ11008 (FLJ11008), mRNA
8469	21438		0.81	8.6E-02	U60188.1	NT	Dictyostelium discoideum proteasome subunit C2 homolog Pric (pric) gene, complete cds
10094	23020	36495	1.04	8.6E-02	AF111170.3	NT	Homo sapiens 14q32 Jagged2 gene, complete cds; and unknown gene
10131	23057		1.57	8.6E-02	AF111170.3	EST_HUMAN	hi20c08.x1 NCJ_CGAP_GU1 Homo sapiens cDNA clone IMAGE:2872846 3'
10513	23435	36933	0.97	8.6E-02	AF026504.1	NT	Rattus norvegicus SPA-1 like protein p1294 mRNA, complete cds
11579	24517	38072	2.47	8.6E-02	BF306608.1	EST_HUMAN	601893437F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:4139216 5'
11579	24517	38073	2.47	8.6E-02	BF306608.1	EST_HUMAN	601893437F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:4139216 5'
11767	23922	37441	9.23	8.6E-02	AE001073.1	NT	Archaeoglobus fulgidus section 34 of 172 of the complete genome
11901	24782	38370	1.57	8.6E-02	AF283660.1	NT	Bacillus stearothermophilus BsrFI methylase (Fim) and BsrFI restriction endonuclease (FIR) genes, complete cds
2406	15413	28437	2.86	8.5E-02	AE000652.1	NT	Helicobacter pylori 26695 section 130 of 134 of the complete genome
5752	18946	32028	0.71	8.5E-02	AJ985491.1	EST_HUMAN	cg83507.s1 NCJ_CGAP_Kid6 Homo sapiens cDNA clone IMAGE:1692817 3' similar to dbK01144 HLA CLASS II HISTOCOMPATIBILITY ANTIGEN, GAMMA CHAIN PRECURSOR (HUMAN);
5793	18885		1.92	8.5E-02	P08089	SWISSPROT	M PROTEIN, SEROTYPE 6 PRECURSOR
6127	19205	32428	6.34	8.6E-02	AF233885.1	NT	Mus musculus phosphodiesterase C-like protein mRNA, partial cds

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO.:	Exon SEQ ID NO.:	ORF SEQ ID NO.:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8953	21919	35345	1.92	8.5E-02	6754779	NT	Mus musculus myosin XV (Myo15), mRNA
10196	23121	36607	3.17	8.5E-02	BE833054.1	EST_HUMAN	RC4-OT0037-200700-014-e05 OT0037 Homo sapiens cDNA
10196	23121	36608	3.17	8.5E-02	BE833054.1	EST_HUMAN	RC4-OT0037-200700-014-e05 OT0037 Homo sapiens cDNA
10338	23262	36742	0.44	8.5E-02	A1140618.1	EST_HUMAN	qo05g05.x1 Soares testis NIH Homo sapiens cDNA clone IMAGE:1738136 3'
10728	23650	37143	0.56	8.5E-02	X76731.1	NT	V. ammodytes gene for ammodytaxin C
10851	23771	37270	1	8.5E-02	11418108	NT	Homo sapiens chromosome 22 open reading frame 5 (C22ORF5), mRNA
11490	24433		8.1	8.5E-02	AF155510.1	NT	Homo sapiens heparanase precursor, mRNA, complete cds
11507	24449	37999	4.05	8.5E-02	AB001562.1	NT	Streptococcus mutans gene for glucose-1-phosphate uridylyltransferase, complete cds
12985	25547		5.18	8.5E-02	AA362934.1	EST_HUMAN	EST72736 Ovary II Homo sapiens cDNA 5' and
2675	19501	28690	3.69	8.4E-02	W69330.1	EST_HUMAN	zd44e11.r1 Soares fetal heart_NHH19W Homo sapiens cDNA clone IMAGE:343532 5'
4381	17409	30290	1.02	8.4E-02	AF257213.1	NT	Cavia porcellus glycoprotein alpha-subunit mRNA, complete cds
4381	17409	30291	1.02	8.4E-02	AF257213.1	NT	Cavia porcellus glycoprotein alpha-subunit mRNA, complete cds
5235	18243	31115	0.98	8.4E-02	5453817	NT	Homo sapiens nucleobindin 1 (NUCB1), mRNA
5385	18488	31363	8.74	8.4E-02	BE267153.1	EST_HUMAN	601190436F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3534393 5'
8847	19900	33194	1.96	8.4E-02	AK024458.1	NT	Homo sapiens mRNA for FLJ00050 protein, partial cds
8363	21332	34744	7.84	8.4E-02	BE095074.1	EST_HUMAN	CM3-BT0790-260400-162-d05 BT0790 Homo sapiens cDNA
9194	22160	35588	1.02	8.4E-02	AF218890.1	NT	Homo sapiens attractin precursor (ATRIN) gene, exon 2
							as88g10.x1 Bartslead colon HPLRB7 Homo sapiens cDNA clone IMAGE:2335842 3' similar to TR:O88312
10727	23649	37142	1.9	8.4E-02	A1735184.1	EST_HUMAN	O88312 GOB-4.;
12351	25146	31853	1.46	8.4E-02	R79408.1	EST_HUMAN	y83h12.1.1 Soares placenta Nb2HP Homo sapiens cDNA clone IMAGE:145895 5'
2027	15047	28060	0.97	8.3E-02	5835680	NT	Ixodes hexagonus mitochondrion, complete genome
2027	15047	28061	0.97	8.3E-02	5835680	NT	Ixodes hexagonus mitochondrion, complete genome
3606	16651	29568	6.11	8.3E-02	P75334	SWISSPROT	HYPOTHETICAL LIPOPROTEIN MGS09 HOMOLOG PRECURSOR
3634	16677	29590	0.86	8.3E-02	A1436797.1	EST_HUMAN	th82g06.x1 Soares_NhhMPu_S1 Homo sapiens cDNA clone IMAGE:2125210 3'
3634	16677	29591	0.86	8.3E-02	A1436797.1	EST_HUMAN	th82g06.x1 Soares_NhhMPu_S1 Homo sapiens cDNA clone IMAGE:2125210 3'
6389	19457	32702	0.78	8.3E-02	A1942338.1	EST_HUMAN	w078f11.x1 NCL_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2461581 3'
6502	19566	32818	2.54	8.3E-02	AF052683.1	NT	Homo sapiens protocadherin 43 gene, exon 1
8313	21282	34694	3.61	8.3E-02	AF195787.1	NT	Rattus norvegicus dystrophin-related protein 2 A-form splice variant (Drp2) mRNA, complete cds
							og88g08.s1 NCL_CGAP_Kid5 Homo sapiens cDNA clone IMAGE:1455422 3' similar to contains L1.11 L1 L1
							repetitive element ;
8346	21315		1.19	8.3E-02	AA865285.1	EST_HUMAN	oc81f110.s1 NCL_CGAP_Kid6 Homo sapiens cDNA clone IMAGE:1592779 3'
8642	21610		1.54	8.3E-02	AA987873.1	EST_HUMAN	iae05h10.x1 Human Pancreatic Islets Homo sapiens cDNA 3' similar to TR:Q15332 Q15332 GAMMA
9896	22849	36306	1.58	8.3E-02	AW583503.1	EST_HUMAN	SUBUNIT OF SODIUM POTASSIUM ATPASE LIKE. ;
9909	22730		2.19	8.3E-02	AL161595.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 91

Page 129 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
10706	23628		0.5	8.3E-02	AF020409.1	NT	Dictyostelium discoideum DccA (dca) mRNA, complete cds
12444	25924		1.48	8.3E-02	BE958458.1	EST_HUMAN	601644770F1 NIH_MGC_58 Homo sapiens cDNA clone IMAGE:3829693 5'
1379	14413		7.44	8.2E-02	Y08170.2	NT	Gallus gallus mRNA for OBCAM protein gamma isoform
1484	14527	27499	1.77	8.2E-02	AF167077.2	NT	Canis familiaris glutamate transporter (EAAT4) mRNA, complete cds
3089	16147		2.24	8.2E-02	AL163206.2	NT	Homo sapiens chromosome 21 segment HS21C008
3816	16855		1.61	8.2E-02	AL161498.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 10
4033	17071	28972	1.22	8.2E-02	AL163206.2	NT	Homo sapiens chromosome 21 segment HS21C008
4313	17342	30222	5.83	8.2E-02	P48660	SWISSPROT	LEUCOCYTE ANTIGEN CD97 PRECURSOR
4313	17342	30223	5.83	8.2E-02	P48960	SWISSPROT	LEUCOCYTE ANTIGEN CD97 PRECURSOR
4313	17342	30224	5.83	8.2E-02	P48960	SWISSPROT	LEUCOCYTE ANTIGEN CD97 PRECURSOR
5108	18118	30992	1.29	8.2E-02	AF240776.1	NT	Mus musculus pepsinogen F (Pepf) mRNA, complete cds
5118	18128	31004	4.13	8.2E-02	U76009.1	NT	Mus musculus zinc transporter (Znt-3) gene, complete cds
5300	18128	31004	0.95	8.2E-02	U76009.1	NT	Mus musculus zinc transporter (Znt-3) gene, complete cds
5408	18511	31389	1.47	8.2E-02	BE897030.1	EST_HUMAN	601439578F1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3924523 5'
7221	20243	33577	2.84	8.2E-02	AF309555.1	NT	Bos taurus connective tissue growth factor precursor (CTGF) gene, complete cds
8005	20944		0.6	8.2E-02	AV743341.1	EST_HUMAN	AV743341 CB Homo sapiens cDNA clone CBLANF07 5'
8057	22023		0.45	8.2E-02	U29397.1	NT	Rattus norvegicus plasma membrane Ca2+ ATPase isoform 3 (PMCA3) gene, 5' flanking region
9124	22090	35618	2.75	8.2E-02	AW875126.1	EST_HUMAN	RC2-PT0004-031299-011-005 PT0004 Homo sapiens cDNA
8958	22885	36346	5.43	8.2E-02	X04197.1	NT	Beet necrotic yellow vein virus RNA-2
10121	23047	36626	2.38	8.2E-02	BE254318.1	EST_HUMAN	601115055F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3355586 5'
12450	25209	31831	6.88	8.2E-02	AE002246.2	NT	Chlamydia pneumoniae AR39, section 73 of 84 of the complete genome
12835	25710		5.74	8.2E-02	AF275386.1	NT	Mus musculus epidermal growth factor receptor (Egfr) gene, exons 6 through 28, and complete cds, alternatively spliced
1493	14526	27498	1.05	8.1E-02	AB017138.1	NT	Pseudomonas putida malonate decarboxylase gene cluster (mdcA, mdcB, mdcC, mdcD, mdcE, mdcG, mdcH, mdcL and mdcM genes), complete cds
5848	18938	32123	1.05	8.1E-02	AE004006.1	NT	Xylella fastidiosa, section 152 of 229 of the complete genome
6918	19879	32838	1.38	8.1E-02	T11632.1	EST_HUMAN	A1484F Heart Homo sapiens cDNA clone A1484
7403	20371		0.81	8.1E-02	AL163279.2	NT	Homo sapiens chromosome 21 segment HS21C079
7335	20782		0.9	8.1E-02	AI692881.1	EST_HUMAN	w886708.x1 NCI CGAP_Lu24 Homo sapiens cDNA clone IMAGE:2338503 3'
8883	21651	35072	0.93	8.1E-02	11426974	NT	Homo sapiens hypothetical protein FLJ10060 (FLJ10060), mRNA
8883	21651	35073	0.93	8.1E-02	11426974	NT	Homo sapiens hypothetical protein FLJ10060 (FLJ10060), mRNA
10272	23197		1.58	8.1E-02	AY005150.1	NT	Homo sapiens extracellular glycoprotein tacritin precursor, gene, complete cds
11827	24710	38294	1.53	8.1E-02	AL163202.2	NT	Homo sapiens chromosome 21 segment HS21C002
6	16830	26026	4.82	8.0E-02	AW964653.1	EST_HUMAN	EST368723 MAGE resequences, MAGEC Homo sapiens cDNA

Page 130 of 546
Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1709	15876	27722	13.63	8.0E-02	D26635.1	NT	Human gene for dihydralpoamide succinyltransferase, complete cds (exon 1-15)
1709	15875	27723	13.63	8.0E-02	D26635.1	NT	Human gene for dihydralpoamide succinyltransferase, complete cds (exon 1-15)
1919	14943	27839	4.07	8.0E-02	BE067219.1	EST_HUMAN	PM3-BT0347-170200-001-b08 BT0347 Homo sapiens cDNA
2384	15392	28417	1.05	8.0E-02	D90915.1	NT	Synchochysis sp. PCC6803 complete genome, 17/27, 2137259-2267259
2384	15392	28418	1.05	8.0E-02	D90915.1	NT	Synchochysis sp. PCC6803 complete genome, 17/27, 2137259-2267259
2478	15482		4.69	8.0E-02	BF246744.1	EST_HUMAN	601855549F1 NIH_MGC_57 Homo sapiens cDNA clone IMAGE:4075619 5'
2831	14137	27088	0.99	8.0E-02	M23449.1	NT	Dictyoselium discoideum cyclic nucleotide phosphodiesterase gene, complete cds
2911	15969	28892	0.76	8.0E-02	AL445067.1	NT	Thermoplasma acidophilum complete genome; segment 5/5
3830	16870	29772	6.94	8.0E-02	AW968118.1	EST_HUMAN	EST378191 MAGC resequences, MAGI Homo sapiens cDNA
4810	17827	30724	1.7	8.0E-02	AI434202.1	EST_HUMAN	f31g02.x1 NCI_CGAP_Gas4 Homo sapiens cDNA clone IMAGE:2132114 3'
4818	17835	30733	0.99	8.0E-02	AF116956.1	NT	Arabidopsis thaliana putative transcription factor (HUA2) mRNA, complete cds
4852	17869		7.57	8.0E-02	X72794.1	NT	M. musculus gene for gelatinase B
5832	18922	32105	0.71	8.0E-02	AW951139.1	EST_HUMAN	EST363209 MAGC resequences, MAGA Homo sapiens cDNA
5993	19077	32274	3.28	8.0E-02	AF275948.1	NT	Homo sapiens ABCA1 (ABCA1) gene, complete cds
7386	19077	32274	1.44	8.0E-02	AF275948.1	NT	Homo sapiens ABCA1 (ABCA1) gene, complete cds
8465	21434	34851	3.74	8.0E-02	AL114993.1	NT	Borhylls chirens strain T4 cDNA library under conditions of nitrogen deprivation
9744	22685	36139	1.21	8.0E-02	X74208.1	NT	H. sapiens AGT gene, intron 4
9744	22685	36140	1.21	8.0E-02	X74208.1	NT	H. sapiens AGT gene, intron 4
10519	23441		0.6	8.0E-02	AL163209.2	NT	Homo sapiens chromosome 21 segment HS21C009
11145	24105	37632	2.19	8.0E-02	AF217786.1	NT	Homo sapiens SCG10 like-protein, helicase-like protein NHL, M68, and ADP-ribosylation factor related protein 1 (ARFRP1) genes, complete cds
12483	25230	31798	6.54	8.0E-02	AJ005375.1	NT	Drosophila oreana hunchback region
13036	18342		2.06	8.0E-02	4503034	NT	Homo sapiens cAMP responsive element binding protein-like 2 (CREBL2) mRNA
2184	15189	28219	4.36	7.9E-02	BE250008.1	EST_HUMAN	600943191F1 NIH_MGC_15 Homo sapiens cDNA clone IMAGE:2969510 5'
2992	16050	28971	8.43	7.9E-02	AI582029.1	EST_HUMAN	ar98c08.x1 Barslead colon HPLRB7 Homo sapiens cDNA clone IMAGE:2173646 3' similar to gb.Z28876
3864	16903	29808	5.68	7.9E-02	6881044	NT	60S RIBOSOMAL PROTEIN L38 (HUMAN);
3864	16903	29809	5.68	7.9E-02	6881044	NT	Mus musculus colony stimulating factor 1 receptor (Csf1r), mRNA
4722	17742	30633	1.08	7.9E-02	BF348454.1	EST_HUMAN	Mus musculus colony stimulating factor 1 receptor (Csf1r), mRNA
4849	17866		1.49	7.9E-02	AB008019.1	NT	60201970F1 NCI_CGAP_Bm67 Homo sapiens cDNA clone IMAGE:4155401 5'
6855	19908		1.06	7.9E-02	BF368016.1	EST_HUMAN	Arabidopsis thaliana RXW24L mRNA, partial cds
8368	21335	34747	3.26	7.9E-02	U27832.1	NT	RC3-GN0042-310800-024-411 GN0042 Homo sapiens cDNA
10388	23310	36788	4.89	7.9E-02	AI081644.1	EST_HUMAN	Saccharomyces cerevisiae suppressor of Mif2 Smk4p (SMT4) gene, complete cds ou63605.s1 NCI_CGAP_Bj2 Homo sapiens cDNA clone IMAGE:1632465 3' similar to WP.C37A2.2 CE08811;

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
10388	23310	36789	4.89	7.9E-02	A1081644.1	EST_HUMAN	ou63b05.s1 NCI_CGAP_Br2 Homo sapiens cDNA clone IMAGE:1632465 3' similar to WP:C37A2.2 CE08811 ;
1215	14253	27210	1.69	7.8E-02	A1793275.1	EST_HUMAN	oo59d02.y5 NCI_CGAP_Lu8 Homo sapiens cDNA clone IMAGE:1570487 5' similar to contains L1:13 L1 repetitive element ;
1215	14253	27211	1.69	7.8E-02	A1793275.1	EST_HUMAN	oo59d02.y5 NCI_CGAP_Lu8 Homo sapiens cDNA clone IMAGE:1570487 5' similar to contains L1:13 L1 repetitive element ;
5123	16804		3.25	7.8E-02	BE260048.1	EST_HUMAN	600943055F1 NIH_MGC_15 Homo sapiens cDNA clone IMAGE:2856693 5'
7279	20013	33317	1.29	7.8E-02	U82695.2	NT	Homo sapiens zinc finger protein 92 (ZFP92), expressed-Xq28STS protein (XQ28ORF), and biglycan (BGN) genes, complete cds; and plasma membrane calcium ATPase isoform 3 (PMCA3) gene, partial cds
7279	20013	33318	1.29	7.8E-02	U82695.2	NT	Homo sapiens zinc finger protein 92 (ZFP92), expressed-Xq28STS protein (XQ28ORF), and biglycan (BGN) genes, complete cds; and plasma membrane calcium ATPase isoform 3 (PMCA3) gene, partial cds
9137	22103	35529	1.26	7.8E-02	BE97947.1	EST_HUMAN	601440438F1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3925449 5'
9232	22198	35626	0.6	7.8E-02	X78344.1	NT	S.cerevisiae CAT8 gene
9408	22373	35808	0.66	7.8E-02	AF233437.1	NT	Homo sapiens FYVE domain-containing dual specificity protein phosphatase FYVE-DSP1b mRNA, complete cds
9408	22373	35809	0.66	7.8E-02	AF233437.1	NT	Homo sapiens FYVE domain-containing dual specificity protein phosphatase FYVE-DSP1b mRNA, complete cds
9716	22744	36195	1.23	7.8E-02	AA469354.1	EST_HUMAN	nc88b06.r1 NCI_CGAP_P1 Homo sapiens cDNA clone IMAGE:771731
10161	23086	36593	0.65	7.8E-02	Z99124.1	NT	Bacillus subtilis complete genome (section 21 of 21); from 3989281 to 4214814
12114	24984	38586	1.64	7.8E-02	BF025681.1	EST_HUMAN	601669979F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3953083 5'
1399	15867	27402	0.93	7.7E-02	AF181897.1	NT	Homo sapiens WRN (WRN) gene, complete cds
3600	16645		2.05	7.7E-02	AJ238093.1	NT	Homo sapiens partial AF-4 gene, exons 2 to 7 and Alu repeat elements
5622	18718	31877	0.61	7.7E-02	AF082636.1	NT	Gallus gallus collagen type XII alpha-1 (COL12A1) gene, promoter region and partial cds
8241	21210	34615	7.34	7.7E-02	AA402949.1	EST_HUMAN	zu53d11.r1 Scarses ovary tumor NbHOT Homo sapiens cDNA clone IMAGE:741717 5' similar to TR:G1173905 G1173905 SPLICEOSOME ASSOCIATED PROTEIN ;
10195	23120	36606	3.76	7.7E-02	P36080	SWISSPROT	PROBABLE SERINE/THREONINE-PROTEIN KINASE YBR089C
10490	23412	36909	0.76	7.7E-02	A1318662.1	EST_HUMAN	ta80b08.x1 NCI_CGAP_HSC2 Homo sapiens cDNA clone IMAGE:2050359 3' similar to gb:Z26876 60S RIBOSOMAL PROTEIN L38 (HUMAN);
10490	23412	36910	0.76	7.7E-02	A1318662.1	EST_HUMAN	ta80b08.x1 NCI_CGAP_HSC2 Homo sapiens cDNA clone IMAGE:2050359 3' similar to gb:Z26876 60S RIBOSOMAL PROTEIN L38 (HUMAN);
11352	24302	37829	4.65	7.7E-02	11422767	NT	Homo sapiens KIAA0828 gene product (KIAA0828), mRNA
12671	25765		1.91	7.7E-02	11436859	NT	Homo sapiens interferon regulatory factor 7 (IRF7), mRNA

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3398	16447	29373	2.43	7.6E-02	BE514432.1	EST_HUMAN	601316426F1 NIH_MGC_8 Homo sapiens cDNA clone IMAGE:3634903 5'
3419	16467	29387	1	7.6E-02	AA298447.1	EST_HUMAN	EST112214 Cerebellum II Homo sapiens cDNA 5' end similar to similar to protocadherin 43
6216	19290	32523	0.72	7.6E-02	A1061275.1	EST_HUMAN	an25g02.x1 Gessler Wilms tumor Homo sapiens cDNA clone IMAGE:1699730 3'
6491	19556	32806	0.87	7.6E-02	BE379328.1	EST_HUMAN	601236402F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3608401 5'
9725	22753	36206	1.35	7.6E-02	AJ131016.1	NT	Homo sapiens SCL gene locus
10257	23182		1.42	7.6E-02	AL138078.2	NT	Campylobacter jejuni NCTC11168 complete genome; segment 5/6
10580	23502	36994	0.47	7.6E-02	BE708002.1	EST_HUMAN	RC1-HT0545-020800-017-d06 HT0545 Homo sapiens cDNA
10714	23636		0.56	7.6E-02	BE959388.2	EST_HUMAN	601654915R1 NIH_MGC_57 Homo sapiens cDNA clone IMAGE:3839810 3'
10952	23872	37384	0.67	7.6E-02	X92656.1	NT	L. esculentum mRNA for those phosphate translocator
10952	23872	37385	0.67	7.6E-02	X92656.1	NT	L. esculentum mRNA for those phosphate translocator
11986	24863	38459	1.9	7.6E-02	AW968645.1	EST_HUMAN	QV3-BN0046-150400-151-e04 BN0046 Homo sapiens cDNA
785	13845	26780	2.89	7.5E-02	5802093	NT	Homo sapiens solute carrier family 6 (neurotransmitter transporter, glycine), member 9 (SLC6A9), mRNA
785	13845	26791	2.89	7.5E-02	5802093	NT	Homo sapiens solute carrier family 6 (neurotransmitter transporter, glycine), member 9 (SLC6A9), mRNA
1935	14959	27955	0.93	7.5E-02	AL163278.2	NT	Homo sapiens chromosome 21 segment HS21C078
4536	17559	30447	0.63	7.5E-02	AB015961.1	NT	Homo sapiens IL-18 gene for interleukin-18, intron 1 and exon 2
5952	19037	32233	0.71	7.5E-02	A1948714.1	EST_HUMAN	wg24h09.x1 NCI CGAP_K1d11 Homo sapiens cDNA clone IMAGE:2472257 3'
8681	21649	35071	1.01	7.5E-02	A1864387.1	EST_HUMAN	wf52b02.x1 NCI CGAP_Bm25 Homo sapiens cDNA clone IMAGE:2428491 3' similar to gb:M14328 ALPHA
8852	21819	35239	1.29	7.5E-02	AU116913.1	EST_HUMAN	ENOLASE (HUMAN);
10392	23314		0.45	7.5E-02	BF221730.1	EST_HUMAN	AU116913 HEMBAT Homo sapiens cDNA clone HEMBA1000264 5'
10859	23779	37279	0.9	7.5E-02	BF206809.1	EST_HUMAN	7661c05.x1 NCI CGAP_P128 Homo sapiens cDNA clone IMAGE:3578504 3' similar to contains element
10953	23873	37388	0.86	7.5E-02	X79460.1	NT	MER27 repetitive element
478	13550	26478	1.24	7.4E-02	AF030027.1	EST_HUMAN	601870205F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:4100449 5'
1456	14489		1.08	7.4E-02	AF030027.1	NT	G.fiml DSM 20113 16S rDNA
2585	15586		0.99	7.4E-02	6755069	NT	RC5-LT0054-260100-011-H09 LT0054 Homo sapiens cDNA
3608	16653	29571	0.78	7.4E-02	A1807985.1	EST_HUMAN	Equine herpesvirus 4 strain NS80567, complete genome
4733	17753	30846	1.09	7.4E-02	L78810.1	NT	Mus musculus paired-like homeodomain transcription factor 1 (Pitx1), mRNA
4833	17850	30750	3.24	7.4E-02	6978442	NT	Mus musculus ADP/ATP carrier protein (ANT-2) gene, complete cds
4979	17994	30883	2.52	7.4E-02	6878492	EST_HUMAN	Homo sapiens ADP/ATP carrier protein (ANT-2) gene, complete cds
6843	19701		1.8	7.4E-02	R17477.1	EST_HUMAN	Rattus norvegicus Activin receptor like kinase 1 (Acvrl1), mRNA
7707	20664	34031	0.79	7.4E-02	AA605132.1	EST_HUMAN	Mus musculus ubiquitin c-terminal hydrolase related polypeptide (Uchlp), mRNA

Page 133 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8233	21202	34608	1.2	7.4E-02	BE880112.1	EST_HUMAN	601483366F1 NIH_MGC_69 Homo sapiens cDNA clone IMAGE:3885284 5'
8846	21813	35233	1.01	7.4E-02	U56089.1	NT	Human periodic tryptophan protein 2 (PWP2) gene, exons 15 to 21, and complete cds
9521	22484	35930	1.02	7.4E-02	AW629605.1	EST_HUMAN	hh67d11.y1 NCI_CGAP_GU1 Homo sapiens cDNA clone IMAGE:2867861 5' similar to SW:SCA2_HUMAN O15127 SECRETORY CARRIER-ASSOCIATED MEMBRANE PROTEIN 2 ;
9521	22484	35931	1.02	7.4E-02	AW629605.1	EST_HUMAN	hh67d11.y1 NCI_CGAP_GU1 Homo sapiens cDNA clone IMAGE:2867861 5' similar to SW:SCA2_HUMAN O15127 SECRETORY CARRIER-ASSOCIATED MEMBRANE PROTEIN 2 ;
9794	21117	34516	0.48	7.4E-02	AI672839.1	EST_HUMAN	we74d02.x1 Soares Dieckgraebe_colon_NHCD Homo sapiens cDNA clone IMAGE:2346819 3'
9794	21117	34517	0.48	7.4E-02	AI672839.1	EST_HUMAN	we74d02.x1 Soares Dieckgraebe_colon_NHCD Homo sapiens cDNA clone IMAGE:2346819 3'
10173	23098	36578	1.07	7.4E-02	U62293.1	NT	Human LIM-kinase1 and alternatively spliced LIM-kinase1 (LIMK1) gene, complete cds
10301	23226	36708	0.53	7.4E-02	BF512678.1	EST_HUMAN	U1H-BW1-amg-g-08-o-UI.s1 NCI_CGAP_Sub7 Homo sapiens cDNA clone IMAGE:3069898 3'
12408	25181		1.47	7.4E-02	11525893	NT	Homo sapiens histone deacetylase 5 (NY-CO-9), mRNA
12865	25903		2.51	7.4E-02	AW378431.1	EST_HUMAN	GM4-HT0243-081199-037-011 HT0243 Homo sapiens cDNA
469	13542	26468	1.3	7.3E-02	BE964961.2	EST_HUMAN	601658738R1 NIH_MGC_69 Homo sapiens cDNA clone IMAGE:3866209 3'
469	13542	26469	1.3	7.3E-02	BE964961.2	EST_HUMAN	601658738R1 NIH_MGC_69 Homo sapiens cDNA clone IMAGE:3866209 3'
685	13748	26874	5.48	7.3E-02	AE001789.1	NT	Thermotoga maritima section 101 of 136 of the complete genome
1477	15869	27496	3.94	7.3E-02	AW900281.1	EST_HUMAN	GM0-NN1004-130300-284-g08 NN1004 Homo sapiens cDNA
1862	15879		15.78	7.3E-02	AL163302.2	NT	Homo sapiens chromosome 21 segment HS21C102
							Human germline T-cell receptor beta chain Dopamine-beta-hydroxylase-like, TRY1, TRY2, TRY3, TCRBV27S1P, TCRBV22S1A2N1T, TCRBV6S1A1T, TCRBV7S1A1N2T, TCRBV5S1A1T, TCRBV13S3, TCRBV6S1P, TCRBV7S3A2T, TCRBV13S2A1T, TCRBV9S2A2PT, TCRBV7S2A1N4T, TCRBV13S9/13S>
3785	16826		0.72	7.3E-02	U66059.1	NT	Mus musculus transcription factor USF2 (USF2) gene, exons 8-10 and complete cds
5032	18046		1.06	7.3E-02	U12283.1	NT	
6965	19655	32827	1.04	7.3E-02	AA779977.1	EST_HUMAN	z124a02.s1 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:451178 3' similar to gb:L02426 26S PROTEASE SUBUNIT 4 (HUMAN);
7706	20963	34029	2.47	7.3E-02	P05143	SWISSPROT	PROLINE-RICH PROTEIN MP-3
7706	20963	34030	2.47	7.3E-02	P05143	SWISSPROT	PROLINE-RICH PROTEIN MP-3
8508	21478		1.2	7.3E-02	7862107	NT	Homo sapiens KIAA0424 protein (KIAA0424), mRNA
9565	22527		1.39	7.3E-02	AB011090.1	NT	Homo sapiens mRNA for KIAA0518 protein, partial cds
11552	19655	32927	1.89	7.3E-02	AA779977.1	EST_HUMAN	z124a02.s1 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:451178 3' similar to gb:L02426 26S PROTEASE SUBUNIT 4 (HUMAN);
12925	25510		1.33	7.3E-02	Z73597.1	NT	S.cerevisiae chromosome XVI reading frame ORF YPL241c
120	13229	28156	0.7	7.2E-02	AE000882.1	NT	Methanobacterium thermoautotrophicum from bases 1028155 to 1038934 (section 88 of 148) of the complete genome

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
120	13229	26157	0.7	7.2E-02	AE000882.1	NT	Methanobacterium thermoautotrophicum from bases 1029155 to 1039934 (section 88 of 148) of the complete genome
1472	14505	27478	2.77	7.2E-02	AL163301.2	NT	Homo sapiens chromosome 21 segment HS21C101
1472	14505	27479	2.77	7.2E-02	AL163301.2	NT	Homo sapiens chromosome 21 segment HS21C101
2556	15558		2.98	7.2E-02	U14794.1	NT	Human immunodeficiency virus type 1 isolate 28 reverse transcriptase (pol) gene, internal fragment, partial cds
3900	16940	29851	0.74	7.2E-02	AW298322.1	EST_HUMAN	U1H.BW0-aj1e-05-QJ1.s1 NCI_CGAP_Sub6 Homo sapiens cDNA clone IMAGE:2732049 3'
4373	17400	30280	4.57	7.2E-02	BF672307.1	EST_HUMAN	602077757F1 NIH_MGC_62 Homo sapiens cDNA clone IMAGE:4251950 5'
5360	18485	31336	2.81	7.2E-02	U87531.1	NT	Methanococcus jannaschii section 73 of 150 of the complete genome
5361	18486	31337	9.14	7.2E-02	P11120	SWISSPROT	CALMODULIN
6239	19312		0.73	7.2E-02	BF217596.1	EST_HUMAN	601883905F1 NIH_MGC_57 Homo sapiens cDNA clone IMAGE:4096224 5'
7374	20344	33696	1.76	7.2E-02	BF216086.1	EST_HUMAN	601883558F1 NIH_MGC_57 Homo sapiens cDNA clone IMAGE:4095710 5'
7391	20360	33712	0.8	7.2E-02	AF221126.1	NT	Streptococcus pneumoniae putative response regulator (zmpR), putative histidine kinase (zmpS), and putative zinc metalloprotease (zmpB) genes, complete cds
7417	20384		1.74	7.2E-02	5834897	NT	Strongylocentrotus purpuratus mitochondrion, complete genome
8529	21497	34912	0.69	7.2E-02	P06143	SWISSPROT	PROLINE-RICH PROTEIN MP-3
8529	21497	34913	0.69	7.2E-02	P06143	SWISSPROT	PROLINE-RICH PROTEIN MP-3
9419	22394		0.62	7.2E-02	Y17217.1	NT	Lactococcus lactis cspE gene
9934	22861		0.63	7.2E-02	X16349.1	NT	Human gene for sex hormone-binding globulin (SHBG)
9970	22897	36360	1.98	7.2E-02	AV12452.1	EST_HUMAN	AV712452 DCA Homo sapiens cDNA clone DCAAUG01 5'
10117	23043	36523	3.63	7.2E-02	L14561.1	NT	Homo sapiens plasma membrane calcium ATPase isoform 1 (ATP2B1) gene, alternative splice products, partial cds
10274	23199	36693	1.17	7.2E-02	BF125399.1	EST_HUMAN	601768552F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:4026438 5'
10362	23285	36762	2.29	7.2E-02	AW873187.1	EST_HUMAN	hq24f1.1x1 NCI_CGAP_Adr1 Homo sapiens cDNA clone IMAGE:3120333 3' similar to TR:Q9Z340 Q9Z340
10552	23474	36869	0.54	7.2E-02	AA768204.1	EST_HUMAN	ATYPICAL PKC SPECIFIC BINDING PROTEIN ;
							oe62c07.s1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:1316844 3'
10717	23699	37132	2.17	7.2E-02	U82695.2	NT	Homo sapiens zinc finger protein 92 (ZFP92), expressed-Xq28STS protein (XQ28ORF), and biglycan (BGN) genes, complete cds; and plasma membrane calcium ATPase isoform 3 (PMCA3) gene, partial cds
10840	23760	37260	5.41	7.2E-02	BE565003.1	EST_HUMAN	601343926F1 NIH_MGC_53 Homo sapiens cDNA clone IMAGE:3685951 5'
10864	23784		3.24	7.2E-02	BE639214.1	EST_HUMAN	601065104F1 NIH_MGC_10 Homo sapiens cDNA clone IMAGE:3451559 5'
11258	24210	37733	4.17	7.2E-02	AF049874.1	NT	Rattus norvegicus bHLH transcription factor Mist1 (Mist1) gene, complete cds
12311	25119	31842	1.58	7.2E-02	AA773896.1	EST_HUMAN	af81a04.11 Soares_NihMIPu_S1 Homo sapiens cDNA clone IMAGE:1048398 5'
12350	25145		5.13	7.2E-02	AJ230796.1	EST_HUMAN	AJ230796 Homo sapiens library (Seranski P) Homo sapiens cDNA clone PS13D5 3'

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descrip
12489	25218		3.99	7.2E-02	U82828.1	NT	Homo sapiens alaxia telangiectasia (ATM) gene, complete cds
12484	25764		8.41	7.2E-02	AW900862.1	EST_HUMAN	CM4NN1009-200300-118-c11 NN1009 Homo sapiens cDNA
12880	25933		1.45	7.2E-02	AF020439.1	NT	Homo sapiens ATP-citrate lyase gene, intron 3
12864	25533		1.85	7.2E-02	AA401779.1	EST_HUMAN	z157c12.1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:728454 5'
1920	14944	27940	1.83	7.1E-02	L02290.1	NT	Human immunodeficiency virus type 1 (D9) proviral structural capsid protein (gag) gene, partial cds
2300	15312	28332	6.39	7.1E-02	BF208802.1	EST_HUMAN	60187281F1 NIH_MGC_53 Homo sapiens cDNA clone IMAGE:4092881 5'
8239	21208	34612	0.87	7.1E-02	AI126284.1	EST_HUMAN	q092a10.x1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1736922 3'
12193	25038		8.33	7.1E-02	BE304764.1	EST_HUMAN	601143974F1 NIH_MGC_15 Homo sapiens cDNA clone IMAGE:3081234 5'
529	13600	26518	1.42	7.0E-02	Q07092	SWISSPROT	COLLAGEN ALPHA 1(XVI) CHAIN PRECURSOR
1499	14632		1.82	7.0E-02	X96677.1	NT	Martellia Mitc-1 gene
1776	14805	27791	1.18	7.0E-02	AA056343.1	EST_HUMAN	266704.s1 Streptococcus (#837204) Homo sapiens cDNA clone IMAGE:509599 3'
3042	16100	28015	1.76	7.0E-02	AW138152.1	EST_HUMAN	U1-H-B11-ecy-s-07-0-U1.s1 NCL_CGAP_Sub3 Homo sapiens cDNA clone IMAGE:2716020 3'
3913	16953	29864	0.96	7.0E-02	AA815438.1	EST_HUMAN	ai05a12.s1 Soares_testis_NHT Homo sapiens cDNA clone 1375678 3' similar to gb:K03002 60S
4074	17110	30004	1.05	7.0E-02	BE070264.1	EST_HUMAN	RIBOSOMAL PROTEIN L32 (HUMAN);
4164	17195		1.24	7.0E-02	AW792962.1	EST_HUMAN	QV4-BT0407-280100-090-e10 BT0407 Homo sapiens cDNA
4242	17271	30156	1.28	7.0E-02	AF077821.1	NT	Canis familiaris inducible nitric oxide synthase mRNA, complete cds
4866	17881	30871	8.41	7.0E-02	BF381987.1	EST_HUMAN	601816281F1 NIH_MGC_56 Homo sapiens cDNA clone IMAGE:4080071 5'
5451	18553		1.03	7.0E-02	Y09143.2	NT	Lumbricus rubellus mRNA for cyclophilin B
7630	20560	33953	0.9	7.0E-02	AV689285.1	EST_HUMAN	AV689285 GKC Homo sapiens cDNA clone GKCAE06 5'
7664	20808	34186	0.6	7.0E-02	Y19187.1	NT	Gallus gallus mRNA for partial aczonin, XL spliced variant (acz gene)
9454	22418	35856	1.2	7.0E-02	K02901.1	NT	African swine fever virus, complete genome
9956	22883	36345	1.21	7.0E-02	K02901.1	NT	Rat Ig gamma epsilon H-chain gene C-region, 3' end
10312	23236	36718	0.76	7.0E-02	U27286.1	NT	Human myosin binding protein H (MyBP-H) gene, complete cds
11700	24865	38242	2.23	7.0E-02	AA74295.1	EST_HUMAN	ah09a05.s1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1327184 3' similar to gb:L14837
12939	25519	31710	1.68	7.0E-02	11421638	NT	TIGHT JUNCTION PROTEIN ZO-1 (HUMAN);
515	13586	26504	11.2	6.9E-02	AL163210.2	NT	Homo sapiens hypothetical protein FLJ20116 (FLJ20116), mRNA
515	13586	26505	11.2	6.9E-02	AL163210.2	NT	Homo sapiens chromosome 21 segment HS21C010
							Homo sapiens chromosome 21 segment HS21C010
1336	14370		1.88	6.9E-02	4507988	NT	Homo sapiens regulator of G2-selective protein signaling (ZGAP1) mRNA, and translated products
3807	16947	29754	1.37	6.9E-02	Q06364	SWISSPROT	26S PROTEASOME REGULATORY SUBUNIT S3 (NUCLEAR ANTIGEN 21D7)
3807	16947	29755	1.37	6.9E-02	Q06364	SWISSPROT	26S PROTEASOME REGULATORY SUBUNIT S3 (NUCLEAR ANTIGEN 21D7)

Page 136 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5151	18161	31041	0.97	6.9E-02	AA670289.1	EST_HUMAN	af25e08.s1 Soares_tet1_fetus_Nb2HF8_9w Homo sapiens cDNA clone IMAGE:1032710 3'
6026	19109		0.57	6.9E-02	AF161364.1	NT	Homo sapiens HSPC101 mRNA, partial cds
7876	20820		0.87	6.9E-02	AF164987.1	NT	Canine distemper virus strain A75/17, complete genome
8387	21356		1.18	6.9E-02	U12022.1	NT	Human calmodulin (CALM1) gene, exons 2,3,4,5 and 6, and complete cds
8899	21865	35287	1.08	6.9E-02	BE567435.1	EST_HUMAN	601340661F1 NIH_MGC_53 Homo sapiens cDNA clone IMAGE:3983030 5'
8899	21865	35288	1.08	6.9E-02	BE567435.1	EST_HUMAN	601340661F1 NIH_MGC_53 Homo sapiens cDNA clone IMAGE:3983030 5'
9475	22439	35979	0.55	6.9E-02	U22967.1	NT	Barbarie duck parvovirus REP protein (rep) and three capsid protein VP (vp) genes, complete cds
12343	25141		2.17	6.9E-02	X74315.1	NT	X.laevis XFD2 mRNA for fork head protein
12519	25250		1.75	6.9E-02	P44821	SWISSPROT	PROTEIN TRANSPORT PROTEIN HOFH HOMOLOG
13112	25631	31648	3.69	6.9E-02	BF352898.1	EST_HUMAN	IL3-HT0618-110700-210-C04 HT0619 Homo sapiens cDNA
1899	14924	27918	1.18	6.8E-02	AA496759.1	EST_HUMAN	ae30f02.r1 Gessler Wilms tumor Homo sapiens cDNA clone IMAGE:897339 5' similar to gb:M22382
1899	14924	27919	1.18	6.8E-02	AA496759.1	EST_HUMAN	MITOCHONDRIAL MATRIX PROTEIN P1 PRECURSOR (HUMAN);
1922	14946	27942	4.7	6.8E-02	AF156673.1	NT	ae30f02.r1 Gessler Wilms tumor Homo sapiens cDNA clone IMAGE:897339 5' similar to gb:M22382
3117	16174	29084	1.05	6.8E-02	AA781996.1	EST_HUMAN	Homo sapiens putative hepatic transcription factor (WBSOR14) gene, complete cds
3117	16174	29085	1.05	6.8E-02	AA781996.1	EST_HUMAN	ai75a06.s1 Soares_testis_NHT Homo sapiens cDNA clone 1376626 3'
3117	16174	29086	1.05	6.8E-02	AA781996.1	EST_HUMAN	ai75a06.s1 Soares_testis_NHT Homo sapiens cDNA clone 1376626 3'
4583	17605		0.71	6.8E-02	BE141076.1	EST_HUMAN	MR0-HT0069-071095-001-c05 HT0069 Homo sapiens cDNA
5283	18289		0.76	6.8E-02	T03013.1	EST_HUMAN	FB20A6 Fetal brain, Striatogene Homo sapiens cDNA clone FB20A6 3' end
6776	18831		0.86	6.8E-02	P20792	SWISSPROT	CELL-SURFACE RECEPTOR DAF-1 PRECURSOR
7084	20018		1.05	6.8E-02	BE061890.1	EST_HUMAN	RC1-BT0254-080300-017-409 B.T0254 Homo sapiens cDNA
7497	20462	33922	7.18	6.8E-02	AL163288.2	NT	Homo sapiens chromosome 21 segment HS21C068
7948	20889	34280	0.84	6.8E-02	U16858.1	NT	Dicotyledon dicotyledon myosin heavy chain kinase A (MHCK A) mRNA, complete cds
8631	21599	35020	5.44	6.8E-02	AJ248287.1	NT	Pyrococcus abyssi complete genome; segment 5/6
8631	21599	35021	5.44	6.8E-02	AJ248287.1	NT	Pyrococcus abyssi complete genome; segment 5/6
12140	25949		3.73	6.8E-02	T03214.1	EST_HUMAN	FB4A8 Fetal brain, Striatogene Homo sapiens cDNA clone FB4A8 3' and similar to LINE-1
12774	25094		2.52	6.8E-02	AA758014.1	EST_HUMAN	ah67f05.s1 Soares_testis_NHT Homo sapiens cDNA clone 1320705 3'
12832	25449		1.88	6.8E-02	AW975839.1	EST_HUMAN	EST1387848 MAGe resequences, MAGN Homo sapiens cDNA
12894	25480		2.35	6.8E-02	9910585	NT	Mus musculus latent TGF beta binding protein (Tgfb), mRNA
1531	14564		1.93	6.7E-02	AF115536.1	NT	Oncochrychius mykiss TAP1 protein (OnmyTAP1) mRNA, OnmyTAP1*01 allele, complete cds
1910	14934	27930	1.99	6.7E-02	AJ220285.1	EST_HUMAN	qg79e04.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1841406 3'
3730	18772	29683	4.34	6.7E-02	P17278	SWISSPROT	HOMEOBOX PROTEIN HOX-D4 (CHOX-A)
8183	21153	34560	1.01	6.7E-02	X62695.1	NT	H.sapiens DNA for cGMP phosphodiesterase (exons 4-22)

Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8183	21153	34561	1.01	6.7E-02	X62695.1	NT	H. sapiens DNA for cGMP phosphodiesterase (exons 4-22)
8781	21748	36170	0.45	6.7E-02	AW082688.1	EST_HUMAN	xb61c11.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2580788 3'
9959	22886	36347	0.73	6.7E-02	AW137359.1	EST_HUMAN	U1-H-B1-act-g-01-0-U1.s1 NCI_CGAP_Sub3 Homo sapiens cDNA clone IMAGE:2715433 3'
9959	22886	36348	0.73	6.7E-02	AW137359.1	EST_HUMAN	U1-H-B1-act-g-01-0-U1.s1 NCI_CGAP_Sub3 Homo sapiens cDNA clone IMAGE:2715433 3'
1371	14406	27376	0.9	6.6E-02	AF245116.1	NT	Drosophila melanogaster cactin mRNA, complete cds
2192	16207	28226	2.66	6.6E-02	AJ289241.1	NT	Mus musculus Capn12 gene for calpain 12, exons 1-21, three alternative transcripts
3477	16523	29447	11.07	6.6E-02	R64306.1	EST_HUMAN	y18b10.s1 Soares placenta Nb2HP Homo sapiens cDNA clone IMAGE:138579 3'
3491	16537	29462	2.1	6.6E-02	7108357	NT	Homo sapiens mesothelin (MSLN), transcript variant 1, mRNA
3491	16537	29463	2.1	6.6E-02	7108357	NT	Homo sapiens mesothelin (MSLN), transcript variant 1, mRNA
4107	17141	30038	1.45	6.6E-02	AF260225.1	NT	Homo sapiens TESTIN 2 and TESTIN 3 genes, complete cds, alternatively spliced
5015	18029	30913	9.23	6.6E-02	Q61703	SWISSPROT	INTER-ALPHA-TRYPsin INHIBITOR HEAVY CHAIN H2 PRECURSOR (ITI HEAVY CHAIN H2)
5015	18029	30914	9.23	6.6E-02	Q61703	SWISSPROT	INTER-ALPHA-TRYPsin INHIBITOR HEAVY CHAIN H2 PRECURSOR (ITI HEAVY CHAIN H2)
6736	18792	33073	3.97	6.6E-02	X06411.1	NT	P. vulgaris mRNA for chalcone synthase
6967	19823	33105	0.55	6.6E-02	P25159	SWISSPROT	MATERNAL EFFECT PROTEIN STAUFEN
6967	19823	33106	0.55	6.6E-02	P25159	SWISSPROT	MATERNAL EFFECT PROTEIN STAUFEN
8152	21080		0.57	6.6E-02	D14567.1	NT	Penicillium urticae mitochondrial rRNA (large rRNA) gene and its flanking region
8279	21248	34660	1.6	6.6E-02	AF052572.1	NT	Homo sapiens chemokine receptor CXCR4 gene, promoter region and complete cds
8817	21784	35209	0.87	6.6E-02	AF060055.1	NT	Dictyostellum discoideum derlin (darA) gene, complete cds
9273	22239	35666	0.67	6.6E-02	9629198	NT	Human respiratory syncytial virus, complete genome
9273	22239	35667	0.67	6.6E-02	9629198	NT	Human respiratory syncytial virus, complete genome
10311	23235	36717	0.52	6.6E-02	AI458752.1	EST_HUMAN	y97g06.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:2149498 3'
10447	23369	36860	1.95	6.6E-02	Y07948.1	NT	Homo sapiens EWS, gar22, rrp22 and bam22 genes
10481	23403		0.6	6.6E-02	11430569	NT	Homo sapiens vinculin (VCL), mRNA
11310	24260	37786	4.9	6.6E-02	BF374248.1	EST_HUMAN	MR1-SN0084-010600-008-a12 SN0084 Homo sapiens cDNA
12063	24938		1.73	6.6E-02	C05789.1	EST_HUMAN	C05789 Human pancreatic islet Homo sapiens cDNA clone hbc5156
12719	26373		2.53	6.6E-02	9937991	NT	Mus musculus DIPB gene (Dipb), mRNA
13024	26572		1.31	6.6E-02	AF167430.1	NT	Rattus norvegicus cytochrome P450 2E1 (CYP2E1) gene, 5' flanking region
584	13652	26566	2.67	6.5E-02	BF027639.1	EST_HUMAN	601671046F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3954178 5'
989	14041	26596	1.95	6.5E-02	7706068	NT	Homo sapiens E2F-like protein (LOC51270), mRNA
1392	14426	27395	3.5	6.5E-02	U47624.1	NT	Xenopus laevis alpha(E)-catenin mRNA, complete cds
1749	14778	27763	2.08	6.5E-02	AE000764.1	NT	Aquifex aeolicus section 98 of 109 of the complete genome
5638	18734	31896	1.71	6.5E-02	AA443991.1	EST_HUMAN	z146H12.a1 Soares ovary tumor NBH07 Homo sapiens cDNA clone IMAGE:756743 3' similar to gb:M26038
6963	19750	33027	0.83	6.5E-02	BF665340.1	EST_HUMAN	HLA CLASS II HISTOCOMPATIBILITY ANTIGEN, DR-5 BETA CHAIN (HUMAN); 602118687F1 NIH_MGC_56 Homo sapiens cDNA clone IMAGE:4276028 5'

Page 138 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7165	18396	31241	1.17	6.5E-02	U22891.1	NT	Azobacter vinelandii ATCC 9046 negative regulator MucB (mucB) gene, partial cds
10302	23227	36709	0.65	6.5E-02	BE963200.2	EST_HUMAN	601856817R1 NIH_MGC_67 Homo sapiens cDNA clone IMAGE:3965637 3'
10302	23227	36710	0.65	6.5E-02	BE963200.2	EST_HUMAN	601856817R1 NIH_MGC_67 Homo sapiens cDNA clone IMAGE:3965637 3'
10832	23753	37252	0.53	6.5E-02	BF106300.1	EST_HUMAN	601823511F1 NIH_MGC_77 Homo sapiens cDNA clone IMAGE:4043138 5'
11002	23968	37492	4.51	6.5E-02	AA195648.1	EST_HUMAN	z32g05.61 Soares NIHMPu_S1 Homo sapiens cDNA clone IMAGE:665144 3'
12164	25017		4.18	6.5E-02	M21496.1	NT	Rabbit microsomal epoxide hydrolase
12526	25255		7.31	6.5E-02	AF102993.1	NT	Nectria haematococca kinesin related protein 2 (KRP2) gene, complete cds
577	13646	26559	1.74	6.4E-02	X94549.1	NT	A.carterae precursor of peridinin-chlorophylla-protein (PCP) gene
1748	14775	27760	0.93	6.4E-02	AE001777.1	NT	Thermoboga maritima section 89 of 136 of the complete genome
1748	14775	27761	0.93	6.4E-02	AE001777.1	NT	Thermoboga maritima section 89 of 136 of the complete genome
4933	16085	29007	1.18	6.4E-02	6996923	NT	Mus musculus histone deacetylase 5 (Hdac5), mRNA
5262	18270		2.56	6.4E-02	AA147572.1	EST_HUMAN	z51e04.r1 Soares_pregnant_uterus_NHHPU Homo sapiens cDNA clone IMAGE:505470 5' similar to contains Alu repetitive element;
5525	18624	31559	1.19	6.4E-02	AI191956.1	EST_HUMAN	qe07b01.x1 Soares_besite_NHT Homo sapiens cDNA clone IMAGE:1738249 3' similar to contains LTR8.b3 LTR8 repetitive element;
5982	19067	32265	1.16	6.4E-02	7305180	NT	Mus musculus IFN-response element binding factor 1 (IREBF-1), mRNA
6234	19307	32539	4.18	6.4E-02	AF052733.1	NT	Heterodera glycines beta-1,4-endoglucanase-1 precursor (HG-eng-1) gene, complete cds
6234	19307	32540	4.16	6.4E-02	AF052733.1	NT	Heterodera glycines beta-1,4-endoglucanase-1 precursor (HG-eng-1) gene, complete cds
6542	19604	32866	0.72	6.4E-02	AI672898.1	EST_HUMAN	we73g12.x1 Soares_Dieckgraebe_cdon_NHOD Homo sapiens cDNA clone IMAGE:2346790 3'
6990	20213	33542	4.64	6.4E-02	BE974448.1	EST_HUMAN	601690425R2 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:3950503 3'
7693	20851	34015	0.52	6.4E-02	AL162757.2	NT	Neisseria meningitidis serogroup A strain Z2491 complete genome; segment 677
8679	21647		2.79	6.4E-02	6753323	NT	Mus musculus chaperonin subunit 6a (zeta) (Cct6a), mRNA
9012	21978	35397	4	6.4E-02	AA093305.1	EST_HUMAN	k1419.seq.F Human fetal heart, Lambda ZAP Express Homo sapiens cDNA 5'
9483	22447	35887	0.92	6.4E-02	AF150185.1	EST_HUMAN	AF150195 Human mRNA from cd34+ stem cells Homo sapiens cDNA clone CBDAIA10
9944	22871		0.51	6.4E-02	BE834083.1	EST_HUMAN	RC1-OT0083-150600-014-g06 OT0083 Homo sapiens cDNA
10075	23002	36472	1.75	6.4E-02	AB011126.1	NT	Homo sapiens mRNA for KIAA0554 protein, partial cds
10624	23546	37046	0.59	6.4E-02	AF087150.1	NT	Homo sapiens DNA topoisomerase II beta (TOP2B) gene, exons 16, 17, and 18
10824	23546	37047	0.59	6.4E-02	AF087150.1	NT	Homo sapiens DNA topoisomerase II beta (TOP2B) gene, exons 16, 17, and 18
12018	24895	38492	2.18	6.4E-02	U91328.1	NT	Human hereditary haemochromatosis region, histone 2A-like protein gene, hereditary haemochromatosis (HLA-H) gene, RoRet gene, and sodium phosphate transporter (NPT3) gene, complete cds
12018	24895	38493	2.18	6.4E-02	U91328.1	NT	Human hereditary haemochromatosis region, histone 2A-like protein gene, hereditary haemochromatosis (HLA-H) gene, RoRet gene, and sodium phosphate transporter (NPT3) gene, complete cds

Page 139 of 546
Table 4

Single Exon Probes Expressed In Bone Marrow

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
12424	25861		5.38	6.4E-02	AF107890.1	NT	Homo sapiens mucin 5B (MUC5B) gene, partial cds
12476	25224	31763	5.68	6.4E-02	AJ277174.1	NT	Drosophila melanogaster mRNA for mod(mdg4)51.4 protein
1769	14798	27784	2.76	6.3E-02	AF109905.1	NT	Mus musculus major histocompatibility locus class III regions Hsc701 gene, partial cds; smRNP, G7A, NG23, MutS homolog, CLCP, NG24, NG25, and NG28 genes, complete cds; and unknown genes
3618	16682		2.77	6.3E-02	P37092	SWISSPROT	HEAT SHOCK PROTEIN 70 HOMOLOG
6259	19332	32563	1.06	6.3E-02	BF210736.1	EST_HUMAN	601873316F1 NIH_MGC_54 Homo sapiens cDNA clone IMAGE:4087499 5'
7463	20419		1.39	6.3E-02	X97869.1	NT	H sapiens gene encoding La autoantigen
9848	22590	36039	1.01	6.3E-02	AJ243918.1	NT	Drosophila melanogaster Domina gene, exons 1-3
10374	23297	36773	2.98	6.3E-02	AB010162.1	NT	Hepatitis G virus RNA for polyprotein (NS5A region), partial cds, strain: CNR-152
10634	23566		0.81	6.3E-02	AV698070.1	EST_HUMAN	AV698070 GKC Homo sapiens cDNA clone GKCAHE01 5'
11070	19332	32563	2.76	6.3E-02	BF210736.1	EST_HUMAN	601873316F1 NIH_MGC_54 Homo sapiens cDNA clone IMAGE:4087499 5'
4278	17307	30186	2.48	6.2E-02	AL161572.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 68
4365	17392		1.12	6.2E-02	AF271235.1	NT	Rattus norvegicus differentiation-associated Na-dependent inorganic phosphate cotransporter (DNPI) mRNA, complete cds
4612	17833		6.56	6.2E-02	Q62191	SWISSPROT	52 KD RO PROTEIN (SJOGREN SYNDROME TYPE A ANTIGEN (SS-A)) (ROSS-A)) (RO52)
6863	20188	33513	0.97	6.2E-02	D49530.1	NT	Spirulina platensis DNA for adenylate cyclase, complete cds
7889	20833	34212	0.79	6.2E-02	U41453.1	NT	Rattus norvegicus PKG binding protein and substrate mRNA, complete cds
8158	21096		0.58	6.2E-02	M61101.1	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 45
9299	26007		0.63	6.2E-02	M61101.1	NT	Porcine group C rotavirus (strain Cowden) outer membrane protein (VP7) mRNA, complete cds
9699	22652	36106	0.53	6.2E-02	AA778450.1	EST_HUMAN	af20a06.s1 Scores_total_fetus_N52HF8_9w Homo sapiens cDNA clone IMAGE:1032178 3'
9835	22771	36226	1.26	6.2E-02	6877898	NT	Mus musculus stromal cell derived factor receptor 2 (Sdf2), mRNA
12259	25979		15.86	6.2E-02	AE000750.1	NT	Aquifex aeolicus section 82 of 109 of the complete genome
12596	25299		1.38	6.2E-02	BE793085.1	EST_HUMAN	601683773F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3537842 5'
12678	25348	31764	3.54	6.2E-02	BF112039.1	EST_HUMAN	737808.x1 Scores_NSF_F8_9w_OT_PA_P_S1 Homo sapiens cDNA clone IMAGE:3523815 3' similar to
256	13353	26278	3.09	6.1E-02	D16471.1	NT	Human mRNA, Xq terminal portion
4017	17056		15.65	6.1E-02	U73325.1	NT	Arabidopsis thaliana K+ inward rectifying channel protein (AIKC1) gene, complete cds
6043	19125	32330	0.82	6.1E-02	7662463	NT	Homo sapiens KIAA1062 protein (KIAA1062), mRNA
6043	19125	32331	0.62	6.1E-02	7662463	NT	Homo sapiens KIAA1052 protein (KIAA1052), mRNA
8235	19308		1.64	6.1E-02	4507070	NT	Homo sapiens SW/ISNF related, matrix associated, actin dependent regulator of chromatin, subfamily a, member 3 (SMARCA3) mRNA
8606	21574	34989	3.52	6.1E-02	X99268.1	NT	H sapiens mRNA for B-HLH DNA binding protein
9008	21974	35393	1.93	6.1E-02	BE971853.1	EST_HUMAN	601651086R1 NIH_MGC_81 Homo sapiens cDNA clone IMAGE:3934604 3'

Page 140 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
9008	21974	35394	1.93	6.1E-02	BE971853.1	EST_HUMAN	601651088R1 NIH_MGC_81 Homo sapiens cDNA clone IMAGE:3934604 3'
11082	24044	37586	3.44	6.1E-02	BE178543.1	EST_HUMAN	IL3-HT0618-110500-136-C08 HT0618 Homo sapiens cDNA
12216	25897			2.42	6.1E-02	X70969.1	S japonicum mRNA for serine-enzyme
12779	25774		1.35	6.1E-02	A189861.1	EST_HUMAN	125907.x1 NCI_CGAP_OV35 Homo sapiens cDNA clone IMAGE:2292801 3'
12912	25491		7.44	6.1E-02	AL163207.2	NT	Homo sapiens chromosome 21 segment HS21C007
1297	14302	27283	1.25	6.0E-02	AE001777.1	NT	Thermoboga maritima section 89 of 136 of the complete genome
2684	15680	28698	1.17	6.0E-02	AW968848.1	EST_HUMAN	EST380924 MAGE resequences, MAGJ Homo sapiens cDNA
2783	15775		1.98	6.0E-02	AB031289.1	NT	Mesocricetus corti mitochondrial DNA, NADH dehydrogenase subunit 4, tRNA-Gln, tRNA-Phe, tRNA-Met, ATPase subunit 6, and NADH dehydrogenase subunit 2
2948	13213	26137	1.47	6.0E-02	AA188730.1	EST_HUMAN	zp78c04.r1 Stragene HeLa cell s3 937216 Homo sapiens cDNA clone IMAGE:626310 5'
2948	13213	26138	1.47	6.0E-02	AA188730.1	EST_HUMAN	zp78c04.r1 Stragene HeLa cell s3 937216 Homo sapiens cDNA clone IMAGE:626310 5'
3243	16298	29222	1.52	6.0E-02	AA372376.1	EST_HUMAN	EST84286 Cdon adenocarcinoma IV Homo sapiens cDNA 5' end similar to tissue-specific protein
3243	16298	29223	1.52	6.0E-02	AA372376.1	EST_HUMAN	EST84286 Cdon adenocarcinoma IV Homo sapiens cDNA 5' end similar to tissue-specific protein
5472	18573		0.76	6.0E-02	AW370211.1	EST_HUMAN	RC3-BT0253-011189-013-b04 BT0253 Homo sapiens cDNA
6341	19410	32651	0.98	6.0E-02	A1807537.1	EST_HUMAN	wf48h05.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2356873 3' similar to contains L1 11 L1 L1 repetitive element;
7180	18411	31212	2.79	6.0E-02	5174698	NT	Homo sapiens stimulated trans-acting factor (50 kDa) (STAF50) mRNA
7180	18411	31213	2.79	6.0E-02	5174698	NT	Homo sapiens stimulated trans-acting factor (50 kDa) (STAF50) mRNA
7394	20362	33714	2.08	6.0E-02	BF382349.1	EST_HUMAN	601816274F2 NIH_MGC_56 Homo sapiens cDNA clone IMAGE:4049226 5'
7508	20473	33833	0.57	6.0E-02	BF210488.1	EST_HUMAN	601874710F1 NIH_MGC_54 Homo sapiens cDNA clone IMAGE:4101074 5'
7944	20886	34277	1.71	6.0E-02	A1204275.1	EST_HUMAN	q558b08.x1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1754189 3'
8765	21732		0.52	6.0E-02	11468405	NT	Recinomonas americana mitochondrion, complete genome
9627	22571	36020	1.17	6.0E-02	A1623167.1	EST_HUMAN	ts78a06.x1 NCI_CGAP_GC8 Homo sapiens cDNA clone IMAGE:2237362 3'
9627	22571	36021	1.17	6.0E-02	A1623167.1	EST_HUMAN	ts78a06.x1 NCI_CGAP_GC8 Homo sapiens cDNA clone IMAGE:2237362 3'
9761	22702	36159	2.03	6.0E-02	AJ245365.1	NT	Acipenser baeri partial IGLV gene for immunoglobulin light chain variable region, exons 1-2
9761	22702	36160	2.03	6.0E-02	AJ245365.1	NT	Acipenser baeri partial IGLV gene for immunoglobulin light chain variable region, exons 1-2
10265	23190	36675	0.66	6.0E-02	AA309797.1	EST_HUMAN	EST180654 Jurkat T-cells V Homo sapiens cDNA 5' end similar to similar to heat shock protein 1, 60 kDa-like
10265	23190	36676	0.66	6.0E-02	AA309797.1	EST_HUMAN	EST180654 Jurkat T-cells V Homo sapiens cDNA 5' end similar to similar to heat shock protein 1, 60 kDa-like
12475	25223	31792	3.08	6.0E-02	11431702	NT	Homo sapiens DNA-dependent protein kinase catalytic subunit-interacting protein 2 (KIP2), mRNA
12845	25455		3.16	6.0E-02	A1809273.1	EST_HUMAN	wf59h03.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2360885 3' similar to TR:O60298
232	13332	26255	5.34	5.9E-02	AW934719.1	EST_HUMAN	O60298 KIAA0651 PROTEIN; RC1-DT0001-280100-012-e10 DT0001 Homo sapiens cDNA

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2986	16054	28976	3.42	5.9E-02	AF190269.1	NT	Mus musculus p53 tumor suppressor gene, exon 10 and 11, partial cds; alternatively spliced
4905	17922	30814	0.94	5.9E-02	AF006304.1	NT	Saccharomyces cerevisiae protein tyrosine phosphatase (PTP3) gene, complete cds
7077	25674	33409	0.62	5.9E-02	AF145680.1	NT	Drosophila melanogaster LD23107 sting (sting) mRNA, complete cds
8964	21830	35355	1.92	5.9E-02	9055249	NT	Mus musculus Iroquois related homeobox 5 (Drosophila) (Irx5), mRNA
9808	21129		0.82	5.9E-02	BF242748.1	EST_HUMAN	601877609F1 NIH_MGC_55 Homo sapiens cDNA clone IMAGE:4105994 5'
11138	24098		3.23	5.9E-02	9679870	NT	Mus musculus follistatin-like (Fstl), mRNA
833	13886		6.03	5.8E-02	D90110.1	NT	Thiobacillus ferrooxidans merC, merA genes and URF-1
2872	15932		0.99	5.8E-02	AJ23621.1	NT	Populus trichocarpa CCoAOMT1 gene, exon 1 to exon 5
3676	18719	29633	1.32	5.8E-02	AE001775.1	NT	Thermotoga maritima section 87 of 136 of the complete genome
4382	17410	30282	5.33	5.8E-02	AW051927.1	EST_HUMAN	wx24c02.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2544578 3'
4382	17410	30283	5.33	5.8E-02	AW051927.1	EST_HUMAN	wx24c02.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2544578 3'
4578	17600	30496	4.73	5.8E-02	AI247505.1	EST_HUMAN	qh56f01.x1 Soares_fetal_liver_spleen_INFLS_S1 Homo sapiens cDNA clone IMAGE:1848697 3' similar to gb:M13142 COAGULATION FACTOR XI PRECURSOR (HUMAN);
4578	17600	30496	4.73	5.8E-02	AI247505.1	EST_HUMAN	qh56f01.x1 Soares_fetal_liver_spleen_INFLS_S1 Homo sapiens cDNA clone IMAGE:1848697 3' similar to gb:M13142 COAGULATION FACTOR XI PRECURSOR (HUMAN);
4604	17625		2.93	5.8E-02	AF096264.1	NT	Gallus gallus tyrosine kinase JAK1 (JAK1) mRNA, complete cds
6014	19097	32298	0.53	5.8E-02	AA190994.1	EST_HUMAN	zp86a11.s1 Strategene HeLa cell s3 637218 Homo sapiens cDNA clone IMAGE:627088 3'
7941	20883	34273	2.52	5.8E-02	M98150.1	NT	Human polymorphic microsatellite DNA
7941	20883	34274	2.52	5.8E-02	M98150.1	NT	Human polymorphic microsatellite DNA
8014	21980	35399	0.59	5.8E-02	AL163283.2	NT	Homo sapiens chromosome 21 segment HS21C083
12655	25968		10.6	5.8E-02	AA604269.1	EST_HUMAN	no756r11.s1 NCI_CGAP_AA1 Homo sapiens cDNA clone IMAGE:1112894 3'
3070	16127	28039	1.27	5.7E-02	AI081644.1	EST_HUMAN	ou63b05.s1 NCI_CGAP_Br2 Homo sapiens cDNA clone IMAGE:1632465 3' similar to WP:C37A2.2 CE08611;
3086	18143	28055	1.51	5.7E-02	AF119117.1	NT	Homo sapiens dopamine transporter (SLC8A3) gene, complete cds
3814	16854	29761	2.47	5.7E-02	AW066791.1	EST_HUMAN	EST378865 MAGe resequences, MAG1 Homo sapiens cDNA
5199	18208	31062	0.91	5.7E-02	AJ251973.1	NT	Homo sapiens partial steerin-1 gene
5306	18309		1.18	5.7E-02	6754525	NT	Mus musculus low density lipoprotein receptor (Ldlr), mRNA
5979	18064		0.69	5.7E-02	AF275948.1	NT	Homo sapiens ABCA1 (ABCA1) gene, complete cds
7704	20661	34025	0.59	5.7E-02	BE871911.1	EST_HUMAN	601447937F1 NIH_MGC_65 Homo sapiens cDNA clone IMAGE:3861885 5'
7704	20661	34026	0.59	5.7E-02	BE871911.1	EST_HUMAN	601447937F1 NIH_MGC_65 Homo sapiens cDNA clone IMAGE:3861885 5'
7786	20739	34111	0.68	5.7E-02	D78003.1	NT	Xenopus laevis mRNA for fourth component of complement, complete cds
7786	20739	34112	0.68	5.7E-02	D78003.1	NT	Xenopus laevis mRNA for fourth component of complement, complete cds
8495	21463	34879	1.74	5.7E-02	AJ296090.1	NT	Rattus norvegicus mRNA for potassium channel, alpha subunit (Kv9.2 gene)
10209	23134	36621	0.65	5.7E-02	6681260	NT	Mus musculus ect2 oncogene (Ect2), mRNA

Page 142 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
10930	23850	37365	0.49	5.7E-02	Z49983.1	NT	L.mexicana cpb1 gene
11521	24462	38013	3.22	5.7E-02	A1752685.1	EST_HUMAN	cn18b09.y1 Normal Human Trabecular Bone Cells Homo sapiens cDNA clone NHTBC_cn18b09 random
11521	24462	38014	3.22	5.7E-02	A1752685.1	EST_HUMAN	cn18b09.y1 Normal Human Trabecular Bone Cells Homo sapiens cDNA clone NHTBC_cn18b09 random
11678	24842		1.89	5.7E-02	AL163303.2	NT	Homo sapiens chromosome 21 segment HS21C103
12573	25782		8.27	5.7E-02	D50320.1	NT	Pig DNA for SPAL-2, complete cds
12794	25855		3.72	5.7E-02	AF217490.1	NT	Homo sapiens fragile 16D oxidoreductase (FOR) gene, exons 8, 9, and partial cds
12930	25958		5.65	5.7E-02	AF261280.1	NT	Pan troglodytes apolipoprotein-E gene, complete cds
1529	14562	27533	1.85	5.6E-02	AF094455.1	NT	Hydrocotyle retundifolia ribosomal protein L16 (rp16) gene, intron; chloroplast gene for chloroplast product
4671	17692	30578	1.92	5.6E-02	AB013100.1	NT	Lycopodium esculentum LE-ACS6 mRNA for 1-aminocyclopropane-1-carboxylate synthase, complete cds
4725	17745	30636	1.21	5.6E-02	AA290599.1	EST_HUMAN	zs45c01.s1 NCL CGAP_GCB1 Homo sapiens cDNA clone IMAGE:700416 3'
6817	19871	33160	5.93	5.6E-02	AW172708.1	EST_HUMAN	x02c10.x1 NCL CGAP_UJ2 Homo sapiens cDNA clone IMAGE:2856050 3' similar to TR:084979 084979 KIAA0905 PROTEIN. ;
7075	20097	33407	0.77	5.6E-02	AA866182.1	EST_HUMAN	od47f12.s1 NCL CGAP_GCB1 Homo sapiens cDNA clone IMAGE:1371119 3' similar to contains Alu repetitive element; contains element L1 repetitive element ;
7358	20328	33677	2.94	5.6E-02	BE006001.1	EST_HUMAN	QV0-BN0147-280400-214-g07 BN0147 Homo sapiens cDNA
8141	21078	34478	0.61	5.6E-02	A183583.1	EST_HUMAN	qd64g11.x1 Soares testis NHT Homo sapiens cDNA clone IMAGE:1734308 3'
9154	22120	35548	2.47	5.6E-02	BE542663.1	EST_HUMAN	601067158F1 NIH_MGC_10 Homo sapiens cDNA clone IMAGE:3453279 5'
9154	22120	35549	2.47	5.6E-02	BE542663.1	EST_HUMAN	601067158F1 NIH_MGC_10 Homo sapiens cDNA clone IMAGE:3453279 5'
10171	23098	36576	1.06	5.6E-02	AA482864.1	EST_HUMAN	mf49d07.s1 NCL CGAP_AM1 Homo sapiens cDNA clone IMAGE:923248 similar to TR:G768859 G768859 LAMINA ASSOCIATED POLYPEPTIDE 1C. ;
11891	24772		1.87	5.6E-02	AF260225.1	NT	Homo sapiens TESTIN 2 and TESTIN 3 genes, complete cds, alternatively spliced
2663	15660	28678	8.23	5.6E-02	X97869.1	NT	H. sapiens gene encoding La autoantigen
3228	16283	29207	3.44	5.5E-02	6755501	NT	Mus musculus Sh3 domain protein 1B (Sh3d1B), mRNA
4244	17273	30157	1.13	5.5E-02	L41561.1	NT	Gallid herpesvirus mRNA fragment
5742	18836	32017	3.09	5.5E-02	Q01174	SWISSPROT	TROPOMYOSIN ALPHA CHAIN, NON MUSCLE
6141	18836	32017	3.81	5.5E-02	Q01174	SWISSPROT	TROPOMYOSIN ALPHA CHAIN, NON MUSCLE
7603	20564	33925	1.85	5.5E-02	6755902	NT	Mus musculus tuftsin 1 (Tuft1), mRNA
8457	21428	34842	0.69	5.5E-02	AF170911.1	NT	Homo sapiens sodium-dependent vitamin C transporter 1 (SVCT1) mRNA, complete cds
8457	21426	34843	0.69	5.5E-02	AF170911.1	NT	Homo sapiens sodium-dependent vitamin C transporter 1 (SVCT1) mRNA, complete cds
10013	22940	36405	0.63	5.5E-02	10647034	NT	Homo sapiens eIF4E-transporter (4E-T), mRNA

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
10013	22940	36406	0.63	5.5E-02	10947034	NT	Homo sapiens eIF4E-transporter (4E-T), mRNA
10107	23033	36510	1.46	5.5E-02	U69492.1	NT	Mus musculus second IL11 receptor alpha chain (IL11Ra2) gene, exons 1 and 2
11360	24309	37836	6.48	5.5E-02	U09771.1	NT	Citrobacter freundii DSM 30040 cyclopropane fatty acid synthase (cfa) gene, partial cds, dihydroxyacetone kinase (dhaK), glycerol dehydrogenase (dhaB), transcriptional activator (dhaR), 1,3-propanediol dehydrogenase (dhaT), glycerol dehydratase (dhaB), >
13089	28920	31303	1.99	5.5E-02	11421332	NT	Homo sapiens hypothetical protein SIRP-b2 (SIRP-b2), mRNA
3032	18090		1.02	5.4E-02	AJ27498.1	NT	Oryza sativa rbb3-1 gene for putative Bowman Birk trypsin inhibitor
3433	18323		6.97	5.4E-02	BE079468.1	EST_HUMAN	RC5-BT0559-140200-012-C03 BT0559 Homo sapiens cDNA
3931	18971	28885	0.7	5.4E-02	U65806.1	NT	Hirudo medicinalis SNAP-25 homolog mRNA, complete cds
8462	21431		1.05	5.4E-02	Z69116.1	NT	Bacillus subtilis complete genome (section 13 of 21): from 2395281 to 2613730
9426	22390	35828	0.63	5.4E-02	AF260225.1	NT	Homo sapiens TESTIN 2 and TESTIN 3 genes, complete cds, alternatively spliced
11057	24020	37943	1.54	5.4E-02	U20790.1	NT	Neurospora crassa ubiquinol-cytochrome c oxidoreductase subunit VIII (QCR8) mRNA, complete cds
1056	14102	27052	1.91	5.3E-02	AW391248.1	EST_HUMAN	QVO-ST0213-021299-062-a08 ST0213 Homo sapiens cDNA
1056	14102	27053	1.91	5.3E-02	AW391248.1	EST_HUMAN	QVO-ST0213-021299-062-a08 ST0213 Homo sapiens cDNA
1506	14539	27511	16.63	5.3E-02	T94759.1	EST_HUMAN	yes3712.1 Stralagene lung (#937210) Homo sapiens cDNA IMAGE:118951 5' similar to gb:K01506
2504	18507	28533	2.12	5.3E-02	AJ276408.1	NT	HLA CLASS II HISTOCOMPATIBILITY ANTIGEN, DP(1) ALPHA CHAIN (HUMAN);
2953	18011	28937	0.95	5.3E-02	M58417.1	NT	Pseudomonas putida tfgS gene
2953	18011	28938	0.96	5.3E-02	M58417.1	NT	Drosophila melanogaster laminin B2 gene, complete cds
3187	18222	29137	5.38	5.3E-02	AJ276408.1	NT	Pseudomonas putida tfgS gene
4641	17662	30550	0.9	5.3E-02	AJ011048.1	NT	Arabidopsis thaliana ell5 gene, exons 1-11
6125	18134	31011	8.41	5.3E-02	M60463.1	NT	Mus musculus caudal type homeobox-1 (Cdx-1) gene, complete cds
5392	18495	31372	1.8	5.3E-02	AE000527.1	NT	Helicobacter pylori 26695 section 5 of 134 of the complete genome
5392	18495	31373	1.8	5.3E-02	AE000527.1	NT	Helicobacter pylori 26695 section 5 of 134 of the complete genome
6222	18296	32530	3.03	5.3E-02	M85289.1	NT	Human heparan sulfate proteoglycan (HSPG2) mRNA, complete cds
7068	20090	33368	3.94	5.3E-02	9695413	NT	Lymphocytic disease virus 1, complete genome
7299	20271	33608	1.23	5.3E-02	U32832.1	NT	Haemophilus influenzae Rd section 147 of 163 of the complete genome
7585	20546		2.12	5.3E-02	S78221.1	NT	nuclear protein TIF1 isoform [mice, mRNA, 4053 nt]
8209	21108	34507	0.51	5.3E-02	P38742	SWISSPROT	HYPOTHETICAL 130.0 KD PROTEIN IN SNF6-SPO11 INTERGENIC REGION
8748	21716		0.5	5.3E-02	U10098.1	NT	Mus musculus 129/Sv cystatin C (cst3) gene, complete cds
9481	22445	35886	2.05	5.3E-02	X03127.1	NT	Podospora anserina mitochondrial epsilon-sen DNA
10491	23413	36911	0.61	5.3E-02	AB022605.1	NT	Homo sapiens hCMT1b mRNA for mRNA (guanine-7-methyltransferase, complete cds
10491	23413	36912	0.61	5.3E-02	AB022605.1	NT	Homo sapiens hCMT1b mRNA for mRNA (guanine-7-methyltransferase, complete cds

Page 144 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
10618	23540		0.6	5.3E-02	Y07907.1	NT	D.rerio mRNA for zp-23 POU gene, splice variant (naurula, 9-16 hpf and postmitogenesis, 20-28 hpf)
10895	23617	37111	0.89	5.3E-02	X88432.1	NT	B.rerio pou(c) mRNA for transcription factor
12092	24963	38558	2.08	5.3E-02	X86435.1	NT	H.sapiens mRNA for HMG-CoA-synthase
2293	16305		89.73	5.2E-02	5031908	NT	Homo sapiens maprin A, alpha (PABA peptide hydrolase) (MEP1A) mRNA
3131	16188	29097	1.98	5.2E-02	AJ277661.1	NT	Homo sapiens partial LMO1 gene for LIM domain only 1 protein, exon 1
3131	16188	29098	1.98	5.2E-02	AJ277681.1	NT	Homo sapiens partial LMO1 gene for LIM domain only 1 protein, exon 1
3960	17000	29915	0.73	5.2E-02	AF236101.1	NT	Arabidopsis thaliana putative dicarboxylate diiron protein (Crd1) mRNA, complete cds
3962	17002		0.97	5.2E-02	6871757	NT	Mus musculus cytokine inducible SH2-containing protein 3 (Cish3), mRNA
4307	17336	30214	3.36	5.2E-02	U07132.1	NT	Human steroid hormone receptor Nr1, complete cds
6025	19108	32310	0.86	5.2E-02	U14731.1	NT	Saccharomyces cerevisiae Cdc54p (CDC54) gene, complete cds
6228	19302		1.22	5.2E-02	AB30965.1	EST_HUMAN	w80e04.x1 NC1 CGAP_Lym12 Homo sapiens cDNA clone IMAGE:2409150 3' similar to contains MER15.b1 MER15 repetitive element
7489	20454	33813	1.07	5.2E-02	P36322	SWISSPROT	DNA POLYMERASE PROCESSIVITY FACTOR (POLYMERASE ACCESSORY PROTEIN) (PAP) (DNA-BINDING GENE 18 PROTEIN)
8537	21505		2.15	5.2E-02	AL163204.2	NT	Homo sapiens chromosome 21 segment HS21C004
10087	23014	36487	1.77	5.2E-02	D10927.1	NT	Turnip mosaic virus genomic RNA for Capsid protein, complete cds
10087	23014	36488	1.77	5.2E-02	D10927.1	NT	Turnip mosaic virus genomic RNA for Capsid protein, complete cds
11888	24769	38357	5.42	5.2E-02	F32386.1	EST_HUMAN	HSPD25097 HM3 Homo sapiens cDNA clone s3000039A02
11888	24769	38358	5.42	5.2E-02	F32386.1	EST_HUMAN	HSPD25097 HM3 Homo sapiens cDNA clone s3000039A02
12693	25358		1.55	5.2E-02	Q03030	SWISSPROT	OXALOACETATE DECARBOXYLASE ALPHA CHAIN
2372	15380		0.97	5.1E-02	AL134071.1	EST_HUMAN	DKFZp4547D073.1 547 (synonym: hfr1) Homo sapiens cDNA clone DKFZp4547D073 5'
5041	18054		0.94	5.1E-02	AB031740.1	NT	Homo sapiens PB1 gene for salivary proline-rich protein P-B, complete cds
6830	19884	33175	0.68	5.1E-02	AF280369.1	NT	HIV-1 patient 98 from Italy protease (pol) gene, complete cds
7039	18371	31258	1.76	5.1E-02	BF378625.1	EST_HUMAN	QV0-UM0051-250800-350-b08 UM0051 Homo sapiens cDNA
8596	21564	34978	0.77	5.1E-02	M26434.1	NT	Human hypoxanthine phosphoribosyltransferase (HPRT) gene, complete cds
8596	21564	34979	0.77	5.1E-02	M26434.1	NT	Human hypoxanthine phosphoribosyltransferase (HPRT) gene, complete cds
8690	21658	35081	1.26	5.1E-02	A1131966.1	NT	Spodoptera littoralis mRNA for 3-dehydroecdysone 3beta-reductase
9237	22203	35634	0.61	5.1E-02	P02533	SWISSPROT	KERATIN, TYPE I CYTOSKELETAL 14 (CYTOKERATIN 14) (K14) (CK 14)
9237	22203	35635	0.61	5.1E-02	P02533	SWISSPROT	KERATIN, TYPE I CYTOSKELETAL 14 (CYTOKERATIN 14) (K14) (CK 14)
10168	23093	36571	7.1	5.1E-02	AF012898.1	NT	Candida albicans protein phosphatase Ssd1 homolog (SSD1) gene, complete cds
10542	23464	36959	1.66	5.1E-02	P40803	SWISSPROT	ANTER-SPECIFIC PROLINE-RICH PROTEIN APG (PROTEIN CEX)
11179	24135	37665	2.19	5.1E-02	AF083930.1	NT	Homo sapiens ES18 mRNA, partial cds
11179	24135	37666	2.19	5.1E-02	AF083930.1	NT	Homo sapiens ES18 mRNA, partial cds

Page 145 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
12699	26359		1.75	5.1E-02	AF062467.1	NT	Cucumis melo polygalacturonase precursor (MPC3) mRNA, complete cds
12661	26531		1.6	5.1E-02	AA534104.1	EST_HUMAN	nt7302.s1 NCI_CGAP_P10 Homo sapiens cDNA clone IMAGE:988139
483	13556	26481	2.19	5.0E-02	AF098004.1	NT	Mus musculus fatty acid amide hydrolase gene, exon 10
935	13988	26938	4.65	5.0E-02	Z3386.1	NT	O. virginianus (HEL37) microsatellite DNA
1209	14247	27205	4.03	5.0E-02	Z98104.1	NT	Bacillus subtilis complete genome (section 1 of 21); from 1 to 213080
2007	15028	28036	4.94	5.0E-02	P02810	SWISSPROT	SALIVARY ACIDIC PROLINE-RICH PHOSPHOPROTEIN 1/2 PRECURSOR (PRP-1/PRP-3) (PRP-2/PRP-4) (PIF-FPIF-S) (PROTEIN A/PROTEIN C) [CONTAINS: PEPTIDE P-C]
2829	14040	26996	1.62	5.0E-02	U72742.1	NT	Oryctolagus cuniculus UDP-glucuronosyltransferase (UGT2B13) mRNA, complete cds
3348	16399		1.34	5.0E-02	7305610	NT	Mus musculus Uhc-51 like kinase 2 (C. elegans) (Ulk2), mRNA
3609	16654		1.01	5.0E-02	U32782.1	NT	Haemophilus influenzae Rd section 97 of 163 of the complete genome
3698	16739	29862	13.62	5.0E-02	U12769.2	NT	Antheraea pernyi period clock protein homolog mRNA, complete cds
6253	19326	32557	0.77	5.0E-02	AF098264.1	NT	Gallus gallus tyrosine kinase JAK1 (JAK1) mRNA, complete cds
6441	19506		1.25	5.0E-02	AJ242625.1	NT	Mus musculus Dmp-1 gene, exons 1-6
7181	18412	31214	0.6	5.0E-02	P35616	SWISSPROT	NEUROFILAMENT TRIPLET L PROTEIN (NEUROFILAMENT LIGHT POLYPEPTIDE) (NFL)
7785	20736	34110	12.03	5.0E-02	P35616	SWISSPROT	NEUROFILAMENT TRIPLET L PROTEIN (NEUROFILAMENT LIGHT POLYPEPTIDE) (NFL)
8008	20946		0.62	5.0E-02	AV062464.1	EST_HUMAN	MR0-CT0064-100899-002-g10 CT0064 Homo sapiens cDNA
10560	23482	36977	1.26	5.0E-02	AF305238.1	NT	Mus musculus Fas-interacting serine/threonine kinase 3 (Fist3) mRNA, complete cds
11820	24703	39285	2.47	5.0E-02	U97600.1	NT	Methanococcus jannaschii section 142 of 150 of the complete genome
12226	28818		6.4	5.0E-02	Q04047	SWISSPROT	NO-ON-TRANSIENT A PROTEIN
226	13326		27.61	4.9E-02	M14230.1	NT	Chicken 28-kDa Vitamin D-dependent calcium-binding protein (CaBP-28) mRNA, complete cds
369	13455	26384	2.96	4.9E-02	AF275948.1	NT	Homo sapiens ABCA1 (ABCA1) gene, complete cds
369	13455	26385	2.96	4.9E-02	AF275948.1	NT	Homo sapiens ABCA1 (ABCA1) gene, complete cds
3302	16355	29274	1.94	4.9E-02	P64258	SWISSPROT	ATROPHIN-1 (DENTATORUBRAL-PALLIDOLUYSIAN ATROPHY PROTEIN)
3584	16629		0.7	4.9E-02	AA186940.1	EST_HUMAN	z448a12.s1 Stragene hNT neuron (#637233) Homo sapiens cDNA clone IMAGE:632928 3' similar to contains Alu repetitive element; contains element MSR1 repetitive element;
3605	16650	28566	0.96	4.9E-02	AA400914.1	EST_HUMAN	z78a03.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:728428 3'
3605	16650	28567	0.96	4.9E-02	AA400914.1	EST_HUMAN	z78a03.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:728428 3'
4877	17894	30783	2.11	4.9E-02	AW167821.1	EST_HUMAN	xg56g10.x1 NCI_CGAP_U14 Homo sapiens cDNA clone IMAGE:2632386 3'
4877	17894	30784	2.11	4.9E-02	AW167821.1	EST_HUMAN	xg56g10.x1 NCI_CGAP_U14 Homo sapiens cDNA clone IMAGE:2632386 3'
5444	18546	31458	1.71	4.9E-02	L00122.1	NT	Rat elastase II gene, exon 6
5444	18546	31459	1.71	4.9E-02	L00122.1	NT	Rat elastase II gene, exon 6
7349	20319	33666	2.83	4.9E-02	AE000980.1	NT	Archaeoglobus fulgidus section 127 of 172 of the complete genome
8963	21929		0.91	4.9E-02	AE002309.1	NT	Chlamydia muridarum, section 40 of 85 of the complete genome
9107	22073	35500	0.8	4.9E-02	AL161559.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 59

Page 146 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
10656	23578	37075	0.53	4.9E-02	P19532	SWISSPROT	TRANSCRIPTION FACTOR E3
11730	24616	38193	3.44	4.9E-02	AF008303.1	NT	Homo sapiens prepro placental TGF-beta gene, complete cds
12879	25473		6.66	4.9E-02	M19364.1	NT	Human gamma-B-crystallin (gamma 1-2) and gamma-C-crystallin (gamma 2-1) genes, complete cds
330	13420	26344	1.06	4.8E-02	D16471.1	NT	Human mRNA, Xq terminal portion
331	13420	26344	2.41	4.8E-02	D16471.1	NT	Human mRNA, Xq terminal portion
489	13562	26486	12.98	4.8E-02	AF003100.1	NT	Arabidopsis thaliana AP2 domain containing protein RAP2.7 mRNA, partial cds
2281	15294	28318	2.24	4.8E-02	W51983.1	EST_HUMAN	zc49b02.s1 Soares senescent fibroblasts NBHSF Homo sapiens cDNA clone IMAGE:325611 3' similar to gb:M30938 LUPUS KU AUTOANTIGEN PROTEIN P86 (HUMAN);
3222	16277	28202	1.93	4.8E-02	X17144.1	NT	Tetrahymena rostrata histone H3II and histone H4II intergenic DNA
4698	17719		1.24	4.8E-02	Z54280.1	NT	S. scrofa gene for skeletal muscle ryanodine receptor
5174	18183	31060	0.63	4.8E-02	U91914.1	NT	Streptococcus constellatus D-alanine D-alanine ligase gene, partial cds
8477	21446	34863	1.55	4.8E-02	AW388497.1	EST_HUMAN	MR2-ST0129-221099-012-b02 ST0129 Homo sapiens cDNA
9495	22449	35889	0.76	4.8E-02	AJ001398.1	NT	Fugu rubripes rps24 gene
9485	22449	35890	0.76	4.8E-02	AJ001398.1	NT	Fugu rubripes rps24 gene
12505	25242		1.35	4.8E-02	9632893	NT	Streptococcus thermophilus bacteriophage Sf19, complete genome
7004	20130	33445	3.77	4.7E-02	W01153.1	EST_HUMAN	yc29709.r1 Soares melanocyte 2NbhM Homo sapiens cDNA clone IMAGE:291017 5' similar to contains Alu repetitive element;
7069	20091	33399	0.88	4.7E-02	BF686625.1	EST_HUMAN	602143554F1 NIH_MGC 46 Homo sapiens cDNA clone IMAGE:4304772 5'
7069	20091	33400	0.88	4.7E-02	BF686625.1	EST_HUMAN	602143554F1 NIH_MGC 46 Homo sapiens cDNA clone IMAGE:4304772 5'
7103	20037	33340	1.56	4.7E-02	M62752.1	NT	Rat statin-related protein (s1) gene, complete CDS
8594	21562	34976	8.56	4.7E-02	X15543.1	NT	B. taurus mRNA for RF-36-DNA-binding protein
9305	22270	35701	1.65	4.7E-02	X89211.1	NT	H. sapiens DNA for endogenous retroviral like element
9327	22292		2.51	4.7E-02	AB026678.1	NT	Gallus gallus Wpkci-8 gene, complete cds
9582	22544	35995	7.94	4.7E-02	X15543.1	NT	B. taurus mRNA for RF-36-DNA-binding protein
10005	22882	36395	0.55	4.7E-02	BF305237.1	EST_HUMAN	601892892F1 NIH_MGC 17 Homo sapiens cDNA clone IMAGE:4138414 5'
10092	23018		0.56	4.7E-02	AI873042.1	EST_HUMAN	wa78c10.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2347314 3'
12783	25970		1.97	4.7E-02	P52951	SWISSPROT	HOMEOBOX PROTEIN GBX-2 (GASTRULATION AND BRAIN-SPECIFIC HOMEOBOX PROTEIN 2)
13022	25570		1.56	4.7E-02	AJ277882.1	NT	Homo sapiens partial TUB gene for tubby (mouse) homolog and LMO1 gene for LIM domain only 1 protein
270	13366	26292	1.08	4.6E-02	BE153583.1	EST_HUMAN	PWM-HT0339-251199-003-g05 HT0339 Homo sapiens cDNA
741	13802	26741	3.47	4.6E-02	AE000445.1	NT	Escherichia coli K-12 MG1655 section 335 of 400 of the complete genome
1361	14395	27366	3.62	4.6E-02	AV727059.1	EST_HUMAN	AV727059 HTC Homo sapiens cDNA clone HTCBWC01 5'

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2498	15499	28525	4.32	4.6E-02	AW236023.1	EST_HUMAN	xn24103.x1 NCL CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2694853 3' similar to SW:GRF1_HUMAN
2819	13366	28292	1.03	4.6E-02	BE153583.1	EST_HUMAN	Q12849 G-RICH SEQUENCE FACTOR-1
3020	16078	28999	0.67	4.6E-02	BE153583.1	EST_HUMAN	PM0-HT0339-251199-003-g05 HT0339 Homo sapiens cDNA
3342	16078	28999	0.67	4.6E-02	BE153583.1	EST_HUMAN	PM0-HT0339-251199-003-g05 HT0339 Homo sapiens cDNA
3507	16078	28999	0.91	4.6E-02	BE153583.1	EST_HUMAN	PM0-HT0339-251199-003-g05 HT0339 Homo sapiens cDNA
4149	17180		1.24	4.6E-02	AF220385.1	NT	Mus musculus nucleolar RNA helicase II/Gu (ddx21) gene, complete cds
5252	18260	31128	0.94	4.6E-02	AA079157.1	EST_HUMAN	zm92c10.s1 Stralagene ovarian cancer (#937218) Homo sapiens cDNA clone IMAGE:545394 3' similar to gb:X03212 KERATIN, TYPE II CYTOSKELETAL 7 (HUMAN);
5823	18913	32096	1.42	4.6E-02	AF075982.1	NT	Haplochromis burtoni gonadotropin-releasing hormone and GnRH-associated peptide precursor (Gnrh2) gene, complete cds
6357	19426	32668	4.48	4.6E-02	X61624.1	NT	C.reinhardtii alp2 (alpB) mRNA
6357	19426	32669	4.48	4.6E-02	X61624.1	NT	C.reinhardtii alp2 (alpB) mRNA
6968	20191	33518	1.51	4.6E-02	A1149574.1	EST_HUMAN	qc60b06.x1 Soares_Placenta_8to9weeks_2NbpHP8c9W Homo sapiens cDNA clone IMAGE:1713971 3' similar to contains L1.13 L1 repetitive element ;
8134	21071	34470	0.66	4.6E-02	6978720	NT	Rattus norvegicus Cathepsin H (Ctsh), mRNA
9003	21969	35391	2.89	4.6E-02	BE154008.1	EST_HUMAN	PM0-HT0339-060400-009-G12 HT0339 Homo sapiens cDNA
11731	24617	38194	5.31	4.6E-02	AA913328.1	EST_HUMAN	ol27h09.s1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1524737 3'
12761	25967		1.99	4.6E-02	L11692.1	NT	Oryctolagus cuniculus macrophage scavenger receptor type II mRNA, complete cds
12992	25552		8.41	4.6E-02	X57608.1	NT	Human germline immunoglobulin lambda light chain gene
447	13520	26453	1.9	4.5E-02	P22448	SWISSPROT	RETINOIC ACID RECEPTOR BETA (RAR-BETA)
1222	14260	27217	0.78	4.5E-02	AF005730.1	NT	Marburg virus strain M/S.Africa/Johannesburg/1975/Ozolin VP35 gene, complete cds
1222	14260	27218	0.78	4.5E-02	AF005730.1	NT	Marburg virus strain M/S.Africa/Johannesburg/1975/Ozolin VP35 gene, complete cds
1821	14948	27841	4.23	4.5E-02	P32182	SWISSPROT	HEPATOCYTE NUCLEAR FACTOR 3-BETA (HNF-3B)
2119	15136	28156	3.34	4.5E-02	AE003964.1	NT	Xylella fastidiosa, section 110 of 229 of the complete genome
3736	16778	29691	4.42	4.5E-02	AL163278.2	NT	Homo sapiens chromosome 21 segment HS21C078
6358	19427	32670	1.63	4.5E-02	AJ400877.1	NT	Homo sapiens ASCL3 gene, CEGP1 gene, C11orf14 gene, C11orf15 gene, C11orf16 gene and C11orf17 gene
6656	19713	32960	0.94	4.5E-02	AL163280.2	NT	Homo sapiens chromosome 21 segment HS21C080
7062	20084	33392	0.96	4.5E-02	L26487.1	NT	Methanosarcina frisia carbon monoxide dehydrogenase large subunit (cdh1A) gene; carbon monoxide dehydrogenase small subunit (cdh1B) gene, complete cds
7062	20084	33393	0.96	4.5E-02	L26487.1	NT	Methanosarcina frisia carbon monoxide dehydrogenase large subunit (cdh1A) gene; carbon monoxide dehydrogenase small subunit (cdh1B) gene, complete cds
8736	21704	35128	2.34	4.5E-02	AF036894.1	NT	Arabidopsis thaliana COAAT-box binding factor HAP3 homolog gene, complete cds

Page 148 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
10308	23233	38715	4.58	4.5E-02	AA325216.1	EST_HUMAN	EST28187 Cerebellum II Homo sapiens cDNA 5' end similar to neuro-D4 protein
10460	23382	36875	0.43	4.5E-02	X95508.1	NT	A. europaeum mRNA for legumin-like protein
10577	23499	36991	0.81	4.5E-02	AB000470.1	NT	Gallus gallus mRNA for alpha1 integrin, complete cds
12440	25203	31826	2.95	4.5E-02	11418013	NT	Homo sapiens rel finger protein-like 3 (RPPL3), mRNA
12823	25863	31440	7.3	4.5E-02	AA191097.1	EST_HUMAN	zq43f11.1 Stralagene hNT neuron (#937233) Homo sapiens cDNA clone IMAGE:632493 5'
222	13322		4.84	4.4E-02	BE972733.1	EST_HUMAN	6016652154F1 NIH_MGC_82 Homo sapiens cDNA clone IMAGE:3935388 5'
2107	15124		6.38	4.4E-02	P31568	SWISSPROT	HYPOTHETICAL PROTEIN (ORF 2280)
2498	15501	28527	2.11	4.4E-02	AW875475.1	EST_HUMAN	QV2-PT0012-010300-070-g02 PT0012 Homo sapiens cDNA
3654	16697	29612	2.01	4.4E-02	AF159160.1	NT	Myxococcus xanthus serine/threonine kinase Pkn10 (pkn10) gene, complete cds
4657	17678	30563	1.25	4.4E-02	AF109907.1	NT	Homo sapiens S164 gene, partial cds; PS1 and hypothetical protein genes, complete cds; and S171 gene, partial cds
4657	17678	30564	1.25	4.4E-02	AF109907.1	NT	Homo sapiens S164 gene, partial cds; PS1 and hypothetical protein genes, complete cds; and S171 gene, partial cds
4771	17791		0.94	4.4E-02	AJ222889.1	NT	Ovis aries CCAAT-enhancer binding protein epsilon gene
7325	20296	33639	0.59	4.4E-02	AF095824.1	NT	Canis familiaris matrix metalloproteinase 9 (MMP-9) mRNA, partial cds
7325	20296	33640	0.59	4.4E-02	AF095824.1	NT	Canis familiaris matrix metalloproteinase 9 (MMP-9) mRNA, partial cds
9105	22071	35497	2.17	4.4E-02	AA736989.1	EST_HUMAN	hw131h03.s1 NCJ_CGAP_SS1 Homo sapiens cDNA clone IMAGE:1239221 3'
11409	24353	37886	3.75	4.4E-02	AF060689.1	NT	Hepatitis E virus strain HEV-US2 polyprotein (ORF1), (ORF3), and capsid protein (ORF2) genes, complete cds
11533	24474	38025	2.56	4.4E-02	AA496739.1	EST_HUMAN	ae33f04.r1 Gessler Wilms tumor Homo sapiens cDNA clone IMAGE:897631 5'
12159	25014		2.22	4.4E-02	AB040928.1	NT	Homo sapiens mRNA for KIAA1493 protein, partial cds
12346	25980		1.83	4.4E-02	BF241245.1	EST_HUMAN	601878746F1 NIH_MGC_53 Homo sapiens cDNA clone IMAGE:4107418 5'
781	13941	26786	5.93	4.3E-02	AF003249.1	NT	Morone saxatilis myosin heavy chain FM3A (FM3A), complete cds
2575	15576	28595	1.4	4.3E-02	AV704878.1	EST_HUMAN	AV704878 ADB Homo sapiens cDNA clone ADBAOH08 5'
3443	16490	29409	8.93	4.3E-02	AL163210.2	NT	Homo sapiens chromosome 21 segment HS21C010
3671	16714		1.25	4.3E-02	AF080588.1	NT	Homo sapiens promyelocytic leukemia zinc finger protein (PLZF) gene, complete cds
8644	19702	32977	4.82	4.3E-02	P30427	SWISSPROT	PLECTIN
8644	19702	32978	4.82	4.3E-02	P30427	SWISSPROT	PLECTIN
8698	19948	33245	0.73	4.3E-02	AA652266.1	EST_HUMAN	ns69c12.s1 NCJ_CGAP_P12 Homo sapiens cDNA clone IMAGE:1188886
8858	21825	35248	0.9	4.3E-02	AF283359.1	NT	Homo sapiens desmocollin 3 (DS3) gene, complete cds, alternatively spliced
9153	22119	35546	0.95	4.3E-02	X55322.1	NT	H. sapiens NCAM mRNA for neural cell adhesion molecule
9153	22119	35547	0.95	4.3E-02	X55322.1	NT	H. sapiens NCAM mRNA for neural cell adhesion molecule
823	13881	26832	1.85	4.2E-02	AU123327.1	EST_HUMAN	AU123327 NT2RM2 Homo sapiens cDNA clone NT2RM2000020 5'
867	13923		2.58	4.2E-02	AU123327.1	EST_HUMAN	AU123327 NT2RM2 Homo sapiens cDNA clone NT2RM2000020 5'

Page 149 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
897	13952	26910	0.83	4.2E-02	AW003645.1	EST_HUMAN	w34g01.x1 NCL_CGAP_P111 Homo sapiens cDNA clone IMAGE:2545584 3' similar to TR:Q83281 Q83281 L1 RETROPOSON, ORF2 MRNA ; contains L1.13 L1 repetitive element ;
1733	14763		1.54	4.2E-02	AL445086.1	NT	Thermoplasma acidophilum complete genome; segment 4/5
1763	14822	27806	1.02	4.2E-02	P23091	SWISSPROT	TRANSFORMING PROTEIN MAF
3677	16720	28634	2.18	4.2E-02	P23091	SWISSPROT	TRANSFORMING PROTEIN MAF
4774	17794	30888	0.73	4.2E-02	BF342965.1	EST_HUMAN	602017105F1 NCL_CGAP_Bm64 Homo sapiens cDNA clone IMAGE:4152672 5'
5699	18764	31967	0.85	4.2E-02	AF280107.1	NT	Homo sapiens cytochrome P450 polypeptide 43 (CYP3A43) gene, partial cds; cytochrome P450 polypeptide 4 (CYP3A4) and cytochrome P450 polypeptide 7 (CYP3A7) genes, complete cds; and cytochrome P450 polypeptide 5 (CYP3A5) gene, partial cds
5699	18764	31967	0.85	4.2E-02	AF280107.1	NT	Homo sapiens cytochrome P450 polypeptide 43 (CYP3A43) gene, partial cds; cytochrome P450 polypeptide 4 (CYP3A4) and cytochrome P450 polypeptide 7 (CYP3A7) genes, complete cds; and cytochrome P450 polypeptide 5 (CYP3A5) gene, partial cds
7175	18406	31205	0.73	4.2E-02	BE268285.1	EST_HUMAN	601124596F1 NIH_MGC_8 Homo sapiens cDNA clone IMAGE:2989319 5'
7769	20722	34094	4.52	4.2E-02	AF276752.1	NT	Legionella pneumophila catalase-peroxidase (katA) gene, complete cds
7793	20745	34118	0.61	4.2E-02	AV730347.1	EST_HUMAN	AV730347 HTF Homo sapiens cDNA clone HTFAVH04 5'
9162	22128	35556	3.74	4.2E-02	P05095	SWISSPROT	ALPHA-ACTININ 3, NON MUSCULAR (F-ACTIN CROSS LINKING PROTEIN)
10525	23447	36945	1.19	4.2E-02	Q16650	SWISSPROT	T-BRAIN-1 PROTEIN (T-BOX BRAIN PROTEIN 1) (TBR-1) (TES-66)
11378	24328	37855	1.58	4.2E-02	AA976118.1	EST_HUMAN	on33b11.s1 NCL_CGAP_Lu5 Homo sapiens cDNA clone IMAGE:1558461 3' similar to gb:M65290
11637	24574	38136	2.65	4.2E-02	BE815622.1	EST_HUMAN	INTERLEUKIN-12 BETA CHAIN PRECURSOR (HUMAN);
11637	24574	38139	2.65	4.2E-02	BE815622.1	EST_HUMAN	PM3-BN0174-250500-009-d10 BN0174 Homo sapiens cDNA
12694	25908		5.62	4.2E-02	A1963494.1	EST_HUMAN	PM3-BN0174-250500-009-d10 BN0174 Homo sapiens cDNA
12980	25550		1.89	4.2E-02	D14711.1	NT	w49g10.x1 NCL_CGAP_Pan1 Homo sapiens cDNA clone IMAGE:2610850 3'
511	13982	26503	0.75	4.1E-02	AF200629.1	NT	Staphylococcus aureus HSP10 and HSP60 genes
2685	15681	28999	1.16	4.1E-02	AE002330.2	NT	Homo sapiens HPS1 gene, intron 5
4499	17824		7.84	4.1E-02	AW893494.1	EST_HUMAN	Chlamydia muridarum, section 80 of 85 of the complete genome
5302	18305	31166	0.82	4.1E-02	5902103	NT	QV1-NN0012-180400-184-06 NN0012 Homo sapiens cDNA
5728	18820	31999	1.08	4.1E-02	BE251894.1	EST_HUMAN	Homo sapiens SRY (sex-determining region Y) box 10 (SOX10), mRNA
5728	18820	32000	1.08	4.1E-02	BE251894.1	EST_HUMAN	601107535F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3343656 5'
7068	20088		0.9	4.1E-02	X75891.1	NT	601107535F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3343656 5'
7306	20277	33615	1.19	4.1E-02	AE002132.1	NT	A.thaliana mRNA for plasma membrane intrinsic protein 1a
7766	20709	34078	2	4.1E-02	7692347	NT	Ureaplasma urealyticum section 33 of 59 of the complete genome
7960	20904	34180	0.7	4.1E-02	L02110.1	NT	Homo sapiens KIAA0867 protein (KIAA0867), mRNA
							Mus musculus proviral insertion in the cGMP-phosphodiesterase (rd beta PDE) gene, intron 1, with the proviral insert encompassing the env pseudogene (3' end) and 3' LTR

Page 150 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8042	20979	34375	2.63	4.1E-02	AF026198.1	NT	Fugu rubripes neural cell adhesion molecule L1 homolog (L1-CAM) gene, complete cds; putative protein 1 (PUT1) gene, partial cds; mitosis-specific chromosome segregation protein SMC1 homolog (SMC1) gene, complete cds; and calcium channel alpha-1 subunit
8549	21517	34935	0.58	4.1E-02	P97857	SWISSPROT	ADAM-TS 1 PRECURSOR (A DISINTEGRIN AND METALLOPROTEINASE WITH THROMBOSPONDIN
8590	21956	35331	0.57	4.1E-02	P34687	SWISSPROT	MOTIFS 1) (ADAMTS-1) (ADAM-TS1)
9609	22472	35916	0.83	4.1E-02	A4372398.1	EST_HUMAN	CUTICLE COLLAGEN 34
13013	25909	31423	4.48	4.1E-02	AJ271909.1	NT	Brassica napus gln gene for plastid glutamine synthetase, exons 1-12
13102	25626	31679	1.33	4.1E-02	AF254822.1	NT	Homo sapiens SMARCA4 isoform (SMARCA4) gene, complete cds, alternatively spliced
1649	14681	27654	1.21	4.0E-02	AB75392.1	EST_HUMAN	wb98h01.x1 NCL_CGAP_P128 Homo sapiens cDNA clone IMAGE:2313745 3'
3258	16312	29233	2.57	4.0E-02	AB040904.1	NT	Homo sapiens mRNA for KIAA1471 protein, partial cds
5453	18555	31486	5.39	4.0E-02	AF280107.1	NT	Homo sapiens cytochrome P450 polypeptide 43 (CYP3A43) gene, partial cds; cytochrome P450 polypeptide 4 (CYP3A4) and cytochrome P450 polypeptide 7 (CYP3A7) genes, complete cds; and cytochrome P450 polypeptide 5 (CYP3A5) gene, partial cds
6339	19408	32649	1.43	4.0E-02	BF110434.1	EST_HUMAN	7n52h07.x1 NCL_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3568380 3' similar to TR:O75296 O75296 R29124_1.1
7954	20895	34288	6.1	4.0E-02	L23838.1	NT	Strongylocentrotus purpuratus homolog of human bone morphogenetic protein 1 (submp) mRNA, complete cds
8026	20963		0.88	4.0E-02	AL161535.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 35
8043	20980	34376	0.85	4.0E-02	AB000381.1	NT	Homo sapiens DNA for GPI-anchored molecule-like protein, complete cds
8043	20980	34377	0.85	4.0E-02	AB000381.1	NT	Homo sapiens DNA for GPI-anchored molecule-like protein, complete cds
9067	22033	35456	2.78	4.0E-02	P08640	SWISSPROT	GLUCOAMYLASE S1/S2 PRECURSOR (GLUCAN 1,4-ALPHA-GLUCOSIDASE) (1,4-ALPHA-D-GLUCAN GLUCOHYDROLASE)
10002	22929		0.71	4.0E-02	BF676376.1	EST_HUMAN	602153884F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:4294724 5'
10027	22954	38423	2.95	4.0E-02	AJ000941.1	NT	Methanobacterium thermoautotrophicum strain Marburg, Thiol:fumarate reductase subunit A
10344	23268		0.92	4.0E-02	D43949.1	NT	Human mRNA for KIAA0082 gene, partial cds
12088	24941		1.48	4.0E-02	AJ001018.1	NT	Kluyveromyces fragilis gene for Ca++ ATPase
12331	25730	31614	3.52	4.0E-02	AJ001056.1	NT	Ovis aries mRNA for acetyl-coA carboxylase
1122	14166	27118	3.13	3.9E-02	BF516149.1	EST_HUMAN	UI-H-BW1-emb-h-08-0-J1.s1 NCL_CGAP_Sub7 Homo sapiens cDNA clone IMAGE:3084134 3'
1348	14383	27351	1.9	3.9E-02	P41047	SWISSPROT	FAS ANTIGEN LIGAND
1978	14996	28001	2.82	3.9E-02	AJ403386.1	NT	M. musculus DNA for desmin-binding fragment DesD7
2715	15709		2.12	3.9E-02	4508862	NT	Homo sapiens succinate dehydrogenase complex, subunit C, integral membrane protein, 15kD (SDHC) mRNA
5191	18200	31072	0.65	3.9E-02	AW392417.1	EST_HUMAN	RC6-ST0258-171199-021-C09 ST0258 Homo sapiens cDNA

Page 151 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5573	18669	31630	0.74	3.9E-02	D50608.1	NT	Rat gene for cholecystokinin type-A receptor (CCKAR), complete cds
5573	18669	31631	0.74	3.9E-02	D50608.1	NT	Rat gene for cholecystokinin type-A receptor (CCKAR), complete cds
5820	18910	32094	1.08	3.9E-02	BE96884.1	EST_HUMAN	601649874F1 NIH_MGC_74 Homo sapiens cDNA clone IMAGE:3933642 5'
5957	19042	32241	0.71	3.9E-02	BF675203.1	EST_HUMAN	602138132F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:4274910 5'
7259	19894	33291	1.1	3.9E-02	BE271437.1	EST_HUMAN	601140729F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3049830 5'
8167	21105	34504	0.53	3.9E-02	P48778	SWISSPROT	ANTIGEN GOR
8172	21142	34548	1.07	3.9E-02	BF239613.1	EST_HUMAN	601908848F1 NIH_MGC_54 Homo sapiens cDNA clone IMAGE:4134778 5'
8395	21364	34772	0.63	3.9E-02	AJ229041.1	NT	Homo sapiens 959 kb contig between AML1 and CBR1 on chromosome 21q22; segment 1/3
8395	21364	34773	0.63	3.9E-02	AJ229041.1	NT	Homo sapiens 959 kb contig between AML1 and CBR1 on chromosome 21q22; segment 1/3
11737	21105	34504	1.61	3.9E-02	P48778	SWISSPROT	ANTIGEN GOR
12184	25872		14.17	3.9E-02	AB042553.1	NT	Felis catus G-CSF gene for granulocyte colony-stimulating factor, complete cds
12949	25794		6.15	3.9E-02	AL049866.2	NT	Mus musculus chromosome X contigB: X-linked lymphocyte regulated 5 gene, Zinc finger protein 275, Zinc finger protein 82, mnxq28orf
1969	14990	27993	1.13	3.8E-02	BE865137.1	EST_HUMAN	601610891F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3912215 5'
2129	15146		1.1	3.8E-02	AJ251973.1	NT	Homo sapiens partial steerin-1 gene
4906	17923	30815	0.92	3.8E-02	BE393275.1	EST_HUMAN	601308488F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3626757 5'
4906	17923	30816	0.92	3.8E-02	BE393275.1	EST_HUMAN	601308488F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3626757 5'
4965	17980	30870	1.4	3.8E-02	AU124122.1	EST_HUMAN	AU124122 NT2RM2 Homo sapiens cDNA clone NT2RM2001698 5'
5515	18615	31548	1.2	3.8E-02	M11228.1	NT	Human protein C gene, complete cds
6206	19280	32513	1.04	3.8E-02	P10284	SWISSPROT	HOMEOBOX PROTEIN HOXB4 (HOX-2.6)
7540	20503	33862	1.43	3.8E-02	6005700	NT	Homo sapiens ATP-binding cassette, sub-family A (ABC1), member 8 (ABCA8), mRNA
9011	21977		1.26	3.8E-02	M60675.1	NT	Human von Willebrand factor gene, exons 23 through 34
11014	23979	37505	2.04	3.8E-02	AF143952.2	NT	Homo sapiens PELOTA (PELOTA) gene, complete cds
12009	24886	38481	1.53	3.8E-02	P01641	SWISSPROT	IG KAPPA CHAIN V-V REGION MOPC 173B PRECURSOR
12009	24886	38482	1.53	3.8E-02	P01641	SWISSPROT	IG KAPPA CHAIN V-V REGION MOPC 173B PRECURSOR
994	14045	26999	4.76	3.7E-02	P19137	SWISSPROT	LAMININ ALPHA-1 CHAIN PRECURSOR (LAMININ A CHAIN)
1389	14423	27392	0.86	3.7E-02	L14581.1	NT	Homo sapiens plasma membrane calcium ATPase isoform 1 (ATP2B1) gene, alternative splice products, partial cds
2248	15260	28287	4.96	3.7E-02	A1984806.1	EST_HUMAN	wr85e08.x1 NC1_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2484502 3'
3063	16120	29034	1.27	3.7E-02	P75944	SWISSPROT	ECOMODERMIN
3065	16122	29035	4.14	3.7E-02	BF312863.1	EST_HUMAN	601896233F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:4125584 5'
3468	16514		1.03	3.7E-02	6680541	NT	Mus musculus potassium large conductance pH-sensitive channel, subfamily M, alpha member 3 (Kcnma3), mRNA
5279	18285	31148	0.76	3.7E-02	AF168106.1	NT	Bubo virginianus cytochrome b gene, partial cds; mitochondrial gene for mitochondrial product

Page 152 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptbr
7281	25998		0.79	3.7E-02	AF000083.1	NT	Aeropyrum pernix genomic DNA, section 6/7
7956	20897	34290	0.64	3.7E-02	AE003975.1	NT	Xylella fastidiosa, section 121 of 229 of the complete genome
10375	23298		0.99	3.7E-02	AA782516.1	EST_HUMAN	ai55c09.s1 Sceres_parathyroid_tumor_NbHPA Homo sapiens cDNA clone 1360912 3'
12225	25061	38628	5.94	3.7E-02	BF124974.1	EST_HUMAN	60176217F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:4024973 5'
12883	25762	31520	2.34	3.7E-02	11418392	NT	Homo sapiens solute carrier family 22 (organic cation transporter), member 1 (SLC22A1), mRNA
3667	16710	28625	1.04	3.6E-02	X73221.1	NT	H. vulgare Sst1 gene for sucrose synthase
3674	16717	28631	0.75	3.6E-02	AL098806.1	NT	Homo sapiens genomic region containing hypervariable minisatellites chromosome 10[10q26.3] of Homo sapiens
5253	18261	31130	2.27	3.6E-02	AL098810.1	NT	Homo sapiens genomic region containing hypervariable minisatellites chromosome 10[10q26.3] of Homo sapiens
5501	18601	31514	0.8	3.6E-02	X59403.1	NT	C-glutaminc gap, pgk and tpi genes for glyceraldehyde-3-phosphate, phosphoglycerate kinase and triosephosphate isomerase
5501	18601	31530	0.8	3.6E-02	X59403.1	NT	C-glutaminc gap, pgk and tpi genes for glyceraldehyde-3-phosphate, phosphoglycerate kinase and triosephosphate isomerase
5578	18674	31638	0.68	3.6E-02	AF181722.1	NT	Homo sapiens RU2AS (RU2) mRNA, complete cds
6865	19918	33212	4.97	3.6E-02	AW945516.1	EST_HUMAN	CM2-EN0013-110500-192-b10 EN0013 Homo sapiens cDNA
6865	19918	33213	4.97	3.6E-02	AW945516.1	EST_HUMAN	CM2-EN0013-110500-192-b10 EN0013 Homo sapiens cDNA
7150	18382	31270	0.5	3.6E-02	U67575.1	NT	Methanococcus jannaschii section 117 of 150 of the complete genome
7291	20263	33597	1.7	3.6E-02	AF025952.1	NT	Chromatium vinosum sulfur globule protein Cx2 precursor (sgp2) gene, complete cds
7527	20491	33853	2.75	3.6E-02	AA714521.1	EST_HUMAN	nm20e05.s1 NCI_CGAP_GCB0 Homo sapiens cDNA clone IMAGE:1241024 3' similar to gb:J00314_ma2
7895	20838	34218	1.08	3.6E-02	BE143078.1	EST_HUMAN	TUBULIN BETA-1 CHAIN (HUMAN);
9746	22687	36142	1.85	3.6E-02	U20808.1	NT	MR0-HT0158-030200-003-b08 HT0158 Homo sapiens cDNA
9746	22687	36143	1.85	3.6E-02	U20808.1	NT	Dictyostelium discoideum unknown spore germination-specific protein-like protein, orf1, orf2 and orf3 genes, complete cds
9746	22687	36143	1.85	3.6E-02	U20808.1	NT	Dictyostelium discoideum unknown spore germination-specific protein-like protein, orf1, orf2 and orf3 genes, complete cds
9971	22898	36361	0.88	3.6E-02	BF347586.1	EST_HUMAN	602020453F1 NCI_CGAP_Bm67 Homo sapiens cDNA clone IMAGE:4156116 5'
896	13951	26909	0.9	3.5E-02	U09506.1	NT	Drosophila melanogaster tigrin mRNA, complete cds
1010	14059	27011	1.38	3.5E-02	AF253417.1	NT	Homo sapiens microsomal epoxide hydrolase (EPHX1) gene, complete cds
1566	14599	27574	1.3	3.5E-02	BF678085.1	EST_HUMAN	602085136F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:4249377 5'
1566	14599	27575	1.3	3.5E-02	BF678085.1	EST_HUMAN	602085136F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:4249377 5'
4241	17270	30155	1.95	3.5E-02	AE001773.1	NT	Thermotoga maritima section 85 of 136 of the complete genome
4344	17371	30253	3.67	3.5E-02	PS3780	SWISSPROT	CYSTATHIONINE BETA-LYASE PRECURSOR (CBL) (BETA-CYSTATHIONASE) (CYSTEINE LYASE)

Page 153 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5265	18273		1.04	3.5E-02	P47144	SWISSPROT	HYPOTHETICAL 80.7 KD PROTEIN IN SOD1-CPA2 INTERGENIC REGION
6347	19416	32657	1.74	3.5E-02	J01238.1	NT	Malta actin 1 gene (MACT1), complete cds
8310	21279		0.78	3.5E-02	H29851.1	EST_HUMAN	Yp-4a05.r1 Soares retina N2b5HR Homo sapiens cDNA clone IMAGE:180256 5' similar to contains Alu repetitive element;
8970	21836	35362	2.87	3.5E-02	BE958970.1	EST_HUMAN	601644701R2 NIH_MGC_56 Homo sapiens cDNA clone IMAGE:3929737 3'
10378	23301	36777	1.99	3.5E-02	X76942.1	NT	Lactis MG1363 gfpE and dnaK genes
10426	23347	36832	0.47	3.5E-02	BE581042.1	EST_HUMAN	601344661F1 NIH_MGC_8 Homo sapiens cDNA clone IMAGE:3877654 5'
11823	24706	38288	1.61	3.5E-02	AW861641.1	EST_HUMAN	PM1-CT0326-291298-002-h03 CT0326 Homo sapiens cDNA
11823	24706	38289	1.61	3.5E-02	AW861641.1	EST_HUMAN	PM1-CT0326-291298-002-h03 CT0326 Homo sapiens cDNA
12877	25806		5.77	3.5E-02	BE278948.1	EST_HUMAN	601178765F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3643833 5'
580	13649	26562	0.91	3.4E-02	AK024424.1	NT	Homo sapiens mRNA for FLJ00013 protein, partial cds
580	13649	26563	0.91	3.4E-02	AK024424.1	NT	Homo sapiens mRNA for FLJ00013 protein, partial cds
581	13649	26562	3.42	3.4E-02	AK024424.1	NT	Homo sapiens mRNA for FLJ00013 protein, partial cds
581	13649	26563	3.42	3.4E-02	AK024424.1	NT	Homo sapiens mRNA for FLJ00013 protein, partial cds
1063	14099	27049	2.4	3.4E-02	AW274020.1	EST_HUMAN	xy2607.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2814253 3' similar to SW: C211_HUMAN P53801 PUTATIVE SURFACE GLYCOPROTEIN C21ORF1 PRECURSOR ;
1211	14249		6.51	3.4E-02	11345459	NT	Homo sapiens hypothetical protein FLJ13220 (FLJ13220), mRNA
2401	15408	28432	2.51	3.4E-02	T57160.1	EST_HUMAN	yc20a06.r1 Stralagene lung (#937210) Homo sapiens cDNA clone IMAGE:81260 5' similar to contains MER28 repetitive element
3444	18491	29410	1.19	3.4E-02	AL163208.2	NT	Homo sapiens chromosome 21 segment HS21C008
3942	16982	29697	3.71	3.4E-02	AW794952.1	EST_HUMAN	RC8-UM0015-210200-021-A10 UM0015 Homo sapiens cDNA
4828	17849	30637	3.06	3.4E-02	X69799.1	NT	M.musculus S-antigen gene promoter region
5100	18110		2.48	3.4E-02	Q26457	SWISSPROT	LA PROTEIN HOMOLOG (LA RIBONUCLEOPROTEIN) (LA AUTOANTIGEN HOMOLOG)
5114	18124	30998	1.93	3.4E-02	AJ012498.1	NT	Caenorhabditis elegans mRNA for DYS-1 protein, partial
6330	19400		0.63	3.4E-02	BF131628.1	EST_HUMAN	601820445F1 NIH_MGC_58 Homo sapiens cDNA clone IMAGE:4052434 5'
7032	18364	31261	3.97	3.4E-02	U24393.1	NT	Human lysyl oxidase-like protein gene, exon 3
8604	21872		3.14	3.4E-02	A186629.1	EST_HUMAN	w19804.x1 NCI_CGAP_Bn25 Homo sapiens cDNA clone IMAGE:2433031 3'
9100	22066	35492	1.56	3.4E-02	AA68486.1	EST_HUMAN	nu70708.s1 NCI_CGAP_Alv1 Homo sapiens cDNA clone IMAGE:1216071 similar to contains Alu repetitive element; contains element MER25 MER25 repetitive element ;
							Zq04f11.s1 Stralagene muscle 937209 Homo sapiens cDNA clone IMAGE:828749 3' similar to TR:G1017425 G1017425
9268	22234		6.2	3.4E-02	AA194306.1	EST_HUMAN	IPISGKPLPKVTLSDRGVPLKATMRNFTEITAEITNLKESVTADAGRYEITAANSSGTTKAFINIVLDRPG
10136	23062		0.84	3.4E-02	A1092719.1	EST_HUMAN	PPT GPVJSDITEESVTLKWEPPKYDGGSGVNTYLLKRETSVAVWTEVSATVARTMMKVMKL ... ; o289h08.x1 Soares_parathyroid_tumor_NbHPA Homo sapiens cDNA clone IMAGE:1683519 3'

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
372	13458		9.24	3.3E-02	AA398735.1	EST_HUMAN	z75e08.s1 Soares testis_NHT Homo sapiens cDNA clone IMAGE:728198 3'
1171	14212	27166	14.49	3.3E-02	AB035867.1	NT	Cricetus griseus CYP2A17 mRNA for cytochrome P450 2A17, complete cds
1645	14677	27650	1.73	3.3E-02	AF110763.1	NT	Homo sapiens skeletal muscle LIM-protein 1 (FHL1) gene, complete cds
1753	14782		1.29	3.3E-02	AE000700.1	NT	Aquifex aeolicus section 32 of 109 of the complete genome
2096	15113		1.76	3.3E-02	R09112.1	EST_HUMAN	y25c09.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:127888 5'
2458	15462	28485	1.31	3.3E-02	6755862	NT	Mus musculus tumor rejection antigen gp98 (Trat), mRNA
3372	16422	29347	8.85	3.3E-02	H02389.1	EST_HUMAN	y35h02.r1 Soares placenta Nb2HP Homo sapiens cDNA clone IMAGE:150771 5'
4206	14677	27650	2.36	3.3E-02	AF110763.1	NT	Homo sapiens skeletal muscle LIM-protein 1 (FHL1) gene, complete cds
4494	17519	30407	1.81	3.3E-02	6755862	NT	Mus musculus tumor rejection antigen gp98 (Trat), mRNA
4848	17865	30759	0.66	3.3E-02	AW275696.1	EST_HUMAN	xp40b04.x1 NCI_CGAP_HN11 Homo sapiens cDNA clone IMAGE:2742799 3'
6570	19630	32896	20.14	3.3E-02	BF245995.1	EST_HUMAN	601853910F1 NIH_MGC_57 Homo sapiens cDNA clone IMAGE:4073787 5'
6570	19630	32897	20.14	3.3E-02	BF245995.1	EST_HUMAN	601853910F1 NIH_MGC_57 Homo sapiens cDNA clone IMAGE:4073787 5'
6677	22630	36084	0.71	3.3E-02	BF115621.1	EST_HUMAN	7m82004.x1 NCI_CGAP_Bm23 Homo sapiens cDNA clone IMAGE:3562423 3'
6677	22630	36085	0.71	3.3E-02	BF115621.1	EST_HUMAN	7m82004.x1 NCI_CGAP_Bm23 Homo sapiens cDNA clone IMAGE:3562423 3'
							ad08f09.s1 Soares NBHFB Homo sapiens cDNA clone IMAGE:877673 3' similar to gb:X70944_cds1
9779	22720	36174	0.72	3.3E-02	AA488202.1	EST_HUMAN	MYOBLAST CELL SURFACE ANTIGEN 24.1D5 (HUMAN);
							ad08f09.s1 Soares NBHFB Homo sapiens cDNA clone IMAGE:877673 3' similar to gb:X70944_cds1
9779	22720	36175	0.72	3.3E-02	AA488202.1	EST_HUMAN	MYOBLAST CELL SURFACE ANTIGEN 24.1D5 (HUMAN);
10684	23884		0.46	3.3E-02	H38109.1	EST_HUMAN	yp51f11.s1 Soares retina N2b4HR Homo sapiens cDNA clone IMAGE:190989 3'
11455	24398	37945	2.47	3.3E-02	BF691107.1	EST_HUMAN	602247171F1 NIH_MGC_62 Homo sapiens cDNA clone IMAGE:4332497 5'
12425	25193		3.71	3.3E-02	T96545.1	EST_HUMAN	ye49f11.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:121101 5'
12547	25270		1.69	3.3E-02	AF289665.1	NT	Mus musculus EIF4H gene, partial cds; LIMK1 gene, complete cds; and ELN gene, partial cds
12577	25286		3.04	3.3E-02	M81890.1	NT	Human Interleukin 11 (IL11) gene, complete mRNA
132	13237	26168	1.27	3.2E-02	AJ002005.1	NT	Oryctolagus cuniculus gene encoding ileal sodium-dependent bile acid transporter
1128	14171	27122	10.01	3.2E-02	AF096275.1	NT	Drosophila melanogaster heat shock protein 88 (hsp88) gene, hsp88d allele, complete cds
1128	14171	27123	10.01	3.2E-02	AF096275.1	NT	Drosophila melanogaster heat shock protein 88 (hsp88) gene, hsp88d allele, complete cds
2127	15144		3.6	3.2E-02	P28955	SWISSPROT	LARGE TEGUMENT PROTEIN
3151	16208	29122	9.61	3.2E-02	BE667353.1	EST_HUMAN	601442431F1 NIH_MGC_65 Homo sapiens cDNA clone IMAGE:3846727 5'
4246	17275		16.99	3.2E-02	X94768.1	NT	H. sapiens RP3 gene (XLRP gene 3)
4801	17818	30712	3.75	3.2E-02	AF114182.1	NT	Saxifraga nidifica maturase (matK) gene, chloroplast gene encoding chloroplast protein, partial cds
5303	18306		1.34	3.2E-02	Y08924.1	NT	P. falciparum mRNA for AARP2 protein
5613	18709	31866	1.56	3.2E-02	X68709.1	NT	S. griseocarinum whiG-Stv gene
5613	18709	31867	1.56	3.2E-02	X68709.1	NT	S. griseocarinum whiG-Stv gene

Page 155 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6873	19730	33008	2.23	3.2E-02	M32437.1	NT	Rat/polyomavirus left junction in cell line W98.14
6878	19733						Yd33h12.s1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:110087 3' similar to contains
8763	19817	33097	30.53	3.2E-02	T88387.1	EST_HUMAN	Alu repetitive element; contains LTR1 repetitive element;
8039	20978	34372	4.01	3.2E-02	AF173845.1	NT	Sagittus ocellus tissue kallikrein gene, complete cds
8643	21811	35033	0.82	3.2E-02	11424049	NT	Homo sapiens cytochrome P450, subfamily 11B (phenobarbital-inducible) (CYP2B), mRNA
9293	22259		2.84	3.2E-02	8680589	NT	Mus musculus kinesin family member 3c (Kif3c), mRNA
9580	22542	35992	0.7	3.2E-02	AF109718.1	NT	Homo sapiens chromosome 3 subtelomeric region
9580	22542	35993	1.02	3.2E-02	A1278971.1	EST_HUMAN	qm17b04.x1 NCI_CGAP_Lu5 Homo sapiens cDNA clone IMAGE:1882063 3'
10417	23339		1.02	3.2E-02	A1278971.1	EST_HUMAN	qm17b04.x1 NCI_CGAP_Lu5 Homo sapiens cDNA clone IMAGE:1882063 3'
10723	23645	37138	4.18	3.2E-02	AA719785.1	EST_HUMAN	zg54b12.s1 Soares pineal_gland_N3HPG Homo sapiens cDNA clone IMAGE:387151 3' similar to
12812	25978		0.88	3.2E-02	U99782.1	NT	gbL08441 CYTOCHROME C OXIDASE POLYPEPTIDE III (HUMAN);
1285	14300		1.43	3.2E-02	V00574.1	NT	Macaca mulatta chemokine receptor COR5 mRNA, complete cds
1308	14344	27309	2.28	3.1E-02	4503416	NT	Human germ line gene homologous to bladder carcinoma oncogene T24 (Gene code c-Ha-ras-1) with four
1909	14933	27929	1.87	3.1E-02	P18845	SWISSPROT	exons
1991	18012		1	3.1E-02	8871584	NT	Homo sapiens dual specificity phosphatase 4 (DUSP4) mRNA
5338	18441	31194	1.18	3.1E-02	Z50087.1	NT	NEURONAL ACETYLCHOLINE RECEPTOR PROTEIN, ALPHA-3 CHAIN PRECURSOR (GF-ALPHA-3)
5434	18538		1.28	3.1E-02	U78104.1	NT	Mus musculus adaptor-related protein complex AP-3, delta subunit (Ap3d), mRNA
5731	18825	32005	2.26	3.1E-02	AA278478.1	EST_HUMAN	Drosophila melanogaster mRNA for headcase protein
			0.81	3.1E-02	BF887742.1	EST_HUMAN	Human leukemia inhibitory factor receptor (LIFR) gene, promoter and partial exon 1
5803	25645	32078	0.92	3.1E-02	AJ391284.1	NT	ze81a08.t1 NCI_CGAP_G0B1 Homo sapiens cDNA clone IMAGE:703888 5'
10391	23313	36763	2.55	3.1E-02	AF034779.1	NT	802086783FT NIH_MGC_57 Homo sapiens cDNA clone IMAGE:4066789 5'
							Neisseria meningitidis DNA for region 2 (flaB- and flaC-homologs, unknown genes) and flanking genes, strain FAM18
1627	14680		2.21	3.0E-02	AF187125.1	NT	Enterococcus faecalis surface protein precursor, gene, complete cds
2590	15591	28608	0.97	3.0E-02	AA402242.1	EST_HUMAN	Pityoktelnes minutus cytochrome oxidase I gene, partial cds; mitochondrial gene for mitochondrial product
3578	16824	29545	0.91	3.0E-02	MB4176.1	NT	z65h03.r1 Soares testis_NHT Homo sapiens cDNA clone IMAGE:727263 5'
3666	16709	29624	2.77	3.0E-02	AF247844.1	NT	Saccharomyces cerevisiae stem-loop mutation suppressor SSL2 gene, complete cds
3758	16789		0.98	3.0E-02	AW820223.1	EST_HUMAN	Pseudomonas fluorescens family II aminotransferase gene, complete cds
3969	17009		1.45	3.0E-02	AA384003.1	EST_HUMAN	QV2-ST0286-150200-040-e08 ST0286 Homo sapiens cDNA
5092	18102	30977	7.41	3.0E-02	AF281074.1	NT	EST74530 Pineal gland II Homo sapiens cDNA 5' end
5092	18102	30978	7.41	3.0E-02	AF281074.1	NT	Homo sapiens neurophilin 2 (NRP2) gene, complete cds, alternatively spliced
5485	18587		2.99	3.0E-02	AB048793.1	NT	Homo sapiens neurophilin 2 (NRP2) gene, complete cds, alternatively spliced

Page 156 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6383	19451	32693	0.58	3.0E-02	N99815.1	EST_HUMAN	za39a10.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:294908 5' similar to contains element TAR1 repetitive element;
6383	19451	32694	0.58	3.0E-02	N99815.1	EST_HUMAN	za39a10.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:294908 5' similar to contains element TAR1 repetitive element;
6957	20182	33305	3.17	3.0E-02	AJ242906.1	NT	Cyprinus carpio mRNA for inducible nitric oxide synthase (iNOS gene)
7091	20025	33327	2.8	3.0E-02	BE889948.1	EST_HUMAN	601512208F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3913848 5'
7091	20025	33328	2.8	3.0E-02	BE889948.1	EST_HUMAN	601512208F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3913848 5'
7274	20009	33310	2.28	3.0E-02	AF213884.1	NT	Homo sapiens nuclear factor of kappa light polypeptide gene enhancer in B-cells 1 (NFKB1) gene, complete cds
7274	20009	33311	2.29	3.0E-02	AF213884.1	NT	Homo sapiens nuclear factor of kappa light polypeptide gene enhancer in B-cells 1 (NFKB1) gene, complete cds
7442	20408	33760	1.29	3.0E-02	M86524.1	NT	Human dystrophin gene
7836	20783		0.76	3.0E-02	BF246361.1	EST_HUMAN	601854981F1 NIH_MGC_57 Homo sapiens cDNA clone IMAGE:4074548 5'
8463	21432		0.48	3.0E-02	BF679706.1	EST_HUMAN	602154364F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:4295854 5'
8988	21954	35378	0.74	3.0E-02	BF333889.1	EST_HUMAN	IL5-HT0704-280600-108-c04 HT0704 Homo sapiens cDNA
9145	22111		1.82	3.0E-02	AF275654.1	NT	Onchocerca anatus coagulation factor X mRNA, complete cds
10826	23747	37248	1.98	3.0E-02	AE001797.1	NT	Thermoplasma maritima section 109 of 136 of the complete genome
11566	24508	38063	2.38	3.0E-02	M81357.1	NT	Human coagulation factor VII (F7) gene exon 1 and factor X (F10) gene, exon 1
11997	24874	38470	7.84	3.0E-02	AA483216.1	EST_HUMAN	ne87604.s1 NCJ_CGAP_Kid1 Homo sapiens cDNA clone IMAGE:3911283
12529	25960	31318	2.02	3.0E-02	R32019.1	EST_HUMAN	yh63d04.s1 Soares placenta Nb2HP Homo sapiens cDNA clone IMAGE:134407 3'
12668	25470		2.06	3.0E-02	AW895565.1	EST_HUMAN	QV4-NN0038-270400-187-f05 NN0038 Homo sapiens cDNA
12608	25954		1.98	3.0E-02	AF048687.1	NT	Rattus norvegicus UDP-Galactose-4-epimerase beta-1,4-galactosyltransferase mRNA, complete cds
2442	15893	28467	1	2.9E-02	AF228703.1	NT	Homo sapiens mitochondrial glutathione reductase and cytosolic glutathione reductase (GRD1) gene, complete cds, alternatively spliced
3005	16063	28882	1.14	2.9E-02	BE565844.1	EST_HUMAN	601338426F1 NIH_MGC_53 Homo sapiens cDNA clone IMAGE:3680695 5'
3005	16063	28983	1.14	2.9E-02	BE565844.1	EST_HUMAN	601338426F1 NIH_MGC_53 Homo sapiens cDNA clone IMAGE:3680695 5'
3573	16818	28940	0.8	2.9E-02	X55294.1	NT	Sheep gene for ultra high-sulphur keratin protein
3550	16990	28906	0.72	2.9E-02	H72805.1	EST_HUMAN	yh07e10.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:233130 5'
6181	19256	32489	1.13	2.9E-02	AF060221.1	NT	Sus scrofa deoxyribonuclease II mRNA, complete cds
6424	19491	32743	7.33	2.9E-02	BF032283.1	EST_HUMAN	601452661F1 NIH_MGC_66 Homo sapiens cDNA clone IMAGE:3856598 5'
7142	20118	33431	0.52	2.9E-02	AJ391284.1	NT	Neisseria meningitidis DNA for region 2 (flaB- and flhA-homologs, unknown genes) and flanking genes, strain FAM18
7460	20426	33782	10.95	2.9E-02	BE271437.1	EST_HUMAN	601140729F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3049830 5'

Page 157 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7657	20817	33982	0.67	2.9E-02	D28214.1	EST_HUMAN	HUMNK262 Human epidermal keratinocyte Homo sapiens cDNA clone 262
8169	21107	34506	0.53	2.9E-02	AE003932.1	NT	Xylella fastidiosa, section 78 of 229 of the complete genome
8331	21300	34716	0.83	2.9E-02	AF129279.1	NT	Buchnera aphidicola natural-host Schiechtlendalla chinensis gluconate-6-phosphate dehydrogenase (gnd) gene, partial cds
8331	21300	34717	0.83	2.9E-02	AF129279.1	NT	Buchnera aphidicola natural-host Schiechtlendalla chinensis gluconate-6-phosphate dehydrogenase (gnd) gene, partial cds
10016	22943	36408	2.26	2.9E-02	AW875979.1	EST_HUMAN	CM3-PT0014-071299-051-c04 PT0014 Homo sapiens cDNA
10016	22943	36410	2.26	2.9E-02	AW875979.1	EST_HUMAN	CM3-PT0014-071299-051-c04 PT0014 Homo sapiens cDNA
10233	23158		0.67	2.9E-02	AW976597.1	EST_HUMAN	EST388706 MAGe resequences, MAGN Homo sapiens cDNA
10710	23632	37127	1.07	2.9E-02	AP000084.1	NT	Aeropyrum pernix genomic DNA, section 777
11398	16618	29540	1.6	2.9E-02	X55294.1	NT	Sheep gene for ultra high-sulphur keratin protein
12531	25870		1.46	2.9E-02	AU135817.1	EST_HUMAN	AUT35917 PLACET1 Homo sapiens cDNA clone PLACE1002962 5'
567	13637		1.93	2.8E-02	AW970153.1	EST_HUMAN	EST382234 MAGe resequences, MAGK Homo sapiens cDNA
3360	16429	29355	1.27	2.8E-02	AF069083.1	NT	Homo sapiens retinal fascic (FSCN2) gene, exon 2
3360	16429	29356	1.27	2.8E-02	AF069083.1	NT	Homo sapiens retinal fascic (FSCN2) gene, exon 2
4341	17368		0.67	2.8E-02	8393751	NT	Rattus norvegicus microtubule-associated protein tau (Mapt), mRNA
5206	18215	31090	3.2	2.8E-02	N87073.1	EST_HUMAN	L2083F Human fetal heart, Lambda ZAP Express Homo sapiens cDNA clone L2083 5' similar to TRNA-
5294	18299		0.93	2.8E-02	M58493.1	NT	GUANINE TRANSGLYCOSYLASE
5565	18662	31622	10.89	2.8E-02	BE741083.1	EST_HUMAN	Dengue virus type 2 non-structural protein 1 (NS1) gene, partial cds
6981	20204	33533	1.13	2.8E-02	I78960.1	EST_HUMAN	601594078F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3948067 5'
8671	21639	35063	2.24	2.8E-02	AJ005820.1	NT	y21b08.r1 Soares fetal liver spleen 1N1LS Homo sapiens cDNA clone IMAGE:108855 5'
8371	22336	35768	0.82	2.8E-02	AA280762.1	EST_HUMAN	Craterostigma plantagineum mRNA for homeodomain leucine zipper protein (hb-1)
9563	22525	35974	1.03	2.8E-02	AF187872.1	NT	zs96c06.r1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:711466 5'
9687	22620	36071	0.71	2.8E-02	AE001092.1	NT	Cavia porcellus inwardly-rectifying potassium channel Kir2.1 (KCNJ2) gene, complete cds
10980	23900	37413	0.42	2.8E-02	BF527244.1	EST_HUMAN	Archaeoglobus fulgidus section 15 of 172 of the complete genome
12809	25801		1.6	2.8E-02	R06986.1	EST_HUMAN	602039477F2 NCI_CGAP_Bm67 Homo sapiens cDNA clone IMAGE:4177267 5'
12815	25438		1.57	2.8E-02	X06322.1	NT	y12h02.r1 Soares fetal liver spleen 1N1LS Homo sapiens cDNA clone IMAGE:128875 5'
						NT	Yeast CN31C chromosome III RAHS DNA (right arm transcription hot-spot)
							Human gameline T-cell receptor beta chain Dopamine-beta-hydroxylase-like, TRY1, TRY2, TRY3, TCRBV27S1P, TCRBV22S1A2N1T, TCRBV9S1A1T, TCRBV7S1A1N2T, TCRBV6S1A1T, TCRBV5S1A1T, TCRBV13S3, TCRBV6S7P, TCRBV7S3A2T, TCRBV13S2A1T, TCRBV6S2A2PT, TCRBV7S2A1N4T, TCRBV13S9/13S>
1485	14518	27491	1.07	2.7E-02	U66059.1	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 6
3445	18492	29411	1.88	2.7E-02	AL161494.2	NT	y88h12.r1 Soares_multiple_sclerosis_2NBHMSF Homo sapiens cDNA clone IMAGE:280487 5'
4230	17259	30143	2.01	2.7E-02	N47258.1	EST_HUMAN	

Page 158 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4230	17259	30144	2.01	2.7E-02	N47258.1	EST_HUMAN	y66h12.1 Soares_multiple_sclerosis_2NbHMSP Homo sapiens cDNA clone IMAGE:280487 5'
5319	18425	31176	0.52	2.7E-02	BF245672.1	EST_HUMAN	601864811FT NIH_MGC_57 Homo sapiens cDNA clone IMAGE:4083075 5'
5516	18616	31549	1.09	2.7E-02	R12245.1	EST_HUMAN	y33d09.1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:128657 5' similar to SP:JC2264 JC2264 TISSUE FACTOR PATHWAY INHIBITOR - RHESUS ; T.aestivum pTTH20 mRNA for wheat type V thionin
6005	19088	32288	0.68	2.7E-02	XG1670.1	NT	Oryza sativa mRNA for ascorbate oxidase, partial cds
6087	19167	32379	0.51	2.7E-02	AB004789.1	NT	A.bisporus pgkA gene
6754	19808		1.03	2.7E-02	XG7580.1	NT	o66h03.s1 Soares_total_fetus_Nb2HF8_9w Homo sapiens cDNA clone IMAGE:1624661 3'
7269	20004	33304	1.93	2.7E-02	AA993571.1	EST_HUMAN	Homo sapiens mRNA for FLJ00048 protein, partial cds
8140	21077		0.53	2.7E-02	AK024456.1	NT	Mus musculus G21 protein (G21), mRNA
8160	21098	34497	0.59	2.7E-02	9256642	NT	lc28g08.x1 Soares_total_fetus_Nb2HF8_9w Homo sapiens cDNA clone IMAGE:2065982 3' similar to contains Alu repetitive element;
8697	21665		1.23	2.7E-02	AI377036.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C082
573	13642	26566	1.26	2.6E-02	AL163282.2	NT	ab02b02.s1 Sirlagene fetal refina 337202 Homo sapiens cDNA clone IMAGE:839595 3'
2374	15382	28404	2.54	2.6E-02	AA490021.1	EST_HUMAN	Mus musculus histidine rich calcium binding protein (Hrc), mRNA
2376	16384	28406	3.05	2.6E-02	6754241	NT	Mus musculus histidine rich calcium binding protein (Hrc), mRNA
2376	16384	28407	3.05	2.6E-02	6754241	NT	Mus musculus histidine rich calcium binding protein (Hrc), mRNA
2926	16984		1.52	2.6E-02	AF109906.1	NT	Mus musculus MHC class III region RD gene, partial cds; Bf, C2, G9A, NG22, G9, HSP70, HSP70, HSC70, and smRNP genes, complete cds; G7A gene, partial cds; and unknown genes
3988	17028		0.91	2.6E-02	AW181945.1	EST_HUMAN	x68f09.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2662409 3'
4942	17958	30848	3.25	2.6E-02	L12032.1	NT	Chicken dorsalin-1 mRNA, complete cds
5104	18114	30887	1.8	2.6E-02	AE002014.1	NT	Deinococcus radiodurans R1 section 151 of 229 of the complete chromosome 1
5128	18137	31014	3.05	2.6E-02	AW241154.1	EST_HUMAN	xs52b04.x1 NCL_CGAP_Sar4 Homo sapiens cDNA clone IMAGE:2570383 3' similar to SW:Y069_HUMAN
5944	19030		0.6	2.6E-02	AL161563.2	NT	Q15041 HYPOTHETICAL PROTEIN KIAA0069 ;
5992	19076		0.55	2.6E-02	AL161563.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 63
6345	19414		6.36	2.6E-02	AI206030.1	EST_HUMAN	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 63
6565	19625	32890	1.88	2.6E-02	BE621748.1	EST_HUMAN	qg27f11.x1 NCL_CGAP_K1d3 Homo sapiens cDNA clone IMAGE:1762317 3'
7001	20127	33441	0.82	2.6E-02	Z99064.1	NT	601493473T1 NIH_MGC_70 Homo sapiens cDNA clone IMAGE:3895578 3'
7001	20127	33442	0.82	2.6E-02	Z99064.1	NT	Vaccinia virus ORF1L, strain Wyeth
7095	20029	33333	6.03	2.6E-02	6981271	NT	Vaccinia virus ORF1L, strain Wyeth
7516	20461	33842	0.55	2.6E-02	P21894	SWISSPROT	Rattus norvegicus Nerve growth factor receptor, fast (Ngfr), mRNA
8850	21817	35237	0.71	2.6E-02	AA860946.1	EST_HUMAN	ALANYL-TRNA SYNTHETASE (ALANINE-TRNA LIGASE) (ALARS)
9715	22743	36184	1.27	2.6E-02	11432020	NT	ak22f04.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1406719 3'
							Homo sapiens KIAA1070 protein (KIAA1070), mRNA

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
10072	22999	36488	0.7	2.6E-02	AF114952.1	NT	Saccharomyces delrrenensis NRRL Y-12839(T) ATP synthase subunit 9 (ATP9) gene, mitochondrial gene encoding mitochondrial protein, complete cds
10072	22999	36488	0.7	2.6E-02	AF114952.1	NT	Saccharomyces delrrenensis NRRL Y-12839(T) ATP synthase subunit 9 (ATP9) gene, mitochondrial gene encoding mitochondrial protein, complete cds
10768	23689	37186	4.31	2.6E-02	AL163303.2	NT	Homo sapiens chromosome 21 segment HS21C103
11717	24680		2.02	2.6E-02	AA279351.1	EST_HUMAN	zsf4c02.f1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:704162 5'
11889	24770	38359	1.61	2.6E-02	AW600547.1	EST_HUMAN	U1HF-BNO-akj-e-10-0-UJ.f1 NIH_MGC_50 Homo sapiens cDNA clone IMAGE:3077488 5'
12457	25944	31313	1.98	2.6E-02	BF349827.1	EST_HUMAN	602016501F1 NCI_CGAP_Bm64 Homo sapiens cDNA clone IMAGE:4160944 5'
533	13604	26522	1.85	2.6E-02	BF349827.1	EST_HUMAN	on26f08.y5 NCI_CGAP_Lu6 Homo sapiens cDNA clone IMAGE:1557827 5'
533	13604	26523	1.85	2.6E-02	AF793130.1	EST_HUMAN	on26f08.y5 NCI_CGAP_Lu6 Homo sapiens cDNA clone IMAGE:1557827 5'
810	13888	26817	9.19	2.5E-02	BE974314.1	EST_HUMAN	601680305F2 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:3960685 3'
870	13926	26884	6.9	2.5E-02	BE974314.1	EST_HUMAN	601680305F2 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:3960685 3'
2773	15765		2.26	2.5E-02	U12571.1	NT	Rattus norvegicus rabphilin-3A mRNA, complete cds
2968	16026	28949	3.43	2.5E-02	X99697.1	NT	H. carterae mRNA for fucosanthin chlorophyll a/c binding protein, Fcp1
2968	16026	28950	3.43	2.5E-02	X99697.1	NT	H. carterae mRNA for fucosanthin chlorophyll a/c binding protein, Fcp1
4075	18316	30005	1.02	2.5E-02	BE701185.1	EST_HUMAN	PM2-NN0128-080700-001-a12 NN0128 Homo sapiens cDNA
4075	18316	30006	1.02	2.5E-02	BE701185.1	EST_HUMAN	PM2-NN0128-080700-001-a12 NN0128 Homo sapiens cDNA
4233	17282	30148	6.52	2.5E-02	AW592114.1	EST_HUMAN	h36h08.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2934016 3'
5799	18891	32073	0.85	2.5E-02	AF732776.1	EST_HUMAN	zx83c10.x5 Soares ovary/tumor NbHOT Homo sapiens cDNA clone IMAGE:810354 3'
6317	18888						7e30e09.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3284008 3' similar to contains L1.L1 L1 repetitive element
6334	19403		4.71	2.5E-02	BE670128.1	EST_HUMAN	601579389F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3928054 5'
6470	19535	32783	4.42	2.5E-02	BE746888.1	EST_HUMAN	Chlamydomonas reinhardtii VSP-3 mRNA, complete cds
7927	20870	34258	0.97	2.5E-02	L28028.1	NT	602070562F1 NCI_CGAP_Bm64 Homo sapiens cDNA clone IMAGE:4213408 5'
7927	20870	34259	1.48	2.5E-02	BF526722.1	EST_HUMAN	602070562F1 NCI_CGAP_Bm64 Homo sapiens cDNA clone IMAGE:4213408 5'
8137	21074	34474	1.48	2.5E-02	AF129458.1	NT	Chlamydomonas reinhardtii class II DNA photolyase (PHR2) gene, complete cds
9177	22143	35570	0.92	2.5E-02	Q91713	SWISSPROT	CHORDIN PRECURSOR (ORGANIZER-SPECIFIC SECRETED DORSALIZING FACTOR)
9315	22480	35710	0.46	2.5E-02	AW028921.1	EST_HUMAN	wu08c10.x1 NCI_CGAP_GC6 Homo sapiens cDNA clone IMAGE:2516370 3'
10428	23348		0.55	2.5E-02	X71303.1	NT	D. rerio 28S ribosomal RNA, D2 domain
10947	23867	37381	0.67	2.5E-02	AF147615.1	EST_HUMAN	qb22a08.x1 Soares_pregnant uterus NbHPU Homo sapiens cDNA clone IMAGE:1696982 3'
11161	24119	37646	2.15	2.5E-02	Q10335	SWISSPROT	HYPOTHETICAL 46.7 KD PROTEIN C19G10.05 IN CHROMOSOME 1
11161	24119	37647	2.15	2.5E-02	Q10335	SWISSPROT	HYPOTHETICAL 46.7 KD PROTEIN C19G10.05 IN CHROMOSOME 1

Page 160 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
11227	24180		3.01	2.5E-02	AF050167.1	NT	Mus musculus major histocompatibility locus class II region: major histocompatibility protein class II alpha chain (Aalpha) and major histocompatibility protein class II beta chain (Ibeta) genes, complete cds;
12059	24932		1.47	2.5E-02	AB007546.1	NT	butyrophilin-like (NG9), butyrophilin-4p
12416	25885		3.35	2.5E-02	11420078	NT	Homo sapiens gene for LECT2, complete cds
12598	25761		1.47	2.5E-02	11433220	NT	Homo sapiens similar to ALEX3 protein (H. sapiens) (LOC63634), mRNA
12686	25353		2.24	2.5E-02	U60169.1	NT	Homo sapiens mitogen-activated protein kinase kinase 1S (MAP3K13), mRNA
12709	25365	31770	3.42	2.5E-02	BE973327.1	EST_HUMAN	Dictyostelium discoideum putative protein kinase Mica (mika) gene, complete cds
175	13276	26203	0.69	2.4E-02	A1378592.1	EST_HUMAN	607652366R2 NIH_MGC_82 Homo sapiens cDNA clone IMAGE:2070156 3'
1802	14634	27610	2.24	2.4E-02	H65884.1	EST_HUMAN	tc72007.x1 Soares_NihMfu_S1 Homo sapiens cDNA clone IMAGE:211149 5'
2060	15884	28099	1.73	2.4E-02	P01901	SWISSPROT	y75f11.r1 Soares fetal liver spleen TNFSL Homo sapiens cDNA clone IMAGE:211149 5'
2060	15884	28099	1.73	2.4E-02	P01901	SWISSPROT	H-2 CLASS I HISTOCOMPATIBILITY ANTIGEN, K-B ALPHA CHAIN PRECURSOR (H-2K(B))
4398	17424	30308	1.43	2.4E-02	J05110.1	NT	H-2 CLASS I HISTOCOMPATIBILITY ANTIGEN, K-B ALPHA CHAIN PRECURSOR (H-2K(B))
4549	17572	30461	1.43	2.4E-02	P01901	SWISSPROT	T.thermophilus calcium-binding 25 kDa (TCBP 25) protein mRNA, complete cds
4549	17572	30462	1.43	2.4E-02	P01901	SWISSPROT	H-2 CLASS I HISTOCOMPATIBILITY ANTIGEN, K-B ALPHA CHAIN PRECURSOR (H-2K(B))
5227	18235		0.8	2.4E-02	AL161595.2	NT	H-2 CLASS I HISTOCOMPATIBILITY ANTIGEN, K-B ALPHA CHAIN PRECURSOR (H-2K(B))
6340	19409	32650	0.97	2.4E-02	W86980.1	EST_HUMAN	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 91
6496	19560	32811	0.95	2.4E-02	M31650.1	NT	zh63h04.s1 Soares_fetal_liver_spleen TNFSL_S1 Homo sapiens cDNA clone IMAGE:416791 3'
6496	19560	32812	0.95	2.4E-02	M31650.1	NT	Chicken myristoylated alanine-rich C kinase substrate (MARCKS) mRNA, complete cds
7431	20398	33750	1.38	2.4E-02	Z20573.1	EST_HUMAN	Chicken myristoylated alanine-rich C kinase substrate (MARCKS) mRNA, complete cds
7448	20414	33767	1.05	2.4E-02	X12925.1	NT	HSAAACKVX T, Human adult Rhabdomyosarcoma cell-line Homo sapiens cDNA
7448	20414	33768	1.05	2.4E-02	X12925.1	NT	Rat gene for uncoupling protein (UCP)
8159	21087	34495	0.52	2.4E-02	P98082	SWISSPROT	Rat gene for uncoupling protein (UCP)
8159	21087	34496	0.52	2.4E-02	P98092	SWISSPROT	HEMOCYTIN PRECURSOR (HUMORAL LECTIN)
8222	21191		0.57	2.4E-02	AW813007.1	EST_HUMAN	HEMOCYTIN PRECURSOR (HUMORAL LECTIN)
8276	21244		0.58	2.4E-02	M18780.1	NT	RC3-ST0186-230300-019-n08 ST0186 Homo sapiens cDNA
							Human retinol transposon 3' long terminal repeat
							yu12005.s1 Soares fetal liver spleen TNFSL Homo sapiens cDNA clone IMAGE:233576 3' similar to contains
8784	21751		0.53	2.4E-02	H78376.1	EST_HUMAN	Alu repetitive element; contains A3R repetitive element;
8876	21843	35265	11.43	2.4E-02	N69442.1	EST_HUMAN	za35g11.s1 Soares fetal liver spleen TNFSL Homo sapiens cDNA clone IMAGE:294596 3' similar to
9338	22303	35731	0.49	2.4E-02	AE001125.1	NT	gb K02909 RA7SR7K Rat (RNA); contains A3R.b1 A3R repetitive element;
							Borrelia burgdorferi (section 11 of 70) of the complete genome
							zu01c08.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:745354 3' similar to gb:J04422 ISLET
9363	22328	35757	0.81	2.4E-02	AA625660.1	EST_HUMAN	AMYLOID POLYPEPTIDE PRECURSOR (HUMAN); contains Alu repetitive element; contains element XTR

Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
10050	22977	36443	0.46	2.4E-02	AF124160.1	NT	Arabidopsis thaliana molybdopter synthase sulphurylase (cnx5) gene, complete cds
10050	22977	36444	0.46	2.4E-02	AF124160.1	NT	Arabidopsis thaliana molybdopter synthase sulphurylase (cnx6) gene, complete cds
10165	23090	36568	2.57	2.4E-02	AV692954.1	EST_HUMAN	AV692954 GKC Homo sapiens cDNA clone GKCDS03 5'
10340	23284	36743	2.76	2.4E-02	AA493894.1	EST_HUMAN	rh07b12.s1 NCL CGAP_Thy1 Homo sapiens cDNA clone IMAGE:943583 similar to contains Alu repetitive element; contains element PTR5 repetitive element;
10976	23896		1.35	2.4E-02	BE387111.1	EST_HUMAN	601274962F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3615902 5'
11900	24781	36368	1.81	2.4E-02	AF109905.1	NT	Mus musculus major histocompatibility locus class III regions Hsc701 gene, partial cds; smRNP, G7A, NG23, MusS homolog, CLCP, NG24, NG25, and NG28 genes, complete cds; and unknown genes
11900	24781	36369	1.81	2.4E-02	AF109905.1	NT	Mus musculus major histocompatibility locus class III regions Hsc701 gene, partial cds; smRNP, G7A, NG23, MusS homolog, CLCP, NG24, NG25, and NG28 genes, complete cds; and unknown genes
12209	25050		2.39	2.4E-02	9627809	NT	Bacteriophage b167, complete genome
12363	25152	31855	1.7	2.4E-02	6756365	NT	Mus musculus DhhB homolog 1 (E. coli) (Dhhb1), mRNA
12418	25188	31823	3.48	2.4E-02	BE928869.1	EST_HUMAN	MRO-F10175-310800-202-a06 FT0175 Homo sapiens cDNA
12474	25222	31791	1.59	2.4E-02	U78187.1	NT	Rattus norvegicus cAMP-regulated guanine nucleotide exchange factor 1 (cAMP-GEFI) mRNA, complete cds
12474	25222	31833	1.59	2.4E-02	U78187.1	NT	Rattus norvegicus cAMP-regulated guanine nucleotide exchange factor 1 (cAMP-GEFI) mRNA, complete cds
12643	26327		7.88	2.4E-02	AB008569.1	NT	Caenorhabditis elegans mRNA for iron-sulfur subunit of mitochondrial succinate dehydrogenase, complete cds
1888	14913		6.26	2.3E-02	W05340.1	EST_HUMAN	ze84q08.r1 Soares_fetal_lung_NbHL19W Homo sapiens cDNA clone IMAGE:288284 5'
1904	14928		8.44	2.3E-02	U04165.1	NT	4 Homo sapiens mammary tumor-associated protein (INT6) (INT6) gene, exon 4
2358	16366	28388	3.16	2.3E-02	Z74293.1	NT	S.cerevisiae chromosome IV reading frame ORF YDL245c
3694	16737	29850	4.2	2.3E-02	Z20377.1	EST_HUMAN	HSAAACADH P, Human foetal Brain Whole tissue Homo sapiens cDNA
4176	17207	30093	0.8	2.3E-02	L24799.1	NT	Gallus gallus connexin 45.6 (Cx45.6) gene, complete cds
4176	17207	30094	0.8	2.3E-02	L24799.1	NT	Gallus gallus connexin 45.6 (Cx45.6) gene, complete cds
4450	17476	30364	1.52	2.3E-02	AW699107.1	EST_HUMAN	CM4-NN0080-290400-160-504 NN0080 Homo sapiens cDNA
4477	17503	30368	0.78	2.3E-02	BE935225.1	EST_HUMAN	CM3-MT0118-010900-318-g07 MT0118 Homo sapiens cDNA
4477	17503	30389	0.78	2.3E-02	BE935225.1	EST_HUMAN	CM3-MT0118-010900-318-g07 MT0118 Homo sapiens cDNA
4478	18317	30390	1.23	2.3E-02	AW693893.1	EST_HUMAN	xs25608.x1 NCL CGAP_U2 Homo sapiens cDNA clone IMAGE:2770671 3'
4478	18317	30391	1.23	2.3E-02	AW693893.1	EST_HUMAN	xs25608.x1 NCL CGAP_U2 Homo sapiens cDNA clone IMAGE:2770671 3'
4625	17646	30634	2.89	2.3E-02	BF026487.1	EST_HUMAN	601672276F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3955386 5'
4625	17646	30535	2.89	2.3E-02	BF026487.1	EST_HUMAN	601672276F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3955386 5'

Page 162 of 546
Table 4
Single Exon Probes Expressed In Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5203	18212	31086	1.19	2.3E-02	AF257110.1	NT	Rattus norvegicus guanine nucleotide binding protein gamma subunit 11 mRNA, complete cds
5203	18212	31087	1.19	2.3E-02	AF257110.1	NT	Rattus norvegicus guanine nucleotide binding protein gamma subunit 11 mRNA, complete cds
5449	18951	31463	3.35	2.3E-02	U86303.1	NT	Caulobacter crescentus topoisomerase IV ParE subunit (parE) gene, complete cds, and propionyl-CoA carboxylase beta chain (pcdB) homolog gene, partial cds
6963	19432	32675	0.55	2.3E-02	BF106484.1	EST_HUMAN	601822921R1 NIH_MGC_77 Homo sapiens cDNA clone IMAGE:4042829 3'
6774	19828	33112	4.22	2.3E-02	AL161505.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 17
7172	18403	31201	0.84	2.3E-02	BE141475.1	EST_HUMAN	MRO-HT0080-011089-002-c09 HT0080 Homo sapiens cDNA
7695	20653	34016	0.52	2.3E-02	AL163303.2	NT	Homo sapiens chromosome 21 segment HS21C103
8208	21178	34686	5.65	2.3E-02	U63810.1	NT	Human plectin (PLECT1) gene, exons 3-32, and complete cds
8815	21782	35207	0.87	2.3E-02	AJ298105.1	NT	Homo sapiens PDX1 gene for lipoyl-containing component X, exons 1-11
8815	21782	35208	0.87	2.3E-02	AJ298105.1	NT	Homo sapiens PDX1 gene for lipoyl-containing component X, exons 1-11
9044	22010	35431	0.74	2.3E-02	A1685380.1	EST_HUMAN	wa76h10.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2302147 3'
9044	22010	35432	0.74	2.3E-02	A1685380.1	EST_HUMAN	wa76h10.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2302147 3'
9493	22457	35897	0.89	2.3E-02	P41996	SWISSPROT	HYPOTHETICAL 95.6 KD PROTEIN B0280.5 IN CHROMOSOME III PRECURSOR
10218	23143	36632	0.77	2.3E-02	P50332	SWISSPROT	CHROMOSOME ASSEMBLY PROTEIN XCAP-C
10390	23312	36791	1.47	2.3E-02	AE000199.1	NT	Escherichia coli K-12 MG1655 section 89 of 400 of the complete genome
10390	23312	36792	1.47	2.3E-02	AE000199.1	NT	Escherichia coli K-12 MG1655 section 89 of 400 of the complete genome
11135	24095	37624	1.71	2.3E-02	P08640	SWISSPROT	GLUCOAMYLASE S1/S2 PRECURSOR (GLUCAN 1,4-ALPHA-GLUCOSIDASE) (1,4-ALPHA-D-GLUCAN GLUCOHYDROLASE)
12336	25738	31755	7.99	2.3E-02	BE278331.1	EST_HUMAN	601178958F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3546567 5'
12742	25392	31755	1.5	2.3E-02	BF528462.1	EST_HUMAN	602043629F1 NCI_CGAP_Bim67 Homo sapiens cDNA clone IMAGE:4181454 5'
12742	25392	31756	1.5	2.3E-02	BF528462.1	EST_HUMAN	602043629F1 NCI_CGAP_Bim67 Homo sapiens cDNA clone IMAGE:4181454 5'
12843	25453	31724	3.2	2.3E-02	U39394.1	NT	Streptomyces sp. alpha-1,3/4-fucosidase precursor gene, complete cds
12897	25983		2.48	2.3E-02	U11077.1	NT	Dictyostelium discoideum extracellular signal-regulated protein kinase (ERK1) mRNA, complete cds
13100	25833		1.92	2.3E-02	11426388	NT	Homo sapiens dead ringer (Drosophila)-like 1 (DRIL1), mRNA
739	13800	26739	4.3	2.2E-02	AF018287.1	NT	Columbia livia nucleoside diphosphate kinase (NDPK) gene, nuclear gene encoding mitochondrial protein, complete cds
1762	14791		1.59	2.2E-02	4557448	NT	Homo sapiens chromodomain helicase DNA binding protein 2 (CHD2) mRNA
2031	15050	28065	1.68	2.2E-02	Z82001.1	NT	S.pneumoniae pcpsA gene and open reading frames
3448	16495		2.15	2.2E-02	AA577785.1	EST_HUMAN	nr24804.s1 NCI_CGAP_Gas1 Homo sapiens cDNA clone IMAGE:1084782 3'
3660	16703		3.48	2.2E-02	AF083094.1	NT	Infectious bursal disease virus segment B strain IL4 VP1 gene, complete cds
3867	16908	29814	1.26	2.2E-02	AW601317.1	EST_HUMAN	PM0-BT0340-170100-004-b03 BT0340 Homo sapiens cDNA
3941	16981	29898	0.74	2.2E-02	Z74283.1	NT	S.cerevisiae chromosome IV reading frame ORF YDL245c

Page 163 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5105	18115	30988	1.17	2.2E-02	Z73697.1	NT	S.cerevisiae chromosome XVI reading frame ORF YPL241c
7458	20424	33780	3.37	2.2E-02	AV699721.1	EST_HUMAN	AV699721 GKB Homo sapiens cDNA clone GK BAND03 3'
8714	21682	35109	2.28	2.2E-02	AL161515.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 27
8714	21682	35110	2.28	2.2E-02	AL161515.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 27
9161	22127	35555	0.77	2.2E-02	X79488.1	NT	P. vulgaris alpha tub 2 mRNA
10045	22972	38438	2.26	2.2E-02	AB026988.1	NT	Homo sapiens DNA, DLEC1 to ORCTL4 gene region, section 1/2 (DLEC1, ORCTL3, ORCTL4 genes, complete cds)
10045	22972	38439	2.26	2.2E-02	AB026988.1	NT	Homo sapiens DNA, DLEC1 to ORCTL4 gene region, section 1/2 (DLEC1, ORCTL3, ORCTL4 genes, complete cds)
10563	23487		0.91	2.2E-02	6678140	NT	Mus musculus Sjogren syndrome antigen A1 (Ssa1), mRNA
11540	24481	38033	1.8	2.2E-02	BE79760.1	EST_HUMAN	601584309F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3838571 5'
12602	25304		6.72	2.2E-02	AA503553.1	EST_HUMAN	ne4707.s1 NCI_CGAP_Cox3 Homo sapiens cDNA clone IMAGE:800541 3' similar to contains Alu repetitive element;
419	13492		6.37	2.1E-02	AF761502.1	EST_HUMAN	AV761502 MDS Homo sapiens cDNA clone MDSADG01 5'
449	13522		8.77	2.1E-02	AF029728.1	NT	Dicystellum discoidium histidine kinase C (dhkc) mRNA, complete cds
1268	14303	27264	8.3	2.1E-02	U72073.1	NT	Bacillus subtilis cotKLMV cluster, CotK (cotK), and spore coat protein CotM (cotM) genes, complete cds
1387	14420	27389	0.98	2.1E-02	AF204395.1	NT	Mus musculus macrophage migration inhibitory factor (MIF) gene, 5' flanking region and partial cds
1387	14420	27390	0.99	2.1E-02	AF204395.1	NT	Mus musculus macrophage migration inhibitory factor (MIF) gene, 5' flanking region and partial cds
1797	14826	27811	1.26	2.1E-02	P02436	SWISSPROT	KERATIN, HIGH-SULFUR MATRIX PROTEIN, B2A
1797	14826	27812	1.26	2.1E-02	P02436	SWISSPROT	KERATIN, HIGH-SULFUR MATRIX PROTEIN, B2A
1797	14826	27813	1.26	2.1E-02	P02436	SWISSPROT	KERATIN, HIGH-SULFUR MATRIX PROTEIN, B2A
1990	15001	28004	1.01	2.1E-02	AF190899.1	NT	Tegula aureolincta major acrosomal protein precursor (TMAP) mRNA, complete cds
2050	15069	28089	0.9	2.1E-02	BE072546.1	EST_HUMAN	PM2-BT0546-120100-001-f11 BT0546 Homo sapiens cDNA
2050	15069	28090	0.9	2.1E-02	BE072546.1	EST_HUMAN	PM2-BT0546-120100-001-f11 BT0546 Homo sapiens cDNA
2691	15592	28609	1.04	2.1E-02	AA225096.1	EST_HUMAN	nc21g03.r1 NCI_CGAP_P1 Homo sapiens cDNA clone IMAGE:1008620
2827	13639	26784	4.46	2.1E-02	N26266.1	EST_HUMAN	yx43107.r1 Soares melanocyte 2NblHM Homo sapiens cDNA clone IMAGE:284541 5'
3164	15069	28089	1.02	2.1E-02	BE072546.1	EST_HUMAN	PM2-BT0546-120100-001-f11 BT0546 Homo sapiens cDNA
3164	15069	28090	1.02	2.1E-02	BE072546.1	EST_HUMAN	PM2-BT0546-120100-001-f11 BT0546 Homo sapiens cDNA
3997	16642	29561	0.98	2.1E-02	AA461271.1	EST_HUMAN	zx63509.r1 Soares fetal NblHM Homo sapiens cDNA clone IMAGE:766121 5'
4028	17066	29687	0.97	2.1E-02	BF203457.1	EST_HUMAN	601866890F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:4098407 5'
4157	17188	30076	0.64	2.1E-02	Z74263.1	NT	S.cerevisiae chromosome IV reading frame ORF YDL245c
4339	17388	30249	1.4	2.1E-02	BF343665.1	EST_HUMAN	602016306F1 NCI_CGAP_Brn64 Homo sapiens cDNA clone IMAGE:4161161 5'
4473	17499	30384	2.15	2.1E-02	U44914.1	NT	Borrelia burgdorferi plasmid cp32-2, erpC and erpD genes, complete cds; and unknown genes

Page 164 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4483	17508	30397	1.13	2.1E-02	AI768127.1	EST_HUMAN	wg61d1.1.xt Soares_NSF_F8_gw_OT_PA_P_S1 Homo sapiens cDNA clone IMAGE:2371509 3'
4739	17759	30654	5.69	2.1E-02	Y08501.1	NT	A.thaliana mitochondrial genome, part A
4761	17781	30677	1.5	2.1E-02	AA665737.1	EST_HUMAN	eg55g12.s1 Gessler Wilms tumor Homo sapiens cDNA clone IMAGE:1126918 3'
5256	18284	31133	1.07	2.1E-02	BF026405.1	EST_HUMAN	60187141F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3954410 5'
5723	18817	31896	0.75	2.1E-02	AW378528.1	EST_HUMAN	GM4-HT0244-11199-040-h05 HT0244 Homo sapiens cDNA
7288	20003	33303	0.65	2.1E-02	BF086199.1	EST_HUMAN	QV3-GN0058-120900-329-a12 GN0058 Homo sapiens cDNA
8864	21831	35264	0.68	2.1E-02	9790238	NT	Mus musculus sorting nexin 1 (Snx1), mRNA
9861	22797	36250	0.51	2.1E-02	AA984288.1	EST_HUMAN	am83e07.s1 Stratagene schizo brain S11 Homo sapiens cDNA clone IMAGE:1629732 3' similar to contains
9989	22916	36381	2.63	2.1E-02	AJ243213.1	NT	Alu repetitive element contains element MER11 repetitive element;
9989	22916	36382	2.63	2.1E-02	AJ243213.1	NT	Homo sapiens partial 5-HT4 receptor gene, exons 2 to 5
10343	23267	36746	1.13	2.1E-02	L29324.1	NT	Homo sapiens partial 5-HT4 receptor gene, exons 2 to 5
10421	23343	36829	0.68	2.1E-02	AA984288.1	EST_HUMAN	Streptococcus pneumoniae integrase, excisionase, repressor protein, relaxase, UmuC MucB homolog, and
12584	18345	31617	8.95	2.1E-02	Y19213.1	NT	UmuD MucA homolog genes, complete cds; and unknown genes
12624	25735	31617	1.4	2.1E-02	L34170.1	NT	am83e07.s1 Stratagene schizo brain S11 Homo sapiens cDNA clone IMAGE:1629732 3' similar to contains
13003	25557	31693	3.5	2.1E-02	AF183913.1	NT	Alu repetitive element contains element MER11 repetitive element;
19	13139	26037	1.39	2.0E-02	BF002632.1	EST_HUMAN	Homo sapiens putative psilHbA pseudogene for hair keratin, exons 2 to 7
20	13140	26038	10.76	2.0E-02	AW895565.1	EST_HUMAN	Human germline UBE1L gene similar to the gene for ubiquitin-activating enzyme, exons 1-22
259	13356	26280	3.29	2.0E-02	6753635	NT	Azospirillum brasilense major outer membrane protein OmeA precursor (omaA) gene, complete cds
295	13389	26317	2.85	2.0E-02	AA456538.1	EST_HUMAN	7g51c08.x1 NCI_CGAP_P228 Homo sapiens cDNA clone IMAGE:3309998 3' similar to contains MER1.13
799	13858	26805	1.27	2.0E-02	6753635	NT	MER1 repetitive element;
1089	14133	27085	1.03	2.0E-02	AL096805.1	NT	QV4-NN0036-270400-187-h05 NN0038 Homo sapiens cDNA
1204	14243	27201	0.79	2.0E-02	8922391	NT	Mus musculus DinB homolog 1 (E. coli) (Dinb1), mRNA
1204	14243	27202	0.79	2.0E-02	8922391	NT	Mus musculus DinB homolog 1 (E. coli) (Dinb1), mRNA
1890	14915	27909	2.08	2.0E-02	8922453	NT	aa15p10.r1 Soares_NHMPu_S1 Homo sapiens cDNA clone IMAGE:813307 5'
1890	14915	27910	2.08	2.0E-02	8922453	NT	Mus musculus DinB homolog 1 (E. coli) (Dinb1), mRNA
2810	15802		4.57	2.0E-02	AL161532.2	NT	Homo sapiens genomic region containing hypervariable minisatellites chromosome 1[p36.33] of Homo
3095	13139	26037	1.61	2.0E-02	BF002632.1	EST_HUMAN	Homo sapiens hypothetical protein FLJ10379 (FLJ10379), mRNA
							Homo sapiens hypothetical protein FLJ10379 (FLJ10379), mRNA
							Homo sapiens hypothetical protein FLJ10486 (FLJ10486), mRNA
							Homo sapiens hypothetical protein FLJ10486 (FLJ10486), mRNA
							Arabidopsis thaliana DNA chromosome 4, contig fragment No. 32
							7g51c08.x1 NCI_CGAP_P228 Homo sapiens cDNA clone IMAGE:3309998 3' similar to contains MER1.13
							MER1 repetitive element;

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3159	16215		1.83	2.0E-02	7305474	NT	Mus musculus sema domain, transmembrane domain (TM), and cytoplasmic domain, (semaphorin) 6B (Sema6b), mRNA
3241	16286		1.8	2.0E-02	AF095598.1	NT	Arabidopsis thaliana C2H2 zinc finger protein EFZ mRNA, complete cds
4032	17070	28971	1.4	2.0E-02	M18095.1	NT	P. vulgaris hydroxyproline-rich glycoprotein (HRGP) mRNA, 3' end
5153	18163		0.7	2.0E-02	AI271995.1	EST_HUMAN	qj83e03.x1 NCI_CGAP_Kid3 Homo sapiens cDNA clone IMAGE:1866076 3'
5175	18184	31061	0.94	2.0E-02	AL163278.2	NT	Homo sapiens chromosome 21 segment HS21C078
5718	18812	31991	0.59	2.0E-02	U34778.1	NT	Caenorhabditis elegans sma-2 mRNA, complete cds
6000	19083	32282	0.73	2.0E-02	L35321.2	NT	Dictyostellum discoideum class VII unconventional myosin (myo) gene, complete cds
7789	20751	34126	1.09	2.0E-02	AF000004.1	NT	Pyrococcus horikoshii OT3 genomic DNA, 777001-994000 nt position (417)
7799	20751	34127	1.09	2.0E-02	AF000004.1	NT	Pyrococcus horikoshii OT3 genomic DNA, 777001-994000 nt position (417)
10238	23161		1.99	2.0E-02	U70408.1	NT	Japanese encephalitis virus envelope protein mRNA, partial cds
10726	23648	37141	1.54	2.0E-02	AI640342.1	EST_HUMAN	wa17b02.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2288315 3'
11005	23971	37495	1.84	2.0E-02	Z73986.1	NT	Mycobacterium tuberculosis H37Rv complete genome, segment 93/162
11899	24664	38241	2.26	2.0E-02	D88184.1	NT	Equus caballus DNA for 17alpha-hydroxylase/17 20-lyase, complete cds
12148	18351	31288	3.03	2.0E-02	AA456538.1	EST_HUMAN	aa15b10.r1 Soares_NHMPu_S1 Homo sapiens cDNA clone IMAGE:813307 5'
12821	15802		1.99	2.0E-02	AL161632.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 32
13076	25608		3.4	2.0E-02	T80037.1	EST_HUMAN	yd04c09.r1 Soares Infant brain 1N1B Homo sapiens cDNA clone IMAGE:24875 5'
694	13756	26886	2.55	1.9E-02	AA572764.1	EST_HUMAN	nf19a07.s1 NCI_CGAP_Pr1 Homo sapiens cDNA clone IMAGE:914196 similar to contains L1.11 L1 repetitive element;
1619	14652	27628	1.03	1.9E-02	P18488	SWISSPROT	EMPTY SPIRACLES HOMEOTIC PROTEIN
2055	15074	28083	3.04	1.9E-02	AL163303.2	NT	Homo sapiens chromosome 21 segment HS21C103
2055	15074	28094	3.04	1.9E-02	AL163303.2	NT	Homo sapiens chromosome 21 segment HS21C103
2514	15517	28540	1.07	1.9E-02	AL161550.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 50
2916	15974	28897	8.5	1.9E-02	AA713856.1	EST_HUMAN	hw04f05.s1 NCI_CGAP_SS1 Homo sapiens cDNA clone IMAGE:1288337 3'
2984	16022	28947	1.46	1.9E-02	AV648669.1	EST_HUMAN	AV648669 GLC Homo sapiens cDNA clone GLCBLH07 3'
3273	16327		0.72	1.9E-02	AB033611.1	NT	Utricularia talpoides mitochondrial gene for cytochrome b, complete cds
3625	16688		1.36	1.9E-02	N52250.1	EST_HUMAN	yz28b02.s1 Soares_multiple sclerosis_2N1BHMSP Homo sapiens cDNA clone IMAGE:284331 3'
3718	16761		8.23	1.9E-02	BE738088.1	EST_HUMAN	601572882F1 NIH_MGC_57 Homo sapiens cDNA clone IMAGE:3839684 5'
3727	16769	29681	0.69	1.9E-02	AI301183.1	EST_HUMAN	qn04c07.x1 NCI_CGAP_Lu5 Homo sapiens cDNA clone IMAGE:1897280 3' similar to contains Alu repetitive element
4077	17112	30008	1.59	1.9E-02	AF141940.1	NT	Mycoplasma imitans Vira1 precursor (vira1) and Vira2 precursor (vira2) genes, partial cds
4222	17251	30137	1.62	1.9E-02	P08081	SWISSPROT	HOMEOTIC BICOID PROTEIN (PRD-4)
4222	17251	30138	1.62	1.9E-02	P08081	SWISSPROT	HOMEOTIC BICOID PROTEIN (PRD-4)

Page 166 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4572	17594	30488	3.65	1.9E-02	AI452999.1	EST_HUMAN	y48d04.x1 Soares_NSF_F9_9W_OT_PA_P_S1 Homo sapiens cDNA clone IMAGE:2144551 3' similar to contains Alu repetitive element;
5048	15517	28540	2.68	1.9E-02	AL161550.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 50
5399	18492	31369	0.91	1.9E-02	AF037352.1	NT	Mus musculus T cell receptor gamma locus, TCR gamma 1 and gamma 3 gene clusters
5544	18641	31581	1.25	1.9E-02	L47572.1	NT	Meleagris gallopavo paracoxase-2 (PON2) mRNA, complete cds
5885	18974		1.24	1.9E-02	AB019507.1	NT	Drosophila kanakl gene for glycerol-3-phosphate dehydrogenase, complete cds
7308	20279	33617	1.34	1.9E-02	U19241.1	NT	Homo sapiens interferon-gamma receptor alpha chain gene, exon 1
7308	20279	33618	1.34	1.9E-02	U19241.1	NT	Homo sapiens interferon-gamma receptor alpha chain gene, exon 1
8917	21883		1.2	1.9E-02	AL162754.2	NT	Neisseria meningitidis serogroup A strain Z2401 complete genome; segment 3/7
9686	22639	36096	0.78	1.9E-02	BF316129.1	EST_HUMAN	601896130F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:4125462 5'
10071	22998	36467	0.43	1.9E-02	L10114.1	NT	Nicotiana tabacum type II phytochrome (phyB) gene, complete cds
10405	23327	36811	1.09	1.9E-02	BF695832.1	EST_HUMAN	601852385F1 NIH_MGC_56 Homo sapiens cDNA clone IMAGE:4076253 5'
10510	23432	36929	0.45	1.9E-02	N39160.1	EST_HUMAN	y48d08.s1 Soares_multiple sclerosis_2NBMSP Homo sapiens cDNA clone IMAGE:276639 3'
10614	23536	37034	0.5	1.9E-02	D64001.1	NT	Synechocystis sp. PCC6803 complete genome, 2027, 2539000-2644794
12372	25742	31620	3.14	1.9E-02	AF101065.1	NT	Hirudo medicinalis intermediate filament gillm mRNA, complete cds
13026	25574	31696	1.4	1.9E-02	X68271.1	NT	H. sapiens MUC18 gene exon 16
346	13435	26357	1.35	1.8E-02	AW771104.1	EST_HUMAN	hm52c06.x1 NCI_CGAP_Co17 Homo sapiens cDNA clone IMAGE:3027274 3' similar to contains element
686	13749	26675	1.39	1.8E-02	BF308122.1	EST_HUMAN	MER29 repetitive element;
1164	14205	27159	1.87	1.8E-02	X17804.1	NT	601894329F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:4139983 5'
2687	15683	28701	1.78	1.8E-02	AE004544.1	NT	H. francisci mRNA for myelin basic protein (MBP)
3224	16279		1.06	1.8E-02	AI805829.1	EST_HUMAN	Pseudomonas aeruginosa PA01, section 105 of 529 of the complete genome
3902	16942	29853	1.01	1.8E-02	AW879122.1	EST_HUMAN	tes2a09.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2090296 3'
3902	16942	29854	1.01	1.8E-02	AW879122.1	EST_HUMAN	MR1-OT0011-280300-009-g04 OT0011 Homo sapiens cDNA
4113	17147		1.04	1.8E-02	AA861446.1	EST_HUMAN	MR1-OT0011-280300-009-g04 OT0011 Homo sapiens cDNA
4461	17487	30374	1.49	1.8E-02	AW936363.1	EST_HUMAN	ak24h04.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1406935 3'
4992	18007	30895	0.98	1.8E-02	O60810	SWISSPROT	QV4-DT0021-301299-071-b11 DT0021 Homo sapiens cDNA
5287	18263	31154	0.68	1.8E-02	AF25571.1	NT	HYPOTHETICAL PROTEIN DJ845024.2
6524	19587	32845	0.59	1.8E-02	AE002518.1	NT	Oryza sativa putative histone deacetylase HD2 mRNA, complete cds
6524	19587	32846	0.59	1.8E-02	AE002518.1	NT	Neisseria meningitidis serogroup B strain MC58 section 160 of 206 of the complete genome
6982	20205	33534	4.59	1.8E-02	P14310	SWISSPROT	Neisseria meningitidis serogroup B strain MC58 section 160 of 206 of the complete genome
7699	20657	34021	0.65	1.8E-02	BF125690.1	EST_HUMAN	HYPOTHETICAL 7.9 KD PROTEIN IN FIXW 5'REGION
7722	20657	34021	0.58	1.8E-02	BF125690.1	EST_HUMAN	601763268F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:4026280 5'
8467	21436	34854	0.77	1.8E-02	U37091.1	NT	601763268F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:4026280 5'
							Mus musculus carbonic anhydrase IV gene, complete cds

Page 167 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8811	21778	35203	0.79	1.8E-02	AW905327.1	EST_HUMAN	QV2-NN1073-220400-169-109 NN1073 Homo sapiens cDNA
8857	21824	35247	0.76	1.8E-02	6878943	NT	Mus musculus microtubule-associated protein 2 (Map2), mRNA
9849	22785	36238	0.5	1.8E-02	BF241924.1	EST_HUMAN	601877026F1 NIH_MGC_55 Homo sapiens cDNA clone IMAGE:4106303 5'
9849	22785	36239	0.5	1.8E-02	BF241924.1	EST_HUMAN	601877026F1 NIH_MGC_55 Homo sapiens cDNA clone IMAGE:4106303 5'
10000	22927		2.03	1.8E-02	AA897643.1	EST_HUMAN	aj62109.s1 Soares testis_NHT Homo sapiens cDNA clone IMAGE:1394821 3' similar to gb:L11672 ZINC FINGER PROTEIN 91 (HUMAN);
10423	23346	36830	1.66	1.8E-02	BE778274.1	EST_HUMAN	601463545F1 NIH_MGC_67 Homo sapiens cDNA clone IMAGE:3866963 5'
10586	23508	37000	1.2	1.8E-02	X96833.1	NT	L. stagnalis mRNA for myomodulin neuropeptide precursor
11765	23920	37438	1.7	1.8E-02	AB002337.2	NT	Homo sapiens mRNA for KIAA0339 protein, partial cds
11765	23920	37439	1.7	1.8E-02	AB002337.2	NT	Homo sapiens mRNA for KIAA0339 protein, partial cds
11835	24918	38413	2.73	1.8E-02	AP000006.1	NT	Pyrococcus horikoshii OT3 genomic DNA, 1166001-1485000 nt. position (87)
11948	24827	38422	3.16	1.8E-02	U62749.1	NT	Zea mays acidic ribosomal protein P2a-3 (rpp2a-3) mRNA, partial cds
13105	25626	31680	1.36	1.8E-02	R40255.1	EST_HUMAN	y80d01.s1 Soares infant brain 1N1B Homo sapiens cDNA clone IMAGE:28985 3' similar to gb:M62783 ALPHA-N-ACETYL GALACTOSAMINIDASE PRECURSOR (HUMAN);
13105	25626	31681	1.35	1.8E-02	R40255.1	EST_HUMAN	y80d01.s1 Soares infant brain 1N1B Homo sapiens cDNA clone IMAGE:28985 3' similar to gb:M62783 ALPHA-N-ACETYL GALACTOSAMINIDASE PRECURSOR (HUMAN);
907	13962	28918	0.8	1.7E-02	BE394868.1	EST_HUMAN	601310526F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3632190 5'
1806	14834	27823	2.16	1.7E-02	AW573183.1	EST_HUMAN	h34a03.x1 Soares NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2833740 3' similar to contains L1.t1 L1 repetitive element;
1806	14834	27824	2.15	1.7E-02	AW573183.1	EST_HUMAN	h34a03.x1 Soares NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2833740 3' similar to contains L1.t1 L1 repetitive element;
1887	14912		4.23	1.7E-02	AL163204.2	NT	Homo sapiens chromosome 21 segment HS21C004
2121	15138		11.19	1.7E-02	AB004816.1	NT	Oryctolagus cuniculus mRNA for mitsugumin28, complete cds
2301	15313	28333	1.03	1.7E-02	S74186.1	NT	[Microsatellite INRA41] [Ovis aries=sheep, Genomic, 361 nt, segment 1 of 2]
2648	15645		1.18	1.7E-02	7657495	NT	Homo sapiens putative Rab5 GDP/GTP exchange factor homologue (RABEX5), mRNA
3011	16069	28990	0.96	1.7E-02	A1147615.1	EST_HUMAN	qb22a08.x1 Soares_pregnanL_uterus_NbHPU Homo sapiens cDNA clone IMAGE:1696982 3'
3523	16569		5.52	1.7E-02	AW827368.1	EST_HUMAN	hm45a04.x1 NCI_CGAP_RDF1 Homo sapiens cDNA clone IMAGE:3016534 3' similar to contains MER19.b1 MER19 repetitive element;
4198	17229		0.96	1.7E-02	AA689618.1	EST_HUMAN	ac19f04.s1 Stratagene ovary (#937217) Homo sapiens cDNA clone IMAGE:856927 3' similar to contains Alu repetitive element; contains element MER24 repetitive element;
4228	17257		2.04	1.7E-02	R02806.1	EST_HUMAN	ye86f08.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:124647 5'
4482	17507	30396	0.7	1.7E-02	A1305279.1	EST_HUMAN	qm08g07.x1 NCI_CGAP_Lu5 Homo sapiens cDNA clone IMAGE:1891276 3' similar to gb:X52359 ZINC FINGER PROTEIN 30 (HUMAN);

Page 168 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4557	17580	30471	1.52	1.7E-02	AW573183.1	EST_HUMAN	h34a03.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2833740 3' similar to contains L1.11 L1 repetitive element;
4744	17764	30658	1.54	1.7E-02	V00641.1	NT	Messenger RNA for anglerfish (<i>Lophius americanus</i>) somatostatin II
4851	17868		7.05	1.7E-02	A015076.1	EST_HUMAN	ov61a02.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1640858 3'
5106	18116	30889	0.74	1.7E-02	6981289	NT	Rattus norvegicus N-arginine dibasic convertase 1 (Nrd1), mRNA
5229	18237		0.91	1.7E-02	A122041.1	NT	Homo sapiens 959 kb contig between AML1 and CBR1 on chromosome 21q22; segment 1/3
6248	19321	32551	1.63	1.7E-02	A1769247.1	EST_HUMAN	wg35f09.x1 Soares_NSF_F8_9W_OT_PA_P_S1 Homo sapiens cDNA clone IMAGE:2367113 3' similar to contains Alu repetitive element;
6618	19676		0.64	1.7E-02	Z28383.1	NT	T.niveum (ATCC34921) simA gene for cyclosporine synthetase
6731	19787	33065	1.37	1.7E-02	A1038280.1	EST_HUMAN	ov65h03.x1 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:1672861 3'
7251	19888	33284	1.31	1.7E-02	AF190930.1	NT	Macaca fascicularis protein tyrosine phosphatase (PRL-1) mRNA, complete cds
7411	20378	33729	1.95	1.7E-02	8400718	NT	Homo sapiens nebulin (NEB), mRNA
7581	20543	33902	0.85	1.7E-02	L07889.1	NT	Human apolipoprotein (a) gene, exon 1
7581	20543	33903	0.85	1.7E-02	L07889.1	NT	Human apolipoprotein (a) gene, exon 1
8016	20954		1.98	1.7E-02	A1010770.1	NT	Homo sapiens hyperin gene, exons 1-50
8791	21114	34514	0.91	1.7E-02	U21854.1	NT	Caenorhabditis elegans cCAF1 protein gene, complete cds
10057	22984	36453	1.31	1.7E-02	AL040564.1	EST_HUMAN	DKFZp434i0314_r1 434 (synonym: hies3) Homo sapiens cDNA clone DKFZp434i0314 5'
12084	24956	38551	1.59	1.7E-02	5902007	NT	Homo sapiens serum constituent protein (MSE55), mRNA
12910	25910	31424	3.15	1.7E-02	AW603482.1	EST_HUMAN	GM4-NN1030-040400-130-f06 NN1030 Homo sapiens cDNA
13059	25598	31687	1.31	1.7E-02	AA846928.1	EST_HUMAN	oe08d04.s1 NCI_CGAP_Ov2 Homo sapiens cDNA clone IMAGE:1385287 similar to contains element MSR1 repetitive element;
512	13583		2.22	1.6E-02	AL021928.1	NT	Mycobacterium tuberculosis H37Rv complete genome; segment 13/162
1865	14897	27673	0.91	1.6E-02	Y18888.1	NT	Treponema mallophilum flaB2, flaB3 and flID genes for flagellin subunit proteins and CAP protein homologue
2572	15573	28593	0.95	1.6E-02	AJ006345.1	NT	Homo sapiens KVLQ1 gene
2851	15648	28671	1.45	1.6E-02	AA484872.1	EST_HUMAN	ne81d08.s1 NCI_CGAP_Ew1 Homo sapiens cDNA clone IMAGE:910667
2704	15700		1.37	1.6E-02	AB014534.1	NT	Homo sapiens mRNA for KIAA0634 protein, partial cds
3537	16583	29506	4.46	1.6E-02	AW850552.1	EST_HUMAN	IL3-CT0219-160200-063-C07 CT0219 Homo sapiens cDNA
4204	17235		2.14	1.6E-02	AF110520.1	NT	Mus musculus major histocompatibility complex region NG27, NG28, RPS28, NADH oxidoreductase, NG29, KIFC1, Fas-binding protein, BING1, tapasin, RelGDS-like, KE2, BING4, beta 1,3-galactosyl transferase, and
4329	17357	30245	0.96	1.6E-02	AW875407.1	EST_HUMAN	RPS18 genes, complete cds; Sacm21 gene, partial>
5172	18181		0.76	1.6E-02	N80156.1	EST_HUMAN	CV2-PT0012-140100-030-107 PT0012 Homo sapiens cDNA
5325	18431	31183	0.49	1.6E-02	A1281385.1	EST_HUMAN	za65607.s1 Soares_fetal_liver_spleen_1NFLS Homo sapiens cDNA clone IMAGE:287444 3'
							qu42609.x1 NCI_CGAP_Lym5 Homo sapiens cDNA clone IMAGE:1967417 3'

Page 169 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6705	18600	31977	1.33	1.6E-02	6871715	NT	Mus musculus CD5 antigen (Cd5), mRNA
6786	18853	33138	2.07	1.6E-02	AB015281.1	NT	Candida albicans CaGCR3 gene, complete cds
7117	20051	33354	0.93	1.6E-02	AB027571.1	NT	Saccharomyces cerevisiae CAD2 gene for cadmium resistance protein, complete cds
7117	20051	33355	0.93	1.6E-02	AB027571.1	NT	Saccharomyces cerevisiae CAD2 gene for cadmium resistance protein, complete cds
7978	20917	34308	1.08	1.6E-02	AL161508.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 20
8458	21427	34844	0.72	1.6E-02	AJ277682.1	NT	Homo sapiens partial TUB gene for tubby (mouse) homolog and LMO1 gene for LIM domain only 1 protein
8519	21487		1.5	1.6E-02	X05151.1	NT	Human apoC-II gene for preproapoprotein C-II
10400	23322		1.98	1.6E-02	AF079764.1	NT	Drosophila melanogaster enhancer of polycomb (E(Pc)) mRNA, complete cds
10785	23706	37208	1.2	1.6E-02	AA572818.1	EST_HUMAN	nf19g03.s1 NCL_CGAP_P11 Homo sapiens cDNA clone IMAGE:914280 similar to SW:TELO_RABIT
10785	23706	37207	1.2	1.6E-02	AA572818.1	EST_HUMAN	nf19g03.s1 NCL_CGAP_P11 Homo sapiens cDNA clone IMAGE:914280 similar to SW:TELO_RABIT
11255	25705	37730	1.83	1.6E-02	Z94828.1	NT	G.gallus microsatellite DNA (LE10260 (=T1611E11))
11547	24488	38042	1.7	1.6E-02	AL161508.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 20
11547	24488	38043	1.7	1.6E-02	AL161508.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 20
11839	24722	38307	1.66	1.6E-02	AJ373558.1	EST_HUMAN	q296e10.x1 Soares_pregnant_uterus_NbHPU Homo sapiens cDNA clone IMAGE:2042442 3'
12347	18334	31172	1.39	1.6E-02	Q64176	SWISSPROT	LIVER CARBOXYLESTERASE 22 PRECURSOR (EGASYN) (ESTERASE-22)
12347	18334	31173	1.39	1.6E-02	Q64176	SWISSPROT	LIVER CARBOXYLESTERASE 22 PRECURSOR (EGASYN) (ESTERASE-22)
752	13813		20.75	1.5E-02	8923734	NT	Homo sapiens transcription factor (HSA130894), mRNA
2182	18188	28184	4.44	1.5E-02	N39521.1	EST_HUMAN	y27b07.s1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:243926 3'
2185	18200	28220	1.82	1.5E-02	AL161594.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 90
3074	18131	29043	2.54	1.5E-02	AJ006216.1	NT	Homo sapiens CACNA1F gene, exons 1 to 48
3074	18131	29044	2.54	1.5E-02	AJ006216.1	NT	Homo sapiens CACNA1F gene, exons 1 to 48
3737	18779	29892	1.06	1.5E-02	BF092942.1	EST_HUMAN	MR4-TN0115-080900-201-b12 TN0115 Homo sapiens cDNA
6428	19493	32745	1.33	1.5E-02	Q09711	SWISSPROT	HYPOTHETICAL CALCIUM-BINDING PROTEIN C18B11.04 IN CHROMOSOME 1
7541	20504		1.59	1.5E-02	11467282	NT	Cyanophora paradoxa cyanelle, complete genome
7631	20591	33954	1.38	1.5E-02	11418713	NT	Homo sapiens KIAA1009 protein (KIAA1009), mRNA
8206	21176	34586	1.5	1.5E-02	AL163303.2	NT	Homo sapiens chromosome 21 segment HS21C103
8213	21182	34593	4.82	1.5E-02		NT	Homo sapiens valyl-tRNA synthetase 2 (VARS2), mRNA
9182	22148	35575	0.93	1.5E-02	BF345554.1	EST_HUMAN	602018135F1 NCL_CGAP_Bn67 Homo sapiens cDNA clone IMAGE:4164804 5'
9823	22672		0.58	1.5E-02	AF068774.1	NT	Homo sapiens kinase-related protein isoform 1 mRNA, complete cds
9829	22812	36266	1.58	1.5E-02	D44808.1	NT	Saccharomyces cerevisiae chromosome VI plasmid GapC
10170	23085	36574	0.95	1.5E-02	R32867.1	EST_HUMAN	y154b10.71 Soares placenta Nb2HP Homo sapiens cDNA clone IMAGE:133531 5'

Page 170 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
10170	23095	36575	0.95	1.5E-02	R32687.1	EST_HUMAN	Yh54b10.r1 Soares placenta Nb2HP Homo sapiens cDNA clone IMAGE:133531 5'
11503	24445	37997	2.75	1.5E-02	L40609.1	NT	Plasmodium falciparum (strain FCR3) variant-specific surface protein (var-2, var-3) genes, complete cds's
11537	24478	38028	2.52	1.5E-02	AL111238.1	NT	Botrytis cinerea strain T4 cDNA library under conditions of nitrogen deprivation
12584	25783		2.04	1.5E-02	AW750834.1	EST_HUMAN	RC4-CN0049-140100-011-c11 CN0049 Homo sapiens cDNA
13078	25610		1.3	1.5E-02	A1763127.1	EST_HUMAN	wf08h03.x1 NCI_CGAP_QLL1 Homo sapiens cDNA clone IMAGE:2389493 3' similar to contains Alu repetitive element; contains element MER28 MSR1 repetitive element ;
417	13480		1.99	1.4E-02	AE002230.2	NT	Chlamydia pneumoniae AR39, section 58 of 94 of the complete genome
1120	14164	27115	5.44	1.4E-02	7705980	NT	Homo sapiens NESH protein (LOC51225), mRNA
1281	14296		1.74	1.4E-02	U32800.1	NT	Haemophilus influenzae Rd section 115 of 163 of the complete genome
1301	14337		3.4	1.4E-02	U67779.1	NT	Xenopus laevis neurogenin related 1b (X-NGNR-1b) mRNA, complete cds
1520	14552		1.03	1.4E-02	AV723785.1	EST_HUMAN	AV723785 HTB Homo sapiens cDNA clone HTBAHH11 5'
3226	16281	29204	2.04	1.4E-02	AF160989.2	NT	Bifidobacterium longum Na+/H+ antiporter (nhaB), cytosine deaminase, and alpha-galactosidase (agl) genes, complete cds; and N-acetylglucosaminylxylose repressor protein (nagCxyR) gene, partial cds
3409	16458	29380	0.98	1.4E-02	AW074212.1	EST_HUMAN	X608d09.x1 NCI_CGAP_GU1 Homo sapiens cDNA clone IMAGE:2575783 3'
3496	16543	29467	6.29	1.4E-02	AL161586.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 82
3496	16543	29468	6.29	1.4E-02	AL161586.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 82
3669	16712	29627	6.69	1.4E-02	6996918	NT	Mus musculus histocompatibility 2, complement component factor B (H2-Bf), mRNA
4516	17541	30427	6.1	1.4E-02	AW962688.1	EST_HUMAN	EST374761 MAGG Homo sapiens cDNA
4516	17541	30428	6.1	1.4E-02	AW962688.1	EST_HUMAN	EST374761 MAGG Homo sapiens cDNA
4911	17928	30818	8.08	1.4E-02	BE733142.1	EST_HUMAN	601567403F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3842280 5'
4911	17928	30819	8.08	1.4E-02	BE733142.1	EST_HUMAN	601567403F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3842280 5'
5130	18139	31017	1.01	1.4E-02	AW948483.1	EST_HUMAN	CM0-FN0041-120500-370-H09 FN0041 Homo sapiens cDNA
5888	25992		0.95	1.4E-02	X91338.1	NT	H. sapiens LaSS-B pseudogene 3
6555	19615	32880	4.9	1.4E-02	AA559030.1	EST_HUMAN	n111c04.s1 NCI_CGAP_Br2 Homo sapiens cDNA clone IMAGE:1029890 3' similar to contains Alu repetitive element;
6555	19615	32881	4.9	1.4E-02	AA559030.1	EST_HUMAN	n111c04.s1 NCI_CGAP_Br2 Homo sapiens cDNA clone IMAGE:1029890 3' similar to contains Alu repetitive element;
8478	21447		1.61	1.4E-02	AL022073.1	NT	Mycobacterium tuberculosis H37Rv complete genome; segment 88/162
9249	22215	35645	0.77	1.4E-02	M81702.1	NT	Candida biddini methanol oxidase (AOD1) gene, complete cds
9510	22473	35917	0.9	1.4E-02	AJ272265.1	NT	Homo sapiens SPP2 gene for secreted phosphoprotein 24 precursor, exons 1-8
9755	22896	36153	2.15	1.4E-02	BE644561.1	EST_HUMAN	601078239F1 NIH_MGC_12 Homo sapiens cDNA clone IMAGE:3484241 5'
10923	23843		0.58	1.4E-02	AL163218.2	NT	Homo sapiens chromosome 21 segment HS21C018

Page 171 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
12554	25080	38172	2.14	1.4E-02	X60459.1	NT	Human IFNAR gene for interferon alpha/beta receptor
12616	25312		1.47	1.4E-02	AF324965.1	NT	Arabidopsis thaliana F21J9.2 mRNA, complete cds
12882	25474		1.96	1.4E-02	11428968	NT	Homo sapiens sperm associated antigen 7 (SPAG7), mRNA
1972	14993	27994	2.05	1.3E-02	AL163201.2	NT	Homo sapiens chromosome 21 segment HS21C001
3227	16282	29205	2.31	1.3E-02	BF697081.1	EST_HUMAN	602129475F1 NIH_MGC_56 Homo sapiens cDNA clone IMAGE:4286203 5'
3227	16282	29206	2.31	1.3E-02	BF697081.1	EST_HUMAN	602129475F1 NIH_MGC_56 Homo sapiens cDNA clone IMAGE:4286203 5'
3993	17033		1.38	1.3E-02	AF169288.1	NT	Mus musculus beta-sarcoglycan gene, complete cds
4964	17979	30869	1.06	1.3E-02	U66081.1	NT	Human germine T-cell receptor beta chain TCRBV17S1A1T, TCRBV2S1, TCRBV10S1P, TCRBV28S1P, TCRBV19S1P, TCRBV15S1, TCRBV11S1A1T, HVB relic, TCRBV28S1P, TCRBV34S1, TCRBV14S1, TCRBV3S1, TCRBV4S1A1T, TRY4, TRY5, TRY6, TRY7, TRY8, TCRBD1, TCRBJ1S1, TCRBJ1S2 >
5317	18423	31225	1.79	1.3E-02	AL049886.2	NT	Mus musculus chromosome X contigB; X-linked lymphocyte regulated 5 gene, Zinc finger protein 275, Zinc finger protein 92, mrxq28orf
5317	18423	31226	1.79	1.3E-02	AL049886.2	NT	Mus musculus chromosome X contigB; X-linked lymphocyte regulated 5 gene, Zinc finger protein 275, Zinc finger protein 92, mrxq28orf
6288	19360	32597	1.21	1.3E-02	U80017.1	NT	Homo sapiens basic transcription factor 2 p44 (btf2p44) gene, partial cds, neuronal apoptosis inhibitory protein (nail) and survival motor neuron protein (smn) genes, complete cds
6322	19393	32634	0.7	1.3E-02	M62962.1	NT	C.reinhardtii ribulose 1,5-bisphosphate carboxylase/oxygenase activase mRNA, complete cds
7154	18386	31228	1.25	1.3E-02	AL161546.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 46
7154	18386	31229	1.25	1.3E-02	AL161546.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 46
7829	20777	34155	4.86	1.3E-02	AI031593.1	EST_HUMAN	ow06g05.x1 Soares_parathyroid_tumor_NbHPA Homo sapiens cDNA clone IMAGE:1648072 3' similar to contains Alu repetitive element;
8826	21793	35216	1.48	1.3E-02	AF156961.1	NT	Homo sapiens human endogenous retrovirus W gagC3.37 G gag (gag) gene, complete cds
10567	23489	36981	2.18	1.3E-02	M63707.1	NT	Mouse kidney androgen-regulated protein (KAP) gene, complete cds
10641	23563	37059	0.63	1.3E-02	AE001304.1	NT	Chlamydia trachomatis section 31 of 87 of the complete genome
10988	23908	37421	0.44	1.3E-02	AA707741.1	EST_HUMAN	zn24907.st Soares_pituitary_gland_N3HPG Homo sapiens cDNA clone IMAGE:412980 3'
11336	24286	37809	3.74	1.3E-02	AW268563.1	EST_HUMAN	xx34403.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2815036 3'
11336	24286	37810	3.74	1.3E-02	AW268563.1	EST_HUMAN	xx34403.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2815036 3'
12622	25923		1.4	1.3E-02	Z89117.1	NT	Bacillus subtilis complete genome (section 14 of 21): from 2599451 to 2812870
12714	25368		2.51	1.3E-02	9633069	NT	Human herpesvirus 6B, complete genome
12896	25718		16.86	1.3E-02	AF152238.1	NT	Homo sapiens V1b vasopressin receptor (VPR3) gene, complete cds
214	13314		0.87	1.2E-02	X87344.1	NT	H.sapiens DNA, DMB, HLA-Z1, IP2, LMP2, TAP1, LMP7, TAP2, DOB, DOB2 and RING8, 9, 13 and 14 genes

Page 172 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
355	13443	26388	4.67	1.2E-02	AA059299.1	EST_HUMAN	z65g01.r1 Soares retina N2b4HR Homo sapiens cDNA clone IMAGE:381840 5' similar to contains element
453	13528	26456	1.81	1.2E-02	P38898	SWISSPROT	L1 repetitive element; HYPOTHETICAL 17.1 KD PROTEIN IN PUR5 3'REGION
740	13801	26740	3.32	1.2E-02	A183522.1	EST_HUMAN	q68a12.x1 Soares testis_NHT Homo sapiens cDNA clone IMAGE:1734670 3' similar to contains L1.1 L1
2187	15202	28222	1.82	1.2E-02	AL163213.2	NT	repetitive element; Homo sapiens chromosome 21 segment HS21C013
2180	15205	28225	1.44	1.2E-02	AV731704.1	EST_HUMAN	AV731704 HTF Homo sapiens cDNA clone HTFBHG11 5'
2449	15454	28476	1.65	1.2E-02	AW172350.1	EST_HUMAN	x37e09.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2659432 3'
2505	15508	28534	0.99	1.2E-02	BE538310.1	EST_HUMAN	601068406F1 NIH_MGC_10 Homo sapiens cDNA clone IMAGE:3454608 5'
2505	15508	28535	0.99	1.2E-02	BE538310.1	EST_HUMAN	601068406F1 NIH_MGC_10 Homo sapiens cDNA clone IMAGE:3454608 5'
2843	15454	28476	1.31	1.2E-02	AW172350.1	EST_HUMAN	x37e09.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2659432 3'
3118	16175		6.56	1.2E-02	AA075418.1	EST_HUMAN	zm88a03.r1 Stratagene ovarian cancer (#937219) Homo sapiens cDNA clone IMAGE:545020 5'
3301	16354	29273	2.62	1.2E-02	R62805.1	EST_HUMAN	y11b08.s1 Soares placenta Nb2HP Homo sapiens cDNA clone IMAGE:138903 3'
4817	17834	30826	8.36	1.2E-02	6754367	NT	Mus musculus interferon regulatory factor 5 (Irf5), mRNA
4953	17968	30858	1.66	1.2E-02	U91328.1	NT	Human hereditary haemochromatosis region, histone 2A-like protein gene, hereditary haemochromatosis (HLA-H) gene, RoRet gene, and sodium phosphate transporter (NPT3) gene, complete cds
5080	18090		1.54	1.2E-02	AB019786.1	NT	Cynops pyrrhogaster CpUbiqT mRNA, partial cds
5121	18131	31008	2.09	1.2E-02	AV731704.1	EST_HUMAN	AV731704 HTF Homo sapiens cDNA clone HTFBHG11 5'
5259	18267	31135	1.01	1.2E-02	AF185576.1	NT	Mus musculus POZ/zinc finger transcription factor ODA-8 mRNA, complete cds
5769	18861		0.5	1.2E-02	AA759018.1	EST_HUMAN	a29f10.s1 Soares testis_NHT Homo sapiens cDNA clone 1344235 3'
5846	18936	32120	1.72	1.2E-02	D78589.1	NT	Rana rugosa mRNA for calreticulin, complete cds
6238	19311	32543	0.58	1.2E-02	AF045555.1	NT	Homo sapiens wbscr1 (WBSCR1) and wbscr5 (WBSCR5) genes, complete cds, alternatively spliced and replication factor C subunit 2 (RFC2) gene, complete cds
7203	20227	33560	5.57	1.2E-02	AF175412.1	NT	Mus musculus DNA methyltransferase (Dnmt1) gene, exons 2, 3, 4, and 5
7510	20475	33836	1.07	1.2E-02	H02197.1	EST_HUMAN	y34h12.s1 Soares placenta Nb2HP Homo sapiens cDNA clone IMAGE:150666 3'
7534	20487	33858	8.5	1.2E-02	AV732093.1	EST_HUMAN	AV732093 HTF Homo sapiens cDNA clone HTFBJC09 5'
7805	20755	34131	0.54	1.2E-02	BF216650.1	EST_HUMAN	601882949F1 NIH_MGC_57 Homo sapiens cDNA clone IMAGE:4095253 5'
							CMP-N-ACETYLNEURAMINATE-BETA-GALACTOSAMIDE-ALPHA-2,3-SIALYLTRANSFERASE (BETA-GALACTOSIDE ALPHA-2,3-SIALYLTRANSFERASE) (ALPHA 2,3-ST) (GAL-NAC6S) (GAL-BETA-1,3-GALNA-C-ALPHA-2,3-SIALYLTRANSFERASE) (ST3GALA.2) (SIAT4-B)
8330	21289	34715	2.29	1.2E-02	Q11205	SWISSPROT	Homo sapiens fringe protein mRNA, partial cds
8534	21502	34919	1.31	1.2E-02	AF193612.1	NT	Homo sapiens fringe protein mRNA, partial cds
8534	21502	34920	1.31	1.2E-02	AF193612.1	NT	Homo sapiens fringe protein mRNA, partial cds
9242	22208		1.1	1.2E-02	T76987.1	EST_HUMAN	yv72c08.s1 Soares fetal liver spleen INFLS Homo sapiens cDNA clone IMAGE:113774 3'

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
9967	22924	36389	2.63	1.2E-02	AB031013.1	NT	Norwalk-like virus genogroup 2 gene for capsid protein, complete cds
10030	22957	36425	1.29	1.2E-02	AJ246003.1	NT	Homo sapiens Spast gene for spastin protein
12310	26118	31841	2.74	1.2E-02	O16534	SWISSPROT	PERIOD CIRCADIAN PROTEIN 1 (CIRCADIAN PACEMAKER PROTEIN RIGU1) (HPER)
12898	26482		5.61	1.2E-02	C18119.1	EST_HUMAN	C18119 Human placenta cDNA (TFujiwara) Homo sapiens cDNA clone GEN-557G06 5'
1274	14309	27270	1.14	1.1E-02	AA070364.1	EST_HUMAN	zm89et1.s1 Stralagene neuroepithelium (#837231) Homo sapiens cDNA clone IMAGE:530924 3'
1719	14749	27734	1.8	1.1E-02	X75491.1	NT	H.sapiens LIPA gene, exon 4
1719	14749	27735	1.8	1.1E-02	X75491.1	NT	H.sapiens LIPA gene, exon 4
2054	16073	28092	4.08	1.1E-02	BF345283.1	EST_HUMAN	602018037F1 NC1 CGAP_Brn67 Homo sapiens cDNA clone IMAGE:4153908 5'
2889	16948		3.91	1.1E-02	N99523.1	EST_HUMAN	za40a05.r1 Soares fetal liver spleen 1NFS Homo sapiens cDNA clone IMAGE:295040 5'
3535	16581	28505	2.75	1.1E-02	AI653508.1	EST_HUMAN	iq65b10.x1 NC1 CGAP_Ov23 Homo sapiens cDNA clone IMAGE:2216539 3' similar to SW:XPX_HUMAN
4051	17088		1.52	1.1E-02	BE144637.1	EST_HUMAN	Q92889 DNA-REPAIR PROTEIN COMPLEMENTING XP-F CELL ;
4133	17165		0.71	1.1E-02	AW813796.1	EST_HUMAN	PM3-HT0175-300989-001-h05 HT0175 Homo sapiens cDNA
4867	17884	30772	2.22	1.1E-02	AL048383.2	EST_HUMAN	RC3-ST0197-120200-015-g11 ST0197 Homo sapiens cDNA
							DKFZp586E0924_s1 586 (synonym: futer1) Homo sapiens cDNA clone DKFZp586E0924
							Bacillus subtilis SpoVK (spoVK), YnbA (ynbA), YnbB (ynbB), GlnR (glnR), glutamine synthetase (glnA), YnaH (ynaH), YnaB (ynaB), YnaC (ynaC), YnaD (ynaD), YnaE (ynaE), YnaF (ynaF), YnaG (ynaG), YnaH (ynaH), YnaI (ynal), YnaJ (ynaj), xylan beta-1,4-xylosyl
6272	19345	32578	1.02	1.1E-02	U66480.1	NT	RC1-HT0256-100300-016-h07 HT0256 Homo sapiens cDNA
7855	20800	34178	2.47	1.1E-02	BE149811.1	EST_HUMAN	Melanoplus sanguinipes entomopoxvirus, complete genome
8105	21042	34441	3.79	1.1E-02	9831294	NT	QV3-BN0045-220300-128-h02 BN0045 Homo sapiens cDNA
8987	21953	35377	0.7	1.1E-02	AW956160.1	EST_HUMAN	C04803 Human heart cDNA (YNakamura) Homo sapiens cDNA clone 3NHC4040
9174	22140	35566	0.66	1.1E-02	C04803.1	EST_HUMAN	NEUROGENIC LOCUS NOTCH 3 PROTEIN
9253	22219	35650	7.21	1.1E-02	Q61982	SWISSPROT	
10289	23214	36668	2.1	1.1E-02	AA082578.1	EST_HUMAN	zn24a01.r1 Stralagene neuroepithelium NT2RAMI 937234 Homo sapiens cDNA clone IMAGE:548328 5'
10454	23376	36869	3.79	1.1E-02	AA314666.1	EST_HUMAN	EST186494 Colon carcinoma (HCC) cell line II Homo sapiens cDNA 5' end
11324	24274	37802	2.01	1.1E-02	11493505	NT	Homo sapiens T-box 5 (TBX5), mRNA
12194	25039		3.52	1.1E-02	AA668239.1	EST_HUMAN	ab77111.s1 Stralagene fetal retina 937202 Homo sapiens cDNA clone IMAGE:853005 3' similar to contains
12960	17165		1.87	1.1E-02	AW813796.1	EST_HUMAN	Alu repetitive element
7	13127	26027	6.08	1.0E-02	AW813796.1	EST_HUMAN	RC3-ST0197-120200-015-g11 ST0197 Homo sapiens cDNA
1526	14559	27630	1.07	1.0E-02	AW368128.1	EST_HUMAN	MR3-CT0176-111098-003-g10 CT0176 Homo sapiens cDNA
2878	15579		1.26	1.0E-02	AA080389.1	EST_HUMAN	CM2-HT0177-041098-017-h12 HT0177 Homo sapiens cDNA
3108	16163	29075	2.7	1.0E-02	BE583556.1	EST_HUMAN	cc22h08.s1 NC1 CGAP_GCB1 Homo sapiens cDNA clone IMAGE:1350495 3'
3276	16330	29251	1.33	1.0E-02	BE968999.1	EST_HUMAN	RCO-FN0025-250500-021-d02 FN0025 Homo sapiens cDNA
							601649897R1 NIH_MGC_74 Homo sapiens cDNA clone IMAGE:3833689 3'

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3520	16566		0.65	1.0E-02	AW845621.1	EST_HUMAN	MR0-CT0060-081099-003-h10 CT0060 Homo sapiens cDNA
3895	16935	29845	0.75	1.0E-02	AI065086.1	EST_HUMAN	HA0921 Human fetal liver cDNA library Homo sapiens cDNA
3911	16951	29862	1.06	1.0E-02	AL163302.2	NT	Homo sapiens chromosome 21 segment HS21C102
4811	17828	30725	4.97	1.0E-02	6753521	NT	Mus musculus corticotropin releasing hormone receptor 2 (Chr2), mRNA
4881	17898	30787	5.01	1.0E-02	R96567.1	EST_HUMAN	Yq54h01.r1 Soares fetal liver spleen 1NfLS Homo sapiens cDNA clone IMAGE:196633 5'
5036	18049	30929	0.63	1.0E-02	AL161593.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 89
5490	18590	31501	0.86	1.0E-02	H52681.1	EST_HUMAN	yu36h11.r1 Soares ovary tumor NbHOT Homo sapiens cDNA clone IMAGE:235941 5'
5840	18930	32114	0.82	1.0E-02	AF309388.1	NT	Mus musculus transcription complex subunit NF-ATc4 (Nfatc4) gene, exons 1 and 2
6237	19310	32542	1.02	1.0E-02	AF257303.1	NT	Mus musculus synaptotagmin II (Sy2) gene, complete cds
6305	19376	32614	2.49	1.0E-02	AW577113.1	EST_HUMAN	MR4-BT0356-070100-201-h01 BT0356 Homo sapiens cDNA
6305	19376	32615	2.49	1.0E-02	AW577113.1	EST_HUMAN	MR4-BT0356-070100-201-h01 BT0356 Homo sapiens cDNA
6926	20150	33470	2.15	1.0E-02	Z29842.1	NT	Z.mays U3snRNA pseudogene
9748	22689	36145	4.19	1.0E-02	BF036331.1	EST_HUMAN	601459570F1 NIH_MGC_66 Homo sapiens cDNA clone IMAGE:3863177 5'
9748	22689	36146	4.19	1.0E-02	BF036331.1	EST_HUMAN	601459570F1 NIH_MGC_66 Homo sapiens cDNA clone IMAGE:3863177 5'
11594	24532		1.96	1.0E-02	AF157559.1	NT	Orithidia fasciculata 27 kDa guide RNA-binding protein mRNA, complete cds; mitochondrial gene for mitochondrial product
11695	24650	38238	2.05	1.0E-02	AV760016.1	EST_HUMAN	AV760016 MDS Homo sapiens cDNA clone MDSBDC10 5'
12091	24962		1.47	1.0E-02	AL163282.2	NT	Homo sapiens chromosome 21 segment HS21C082
12276	25990		1.99	1.0E-02	Q62203	SWISSPROT	SPLICEOSOME ASSOCIATED PROTEIN 62 (SAP 62) (SPLICING FACTOR 3A SUBUNIT 2) (SF3A66)
12337	25757	31518	3.9	1.0E-02	AW935521.1	EST_HUMAN	RC2-DT0007-120200-016-h02 DT0007 Homo sapiens cDNA
12356	25816		5.66	1.0E-02	S70330.1	NT	Homo sapiens renal dipeptidase (RDP) gene, complete cds
12722	25789		2.07	1.0E-02	AJ276505.1	NT	Mus musculus genomic fragment, 279 Kb, chromosome 7
12873	25873		4.76	1.0E-02	X62654.1	NT	H. sapiens gene for Mx491/CD63 antigen
13094	25620	31676	1.7	1.0E-02	AB039887.1	NT	Homo sapiens WDR4 gene for WD repeat protein, complete cds
894	13949	26807	1.77	9.0E-03	AJ706126.1	EST_HUMAN	wh4209.x1 NCL_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2383433 3' similar to contains element
1269	14304		1.88	9.0E-03	BE781889.1	EST_HUMAN	MER22 MER22 repetitive element
1476	14510	27485	0.97	9.0E-03	AE001270.1	NT	601470242F1 NIH_MGC_87 Homo sapiens cDNA clone IMAGE:3873346 5'
2405	15412	28436	2.87	9.0E-03	AL161559.2	NT	Treponea pallidum section 86 of 87 of the complete genome
2413	15420	28444	0.95	9.0E-03	AF099934.1	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 59
2917	15975	28898	0.69	9.0E-03	AI251744.1	EST_HUMAN	Mus musculus MHC class III protein RP1 (Rp1) mRNA, partial cds
2917	15975	28899	0.69	9.0E-03	AI251744.1	EST_HUMAN	qh90f09.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1854281 3'
3682	16725	29638	0.87	9.0E-03	J05184.1	NT	qh90f09.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1854281 3'
5061	18071	30950	1.01	9.0E-03	T70044.1	EST_HUMAN	S.acidocalcaris thermophilin gene, complete cds
							yc17b08.s1 Stratagene lung (#637210) Homo sapiens cDNA clone IMAGE:80919 3'

Table 4

Single Exon Probes Expressed In Bone Marrow

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5081	18071	30951	1.01	9.0E-03	T70044.1	EST_HUMAN	yc17b08.a1 Stragene lung (#337210) Homo sapiens cDNA clone IMAGE:80819 3'
5250	18288	31136	0.95	9.0E-03	8753521	NT	Mus musculus corticotropin releasing hormone receptor 2 (Chr2), mRNA
5908	18994		1.2	9.0E-03	A1809782.1	EST_HUMAN	wf77f04.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2361631 3'
6785	19840		4	9.0E-03	BE745988.1	EST_HUMAN	G01573438F1 NIH_MGC 9 Homo sapiens cDNA clone IMAGE:3834782 5'
7698	20656	34020	0.63	9.0E-03	A1242219.1	EST_HUMAN	qh87c12.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1853974 3'
7712	20688	34036	0.81	9.0E-03	8922570	NT	Homo sapiens hypothetical protein FLJ10650 (FLJ10650), mRNA
8207	21177		0.99	9.0E-03	AL038991.1	EST_HUMAN	DKFZp434L0412_r1 434 (synonym: hies3) Homo sapiens cDNA clone DKFZp434L0412 5'
8592	21590		0.55	9.0E-03	AF223391.1	NT	Homo sapiens calcium channel alpha1E subunit (CACNA1E) gene, exon 7-49, and partial cds, alternatively spliced
10221	23146	36635	1.42	9.0E-03	P20908	SWISSPROT	COLLAGEN ALPHA 1(V) CHAIN PRECURSOR
11331	24281		1.6	9.0E-03	Y18000.1	NT	Homo sapiens NF2 gene
12690	25985		2.12	9.0E-03	BE348385.1	EST_HUMAN	hw17b09.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3183161 3'
12989	25549		15.47	9.0E-03	BF351141.1	EST_HUMAN	PM1-HT0452-291289-001-e09 HT0452 Homo sapiens cDNA
502	13574		3.01	8.0E-03	AA723007.1	EST_HUMAN	zh30e03.a1 Soares_pineal_gland_N3HPG Homo sapiens cDNA clone IMAGE:413598 3' similar to contains Alu repetitive element;
991	14043	26997	19.52	8.0E-03	AF106656.1	NT	Homo sapiens adenylosuccinate lyase gene, complete cds
2168	15182	28202	1.86	8.0E-03	AL163283.2	NT	Homo sapiens chromosome 21 segment HS21C083
3321	16372	29293	1.12	8.0E-03	BE171225.1	EST_HUMAN	RC1-HT0545-120200-011-b09 HT0545 Homo sapiens cDNA
3370	18420	29345	0.93	8.0E-03	AJ131016.1	NT	Homo sapiens SCL gene locus
3689	18732	29844	1.25	8.0E-03	P32844	SWISSPROT	HYPOTHETICAL 127.0 KD PROTEIN IN RAD24-BMH1 INTERGENIC REGION
3689	18732	29845	1.25	8.0E-03	P32844	SWISSPROT	HYPOTHETICAL 127.0 KD PROTEIN IN RAD24-BMH1 INTERGENIC REGION
4285	17314	30193	1.08	8.0E-03	BE840049.1	EST_HUMAN	QV0-FN0181-140700-304-g10 FN0181 Homo sapiens cDNA
4410	17438	30326	5.3	8.0E-03	BF363327.1	EST_HUMAN	GM4-NN0119-300600-223-b05 NN0119 Homo sapiens cDNA
4747	17767	30662	0.65	8.0E-03	P03181	SWISSPROT	HYPOTHETICAL BHLF1 PROTEIN
4747	17767	30663	0.65	8.0E-03	P03181	SWISSPROT	HYPOTHETICAL BHLF1 PROTEIN
5601	18697	31668	2.68	8.0E-03	AF110520.1	NT	Mus musculus major histocompatibility complex region NG27, NG28, RPS28, NADH oxidoreductase, NG29, KIFC1, Fas-binding protein, BING1, tapasin, RelGDS-like, KE2, BING4, beta 1,3-galactosyl transferase, and RPS18 genes, complete cds; Sacm21 gene, partial>
6923	25658	32635	1.39	8.0E-03	AP000002.1	NT	Pyrococcus horikoshii OT3 genomic DNA, 287001-544000 nt, position (217)
6913	19665	33261	4.24	8.0E-03	P55577	SWISSPROT	PROBABLE PEPTIDASE Y4NA
7104	20038		1.4	8.0E-03	V01109.1	NT	Human BK virus (strain MM) genome. (Closely related to SV40.)
7415	20382	33793	1.88	8.0E-03	MT1797.1	NT	A.californica (marine gastropod mollusc) neuropeptide gene (bag cell), exon 1, 5' end
7790	20743		1.81	8.0E-03	AB038267.1	NT	Tursiops truncatus mRNA for p40-phox, complete cds

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
9235	22201	35631	0.58	8.0E-03	P98160	SWISSPROT	BASEMENT MEMBRANE-SPECIFIC HEPARAN SULFATE PROTEOGLYCAN CORE PROTEIN
9261	22227	35657	3.77	8.0E-03	AW808692.1	EST_HUMAN	PRECURSOR (HSPG) (PERLECAN) (PLC)
9270	22236	35665	0.52	8.0E-03	AL139075.2	NT	MR1-ST0111-111189-011-h06 ST0111 Homo sapiens cDNA
9331	22293	35726	0.58	8.0E-03	9789956	NT	Campylobacter jejuni NCTC11168 complete genome, segment 2/8
10308	23232	37602	5.16	8.0E-03	BE066509.1	EST_HUMAN	Mus musculus fusion 2 (human) (Fus2), mRNA
11118	24078	37602	1.96	8.0E-03	BE789441.1	EST_HUMAN	QV1-BT0677-040400-131-g03 BT0677 Homo sapiens cDNA
11330	24280		2.66	8.0E-03	Z46652.1	NT	S.cerevisiae chromosome X reading frame ORF YJR152w
11649	24596	38156	2.69	8.0E-03	BF363327.1	EST_HUMAN	CM4-NN0119-300800-223-b05 NN0119 Homo sapiens cDNA
11710	24675	38252	1.55	8.0E-03	AA828817.1	EST_HUMAN	cd80a09.s1 NCI_CGAP_Ov2 Homo sapiens cDNA clone IMAGE:1374232
11710	24675	38253	1.55	8.0E-03	AA828817.1	EST_HUMAN	cd80a09.s1 NCI_CGAP_Ov2 Homo sapiens cDNA clone IMAGE:1374232
12024	24900	38495	3.74	8.0E-03	AF064589.1	NT	Homo sapiens melanoma-associated antigen (MAGE-C1) gene, complete cds
12205	25047		2.04	8.0E-03	M69035.1	NT	Oryctolagus cuniculus eIF-2a kinase mRNA, complete cds
12249	25077		2.6	8.0E-03	AB038161.1	NT	Homo sapiens ABCG1 gene for ABC transporter (ATP-binding cassette, sub-family G (WHITE), member 1), complete cds
695	13757	26687	18.14	7.0E-03	AF097183.1	NT	Cryptosporidium parvum HC-10 gene, complete cds
695	13757	26688	18.14	7.0E-03	AF097183.1	NT	Cryptosporidium parvum HC-10 gene, complete cds
978	14029	26983	4.66	7.0E-03	AF243376.1	NT	Glycine max glutathione S-transferase GST 21 mRNA, partial cds
1118	14162	27113	4.38	7.0E-03	AV731712.1	EST_HUMAN	AV731712 HTF Homo sapiens cDNA clone HTFAZF10 5'
1366	14400		1.16	7.0E-03	Q61060	SWISSPROT	FORKHEAD BOX PROTEIN D3 (HNF3/TFH TRANSCRIPTION FACTOR GENESIS) (HEPATOCYTE
1396	14430	27399	3.03	7.0E-03	AA668298.1	EST_HUMAN	NUCLEAR FACTOR 3 FORKHEAD HOMOLOG 2 (HNF-2)
1502	14535	27506	3.04	7.0E-03	AW303598.1	EST_HUMAN	ab78b09.s1 Stralagene fetal retina 937202 Homo sapiens cDNA clone IMAGE:853145 3'
1756	14785	27769	1.03	7.0E-03	AW950556.1	EST_HUMAN	ix21b02.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2813739 3'
1756	14785	27770	1.03	7.0E-03	AW950556.1	EST_HUMAN	EST362626 MAGE resequences, MAGE Homo sapiens cDNA
2267	15888	28307	2.08	7.0E-03	P04929	SWISSPROT	EST362626 MAGE resequences, MAGE Homo sapiens cDNA
3571	16616	29537	0.87	7.0E-03	AI150273.1	EST_HUMAN	HISTIDINE-RICH GLYCOPROTEIN PRECURSOR
3778	16820	29728	0.93	7.0E-03	AW444463.1	EST_HUMAN	qf34h02.x1 Soares_testis NHT Homo sapiens cDNA clone IMAGE:1751855 3'
3825	16865	29769	1.45	7.0E-03	AF196344.1	NT	UI-H-B13-akb-c-10-0-UI.s1 NCI_CGAP_Sub5 Homo sapiens cDNA clone IMAGE:2733691 3'
4048	16820	29728	0.83	7.0E-03	AW444463.1	EST_HUMAN	Rattus norvegicus neuronal nicotinic acetylcholine receptor subunit (Alpha10) mRNA, complete cds
4366	17393		0.86	7.0E-03	U60086.1	NT	UI-H-B13-akb-c-10-0-UI.s1 NCI_CGAP_Sub5 Homo sapiens cDNA clone IMAGE:2733691 3'
							Dictyostellium discoideum multidrug resistance transporter/Ser protease (tagC) mRNA, complete cds

Page 177 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4585	17588		1	7.0E-03	AW117711.1	EST_HUMAN	xs34f09.x1 NCI_CGAP_U11 Homo sapiens cDNA clone IMAGE:2609033 3' similar to TR:Q12887 Q12887
4629	17650		1.47	7.0E-03	AW630888.1	EST_HUMAN	ACIDIC 82 KDA PROTEIN.;
5024	18038		1.81	7.0E-03	AL163278.2	NT	h88a05.y1 NCI_CGAP_GU1 Homo sapiens cDNA clone IMAGE:2869936 5'
5226	18234	31108	1.4	7.0E-03	AV724419.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C078
5226	18234	31109	1.4	7.0E-03	AV724419.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C078
5918	19004		0.83	7.0E-03	H71108.1	EST_HUMAN	AV724419 HTB Homo sapiens cDNA clone HTBCE08 5'
8233	26656		5.11	7.0E-03	AW861059.1	EST_HUMAN	AV724419 HTB Homo sapiens cDNA clone HTBCE08 5'
8447	19512	32782	1.38	7.0E-03	W68251.1	EST_HUMAN	y82g01.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:211824 5' similar to
8687	19744	33019	3.16	7.0E-03	AA327129.1	EST_HUMAN	RC1-CT0286-050400-018-c08 CT0286 Homo sapiens cDNA
8717	19773	33052	0.91	7.0E-03	BE857385.1	EST_HUMAN	z033f10.r1 Soares fetal heart NBH19W Homo sapiens cDNA clone IMAGE:342475 5'
7284	20091	33367	1.92	7.0E-03	BE928133.1	EST_HUMAN	EST30674 Colon 1 Homo sapiens cDNA 5' end
7763	20716	34098	5.31	7.0E-03	Z36838.1	NT	7g34b10.x1 NCI_CGAP_Brn23 Homo sapiens cDNA clone IMAGE:3308347 3' similar to TR:Q13387
7763	20716	34099	5.31	7.0E-03	Z36838.1	NT	Q13387 HYPOTHETICAL PROTEIN 38408_2, contains TAR1.12 TAR1 repetitive element ;
8180	21150	34557	0.45	7.0E-03	AJ228043.1	NT	GM2-CT0478-230800-347-b11 CT0478 Homo sapiens cDNA
8180	21150	34558	0.45	7.0E-03	AJ228043.1	NT	S.cerevisiae chromosome II reading frame ORF YBL077w
8448	21417	34830	2.46	7.0E-03	BE175667.1	EST_HUMAN	Homo sapiens 959 kb contig between AML1 and CBR1 on chromosome 21q22, segment 3/3
8981	21927	35354	0.49	7.0E-03	AF281074.1	NT	Homo sapiens 959 kb contig between AML1 and CBR1 on chromosome 21q22, segment 3/3
9752	22893		0.71	7.0E-03	AF111168.2	NT	RC5-HT0582-160300-011-D02 HT0582 Homo sapiens cDNA
9953	22890	36344	0.85	7.0E-03	N52378.1	EST_HUMAN	Homo sapiens neuropilin 2 (NRP2) gene, complete cds, alternatively spliced
10078	23005	36475	2.84	7.0E-03	P48982	SWISSPROT	Homo sapiens serine palmitoyl transferase, subunit II gene, complete cds; and unknown genes
10078	23005	36476	2.84	7.0E-03	P48982	SWISSPROT	yv49c10.s1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:246086 3' similar to contains
10688	23560		1.06	7.0E-03	AV687376.1	EST_HUMAN	Alu repetitive element;
10853	23773		0.95	7.0E-03	AV687376.1	EST_HUMAN	BETA-GALACTOSIDASE PRECURSOR (LACTASE)
11176	24132	37662	2.23	7.0E-03	AB008852.1	NT	BETA-GALACTOSIDASE PRECURSOR (LACTASE)
11248	24201	37722	1.51	7.0E-03	AJ004862.1	NT	AV687376 GK Homo sapiens cDNA clone GKCAFC07 5'
11248	24201	37723	1.51	7.0E-03	AJ004862.1	NT	wc37e09.x1 NCI_CGAP_P128 Homo sapiens cDNA clone IMAGE:2320840 3'
12734	25977		1.53	7.0E-03	H94065.1	EST_HUMAN	Bos taurus mRNA for NDP52, complete cds
12741	25991		1.91	7.0E-03	BE263253.1	EST_HUMAN	Homo sapiens partial MUC5B gene, exon 1-29
12834	25451		1.99	7.0E-03	Y17455.1	NT	Homo sapiens partial MUC5B gene, exon 1-29
						EST_HUMAN	Homo sapiens partial MUC5B gene, exon 1-29
						EST_HUMAN	w15h01.s1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:242833 3' similar to contains
						EST_HUMAN	Alu repetitive element;
						EST_HUMAN	601145154F2 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:3160476 5'
						NT	Homo sapiens LSFR2 gene, penultimate exon

Page 178 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1245	14282	27244	9.96	6.0E-03	AW511148.1	EST_HUMAN	hd22a05.x1 Soares_NFL_T_GBC.S1 Homo sapiens cDNA clone IMAGE:2910224 3' similar to SW:PXR_HUMAN O75489 ORPHAN NUCLEAR RECEPTOR PXR;
1245	14282	27245	9.96	6.0E-03	AW511148.1	EST_HUMAN	hd22a05.x1 Soares_NFL_T_GBC.S1 Homo sapiens cDNA clone IMAGE:2910224 3' similar to SW:PXR_HUMAN O75489 ORPHAN NUCLEAR RECEPTOR PXR;
2782	15774	28793	1.32	6.0E-03	AF112374.1	NT	Danio rerio odorant receptor gene cluster
2901	15960	28879	4.82	6.0E-03	AA759135.1	EST_HUMAN	ah78e11.s1 Soares_testis_NHT Homo sapiens cDNA clone 1321772 3'
2901	15960	28880	4.82	6.0E-03	AA759135.1	EST_HUMAN	ah78e11.s1 Soares_testis_NHT Homo sapiens cDNA clone 1321772 3'
3260	16314		2.28	6.0E-03	H75690.1	EST_HUMAN	yr77h04.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:211351 5'
3393	16442	28368	1.3	6.0E-03	U90880.1	NT	Fugu rubripes zinc finger protein, isotocin, fatty acid binding protein, sepiapterin reductase and vasotocin genes, complete cds
3393	16442	28369	1.3	6.0E-03	U90880.1	NT	Fugu rubripes zinc finger protein, isotocin, fatty acid binding protein, sepiapterin reductase and vasotocin genes, complete cds
3557	16803		1.28	6.0E-03	W37985.1	EST_HUMAN	zct13a11.r1 Soares_parathyroid_tumor_NbHPA Homo sapiens cDNA clone IMAGE:322172 5'
3672	16715	29629	4.48	6.0E-03	BF510986.1	EST_HUMAN	UHT-B14-apm-c-06-Q-UI.s1 NCI CGAP_Sub8 Homo sapiens cDNA clone IMAGE:3087754 3'
3708	16751	29887	1.21	6.0E-03	BE077358.1	EST_HUMAN	RC1-BT0606-260400-014-a07 BT0608 Homo sapiens cDNA
3790	16831	29737	1.19	6.0E-03	6754029	NT	Mus musculus glucosamine-8-phosphate deaminase (Gnp), mRNA
3944	16984	29900	0.87	6.0E-03	AW847284.1	EST_HUMAN	RC0-C10204-240969-021-b10 C10204 Homo sapiens cDNA
3979	17019		0.9	6.0E-03	BE250108.1	EST_HUMAN	600942904F1 NIH_MGC_15 Homo sapiens cDNA clone IMAGE:2959513 5'
4391	17419		1.31	6.0E-03	AI018833.1	EST_HUMAN	ov33c11.x1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1639124 3'
4724	17744	30935	5.97	6.0E-03	AA324242.1	EST_HUMAN	EST27116 Cerebellum II Homo sapiens cDNA 5' end similar to EST containing Alu repeat
6276	25657	32581	0.9	6.0E-03	9627521	NT	Varicella virus, complete genome
6989	20212	33541	0.87	6.0E-03	O14984	SWISSPROT	SYNAPSIN III
7034	18368	31253	0.64	6.0E-03	BE253748.1	EST_HUMAN	601112353F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3353172 5'
7461	20427	33783	0.83	6.0E-03	AA299442.1	EST_HUMAN	EST11949 Uterus tumor I Homo sapiens cDNA 5' end
7461	20427	33784	0.83	6.0E-03	AA299442.1	EST_HUMAN	EST11949 Uterus tumor I Homo sapiens cDNA 5' end
7908	20851	34238	0.63	6.0E-03	AF128994.1	NT	Homo sapiens telomerase reverse transcriptase (TERT) gene, exons 7-16 and complete cds
8100	21036	34436	0.82	6.0E-03	P17964	SWISSPROT	RAS-RELATED PROTEIN RAP-2B
8136	21073	34473	0.5	6.0E-03	AJ243211.1	NT	Homo sapiens DMBT1 candidate tumour suppressor gene, exons 1 to 55
8191	21161	34571	6.58	6.0E-03	AI033980.1	EST_HUMAN	ov13a04.x1 Soares_parathyroid_tumor_NbHPA Homo sapiens cDNA clone IMAGE:1646670 3' similar to contains MER10.b1 MER10 repetitive element;
8307	21276	34987	2.64	6.0E-03	AW789337.1	EST_HUMAN	RC0-UM0051-210300-032-002 UM0051 Homo sapiens cDNA
8381	21350		1.51	6.0E-03	BF038198.1	EST_HUMAN	601454915F1 NIH_MGC_66 Homo sapiens cDNA clone IMAGE:3858626 5'
9912	22733	36188	8.57	6.0E-03	D10548.1	NT	Subacute sclerosing panencephalitis (SSPE) virus mRNA for fusion protein

Page 179 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
10403	23325		2.08	6.0E-03	AI432881.1	EST_HUMAN	i22e02.x1 NCL_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2131202 3' similar to SW:R13A_HUMAN
10523	23445	36943	0.87	6.0E-03	AJ011849.1	NT	P40429 60S RIBOSOMAL PROTEIN L13A ;
10659	23581		1.03	6.0E-03	AF084555.1	NT	Bacillus subtilis fnd gene
10769	23690	37187	0.68	6.0E-03	X68366.1	NT	Homo sapiens okadaic acid-inducible and cAMP-regulated phosphoprotein 19 (ARPP-19) mRNA, complete cds
11096	24056	37580	1.61	6.0E-03	AW962184.1	EST_HUMAN	M.thermofilicium complete plasmid pFV1 DNA
11192	24120		1.55	6.0E-03	U14558.1	NT	EST374237 MAGE resequences, MAGG Homo sapiens cDNA
11327	24277		3.98	6.0E-03	U14558.1	NT	Homo sapiens hypothetical zinc finger protein FLJ14011 (FLJ14011), mRNA
11328	24278	37805	2.55	6.0E-03	BE737895.1	EST_HUMAN	Mus musculus zinc-finger protein mRNA, complete cds
12319	25123		2.28	6.0E-03	AF010498.1	NT	601572746F1 NIH_MGC_57 Homo sapiens cDNA clone IMAGE:3839747 5'
12422	25812		1.52	6.0E-03	BF671185.1	EST_HUMAN	Rhodobacter capsulatus strain SB1003, partial genome
12446	25744		5.26	6.0E-03	AE000833.1	NT	602151024F1 NIH_MGC_81 Homo sapiens cDNA clone IMAGE:4292212 5'
12525	25807		2.71	6.0E-03	U80790.1	NT	Methanobacterium thermoautotrophicum from bases 429182 to 450286 (section 39 of 148) of the complete genome
12576	25285		1.48	6.0E-03	Q62209	SWISSPROT	Pneumocystis carinii f. sp. ratti guanine nucleotide binding protein alpha subunit (pcg1) gene, complete cds
12860	25469		2.16	6.0E-03	BE788019.1	EST_HUMAN	SYNAPTONEMAL COMPLEX PROTEIN 1 (SCP-1) PROTEIN
12869	25471		1.53	6.0E-03	AJ245480.1	NT	601482621F1 NIH_MGC_68 Homo sapiens cDNA clone IMAGE:3885388 5'
13043	25584		1.76	6.0E-03	BF110298.1	EST_HUMAN	Brassica napus sig gene for S-locus glycoprotein, cultivar T2
670	13735	26661	2.34	5.0E-03	L25105.1	NT	7n36b11.x1 NCL_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3566584 3'
670	13735	26662	2.34	5.0E-03	L25105.1	NT	Chlamydia trachomatis partial ORF; aminoacyl-tRNA synthase, complete cds; complete ORFA, and grpE-like protein, complete cds
671	13735	26661	3.43	5.0E-03	L25105.1	NT	Chlamydia trachomatis partial ORF; aminoacyl-tRNA synthase, complete cds; complete ORFA, and grpE-like protein, complete cds
671	13735	26662	3.43	5.0E-03	L25105.1	NT	Chlamydia trachomatis partial ORF; aminoacyl-tRNA synthase, complete cds; complete ORFA, and grpE-like protein, complete cds
1114	14158	27109	1.03	5.0E-03	AJ010457.1	NT	Chlamydia trachomatis partial ORF; aminoacyl-tRNA synthase, complete cds; complete ORFA, and grpE-like protein, complete cds
1574	14807	28703	1.02	5.0E-03	AI138977.1	EST_HUMAN	Arabidopsis thaliana mRNA for DEAD box RNA helicase, RH3
2690	15888	28703	2.63	5.0E-03	AB033006.1	NT	gc79c05.x1 Soares testis_NHT Homo sapiens cDNA clone IMAGE:1735689 3'
2947	16005	28930	3.66	5.0E-03	BE266057.1	EST_HUMAN	Homo sapiens mRNA for KIAA1180 protein, partial cds
3153	16210	29125	3.96	5.0E-03	T97923.1	EST_HUMAN	601194796F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3538799 5'
3169	16224		3.05	5.0E-03	AL161491.2	NT	y81f09.s1 Soares infant brain 1NIB Homo sapiens cDNA clone IMAGE:22395 3'
							Arabidopsis thaliana DNA chromosome 4, contig fragment No. 3

Page 180 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3181	16236	29153	1.22	5.0E-03	R71794.1	EST_HUMAN	y86g02.s1 Soares breast 2NHBst Homo sapiens cDNA clone IMAGE:155686 3'
3291	16344		0.94	5.0E-03	A297357.1	NT	Homo sapiens partial LIMD1 gene for LIM domains containing protein 1 and KIAA0851 gene
3679	16722	29635	0.97	5.0E-03	AL163285.2	NT	Homo sapiens chromosome 21 segment HS21C085
3713	16756	29670	4.03	5.0E-03	AF147449.2	NT	Pseudomonas aeruginosa strain PAO1 penicillin-binding protein 1B (ponB) gene, complete cds
3771	16813	29722		5.0E-03	U36914.1	NT	Citrus sinensis seed storage protein cDNA 5' end
3995	17035		2	5.0E-03	AA299675.1	EST_HUMAN	EST12218 Uterus tumor 1 Homo sapiens cDNA 5' end
4333	17361	30246	0.69	5.0E-03	H78385.1	EST_HUMAN	yw79g10.r1 Soares fetal liver spleen 1NfLS Homo sapiens cDNA clone IMAGE:240086 5'
4335	18813	29722	1.02	5.0E-03	U36914.1	NT	Citrus sinensis seed storage protein cDNA 5' end
4601	17622	30515	1.02	5.0E-03	U46891.1	NT	Citrus sinensis seed storage protein cDNA 5' end
4638	17659	30546	1.13	5.0E-03	AJ131016.1	NT	Homo putative chromatin structure regulator (SUPT6H) mRNA, complete cds
4749	17769	30665	1.34	5.0E-03	A1752387.1	EST_HUMAN	Homo sapiens SCL gene locus
4970	17985	30875	1.08	5.0E-03	P15265	SWISSPROT	cn15c02.x1 Normal Human Trabecular Bone Cells Homo sapiens cDNA clone NHTBC_cn15c02 random
5222	18230	31105	1.69	5.0E-03	6754029	NT	SPERM MITOCHONDRIAL CAPSULE SELENOPROTEIN (MCS)
5893	18981	32172	5.69	5.0E-03	P35600	SWISSPROT	Mus musculus glucosamine-6-phosphate deaminase (GnpI), mRNA
6162	19237	32468	2.97	5.0E-03	O00607	SWISSPROT	SODIUM CHANNEL PROTEIN PARA (PARALYTIC PROTEIN)
6198	19272		0.89	5.0E-03	AE002234.2	NT	PROBABLE UBIQUITIN CARBOXYL-TERMINAL HYDROLASE FAF-Y (UBIQUITIN THIOLESTERASE FAF-Y) (UBIQUITIN-SPECIFIC PROCESSING PROTEASE FAF-Y) (DEUBIQUITINATING ENZYME FAF-Y) (FAT FACETS PROTEIN RELATED, Y-LINKED) (UBIQUITIN-SPECIFIC PROTEASE 9, Y CHROMOSOME)
6747	19801		7.44	5.0E-03	BE300091.1	EST_HUMAN	Chlamydia pneumoniae AR39, section 62 of 94 of the complete genome
7023	18355	31274	7.12	5.0E-03	AB025024.1	NT	600944584.T1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:2960871 3'
7240	19975		0.82	5.0E-03	AB038267.1	NT	Mus musculus AMD1 gene for S-adenosylmethionine decarboxylase, complete cds
7295	20267	33602	0.57	5.0E-03	6753651	NT	Tursiops truncatus mRNA for p40-phox, complete cds
7727	20683	34047	0.62	5.0E-03	T05124.1	EST_HUMAN	Mus musculus dynein, exon, heavy chain 11 (Dnaht11), mRNA
7856	20801		1.17	5.0E-03	AW854327.1	EST_HUMAN	EST03012 Fetal brain, Stratagene (cat#336206) Homo sapiens cDNA clone HFB0893 similar to EST containing Alu repeat
8044	20981	34378	6.8	5.0E-03	AB016816.1	NT	RC3-CT0255-031099-011-f07 CT0255 Homo sapiens cDNA
8097	21033	34431	0.49	5.0E-03	Q9R001	SWISSPROT	Homo sapiens MASL1 mRNA, complete cds
8097	21033	34432	0.49	5.0E-03	Q9R001	SWISSPROT	ADAM-5 PRECURSOR (A DISINTEGRIN AND METALLOPROTEINASE WITH THROMBOSPONDIN MOTIFS 5) (ADAMTS-5) (ADAM-TS5) (AGGRECANASE-2) (ADMP-2) (IMPLANTIN)
8581	21549	34967	2.12	5.0E-03	P48982	SWISSPROT	ADAM-5 PRECURSOR (A DISINTEGRIN AND METALLOPROTEINASE WITH THROMBOSPONDIN MOTIFS 5) (ADAMTS-5) (ADAM-TS5) (AGGRECANASE-2) (ADMP-2) (IMPLANTIN)
8959	21925		5.83	5.0E-03	M61132.1	NT	BETA-GALACTOSIDASE PRECURSOR (LACTASE)
							Mouse complement receptor (CR2) mRNA, 3' end

Page 181 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
9159	22125	35554	1.08	5.0E-03	D90723.1	NT	Escherichia coli genomic DNA, (19.1 - 19.4 min)
9292	22258	35688	0.61	5.0E-03	M25090.1	NT	Rabbit uteroglobin (UGL) gene, exon 1
10199	23124	36611	0.97	5.0E-03	L21710.1	NT	Plasmodium berghei 58 kDa phosphoprotein mRNA, partial cds
10330	23254	36732	0.68	5.0E-03	AW821898.1	EST_HUMAN	RCO-ST0379-210100-032-c02 ST0379 Homo sapiens cDNA
10518	23440	36938	0.44	5.0E-03	AA533143.1	EST_HUMAN	h48h10.s1 NCI CGAP P18 Homo sapiens cDNA clone IMAGE:986587
10698	23618	37112	0.47	5.0E-03	7662557	NT	Homo sapiens PRO0471 protein (PRO0471), mRNA
10844	23764		0.51	5.0E-03	AA653261.1	EST_HUMAN	ag49c10.s1 Geesler Wilms tumor Homo sapiens cDNA clone IMAGE:1126290 3'
11075	24037		4.17	5.0E-03	T19586.1	EST_HUMAN	694F Heart Homo sapiens cDNA clone 694
11287	24237	37764	2.15	5.0E-03	AW170334.1	EST_HUMAN	xn59g05.x1 Soares_NHCeC_cervical_tumor Homo sapiens cDNA clone IMAGE:2698040 3' similar to contains L1 L2 L1 repetitive element;
11287	24237	37765	2.15	5.0E-03	AW170334.1	EST_HUMAN	contains L1 L2 L1 repetitive element;
11381	24328	37857	1.55	5.0E-03	T49163.1	EST_HUMAN	contains L1 L2 L1 repetitive element;
11659	24595		3.62	5.0E-03	BE048055.1	EST_HUMAN	yc09e04.r1 Stralagene placenta (#937225) Homo sapiens cDNA clone IMAGE:70888 5'
12463	25938		5.42	5.0E-03	AF047674.1	NT	tz46c04.y1 NCI CGAP Brn52 Homo sapiens cDNA clone IMAGE:2281622 5'
12595	25298		3.7	5.0E-03	AF067253.1	NT	Gallus gallus glyceraldehyde-3-phosphate dehydrogenase mRNA, complete cds
12698	25355		3.19	5.0E-03	L10347.1	NT	Brugia malayi Y chromosome marker
12718	25372		1.89	5.0E-03	AA456597.1	EST_HUMAN	Human pro-alpha1 type II collagen (COL2A1) gene exons 1-54, complete cds
12743	25752		5.67	5.0E-03	BF572332.1	EST_HUMAN	zx75a03.s1 Soares ovary tumor NbHOT Homo sapiens cDNA clone IMAGE:809548 3' similar to SW:DXA2 MOUSE P14685 PROBABLE DIPHENOL OXIDASE A2 COMPONENT ;
12922	25498	31702	3.21	5.0E-03	AW449108.1	EST_HUMAN	60207774F1 NIH_MGC_62 Homo sapiens cDNA clone IMAGE:4252002 5'
235	13335	26259	2.6	4.0E-03	AW500196.1	EST_HUMAN	UI-H-B13-akf4-08-0-UJ.s1 NCI CGAP Sub5 Homo sapiens cDNA clone IMAGE:2734216 3'
321	13413	26337	2.12	4.0E-03	R46482.1	EST_HUMAN	UI-HF-BN0-ako-h-04-0-UJ.r1 NIH_MGC_50 Homo sapiens cDNA clone IMAGE:3076831 5'
443	13516	26449	1.15	4.0E-03	P54675	SWISSPROT	PHOSPHATIDYLINOSITOL 3-KINASE 3 (PI3-KINASE) (PTDINS-3-KINASE) (PI3K)
605	13672	26596	4.63	4.0E-03	AA939339.1	EST_HUMAN	on75g12.s1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1562566 3'
878	13933	26863	1.9	4.0E-03	R46482.1	EST_HUMAN	yg51e04.s1 Soares Infant brain 1N1B Homo sapiens cDNA clone IMAGE:35988 3'
912	13967		3.64	4.0E-03	AW749101.1	EST_HUMAN	RC3-BT0333-110100-012-01 BT0333 Homo sapiens cDNA
1153	14195	27147	27.01	4.0E-03	AA098777.1	EST_HUMAN	z181a08.r1 Stralagene colon (#937204) Homo sapiens cDNA clone IMAGE:510998 5'
1173	14214	27168	1.92	4.0E-03	AW784740.1	EST_HUMAN	RC8-UM0014-170400-023-G01 UM0014 Homo sapiens cDNA
1308	14342	27306	1.5	4.0E-03	AA284374.1	EST_HUMAN	zs58a01.r1 NCI CGAP GCB1 Homo sapiens cDNA clone IMAGE:701738 5'
1560	14622		1.64	4.0E-03	AV708305.1	EST_HUMAN	AV708305 ADC Homo sapiens cDNA clone ADCAKB08 5'
1758	14787	27772	2.38	4.0E-03	U33472.1	NT	Rattus norvegicus type 1 astrocyte and olfactory-limbic associated protein AT1-48 mRNA, complete cds
2034	15053	28070	11.42	4.0E-03	AA098777.1	EST_HUMAN	z181a08.r1 Stralagene colon (#937204) Homo sapiens cDNA clone IMAGE:510998 5'

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2259	15273		1.68	4.0E-03	BE410556.1	EST_HUMAN	601304161F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3638510 5'
2286	15299	28323	1.53	4.0E-03	AW794740.1	EST_HUMAN	RC8-UM0014-170400-023-G01 UM0014 Homo sapiens cDNA
							Homo sapiens X28 region near ALD locus containing dual specificity phosphatase 9 (DUSP9), ribosomal protein L18a (RPL18a), Ca2+/Calmodulin-dependent protein kinase I (CAMKI), creatine transporter (CRTR), CDM protein (CDM), adrenoleukodystrophy protein >
2579	15580	28598	1.75	4.0E-03	U52111.2	NT	Homo sapiens X28 region near ALD locus containing dual specificity phosphatase 9 (DUSP9), ribosomal protein L18a (RPL18a), Ca2+/Calmodulin-dependent protein kinase I (CAMKI), creatine transporter (CRTR), CDM protein (CDM), adrenoleukodystrophy protein >
2579	15580	28599	1.75	4.0E-03	U52111.2	NT	Homo sapiens X28 region near ALD locus containing dual specificity phosphatase 9 (DUSP9), ribosomal protein L18a (RPL18a), Ca2+/Calmodulin-dependent protein kinase I (CAMKI), creatine transporter (CRTR), CDM protein (CDM), adrenoleukodystrophy protein >
2701	15697	28712	3.92	4.0E-03	AJ277365.1	NT	Homo sapiens polyglutamine-containing C14ORF4 gene
2701	15697	28713	3.92	4.0E-03	AJ277365.1	NT	Homo sapiens polyglutamine-containing C14ORF4 gene
2707	15702	28716	1.68	4.0E-03	AL163284.2	NT	Homo sapiens chromosome 21 segment HS21C084
3239	16294	29217	1.04	4.0E-03	BE154134.1	EST_HUMAN	PM1-HT0340-151299-003-h08 HT0340 Homo sapiens cDNA
3239	16294	29218	1.04	4.0E-03	BE154134.1	EST_HUMAN	PM1-HT0340-151299-003-h08 HT0340 Homo sapiens cDNA
3541	16587	29510	0.8	4.0E-03	BE154134.1	EST_HUMAN	PM1-HT0340-151299-003-h08 HT0340 Homo sapiens cDNA
3541	16587	29511	0.8	4.0E-03	AW188426.1	EST_HUMAN	PM1-HT0340-151299-003-h08 HT0340 Homo sapiens cDNA
3639	16682	29597	0.84	4.0E-03	Q13606	SWISSPROT	OLFACTORY RECEPTOR 511 (OLFACTORY RECEPTOR-LIKE PROTEIN OLF1)
4020	17058		2.14	4.0E-03	AJ011712.1	NT	Homo sapiens TNNT1 gene, exons 1-11 (and joined CDS)
4643	17684	30553	1.1	4.0E-03	AJ732764.1	EST_HUMAN	ab18a08.x5 Stragene lung (#937210) Homo sapiens cDNA clone IMAGE:841142 3' similar to contains Alu repetitive element
4805	17822	30717	3.73	4.0E-03	AL163284.2	NT	Homo sapiens chromosome 21 segment HS21C084
5173	18182	31059	0.98	4.0E-03	AW103719.1	EST_HUMAN	xe83d03.x1 NCI_CGAP_Bm35 Homo sapiens cDNA clone IMAGE:2614469 3' similar to contains L1.1 L1
5220	18228	31102	0.63	4.0E-03	AA699995.1	EST_HUMAN	L1 repetitive element
5272	18278	31142	0.93	4.0E-03	J02187.1	NT	z69b01.s1 Soares_fetal_liver_1NFLS_S1 Homo sapiens cDNA clone IMAGE:436009 3'
5348	18453	31324	1.56	4.0E-03	AF005859.1	NT	Foot and mouth disease virus serotype A-12 119ab capsid protein VP3
5473	18574	31482	23.1	4.0E-03	AF169825.1	NT	Drosophila melanogaster anon2D7 (anon2D7) mRNA, complete cds
5891	18978	32171	2.72	4.0E-03	P04196	SWISSPROT	Rattus norvegicus beta-catenin binding protein mRNA, complete cds
5895	18983	32173	1.63	4.0E-03	P21849	SWISSPROT	(HPRG)
5983	19068	32286	0.87	4.0E-03	AL133871.1	EST_HUMAN	MAJOR SURFACE-LABELLED TROPHOBLAST ANTIGEN PRECURSOR
6203	19277	32673	3.56	4.0E-03	U22180.1	NT	DKFZp7611014.1 J1 761 (synonym: hamy2) Homo sapiens cDNA clone DKFZp7611014 5'
6361	19430	32673	1	4.0E-03	AW590572.1	EST_HUMAN	Rattus norvegicus opsin gene, complete cds
6442	19507	32757	1.78	4.0E-03	BE548453.1	EST_HUMAN	hg46c07.x1 NCI_CGAP_G06 Homo sapiens cDNA clone IMAGE:2948652 3'
6827	19881	33172	0.87	4.0E-03	AA813222.1	EST_HUMAN	601076015F1 NIH_MGC_12 Homo sapiens cDNA clone IMAGE:3461854 5'
6942	20166	33499	1.5	4.0E-03	U76408.1	NT	601076015F1 NIH_MGC_12 Homo sapiens cDNA clone IMAGE:3461854 5'

Page 183 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7273	20008	33308	1.22	4.0E-03	AL163278.2	NT	Homo sapiens chromosome 21 segment HS21C078
7273	20008	33309	1.22	4.0E-03	AL163278.2	NT	Homo sapiens chromosome 21 segment HS21C078
7404	20372	33723	4.12	4.0E-03	Q02817	SWISSPROT	MUCIN 2 PRECURSOR (INTESTINAL MUCIN 2)
7665	20624	33988	0.99	4.0E-03	AI681483.1	EST_HUMAN	bc37g12.x1 NCI CGAP_Lu24 Homo sapiens cDNA clone IMAGE:2271814 3'
7667	20626	33990	0.72	4.0E-03	BE670170.1	EST_HUMAN	7631b02.x1 NCI CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3284043 3'
7767	20720		0.66	4.0E-03	X92109.1	NT	H. sapiens hcgIX gene
8274	21243	34655	0.49	4.0E-03	Q91T92	SWISSPROT	ADAM-TS 5 (A DISINTEGRIN AND METALLOPROTEINASE WITH THROMBOSPONDIN MOTIFS 5) (ADAMTS-5) (ADAM-TS5) (AGGRECANASE-2) (ADMP-2) (ADAM-TS 11)
8383	21352	34761	5.06	4.0E-03	AF111944.1	NT	Dictyostellium discoideum AX4 development protein DG1122 (DG1122) gene, partial cds
8545	21513	34930	1.92	4.0E-03	7662067	NT	Homo sapiens KIAA0345 gene product (KIAA0345), mRNA
9064	22030	35453	7.41	4.0E-03	AI553983.1	EST_HUMAN	fe49b11.x1 Scarsa_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2090013 3' similar to contains Alu repetitive element
9241	22207		4.72	4.0E-03	AL163209.2	NT	Homo sapiens chromosome 21 segment HS21C009
9250	22216	35646	3.66	4.0E-03	AL163278.2	NT	Homo sapiens chromosome 21 segment HS21C078
10287	23212	36695	0.57	4.0E-03	H30664.1	EST_HUMAN	yp42g12.r1 Scarsa retina N25bHR Homo sapiens cDNA clone IMAGE:190150 5'
10742	23664	37159	0.78	4.0E-03	AL161555.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 65
11176	24133	37683	1.65	4.0E-03	AW513635.1	EST_HUMAN	xa47b04.x1 NCI CGAP_U11 Homo sapiens cDNA clone IMAGE:2707169 3'
11464	24407	37854	4.53	4.0E-03	AL163206.2	NT	Homo sapiens chromosome 21 segment HS21C008
12431	25866		1.52	4.0E-03	BE815173.1	EST_HUMAN	PV4-BN0138-180600-002-b08 BN0138 Homo sapiens cDNA
12494	25213		3.2	4.0E-03	BE298290.1	EST_HUMAN	601118164F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3028086 5'
12533	25269		2.13	4.0E-03	AW504273.1	EST_HUMAN	UI-HF-BND-elp-g-04-0-U1.r1 NIH_MGC_50 Homo sapiens cDNA clone IMAGE:3080622 5'
12755	25400		7.22	4.0E-03	BF224125.1	EST_HUMAN	7q74c09.x1 NCI CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3080622 5' element; contains element MER31 repetitive element;
12801	25866		3.31	4.0E-03	AW614596.1	EST_HUMAN	hh02c07.x1 NCI CGAP_K1d11 Homo sapiens cDNA clone IMAGE:2963932 3' similar to contains element LTR5 repetitive element;
12814	25437		2.73	4.0E-03	AW819141.1	EST_HUMAN	RC3-ST0281-240400-015-f03 ST0281 Homo sapiens cDNA
13093	25619	31675	6.48	4.0E-03	11436955	NT	Homo sapiens Grib2-associated binder 2 (KIAA0571), mRNA
371	13457	26387	1.69	3.0E-03	AF011920.1	NT	Homo sapiens protein kinase CK2 catalytic subunit alpha gene, exon 1
880	13935	26894	3.09	3.0E-03	AF011920.1	NT	Homo sapiens protein kinase CK2 catalytic subunit alpha gene, exon 1
1669	14701	27676	5.52	3.0E-03	AA468110.1	EST_HUMAN	nc73c05.s1 NCI CGAP_P12 Homo sapiens cDNA clone IMAGE:782884 similar to contains Alu repetitive element;
2288	15281		1.58	3.0E-03	AF055066.1	NT	Homo sapiens MHC class 1 region
2302	15314		8.06	3.0E-03	Z32521.1	NT	S.cereale (cv. Halo) mRNA for triphosphatase isomerase
2303	15315	28334	1.3	3.0E-03	U46868.1	NT	Mus musculus intestinal trefoil factor gene, partial cds

Page 184 of 546
Table 4
Single Exon Probes Expressed In Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2303	15315	26355	1.3	3.0E-03	U46858.1	NT	Mus musculus intestinal trefoil factor gene, partial cds
3006	16064		0.8	3.0E-03	Y06006.1	NT	Arabidopsis thaliana poM1 gene
3099	16156	29069	4.09	3.0E-03	BE379296.1	EST_HUMAN	601237982F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3609933 5'
3166	16221	29136	2.54	3.0E-03	AW802887.1	EST_HUMAN	IL2-UM0076-240300-056-D03 UM0076 Homo sapiens cDNA
3428	16476	23395	1.62	3.0E-03	U34606.1	NT	Mus musculus alpha-1(XVIII) collagen (COL18A1) gene, exon 1 and 2
3439	16486		6.72	3.0E-03	Y12600.1	NT	C.elegans samd6 gene
4002	17041	29949	7.18	3.0E-03	AV762392.1	EST_HUMAN	AV762392 MDS Homo sapiens cDNA clone MDSBSG01 5'
4002	17041	29950	7.18	3.0E-03	AV762392.1	EST_HUMAN	AV762392 MDS Homo sapiens cDNA clone MDSBSG01 5'
4067	17103	29995	1.47	3.0E-03	AI792278.1	EST_HUMAN	ah0409.y5 Gessler Wilms tumor Homo sapiens cDNA clone IMAGE:1155689 5'
4177	17208		1.08	3.0E-03	Z32521.1	NT	S.cereale (cv. Halo) mRNA for triosephosphate isomerase
4424	17451	30342	3.8	3.0E-03	AJ011432.1	NT	Rattus norvegicus gdnf gene
4546	17569	30458	5.58	3.0E-03	AI636141.1	EST_HUMAN	xb8.P10.H3 confrom Homo sapiens cDNA 3'
4871	17886	30776	1.74	3.0E-03	AI732754.1	EST_HUMAN	ab18a08.x5 Stragene lung (#937210) Homo sapiens cDNA clone IMAGE:841142 3' similar to contains Alu repetitive element;
4890	17907	30798	5.49	3.0E-03	BE787945.1	EST_HUMAN	601482715F1 NIH_MGC_98 Homo sapiens cDNA clone IMAGE:3885483 5'
5338	18443	31196	3.42	3.0E-03	89222499	NT	Homo sapiens hypothetical protein FLJ10539 (FLJ10539), mRNA
5635	18731	31893	1.22	3.0E-03	AJ249881.1	NT	Mus musculus mRNA for hypothetical protein (ORF2 ortholog)
5708	18803	31980	0.95	3.0E-03	U36323.1	NT	Mus musculus H2-M alpha chain (H2-Ma) gene, H2-M beta 2 chain (H2-Mb2) gene, H2-M beta 1 chain (H2-Mb1) gene, low molecular weight protein 2 Lmp2 (Lmp2) gene, complete cds
6705	19761	33040	10.04	3.0E-03	AA456701.1	EST_HUMAN	aa13f10.1 Soares_NHMPu_S1 Homo sapiens cDNA clone IMAGE:813163 5'
7224	20246	33580	0.66	3.0E-03	D37977.1	NT	Fugu rubripes mRNA for sodium channel alpha subunit, partial cds
7412	20379	33730	1.37	3.0E-03	AJ011419.1	NT	Kluyveromyces marxianus pop3 gene for purine-cytosine permease
7765	20718	34091	3.16	3.0E-03	AB021736.1	NT	Oryza sativa gene for bZIP protein, complete cds
8145	21082	34481	0.49	3.0E-03	P26659	SWISSPROT	DNA REPAIR HELICASE RAD16 (RHP3)
8270	21239	34650	0.91	3.0E-03	BF333058.1	EST_HUMAN	RCO-BT0812-250900-032-e07 B T0812 Homo sapiens cDNA
8270	21239	34651	0.91	3.0E-03	BF333058.1	EST_HUMAN	RCO-BT0812-250900-032-e07 B T0812 Homo sapiens cDNA
8496	21464	34880	1.31	3.0E-03	N92580.1	EST_HUMAN	zb27b04.s1 Soares_parathyroid_tumor_NHHPA Homo sapiens cDNA clone IMAGE:304783 3'
8558	21628		0.77	3.0E-03	M63498.1	NT	S.cerevisiae UGA35 gene, complete cds
8804	21771	35197	1.16	3.0E-03	P51989	SWISSPROT	HETEROGENEOUS NUCLEAR RIBONUCLEOPROTEIN A2 HOMOLOG 1 (HNRNP A2A))
8827	21794	35217	1.34	3.0E-03	AL163288.2	NT	Homo sapiens chromosome 21 segment HS21C088
8933	21999		1.25	3.0E-03	Q9CM81	SWISSPROT	NONSTRUCTURAL PROTEIN V
9343	22308		10.07	3.0E-03	AW613774.1	EST_HUMAN	hh80f10.x1 NCLCGAP_GU1 Homo sapiens cDNA clone IMAGE:2969131 3' similar to contains L1.t1 L1 repetitive element;
9400	22365	35797	4.01	3.0E-03	AL161589.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 85

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
9424	22388	35827	4.74	3.0E-03	A1016731.1	EST_HUMAN	ov03d12.x1 NCI_CGAP_Kid3 Homo sapiens cDNA clone IMAGE:1636247 3' similar to gb.X67138_ma1
9434	22398	35836	0.83	3.0E-03	BF339078.1	EST_HUMAN	HISTONE H2B.2 (HUMAN);
8764	22705		0.95	3.0E-03	D90901.1	NT	602035980F1 NCI_CGAP_Brn64 Homo sapiens cDNA clone IMAGE:4183938 5'
9802	21125	34529	0.61	3.0E-03	BE154670.1	EST_HUMAN	Synechocystis sp. PCC6803 complete genome, 3/27, 271600-402289
9894	22921		0.82	3.0E-03	P03355	SWISSPROT	PM3-HT0344-071299-003-d07 HT0344 Homo sapiens cDNA
10065	22992		5.33	3.0E-03	P08672	SWISSPROT	POL POLYPROTEIN [CONTAINS; PROTEASE; REVERSE TRANSCRIPTASE; RIBONUCLEASE H]
							CIRCUMSPOROZOITE PROTEIN PRECURSOR (CS)
10255	23180	36867	1.56	3.0E-03	P11389	SWISSPROT	RETROVIRUS-RELATED POL POLYPROTEIN [CONTAINS; REVERSE TRANSCRIPTASE; ENDONUCLEASE]
10355	23279	36755	1.15	3.0E-03	P51089	SWISSPROT	HETEROGENEOUS NUCLEAR RIBONUCLEOPROTEIN A2 HOMOLOG 1 (HNRNP A2(A))
10499	23421	36920	4.39	3.0E-03	AL163303.2	NT	Homo sapiens chromosome 21 segment HS21C103
11194	24149		1.62	3.0E-03	5803028	NT	Homo sapiens ATP/GTP-binding protein (HEAB), mRNA
11708	24873	38250	1.47	3.0E-03	AF09222.1	NT	Pneumocystis carinii kexin-like serine endoprotease mRNA, partial cds
11775	23930	37451	1.86	3.0E-03	AF266285.1	NT	Homo sapiens golgin-like protein (GLP) gene, complete cds
11810	24895	38275	2.27	3.0E-03	AF094481.1	NT	Homo sapiens trinucleotide repeat DNA binding protein p20-CGGBP (CGGBP) gene, complete cds
11810	24895	38278	2.27	3.0E-03	AF094481.1	NT	Homo sapiens trinucleotide repeat DNA binding protein p20-CGGBP (CGGBP) gene, complete cds
							RETROVIRUS-RELATED POL POLYPROTEIN [CONTAINS; REVERSE TRANSCRIPTASE; ENDONUCLEASE]
11881	24763	38348	1.47	3.0E-03	P11389	SWISSPROT	
12199	25765		4.08	3.0E-03	A1625056.1	EST_HUMAN	promna-5.E07.r bvtumor Homo sapiens cDNA 5'
12232	25064	38182	1.83	3.0E-03	AA993194.1	EST_HUMAN	ot77b10.s1 Soares_t041_Nb2HF8_9w Homo sapiens cDNA clone IMAGE:1622779 3' similar to contains L1.13 MER26 repetitive element;
12292	25895		2.42	3.0E-03	AB009668.1	NT	Homo sapiens gene for GMP-N-acetylneuraminic acid hydroxylase, partial cds
12478	25228	31784	2.01	3.0E-03	AJ296282.1	NT	Rattus norvegicus mRNA for connexin36 (cx36 gene)
516	13587	26506	0.92	2.0E-03	Q04852	SWISSPROT	RING CANAL PROTEIN (KELCH PROTEIN)
516	13587	26507	0.92	2.0E-03	Q04852	SWISSPROT	
786	15851		12.84	2.0E-03	T70874.1	EST_HUMAN	RING CANAL PROTEIN (KELCH PROTEIN)
1365	14399	27370	1.9	2.0E-03	M20783.1	NT	yd19h03.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:108341 5'
1368	14402	27372	1.34	2.0E-03	AA691605.1	EST_HUMAN	Human alpha-2-plasmin inhibitor gene, exons 6 and 7
1376	14410	27380	12.34	2.0E-03	AF284446.1	NT	nu89f01.s1 NCI_CGAP_Alv1 Homo sapiens cDNA clone IMAGE:1217593
							Homo sapiens tumor-related protein DRC2 (DRC2) gene, complete cds
1486	14619	27492	1.63	2.0E-03	P48509	SWISSPROT	PLATELET-ENDOTHELIAL TETRASPAN ANTIGEN 3 (PETA-3) (GP27) (MEMBRANE GLYCOPROTEIN SFA-1) (CD161 ANTIGEN)
1519	14551	27522	3.03	2.0E-03	4557836	NT	Homo sapiens procollagen-lysine, 2-oxoglutarate 5-dioxygenase (lysine hydroxylase, Ehlers-Danlos syndrome type VI) (PLOD) mRNA

Page 186 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1519	14551	27523	3.03	2.0E-03	4557838	NT	Homo sapiens procollagen-lysine, 2-oxoglutarate 5-dioxygenase (lysine hydroxylase, Ehlers-Danlos syndrome type VI) (PLOD) mRNA
1595	14827		8.7	2.0E-03	P29400	SWISSPROT	COLLAGEN ALPHA 5(V) CHAIN PRECURSOR
1788	14815	27800	1.26	2.0E-03	AA450138.1	EST_HUMAN	z442a10.r1 Soares, total, fetus_Nb2HF8_9w Homo sapiens cDNA clone IMAGE:789114 5'
2011	15032	28042	1.52	2.0E-03	AF502691.1	NT	Mus musculus myelin expression factor-3-like protein gene, partial cds
2281	15275	28299	1.02	2.0E-03	AL163302.2	NT	Homo sapiens chromosome 21 segment HS21C102
2584	15585		4.02	2.0E-03	AW137782.1	EST_HUMAN	UI-H-B11-edi-g-10-Q-UI.s1 NCI_OGAP_Sub3 Homo sapiens cDNA clone IMAGE:2717010 3'
3427	16475	29394	4.82	2.0E-03	AA450138.1	EST_HUMAN	z442a10.r1 Soares, total, fetus_Nb2HF8_9w Homo sapiens cDNA clone IMAGE:789114 5'
3434	16481	29400	0.8	2.0E-03	BF568955.1	EST_HUMAN	602183960T1 NIH_MGC_42 Homo sapiens cDNA clone IMAGE:4300070 3'
3680	18723	29636	6.1	2.0E-03	X87344.1	NT	H. sapiens DMA, DMB, HLA-Z1, IPP2, LMP2, TAP1, LMP7, TAP2, DOB, DOB2 and RING8, 9, 13 and 14 genes
3973	17013	29927	0.95	2.0E-03	AB040802.1	NT	Rattus norvegicus mRNA for SREB1, complete cds
4140	17171	30059	2.1	2.0E-03	P03374	SWISSPROT	ENV POLYPEPTIDE CONTAINS: COAT PROTEIN GP52; COAT PROTEIN GP36
4203	17234	30122	1.29	2.0E-03	AA178983.1	EST_HUMAN	zpi3h01.r1 Stragelene fetal retina 937202 Homo sapiens cDNA clone IMAGE:809361 5'
4248	17277		9.31	2.0E-03	U68491.1	NT	Rattus norvegicus 5-hydroxytryptamine7 receptor gene, partial cds
4458	17484		1.01	2.0E-03	AW297380.1	EST_HUMAN	UI-H-BW0-air-g-03-Q-UI.s1 NCI_OGAP_Sub6 Homo sapiens cDNA clone IMAGE:2730413 3'
4462	17488	30375	1.11	2.0E-03	A064746.1	EST_HUMAN	HA0507 Human fetal liver cDNA library Homo sapiens cDNA
4577	17599	30493	1.99	2.0E-03	L42512.1	NT	Drosophila melanogaster shortighted class 2 (shs) mRNA, complete cds
4577	17599	30494	1.99	2.0E-03	L42512.1	NT	Drosophila melanogaster shortighted class 2 (shs) mRNA, complete cds
4735	17755	30649	1.09	2.0E-03	AF223391.1	NT	Homo sapiens calcium channel alpha1E subunit (CACNA1E) gene, exons 7-49, and partial cds, alternatively spliced
4740	17780		1.84	2.0E-03	R87773.1	EST_HUMAN	yo45a02.s1 Soares adult brain N2b4HB55Y Homo sapiens cDNA clone IMAGE:180890 3'
5054	18066	30845	0.75	2.0E-03	AF003528.1	NT	Homo sapiens X-linked anhidrotic ectodermal dysplasia protein gene (EDA), exon 2 and flanking repeat regions
5163	18172	31051	1.02	2.0E-03	AF187974.1	NT	8 Homo sapiens concentrative nucleoside transporter (CNT1) gene, exon 12
5281	18287	31149	2.26	2.0E-03	D85606.1	NT	Homo sapiens gene for cholecystokinin type-A receptor, complete cds
5564	18681	31607	1.33	2.0E-03	BF241410.1	EST_HUMAN	601876385F1 NIH_MGC_55 Homo sapiens cDNA clone IMAGE:4104692 5'
5709	25943	31981	2.18	2.0E-03	AB014588.1	NT	Homo sapiens mRNA for KIAA0693 protein, partial cds
5795	18887	32068	0.61	2.0E-03	AW796111.1	EST_HUMAN	MR2-UM0025-300300-102-702 UM0025 Homo sapiens cDNA
5795	18887	32069	0.61	2.0E-03	AW796111.1	EST_HUMAN	MR2-UM0025-300300-102-702 UM0025 Homo sapiens cDNA
5797	18889	32071	1.73	2.0E-03	U63711.1	NT	Xenopus laevis xefillin mRNA, complete cds
6231	19305	32536	3.79	2.0E-03	P23477	SWISSPROT	ATP-DEPENDENT NUCLEASE SUBUNIT B
6231	19305	32537	3.79	2.0E-03	P23477	SWISSPROT	ATP-DEPENDENT NUCLEASE SUBUNIT B
6480	19545	32793	15.18	2.0E-03	Q95203	SWISSPROT	CARBONIC ANHYDRASE-RELATED PROTEIN 2 PRECURSOR (CARP 2) (CA-RP II) (CA-XI)

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6480	19545	32794	15.18	2.0E-03	Q95203	SWISSPROT	CARBONIC ANHYDRASE-RELATED PROTEIN 2 PRECURSOR (CARP 2) (CA-RP II) (CA-XI)
6482	19547	32796	7.38	2.0E-03	BF308187.1	EST_HUMAN	601887434F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:4121408 5'
6521	19584	32842	2.26	2.0E-03	Q9UKP4	SWISSPROT	ADAM-TS 7 PRECURSOR (A DISINTEGRIN AND METALLOPROTEINASE WITH THROMBOSPONDIN MOTIFS 7) (ADAMTS-7) (ADAM-TS7)
6522	19585	32843	0.77	2.0E-03	AV709075.1	EST_HUMAN	AV709075 ADG Homo sapiens cDNA clone ADCAEF09 5'
6554	19614	32878	1.36	2.0E-03	X94451.1	NT	L. esculentum mRNA for lysyl-tRNA synthetase (LysRS)
6756	19810						wu38h09.x1 Soares_Dieckgrafe_cdon_NHCD Homo sapiens cDNA clone IMAGE:2522177 3' similar to SW:RL29_HUMAN P47914 60S RIBOSOMAL PROTEIN L29; contains element MSR1 repetitive element;
6794	19848	33133	1.25	2.0E-03	A1991089.1	EST_HUMAN	z13a11.s1 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:430652 3'
7151	18383	31271	1.08	2.0E-03	AB038502.1	NT	Caenorhabditis elegans mRNA for galectin LEC-11, complete cds
7287	20064	33371	2.86	2.0E-03	BE067988.1	EST_HUMAN	CM4-BT0385-061299-054-401 BT0386 Homo sapiens cDNA
7351	20321	33668	0.64	2.0E-03	A1298883.1	EST_HUMAN	qm99d11.x1 NCJ_CGAP_Lu5 Homo sapiens cDNA clone IMAGE:186885 3'
7511	20476	33837	0.77	2.0E-03	T66569.1	EST_HUMAN	yt77g10.r1 Soares_fetal_liver_spleen_1NFLS_Homo sapiens cDNA clone IMAGE:114308 6'
7877	20821	34198	1.55	2.0E-03	P07354	SWISSPROT	PROTEOLYCAN LINK PROTEIN PRECURSOR (CARTILAGE LINK PROTEIN) (LP)
8386	21355	34763	1.95	2.0E-03	AW592004.1	EST_HUMAN	h137b08.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2634035 3' similar to TR:Q60978
8560	21528	34947	6.01	2.0E-03	N20287.1	EST_HUMAN	Q60976.JERKY.;
8560	21528	34948	6.01	2.0E-03	N20287.1	EST_HUMAN	y42g06.s1 Soares_melanocyte_2NbHM Homo sapiens cDNA clone IMAGE:264442 3' similar to contains L1.b2 L1 repetitive element;
8607	21575	34990	0.57	2.0E-03	Q92350	SWISSPROT	y42g06.s1 Soares_melanocyte_2NbHM Homo sapiens cDNA clone IMAGE:264442 3' similar to contains L1.b2 L1 repetitive element;
8629	21597	35018	1.23	2.0E-03	P19137	SWISSPROT	HYPOTHETICAL 32.8 KD PROTEIN C8G9.05 IN CHROMOSOME 1
8684	21652	35074	0.77	2.0E-03	6005855	NT	LAMININ ALPHA-1 CHAIN PRECURSOR (LAMININ A CHAIN)
8684	21652	35075	0.77	2.0E-03	6005855	NT	Homo sapiens Retina-derived POU-domain factor-1 (RPF-1), mRNA
8709	21677	35102	0.81	2.0E-03	AU136879.1	EST_HUMAN	Homo sapiens Retina-derived POU-domain factor-1 (RPF-1), mRNA
8762	21729		0.87	2.0E-03	AJ400877.1	NT	AU136879 PLACE1 Homo sapiens cDNA clone PLACE1004839 5'
9550	18887	32068	0.66	2.0E-03	AW78611.1	EST_HUMAN	Homo sapiens ASOL3 gene, CEGP1 gene, C11orf14 gene, C11orf15 gene, C11orf16 gene and C11orf17 gene
9550	18887	32069	0.66	2.0E-03	AW78611.1	EST_HUMAN	MR2-UM0025-300300-102-702 UM0025 Homo sapiens cDNA
9550	18887						MR2-UM0025-300300-102-702 UM0025 Homo sapiens cDNA
9685	22557	36007	0.66	2.0E-03	AF224669.1	NT	Homo sapiens mannosidase, beta A, lysosomal (MANBA) gene, and ubiquitin-conjugating enzyme E2D 3 (UBE2D3) genes, complete cds
9884	22837	36291	0.97	2.0E-03	H50832.1	EST_HUMAN	yp86a09.s1 Soares_fetal_liver_spleen_1NFLS_Homo sapiens cDNA clone IMAGE:194298 3'
9884	22837	36292	0.97	2.0E-03	H50832.1	EST_HUMAN	yp86a09.s1 Soares_fetal_liver_spleen_1NFLS_Homo sapiens cDNA clone IMAGE:194298 3'

Page 188 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptbr
8916	22737	36190	3.31	2.0E-03	P24821	SWISSPROT	TENASCIN PRECURSOR (TN) (HEXABRACHION) (CYTOTACTIN) (NEURONECTIN) (GMEW) (JI) (MIO TENDINOUS ANTIGEN) (GLIOMA-ASSOCIATED-EXTRACELLULAR MATRIX ANTIGEN) (GP 150-225) (TENASCIN-C) (TN-C)
10026	22953	36421	1.02	2.0E-03	P48982	SWISSPROT	BETA-GALACTOSIDASE PRECURSOR (LACTASE)
10026	22953	36422	1.02	2.0E-03	P48982	SWISSPROT	BETA-GALACTOSIDASE PRECURSOR (LACTASE)
10081	23008	36479	0.65	2.0E-03	AF097732.1	NT	Homo sapiens caspase recruitment domain-containing protein (BCL10) gene, complete cds
10081	23008	36480	0.65	2.0E-03	AF097732.1	NT	Homo sapiens caspase recruitment domain-containing protein (BCL10) gene, complete cds
10275	23200	36684	0.94	2.0E-03	AW884269.1	EST_HUMAN	QV3-OT0084-060400-144-e01 OT0084 Homo sapiens cDNA
10402	23324		6.44	2.0E-03	AA251376.1	EST_HUMAN	zsf0a06.st NCL CGAP_GC81 Homo sapiens cDNA clone IMAGE:684754 3'
10781	23702	37200	0.45	2.0E-03	BF367386.1	EST_HUMAN	MR2-GN0030-140900-001-e05 GN0030 Homo sapiens cDNA
10969	23889	37401	0.43	2.0E-03	AW361176.1	EST_HUMAN	RC1-CT0251-141099-012-d01 CT0251 Homo sapiens cDNA
10969	23889	37402	0.43	2.0E-03	AW361176.1	EST_HUMAN	RC1-CT0251-141099-012-d01 CT0251 Homo sapiens cDNA
11356	24306		2.4	2.0E-03	M86524.1	NT	Human dystrophin gene
11817	20821	34198	2.2	2.0E-03	P07354	SWISSPROT	PROTEOGLYCAN LINK PROTEIN PRECURSOR (CARTILAGE LINK PROTEIN) (LP)
11870	24752		1.87	2.0E-03	BF330909.1	EST_HUMAN	RC3-BT0333-310800-115-g04 BT0333 Homo sapiens cDNA
11878	24758	38342	10.47	2.0E-03	Z11740.1	NT	H.sapiens variable number tandem repeat (VNTR) locus DNA
12180	25028		2.99	2.0E-03	AI625745.1	EST_HUMAN	ly65h03.x1 NCL CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2283989 3' similar to SW:VATG_MANSE
12197	25042	38623	2.41	2.0E-03	AF157516.2	NT	Q25532 VACUOLAR ATP SYNTHASE SUBUNIT G ;
12220	25057	38627	1.75	2.0E-03	AI084325.1	EST_HUMAN	oy43g06.st Soares_parathyroid_tumor_Nb1HPA Homo sapiens cDNA clone IMAGE:1668634 3' similar to
12241	18349		11.57	2.0E-03	AJ245167.1	NT	TR:P97535 P97535 PS-PLA1 PRECURSOR. ;
12459	25932	--	2.03	2.0E-03	AV697966.1	EST_HUMAN	Camelus dromedarius crhp19 gene for immunoglobulin heavy chain variable region
12550	25273	31777	1.93	2.0E-03	Y00508.1	NT	AV697966 GKC Homo sapiens cDNA clone GKCXGD05 5'
12663	25341		1.33	2.0E-03	AL163203.2	NT	H. sapiens M1 gene for muscarinic acetylcholine receptor
12710	25795		1.55	2.0E-03	AI375037.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C003
							ta66f02.x1 Soares_tetal_fetus_Nb2HF8_9w Homo sapiens cDNA clone IMAGE:2049051 3' similar to
							contains Alu repetitive element;
12826	25445		1.6	2.0E-03	AF129756.1	NT	Homo sapiens MSH55 gene, partial cds; and CLIC1, DDAH, G6b, G6c, G5b, G6d, G6e, G6f, BAT5, G5b, CSK2B, BAT4, G4, Apo M, BAT3, BAT2, AIF-1, 1C7, LST-1, LTB, TNF, and LTA genes, complete cds
13002	25745		1.95	2.0E-03	AV697966.1	EST_HUMAN	AV697966 GKC Homo sapiens cDNA clone GKCXGD05 5'
13095	25621		1.44	2.0E-03	P04797	SWISSPROT	GLYCERALDEHYDE 3-PHOSPHATE DEHYDROGENASE (GAPDH)
439	13513	26444	1.72	1.0E-03	H96471.1	EST_HUMAN	y488.c08.r1 Soares_pinal_gland_N3HPG Homo sapiens cDNA clone IMAGE:232334 5'

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
830	13887	26842	2.09	1.0E-03	A1720263.1	EST_HUMAN	aa70b08.x1 Barstead colon HPLRB7 Homo sapiens cDNA clone IMAGE:2334039 3' similar to TR:Q13825 Q13825 AU-BINDING PROTEIN/ENOYL-COA HYDRATASE.;
830	13887	26843	2.09	1.0E-03	A1720263.1	EST_HUMAN	aa70b08.x1 Barstead colon HPLRB7 Homo sapiens cDNA clone IMAGE:2334039 3' similar to TR:Q13825 Q13825 AU-BINDING PROTEIN/ENOYL-COA HYDRATASE.;
1097	14141	27091	3.37	1.0E-03	A1855788.1	EST_HUMAN	wk86a06.x1 NCI_CGAP_Pant1 Homo sapiens cDNA clone IMAGE:2422288 3'
1117	14161	27112	1.69	1.0E-03	A1954572.1	EST_HUMAN	wx83a10.x1 NCI_CGAP_Mat15 Homo sapiens cDNA clone IMAGE:2851242 3'
1170	14211	27165	1.5	1.0E-03	A1602616.1	EST_HUMAN	wd86a01.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:2338440 3' similar to contains Alu repetitive element;
2042	15061	28082	3.08	1.0E-03	P47808	SWISSPROT	HIGH MOLECULAR WEIGHT FORM OF MYOSIN I (HMWMI)
2163	15179	28198	9.01	1.0E-03	A1131016.1	NT	Homo sapiens SCL gene locus
2993	16051	28972	1.42	1.0E-03	AB033117.1	NT	Homo sapiens mRNA for KIAA1291 protein, partial cds
3205	16260	29179	2.08	1.0E-03	P18916	SWISSPROT	CARBONIC ANHYDRASE VI (PRECURSOR (CARBONATE DEHYDRATASE VI) (CA-VI) (SECRETED CARBONIC ANHYDRASE) (SALIVARY CARBONIC ANHYDRASE)
3205	16260	29180	2.08	1.0E-03	P18916	SWISSPROT	CARBONIC ANHYDRASE VI (PRECURSOR (CARBONATE DEHYDRATASE VI) (CA-VI) (SECRETED CARBONIC ANHYDRASE) (SALIVARY CARBONIC ANHYDRASE)
3313	16366	29286	1.23	1.0E-03	P08547	SWISSPROT	CARBONIC ANHYDRASE VI (PRECURSOR (CARBONATE DEHYDRATASE VI) (CA-VI) (SECRETED CARBONIC ANHYDRASE) (SALIVARY CARBONIC ANHYDRASE)
3553	16599	29524	0.92	1.0E-03	U88061.1	NT	LINE-1 REVERSE TRANSCRIPTASE HOMOLOG
3553	16599	29525	0.92	1.0E-03	U88061.1	NT	Human MUC2 gene, promoter region
3678	18721		1.49	1.0E-03	AB044400.1	NT	Human MUC2 gene, promoter region
3946	18986	29901	0.84	1.0E-03	AW170552.1	EST_HUMAN	Homo sapiens SVMT gene for synaptic vesicle monoamine transporter, exons 14, 15 contains TAR1.1 TAR1 repetitive element;
3954	18984	29910	1.11	1.0E-03	Z49449.1	NT	Saccharibacillus chromosome X reading frame ORF YJR149w
4484	17490	30377	2.27	1.0E-03	BE939192.1	EST_HUMAN	RC1-TN0128-160800-021-g01 TN0128 Homo sapiens cDNA
4602	17527	30412	4.39	1.0E-03	BE246538.1	EST_HUMAN	TCBAP1D4909 Pediatric pre-B cell acute lymphoblastic leukemia Baylor-HGSC project=TCBA Homo sapiens cDNA clone TCBAP4909
4892	17713	30808	0.79	1.0E-03	U29449.1	NT	Caenorhabditis elegans spliced leader RNA (SL3 alpha), (SL4), and (SL5) genes
4881	17878	30766	2.07	1.0E-03	A1073485.1	EST_HUMAN	ov45c04.x1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1640262 3'
4881	17878	30766	2.07	1.0E-03	A1073485.1	EST_HUMAN	ov45c04.x1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1640262 3'
4882	17879		4.33	1.0E-03	BE164087.1	EST_HUMAN	PMO-HT0339-200400-010-D02 HT0339 Homo sapiens cDNA
5113	18123	30998	9.63	1.0E-03	O46409	SWISSPROT	APOLIPOPROTEIN A-IV PRECURSOR (APO-AIV)
5202	18211	31086	1.03	1.0E-03	AV685870.1	EST_HUMAN	AV685870 GK Homo sapiens cDNA clone GKCDME11 5'
5381	18486	31360	1.74	1.0E-03	AA290951.1	EST_HUMAN	zs44401.t1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:700345 5'
5476	18577	31486	2.98	1.0E-03	AJ006345.1	NT	Homo sapiens KVLQ11 gene
5631	18629	31666	1.77	1.0E-03	K03332.1	NT	Epstein-Barr virus (AG876 isolate) U2-IR2 domain encoding nuclear protein EBNA2, complete cds

Page 190 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5531	18229	31566	1.77	1.0E-03	K03332.1	NT	Epstein-Barr virus (AC876 isolate) U2-IR2 domain encoding nuclear protein EBNA2, complete cds
5652	18748	31916	0.93	1.0E-03	BE796491.1	EST_HUMAN	601589841F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3943954 5'
5658	18754	31921	1.76	1.0E-03	Q02388	SWISSPROT	COLLAGEN ALPHA 1(VII) CHAIN PRECURSOR (LONG-CHAIN COLLAGEN) (LC COLLAGEN)
5716	18810	31988	0.7	1.0E-03	N41974.1	EST_HUMAN	yy07h06.11 Soares melanocyte 2NbHM Homo sapiens cDNA clone IMAGE:270587 5' similar to contains element MER6 repetitive element:
5716	18810	31989	0.7	1.0E-03	N41974.1	EST_HUMAN	yy07h06.11 Soares melanocyte 2NbHM Homo sapiens cDNA clone IMAGE:270587 5' similar to contains element MER6 repetitive element:
5965	19079	32276	0.56	1.0E-03	AA773352.1	EST_HUMAN	ab65g12.s1 Stratiogene lung carcinoma 937218 Homo sapiens cDNA clone IMAGE:845734 3'
6018	19101		0.52	1.0E-03	BF541639.1	EST_HUMAN	602068042F1 NIH_MGC_58 Homo sapiens cDNA clone IMAGE:4066807 5'
6136	19213		2.57	1.0E-03	X07699.1	NT	Mouse nucleolin gene
6177	19252	32485	1.06	1.0E-03	BE963939.2	EST_HUMAN	601657519R1 NIH_MGC_68 Homo sapiens cDNA clone IMAGE:3875693 3'
6316	19387		8.39	1.0E-03	11526176	NT	Homo sapiens T-cell lymphoma invasion and metastasis 1 (TIAM1), mRNA
6468	19533	32781	1.05	1.0E-03	T87761.1	EST_HUMAN	y483a11.11 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:115772 5'
6549	19610		1.69	1.0E-03	AW602585.1	EST_HUMAN	QV3-NN1024-260400-171-g05 NN1024 Homo sapiens cDNA
6919	19970	33266	1.18	1.0E-03	L77570.1	NT	Homo sapiens D(George syndrome critical region, centromeric end
7359	20329	33678	2.43	1.0E-03	D16826.1	NT	Human gene for fourth somatostatin receptor subtype
7729	20685		2.36	1.0E-03	AJ229042.1	NT	Homo sapiens 959 kb contig between AML1 and CBR1 on chromosome 21q22, segment 2/3
7901	20844	34228	1.71	1.0E-03	U52111.2	NT	Homo sapiens X28 region near ALD locus containing dual specificity phosphatase 9 (DUSP9), ribosomal protein L18a (RPL18a), Ca2+/Calmodulin-dependent protein kinase I (CAMKI), creatine transporter (CRTR), CDM protein (CDM), adrenoleukodystrophy protein >
7976	20914	34305	3.18	1.0E-03	M63376.1	NT	Human TRPM-2 protein gene, exons 1,2 and 3
8033	20970	34364	0.87	1.0E-03	BE880044.1	EST_HUMAN	601491081F1 NIH_MGC_69 Homo sapiens cDNA clone IMAGE:3893276 5'
8221	21190	34599	0.55	1.0E-03	AF274581.1	NT	Homo sapiens prolactin-releasing peptide receptor gene, 5' flanking region
8282	21251	34653	5.32	1.0E-03	AJ251973.1	NT	Homo sapiens partial steerin-1 gene
8483	21451	34869	1.01	1.0E-03	AA122270.1	EST_HUMAN	z697c09.s1 Soares_pregnant_uterus_NbHPU Homo sapiens cDNA clone IMAGE:490768 3' similar to contains L1.H1 L1 repetitive element:
8566	21554	34970	2.42	1.0E-03	AF153980.1	NT	Homo sapiens exostosin-like protein 1 (EXTL1) gene, exons 2 through 11, and complete cds
8773	21740	35161	0.7	1.0E-03	U29397.1	NT	Rattus norvegicus plasma membrane Ca2+ ATPase isoform 3 (PMCA3) gene, 5' flanking region
8941	21907	35331	0.53	1.0E-03	AA001613.1	EST_HUMAN	zh82e06.s1 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:427810 3'
8941	21907	35332	0.53	1.0E-03	AA001613.1	EST_HUMAN	zh82e06.s1 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:427810 3'
9295	22261		1.37	1.0E-03	Y11204.1	NT	V.carleri gene encoding volvoxopsin
9321	22286	35716	0.6	1.0E-03	AW840353.1	EST_HUMAN	GM3-L10079-170200-092-407 LT0079 Homo sapiens cDNA

Page 191 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
							Homo sapiens X28 region near ALD locus containing dual specificity phosphatase 9 (DUSP9), ribosomal protein L18a (RPL18a), Ca2+/Calmodulin-dependent protein kinase 1 (CAMK1), creatine transporter (CRTR), CDM protein (CDM), adrenoleukodystrophy protein >
9435	22399		0.65	1.0E-03	U52111.2	NT	
9474	22438	35877	3.71	1.0E-03	M30471.1	NT	Human class III alcohol dehydrogenase (ADH5) chi subunit mRNA, complete cds
9474	22438	35878	3.71	1.0E-03	M30471.1	NT	Human class III alcohol dehydrogenase (ADH5) chi subunit mRNA, complete cds
9955	22882		0.45	1.0E-03	A1247482.1	EST_HUMAN	qh56d01.x1 Soares fetal_liver_spleen_INFLS_S1 Homo sapiens cDNA clone IMAGE:1848673 3' similar to gb:M97388 TATA-BINDING PROTEIN-ASSOCIATED PHOSPHOPROTEIN (HUMAN);
9966	22893	36354	1.77	1.0E-03	AF011400.1	NT	Thermotoga neopolitana alpha-1,8-galactosidase (aglA) gene, complete cds
9966	22893	36355	1.77	1.0E-03	AF011400.1	NT	Thermotoga neopolitana alpha-1,8-galactosidase (aglA) gene, complete cds
10179	23104	36585	0.8	1.0E-03	Q01129	SWISSPROT	BONE PROTEOGLYCAN II PRECURSOR (PG-S2) (DECORIN) (PG40) (DERMATAN SULFATE PROTEOGLYCAN-II) (DSPG)
10524	23448	36644	1.55	1.0E-03	AF003529.1	NT	Homo sapiens glycocalyx 3 (GPC3) gene, partial cds and flanking repeat regions
10529	23451		0.79	1.0E-03	AF097485.1	NT	Homo sapiens transducin beta-like 2 (TBL2) gene, complete cds
10679	23601	37096	1.12	1.0E-03	A1024350.1	EST_HUMAN	ov75f08.x1 Soares testis_NHT Homo sapiens cDNA clone IMAGE:1643175 3' similar to contains MER39.b1
11025	23990	37516	1.65	1.0E-03	AW362393.1	EST_HUMAN	MER39 MER39 repetitive element;
11025	23990	37517	1.65	1.0E-03	AW362393.1	EST_HUMAN	RC1-CT0279-181099-011-a09 CT0279 Homo sapiens cDNA
11102	24082	37586	2.91	1.0E-03	BE170859.1	EST_HUMAN	RC1-CT0279-181099-011-a09 CT0279 Homo sapiens cDNA
							QV3-HT0543-220300-130-a03 HT0543 Homo sapiens cDNA
							rt73e12.x1 NCI_CGAP_HSC3 Homo sapiens cDNA clone IMAGE:2246448 3' similar to TR:Q26195 Q26195
11172	24129		2.21	1.0E-03	A1583847.1	EST_HUMAN	PVA1 GENE.;
11491	24434		2.59	1.0E-03	AV759949.1	EST_HUMAN	AV759949 MDS Homo sapiens cDNA clone MDSDDF11 5'
11682	24598	38171	6.18	1.0E-03	AA122270.1	EST_HUMAN	2k87d08.s1 Soares_pregnant_uterus_NbhPU Homo sapiens cDNA clone IMAGE:490768 3' similar to contains L1 L1 L1 repetitive element;
12176	25024	38621	6.74	1.0E-03	BE694488.1	EST_HUMAN	601433087F1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3918524 5'
							lc05h11.x1 NCI_CGAP_Cot16 Homo sapiens cDNA clone IMAGE:2063013 3' similar to contains Aliu repetitive element;
12653	25915		1.53	1.0E-03	A1347355.1	EST_HUMAN	
12763	25936	31311	7.37	1.0E-03	BE780572.1	EST_HUMAN	601488878F1 NIH_MGC_67 Homo sapiens cDNA clone IMAGE:3872035 5'
5765	19857		1.76	9.0E-04	P06727	SWISSPROT	APOLIPOPROTEIN A-IV PRECURSOR (APO-AIV)
6388	19456		0.81	9.0E-04	AJ006345.1	NT	Homo sapiens KVLQT1 gene
6633	19691	32970	1.08	9.0E-04	P02381	SWISSPROT	MITOCHONDRIAL RIBOSOMAL PROTEIN VAR1
10001	22926		1.39	9.0E-04	AB037203.1	NT	Glycerhiza glabra GgBAS1 mRNA for beta-amylin synthase, complete cds
1484	14517		1.04	8.0E-04	X96469.1	NT	Xlaeis mRNA for C4SR protein
3939	16979	29894	0.84	8.0E-04	R07008.1	EST_HUMAN	yf12h10.r1 Soares fetal liver spleen INFLS Homo sapiens cDNA clone IMAGE:126691 5'
4209	17238		4.49	8.0E-04	P06547	SWISSPROT	LINE-1 REVERSE TRANSCRIPTASE HOMOLOG

Page 192 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4798	17815	30709	2.7	8.0E-04	U29185.1	NT	Homo sapiens prion protein (PrP) gene, complete cds
11480	24423		2.01	8.0E-04	AA777084.1	EST_HUMAN	Z24c10.s1 Soares_fetal_heart_NbHH19W Homo sapiens cDNA clone IMAGE:377874 3'
11627	24565		2.02	8.0E-04	AI571099.1	EST_HUMAN	tr86a08.x1 NCI_CGAP_U12 Homo sapiens cDNA clone IMAGE:2176310 3'
1844	14870	27898	1.17	7.0E-04	L41825.1	NT	Homo sapiens CYP17 gene, 5' end
2408	15415	28439	1.01	7.0E-04	U29185.1	NT	Homo sapiens prion protein (PrP) gene, complete cds
2726	15720	28737	1.22	7.0E-04	AL163210.2	NT	Homo sapiens chromosome 21 segment HS21C010
3293	16346	29266	1.13	7.0E-04	4885170	NT	Homo sapiens chromosome X open reading frame 6 (CXORF6) mRNA
6215	19289	32522	1.02	7.0E-04	AA518212.1	EST_HUMAN	ng65g12.s1 NCI_CGAP_U12 Homo sapiens cDNA clone IMAGE:839718 similar to contains L1.B3 L1 L1
6652	19719		2.3	7.0E-04	AI768331.1	EST_HUMAN	repetitive element;
7438	20405		0.78	7.0E-04	AK024445.1	NT	Homo sapiens mRNA for FLJ0035 protein, partial cds
10163	23088	36565	0.48	7.0E-04	P13497	SWISSPROT	BONE MORPHOGENETIC PROTEIN 1 PRECURSOR (BMP-1)
10163	23088	36566	0.48	7.0E-04	P13497	SWISSPROT	BONE MORPHOGENETIC PROTEIN 1 PRECURSOR (BMP-1)
11892	24773		1.98	7.0E-04	U78027.1	NT	Homo sapiens Bruton's tyrosine kinase (BTK), alpha-D-galactosidase A (GLA), L44-like ribosomal protein (L44L) and FTP3 (FTP3) genes, complete cds
11920	24801	38392	2.41	7.0E-04	Z40561.1	EST_HUMAN	HSC28A072 normalized infant brain cDNA Homo sapiens cDNA clone c-28a07 3'
12921	25497		4.1	7.0E-04	R17336.1	EST_HUMAN	yg13c06.r1 Soares_infant_brain_1N1B Homo sapiens cDNA clone IMAGE:32298 5'
12952	25527		3.97	7.0E-04	6005855	NT	Homo sapiens Retina-derived POU-domain factor-1 (RPF-1), mRNA
2706	15701		1.03	6.0E-04	BF341380.1	EST_HUMAN	602013339F1 NCI_CGAP_Brm64 Homo sapiens cDNA clone IMAGE:4149297 5'
3684	17024	29835	1.78	6.0E-04	AI862525.1	EST_HUMAN	wf15a1.1.x1 NCI_CGAP_Kid12 Homo sapiens cDNA clone IMAGE:2402876 3'
4214	17243	30128	3.15	6.0E-04	U45983.1	NT	Homo sapiens CCR6 chemokine receptor (CMKBR6) gene, complete cds
7830	20778	34156	0.59	6.0E-04	Q15034	SWISSPROT	HYPOTHETICAL PROTEIN KIAA0032
8198	21168		3.16	6.0E-04	P46408	SWISSPROT	GLUCOSE TRANSPORTER TYPE 6, SMALL INTESTINE (FRUCTOSE TRANSPORTER)
8349	21318		0.69	6.0E-04	H92947.1	EST_HUMAN	y94c11.s1 Soares_pituitary_gland_N3HPG Homo sapiens cDNA clone IMAGE:231956 3' similar to contains LOR1 repetitive element;
10339	23263		3.99	6.0E-04	AL049507.2	EST_HUMAN	DKFZ586M2024_r1 586 (synonym: hube1) Homo sapiens cDNA clone DKFZ586M2024
10440	23302	36852	2.19	6.0E-04	BE005850.1	EST_HUMAN	RC2-BN0120-250400-012-h11 BN0120 Homo sapiens cDNA
10704	23826		0.65	6.0E-04	AF287478.1	NT	Lytechinus variegatus embryonic blastocoel extracellular matrix protein precursor (ECM3) mRNA, complete cds
11814	24698	38280	2.11	6.0E-04	AJ229042.1	NT	Homo sapiens 959 kb contig between AML1 and CBR1 on chromosome 21q22, segment 2/3
11893	24774	38360	3.12	6.0E-04	AW013847.1	EST_HUMAN	UH-HB10-aab-a09-0-J1.s1 NCI_CGAP_Sub1 Homo sapiens cDNA clone IMAGE:2708825 3'
12364	25820		5.73	6.0E-04	AW380519.1	EST_HUMAN	RC1-HT0269-261199-012-d08 HT0269 Homo sapiens cDNA
652	13718	26640	8.71	5.0E-04	O10341	SWISSPROT	HYPOTHETICAL 28.3 KD PROTEIN (ORF92)
1501	14534		1.88	5.0E-04	AW851844.1	EST_HUMAN	QV0-CT0225-021089-030-a07 CT0225 Homo sapiens cDNA

Page 193 of 546
Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3424	18472	29391	1.28	5.0E-04	AA548931.1	EST_HUMAN	nk27e11.s1 NCI_CGAP_Cot11 Homo sapiens cDNA clone IMAGE:1014764 3' similar to contains Alu repetitive element
3728	18770	29682	0.95	5.0E-04	Q8UKP4	SWISSPROT	ADAM-TS 7 PRECURSOR (A DISINTEGRIN AND METALLOPROTEINASE WITH THROMBOSPONDIN MOTIFS 7) (ADAMTS-7) (ADAM-TS7)
5549	18646	31588	2.37	5.0E-04	AF248054.1	NT	Bos taurus micromolar calcium activated neutral protease 1 (CAPN1) gene, exons 11-20, and partial cds
6784	19839	33124	5.84	5.0E-04	AA156080.1	EST_HUMAN	z033b08.t1 Stratagene colon (#837204) Homo sapiens cDNA clone IMAGE:588663 5'
7602	20583	33924	10.72	5.0E-04	M23604.1	NT	Gorilla gorilla involucrin gene medium allele, complete cds
8289	21258	34669	4.95	5.0E-04	AF188382.1	EST_HUMAN	q01306.x1 Soares_placenta_8to9weeks_2NbhHP6tc9W Homo sapiens cDNA clone IMAGE:1723619 3' similar to gb:X51602_cds1 VASCULAR ENDOTHELIAL GROWTH FACTOR RECEPTOR 1 (HUMAN); contains Alu repetitive element
8646	21614	35036	0.92	5.0E-04	AA814519.1	EST_HUMAN	cb96602.s1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:1339228 3' similar to contains element MER22 repetitive element
9632	22576	36026	1.57	5.0E-04	AA846545.1	EST_HUMAN	aj56h03.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1394357 3'
9726	22754	36207	0.62	5.0E-04	N83765.1	EST_HUMAN	KK2745F Human fetal heart, Lambda ZAP Express Homo sapiens cDNA clone KK2745 5' similar to REPETITIVE ELEMENT
9876	22829	36283	0.54	5.0E-04	P29126	SWISSPROT	BIFUNCTIONAL ENDO-1,4-BETA-XYLANASE XYLX PRECURSOR
9988	22895	36358	4.55	5.0E-04	AW270938.1	EST_HUMAN	xs06a02.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2768958 3'
10640	23662		0.47	5.0E-04	U50871.1	NT	Human familial Alzheimer's disease (STM2) gene, complete cds
11320	24270		1.94	5.0E-04	AL049507.2	EST_HUMAN	DKFZp586M2024_r1 586 (synonym: hute1) Homo sapiens cDNA clone DKFZp586M2024
12022	18646	31588	10.61	5.0E-04	AF248054.1	NT	Bos taurus micromolar calcium activated neutral protease 1 (CAPN1) gene, exons 11-20, and partial cds
12296	25753		4.4	5.0E-04	AA568513.1	EST_HUMAN	nf15h02.s1 NCI_CGAP_P1 Homo sapiens cDNA clone IMAGE:913875
874	13738	26665	1.46	4.0E-04	U32748.1	NT	Haemophilus Influenzae Rd section 63 of 163 of the complete genome
848	13904	26982	1.6	4.0E-04	A1720263.1	EST_HUMAN	ae70b08.x1 Barstead colon HPLRB7 Homo sapiens cDNA clone IMAGE:2334039 3' similar to TR:Q13825 Q13825 AU-BINDING PROTEINENYOYL-COA HYDRATASE. ;
848	13904	26983	1.8	4.0E-04	A1720263.1	EST_HUMAN	as70b08.x1 Barstead colon HPLRB7 Homo sapiens cDNA clone IMAGE:2334039 3' similar to TR:Q13825 Q13825 AU-BINDING PROTEINENYOYL-COA HYDRATASE. ;
1461	14494	27468	2.76	4.0E-04	AW763356.1	EST_HUMAN	RC3-CT0254-130100-023-f01 CT0264 Homo sapiens cDNA
2095	16112	28133	1.57	4.0E-04	AL183278.2	NT	Homo sapiens chromosome 21 segment HS21C078
2143	16160		0.89	4.0E-04	AL046704.1	EST_HUMAN	DKFZp434D069_r1 434 (synonym: htes3) Homo sapiens cDNA clone DKFZp434D069 5'
2635	15634	28668	1.66	4.0E-04	O96615	SWISSPROT	SERPIN-2 (SILK GUM PROTEIN 2)
3178	16233	29150	1.8	4.0E-04	AF281074.1	NT	Homo sapiens neuropilin 2 (NRP2) gene, complete cds, alternatively spliced

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4351	17378	30257	3.23	4.0E-04	AA576331.1	EST_HUMAN	nh10a10.s1 NCL CGAP_Co1 Homo sapiens cDNA clone IMAGE:951930 3' similar to gb:M21121 T-CELL SPECIFIC RANTES PROTEIN PRECURSOR (HUMAN);
4351	17378	30258	3.23	4.0E-04	AA576331.1	EST_HUMAN	nh10a10.s1 NCL CGAP_Co1 Homo sapiens cDNA clone IMAGE:951930 3' similar to gb:M21121 T-CELL SPECIFIC RANTES PROTEIN PRECURSOR (HUMAN);
4568	17591	30484	1.4	4.0E-04	AA086324.1	EST_HUMAN	SPECIFIC RANTES PROTEIN PRECURSOR (HUMAN);
5124	18133	31010	4.37	4.0E-04	BE560860.1	EST_HUMAN	zn61c08.s1 Stralagene muscle 937209 Homo sapiens cDNA clone IMAGE:562670 3'
5288	16921		1.02	4.0E-04	AL163287.2	NT	601348895F1 NIH_MGC_8 Homo sapiens cDNA clone IMAGE:3678910 5'
7483	20449	33808	1.26	4.0E-04	P48442	SWISSPROT	Homo sapiens chromosome 21 segment HS21C067
7780	20733		0.78	4.0E-04	AL161566.2	NT	EXTRACELLULAR CALCIUM-SENSING RECEPTOR PRECURSOR (CASR) (PARATHYROID CELL CALCIUM-SENSING RECEPTOR)
7787	20926	34321	0.66	4.0E-04	AU122078.1	EST_HUMAN	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 66
8881	21848	35289	1.07	4.0E-04	BF240712.1	EST_HUMAN	AU122079 MAMMA1 Homo sapiens cDNA clone MAMMA1001620 5'
8889	21855	35275	1.56	4.0E-04	N25507.1	EST_HUMAN	601875985F1 NIH_MGC_55 Homo sapiens cDNA clone IMAGE:4098700 5'
10049	22976	36442	3.11	4.0E-04	A025699.1	EST_HUMAN	yx39e12.1 Soares melanocyte 2NBHM Homo sapiens cDNA clone IMAGE:284142 5'
10200	23125		1.11	4.0E-04	AF022855.1	NT	ov87h03.s1 Soares testis_NHT Homo sapiens cDNA clone IMAGE:1644341 3'
12664	25729		2.42	4.0E-04	AF254822.1	NT	Mus musculus neuropilin-2(al7) mRNA, alternatively spliced, complete cds
157	13260	26187	3.45	3.0E-04	AL119428.1	EST_HUMAN	Homo sapiens SMARCA4 isoform (SMARCA4) gene, complete cds, alternatively spliced
197	13298	26226	1.65	3.0E-04	P49259	SWISSPROT	DKFZp761J221.1 761 (synonym: hamy2) Homo sapiens cDNA clone DKFZp761J221 5'
881	13936	26895	1.84	3.0E-04	U83991.1	NT	180 KD SECRETORY PHOSPHOLIPASE A2 RECEPTOR PRECURSOR (PLA2-R)
1856	14882	27878	1.65	3.0E-04	A1262100.1	EST_HUMAN	Human short chain acyl CoA dehydrogenase gene, exons 1 and 2
1871	14896		1.43	3.0E-04	A1396874.1	EST_HUMAN	q228d03.y1 NCL CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2028197 5'
3319	16371	29291	3.17	3.0E-04	P25147	SWISSPROT	th23a02.x1 NCL CGAP_P28 Homo sapiens cDNA clone IMAGE:2119082 3'
3987	17027	29638	2.72	3.0E-04	P49448	SWISSPROT	INTERNALIN B PRECURSOR
4086	17120		1.21	3.0E-04	AJ271735.1	NT	GLUTAMATE DEHYDROGENASE 2 PRECURSOR (GDH)
4120	17153		1.33	3.0E-04	BE140609.1	EST_HUMAN	Homo sapiens Xq pseudautosomal region; segment 1/2
4854	17871		5.29	3.0E-04	BE163778.1	EST_HUMAN	RCD-HT0014-310599-028 HT0014 Homo sapiens cDNA
5248	18258		1.02	3.0E-04	AJ271735.1	NT	PMO-HT0339-190200-007-g12 HT0339 Homo sapiens cDNA
6266	19339		5.73	3.0E-04	AL163281.2	NT	Homo sapiens Xq pseudautosomal region; segment 1/2
6993	20119	33432	1.62	3.0E-04	AL163278.2	NT	Homo sapiens chromosome 21 segment HS21C081
7183	18414	31216	0.71	3.0E-04	AW589398.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C078
7847	20784	34171	0.77	3.0E-04	P23468	SWISSPROT	RC4-NN027-060400-011-008 NN027 Homo sapiens cDNA
8602	21570	34986	5.18	3.0E-04	P22807	SWISSPROT	PROTEIN-TYROSINE PHOSPHATASE DELTA PRECURSOR (R-PTP-DELTA)
10280	23205	36889	1.44	3.0E-04	AA454055.1	EST_HUMAN	FIBROBLAST GROWTH FACTOR RECEPTOR 3 PRECURSOR (FGFR-3)
							z48d08.r1 Soares testis_NHT Homo sapiens cDNA clone IMAGE:795471 5' similar to gb:M62762
							VACUOLAR ATP SYNTHASE 16 KD PROTEOLIPID SUBUNIT (HUMAN);

Page 195 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
10538	23460	36957	0.56	3.0E-04	A192139.1	EST_HUMAN	wf75a11.x1 Soares_thymus_NHFTth Homo sapiens cDNA clone IMAGE:2513276 3'
10825	23746	37247	7.72	3.0E-04	AA781201.1	EST_HUMAN	aj24g05.s1 Soares_testis_NHT Homo sapiens cDNA clone 1391288 3' similar to gb:M36072 60S RIBOSOMAL PROTEIN L7A (HUMAN);
12245	25957	31315	3.98	3.0E-04	AA228301.1	EST_HUMAN	nc38a04.r1 NCL_CGAP_P12 Homo sapiens cDNA clone IMAGE:1010430 similar to contains L1.12 L1 repetitive element;
12623	25802	31525	5.33	3.0E-04	AB018292.1	NT	Homo sapiens mRNA for KIAA0749 protein, partial cds
13014	25564		4.33	3.0E-04	AL134483.1	EST_HUMAN	DKFZp547L185_r1 547 (synonym: mfr1) Homo sapiens cDNA clone DKFZp547L185 5'
177	13278	28204	1.29	2.0E-04	AF217796.1	NT	Homo sapiens SCG10 like-protein, helicase-like protein NHL, M68, and ADP-ribosylation factor related protein 1 (ARFRP1) genes, complete cds
478	13551	28478	3.55	2.0E-04	AU146707.1	EST_HUMAN	AU146707 HEMBB1 Homo sapiens cDNA clone HEMBB1001253 3'
908	13963	28919	4.01	2.0E-04	M86524.1	NT	Human dystrophin gene
908	13963	28920	4.01	2.0E-04	M86524.1	NT	Human dystrophin gene
1183	14224		2.52	2.0E-04	AI286021.1	EST_HUMAN	qh88a11.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1855082 3' similar to contains MER3.l2 MER3 repetitive element;
1190	14230		2.5	2.0E-04	AL183203.2	NT	Homo sapiens chromosome 21 segment HS21C003
1849	14875		1.19	2.0E-04	AF224288.1	NT	Mus musculus 5' flanking region of Plb3 gene
2194	15209		1.03	2.0E-04	AA478980.1	EST_HUMAN	zu39b05.s1 Soares ovary tumor NbHOT Homo sapiens cDNA clone IMAGE:740337 3' similar to contains Alu repetitive element;
2581	15592	28601					Human gameline T-cell receptor beta chain TCRBV17S1A1T, TCRBV2S1, TCRBV10S1P, TCRBV28S1P, TCRBV19S1P, TCRBV15S1, TCRBV14S1A1T, HVB relic, TCRBV28S1P, TCRBV34S1, TCRBV14S1, TCRBV3S1, TCRBVAS1A1T, TRY4, TRY5, TRY6, TRY7, TRY8, TCRBD1, TCRBJ1S1, TCRBJ1S2.>
3000	16058	28977	4.05	2.0E-04	U66061.1	NT	am58c09.x1 Johnston frontal cortex Homo sapiens cDNA clone IMAGE:1539760 3'
3449	16496	29413	2.44	2.0E-04	BE082317.1	EST_HUMAN	QV2-BT0636-070500-194-b07 BT0636 Homo sapiens cDNA
3932	16972	29886	1.21	2.0E-04	AW978441.1	EST_HUMAN	EST390550 MAGE resequences, MAGP Homo sapiens cDNA
4167	17198		5.41	2.0E-04	U01029.1	NT	Phasolus vulgaris nitrile reductase (PVNR2) gene, complete cds
4696	17717	30612	1.21	2.0E-04	H98265.1	EST_HUMAN	y01e11.r1 Soares_pineal_gland_N3HPG Homo sapiens cDNA clone IMAGE:232556 5'
4696	17717	30613	1.21	2.0E-04	H98265.1	EST_HUMAN	y01e11.r1 Soares_pineal_gland_N3HPG Homo sapiens cDNA clone IMAGE:232556 5'
4834	17851		1.48	2.0E-04	U09226.1	NT	Gallus gallus proteasome 28 kDa subunit homolog mRNA, complete cds
5070	18080	30961	1.21	2.0E-04	H85683.1	EST_HUMAN	ys68b08.r1 Soares retina N2b44R Homo sapiens cDNA clone IMAGE:216927 5' similar to contains L1 repetitive element;
5098	18108	30981	1.85	2.0E-04	AB037997.1	NT	Danio rerio hagrorno gene, exons 1 to 6, partial cds
5623	18719	31878	1.23	2.0E-04	AV654352.1	EST_HUMAN	AV654352 GLC Homo sapiens cDNA clone GLOCUH10 3'
5636	18732	31894	1.78	2.0E-04	AI690862.1	EST_HUMAN	lq03b11.x1 NCL_CGAP_U18 Homo sapiens cDNA clone IMAGE:2207709 3'

Page 196 of 546
Table 4
Single Exon Probes Expressed In Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5843	18933	32117	1.15	2.0E-04	AA298652.1	EST_HUMAN	EST11191 Uterus Homo sapiens cDNA 5' end similar to EST containing O family repeat
6057	19138	32349	0.88	2.0E-04	4758179	NT	Homo sapiens cell cycle progression 3 protein (DNJ3) mRNA
6366	19435	32678	0.8	2.0E-04	AF140708.1	NT	Mus musculus G protein coupled receptor gene, complete cds; and unknown gene
7440	20407		2.54	2.0E-04	AU121712.1	EST_HUMAN	AU121712 MAMMA1 Homo sapiens cDNA clone MAMMA1000788 5'
7546	20509		0.61	2.0E-04	AW860863.1	EST_HUMAN	QV0-CT0387-180300-167-e10 CT0387 Homo sapiens cDNA
7882	20826		15.1	2.0E-04	P08548	SWISSPROT	LINE-1 REVERSE TRANSCRIPTASE HOMOLOG
7892	20835						MYOMESIN 2 (M-PROTEIN) (165 KD TITIN-ASSOCIATED PROTEIN) (165 KD CONNECTIN-ASSOCIATED PROTEIN)
8170	21109	34215	1.21	2.0E-04	P54286	SWISSPROT	
8170	21109	34508	0.53	2.0E-04	AL043272.2	EST_HUMAN	DKFZp434L2023_j1 434 (synonym: hies3) Homo sapiens cDNA clone DKFZp434L2023 5'
8170	21109	34509	0.53	2.0E-04	AL043272.2	EST_HUMAN	DKFZp434L2023_j1 434 (synonym: hies3) Homo sapiens cDNA clone DKFZp434L2023 5'
8288	21257	34667	2.13	2.0E-04	U32444.2	NT	Solanum lycopersicum phytochrome F (PHYF) gene, partial cds
8288	21257	34668	2.13	2.0E-04	U32444.2	NT	Solanum lycopersicum phytochrome F (PHYF) gene, partial cds
8627	21595	35015	1.21	2.0E-04	AB028898.1	NT	Homo sapiens DNA, DLEC1 to ORCTL4 gene region, section 1/2 (DLEC1, ORCTL3, ORCTL4 genes, complete cds)
8627	21595	35016	1.21	2.0E-04	AB028898.1	NT	Homo sapiens DNA, DLEC1 to ORCTL4 gene region, section 1/2 (DLEC1, ORCTL3, ORCTL4 genes, complete cds)
8911	21877	35303	1.9	2.0E-04	AF020503.1	NT	Homo sapiens FRA3B common fragile region, diadenosine triphosphate hydrolase (FHT) gene, exon 5
9095	22061	35486	0.56	2.0E-04	X57331.1	NT	Human Immunoglobulin C(mu) and C(delta) heavy chain genes (constant regions)
9689	22842	36100	0.51	2.0E-04	AA725700.1	EST_HUMAN	ai22a12.s1 Soares_testis_NHT Homo sapiens cDNA clone 1343518 3'
9774	22715	36170	0.65	2.0E-04	P18715	SWISSPROT	GASTRULA ZINC FINGER PROTEIN XLCGF26.1
10334	23258	36735	1.21	2.0E-04	BE149303.1	EST_HUMAN	RC3-HT0254-151099-011-b05 HT0254 Homo sapiens cDNA
10377	23300	36776	2.74	2.0E-04	AA405777.1	EST_HUMAN	zu66c11.r1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:742964 5'
11197	24152	37683	3.56	2.0E-04	AV730373.1	EST_HUMAN	AV730373 HTF Homo sapiens cDNA clone HTFAAA01 5'
11510	24451		2.59	2.0E-04	AJ243213.1	NT	Homo sapiens partial 5-HT4 receptor gene, exons 2 to 5
11635	24572	38136	2.95	2.0E-04	A1440282.1	EST_HUMAN	tf01f11.x1 NCI_CGAP_Gas4 Homo sapiens cDNA clone IMAGE:2140269 3' similar to contains Alu repetitive element;
11755	24883	38282	2.49	2.0E-04	AW136740.1	EST_HUMAN	UI-H-B11-adm-e-04-UJ.s1 NCI_CGAP_Sub3 Homo sapiens cDNA clone IMAGE:2717180 3'
768	13827	26771	0.81	1.0E-04	H98646.1	EST_HUMAN	yx26c09.s1 Soares melanocyte 2NBHM Homo sapiens cDNA clone IMAGE:262864 3' similar to contains L1.1 L1 repetitive element ;
951	14004	26956	2.03	1.0E-04	P48725	SWISSPROT	PERICENTRIN
1076	14121	27072	2.61	1.0E-04	P11389	SWISSPROT	RETROVIRUS-RELATED POLYPROTEIN [CONTAINS; REVERSE TRANSCRIPTASE ; ENDONUCLEASE]
1116	14160	27110	4.21	1.0E-04	AW013847.1	EST_HUMAN	UI-H-B10-aab-e-09-UJ.s1 NCI_CGAP_Sub1 Homo sapiens cDNA clone IMAGE:2708826 3'

Page 197 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1118	14160	27111	4.21	1.0E-04	AW013847.1	EST_HUMAN	UI-H-B10-aab-e-09-Q-U1.s1 NCL CGAP_Sub1 Homo sapiens cDNA clone IMAGE:2708825 3'
1335	14369		3.08	1.0E-04	U62818.1	NT	Anguilla anguilla deparmine D1A1 receptor (d1A1) gene, complete cds
1632	14685	27640	3.19	1.0E-04	AF148805.1	NT	Kaposi's sarcoma-associated herpesvirus ORF 68 gene, partial cds; and ORF 69, kaposin, v-FLIP, v-cyclin, latent nuclear antigen, ORF K14, v-GP-CR, putative phosphoribosylformylglycinamide synthase, and LAMP (LAMP) genes, complete cds
1632	14685	27641	3.19	1.0E-04	AF148805.1	NT	Kaposi's sarcoma-associated herpesvirus ORF 68 gene, partial cds; and ORF 69, kaposin, v-FLIP, v-cyclin, latent nuclear antigen, ORF K14, v-GP-CR, putative phosphoribosylformylglycinamide synthase, and LAMP (LAMP) genes, complete cds
1878	14903	27903	2.37	1.0E-04	AB048342.1	NT	Equus caballus DNA, chromosome 24q14, microsatellite TKY38
2698	15694	28710	1.05	1.0E-04	BE218833.1	EST_HUMAN	h45c08.x1 NCL CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3176366 3'
2698	15694	28711	1.05	1.0E-04	BE218833.1	EST_HUMAN	h45c08.x1 NCL CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3176366 3'
3297	16350	29270	1.14	1.0E-04	Q62203	SWISSPROT	SPLICEOSOME ASSOCIATED PROTEIN 62 (SAP 62) (SPlicing FACTOR 3A SUBUNIT 2) (SF3A66)
3748	16780	29702	0.93	1.0E-04	AI440282.1	EST_HUMAN	j01111.x1 NCL CGAP_Gas4 Homo sapiens cDNA clone IMAGE:2140269 3' similar to contains Alu repetitive element;
4089	17123	30017	2.07	1.0E-04	M14042.1	NT	Mouse alpha 1 type-IV collagen mRNA
4109	17143	30037	1.04	1.0E-04	AV647727.1	EST_HUMAN	AV647727 GLC Homo sapiens cDNA clone GLCBB04 3'
5132	18141	31019	1.87	1.0E-04	7682015	NT	Homo sapiens KIAA0237 gene product (KIAA0237), mRNA
5132	18141	31020	1.87	1.0E-04	7682015	NT	Homo sapiens KIAA0237 gene product (KIAA0237), mRNA
5137	18146	31028	0.92	1.0E-04	AI657156.1	EST_HUMAN	qx62h04.x1 NCL CGAP_GC4 Homo sapiens cDNA clone IMAGE:2005975 3'
5980	19045	32244	1.19	1.0E-04	P08547	SWISSPROT	LINE-1 REVERSE TRANSCRIPTASE HOMOLOG
6033	19116	32319	0.52	1.0E-04	T19815.1	EST_HUMAN	753F Heart Homo sapiens cDNA clone 753
6033	19116	32320	0.52	1.0E-04	T19815.1	EST_HUMAN	753F Heart Homo sapiens cDNA clone 753
6579	19639	32905	0.9	1.0E-04	AA177111.1	EST_HUMAN	nc02e12.s1 NCL CGAP_P3 Homo sapiens cDNA clone IMAGE:282
7012	20138	33455	0.86	1.0E-04	AA584581.1	EST_HUMAN	h25a04.s1 NCL CGAP_AA1 Homo sapiens cDNA clone IMAGE:993486 3' similar to gb:M87262
7392	20361	33713	12.86	1.0E-04	A1251980.1	EST_HUMAN	KALLMANN SYNDROME PROTEIN PRECURSOR (HUMAN); contains Alu repetitive element;
7821	20361	33713	12.73	1.0E-04	A1251980.1	EST_HUMAN	qv57410.x1 NCL CGAP_Ox32 Homo sapiens cDNA clone IMAGE:1985683 3'
8328	21297	34712	0.89	1.0E-04	AA630453.1	EST_HUMAN	qv57410.x1 NCL CGAP_Ox32 Homo sapiens cDNA clone IMAGE:1985683 3'
8692	22645	36102	2.18	1.0E-04	AI805220.1	EST_HUMAN	ab94g08.s1 Stratiogene lung (#837210) Homo sapiens cDNA clone IMAGE:854684 3'
9703	22858	36111	1.47	1.0E-04	Q89869	SWISSPROT	wf26608.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2356742 3'
9780	22721		0.63	1.0E-04	T77163.1	EST_HUMAN	CYSTATIN-RELATED EPIDIDYMAL SPERMATOGENIC PROTEIN PRECURSOR (CYSTATIN 6)
10004	22831	36394	1.89	1.0E-04	10863876	NT	y472e08.1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:113774 5'
10539	23461		9.91	1.0E-04	P08547	SWISSPROT	Homo sapiens phospholipid scramblase 1 (PLSCR1), mRNA
10576	23498	36980	0.91	1.0E-04	P08548	SWISSPROT	LINE-1 REVERSE TRANSCRIPTASE HOMOLOG

Page 198 of 546

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
11867	24603		1.74	1.0E-04	M28587.1	NT	Mouse alpha leukocyte interferon gene, complete cds
11981	24840	38433	1.5	1.0E-04	AB032988.1	NT	Homo sapiens mRNA for KIAA1142 protein, partial cds
11999	24876	38472	1.46	1.0E-04	AW269081.1	EST_HUMAN	xv49g12.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2816518 3'
12032	24908	38502	1.81	1.0E-04	Q03696	SWISSPROT	NEURONAL-GLIAL CELL ADHESION MOLECULE PRECURSOR (NG-CAM)
12032	24908	38503	1.81	1.0E-04	Q03696	SWISSPROT	NEURONAL-GLIAL CELL ADHESION MOLECULE PRECURSOR (NG-CAM)
12413	25770		2.4	1.0E-04	BE676399.1	EST_HUMAN	7f23a10.x1 NCI_CGAP_GLL1 Homo sapiens cDNA clone IMAGE:3286058 3' similar to contains L1.13 L1
13081	25597		1.38	1.0E-04	BE700353.1	EST_HUMAN	repetitive element;
689	13781	26693	2.39	9.0E-05	AA718933.1	EST_HUMAN	PM4-NN0091-190700-004-f11 NN0091 Homo sapiens cDNA
2020	15041	28052	1.09	9.0E-05	AA718933.1	EST_HUMAN	ah45c11.s1 Soares_testis_NHT Homo sapiens cDNA clone 1292468 3'
6074	19155	32367	1.58	9.0E-05	AW86218.1	EST_HUMAN	QV4-SN0023-070400-166-b04 SN0023 Homo sapiens cDNA
7828	20776	34153	0.67	9.0E-05	Q60716	SWISSPROT	PROLYL 4-HYDROXYLASE ALPHA-2 SUBUNIT PRECURSOR
7828	20776	34154	0.67	9.0E-05	AW204958.1	EST_HUMAN	U1H-B11-ser-4-05-0-U1.s1 NCI_CGAP_Sub3 Homo sapiens cDNA clone IMAGE:2720289 3'
9831	22680		2.89	9.0E-05	D85606.1	NT	U1H-B11-ser-4-05-0-U1.s1 NCI_CGAP_Sub3 Homo sapiens cDNA clone IMAGE:2720289 3'
9833	22682	36137	3.13	9.0E-05	AF120982.1	NT	Homo sapiens gene for cholecystokinin type-A receptor, complete cds
11472	24415	37984	2.03	9.0E-05	AW073078.1	EST_HUMAN	Homo sapiens methyl-CpG binding protein 1 (MBD1) gene, exon 15b
11938	19155	32367	3.21	9.0E-05	Q60716	SWISSPROT	xa34g05.x1 NCI_CGAP_B18 Homo sapiens cDNA clone IMAGE:2568728 3' similar to contains L1.12 L1
12465	25832		3.02	9.0E-05	AF129756.1	NT	repetitive element;
822	13880	26831	1.79	8.0E-05	AJ251646.1	NT	PROLYL 4-HYDROXYLASE ALPHA-2 SUBUNIT PRECURSOR
865	13921		7.38	8.0E-05	AJ251646.1	NT	Homo sapiens MSH55 gene, partial cds; and CLIC1, DDAH, G6b, G6c, G5b, G6d, G6e, G6f, BAT5, G5b, CSK2B, BAT4, G4, Apo M, BAT3, BAT2, AIF-1, 1C7, LST-1, LTB, TNF, and LTA genes, complete cds
2961	16019		0.91	8.0E-05	M83575.1	NT	Pisum sativum mRNA for beta-1,3 glucanase (gns2 gene)
4507	17532	30415	0.87	8.0E-05	AW044605.1	EST_HUMAN	Pisum sativum mRNA for beta-1,3 glucanase (gns2 gene)
9101	22067	35493	0.48	8.0E-05	Y11666.1	NT	Human platelet-derived growth factor A chain (PDGFA) gene, exons only
11485	24428	37979	3.06	8.0E-05	M69197.1	NT	wy78a04.x1 Soares_NSIF_F8_9W_OT_PA_P_S1 Homo sapiens cDNA clone IMAGE:2654638 3'
13050	25815		2.74	8.0E-05	AA279333.1	EST_HUMAN	Mus musculus gene for hexokinase II, exon 1 (and joined CDS)
347	13436	26858	6.11	7.0E-05	AW847445.1	EST_HUMAN	Human haptoglobin and haptoglobin-related protein (HP and HPR) genes, complete cds
347	13438	26359	6.11	7.0E-05	AW847445.1	EST_HUMAN	zs88h01.s1 NCI_CGAP_G0B1 Homo sapiens cDNA clone IMAGE:704593 3' similar to contains Alu
569	13639	26553	1	7.0E-05	L49075.1	EST_HUMAN	repetitive element; contains element MSR1 repetitive element;
569	13639	26554	1	7.0E-05	L49075.1	EST_HUMAN	RC3-CT0208-220999-011-E04 CT0208 Homo sapiens cDNA
							RC3-CT0208-220999-011-E04 CT0208 Homo sapiens cDNA
							HUM072014F Human fovea cDNA Homo sapiens cDNA clone EST HFD072014
							HUM072014F Human fovea cDNA Homo sapiens cDNA clone EST HFD072014

Page 199 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1058	14104	27055	1.47	7.0E-05	Q22949	SWISSPROT	PROBABLE GLYCEROL-3-PHOSPHATE ACYL TRANSFERASE, MITOCHONDRIAL PRECURSOR (GPAT)
2730	15724	28740	4.26	7.0E-05	AL163278.2	NT	Homo sapiens chromosome 21 segment HS21C078
3172	16227	29143	4.21	7.0E-05	AB009080.1	NT	Dictyostelium discoideum gene for TRFA, complete cds
3714	16757		0.9	7.0E-05	AI432413.1	EST_HUMAN	tg73c09.x1 Soares_NhlhMPu_S1 Homo sapiens cDNA clone IMAGE:2114416 3'
4400	17428	30313	1.53	7.0E-05	AL163201.2	NT	Homo sapiens chromosome 21 segment HS21C001
4962	17977	30867	0.89	7.0E-05	9845300	NT	Rat cytomegalovirus Maastricht, complete genome
8567	21535	34955	1.27	7.0E-05	AA505582.1	EST_HUMAN	n193g01.s1 NCL_CGAP_Br2 Homo sapiens cDNA clone IMAGE:966096 3'
9911	22732	36187	3.34	7.0E-05	T07095.1	EST_HUMAN	EST04984 Fetal brain, Stratagene (cat#939206) Homo sapiens cDNA clone HFBED60
10982	23902	37415	0.44	7.0E-05	AL163249.2	NT	Homo sapiens chromosome 21 segment HS21C049
10982	23902	37416	0.44	7.0E-05	AL163249.2	NT	Homo sapiens chromosome 21 segment HS21C049
11495	24438		9	7.0E-05	10833048	NT	Homo sapiens sarcoglycan, epsilon (SGCE), mRNA
2041	15060	28080	1.6	6.0E-05	4885170	NT	Homo sapiens chromosome X open reading frame 6 (CXORF6) mRNA
2041	15060	28081	1.6	6.0E-05	4885170	NT	Homo sapiens chromosome X open reading frame 6 (CXORF6) mRNA
2594	15595	28613	1.05	6.0E-05	AI65241.1	EST_HUMAN	wb54h06.x1 NCL_CGAP_GC8 Homo sapiens cDNA clone IMAGE:2309531 3' similar to gb.J03280 DNA TOPOISOMERASE I (HUMAN);
2694	15690	28707	1.3	6.0E-05	Z84506.1	NT	H.sapiens flow-sorted chromosome 6 HindIII fragment, SC6pA28B10
2694	15690	28708	1.3	6.0E-05	Z84506.1	NT	H.sapiens flow-sorted chromosome 6 HindIII fragment, SC6pA28B10
2825	13743	26669	3.23	6.0E-05	AF053630.1	NT	Homo sapiens monocyte/neutrophil elastase inhibitor gene, complete cds
5107	18117	30990	0.93	6.0E-05	AV722942.1	EST_HUMAN	AV722942 HTB Homo sapiens cDNA clone HTBBED12 5'
5107	18117	30991	0.93	6.0E-05	AV722942.1	EST_HUMAN	AV722942 HTB Homo sapiens cDNA clone HTBBED12 5'
6019	19102	32303	3.06	6.0E-05	Q12860	SWISSPROT	CONTACTIN PRECURSOR (GLYCOPROTEIN GPI35)
6019	19102	32304	3.06	6.0E-05	Q12860	SWISSPROT	CONTACTIN PRECURSOR (GLYCOPROTEIN GPI35)
6543	19605	32867	1.45	6.0E-05	N72829.1	EST_HUMAN	yw50g11.r1 Soares fetal liver spleen 1NfLS Homo sapiens cDNA clone IMAGE:246212 5'
7119	20053	33357	0.77	6.0E-05	AA897860.1	EST_HUMAN	g90a03.s1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1604588 3'
8421	21390	34800	0.71	6.0E-05	BE064410.1	EST_HUMAN	RC4-BT0311-141199-011-h06 BT0311 Homo sapiens cDNA
8421	21390	34801	0.71	6.0E-05	BE064410.1	EST_HUMAN	RC4-BT0311-141199-011-h06 BT0311 Homo sapiens cDNA
8786	21753	35175	0.68	6.0E-05	AA150482.1	EST_HUMAN	z08c08.s1 Soares_pregnant_uterus_NhlhPU Homo sapiens cDNA clone IMAGE:491728 3' similar to contains element MER28 repetitive element;
8791	21758	35180	2.37	6.0E-05	AW896629.1	EST_HUMAN	PM4-NN0050-310300-001-f10 NN0050 Homo sapiens cDNA
8927	21893	35321	0.61	6.0E-05	Q90401	SWISSPROT	COMPLEMENT DEACCELERATING FACTOR PRECURSOR
9607	22611	36063	1.11	6.0E-05	P08607	SWISSPROT	C4B-BINDING PROTEIN PRECURSOR (C4BP)
9607	22611	36064	1.11	6.0E-05	P08607	SWISSPROT	C4B-BINDING PROTEIN PRECURSOR (C4BP)
9879	22832	36286	1.05	6.0E-05	T94149.1	EST_HUMAN	y928c12.r1 Stratagene lung (#937210) Homo sapiens cDNA clone IMAGE:119062 5'

Page 200 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
10079	23008	38477	0.71	6.0E-05	AW627985.1	EST_HUMAN	h37a03.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2974444 3'
11100	24060	37584	2.27	6.0E-05	R75639.1	EST_HUMAN	y59d08.s1 Soares placenta Nb2HP Homo sapiens cDNA clone IMAGE:143535 3' similar to contains Alu repetitive element; contains LTR7 repetitive element ;
11847	24730	38316	2.71	6.0E-05	AA044015.1	EST_HUMAN	zk58f02.r1 Soares_pregnant_uterus_NbHPU Homo sapiens cDNA clone IMAGE:487035 5'
12670	25813	31529	16.08	6.0E-05	AW890110.1	EST_HUMAN	MRO-NT0038-250400-001-709 NT0038 Homo sapiens cDNA
1403	14438	27404	16.34	5.0E-05	AW392086.1	EST_HUMAN	QV4-ST0234-241199-040-h11 ST0234 Homo sapiens cDNA
1880	14905		1.15	5.0E-05	8923891	NT	Homo sapiens 22kDa peroxisomal membrane protein-like (LOC55895), mRNA
4004	17043	29951	3.54	5.0E-05	AJ251884.1	NT	Homo sapiens partial SLC22A3 gene for extraneuronal monoamine transporter (EMT), exon 1
5603	18699	31670	11.74	5.0E-05	X58855.1	NT	Human ML C1emb gene for embryonic myosin alkaline light chain, 3'UTR
6107	19188	32405	3.22	5.0E-05	AV683544.1	EST_HUMAN	AV653544 G1C Homo sapiens cDNA clone GLCDMA06 3'
6292	19364	32603	0.84	5.0E-05	AF260225.1	NT	Homo sapiens TESTIN 2 and TESTIN 3 genes, complete cds, alternatively spliced
7553	20516		1.18	5.0E-05	AB037984.1	NT	Mus musculus gene for calretinin, exon 1
12462	25371		5.88	5.0E-05	P49183	SWISSPROT	RETINAL-BINDING PROTEIN (RALBP)
12717	25371		4.8	5.0E-05	P49183	SWISSPROT	RETINAL-BINDING PROTEIN (RALBP)
2818	13329		4.95	4.0E-05	U12821.1	NT	Human renin (REN) gene, 5' flanking region
4508	17533	30416	1.88	4.0E-05	P49183	SWISSPROT	RETINAL-BINDING PROTEIN (RALBP)
4508	17533	30417	1.88	4.0E-05	P49183	SWISSPROT	RETINAL-BINDING PROTEIN (RALBP)
4910	17827		0.99	4.0E-05	AF164488.1	NT	Cryptosporidium parvum isolate Zaire 15 kDa glycoprotein gp15 gene, partial cds
7127	20060	33366	0.71	4.0E-05	U01947.1	NT	Macaca mulatta haptoglobin (HP) gene, 5' region
9881	22834		8.43	4.0E-05	AF202635.1	NT	Homo sapiens PP1200 mRNA, complete cds
10360	23283	36760	0.51	4.0E-05	P11369	SWISSPROT	RETROVIRUS-RELATED POLYPROTEIN [CONTAINS: REVERSE TRANSCRIPTASE ;
10771	23692	37189	0.66	4.0E-05	P23780	SWISSPROT	ENDONUCLEASE
							BETA-GALACTOSIDASE PRECURSOR (LACTASE) (ACID BETA-GALACTOSIDASE)
11120	24080	37604	3.91	4.0E-05	AW627946.1	EST_HUMAN	h136c07.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2805192 3'
12423	25182		2.46	4.0E-05	AW117580.1	EST_HUMAN	element MIR repetitive element ;
13081	25612		2.29	4.0E-05	AA417766.1	EST_HUMAN	xd93e09.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:746252 3'
681	13744	26671	0.78	3.0E-05	AI248061.1	EST_HUMAN	z01e11.s1 NCI_CGAP_G081 Homo sapiens cDNA clone IMAGE:746252 3'
1061	14107	27057	1.89	3.0E-05	AW273651.1	EST_HUMAN	q64c10.x1 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:1849458 3' similar to contains Alu repetitive element; contains element KER repetitive element ;
1133	14176	27125	0.82	3.0E-05	BF037898.1	EST_HUMAN	x24g03.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2814100 3'
1133	14176	27126	0.82	3.0E-05	BF037898.1	EST_HUMAN	601461463F1 NIH_MGC_66 Homo sapiens cDNA clone IMAGE:3865142 5'
4409	17437	30324	8.15	3.0E-05	BE169211.1	EST_HUMAN	601461463F1 NIH_MGC_66 Homo sapiens cDNA clone IMAGE:3865142 5'
4409	17437	30325	8.15	3.0E-05	BE169211.1	EST_HUMAN	PM1-HT0521-120200-001-e10 HT0521 Homo sapiens cDNA
4409	17437	30325	8.15	3.0E-05	BE169211.1	EST_HUMAN	PM1-HT0521-120200-001-e10 HT0521 Homo sapiens cDNA

Page 201 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4493	17518	30405	2.41	3.0E-05	AA368679.1	EST_HUMAN	EST79998 Placenta 1 Homo sapiens cDNA similar to p53-associated protein
4493	17518	30406	2.41	3.0E-05	AA368679.1	EST_HUMAN	EST79998 Placenta 1 Homo sapiens cDNA similar to p53-associated protein
4620	17841		0.7	3.0E-05	AL163302.2	NT	Homo sapiens chromosome 21 segment HS21C102
5637	18733	31895	1.76	3.0E-05	11072102	NT	Mus musculus myosin light chain 2, precursor lymphocyte-specific (Mylc2p), mRNA
6921	18971	33267	1.18	3.0E-05	AJ225782.1	NT	Homo sapiens SYBL1 gene, exons 6-8
6921	18971	33268	1.18	3.0E-05	AJ225782.1	NT	Homo sapiens SYBL1 gene, exons 6-8
8230	21199	34608	2.46	3.0E-05	BE733157.1	EST_HUMAN	601667451F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3842292 5'
8885	21663	35087	1.88	3.0E-05	AA284049.1	EST_HUMAN	zs60b05.s1 Stralagene schizo brain S11 Homo sapiens cDNA clone IMAGE:701841 3'
9244	22210	35841	1.54	3.0E-05	AW770982.1	EST_HUMAN	h94e08.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3009838 3'
9248	22214	35844	1.37	3.0E-05	6912431	NT	Homo sapiens interleukin-1 receptor antagonist homolog 1 (L1HY1), mRNA
9252	22218	35949	0.59	3.0E-05	P43361	SWISSPROT	MELANOMA-ASSOCIATED ANTIGEN 8 (MAGE-8 ANTIGEN)
9486	22450		0.51	3.0E-05	X03273.1	NT	Human A1u-family cluster 5' of alpha(1)-acid glycoprotein gene
9675	22628	36081	1.2	3.0E-05	AA372582.1	EST_HUMAN	EST784475 Colon adenocarcinoma IV Homo sapiens cDNA 5' end
10021	22948		3.24	3.0E-05	A1769331.1	EST_HUMAN	wg36109.x1 Soares_NSF_F8_9W_OT_PA_P_S1 Homo sapiens cDNA clone IMAGE:2367209 3'
10901	23821	37330	0.89	3.0E-05	Q62918	SWISSPROT	PROTEIN KINASE C-BINDING PROTEIN NELL2 PRECURSOR (NELL-LIKE PROTEIN 2)
10901	23821	37331	0.89	3.0E-05	Q62918	SWISSPROT	PROTEIN KINASE C-BINDING PROTEIN NELL2 PRECURSOR (NELL-LIKE PROTEIN 2)
12353	25147		1.49	3.0E-05	L77670.1	NT	Homo sapiens DGeorge syndrome critical region, centromeric end
2332	15343	28365	1.32	2.0E-05	AI286021.1	EST_HUMAN	q198e11.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1855052 3' similar to contains
2687	15588	28605	2.2	2.0E-05	M13792.1	NT	MER3.b2 MER3 repetitive element ;
						NT	Human adenosine deaminase (ADA) gene, complete cds
2725	15719		7.98	2.0E-05	AA160582.1	EST_HUMAN	z448a12.r1 Stralagene hNT neuron (#837233) Homo sapiens cDNA clone IMAGE:632734 5' similar to
3164	18211	29126	1.15	2.0E-05	BE066036.1	EST_HUMAN	contains A1u repetitive element; contains element L1 repetitive element ;
3359	18409	28331		2.0E-05	AF184614.1	NT	RC9-BT0319-120200-014-h08 BT0319 Homo sapiens cDNA
3382	18431	28359	1.35	2.0E-05	X89211.1	NT	Homo sapiens p47-phox (NCF1) gene, complete cds
3505	16552		0.7	2.0E-05	X95465.1	NT	H.sapiens DNA for endogenous retroviral like element
						NT	S.cerevisiae 12.8 Kbp fragment of the left arm of chromosome XV
3820	18660		0.69	2.0E-05	AL039107.1	EST_HUMAN	DKFZp5681064_r1_568 (synonym: hfkd2) Homo sapiens cDNA clone DKFZp5681064 5'
4720	17740		1	2.0E-05	BE378471.1	EST_HUMAN	601236455F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3608683 5'
5952	18843	32128	1.57	2.0E-05	AJ011712.1	NT	Homo sapiens TNNT1 gene, exons 1-11 (and joined CDS)
6024	19107		0.65	2.0E-05	AF028308.1	NT	Homo sapiens chromosome 9 duplication of the T cell receptor beta locus and tyrosinogen gene families
6082	19182	32373	0.86	2.0E-05	Q13183	SWISSPROT	RENAL SODIUM/DICARBOXYLATE COTRANSPORTER (NA(+)/DICARBOXYLATE COTRANSPORTER)

Page 202 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6082	19182	32374	0.86	2.0E-05	Q13183	SWISSPROT	RENAL SODIUM/DICARBOXYLATE COTRANSPORTER (NA(+)/DICARBOXYLATE COTRANSPORTER)
6281	19353	32589	0.68	2.0E-05	A1149272.1	EST_HUMAN	q072a02.x1 Soares_placenta_8to9weeks_2NbHP8to9W Homo sapiens cDNA clone IMAGE:1715114 3'
6356	19425	32667	0.49	2.0E-05	P35085	SWISSPROT	similar to contains L1.13 L1 repetitive element;
6778	19833	33116	2.32	2.0E-05	AA714330.1	EST_HUMAN	CALCIUM-BINDING PROTEIN
7086	20020	33322	1.52	2.0E-05	Y08928.1	NT	rw06d12.s1 NCL_CGAP_SS1 Homo sapiens cDNA clone IMAGE:7238519 3'
7099	20033	33336	0.94	2.0E-05	A1492980.1	EST_HUMAN	P.falciptarum mRNA for AARP1 protein, partial
7108	20042		8.62	2.0E-05	A1991025.1	EST_HUMAN	qz47b06.x1 NCL_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2030003 3' similar to TR:002711
7360	20330	33679	2.22	2.0E-05	AF224262.1	NT	002711 PRO-POL-DUTPASE POLYPROTEIN ; wu35h07.x1 Soares_Dieckgraebe_colon_NHCD Homo sapiens cDNA clone IMAGE:2522077 3'
7360	20330	33680	2.22	2.0E-05	AF224262.1	NT	Heterodontus francisci HoxA10 (HoxA10), HoxA9 (HoxA9), HoxA7 (HoxA7), HoxA6 (HoxA6), HoxA5 (HoxA5), HoxA4 (HoxA4), HoxA3 (HoxA3), HoxA2 (HoxA2), and HoxA1 (HoxA1) genes, complete cds
7592	20553		0.81	2.0E-05	AF128847.1	NT	Heterodontus francisci HoxA10 (HoxA10), HoxA9 (HoxA9), HoxA7 (HoxA7), HoxA6 (HoxA6), HoxA5 (HoxA5), HoxA4 (HoxA4), HoxA3 (HoxA3), HoxA2 (HoxA2), and HoxA1 (HoxA1) genes, complete cds
8157	21095	34494	0.5	2.0E-05	U68081.1	NT	Homo sapiens Indolethylamine N-methyltransferase (INMT) mRNA, INMT-2 allele, complete cds
8217	21186	34596	1.25	2.0E-05	A381040.1	EST_HUMAN	Human germ-line T-cell receptor beta chain TCRBV17S1A1T, TCRBV2S1, TCRBV10S1P, TCRBV29S1P, TCRBV19S1P, TCRBV15S1, TCRBV11S1A1T, HVB relic, TCRBV28S1P, TCRBV34S1, TCRBV14S1, TCRBV3S1, TCRBV4S1A1T, TRY4, TRY6, TRY7, TRY8, TCRBD1, TCRBJ1S1, TCRBJ1S2, >
9477	22441	35881	0.52	2.0E-05	BE244840.1	EST_HUMAN	ig20h05.x1 NCL_CGAP_CLL1 Homo sapiens cDNA clone IMAGE:2109369 3'
9477	22441	35882	0.52	2.0E-05	BE244840.1	EST_HUMAN	TCBAP2E1590 Pediatric pre-B cell acute lymphoblastic leukemia Baylor-HGSC project=TCBA Homo sapiens cDNA clone TCBAP1590
9622	22566	36015	0.57	2.0E-05	P49457	SWISSPROT	TCBAP2E1590 Pediatric pre-B cell acute lymphoblastic leukemia Baylor-HGSC project=TCBA Homo sapiens cDNA clone TCBAP1590
9622	22566	36016	0.57	2.0E-05	P49457	SWISSPROT	COMPLEMENT DECAY-ACCELERATING FACTOR (CD55)
10283	23208	36693	0.57	2.0E-05	AL163207.2	NT	COMPLEMENT DECAY-ACCELERATING FACTOR (CD55)
10494	23416	36914	0.87	2.0E-05	BF055639.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C007
10554	23874	37387	2.1	2.0E-05	N41751.1	EST_HUMAN	7175g09.y1 NCL_CGAP_Brn20 Homo sapiens cDNA clone IMAGE:3340576 5'
10554	23874	37388	2.1	2.0E-05	N41751.1	EST_HUMAN	yw91a06.r1 Soares_placenta_8to9weeks_2NbHP8to9W Homo sapiens cDNA clone IMAGE:259570 5'
10554	23874	37388	2.1	2.0E-05	N41751.1	EST_HUMAN	yw91a06.r1 Soares_placenta_8to9weeks_2NbHP8to9W Homo sapiens cDNA clone IMAGE:259570 5'

Page 203 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
11008	20042		2.01	2.0E-05	AI991025.1	EST_HUMAN	wu35n07.x1 Soares_Dieckgraefe_colon_NHCD Homo sapiens cDNA clone IMAGE:2522077 3'
11781	23936	37457	1.9	2.0E-05	BE175801.1	EST_HUMAN	RC5-HT0582-280300-012-E12 HT0582 Homo sapiens cDNA
12473	25740		6.5	2.0E-05	BE348228.1	EST_HUMAN	hw21a03.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:3183532 3' similar to TR:Q12832
12626	25727		1.54	2.0E-05	AF275948.1	NT	Q12832 GLYCOPHORIN HEP2;
12768	25409	31759	1.49	2.0E-05	AU131513.1	EST_HUMAN	Homo sapiens ABCA1 (ABCA1) gene, complete cds
2705	15902	28715	3.2	1.0E-05	AL163282.2	NT	AU131513 NT2RP3 Homo sapiens cDNA clone NT2RP3002707 5'
3663	18708	29821	1.86	1.0E-05	AF088273.1	NT	Homo sapiens chromosome 21 segment HS21C082
3828	18866		1.17	1.0E-05	AF223391.1	NT	Drosophila melanogaster strain Larmito 120 Suppressor of Hairless (Su(H)) gene, partial cds
3981	17031	29840	10.43	1.0E-05	PF81274	SWISSPROT	Homo sapiens calcium channel alpha1E subunit (CACNA1E) gene, exons 7-48, and partial cds, alternatively spliced
4201	17232	30119	1.52	1.0E-05	AL163203.2	NT	MOSAIC PROTEIN LGN
4306	17335	30213	1.77	1.0E-05	AA431119.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C003
4887	17604	30763	1.82	1.0E-05	AW419134.1	EST_HUMAN	zw68g04.r1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:781494 5'
5005	18019	30907	0.94	1.0E-05	Z18943.1	NT	xy48g11.x1 NCI_CGAP_Lu34.1 Homo sapiens cDNA clone IMAGE:2856548 3'
5915	19987	33262	1.03	1.0E-05	AJ246003.1	NT	H. sapiens repeat region
7028	18380	31281	0.52	1.0E-05	P08548	SWISSPROT	Homo sapiens Spast gene for spastin protein
7286	20063	33370	3.02	1.0E-05	AA641846.1	EST_HUMAN	LINE-1 REVERSE TRANSCRIPTASE HOMOLOG
7288	20260	33594	8.91	1.0E-05	4505944	NT	ns19g02.s1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:1184114 3' similar to contains L1.11 L1
7921	20864	34252	0.66	1.0E-05	BF222646.1	EST_HUMAN	Homo sapiens phospholipase A2, group X (PLA2G10) mRNA, and translated products
8057	20894		1.5	1.0E-05	P19474	SWISSPROT	7p57d01.x1 NCI_CGAP_Pr28 Homo sapiens cDNA clone IMAGE:3649945 3' similar to contains MER10.B3
9266	22232		2.45	1.0E-05	AL163227.2	NT	MER10 repetitive element;
9415	22380	35818	2.22	1.0E-05	AA452578.1	EST_HUMAN	52 KD RO PROTEIN (SJOGREN SYNDROME TYPE A ANTIGEN (SS-A)) (RO(SS-A))
9642	22596	36035	14.03	1.0E-05	AA236110.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C027
9721	22749	36201	0.82	1.0E-05	AV732190.1	EST_HUMAN	z35h12.s1 Soares_total_fetus_Nb2HF8_9w Homo sapiens cDNA clone IMAGE:788519 3' similar to
10198	23123	36609	0.79	1.0E-05	AW510902.1	EST_HUMAN	bb.L02932 PEROXISOME PROLIFERATOR ACTIVATED RECEPTOR ALPHA (HUMAN);
10198	23123	36610	0.79	1.0E-05	AW510902.1	EST_HUMAN	za05e11.r1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:884332 5' similar to contains Alu
10276	23201	36685	1.11	1.0E-05	AW281521.1	EST_HUMAN	repetitive element; contains element TAR1 repetitive element;
							AV732190 HTF Homo sapiens cDNA clone HTFBIH01 5'
							hd41b02.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2812043 3' similar to contains
							OFR.11 OFR repetitive element;
							hd41b02.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2812043 3' similar to contains
							OFR.11 OFR repetitive element;
							UI-F1-B12-agk-e-08-LUI.s1 NCI_CGAP_Sub4 Homo sapiens cDNA clone IMAGE:2724398 3'

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
10276	23201	36686	1.11	1.0E-05	AW291521.1	EST_HUMAN	UI-H-B12-agk-a-08-0-UI.s1 NCI_CGAP_Sub4 Homo sapiens cDNA clone IMAGE:2724398 3'
10544	23466		1.95	1.0E-05	AW466995.1	EST_HUMAN	ha07c10.x1 NCI_CGAP_Kid12 Homo sapiens cDNA clone IMAGE:2873010 3' similar to contains L1.12 L1 repetitive element;
11264	24216	37740	1.79	1.0E-05	U91328.1	NT	Human hereditary haemochromatosis region, histone 2A-like protein gene, hereditary haemochromatosis (HLA-H) gene, RoRet gene, and sodium phosphate transporter (NP T3) gene, complete cds
11264	24216	37741	1.79	1.0E-05	U91328.1	NT	Human hereditary haemochromatosis region, histone 2A-like protein gene, hereditary haemochromatosis (HLA-H) gene, RoRet gene, and sodium phosphate transporter (NP T3) gene, complete cds
12941	25900	31421	1.43	1.0E-05	AL163303.2	NT	Homo sapiens chromosome 21 segment HS21C103
2680	15676	28697	5.9	9.0E-06	AI583811.1	EST_HUMAN	tr73a06.x1 NCI_CGAP_HSC3 Homo sapiens cDNA clone IMAGE:2246386 3'
3112	16169	28079	4.25	9.0E-06	AI218983.1	EST_HUMAN	gg11b08.x1 Soares_placenta_8to9weeks_2NbHP8to9W Homo sapiens cDNA clone IMAGE:1759191 3'
3624	16667		2.82	9.0E-06	M61755.1	NT	Human alanine:glyoxylate aminotransferase (AGXT) gene, exons 1 and 2
6008	19091	32291	2.31	9.0E-06	L23416.1	NT	Homo sapiens differentiation antigen CD20 gene, exons 5, 6
7047	20069	33375	0.73	9.0E-06	BE065042.1	EST_HUMAN	RC1-BT0313-110500-017-a07 BT0313 Homo sapiens cDNA
7674	20632	33986	0.94	9.0E-06	P08647	SWISSPROT	LINE-1 REVERSE TRANSCRIPTASE HOMOLOG
							α20g01.x1 Soares_fetal_liver_spleen_1NfLS_S1 Homo sapiens cDNA clone IMAGE:1656912 3' similar to contains Alu repetitive element;
8053	20990	34388	11.84	9.0E-06	AI034370.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C009
8807	21774	35200	1.18	9.0E-06	AL163209.2	NT	SUSHI REPEAT-CONTAINING PROTEIN SRPX PRECURSOR (DRS PROTEIN) (DOWN-REGULATED BY V-SRC)
9334	22299	35728	2.51	9.0E-06	Q63769	SWISSPROT	SUSHI REPEAT-CONTAINING PROTEIN SRPX PRECURSOR (DRS PROTEIN) (DOWN-REGULATED BY V-SRC)
9334	22299	35729	2.51	9.0E-06	Q63769	SWISSPROT	Human apolipoprotein E (APOE) gene, hepatic control region HCR-2
9577	22539	35990	4.44	9.0E-06	U35114.1	NT	PUTATIVE SERINE/THREONINE-PROTEIN KINASE C22E12.14C
11286	24236	37763	3.65	9.0E-06	Q10364	SWISSPROT	RC3-CT0283-201199-011-111 CT0283 Homo sapiens cDNA
2535	15896	28559	2.23	8.0E-06	AW362539.1	EST_HUMAN	FASCICLIN II, PHOSPHATIDYLINOSITOL-LINKED ISOFORM PRECURSOR (FAS II)
10898	23818	37326	0.64	8.0E-06	P34083	SWISSPROT	FASCICLIN II, PHOSPHATIDYLINOSITOL-LINKED ISOFORM PRECURSOR (FAS II)
10898	23818	37327	0.64	8.0E-06	P34083	SWISSPROT	ab90f10.s1 Stratagene lung (#937210) Homo sapiens cDNA clone IMAGE:854251 3' similar to contains repetitive element;
980	14031		2.14	7.0E-06	AA669729.1	EST_HUMAN	MER20.1t MER20 repetitive element;
1433	14467	27444	3.05	7.0E-06	7662177	NT	Homo sapiens KIAA0555 gene product (KIAA0555), mRNA
2884	15943		7.94	7.0E-06	AI366252.1	EST_HUMAN	qw16g09.x1 NCI_CGAP_U13 Homo sapiens cDNA clone IMAGE:1891286 3' similar to contains Alu repetitive element;

Page 205 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3578	18821		0.78	7.0E-06	AA388542.1	EST_HUMAN	EST89205 Thyroid Homo sapiens cDNA 5' end similar to EST containing L1 repeat
5780	18872		5.18	7.0E-06	AW883141.1	EST_HUMAN	QV2-OT0082-250400-173-h01 OT0082 Homo sapiens cDNA
5902	18989	32179	0.81	7.0E-06	N98845.1	EST_HUMAN	W65c07.r1 Soares multiple_sclerosis_2NbrMSP Homo sapiens cDNA clone IMAGE:278412 5'
9141	22107	35533	0.7	7.0E-06	11420709	NT	Homo sapiens DNA segment, numerous copies, expressed probes (GS1 gene) (DXF68S1E), mRNA
10260	23185		0.64	7.0E-06	Q81147	SWISSPROT	CERULOPLASMIN PRECURSOR (FERROXIDASE)
12202	25927	31307	2.83	7.0E-06	BF215972.1	EST_HUMAN	601881622-F1 NIH_MGC_57 Homo sapiens cDNA clone IMAGE:4093972 5'
2928	15988	28907	1.27	6.0E-06	BE069189.1	EST_HUMAN	QV3-BT0379-010300-105-d11 BT0379 Homo sapiens cDNA
3706	18749	28664	1.08	6.0E-06	BE069189.1	EST_HUMAN	QV3-BT0379-010300-105-d11 BT0379 Homo sapiens cDNA
4785	16010	28936	2.35	6.0E-06	Q01466	SWISSPROT	OVARIAN ABUNDANT MESSAGE PROTEIN (OAM PROTEIN)
4794	17811	30703	2.54	6.0E-06	AI040099.1	EST_HUMAN	cc08a02.x1 Soares fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:1655738 3' similar to contains MER8.12 MER8 repetitive element ;
5422	18525	31403	1.41	6.0E-06	AF167441.1	NT	Mus musculus E-cadherin binding protein E7 mRNA, complete cds
5493	18583	31495	1.05	6.0E-06	Q02040	SWISSPROT	PROTEIN XE7
10215	23140		1.52	6.0E-06	AW801912.1	EST_HUMAN	IL5-UM0070-110400-063-g02 UM0070 Homo sapiens cDNA
13041	26582	31700	1.74	6.0E-06	11418157	NT	Homo sapiens calcium channel, voltage-dependent, alpha 1I subunit (CACNA1I), mRNA
8179	19254	32487	3.88	5.0E-06	AL163248.2	NT	Homo sapiens chromosome 21 segment HS21C046
6471	19536	32784	3.96	5.0E-06	U07561.1	NT	Human ABL gene, exon 1b and intron 1b, and putative M8604 Met protein (M8604 Met) gene, complete cds
7444	20410	33782	1.14	5.0E-06	AB007546.1	NT	Homo sapiens gene for LECT2, complete cds
8803	21770	35195	0.49	5.0E-06	AW856972.1	EST_HUMAN	RC1-CT0302-120200-013-h02 CT0302 Homo sapiens cDNA
8803	21770	35196	0.49	5.0E-06	AW856972.1	EST_HUMAN	RC1-CT0302-120200-013-h02 CT0302 Homo sapiens cDNA
10462	23384	38877	7.1	5.0E-06	AA313920.1	EST_HUMAN	EST185498 Colon carcinoma (HCC) cell line Homo sapiens cDNA 5' end
12101	24972	38569	2	5.0E-06	Q28039	SWISSPROT	SODIUM- AND CHLORIDE-DEPENDENT GLYCINE TRANSPORTER 1 (GLYT-1)
12828	25512	31709	2.14	5.0E-06	AI065045.1	EST_HUMAN	HA0877 Human fetal liver cDNA library Homo sapiens cDNA
648	13714	28635	6.59	4.0E-06	R18287.1	EST_HUMAN	ye48c03.r1 Soares Infant brain 1NIB Homo sapiens cDNA clone IMAGE:53254 5' similar to contains Alu repetitive element; contains L1 repetitive element ;
847	13903	28861	6.33	4.0E-06	AW103354.1	EST_HUMAN	xc09g12.x1 NCI_CGAP_Eso2 Homo sapiens cDNA clone IMAGE:2588574 3' similar to contains Alu repetitive element; contains element MER21 repetitive element ;
1337	14371	27340	4.22	4.0E-06	AI334928.1	EST_HUMAN	tb33a09.x1 NCI_CGAP_HSC2 Homo sapiens cDNA clone IMAGE:2056168 3'
1337	14371	27341	4.22	4.0E-06	AI334928.1	EST_HUMAN	tb33a09.x1 NCI_CGAP_HSC2 Homo sapiens cDNA clone IMAGE:2056168 3'
1470	14503	27477	2.58	4.0E-06	BF385612.1	EST_HUMAN	QV2-NT0048-200600-250-h07 NT0048 Homo sapiens cDNA
2274	15287	28313	3.05	4.0E-06	AW015401.1	EST_HUMAN	UIH-B10-aat-f-05-0-UI.s1 NCI_CGAP_Sub1 Homo sapiens cDNA clone IMAGE:2710425 3'
3076	16133	28046	0.94	4.0E-06	AF188349.1	NT	Gallus gallus Dact2 protein (Dact2) mRNA, complete cds

Page 206 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3909	16949	29860	1.1	4.0E-06	AW848295.1	EST_HUMAN	IL3-CT0214-150200-074-B03 CT0214 Homo sapiens cDNA
4846	17863	30756	2.18	4.0E-06	AI886839.1	EST_HUMAN	wl94c10.x1 NCI_CGAP_Brr25 Homo sapiens cDNA clone IMAGE:2432562 3' similar to contains element
8944	21811	35230	0.56	4.0E-06	O15393	SWISSPROT	MER22 repetitive element:
9152	22118	35545	3.6	4.0E-06	AF009660.1	NT	TRANSMEMBRANE PROTEASE, SERINE 2
10066	22983	36462	1.14	4.0E-06	AJ272265.1	NT	Homo sapiens T cell receptor beta locus, TCRBV7S3A2 to TCRBV12S2 region
11778	23833	37454	2.91	4.0E-06	AB007855.1	NT	Homo sapiens SPP2 gene for secreted phosphoprotein 24 precursor, exons 1-8
2173	15189	28209	1.9	3.0E-06	AA700562.1	EST_HUMAN	Homo sapiens mRNA, chromosome 1 specific transcript KIAA0486
2173	15189	28210	1.9	3.0E-06	AA700562.1	EST_HUMAN	z34b08.s1 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:432863 3' similar to contains L1.11 L1 repetitive element:
2275	15288		1.89	3.0E-06	AF202635.1	NT	z34b08.s1 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:432863 3' similar to contains L1.11 L1 repetitive element:
2833	15991	28911	0.95	3.0E-06	AA868218.1	EST_HUMAN	Homo sapiens PP1200 mRNA, complete cds
3279	16333		2.32	3.0E-06	AI857779.1	EST_HUMAN	at48g11.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1409252 3' similar to contains LTR1.f3
3797	16837	29743	1.12	3.0E-06	BE047094.1	EST_HUMAN	LTR1 repetitive element:
3797	16837	29744	1.12	3.0E-06	BE047094.1	EST_HUMAN	wl22a05.x1 NCI_CGAP_UH1 Homo sapiens cDNA clone IMAGE:2425616 3' similar to TR.O60734 O60734
4501	17526	30411	0.67	3.0E-06	T50266.1	EST_HUMAN	LINE-1 LIKE PROTEIN; contains L1.12 L1 repetitive element:
4594	17615	30509	4.02	3.0E-06	X54816.1	NT	hg64d12.x1 NCI_CGAP_HN13 Homo sapiens cDNA clone IMAGE:3124151 3'
6284	19356	32592	0.74	3.0E-06	AU159412.1	EST_HUMAN	hg64d12.x1 NCI_CGAP_HN13 Homo sapiens cDNA clone IMAGE:3124151 3'
6974	20197	33525	0.56	3.0E-06	Z79478.1	NT	hg64d12.x1 NCI_CGAP_HN13 Homo sapiens cDNA clone IMAGE:3124151 3'
6974	20197	33526	0.56	3.0E-06	Z79478.1	NT	y678b10.r1 Stragane ovary (#837217) Homo sapiens cDNA clone IMAGE:77275 5' similar to contains L1 repetitive element
7439	20409		1.9	3.0E-06	P08548	SWISSPROT	Homo sapiens gene for alpha-1-microglobulin-bikunin, exons 1-5 (encoding alpha-1-microglobulin, N-terminus.)
8419	21388	34798	0.76	3.0E-06	BE562964.1	EST_HUMAN	AU159412 THYRO1 Homo sapiens cDNA clone THYRO1007602 3'
9032	21998	35417	0.64	3.0E-06	P07743	SWISSPROT	H sapiens flow-sorted chromosome 6 TaqI fragment, SC8pA9E5
12631	25317		6.4	3.0E-06	AW385282.1	EST_HUMAN	H sapiens flow-sorted chromosome 6 TaqI fragment, SC8pA9E5
203	13304		3.24	2.0E-06	P54366	SWISSPROT	LINE-1 REVERSE TRANSCRIPTASE HOMOLOG
1572	14605		5.6	2.0E-06	P21414	SWISSPROT	601338213F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3680314 5'
2387	15395	28420	2.64	2.0E-06	AI672138.1	EST_HUMAN	PAROTID SECRETORY PROTEIN PRECURSOR (PSP)
2474	15478	28501	2.73	2.0E-06	P04929	SWISSPROT	RCO-LT0001-261199-011-A03 L70001 Homo sapiens cDNA
							HOMEOBOX PROTEIN GOOSECOID
							POL POLYPROTEIN [CONTAINS: PROTEASE; REVERSE TRANSCRIPTASE; ENDONUCLEASE]
							wa04a03.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2287068 3' similar to contains MER30.b1
							MER30 repetitive element:
							HISTIDINE-RICH GLYCOPROTEIN PRECURSOR

Page 207 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2573	15674	28594	1.94	2.0E-06	P08719	SWISSPROT	KNOB-ASSOCIATED HISTIDINE-RICH PROTEIN PRECURSOR (KAHRP)
3531	16577	29500	1.29	2.0E-06	AV657555.1	EST_HUMAN	AV657555 GLC Homo sapiens cDNA clone GLCFDB06.3'
3774	16818	29725	1.56	2.0E-06	AA173518.1	EST_HUMAN	zp02e05.t1 Strategene ovarian cancer (#837219) Homo sapiens cDNA clone IMAGE:585232.5'
3783	16824	29732	0.87	2.0E-06	AW450215.1	EST_HUMAN	U1-H-B13-alk-g-05-0-U1.s1 NCI_CGAP_Sub5 Homo sapiens cDNA clone IMAGE:2736178.3'
3789	16830	29736	1.74	2.0E-06	AB030896.1	NT	Mus musculus gene for odorant receptor A16, complete cds
6208	19282		0.9	2.0E-06	AA974932.1	EST_HUMAN	on34h01.s1 NCI_CGAP_Lu5 Homo sapiens cDNA clone IMAGE:1558609.3' similar to contains Alu repetitive element
6241	19314	32544	0.93	2.0E-06	AI539448.1	EST_HUMAN	ts51f05.x1 Soares_NFL_T_OBC_S1 Homo sapiens cDNA clone IMAGE:2090241.3' similar to TR:Q13537
6581	19641	32908	5.37	2.0E-06	AI819424.1	EST_HUMAN	Q13537 MER37 TRANSPOSABLE ELEMENT, COMPLETE CONSENSUS SEQUENCE. ;
8250	21219		0.81	2.0E-06	AW869223.1	EST_HUMAN	WJ60b04.x1 NCI_CGAP_Lym112 Homo sapiens cDNA clone IMAGE:2410063.3'
8426	21395	34806	0.63	2.0E-06	T12238.1	EST_HUMAN	MR3-SN0067-120400-002-f02 SN0067 Homo sapiens cDNA
9188	22154		0.61	2.0E-06	AA772497.1	EST_HUMAN	A447R Heart Homo sapiens cDNA clone A447
9200	22166	35598	1.83	2.0E-06	H62051.1	EST_HUMAN	zh27c11.s1 Soares_pituitary_gland_N3HPG Homo sapiens cDNA clone IMAGE:413300.3' similar to TR:P70467 P70467 REVERSE TRANSCRIPTASE ;
9571	22533	35983	0.97	2.0E-06	AF003529.1	NT	yu37d04.t1 Soares ovary tumor NbHOT Homo sapiens cDNA clone IMAGE:235974.5' similar to gb:X74929
9571	22533	35984	0.87	2.0E-06	AF003529.1	NT	KERATIN, TYPE II CYTOSKELETAL 8 (HUMAN);
9591	22553		0.48	2.0E-06	AI473450.1	EST_HUMAN	Homo sapiens glypican 3 (GPC3) gene, partial cds and flanking repeat regions
10059	22986	36454	0.92	2.0E-06	N30576.1	EST_HUMAN	Homo sapiens glypican 3 (GPC3) gene, partial cds and flanking repeat regions
10279	23204		0.61	2.0E-06	AV748969.1	EST_HUMAN	{f16g10.x1 NCI_CGAP_Gas4 Homo sapiens cDNA clone IMAGE:2141730.3'
12111	24981	36581	2.21	2.0E-06	O15553	SWISSPROT	yw66e03.s1 Soares_placenta_8bp9weeks_2NbHP8b9W Homo sapiens cDNA clone IMAGE:257212.3'
12111	24981	36582	2.21	2.0E-06	O15553	SWISSPROT	AV748969 NPC Homo sapiens cDNA clone NPCAXD06.5'
12540	26928	31308	2.97	2.0E-06	P23249	SWISSPROT	PYRIN (MARENOSTRIN)
36	13156	26057	3.02	1.0E-06	O76082	SWISSPROT	PYRIN (MARENOSTRIN)
658	13724	26649	1.96	1.0E-06	AF084364.1	NT	PROTEIN MOV-10
1445	14478	27454	1.61	1.0E-06	P09125	SWISSPROT	ORGANIC CATION/CARNITINE TRANSPORTER 2 (SOLUTE CARRIER FAMILY 22, MEMBER 5) (HIGH-AFFINITY SODIUM-DEPENDENT CARNITINE COTRANSPORTER)
1527	14560	27531	1.67	1.0E-06	AL163278.2	NT	Mus musculus D6MME protein (D6MME) mRNA, complete cds
1576	14609	27582	1.22	1.0E-06	AA034141.1	EST_HUMAN	MEROZOITE SURFACE PROTEIN CMZ-8
1576	14609	27583	1.22	1.0E-06	AA034141.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C078
							z06a12.s1 Soares_fetal_liver_S1 Homo sapiens cDNA clone IMAGE:429982.3' similar to contains Alu repetitive element;
							z06a12.s1 Soares_fetal_liver_S1 Homo sapiens cDNA clone IMAGE:429982.3' similar to contains Alu repetitive element;

Page 208 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1587	14620		1.36	1.0E-06	P27625	SWISSPROT	DNA-DIRECTED RNA POLYMERASE III LARGEST SUBUNIT
2010	15031	28040	5.53	1.0E-06	AF184614.1	NT	Homo sapiens p47-phox (NCF1) gene, complete cds
2010	15031	28041	5.53	1.0E-06	AF184614.1	NT	Homo sapiens p47-phox (NCF1) gene, complete cds
4397	17425	30309	13.21	1.0E-06	U07561.1	NT	Human ABL gene, exon 1b and intron 1b, and putative M8604 Met protein (M8604 Met) gene, complete cds
5146	18155	31034	1.23	1.0E-06	AL163285.2	NT	Homo sapiens chromosome 21 segment HS21C085
5146	18155	31035	1.23	1.0E-06	AL163285.2	NT	Homo sapiens chromosome 21 segment HS21C085
5363	18468	31339	4.63	1.0E-06	BF333015.1	EST_HUMAN	MR1-BT0800-030700-002-c06 BT0800 Homo sapiens cDNA
5388	18491	31367	1.01	1.0E-06	BE834518.1	EST_HUMAN	MR3-FN0004-090600-001-e04 FN0004 Homo sapiens cDNA
5388	18491	31368	1.01	1.0E-06	BE834518.1	EST_HUMAN	MR3-FN0004-090600-001-e04 FN0004 Homo sapiens cDNA
5552	18649	31592	1.24	1.0E-06	O60613	SWISSPROT	15 KDA SELENOPROTEIN PRECURSOR
5892	18980		0.64	1.0E-06	BE063527.1	EST_HUMAN	CMO-BT0281-031189-087-h04 BT0281 Homo sapiens cDNA
7056	20078	33367	6.4	1.0E-06	P02671	SWISSPROT	FIBRINOGEN ALPHA/ALPHA-E CHAIN PRECURSOR
8018	26005		0.56	1.0E-06	BE165330.1	EST_HUMAN	IL5-HT0730-020500-074-g01 HT0730 Homo sapiens cDNA
8334	21303		0.75	1.0E-06	AA912623.1	EST_HUMAN	d29c08.s1 Soares_NFL_I_GBC_S1 Homo sapiens cDNA clone IMAGE:1524878 3'
8616	21584	35000	1.05	1.0E-06	A347010.1	EST_HUMAN	qp54602.x1 NCI_CGAP_C08 Homo sapiens cDNA clone IMAGE:1926842 3'
8833	21800	35219	1.26	1.0E-06	A1287878.1	EST_HUMAN	q23063.x1 NCI_CGAP_Lym6 Homo sapiens cDNA clone IMAGE:1982435 3' similar to contains element
9659	22816	36270	1.15	1.0E-06	N74635.1	EST_HUMAN	MIR repetitive element:
9734	22762	36217	0.55	1.0E-06	Q39575	SWISSPROT	za55601.s1 Soares fetal liver spleen 1NLS Homo sapiens cDNA clone IMAGE:296472 3'
10041	22968	36434	3.97	1.0E-06	U82668.1	NT	DYNEIN GAMMA CHAIN, FLAGELLAR OUTER ARM
10041	22968	36435	3.97	1.0E-06	U82668.1	NT	Homo sapiens shox gene, alternatively spliced products, complete cds
10085	23012	36485	4.9	1.0E-06	AA132611.1	EST_HUMAN	Homo sapiens shox gene, alternatively spliced products, complete cds
10147	23073		3.89	1.0E-06	AA449257.1	EST_HUMAN	Homo sapiens shox gene, alternatively spliced products, complete cds
10854	23774		2.02	1.0E-06	AL163203.2	NT	z044d11.s1 Soares_total_fetus_Nb2HF8_9w Homo sapiens cDNA clone IMAGE:587174 5'
11960	24839		3.14	1.0E-06	AW890941.1	EST_HUMAN	z017e08.r1 Stratagene colon (#837204) Homo sapiens cDNA clone IMAGE:785493 3' similar to
12672	15031	28040	1.71	1.0E-06	AF184614.1	NT	gb/D26128 RIBONUCLEASE PANCREATIC PRECURSOR (HUMAN);
12672	15031	28041	1.71	1.0E-06	AF184614.1	NT	Homo sapiens chromosome 21 segment HS21C003
360	13447	26374	1.95	9.0E-07	AF003529.1	NT	RC4-NT0054-120500-012-b03 NT0054 Homo sapiens cDNA
360	13447	26375	1.95	9.0E-07	AF003529.1	NT	Homo sapiens p47-phox (NCF1) gene, complete cds
8750	21718		0.59	9.0E-07	AL163280.2	NT	Homo sapiens p47-phox (NCF1) gene, complete cds
8898	21864		0.43	9.0E-07	AA448276.1	EST_HUMAN	Homo sapiens glypican 3 (GPC3) gene, partial cds and flanking repeat regions
11577	24515	38070	4.11	9.0E-07	AL163281.2	NT	Homo sapiens glypican 3 (GPC3) gene, partial cds and flanking repeat regions

Page 209 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4804	17821	30715	3.87	8.0E-07	AI285596.1	EST_HUMAN	q182g07.x1 Soares_NHMPu_S1 Homo sapiens cDNA clone IMAGE:1878876 3'
4804	17821	30716	3.87	8.0E-07	AI285596.1	EST_HUMAN	q182g07.x1 Soares_NHMPu_S1 Homo sapiens cDNA clone IMAGE:1878876 3'
5988	19073		8.55	8.0E-07	P21414	SWISSPROT	POLYPROTEIN [CONTAINS: PROTEASE; REVERSE TRANSCRIPTASE; ENDONUCLEASE]
8335	21304		11.24	8.0E-07	AF135416.1	NT	Homo sapiens UDP-glucuronosyltransferase gene, complete cds
11843	24823		5.78	8.0E-07	T07770.1	EST_HUMAN	EST05660 Fetal brain, Striatum (cat#933206) Homo sapiens cDNA clone HFBEN89
12183	25031		9.17	8.0E-07	AL163280.2	NT	Homo sapiens chromosome 21 segment HS21C080
5597	18693	31663	0.73	7.0E-07	6005700	NT	Homo sapiens ATP-binding cassette, sub-family A (ABC1), member 8 (ABCA8), mRNA
5597	18693	31664	0.73	7.0E-07	6005700	NT	Homo sapiens ATP-binding cassette, sub-family A (ABC1), member 8 (ABCA8), mRNA
1928	14952	27948	4.99	8.0E-07	AW855558.1	EST_HUMAN	CM3-CT0277-221059-024-e11 CT0277 Homo sapiens cDNA
2500	15503	28530	5.38	8.0E-07	AF019413.1	NT	Homo sapiens HLA class III region containing tenascin X (tenascin-X) gene, partial cds; cytochrome P450 21-hydroxylase (CYP21B), complement component C4 (C4B) G11, helicase (SK12W), RD, complement factor B (Bf), and complement component C2 (C2) genes >
3996	17036		2.25	8.0E-07	P41479	SWISSPROT	HYPOTHETICAL 24.1 KD PROTEIN IN LEF4-P33 INTERGENIC REGION
9497	22461	35902	2.17	8.0E-07	BF001887.1	EST_HUMAN	7g94f07.x1 NCI_CGAP_Cot16 Homo sapiens cDNA clone IMAGE:3314149 3' similar to TR:075920 O75920 4F5L.;
12442	25890		3.45	8.0E-07	AW903222.1	EST_HUMAN	CM4-NN1029-250300-121-h12 NN1029 Homo sapiens cDNA
328	13417		0.99	8.0E-07	AI831893.1	EST_HUMAN	wh64f10.x1 NCI_CGAP_K1d11 Homo sapiens cDNA clone IMAGE:2385547 3'
1080	14106		2.45	8.0E-07	AA380630.1	EST_HUMAN	EST63615 Supt cells Homo sapiens cDNA 5' end
3044	16101		0.86	8.0E-07	AI831893.1	EST_HUMAN	wh64f10.x1 NCI_CGAP_K1d11 Homo sapiens cDNA clone IMAGE:2385547 3'
4678	17697	30584	1.16	8.0E-07	AF149774.1	NT	Homo sapiens NOD1 protein (NOD1) gene, exons 4 through 14 and complete cds
6242	19315	32545	1.23	8.0E-07	U65067.1	NT	Mus musculus OG-2 homeodomain protein (OG-2) gene, partial cds
7266	20001	33300	1.68	8.0E-07	AI393981.1	EST_HUMAN	tg06b05.x1 NCI_CGAP_CLL1 Homo sapiens cDNA clone IMAGE:2107953 3' similar to contains Alu repetitive element; contains element A3R repetitive element ;
7266	20001	33301	1.68	8.0E-07	AI393981.1	EST_HUMAN	tg06b05.x1 NCI_CGAP_CLL1 Homo sapiens cDNA clone IMAGE:2107953 3' similar to contains Alu repetitive element; contains element A3R repetitive element ;
7571	20534	33892	15.74	8.0E-07	AW070885.1	EST_HUMAN	x631a02.x1 NCI_CGAP_Br18 Homo sapiens cDNA clone IMAGE:2568382 3' similar to gb:X15341 CYTOCHROME C OXIDASE POLYPEPTIDE VIA-LIVER (HUMAN);
8618	21566	35002	0.87	8.0E-07	Q9WUQ1	SWISSPROT	ADAM-TS 1 PRECURSOR (A DISINTEGRIN AND METALLOPROTEINASE WITH THROMBOSPONDIN MOTIFS 1) (ADAMTS-1) (ADAM-TS1)
8835	21802		1.86	8.0E-07	P09593	SWISSPROT	S-ANTIGEN PROTEIN PRECURSOR
10732	23654	37147	5.39	8.0E-07	AI908597.1	EST_HUMAN	CM-BT178-220498-014 BT178 Homo sapiens cDNA
11845	24728	38314	3.52	8.0E-07	P11087	SWISSPROT	COLLAGEN ALPHA 1(I) CHAIN PRECURSOR
11906	24787		2.12	8.0E-07	AJ271735.1	NT	Homo sapiens Xq pseudautosomal region; segment 1/2
12842	25780		4.14	8.0E-07	AW862637.1	EST_HUMAN	QV0-CT0383-210400-204-b12 CT0383 Homo sapiens cDNA

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4024	17082	29864	1.81	4.0E-07	AW009602.1	EST_HUMAN	we84h05.x1 NCI_CGAP_Cc3 Homo sapiens cDNA clone IMAGE:2504697 3'
7384	20354		0.81	4.0E-07	AJ272285.1	NT	Homo sapiens SPP2 gene for secreted phosphoprotein 24 precursor, exons 1-8
7482	20448	33804	1.3	4.0E-07	Q922V6	SWISSPROT	HISTONE DEACETYLASE 5 (HD5) (HISTONE DEACETYLASE MHDA1)
7482	20448	33806	1.3	4.0E-07	Q922V6	SWISSPROT	HISTONE DEACETYLASE 5 (HD5) (HISTONE DEACETYLASE MHDA1)
8255	21224	34634	0.53	4.0E-07	AL163207.2	NT	Homo sapiens chromosome 21 segment HS21C007
9406	22371	35608	5.52	4.0E-07	AW419134.1	EST_HUMAN	xy49g11.x1 NCI_CGAP_Lu34.1 Homo sapiens cDNA clone IMAGE:2866548 3'
10486	23408	36904	0.46	4.0E-07	BE901975.1	EST_HUMAN	601676748F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3959651 5'
10486	23408	36905	0.46	4.0E-07	BE901975.1	EST_HUMAN	601676748F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3959651 5'
10888	23610	37105	0.47	4.0E-07	AL163218.2	NT	Homo sapiens chromosome 21 segment HS21C018
11284	24234	37760	2.6	4.0E-07	A1765528.1	EST_HUMAN	w181b08.x1 NCI_CGAP_Kid12 Homo sapiens cDNA clone IMAGE:2399703 3'
11284	24234	37761	2.6	4.0E-07	A1765528.1	EST_HUMAN	w181b08.x1 NCI_CGAP_Kid12 Homo sapiens cDNA clone IMAGE:2399703 3'
11555	24495		2.72	4.0E-07	BE001828.1	EST_HUMAN	PM1-BN0083-030300-003-e12 BN0083 Homo sapiens cDNA
441	13515	26446	4.77	3.0E-07	U19719.1	NT	Human microfilament-associated glycoprotein (MFAP2) gene, putative promoter region and alternatively spliced untranslated exons
585	13853	26567	3.11	3.0E-07	AJ271735.1	NT	Homo sapiens Xq pseudocautosomal region, segment 1/2
1375	14409	27379	2.82	3.0E-07	M89149.1	NT	Human polymorphic microsatellite DNA
1630	14663		2.45	3.0E-07	M84857.1	NT	Human Igk subgroup I germline gene, exons 1 and 2, V-region 018 allele
2062	15080		1.01	3.0E-07	AA526763.1	EST_HUMAN	n156b08.s1 NCI_CGAP_Ov2 Homo sapiens cDNA clone IMAGE:980825 similar to contains Alu repetitive element; contains L1.13 L1 repetitive element
2296	15308	28330	2.58	3.0E-07	M89149.1	NT	Human polymorphic microsatellite DNA
2477	15481	28505	6.03	3.0E-07	BE005077.1	EST_HUMAN	MRO-BN0115-020300-001-f11 BN0115 Homo sapiens cDNA
2477	15481	28506	6.03	3.0E-07	BE005077.1	EST_HUMAN	MRO-BN0115-020300-001-f11 BN0115 Homo sapiens cDNA
3047	18104	29018	0.8	3.0E-07	T84704.1	EST_HUMAN	yc150f12.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:111695 5'
3173	19228	29144	1.71	3.0E-07	P38739	SWISSPROT	HYPOTHETICAL 63.8 KD PROTEIN IN GUT1-RIM1 INTERGENIC REGION PRECURSOR
4708	17727		0.74	3.0E-07	P20740	SWISSPROT	OVSOTATIN PRECURSOR (OVOMACROGLOBULIN)
4758	17778	30673	8.86	3.0E-07	AV650201.1	EST_HUMAN	AV650201 GLC Homo sapiens cDNA clone GLCCCD01 3'
4798	17813	30706	0.81	3.0E-07	A1797238.1	EST_HUMAN	we86b12.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2347967 3'
5103	18113	30985	2.02	3.0E-07	T57850.1	EST_HUMAN	yc14h09.s1 Stragene lung (#937210) Homo sapiens cDNA clone IMAGE:80705 3' similar to similar to
5103	18113	30988	2.02	3.0E-07	T57850.1	EST_HUMAN	gb:M62982 ARACHIDONATE 12-LIPOXYGENASE (HUMAN)
5749	18843	32026	9.02	3.0E-07	O88907	SWISSPROT	yc14h09.s1 Stragene lung (#937210) Homo sapiens cDNA clone IMAGE:80705 3' similar to similar to
6085	19165	32377	0.73	3.0E-07	O42280	SWISSPROT	gb:M62982 ARACHIDONATE 12-LIPOXYGENASE (HUMAN) PROTEIN-ARGININE DEIMINASE TYPE IV (PEPTIDYLARGININE DEIMINASE IV) (PAD-R4) (PEPTIDYLARGININE DEIMINASE TYPE ALPHA) WNT-14 PROTEIN PRECURSOR

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6861	19914		5.12	3.0E-07	AA816175.1	EST_HUMAN	cc04c10.s1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:1338890 3'
7752	20705	34074	3.26	3.0E-07	AW797168.1	EST_HUMAN	QV71-JUM036-200300-115-g02 UM0036 Homo sapiens cDNA
7925	20868		1.09	3.0E-07	AI591065.1	EST_HUMAN	tw28f11.x1 NCI_CGAP_Ov35 Homo sapiens cDNA clone IMAGE:2281037 3' similar to contains Alu repetitive element; contains element MSR1 MSR1 repetitive element;
13063	26814		7.27	3.0E-07	AJ132352.1	NT	Rattus norvegicus mRNA for 45 kDa secretory protein, partial
31	13151	26051	4.19	2.0E-07	AF292988.1	NT	Homo sapiens TRF2-interacting telomeric RAP1 protein (RAP1) mRNA, complete cds
165	13258	26185	6.84	2.0E-07	L77669.1	NT	Homo sapiens DiGeorge syndrome critical region, telomeric end
155	13268	26186	6.84	2.0E-07	L77669.1	NT	Homo sapiens DiGeorge syndrome critical region, telomeric end
183	13283	26209	152.51	2.0E-07	U38849.1	NT	Fugu rubripes beta-cytoplasmic(vascular) actin gene, complete cds
749	13810	26751	1.29	2.0E-07	AF003530.1	NT	Homo sapiens homeobox protein CDX4 (CDX4) gene, complete cds and flanking repeat regions
749	13810	26752	1.29	2.0E-07	AF003530.1	NT	Homo sapiens homeobox protein CDX4 (CDX4) gene, complete cds and flanking repeat regions
760	13820		0.87	2.0E-07	P11369	SWISSPROT	RETROVIRUS-RELATED POL POLYPROTEIN [CONTAINS: REVERSE TRANSCRIPTASE ; ENDONUCLEASE]
942	13995	26947	3.12	2.0E-07	AA223260.1	EST_HUMAN	z08b07.s1 Stratagene NT2 neuronal precursor 837230 Homo sapiens cDNA clone IMAGE:850869 3' similar to gb:L131860 GLYCOPHORIN A PRECURSOR (HUMAN); contains Alu repetitive element;
943	13996	26948	7.18	2.0E-07	T63042.1	EST_HUMAN	yc15g04.s1 Stratagene lung (#837210) Homo sapiens cDNA clone IMAGE:80780 3' similar to contains L1 repetitive element ;
1167	14208	27162	1.16	2.0E-07	Q26768	SWISSPROT	Ig AUTOANTIGEN
1604	14636	27613	2.35	2.0E-07	Q09701	SWISSPROT	HYPOTHETICAL 72.5 KD PROTEIN C2F7.10 IN CHROMOSOME 1
3633	16676	29656	0.86	2.0E-07	BF131397.1	EST_HUMAN	601818916F1 NIH_MGC_58 Homo sapiens cDNA clone IMAGE:4044891 5'
3700	16743	29656	17.94	2.0E-07	AF126348.1	NT	Homo sapiens caveolin 1 (CAV1) gene, exon 3 and partial cds
4195	17228	30116	1.42	2.0E-07	AB73663.1	EST_HUMAN	wk20f04.x1 NCI_CGAP_Lym12 Homo sapiens cDNA clone IMAGE:2412919 3'
5417	18520	31397	1.71	2.0E-07	AW598066.1	EST_HUMAN	RC3-NN0066-280400-021-g11 NN0066 Homo sapiens cDNA
6702	26665	33037	0.9	2.0E-07	AW449988.1	EST_HUMAN	UI-H-B13-ake-b-01-o-UJ.s1 NCI_CGAP_Sub5 Homo sapiens cDNA clone IMAGE:2734008 3'
6820	19874	33163	1.63	2.0E-07	AI208715.1	EST_HUMAN	qg56d05.x1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1839177 3'
6832	19885	33178	0.81	2.0E-07	AA572953.1	EST_HUMAN	nm33a06.s1 NCI_CGAP_Lip2 Homo sapiens cDNA clone IMAGE:1081938 similar to contains Alu repetitive element;
8313	21780		4.23	2.0E-07	AV728390.1	EST_HUMAN	AV728390 HTC Homo sapiens cDNA clone HTCAEG02 5'
9043	22009	35430	0.96	2.0E-07	AA036198.1	EST_HUMAN	zk27g09.s1 Soares_pregnant_uterus_NHPU Homo sapiens cDNA clone IMAGE:471808 3'
10119	23045		1.8	2.0E-07	AL163303.2	NT	Homo sapiens chromosome 21 segment HS21C103
10630	23562	37052	6.11	2.0E-07	AW892607.1	EST_HUMAN	CMA-NN0003-280300-124-e08 NN0003 Homo sapiens cDNA
10665	23775	37272	0.92	2.0E-07	P00761	SWISSPROT	COMPLEMENT FACTOR B PRECURSOR (C3/C5 CONVERTASE) (PROPERDIN FACTOR B) (GLYCINE-RICH BETA GLYCOPROTEIN) (GBG) (PBF2)

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
10855	23775	37273	0.92	2.0E-07	P00751	SWISSPROT	COMPLEMENT FACTOR B PRECURSOR (C3/C5 CONVERTASE) (PROPERDIN FACTOR B) (GLYCINE-RICH BETA GLYCOPROTEIN) (GBG) (PBF2)
12138	25503		2.86	2.0E-07	BE153717.1	EST_HUMAN	PMO-HT0339-260100-008-H07 HT0339 Homo sapiens cDNA
12224	25781		1.86	2.0E-07	AF32462.1	EST_HUMAN	zn85h11.x5 Stralagene lung carcinoma 937218 Homo sapiens cDNA clone IMAGE:565029 3' similar to contains THR.b2 THR repetitive element:
1104	14148		1.46	1.0E-07	AL163282.2	NT	Homo sapiens chromosome 21 segment HS21C082
2838	14558	27529	2.96	1.0E-07	P09256	SWISSPROT	GLYCOPROTEIN GPV
3757	14148		1.25	1.0E-07	AL163282.2	NT	Homo sapiens chromosome 21 segment HS21C082
4321	17350	30234	3.01	1.0E-07	AV718662.1	EST_HUMAN	AV718662 GLC Homo sapiens cDNA clone GLCFNF04 5'
4321	17350	30235	3.01	1.0E-07	AV718662.1	EST_HUMAN	AV718662 GLC Homo sapiens cDNA clone GLCFNF04 5'
6652	19709	32986	0.82	1.0E-07	U82671.2	NT	Homo sapiens chromosome Xq28 melanoma antigen family A2a (MAGEA2A), melanoma antigen family A12 (MAGEA12), melanoma antigen family A2b (MAGEA2B), melanoma antigen family A3 (MAGEA3), caltactin (CALT), NAD(P)H dehydrogenase-like protein (NSDHL), and LI>
7050	20072	33378	4.44	1.0E-07	BE047871.1	EST_HUMAN	tz43d06.y1 NCI_CGAP_Brm52 Homo sapiens cDNA clone IMAGE:2291339 5'
7050	20072	33379	4.44	1.0E-07	BE047871.1	EST_HUMAN	tz43d06.y1 NCI_CGAP_Brm52 Homo sapiens cDNA clone IMAGE:2291339 5'
7735	20690	34054	9.42	1.0E-07	NS5081.1	EST_HUMAN	yv43c07.s1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:245484 3'
7910	20853	34240	0.69	1.0E-07	BF375909.1	EST_HUMAN	PM4-TN0024-030800-002-b05 TN0024 Homo sapiens cDNA
7910	20853	34241	0.69	1.0E-07	BF375909.1	EST_HUMAN	PM4-TN0024-030800-002-b05 TN0024 Homo sapiens cDNA
7940	20882	34272	1.27	1.0E-07	AL163281.2	NT	Homo sapiens chromosome 21 segment HS21C081
8558	21526	34944	2.28	1.0E-07	P97435	SWISSPROT	ENTEROPEPTIDASE (ENTEROKINASE)
8558	21526	34945	2.28	1.0E-07	P97435	SWISSPROT	ENTEROPEPTIDASE (ENTEROKINASE)
9306	22271	35702	2.83	1.0E-07	AA693576.1	EST_HUMAN	z51e10.s1 Soares fetal liver spleen 1NFLS_S1 Homo sapiens cDNA clone IMAGE:434346 3'
9625	22569	36018	0.96	1.0E-07	P57110	SWISSPROT	ADAM-TS 8 PRECURSOR (A DISINTEGRIN AND METALLOPROTEINASE WITH THROMBOSPONDIN MOTIFS 8) (ADAMTS-8) (ADAM-TS8) (METH-2)
9975	22902	36366	0.53	1.0E-07	BE327843.1	EST_HUMAN	hu28h06.x1 NCI_CGAP_Mel15 Homo sapiens cDNA clone IMAGE:3171419 3' similar to contains MER18.13
10296	23221	36705	2.5	1.0E-07	BF674524.1	EST_HUMAN	MER18 repetitive element:
10304	23229	36712	1.26	1.0E-07	AA386311.1	EST_HUMAN	602137714F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:4274426 5'
10831	23752		2.53	1.0E-07	AL163282.2	NT	EST185054 Brain IV Homo sapiens cDNA
12600	25756	31517	4.03	1.0E-07	BE048770.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C082
12634	26320		1.59	1.0E-07	X64467.1	NT	hr53c11.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:3132212 3' similar to TR:085722 085722
12793	25423		1.89	1.0E-07	X51755.1	NT	DJ1163J1.1:
7498	20463	33823	0.84	9.0E-08	AL539382.1	EST_HUMAN	H.sapiens ALAD gene for porphobilinogen synthase
							Human lambda-immunoglobulin constant region complex (germline)
							ts61b06.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2080195 3'

Page 213 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
10247	23172	36661	2.18	9.0E-08	AV734819.1	EST_HUMAN	AV734819 cdA Homo sapiens cDNA clone cdABFB08 5'
11515	24456	38006	1.46	9.0E-08	AI891052.1	EST_HUMAN	wn30a07.x1 NCL_CGAP_Gas4 Homo sapiens cDNA clone IMAGE:2446832 3' similar to contains OFR.12
11977	24854	38452	2.32	9.0E-08	AL163301.2	NT	OFR repetitive element
12453	25212		3.51	9.0E-08	AJ251973.1	NT	Homo sapiens chromosome 21 segment HS21C101
609	15845		2.97	8.0E-08	AI911352.1	EST_HUMAN	Homo sapiens partial steaht-1 gene
1052	14098		0.77	8.0E-08	BE795469.1	EST_HUMAN	wd16b05.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2328273 3'
3555	16601		2.07	8.0E-08	BE795469.1	EST_HUMAN	601690133F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3943976 5'
							601690133F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3943976 5'
9091	22057	35482	3.38	8.0E-08	AI752367.1	EST_HUMAN	cn15c02.x1 Normal Human Trabecular Bone Cells Homo sapiens cDNA clone NHTBC_cn15c02 random
9091	22057	35483	3.38	8.0E-08	AI752367.1	EST_HUMAN	cn15c02.x1 Normal Human Trabecular Bone Cells Homo sapiens cDNA clone NHTBC_cn15c02 random
9885	22812	36377	2.8	8.0E-08	AW970693.1	EST_HUMAN	EST382776 IMAGE resequences, MAGK Homo sapiens cDNA
10928	23848	37363	0.46	8.0E-08	AF111167.2	NT	Homo sapiens jun dimerization protein gene, partial cds; cfos gene, complete cds; and unknown gene
11576	24513		2.53	8.0E-08	AF253471.1	NT	Homo sapiens microsome epoxide hydrolase (EPHX1) gene, complete cds
81	13197	26121	4.07	7.0E-08	Q02357	SWISSPROT	ANKYRIN 1 (ERYTHROCYTE ANKYRIN)
1363	14397	27368	17.17	7.0E-08	X04809.1	NT	Rat mRNA for ribosomal protein L31
3589	16634	29553	0.7	7.0E-08	P15305	SWISSPROT	DYNEIN HEAVY CHAIN (DYHC)
3589	16634	29554	0.7	7.0E-08	P15305	SWISSPROT	DYNEIN HEAVY CHAIN (DYHC)
3949	16989	29804	0.9	7.0E-08	P01606	SWISSPROT	IG KAPPA CHAIN V-I REGION OU
3949	16989	29805	0.9	7.0E-08	P01606	SWISSPROT	IG KAPPA CHAIN V-I REGION OU
11165	24123		2.33	7.0E-08	AI535743.1	EST_HUMAN	cong3.P17.A5 canorm Homo sapiens cDNA 3'
11982	24859	38454	4.32	7.0E-08	U24070.1	NT	Rattus norvegicus Munc13-1 mRNA, complete cds
12899	16634	29553	1.55	7.0E-08	P15305	SWISSPROT	DYNEIN HEAVY CHAIN (DYHC)
12899	16634	29554	1.55	7.0E-08	P15305	SWISSPROT	DYNEIN HEAVY CHAIN (DYHC)
12978	25541		1.9	7.0E-08	AJ131016.1	NT	Homo sapiens SCL gene locus
818	13976	26924	4.23	6.0E-08	AL163248.2	NT	Homo sapiens chromosome 21 segment HS21C048
818	13976	26925	4.23	6.0E-08	AL163248.2	NT	Homo sapiens chromosome 21 segment HS21C048
2371	15379	28403	2.72	6.0E-08	BE144398.1	EST_HUMAN	MRO-HT0166-191199-004-g09 HT0196 Homo sapiens cDNA
4278	17305	30184	1.28	6.0E-08	AL163248.2	NT	Homo sapiens chromosome 21 segment HS21C048
							Homo sapiens chromosome X region from filamin (FLN) gene to glucose-6-phosphate dehydrogenase (G6PD) gene, complete cds's
8162	21100	34499	0.49	6.0E-08	L44140.1	NT	LINE-1 REVERSE TRANSCRIPTASE HOMOLOG
8283	21252		0.74	6.0E-08	P08547	SWISSPROT	

Page 214 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
9683	22636		0.54	6.0E-08	AA827075.1	EST_HUMAN	cb56c05.s1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:135368 3' similar to contains MER12.b3 MER12 repetitive element ; RETROVIRUS-RELATED POLYPROTEIN [CONTAINS: REVERSE TRANSCRIPTASE ; ENDONUCLEASE]
11744	24629	38208	1.91	6.0E-08	P11369	SWISSPROT	
85	13201	26125	3.22	5.0E-08	AL163303.2	NT	Homo sapiens chromosome 21 segment HS21C103 nh03b09.s1 NCI_CGAP_Thy1 Homo sapiens cDNA clone IMAGE:943193 similar to contains Alu repetitive element;
2245	15259	28286	1.95	5.0E-08	AA493851.1	EST_HUMAN	COMPLEMENT C2 PRECURSOR (C3/05 CONVERTASE)
12186	25032		10.16	5.0E-08	P06681	SWISSPROT	QV0-CT025-131099-034-a12 CT0225 Homo sapiens cDNA
12382	25162	31814	1.63	5.0E-08	AW851878.1	EST_HUMAN	DORSAL-VENTRAL PATTERNING TOLLOID PROTEIN PRECURSOR
1776	14804	27789	1.07	4.0E-08	P25723	SWISSPROT	DORSAL-VENTRAL PATTERNING TOLLOID PROTEIN PRECURSOR
1776	14804	27790	1.07	4.0E-08	P25723	SWISSPROT	oz05e02.x1 Soares_fetal_liver_spleen_INFLS_S1 Homo sapiens cDNA clone IMAGE:1674458 3' similar to contains Alu repetitive element;
3077	16134		0.95	4.0E-08	AJ078417.1	EST_HUMAN	Homo sapiens shox gene, alternatively spliced products, complete cds
3934	16974	29888	0.76	4.0E-08	U82668.1	NT	URIDINE PHOSPHORYLASE (UDRPASE)
6545	19606	32668	0.91	4.0E-08	P52624	SWISSPROT	TRANSMEMBRANE PROTEASE, SERINE 2
9180	22116	35542	0.6	4.0E-08	O15393	NT	Cricetulus griseus ribosomal transcription factor (UBF2) mRNA, complete cds
9494	22458	35898	1.32	4.0E-08	L42571.1	SWISSPROT	LINE-1 REVERSE TRANSCRIPTASE HOMOLOG
10003	22830		0.82	4.0E-08	P08547	SWISSPROT	g178d12.s1 Soares_fetal_fetus_Nb2HF8_9w Homo sapiens cDNA clone IMAGE:1622803 3'
10693	23615		0.65	4.0E-08	AJ016342.1	EST_HUMAN	an22d10.x1 Gessler Wilms tumor Homo sapiens cDNA clone IMAGE:1699411 3' similar to contains Alu repetitive element; contains element MER22 repetitive element ;
10752	23674	37171	3.67	4.0E-08	AJ050027.1	EST_HUMAN	z176b08.r1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:728247 5' similar to TR:G505579
11411	24355	37889	1.51	4.0E-08	AA333627.1	EST_HUMAN	G505579 NA/CA,K-EXCHANGER ;
11411	24355	37889	1.51	4.0E-08	AA333627.1	EST_HUMAN	z176b08.r1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:728247 5' similar to TR:G505579
11426	24370	37907	3.11	4.0E-08	BF692493.1	EST_HUMAN	G505579 NA/CA,K-EXCHANGER ;
11426	24370	37908	3.11	4.0E-08	BF692493.1	EST_HUMAN	602248024F1 NIH_MGC_62 Homo sapiens cDNA clone IMAGE:4333300 5'
12190	25907		4.96	4.0E-08	W76159.1	EST_HUMAN	602248024F1 NIH_MGC_62 Homo sapiens cDNA clone IMAGE:4333300 5'
12330	25448		1.84	4.0E-08	AJ943353.1	EST_HUMAN	z165g03.r1 Soares_fetal_heart_NbHH19W Homo sapiens cDNA clone IMAGE:345556 5' similar to contains L1.t1 L1 repetitive element ;
3438	16485	29404	0.94	3.0E-08	M83242.1	NT	tb95a11.x1 NCI_CGAP_Cot16 Homo sapiens cDNA clone IMAGE:2062076 3' similar to contains MER18.b3 MER18 repetitive element ;
5692	18787	31958	3.06	3.0E-08	BE018348.1	EST_HUMAN	Macaca fascicularis apolipoprotein A-1 gene, complete cds bb79a10.y1 NIH_MGC_10 Homo sapiens cDNA clone IMAGE:3048570 5' similar to TR:Q9Z158 Q9Z158 SYNTAXIN 17. ;

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7168	18399	31245	4.23	3.0E-08	AI792737.1	EST_HUMAN	q976f1.1.y6 NCI_CGAP_P28 Homo sapiens cDNA clone IMAGE:1944045 5'
7787	20740	34113	1.41	3.0E-08	AL163246.2	NT	Homo sapiens chromosome 21 segment HS21C046
8025	20962		3.85	3.0E-08	AI436352.1	EST_HUMAN	th93h09.x1 Soares_NSF_F8_9W_OT_PA_P_S1 Homo sapiens cDNA clone IMAGE:2126273 3' similar to TRQ13537 Q13537 MER37 TRANSPOSABLE ELEMENT, COMPLETE CONSENSUS SEQUENCE. ;
10258	23183		0.57	3.0E-08	AF056066.1	NT	Homo sapiens MHC class 1 region
12157	25013		2.76	3.0E-08	R18420.1	EST_HUMAN	y92204.r1 Soares Infant brain T1N1B Homo sapiens cDNA clone IMAGE:30948 5' similar to contains Alu repetitive element
207	13308		10.54	2.0E-08	AW302966.1	EST_HUMAN	xr87f06.x1 NCI_CGAP_Lu26 Homo sapiens cDNA clone IMAGE:2767139 3'
230	13330		8.83	2.0E-08	AA425598.1	EST_HUMAN	zw48f07.r1 Soares_tetis_fetus_Nb2HF8_9w Homo sapiens cDNA clone IMAGE:773317 5' similar to contains Alu repetitive element; contains element MER15 repetitive element ;
497	13569	28492	1.3	2.0E-08	AF198349.1	NT	Gallus gallus Dach2 protein (Dach2) mRNA, complete cds
661	13727	26651	9.73	2.0E-08	AW886438.1	EST_HUMAN	MRO-OT0080-240200-001-g08 OT0080 Homo sapiens cDNA
661	13727	26652	9.73	2.0E-08	AW886438.1	EST_HUMAN	MRO-OT0080-240200-001-g08 OT0080 Homo sapiens cDNA
992	14044		17	2.0E-08	BE280477.1	EST_HUMAN	601155321F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3136893 5'
1346	14981	27350	1.93	2.0E-08	AL163247.2	NT	Homo sapiens chromosome 21 segment HS21C047
1755	14784		1.87	2.0E-08	BE734871.1	EST_HUMAN	601570463F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3845189 5'
1872	14897		3.57	2.0E-08	AW270271.1	EST_HUMAN	xp43f11.x1 NCI_CGAP_HN11 Homo sapiens cDNA clone IMAGE:2743149 3'
2550	15552		1.7	2.0E-08	K00216.1	NT	Sheep Hla-IRNA-GUG
3221	16276	29200	8.15	2.0E-08	O42280	SWISSPROT	WNT-14 PROTEIN PRECURSOR
3221	16276	29201	8.15	2.0E-08	O42280	SWISSPROT	WNT-14 PROTEIN PRECURSOR
3873	16912		1.62	2.0E-08	AW813620.1	EST_HUMAN	RC3-ST0197-161099-012-503 ST0197 Homo sapiens cDNA
4104	17138	30033	0.88	2.0E-08	U82668.1	NT	Homo sapiens shox gene, alternatively spliced products, complete cds
4434	17461		1.2	2.0E-08	AA456040.1	EST_HUMAN	aa26c07.r1 NCI_CGAP_CML1 Homo sapiens cDNA clone IMAGE:814380 5' similar to contains L1.12 L1 repetitive element ;
4994	18009		2.97	2.0E-08	AW572881.1	EST_HUMAN	he17h08.x2 NCI_CGAP_CML1 Homo sapiens cDNA clone IMAGE:2819327 3' similar to contains Alu repetitive element ;
5719	18813	31992	1.25	2.0E-08	AA813204.1	EST_HUMAN	ai80h11.s1 Soares_testis_NHT Homo sapiens cDNA clone 1377186 3'
5932	19018	32213	0.99	2.0E-08	AW088924.1	EST_HUMAN	xd32c04.x1 NCI_CGAP_Ov23 Homo sapiens cDNA clone IMAGE:2565462 3' similar to contains MER18.153
8337	21306	34721	1.89	2.0E-08	P10272	SWISSPROT	MER18 MER18 repetitive element ;
8447	21416	34829	1.47	2.0E-08	AA460121.1	EST_HUMAN	POL POLYPROTEIN [CONTAINS: PROTEASE ; REVERSE TRANSCRIPTASE ; ENDONUCLEASE]
9440	22404		0.77	2.0E-08	AU139978.1	EST_HUMAN	ab02g06.g1 Stratiogene fetal retina g37202 Homo sapiens cDNA clone IMAGE:839674 3'
					AU139978.1	EST_HUMAN	AU139978 PLACE1 Homo sapiens cDNA clone PLACE1011719 5'

Page 216 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
10886	23806	37310	0.8	2.0E-08	N78097.1	EST_HUMAN	y72102.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:248283 5' similar to contains LTR1.b3 LTR1 repetitive element ;
10886	23806	37311	0.8	2.0E-08	N78097.1	EST_HUMAN	y72102.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:248283 5' similar to contains LTR1.b3 LTR1 repetitive element ;
12472	25221		1.88	2.0E-08	AL163284.2	NT	Homo sapiens chromosome 21 segment HS21C084
12982	25953		1.4	2.0E-08	11431676	NT	Homo sapiens hypothetical protein FLJ11342 (FLJ11342), mRNA
1510	15870	27513	1.42	1.0E-08	P31792	SWISSPROT	POL POLYPROTEIN [CONTAINS: REVERSE TRANSCRIPTASE ; ENDONUCLEASE]
1780	14819	27804	2.12	1.0E-08	AF125348.1	NT	Homo sapiens caveolin 1 (CAV1) gene, exon 3 and partial cds
2067	15084		2.49	1.0E-08	BE141939.1	EST_HUMAN	PM2-HT0130-150999-001-412 HT0130 Homo sapiens cDNA
3206	16261	29181	1.19	1.0E-08	BE246844.1	EST_HUMAN	TCBAP-ID5232 Pediatric pre-B cell acute lymphoblastic leukemia Baylor-HGSC project=TCBA Homo sapiens cDNA clone TCBAP5232
3206	16261	29182	1.19	1.0E-08	BE246844.1	EST_HUMAN	TCBAP-ID5232 Pediatric pre-B cell acute lymphoblastic leukemia Baylor-HGSC project=TCBA Homo sapiens cDNA clone TCBAP5232
5680	18775	31947	4.5	1.0E-08	AJ010770.1	NT	Homo sapiens hyperin gene, exons 1-50
8046	20983	34380	0.98	1.0E-08	P19474	SWISSPROT	52 KD RO PROTEIN (SUGREN SYNDROME TYPE A ANTIGEN (SS-A)) (RO(SS-A))
8369	21338	34749	0.47	1.0E-08	AL163302.2	NT	Homo sapiens chromosome 21 segment HS21C102
8466	21435	34852	0.56	1.0E-08	AF224669.1	NT	Homo sapiens mannosidase, beta A, lysosomal (MANBA) gene, and ubiquitin-conjugating enzyme E2D 3 (UBE2D3) genes, complete cds
8466	21435	34853	0.56	1.0E-08	AF224669.1	NT	Homo sapiens mannosidase, beta A, lysosomal (MANBA) gene, and ubiquitin-conjugating enzyme E2D 3 (UBE2D3) genes, complete cds
8892	21858	35280	1.89	1.0E-08	AJ015304.1	EST_HUMAN	o35a05.s1 Soares testis_NHT Homo sapiens cDNA clone IMAGE:1618736 3'
9559	22521		0.46	1.0E-08	P09593	SWISSPROT	S-ANTIGEN PROTEIN PRECURSOR
9560	22522	35970	0.88	1.0E-08	BE072572.1	EST_HUMAN	PM2-BT0546-210100-004-d02 BT0546 Homo sapiens cDNA
10325	23249	36728	0.81	1.0E-08	P79110	SWISSPROT	TRICARBOXYLATE TRANSPORT PROTEIN PRECURSOR (CITRATE TRANSPORT PROTEIN) (CTP)
10921	23841	37357	0.87	1.0E-08	P98063	SWISSPROT	TRICARBOXYLATE TRANSPORT PROTEIN PRECURSOR (BMP-1)
11644	24581	38149	3.4	1.0E-08	AF044083.1	NT	BONE MORPHOGENETIC PROTEIN 1 PRECURSOR (BMP-1)
12129	24998	38602	1.5	1.0E-08	P29315	SWISSPROT	Homo sapiens major histocompatibility locus class III region
12569	25281		1.5	1.0E-08	P29315	SWISSPROT	RIBONUCLEASE INHIBITOR
12940	25520		3.12	1.0E-08	X51755.1	NT	RIBONUCLEASE INHIBITOR
4271	17300	30179	1.08	1.0E-08	X51755.1	NT	Human lambda-immunoglobulin constant region complex (germline)
4271	17300	30179	4.15	9.0E-09	AL163279.2	NT	Human lambda-immunoglobulin constant region complex (germline)
4271	17300	30180	4.15	9.0E-09	AL163279.2	NT	Homo sapiens chromosome 21 segment HS21C079
10422	23344		0.53	9.0E-09	T87950.1	EST_HUMAN	yo58a12.s1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:121918 3'

Page 217 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6628	19686		1.59	8.0E-09	AI270815.1	EST_HUMAN	qu86c11.x1 NCL_CGAP_Gas4 Homo sapiens cDNA clone IMAGE:1978964 3' similar to contains L1.13 L1 repetitive element;
7479	20445	33801	7.91	8.0E-09	AI183500.1	EST_HUMAN	qq42e07.x1 Soares_fetal_heart_NbHH19W Homo sapiens cDNA clone IMAGE:1732164 3' similar to contains MSR1.11 MSR1 repetitive element;
8333	21302	34719	3.04	8.0E-09	AW900159.1	EST_HUMAN	CM0-NIN1004-100300-273-e08 NN1004 Homo sapiens cDNA
9340	22305		2.64	8.0E-09	AA83882.1	EST_HUMAN	qp74d08.s1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1682575 3'
3821	16664		1.91	7.0E-09	D86842.1	NT	Homo sapiens DNA for 3-ketoadyl-CoA thiolase beta-subunit of mitochondrial trifunctional protein, exon 2, 3
4034	17072		1.22	7.0E-09	U50871.1	NT	Human familial Alzheimer's disease (STM2) gene, complete cds
8234	21203		0.56	7.0E-09	BF108755.1	EST_HUMAN	7145e10.x1 Soares_NSF_F8_9W_OT_PA_P_S1 Homo sapiens cDNA clone IMAGE:3524443 3' similar to contains MER29 b2 MER29 repetitive element;
8382	21351		0.91	7.0E-09	AA256200.1	EST_HUMAN	zf80c05.r1 Soares_NHMPu_S1 Homo sapiens cDNA clone IMAGE:881992 5' similar to contains L1.12 L1 repetitive element;
9615	22559	36008	3.06	7.0E-09	LO9709.1	NT	Human lysosomal membrane glycoprotein-2 (LAMP2) gene, 5' end and flanking region
10543	23465	36960	1.17	7.0E-09	BE254850.1	EST_HUMAN	60111173F1 NIH_MGC_18 Homo sapiens cDNA clone IMAGE:3351834 5'
10711	23633		0.59	7.0E-09	AA058626.1	EST_HUMAN	zf58e07.s1 Soares retina N2b4HR Homo sapiens cDNA clone IMAGE:381156 3' similar to contains L1.12 L1 repetitive element;
11032	23998		3.65	7.0E-09	T97950.1	EST_HUMAN	yes5a12.s1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:121818 3'
2162	15178		0.98	6.0E-09	AL040439.1	EST_HUMAN	DKFZp434C0514_r1 434 (synonym: htes3) Homo sapiens cDNA clone DKFZp434C0514 5'
4059	17065	29990	0.96	6.0E-09	AA557940.1	EST_HUMAN	nl17a11.s1 NCL_CGAP_HSC1 Homo sapiens cDNA clone IMAGE:1040924 similar to contains L1.12 L1 repetitive element;
5017	18031	30917	5.44	6.0E-09	BE169421.1	EST_HUMAN	PM1-HT0527-160200-001-h05 HT0527 Homo sapiens cDNA
5454	18558	31467	9.55	6.0E-09	AW195784.1	EST_HUMAN	xn85h08.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2701311 3'
8922	21888	35315	0.88	6.0E-09	BE161653.1	EST_HUMAN	MR3-HT0446-260300-201-h12 HT0446 Homo sapiens cDNA
9531	22494	35942	2.12	6.0E-09	4503710	NT	Homo sapiens fibroblast growth factor receptor 3 (achondroplasia, thanatophoric dwarfism) (FGFR3) mRNA
10639	23561		4.42	6.0E-09	AF200923.2	NT	Homo sapiens testis-specific kinase substrate (TSKS) gene, complete cds
1413	14448	27418	4.43	5.0E-09	BE149284.1	EST_HUMAN	RC2-HT0252-120200-014-h10 HT0252 Homo sapiens cDNA
1870	14895	27894	1.02	5.0E-09	AL163284.2	NT	Homo sapiens chromosome 21 segment HS21C084
6550	18611	32872	2.31	5.0E-09	AA359454.1	EST_HUMAN	EST068746 Fetal lung II Homo sapiens cDNA 5' end
							Human gameline T-cell receptor beta chain Dopamine-beta-hydroxylase-like, TRY1, TRY2, TRY3, TCRBV27S1P, TCRBV22S1A2N1T, TCRBV6S1A1T, TCRBV7S1A1N2T, TCRBV6S1A1T, TCRBV13S3, TCRBV6S7P, TCRBV7S3A2T, TCRBV13S2A1T, TCRBV9S2A2PT, TCRBV7S2A1N4T, TCRBV13S9/13S>
7025	18357	31277	0.59	5.0E-09	U66059.1	NT	

Page 218 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptbr
8932	21898	35326	0.5	5.0E-09	P37071	SWISSPROT	OLFACTORY RECEPTOR-LIKE PROTEIN COR5
10455	23377	36870	2.53	5.0E-09	AW799667.1	EST_HUMAN	PM2JUM0053-240300-005-c09 UM0053 Homo sapiens cDNA
522	13593		1.81	4.0E-09	AL163282.2	NT	Homo sapiens chromosome 21 segment HS21C082
966	14018		2.79	4.0E-09	AL163285.2	NT	Homo sapiens chromosome 21 segment HS21C085
1465	14498	27472	2.79	4.0E-09	9558718	NT	Homo sapiens eukaryotic initiation factor 4A1 (EIF4A1) gene, partial cds
2038	15057	28075	1.63	4.0E-09	AF175325.1	NT	Homo sapiens eukaryotic initiation factor 4A1 (EIF4A1) gene, partial cds
2038	15057	28076	1.63	4.0E-09	AF175325.1	NT	Homo sapiens eukaryotic initiation factor 4A1 (EIF4A1) gene, partial cds
2436	15443	28461	2.87	4.0E-09	AA350878.1	EST_HUMAN	EST58385 Infant brain Homo sapiens cDNA 5' end similar to heat shock protein, 90 kDa
8179	21149	34556	0.66	4.0E-09	AA495747.1	EST_HUMAN	z04c06.r1 Soares_NHMPu_S1 Homo sapiens cDNA clone IMAGE:768298 5'
8867	21834	35255	0.66	4.0E-09	T64842.1	EST_HUMAN	y011a07.s1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:66804 3'
							hu09a09.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3166120 3' similar to contains MER18.13
2359	15367	28389	4.28	3.0E-09	BE222239.1	EST_HUMAN	MER18 repetitive element;
2560	15661	28578	1.39	3.0E-09	BE222239.1	EST_HUMAN	hu09a09.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3166120 3' similar to contains MER18.13
2659	15656	28674	1.03	3.0E-09	P23249	SWISSPROT	PROTEIN MOV-10
3340	16391	29312	1.15	3.0E-09	BE222239.1	EST_HUMAN	hu09a09.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3166120 3' similar to contains MER18.13
3388	16437		0.79	3.0E-09	AA442272.1	EST_HUMAN	MER18 repetitive element;
4124	17157		0.69	3.0E-09	X16674.1	NT	z04a04.r1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:757422 5'
4457	17483	30371	3.77	3.0E-09	AF175325.1	NT	H.sapiens PADPRP-1 gene for NAD(+) ADP-ribosyltransferase
4540	17563	30450	3.44	3.0E-09	Q9Y3R5	SWISSPROT	Homo sapiens eukaryotic initiation factor 4A1 (EIF4A1) gene, partial cds
							258.1 KDA PROTEIN C21ORF5 (KIAA0933)
5225	18233		0.99	3.0E-09	D66842.1	NT	Homo sapiens DNA for 3-ketacyl-CoA thiolase beta-subunit of mitochondrial trifunctional protein, exon 2, 3
							hx80a02.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:3194090 3' similar to TR:O55091
8232	21201	34607	1.08	3.0E-09	BE465780.1	EST_HUMAN	O55091 IMPACT PROTEIN.;
10809	23531	37026	1.84	3.0E-09	AL163247.2	NT	Homo sapiens chromosome 21 segment HS21C047
11361	24310	37836	3.06	3.0E-09	BF108943.1	EST_HUMAN	7172c08.x1 Soares_NSF_F8_9W_OT_PA_P_S1 Homo sapiens cDNA clone IMAGE:3527030 3'
11361	24310	37837	3.06	3.0E-09	BF108943.1	EST_HUMAN	7172c08.x1 Soares_NSF_F8_9W_OT_PA_P_S1 Homo sapiens cDNA clone IMAGE:3527030 3'
813	13871		10.64	2.0E-09	X16674.1	NT	H.sapiens PADPRP-1 gene for NAD(+) ADP-ribosyltransferase
1263	14298	27261	5.84	2.0E-09	AL163284.2	NT	Homo sapiens chromosome 21 segment HS21C084
1667	14699		9.53	2.0E-09	AL118573.1	EST_HUMAN	DKFZp761B1710_1 761 (synonym: hamy2) Homo sapiens cDNA clone DKFZp761B1710 5'
2334	15345	28366	2.58	2.0E-09	Q9Y3R5	SWISSPROT	258.1 KDA PROTEIN C21ORF5 (KIAA0933)
3958	16998	29913	3.67	2.0E-09	O60241	SWISSPROT	BRAIN-SPECIFIC ANGIOGENESIS INHIBITOR 2 PRECURSOR
4039	17077	28977	1.65	2.0E-09	AL263478.1	EST_HUMAN	q107d09.x1 Soares_NHMPu_S1 Homo sapiens cDNA clone IMAGE:1855793 3'

Table 4

Single Exon Probes Expressed In Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5198	18207	31081	0.68	2.0E-09	M23161.1	NT	Human transposon-like element mRNA
5808	18896	32081	0.69	2.0E-09	A1004062.1	EST_HUMAN	clx7b09.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1618897 3'
6273	19346		0.65	2.0E-09	AL163249.2	NT	Homo sapiens chromosome 21 segment HS21C049
6947	20171		0.8	2.0E-09	AA357407.1	EST_HUMAN	EST168142 Kidney IX Homo sapiens cDNA 5' end similar to EST containing L1 repeat
7684	20642	34006	7.6	2.0E-09	AA461430.1	EST_HUMAN	z63h06.r1 Soares_tetis_fetus_Nb2HF8_9v Homo sapiens cDNA clone IMAGE:798187 5' similar to contains Alu repetitive element;
7786	20719	34092	0.63	2.0E-09	W28834.1	EST_HUMAN	82d11 Human retina cDNA randomly primed sublibrary Homo sapiens cDNA
8128	21063	34461	0.82	2.0E-09	AW862126.1	EST_HUMAN	MR1-CT0352-240200-105-b06 CT0352 Homo sapiens cDNA
9082	22028	35452	2.25	2.0E-09	AJ271735.1	NT	Homo sapiens Xq pseudautosomal region; segment 1/2
12705	13871		22.38	2.0E-09	X16874.1	NT	H.sapiens PADPRP-I gene for NAD(+) ADP-riboseyltransferase
12772	26975		1.67	2.0E-09	AA226070.1	EST_HUMAN	nc11c02.r1 NCI_CGAP_P1 Homo sapiens cDNA clone IMAGE:1007810 similar to contains Alu repetitive element;
12778	26829		1.47	2.0E-09	AW301637.1	EST_HUMAN	xr98a02.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2768234 3'
12813	25492		1.98	2.0E-09	U82668.1	NT	Homo sapiens shox gene, alternatively spliced products, complete cds
1111	14165	27105	1.1	1.0E-09	5031624	NT	Homo sapiens CCAAT-box-binding transcription factor (CBF2) mRNA
1111	14155	27106	1.1	1.0E-09	5031624	NT	Homo sapiens CCAAT-box-binding transcription factor (CBF2) mRNA
1638	14670		0.91	1.0E-09	AJ228041.1	NT	Homo sapiens 969 kb contig between AML1 and CBR1 on chromosome 21q22; segment 1/3
2510	15513		1.16	1.0E-09	A1356086.1	EST_HUMAN	qy64e11.x1 NCI_CGAP_Bm25 Homo sapiens cDNA clone IMAGE:2016812 3' similar to contains MER12.12
2900	15959	28878	1.83	1.0E-09	U80017.1	NT	MER12 repetitive element;
2937	15995	28915	4.07	1.0E-09	M28699.1	NT	Homo sapiens basic transcription factor 2 p44 (btf2p44) gene, partial cds, neuronal apoptosis inhibitory protein (naip) and survival motor neuron protein (smn) genes, complete cds
2937	15995	28916	4.07	1.0E-09	M28699.1	NT	Homo sapiens nucleolar phosphoprotein B23 (NPM1) mRNA, complete cds
3051	16108	29022	0.89	1.0E-09	BE535440.1	EST_HUMAN	Homo sapiens nucleolar phosphoprotein B23 (NPM1) mRNA, complete cds
4836	17853		5.63	1.0E-09	AA719297.1	EST_HUMAN	601058602F1 NIH_MGC_10 Homo sapiens cDNA clone IMAGE:3445177 5'
5182	18171	31050	0.84	1.0E-09	T60216.1	EST_HUMAN	zh3b03.s1 Soares_pneal_gland_N3HPG Homo sapiens cDNA clone IMAGE:414028 3' similar to contains Alu repetitive element; contains element MER22 repetitive element;
5581	18677	31640	0.82	1.0E-09	AL163283.2	NT	yc22c09.r1 Stratagene lung (#937210) Homo sapiens cDNA clone IMAGE:81424 5' similar to contains Alu repetitive element; contains MER28 repetitive element;
5930	19016	32211	1.35	1.0E-09	U07000.1	NT	Homo sapiens chromosome 21 segment HS21C083
6267	19340	32572	3.11	1.0E-09	P26694	SWISSPROT	Human breakpoint cluster region (BCR) gene, complete cds
8113	21050	34449	0.63	1.0E-09	AV728645.1	EST_HUMAN	CIRCUMSPOROZOITE PROTEIN PRECURSOR (CS)
8733	21701	35127	0.87	1.0E-09	A1688474.1	EST_HUMAN	AV728645 HTC Homo sapiens cDNA clone HTCBIG07 5'
							w438b05.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2330481 3' similar to contains MER25.11 MER25 repetitive element;

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
10877	23599		2.87	1.0E-09	AL163283.2	NT	Homo sapiens chromosome 21 segment HS21C083
12081	24983		1.53	1.0E-09	AL163283.2	NT	Homo sapiens chromosome 21 segment HS21C083
12618	25916	31425	2.01	1.0E-09	11418127	NT	Homo sapiens GTP binding protein 1 (GTPBP1), mRNA
12781	25416		1.6	1.0E-09	T93176.1	EST_HUMAN	ye24e05.r1 Stratagene lung (#837210) Homo sapiens cDNA clone IMAGE:118688 5'
1312	14348	27314	2.49	9.0E-10	AW867740.1	EST_HUMAN	MRO-SN0040-050500-002-c07 SN0040 Homo sapiens cDNA
2845	15805	28830	6.64	9.0E-10	A1870071.1	EST_HUMAN	we78h03.x1 Soares_Dieckgraefe_colon_NHCD Homo sapiens cDNA clone IMAGE:2347263 3' similar to SW:RL29 HUMAN P47814 60S RIBOSOMAL PROTEIN L29 ;contains element PTR5 repetitive element ; TR:000372 O00372 PUTATIVE P160. ;
7008	20134	33449	4.22	9.0E-10	A1462982.1	EST_HUMAN	q48b09.x1 Soares_NSF_F8_9W_OT_PA_P_S1 Homo sapiens cDNA clone IMAGE:2144537 3' similar to
148	13251	26180	12.13	8.0E-10	U63630.2	NT	Homo sapiens MCM4 (MCM4) and DNA-PKcs (PRKDC) genes, partial cds
3363	16404	29325	0.76	8.0E-10	BE080748.1	EST_HUMAN	QV1-BT0631-150200-071-01 BT0631 Homo sapiens cDNA
4229	17258	30142	3.69	8.0E-10	AA376832.1	EST_HUMAN	EST89584 Small Intestine I Homo sapiens cDNA 5' end
10324	23248		2.46	8.0E-10	U36308.2	NT	Homo sapiens lens major intrinsic protein (MIP) gene, complete cds
702	13764	26698	32.88	7.0E-10	7706225	NT	Homo sapiens TPA inducible protein (LOC51586), mRNA
702	13764	26699	32.88	7.0E-10	7706225	NT	Homo sapiens TPA inducible protein (LOC51586), mRNA
1626	14659	27636	2.48	7.0E-10	Q13342	SWISSPROT	LYSP100 PROTEIN (LYMPHOID-RESTRICTED HOMOLOG OF SP100)
2566	15667		21.64	7.0E-10	P08547	SWISSPROT	LINE-1 REVERSE TRANSCRIPTASE HOMOLOG
3104	16181	28072	2.86	7.0E-10	X00856.1	NT	H.sapiens DHFR gene, exon 3
6309	19380	32619	3.72	7.0E-10	AA345220.1	EST_HUMAN	EST51247 Gall bladder II Homo sapiens cDNA 5' end
7647	20607	33973	1.2	7.0E-10	BF352883.1	EST_HUMAN	IL3-HT0619-110700-209-D12 HT0619 Homo sapiens cDNA
7818	20861		1.46	7.0E-10	P35084	SWISSPROT	DNA-DIRECTED RNA POLYMERASE II LARGEST SUBUNIT
8308	21277	34688	1.29	7.0E-10	AF029701.2	NT	Homo sapiens presenilin-1 gene, exons 1 and 2
8308	21277	34689	1.29	7.0E-10	AF029701.2	NT	Homo sapiens presenilin-1 gene, exons 1 and 2
10873	23595	37092	0.68	7.0E-10	L08895.1	NT	Homo sapiens MADS/MEF2-family transcription factor (MEF2C) mRNA, complete cds
914	13989	28922	2.67	6.0E-10	AJ400877.1	NT	Homo sapiens ASCL3 gene, CEGP1 gene, C11orf14 gene, C11orf15 gene, C11orf16 gene and C11orf17 gene
2646	15682	28700	1.37	6.0E-10	AJ424405.1	EST_HUMAN	rt02007.x1 NCJ_CGAP_P28 Homo sapiens cDNA clone IMAGE:2095021 3'
4768	17788		2.72	6.0E-10	AW853719.1	EST_HUMAN	RC3-CT0254-031099-012-g12 CT0254 Homo sapiens cDNA
9135	22101	35527	0.89	6.0E-10	P33730	SWISSPROT	E-SELECTIN PRECURSOR (ENDOTHELIAL LEUKOCYTE ADHESION MOLECULE 1) (ELAM-1)
9135	22101	35528	0.89	6.0E-10	P33730	SWISSPROT	(LEUKOCYTE-ENDOTHELIAL CELL ADHESION MOLECULE 2) (LECAM2) (CD62E)
9992	22819	36386	0.43	6.0E-10	P98073	SWISSPROT	E-SELECTIN PRECURSOR (ENDOTHELIAL LEUKOCYTE ADHESION MOLECULE 1) (ELAM-1)
							(LEUKOCYTE-ENDOTHELIAL CELL ADHESION MOLECULE 2) (LECAM2) (CD62E)
							ENTEROPEPTIDASE PRECURSOR (ENTEROKINASE)

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
12221	25058		1.84	6.0E-10	AW971923.1	EST_HUMAN	EST1394012 IMAGE: ressequences, MAGI, Homo sapiens cDNA
761	13821		5.01	5.0E-10	AL046804.1	EST_HUMAN	DKFZp434N219.1 434 (synonym: Htes3) Homo sapiens cDNA clone DKFZp434N219.5
3489	16335	29460	1.53	5.0E-10	Q07033	SWISSPROT	HYPOTHETICAL GENE 48 PROTEIN
5026	18040	30923	1.1	5.0E-10	AF181897.1	NT	Homo sapiens WRN (WRN) gene, complete cds
7544	20307		1.74	5.0E-10	BF105159.1	EST_HUMAN	601822184F1 NIH_MGC_75 Homo sapiens cDNA clone IMAGE:4042413.5
9894	22847	36303	1.95	5.0E-10	P34678	SWISSPROT	HYPOTHETICAL 67.9 KD PROTEIN ZK688.8 IN CHROMOSOME III
9894	22847	36304	1.95	5.0E-10	P34678	SWISSPROT	HYPOTHETICAL 67.9 KD PROTEIN ZK688.8 IN CHROMOSOME III
111	13222		1.27	4.0E-10	A1221083.1	EST_HUMAN	qg09f09.x1 Soares_placenta_8to9weeks_2NbhP8to9W Homo sapiens cDNA clone IMAGE:1759049.3 similar to contains LTR8.b2 LTR8 repetitive element:
583	13851	26565	0.75	4.0E-10	AA515260.1	EST_HUMAN	nf64a01.s1 NCL_CGAP_C03 Homo sapiens cDNA clone IMAGE:924648.3
2012	15033	28043	1.4	4.0E-10	AW594709.1	EST_HUMAN	hg59g03.x1 NCL_CGAP_GC6 Homo sapiens cDNA clone IMAGE:2849844.3 similar to contains Alu repetitive element:
2580	15581	28600	5.49	4.0E-10	AL163303.2	NT	Homo sapiens chromosome 21 segment HS21C103
7382	20352	33703	17.71	4.0E-10	AF224669.1	NT	Homo sapiens mannosidase, beta A, lysosomal (MANBA) gene, and ubiquitin-conjugating enzyme E2D 3 (UBE2D3) genes, complete cds
10555	23477	36971	0.53	4.0E-10	AW293243.1	EST_HUMAN	UI-H-B12-ah1-e-07-0-J1.st NCL_CGAP_Sub4 Homo sapiens cDNA clone IMAGE:2727081.3
10812	23733	37235	0.87	4.0E-10	A1267342.1	EST_HUMAN	eq63h11.x1 Stanley Frontal SN pool 2 Homo sapiens cDNA clone IMAGE:2036653
10933	23853	37368	0.45	4.0E-10	BE169208.1	EST_HUMAN	PM1-HT0521-120200-001-f08 HT0521 Homo sapiens cDNA
10933	23853	37369	0.45	4.0E-10	BE169208.1	EST_HUMAN	PM1-HT0521-120200-001-f08 HT0521 Homo sapiens cDNA
916	13970	26924	1.8	3.0E-10	N36113.1	EST_HUMAN	y92f06.s1 Soares_melanocyte 2NbhM Homo sapiens cDNA clone IMAGE:272963.3 similar to contains L1.11 L1 repetitive element:
1353	14388		4.8	3.0E-10	AY005150.1	NT	Homo sapiens extracellular glycoprotein lactoferrin precursor, gene, complete cds
4566	17589	30480	1.04	3.0E-10	AL163203.2	NT	Homo sapiens chromosome 21 segment HS21C003
4568	17589	30481	1.04	3.0E-10	AL163203.2	NT	Homo sapiens chromosome 21 segment HS21C003
5530	19628	31564	1.06	3.0E-10	N50109.1	EST_HUMAN	y211g08.s1 Soares_multiple_sclerosis_2NbhMSP Homo sapiens cDNA clone IMAGE:282782.3
6327	19397	32639	4.03	3.0E-10	P20350	SWISSPROT	RHOMBOLD PROTEIN (VEINLET PROTEIN)
6486	19551	32801	3.08	3.0E-10	BE302970.1	EST_HUMAN	ba76d08.y1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:2906319.5
8036	20973	34367	1.42	3.0E-10	AV743302.1	EST_HUMAN	AV743302 CB Homo sapiens cDNA clone CBFBD08.5
8036	20973	34368	1.42	3.0E-10	AV743302.1	EST_HUMAN	AV743302 CB Homo sapiens cDNA clone CBFBD08.5
9082	22048	35471	1.04	3.0E-10	H87208.1	EST_HUMAN	y874b12.s1 Soares_retina_N2b4HR Homo sapiens cDNA clone IMAGE:220511.3 similar to contains MER29 repetitive element:
9404	22369	35803	1.8	3.0E-10	AW850731.1	EST_HUMAN	IL3-CT0219-160200-064-B06 CT0219 Homo sapiens cDNA
9404	22369	35804	1.8	3.0E-10	AW850731.1	EST_HUMAN	IL3-CT0219-160200-064-B06 CT0219 Homo sapiens cDNA

Page 222 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
9696	22649		0.73	3.0E-10	AF020503.1	NT	Homo sapiens FRA3B common fragile region, diadenosine triphosphate hydrolase (FHIT) gene, exon 5
10828	23749		2.05	3.0E-10	T65891.1	EST_HUMAN	yc11e12.1 Stralagene lung (#937210) Homo sapiens cDNA clone IMAGE:80398 5'
10857	23877		1.76	3.0E-10	AA769294.1	EST_HUMAN	n236g03.st NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:1288908 3'
12865	25468	31728	1.95	3.0E-10	BE179517.1	EST_HUMAN	IL3-H10618-110500-136-E07 HT0618 Homo sapiens cDNA
37	13157	26058	1.55	2.0E-10	P48988	SWISSPROT	MAJOR CENTROMERE AUTOANTIGEN B (CENTROMERE PROTEIN B) (CENP-B)
37	13157	26059	1.55	2.0E-10	P48988	SWISSPROT	MAJOR CENTROMERE AUTOANTIGEN B (CENTROMERE PROTEIN B) (CENP-B)
1913	14937		1.88	2.0E-10	U80017.1	NT	Homo sapiens basic transcription factor 2 p44 (btf2p44) gene, partial cds, neuronal apoptosis inhibitory protein (nelp) and survival motor neuron protein (smn) genes, complete cds
2999	16057		0.88	2.0E-10	BF675047.1	EST_HUMAN	602136640F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:4273377 5'
5901	18988		3.12	2.0E-10	Q28640	SWISSPROT	(HPRG)
6378	19447	32688	1.55	2.0E-10	AF280107.1	NT	Homo sapiens cytochrome P450 polypeptide 43 (CYP3A43) gene, partial cds; cytochrome P450 polypeptide 4 (CYP3A4) and cytochrome P450 polypeptide 7 (CYP3A7) genes, complete cds; and cytochrome P450 polypeptide 5 (CYP3A5) gene, partial cds
7605	20566	33926	6.24	2.0E-10	BE791082.1	EST_HUMAN	601586208F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3940824 5'
8347	21316	34730	0.54	2.0E-10	P26809	SWISSPROT	POL POLYPROTEIN [CONTAINS: PROTEASE; PROTEASE: REVERSE TRANSCRIPTASE; RIBONUCLEASE H]
8347	21316	34731	0.54	2.0E-10	P26809	SWISSPROT	POL POLYPROTEIN [CONTAINS: PROTEASE; PROTEASE: REVERSE TRANSCRIPTASE; RIBONUCLEASE H]
9657	22600		0.85	2.0E-10	BF434565.1	EST_HUMAN	7c78d08.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:3642303 3' similar to contains L1.13 L1 repetitive element;
1509	14542		2.94	1.0E-10	AW867767.1	EST_HUMAN	MRO-SN0038-290300-001-101 SN0038 Homo sapiens cDNA
1611	14643	27619	3.27	1.0E-10	AV652123.1	EST_HUMAN	AV652123 GLC Homo sapiens cDNA clone GLCXA11 3'
2586	15587		1.92	1.0E-10	AW852001.1	EST_HUMAN	QV0-CT0225-191199-058-e08 CT0225 Homo sapiens cDNA
3511	16557	29481	0.64	1.0E-10	AW832912.1	EST_HUMAN	QV2-TT0003-161199-013-910 TT0003 Homo sapiens cDNA
3550	16596		0.81	1.0E-10	AL041685.1	EST_HUMAN	DKFZp434N1317_1 434 (synonym: htes3) Homo sapiens cDNA clone DKFZp434N1317 5'
3858	16596		0.94	1.0E-10	AL041685.1	EST_HUMAN	DKFZp434N1317_1 434 (synonym: htes3) Homo sapiens cDNA clone DKFZp434N1317 5'
4043	17081		6.46	1.0E-10	AF213884.1	NT	Homo sapiens nuclear factor of kappa light polypeptide gene enhancer in B-cells 1 (NFKB1) gene, complete cds
4154	17185	30072	5.55	1.0E-10	U52111.2	NT	Homo sapiens X28 region near ALD locus containing dual specificity phosphatase 9 (DUSP9), ribosomal protein L18a (RPL18a), Ca2+/Calmodulin-dependent protein kinase I (CAMKI), creatine transporter (CRTR), CDM protein (CDM), adrenoleukodystrophy protein >
4154	17185	30073	5.55	1.0E-10	U52111.2	NT	Homo sapiens X28 region near ALD locus containing dual specificity phosphatase 9 (DUSP9), ribosomal protein L18a (RPL18a), Ca2+/Calmodulin-dependent protein kinase I (CAMKI), creatine transporter (CRTR), CDM protein (CDM), adrenoleukodystrophy protein >
4160	17191	30080	2.48	1.0E-10	AB031069.1	NT	Homo sapiens POCX1 mRNA for protein containing CXXC domain 1, complete cds

Page 223 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4199	17230		2.63	1.0E-10	M30629.1	NT	Human pregnancy-specific glycoprotein beta-1 (SP1) mRNA, last exon
5212	18221		0.92	1.0E-10	A1797745.1	EST_HUMAN	we82f04.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2347616 3' similar to contains
6876	18928	33226	0.61	1.0E-10	AA631233.1	EST_HUMAN	MER31.11 MER31 repetitive element;
6891	20214	33543	0.49	1.0E-10	AF003528.1	NT	nc81a05.s1 NCI_CGAP_Cc8 Homo sapiens cDNA clone IMAGE:1168704 3'
7716	20673		0.96	1.0E-10	P08548	SWISSPROT	Homo sapiens X-linked anhidrotic ectodermal dysplasia protein gene (EDA), exon 2 and flanking repeat regions
7947	20888	34279	0.63	1.0E-10	AU128584.1	EST_HUMAN	LINE-1 REVERSE TRANSCRIPTASE HOMOLOG
8382	21550	34968	1.11	1.0E-10	AW408990.1	EST_HUMAN	AU128584 NT2RP2 Homo sapiens cDNA clone NT2RP2003761 5'
9002	21968		1.1	1.0E-10	A1268340.1	EST_HUMAN	fb_6A4 Fetal brain library Homo sapiens cDNA
10582	23484		3.95	1.0E-10	AA081868.1	EST_HUMAN	qm04e10.x1 NCI_CGAP_Lu6 Homo sapiens cDNA clone IMAGE:1880874 3' similar to contains L1.t1 L1 repetitive element;
11259	24211	37734	3.25	1.0E-10	A1038280.1	EST_HUMAN	zn23g06.r1 Stratagene neuroepithelium NT2RAM1 937234 Homo sapiens cDNA clone IMAGE:548314 5'
12166	18354		2.46	1.0E-10	X87344.1	NT	oy65h03.x1 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:1672861 3'
281	13357	28282	0.98	9.0E-11	BE145600.1	EST_HUMAN	H. sapiens DMA, DMB, HLA-Z1, IPP2, LMP2, TAP1, LMP7, TAP2, DOB, DQB2 and RING8, 9, 13 and 14 genes
2114	15131	28151	6.21	9.0E-11	AL134395.1	EST_HUMAN	IL2-HT0203-291089-016-c08 HT0203 Homo sapiens cDNA
2114	15131	28152	6.21	9.0E-11	AL134395.1	EST_HUMAN	DKFZp547D225_r1 547 (synonym: hfb1) Homo sapiens cDNA clone DKFZp547D225 5'
3394	16443	28370	2.6	9.0E-11	AL134395.1	EST_HUMAN	DKFZp547D225_r1 547 (synonym: hfb1) Homo sapiens cDNA clone DKFZp547D225 5'
3394	16443	28371	2.6	9.0E-11	AL134395.1	EST_HUMAN	DKFZp547D225_r1 547 (synonym: hfb1) Homo sapiens cDNA clone DKFZp547D225 5'
4528	17552	30440	0.72	9.0E-11	AA775985.1	EST_HUMAN	ae78f01.s1 Stratagene schizo brain S11 Homo sapiens cDNA clone IMAGE:970287 3'
5654	18750		3.89	9.0E-11	BE079780.1	EST_HUMAN	RC6-BT0627-140200-011-E06 BT0627 Homo sapiens cDNA
10514	23436	36934	1.22	9.0E-11	AA324960.1	EST_HUMAN	EST27872 Cerebellum II Homo sapiens cDNA 5' end
10514	23436	36935	1.22	9.0E-11	AA324960.1	EST_HUMAN	EST27872 Cerebellum II Homo sapiens cDNA 5' end
12546	25286	31809	4.59	9.0E-11	C16633.1	EST_HUMAN	C16633 Clontech human aorta polyA+ mRNA (#6572) Homo sapiens cDNA clone GEN-608B08 5'
3133	16190		8.85	8.0E-11	H19971.1	EST_HUMAN	yn5311.1.s1 Soares adult brain N2b5fHB55Y Homo sapiens cDNA clone IMAGE:172173 3' similar to contains L1 repetitive element;
4073	17109	30003	4.35	8.0E-11	N23712.1	EST_HUMAN	L1 repetitive element;
5890	18978	32170	0.65	8.0E-11	AW674316.1	EST_HUMAN	ww46e06.s1 Wellmann Olfactory Epithelium Homo sapiens cDNA clone IMAGE:265298 3'
6829	19883		0.65	8.0E-11	AW166168.1	EST_HUMAN	ba60g04.x1 NIH_MGC_10 Homo sapiens cDNA clone IMAGE:2900882 3'
1442	14475	27452	1.87	7.0E-11	AA330842.1	EST_HUMAN	x45h11.x1 NCI_CGAP_Brn50 Homo sapiens cDNA clone IMAGE:2821061 3' similar to contains MER10.11
			0.65	8.0E-11	AW166168.1	EST_HUMAN	MER10 repetitive element;
			1.87	7.0E-11	AA330842.1	EST_HUMAN	EST34392 Embryo, 6 week I Homo sapiens cDNA 5' end

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3885	16925	29834	1.11	7.0E-11	AJ277546.2	NT	Homo sapiens WEE1 gene for protein kinase and partial ZNF143 gene for zinc finger transcription factor
8843	21810	35228	2.79	7.0E-11	AF163864.1	NT	Homo sapiens SNCA isoform (SNCA) gene, complete cds, alternatively spliced
10580	23512		1.19	7.0E-11	P11389	SWISSPROT	RETROVIRUS-RELATED POLYPROTEIN [CONTAINS: REVERSE TRANSCRIPTASE ; ENDONUCLEASE]
412	13485	26421	6.97	6.0E-11	M55270.1	NT	Human matrix Gla protein (MGP) gene, complete cds
412	13485	26422	6.97	6.0E-11	M55270.1	NT	Human matrix Gla protein (MGP) gene, complete cds
6884	19936	33232	0.88	6.0E-11	L44140.1	NT	Homo sapiens chromosome X region from filamin (FLN) gene to glucose-6-phosphate dehydrogenase (G6PD) gene, complete cds
7957	20898	34291	3.22	6.0E-11	P08547	SWISSPROT	LINE-1 REVERSE TRANSCRIPTASE HOMOLOG
8707	21675	35100	7.37	6.0E-11	AV727859.1	EST_HUMAN	AV727859 HTC Homo sapiens cDNA clone HTcASC06 5'
9668	22621	36072	0.42	6.0E-11	BE063509.1	EST_HUMAN	CN10-BT0281-031199-087-a03 BT0281 Homo sapiens cDNA
12	13132	26030	0.75	5.0E-11	AL163283.2	NT	Homo sapiens chromosome 21 segment HS21C083
3377	13132	26030	1.31	5.0E-11	AL163283.2	NT	Homo sapiens chromosome 21 segment HS21C083
4256	17285	30187	1.51	5.0E-11	P48034	SWISSPROT	ALDEHYDE OXIDASE
6665	19722	32997	1.91	5.0E-11	AL163213.2	NT	Homo sapiens chromosome 21 segment HS21C013
7774	20727	34099	11.91	5.0E-11	11416799	NT	Homo sapiens protocadherin beta 3 (PCDH3), mRNA
1401	14434		1.68	4.0E-11	AA436042.1	EST_HUMAN	zu01b12.11 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:730559 5'
2802	15764	28812	7.63	4.0E-11	BE885900.1	EST_HUMAN	601507531F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3909295 5'
2981	16039	28962	0.92	4.0E-11	AL163247.2	NT	Homo sapiens chromosome 21 segment HS21C047
4649	17670	30557	1.24	4.0E-11	D44686.1	EST_HUMAN	HUMSUPY069 Human brain cDNA Homo sapiens cDNA clone 069
6621	19679	32957	3.27	4.0E-11	P20095	SWISSPROT	PRE-MRNA SPLICING FACTOR RNA HELICASE PRP2
7197	20221	33552	0.54	4.0E-11	AA442630.1	EST_HUMAN	zv69f10.1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:757963 5' similar to TR.G1055250
7600	20561		3.97	4.0E-11	AF224669.1	NT	G1055250 PHEROMONE RECEPTOR VN4 ;
9750	22691		1.68	4.0E-11	BE149425.1	EST_HUMAN	Homo sapiens mannosidase, beta A, lysosomal (MANBA) gene, and ubiquitin-conjugating enzyme E2D 3 (UBE2D3) genes, complete cds
10020	22947	36415	0.86	4.0E-11	AI609753.1	EST_HUMAN	RC1-HT0256-210100-013-008 HT0256 Homo sapiens cDNA
12736	25388	31752	1.56	4.0E-11	11545732	NT	tf82g12.x1 NCI_CGAP_Bm23 Homo sapiens cDNA clone IMAGE:2105830 3' similar to WP.ZK353.1
1488	14521	27494	2.55	3.0E-11	6679077	NT	CE00385 ;
4305	17334		1.37	3.0E-11	AA309248.1	EST_HUMAN	Homo sapiens SH3-domain binding protein 1 (SH3BP1), mRNA
							Mus musculus expressed in non-melastatic cells 2, protein (NM23B) (Nme2), mRNA
							EST180120 Liver, hepatocellular carcinoma Homo sapiens cDNA 5' end
							q36c04.x1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1752102 3' similar to contains MER10.13
961	14014	26967	1.48	2.0E-11	AI150502.1	EST_HUMAN	MER10 repetitive element ;

Page 225 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1189	14229	27186	4.48	2.0E-11	R24807.1	EST_HUMAN	y943e12.1 Soares Infant brain 1N1B Homo sapiens cDNA clone IMAGE:35144 5'
1189	14229	27187	4.48	2.0E-11	R24807.1	EST_HUMAN	y943e12.1 Soares Infant brain 1N1B Homo sapiens cDNA clone IMAGE:35144 5'
1617	14849	27624	5.86	2.0E-11	L17432.1	NT	Gallus gallus rho-globin, beta-H globin, epsilon-globin, and epsilon receptor-like protein COR3beta (COR3beta) genes, complete cds
1617	14849	27625	5.86	2.0E-11	L17432.1	NT	Gallus gallus rho-globin, beta-H globin, beta-A globin, epsilon-globin, and epsilon receptor-like protein COR3beta (COR3beta) genes, complete cds
1920	14853	27629	1.25	2.0E-11	A126371.1	EST_HUMAN	qc51c10.x1 Soares_pregnant_uterus_NbHPU Homo sapiens cDNA clone IMAGE:1713138 3' similar to gbl:02832 PEROXISOME PROLIFERATOR ACTIVATED RECEPTOR ALPHA (HUMAN); contains L1.11 L1 repetitive element:
2776	15787	28787	1.04	2.0E-11	AF087913.1	NT	Human endogenous retrovirus HERV-P-T47D
3211	16266	29189	8.7	2.0E-11	P10263	SW/ISSPROT	RETROVIRUS-RELATED GAG POLYPROTEIN (VERSION 1)
3337	16388	29309	1	2.0E-11	A1478817.1	EST_HUMAN	hm54609.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2161836 3'
3375	16425	29350	0.71	2.0E-11	Q10473	SW/ISSPROT	POLYPEPTIDE N-ACETYL GALACTOSAMINYLTRANSFERASE (PROTEIN-JUDP ACETYL GALACTOSAMINYLTRANSFERASE) (UDP-GALNAc:POLYPEPTIDE, N- ACETYL GALACTOSAMINYLTRANSFERASE) (GALNAc-T1)
3508	16554		1.09	2.0E-11	AF020503.1	NT	Homo sapiens FRA3B common fragile region, diadenosine triphosphate hydrolase (FHIT) gene, exon 5
4472	17498		1.24	2.0E-11	BE065537.1	EST_HUMAN	RC3-BT0316-170200-014-a05 BT0316 Homo sapiens cDNA
4636	17657		0.96	2.0E-11	AL163227.2	NT	Homo sapiens chromosome 21 segment HS21C027
4973	17988		2.36	2.0E-11	BE062558.1	EST_HUMAN	QV2-BT0258-261099-014-a01 BT0258 Homo sapiens cDNA
6268	19331	32562	1	2.0E-11	AW877806.1	EST_HUMAN	QV2-P10073-280300-109-H08 PT0073 Homo sapiens cDNA
6443	19508	32758	1.71	2.0E-11	AA581028.1	EST_HUMAN	nc83h05.1 NCI_CGAP_GC1 Homo sapiens cDNA clone IMAGE:797433 5' similar to SW:PR16_YEAST P15938 PRE-MRNA SPlicing FACTOR RNA HELICASE PRP16.:
7401	20369	33722	0.82	2.0E-11	BF592945.1	EST_HUMAN	797g03.x1 NCI_CGAP_GC8 Homo sapiens cDNA clone IMAGE:3442865 3'
8214	21183		0.51	2.0E-11	P37072	SW/ISSPROT	OLFACTORY RECEPTOR-LIKE PROTEIN COR6
8578	22540		1.31	2.0E-11	AF029308.1	NT	Homo sapiens chromosome 9 duplication of the T cell receptor beta locus and trypsinogen gene families
10847	23569	37065	4.42	2.0E-11	Q13606	SW/ISSPROT	OLFACTORY RECEPTOR 511 (OLFACTORY RECEPTOR-LIKE PROTEIN OLF1)
10882	23802	37305	0.85	2.0E-11	AW885874.1	EST_HUMAN	RC4-OT0072-170400-013-c11 OT0072 Homo sapiens cDNA
10882	23802	37308	0.85	2.0E-11	AW885874.1	EST_HUMAN	RC4-OT0072-170400-013-c11 OT0072 Homo sapiens cDNA
11448	24391	37935	1.54	2.0E-11	AA035369.1	EST_HUMAN	z427g02.s1 Soares_pregnant_uterus_NbHPU Homo sapiens cDNA clone IMAGE:471794 3'
11448	24391	37936	1.54	2.0E-11	AA035369.1	EST_HUMAN	z427g02.s1 Soares_pregnant_uterus_NbHPU Homo sapiens cDNA clone IMAGE:471794 3'
11477	24420	37969	2.14	2.0E-11	AA281956.1	EST_HUMAN	zs18b04.1 NCI_CGAP_GC81 Homo sapiens cDNA clone IMAGE:985519 5'
12326	25128		4.12	2.0E-11	AW842143.1	EST_HUMAN	RC0-CN0027-210100-011-c01 CN0027 Homo sapiens cDNA

Page 226 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
12354	25148	31854	2.14	2.0E-11	BF377859.1	EST_HUMAN	CM2-TN0140-070900-372-g01 TN0140 Homo sapiens cDNA
12617	25313		1.49	2.0E-11	D28217.2	NT	Homo sapiens mRNA for KIAA0027 protein, partial cds
12754	25399		1.68	2.0E-11	P08647	SWISSPROT	LINE-1 REVERSE TRANSCRIPTASE HOMOLOG
13070	25604		3.68	2.0E-11	11417986	NT	Homo sapiens SEC14 (S. cerevisiae)-like 2 (SEC14L2), mRNA
677	13740	26687	0.83	1.0E-11	AJ131016.1	NT	Homo sapiens SCL gene locus
784	13844	26789	1.99	1.0E-11	AL163209.2	NT	Homo sapiens chromosome 21 segment HS21C009
1221	14259	27216	4.66	1.0E-11	AL163279.2	NT	Homo sapiens chromosome 21 segment HS21C079
1498	14531		2.95	1.0E-11	AF118914.1	NT	Homo sapiens PRO3078 mRNA, complete cds
2053	15072	28091	1.41	1.0E-11	P16258	SWISSPROT	OXYSTEROL-BINDING PROTEIN
2136	15153	28168	3.18	1.0E-11	AF000573.1	NT	Homo sapiens homogenisate 1,2-dioxygenase gene, complete cds
2170	15186	28207	1.15	1.0E-11	AA309318.1	EST_HUMAN	EST180186 Liver, hepatocellular carcinoma Homo sapiens cDNA 5' and similar to EST containing Alu repeat
3510	16556	29480	0.8	1.0E-11	BE004315.1	EST_HUMAN	CM0-BN0105-170300-292-r12 BN0105 Homo sapiens cDNA
4960	17975	30866	1.01	1.0E-11	AI168625.1	EST_HUMAN	α65h06.s1 Soares_NhlMPu_S1 Homo sapiens cDNA clone IMAGE:1661243 3'
5405	18508	31385	14.43	1.0E-11	AL163247.2	NT	Homo sapiens chromosome 21 segment HS21C047
5931	19017	32212	0.77	1.0E-11	BF222646.1	EST_HUMAN	7p57d01.x1 NCL_CGAP_P128 Homo sapiens cDNA clone IMAGE:3649945 3' similar to contains MER10.b3
8112	21049		0.51	1.0E-11	AB042297.1	NT	MER10 repetitive element;
8543	21511	34928	3.36	1.0E-11	4886546	NT	Homo sapiens PTS gene for 6-pyruvoyltetrahydropterin synthase, complete cds
8928	21894	35322	4.18	1.0E-11	R13174.1	EST_HUMAN	Homo sapiens PHD finger protein 2 (PHF2) mRNA
9403	22388	35801	1.18	1.0E-11	BF365119.1	EST_HUMAN	y73d08.r1 Soares infant brain 1N1B Homo sapiens cDNA clone IMAGE:28166 5'
9403	22388	35802	1.18	1.0E-11	BF365119.1	EST_HUMAN	QV4-NN1149-250900-423-a03 NN1149 Homo sapiens cDNA
11619	24557	38120	1.48	1.0E-11	BF680078.1	EST_HUMAN	QV4-NN1149-250900-423-a03 NN1149 Homo sapiens cDNA
2963	16021	28946	0.82	9.0E-12	P20742	SWISSPROT	602164807F1 NIH MGC_83 Homo sapiens cDNA clone IMAGE:4285977 5'
10157	23082	36558	1.02	9.0E-12	AL163300.2	NT	PREGNANCY ZONE PROTEIN PRECURSOR
10157	23082	36559	1.02	9.0E-12	AL163300.2	NT	Homo sapiens chromosome 21 segment HS21C100
12075	24947	38542	2.85	9.0E-12	AL046939.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C100
9693	22846		0.92	8.0E-12	BE074720.1	EST_HUMAN	DKFZp56610417.1 586 (synonym: hute1) Homo sapiens cDNA clone DKFZp56610417 5'
12407	25180		3.22	8.0E-12	AJ271736.1	NT	IL5-BT0578-130300-036-G12 BT0578 Homo sapiens cDNA
4690	17711	30605	1.46	7.0E-12	Q05904	SWISSPROT	Homo sapiens Xai pseudautosomal region; segment 2/2
11677	24643	38220	7.41	7.0E-12	AA704735.1	EST_HUMAN	34 KD SPICULE MATRIX PROTEIN PRECURSOR (LSM34)
3558	16604		0.95	6.0E-12	AV730554.1	EST_HUMAN	z23g01.s1 Soares_fetal_liver_spleen_TNFLS_S1 Homo sapiens cDNA clone IMAGE:451162 3'
4375	17403	30283	9.29	6.0E-12	AA732516.1	EST_HUMAN	AV730554 HTF Homo sapiens cDNA clone HTFAWF06 5'
							m28f11.s1 NCL_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:1302573 3' similar to contains Alu repetitive element;

Page 227 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6528	19591	32851	0.65	6.0E-12	AF020503.1	NT	Homo sapiens FRA3B common fragile region, diadenosine triphosphate hydrolase (FHLT) gene, exon 5
9347	22312	35736	0.98	6.0E-12	AF003249.1	NT	Mouse saxatilis myosin heavy chain FM3A (FM3A) mRNA, complete cds
9829	22678		1.66	6.0E-12	AA847898.1	EST_HUMAN	cd10g11.s1 NCL_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:1367588 similar to contains MER28.12
1044	14090	27043	3.57	6.0E-12	T06573.1	EST_HUMAN	MER29 repetitive element;
3401	16450	29376	1.17	5.0E-12	BE047778.1	EST_HUMAN	EST04462 Fetal brain, Striatum (cat#936206) Homo sapiens cDNA clone IMAGE:2281217 5'
3740	19782	29694	6.8	5.0E-12	AJ271736.1	NT	Homo sapiens Xq pseudautosomal region; segment 2/2
6137	19214	32441	4.99	5.0E-12	AL163278.2	NT	Homo sapiens chromosome 21 segment HS21C078
6137	19214	32442	4.99	5.0E-12	AL163278.2	NT	Homo sapiens chromosome 21 segment HS21C078
6639	19697	32973	9.52	5.0E-12	AW974760.1	EST_HUMAN	EST386850 IMAGE resequences, MAGN Homo sapiens cDNA
7232	19977	33274	1	5.0E-12	AL040739.1	EST_HUMAN	DKFZp434B1615.s1 434 (synonym: hies3) Homo sapiens cDNA clone DKFZp434B1615 3'
7242	19977	33274	1.03	5.0E-12	AL040739.1	EST_HUMAN	DKFZp434B1615.s1 434 (synonym: hies3) Homo sapiens cDNA clone DKFZp434B1615 3'
8571	21539	34960	1.14	5.0E-12	AA033745.1	EST_HUMAN	z01g12.s1 Scores_fetal_heart_NbHH19W Homo sapiens cDNA clone IMAGE:375718 3' similar to contains L1.13 L1 repetitive element;
9015	21981		0.7	5.0E-12	AW887037.1	EST_HUMAN	RC1-OT0086-220300-011-b07 OT0086 Homo sapiens cDNA
9346	22311		0.54	5.0E-12	AL079581.1	EST_HUMAN	DKFZp434J0426_r1 434 (synonym: hies3) Homo sapiens cDNA clone DKFZp434J0426 5'
9464	22428	35887	2.78	5.0E-12	AJ271735.1	NT	Homo sapiens Xq pseudautosomal region; segment 1/2
9778	22719	36173	1.38	5.0E-12	P34982	SWISSPROT	OLFACTORY RECEPTOR 1D2 (OLFACTORY RECEPTOR-LIKE PROTEIN HGMPO7E) (OLFACTORY RECEPTOR 17-4) (OR17-4)
10638	23560		4.14	5.0E-12	AL163303.2	NT	Homo sapiens chromosome 21 segment HS21C103
10729	23851	37144	0.81	5.0E-12	AL163302.2	NT	Homo sapiens chromosome 21 segment HS21C102
244	13342	26267	4.17	4.0E-12	AA700326.1	EST_HUMAN	z74g11.s1 Scores_fetal_liver_spleen_INFLS_S1 Homo sapiens cDNA clone IMAGE:460676 3'
245	13342	26267	5.51	4.0E-12	AA700326.1	EST_HUMAN	z74g11.s1 Scores_fetal_liver_spleen_INFLS_S1 Homo sapiens cDNA clone IMAGE:460676 3'
4650	17671	30658	0.74	4.0E-12	AI699984.1	EST_HUMAN	b26h05.x1 NCL_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:2270745 3' similar to TR:Q13539 Q13539 MARINER TRANSPOSASE.;
7881	20826		0.72	4.0E-12	BF445140.1	EST_HUMAN	rad21b03.x1 NCL_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3366077 3' similar to contains MER7.b2
8595	21553		2.92	4.0E-12	AF109907.1	NT	MER7 repetitive element;
9035	22001	35422	0.75	4.0E-12	AB042815.1	NT	Homo sapiens S164 gene, partial cds; P51 and hypothetical protein genes, complete cds; and S171 gene, partial cds
11410	24363	37898	3.26	4.0E-12	AJ22043.1	NT	Bos taurus Mch2 mRNA for mitochondrial carrier homolog 2, complete cds
12668	25338		2.82	4.0E-12	U78027.1	NT	Homo sapiens 959 kb contig between AML1 and CBR1 on chromosome 21q22, segment 3/3 Homo sapiens Bruton's tyrosine kinase (BTK), alpha-D-galactosidase A (GLA), L44-like ribosomal protein (L44L) and FTP3 (FTP3) genes, complete cds

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
123	13231	26159	2.83	1.0E-12	AW627674.1	EST_HUMAN	h90a09.x1 NCL_CGAP_GU1 Homo sapiens cDNA clone IMAGE:2870040 3' similar to contains MER18.11
							MER18 repetitive element;
							wm5107.x1 NCL_CGAP_U12 Homo sapiens cDNA clone IMAGE:2439493 3' similar to contains L1.b3 L1
							repetitive element;
2004	15025		1.46	1.0E-12	A1871726.1	EST_HUMAN	Homo sapiens testis-specific Testis Transcript Y 2 (TTY2) mRNA, partial cds
3085	16142	29053	0.78	1.0E-12	AF000981.1	NT	Homo sapiens testis-specific Testis Transcript Y 2 (TTY2) mRNA, partial cds
3085	16142	29054	0.78	1.0E-12	AF000981.1	NT	Homo sapiens testis-specific Testis Transcript Y 2 (TTY2) mRNA, partial cds
3888	16928	29836	31.6	1.0E-12	AU132248.1	EST_HUMAN	AU132248 NT2RP3 Homo sapiens cDNA clone NT2RP3004070 5'
3888	16928	29837	31.6	1.0E-12	AU132248.1	EST_HUMAN	AU132248 NT2RP3 Homo sapiens cDNA clone NT2RP3004070 5'
6078	18158		2.05	1.0E-12	U82828.1	NT	Homo sapiens ataxia telangiectasia (ATM) gene, complete cds
6159	19234		1.65	1.0E-12	Q972G7	SWISSPROT	HYPOTHETICAL ZINC FINGER PROTEIN KIAA0961
6277	19349	32592	0.57	1.0E-12	BF642800.1	EST_HUMAN	EST00008 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1847869 5'
6277	19349	32593	0.57	1.0E-12	BF642800.1	EST_HUMAN	EST00008 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1847869 5'
							Mus musculus WNT-2 gene, partial cds; putative ankyrin-related protein and cystic fibrosis transmembrane conductance regulator (CFTR) genes, section 1 of 2 of the complete cds; and unknown gene
6882	19739	33014	0.78	1.0E-12	AF229843.1	NT	Homo sapiens putative BPES syndrome breakpoint region protein gene, complete cds
7323	20294	33637	1.9	1.0E-12	AF198864.1	NT	Homo sapiens putative BPES syndrome breakpoint region protein gene, complete cds
							qh6a04.x1 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:1849614 3' similar to gbM19503 LINE-1 REVERSE TRANSCRIPTASE HOMOLOG (HUMAN); contains MER10.11 MER10
7357	20327	33676	11.35	1.0E-12	A1248533.1	EST_HUMAN	repetitive element;
							qh6a04.x1 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:1849614 3' similar to gbM19503 LINE-1 REVERSE TRANSCRIPTASE HOMOLOG (HUMAN); contains MER10.11 MER10
7357	20327	33676	11.35	1.0E-12	A1248533.1	EST_HUMAN	repetitive element;
							Human germline T-cell receptor beta chain Dopamine-beta-hydroxylase-like, TRY1, TRY2, TRY3, TCRBV27S1P, TCRBV22S1A2N1T, TCRBV9S1A1T, TCRBV7S1A1N2T, TCRBV5S1A1T, TCRBV13S3, TCRBV6S7P, TCRBV7S3A2T, TCRBV13S2A1T, TCRBV9S2A2PT, TCRBV7S2A1N4T, TCRBV13S9A13S>
8834	21801	35220	0.48	1.0E-12	U66059.1	NT	ac26a05.s1 Striatogene ovary (#837217) Homo sapiens cDNA clone IMAGE:857577 3'
9053	22019	35444	1.16	1.0E-12	AA792323.1	EST_HUMAN	EST374237 MAGG Homo sapiens cDNA
12213	25052	38626	2.92	1.0E-12	AW962164.1	EST_HUMAN	EST374237 MAGG Homo sapiens cDNA
12434	25200		2.54	1.0E-12	A1738592.1	EST_HUMAN	w133h08.x1 NCL_CGAP_Co16 Homo sapiens cDNA clone IMAGE:2392095 3'
12582	25881		2.51	1.0E-12	AL163268.2	NT	Homo sapiens chromosome 21 segment HS21C088
							xb6107.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2580805 3' similar to contains MER28.13 MER28 repetitive element;
1054	14100	27050	0.7	9.0E-13	AV082714.1	EST_HUMAN	Homo sapiens Xq pseudobulbosomal region; segment 1/2
3643	16886		1.01	9.0E-13	A1271735.1	NT	Homo sapiens CST gene for cerebroside sulfotransferase, exon 1, 2, 3, 4, 5
3967	17007	29923	0.86	9.0E-13	AB029900.1	NT	Homo sapiens CST gene for cerebroside sulfotransferase, exon 1, 2, 3, 4, 5

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
618	13683	26600	3.06	3.0E-12	AW341683.1	EST_HUMAN	hd13d01.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2809377 3' similar to TR:O14517 O14517 SMRP.;
618	13683	26601	3.06	3.0E-12	AW341683.1	EST_HUMAN	hd13d01.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2809377 3' similar to TR:O14517 O14517 SMRP.;
5211	18220	31098	0.73	3.0E-12	AL163288.2	NT	Homo sapiens chromosome 21 segment HS21C088
5527	18626	31962	0.96	3.0E-12	AF111168.2	NT	Homo sapiens serine palmitoyl transferase, subunit II gene, complete cds; and unknown genes
7659	20619		0.54	3.0E-12	AB042297.1	NT	Homo sapiens PTS gene for 6-pyruvoyltetrahydropterin synthase, complete cds
8030	20967		0.55	3.0E-12	AW854328.1	EST_HUMAN	RC3-CT0255-031099-011-h02 CT0255 Homo sapiens cDNA
8718	21688	35114	0.48	3.0E-12	O35453	SWISSPROT	SERINE PROTEASE HEPSIN
9462	22426	35864	0.54	3.0E-12	O35453	SWISSPROT	SERINE PROTEASE HEPSIN
11016	23981	37507	2.71	3.0E-12	U37672.1	NT	Human prostate specific antigen gene, 5' flanking region
11016	23981	37508	2.71	3.0E-12	U37672.1	NT	Human prostate specific antigen gene, 5' flanking region
1661	14693	27668	2.41	2.0E-12	AW802131.1	EST_HUMAN	IL6-UM0071-120400-065-a05 UM0071 Homo sapiens cDNA
3480	16526	29451	0.85	2.0E-12	6754495	NT	Mus musculus keratin-associated protein 6.2 (Krtap6-2), mRNA
4141	17172	30060	1.09	2.0E-12	J01884.1	NT	Rat USA small nuclear RNA
4141	17172	30061	1.09	2.0E-12	J01884.1	NT	Rat USA small nuclear RNA
4451	17477		1.97	2.0E-12	BE063609.1	EST_HUMAN	CM0-BT0281-031199-087-a03 BT0281 Homo sapiens cDNA
5321	18427	31177	0.71	2.0E-12	P11369	SWISSPROT	RETROVIRUS-RELATED POLYPROTEIN [CONTAINS: REVERSE TRANSCRIPTASE ; ENDONUCLEASE]
6622	19680		1.83	2.0E-12	AW971857.1	EST_HUMAN	EST383946 IMAGE sequences, MAGL Homo sapiens cDNA
7381	20351	33702	3.22	2.0E-12	T08169.1	EST_HUMAN	EST06060 Infant Brain, Berto Soares Homo sapiens cDNA clone HIBBA13 5' end
7567	20530	33889	1.18	2.0E-12	BE173035.1	EST_HUMAN	MR0-HT0559-200400-015-a08 HT0559 Homo sapiens cDNA
7778	20731		0.57	2.0E-12	AW842798.1	EST_HUMAN	MR2-CN0037-210200-101-b02 CN0037 Homo sapiens cDNA
7922	20885	34253	2.1	2.0E-12	11422223	NT	Homo sapiens A2-like transposable element (ALTE), mRNA
9077	22043	35466	0.43	2.0E-12	Q10473	SWISSPROT	POLYPEPTIDE N-ACETYLGLACTOSAMINYLTRANSFERASE (PROTEIN-UDP ACETYLGLACTOSAMINYLTRANSFERASE) (UDP-GALNAC:POLYPEPTIDE, N- ACETYLGLACTOSAMINYLTRANSFERASE) (GALNAC-T1)
9863	22820		1.65	2.0E-12	AF198864.1	NT	Homo sapiens putative BPES syndrome breakpoint region, protein gene, complete cds
10346	23299		14.41	2.0E-12	BE165980.1	EST_HUMAN	MR3-HT0487-150200-113-g01 HT0487 Homo sapiens cDNA
10881	23801	37304	0.8	2.0E-12	A1334130.1	EST_HUMAN	qq07f02.x1 Soares_NhHMPu_S1 Homo sapiens cDNA clone IMAGE:1631835 3' similar to TR:Q13538 Q13538 ORF2: FUNCTION UNKNOWN.;
12308	25116		3.11	2.0E-12	AL163283.2	NT	Homo sapiens chromosome 21 segment HS21C089
12511	25245		1.69	2.0E-12	11418248	NT	Homo sapiens sulfotransferase-related protein (SULTX3), mRNA

Page 230 of 546
Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
9960	22867		2.59	9.0E-13	N96653.1	EST_HUMAN	z226506.s1 Soares fetal liver spleen 1NFSL Homo sapiens cDNA clone IMAGE:293651 3'
718	13780	26714	6.78	8.0E-13	U29185.1	NT	Homo sapiens prion protein (PrP) gene, complete cds
718	13780	26715	6.78	8.0E-13	U29185.1	NT	Homo sapiens prion protein (PrP) gene, complete cds
1855	14881	27877	3.1	8.0E-13	U80017.1	NT	Homo sapiens basic transcription factor 2 p44 (btf2p44) gene, partial cds, neuronal apoptosis inhibitory protein (naip) and survival motor neuron protein (smn) genes, complete cds
8449	21418	34831	0.75	8.0E-13	A1884398.1	EST_HUMAN	wm31h09.x1 NCI_CGAP_U14 Homo sapiens cDNA clone IMAGE:2437601 3'
8449	21418	34832	0.75	8.0E-13	A1884398.1	EST_HUMAN	wm31h09.x1 NCI_CGAP_U14 Homo sapiens cDNA clone IMAGE:2437601 3'
10505	23427		4	8.0E-13	U78027.1	NT	Homo sapiens Bruton's tyrosine kinase (BTK), alpha-D-galactosidase A (GLA), L44-like ribosomal protein (L44L) and FTP3 (FTP3) genes, complete cds
8127	21064	34462	0.58	7.0E-13	A1884398.1	EST_HUMAN	wm31h09.x1 NCI_CGAP_U14 Homo sapiens cDNA clone IMAGE:2437601 3'
8127	21064	34463	0.58	7.0E-13	A1884398.1	EST_HUMAN	wm31h09.x1 NCI_CGAP_U14 Homo sapiens cDNA clone IMAGE:2437601 3'
8576	21544		0.49	7.0E-13	Q95155	SWISSPROT	OLFACTORY RECEPTOR-LIKE PROTEIN OLF2
12682	25350		5.56	7.0E-13	BE78223.1	EST_HUMAN	601463285F1 NIH_MGC_67 Homo sapiens cDNA clone IMAGE:3866613 5'
2111	15128	28148	3.56	6.0E-13	AL163207.2	NT	Homo sapiens chromosome 21 segment HS21C007
3333	16384		0.74	5.0E-13	R78338.1	EST_HUMAN	y82f04.r1 Soares placenta Nb2HP Homo sapiens cDNA clone IMAGE:728350 3' similar to contains Alu repetitive element
3408	16457		1.35	5.0E-13	AA435773.1	EST_HUMAN	repetitive element contains element MER22 repetitive element
7060	20082	33360	0.7	5.0E-13	P08983	SWISSPROT	GAP JUNCTION BETA-1 PROTEIN (CONNEXIN 30) (CX30)
11209	24163	37693	2.07	5.0E-13	P07313	SWISSPROT	MYOSIN LIGHT CHAIN KINASE, SKELETAL MUSCLE (MLCK)
1883	14908		6.02	4.0E-13	AW378614.1	EST_HUMAN	PM2-HT0224-221099-001-e11 HT0224 Homo sapiens cDNA
2467	15471		2.44	4.0E-13	AF003529.1	NT	Homo sapiens glypican 3 (GPC3) gene, partial cds and flanking repeat regions
4778	17798		0.99	4.0E-13	AA454054.1	EST_HUMAN	zx48d07.r1 Soares testis_NHT Homo sapiens cDNA clone IMAGE:795469 5'
5967	18762	31931	4.36	4.0E-13	BE169131.1	EST_HUMAN	PM3-HT0520-230200-002-c08 HT0520 Homo sapiens cDNA
7413	20380	33731	1.05	4.0E-13	AB037760.1	NT	Homo sapiens mRNA for KIAA1329 protein, partial cds
7870	20814	34192	0.98	4.0E-13	AA431529.1	EST_HUMAN	zw76g12.r1 Soares testis_NHT Homo sapiens cDNA clone IMAGE:782182 5' similar to TR:G452763
7986	20928		1.47	4.0E-13	N44291.1	EST_HUMAN	G452763 COR1 MRNA
9193	22159	35587	1.2	4.0E-13	AL043810.1	EST_HUMAN	y93g05.r1 Soares melanocyte 2NblHM Homo sapiens cDNA clone IMAGE:273080 5' similar to PIR:A32995
9860	22796	36249	0.59	4.0E-13	AA076907.1	EST_HUMAN	A32995 t complex sterility protein - mouse
10380	23303	36779	5.26	4.0E-13	A1289831.1	EST_HUMAN	DKFZp434A0128_r1 434 (synonym: ftes3) Homo sapiens cDNA clone DKFZp434A0128 5'
11502	24444	37995	1.9	4.0E-13	AA435819.1	EST_HUMAN	7B04H11 Chromosome 7 Fetal Brain cDNA Library Homo sapiens cDNA clone 7B04H11
11502	24444	37996	1.9	4.0E-13	AA435819.1	EST_HUMAN	qn32d05.x1 NCI_CGAP_Kid5 Homo sapiens cDNA clone IMAGE:1899945 3' similar to contains Alu repetitive element
11502	24444	37996	1.9	4.0E-13	AA435819.1	EST_HUMAN	z178g10.s1 Soares testis_NHT Homo sapiens cDNA clone IMAGE:728514 3'
11502	24444	37996	1.9	4.0E-13	AA435819.1	EST_HUMAN	z178g10.s1 Soares testis_NHT Homo sapiens cDNA clone IMAGE:728514 3'

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
181	13281		5.91	3.0E-13	AF003528.1	NT	Homo sapiens X-linked anhidrotic ectodermal dysplasia protein gene (EDA), exon 2 and flanking repeat regions
868	13922		3.35	3.0E-13	AA430310.1	EST_HUMAN	z668g08.r1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:781408 5'
2378	16386	28410	1.65	3.0E-13	AJ271736.1	NT	Homo sapiens Xq pseudautosomal region; segment 2/2
2487	15491		2.11	3.0E-13	AL163210.2	NT	Homo sapiens chromosome 21 segment HS21C010
2673	16670	28688	2.5	3.0E-13	BF372962.1	EST_HUMAN	GM3-F10100-140700-242-h08 F10100 Homo sapiens cDNA
3201	16256		2.19	3.0E-13	AA745844.1	EST_HUMAN	db18d02.s1 NCI CGAP_Kid5 Homo sapiens cDNA clone IMAGE:1324035 3'
3514	16560	29484	0.9	3.0E-13	P18616	SWISSPROT	DNA-DIRECTED RNA POLYMERASE II LARGEST SUBUNIT (VERSION 1)
3514	16560	29485	0.9	3.0E-13	P18616	SWISSPROT	DNA-DIRECTED RNA POLYMERASE II LARGEST SUBUNIT (VERSION 1)
5618	18714	31872	0.64	3.0E-13	AA134017.1	EST_HUMAN	zn88h10.r1 Stratagene lung carcinoma 937218 Homo sapiens cDNA clone IMAGE:565315 5' similar to contains THR 12 THR repetitive element
5618	18714	31873	0.64	3.0E-13	AA134017.1	EST_HUMAN	zn88h10.r1 Stratagene lung carcinoma 937218 Homo sapiens cDNA clone IMAGE:565315 5' similar to contains THR 12 THR repetitive element
6106	19185	32404	0.71	3.0E-13	AW005639.1	EST_HUMAN	wz88c02.x1 NCI CGAP_Brn25 Homo sapiens cDNA clone IMAGE:2565890 3' similar to TR:O75139
8215	21184	34594	8.24	3.0E-13	U52111.2	NT	Homo sapiens X28 region near ALD locus containing dual specificity phosphatase 9 (DUSP9), ribosomal protein L18a (RPL18a), Ca2+/Calmodulin-dependent protein kinase I (CAMKI), creatine transporter (CRTR), CDM protein (CDM), adrenoleukodystrophy protein >
8412	21381	34787	0.51	3.0E-13	AA352487.1	EST_HUMAN	EST60487 Activated T-cells XX Homo sapiens cDNA 5' end similar to similar to serine protease P100, Ra-reactive factor
8412	21381	34788	0.51	3.0E-13	AA352487.1	EST_HUMAN	EST60487 Activated T-cells XX Homo sapiens cDNA 5' end similar to similar to serine protease P100, Ra-reactive factor
10558	23480	36975	0.46	3.0E-13	AW935487.1	EST_HUMAN	RC2-DT0007-110100-014-g10 DT0007 Homo sapiens cDNA
11038	24000		2.88	3.0E-13	AJ064768.1	EST_HUMAN	HA0536 Human fetal liver cDNA library Homo sapiens cDNA
11385	24332	37861	3.32	3.0E-13	BE063509.1	EST_HUMAN	GM0-BT0281-031199-087-a03 BT0281 Homo sapiens cDNA
11924	24805	38398	1.54	3.0E-13	AL163248.2	NT	Homo sapiens chromosome 21 segment HS21C048
151	13254	26183	3.93	2.0E-13	U52111.2	NT	Homo sapiens X28 region near ALD locus containing dual specificity phosphatase 9 (DUSP9), ribosomal protein L18a (RPL18a), Ca2+/Calmodulin-dependent protein kinase I (CAMKI), creatine transporter (CRTR), CDM protein (CDM), adrenoleukodystrophy protein >
1275	14310	27271	7.14	2.0E-13	AF239710.1	NT	Homo sapiens DNA polymerase delta small subunit (POLD2) gene, exons 1 through 11 and complete cds
3284	16347	29267	1.08	2.0E-13	BF431899.1	EST_HUMAN	hab7605.x1 Soares_NSF_F8_gW_OT_PA_P_S1 Homo sapiens cDNA clone IMAGE: 3'
3518	16584	29489	1.25	2.0E-13	AF109907.1	NT	Homo sapiens S164 gene, partial cds; PS1 and hypothetical protein genes, complete cds; and S171 gene, partial cds

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4135	17167		1.61	2.0E-13	AL163278.2	NT	Homo sapiens chromosome 21 segment HS21C078
6245	18318	32548	4.71	2.0E-13	Q06852	SWISSPROT	CELL SURFACE GLYCOPROTEIN 1 PRECURSOR (OUTER LAYER PROTEIN B) (S-LAYER PROTEIN 1)
6967	20210	33538	6.49	2.0E-13	X16912.1	NT	Human PFKL gene for liver-type 6-phosphofructokinase (EC 2.7.1.11) exon 2
7255	19990	33287	0.59	2.0E-13	10835072	NT	Homo sapiens N-myristoyltransferase 1 (NMT1), mRNA
7255	19990	33288	0.59	2.0E-13	10835072	NT	Homo sapiens N-myristoyltransferase 1 (NMT1), mRNA
10824	23745	37246	4.53	2.0E-13	5031895	NT	Homo sapiens mab-21 (C. elegans)-like 1 (MAB21L1) mRNA
12387	25165		5.43	2.0E-13	AW892155.1	EST_HUMAN	GMO-NN0001-100300-274-e11 NN0001 Homo sapiens cDNA
291	13385	26312	1.49	1.0E-13	S74129.1	NT	FGF-1 fibroblast growth factor 1 [human, kidney, Genomic, 342 nt, segment 2 of 2]
889	13944	26902	4.85	1.0E-13	AJ007973.1	NT	Homo sapiens LGMD2B gene
1339	14373	27343	1.39	1.0E-13	X87344.1	NT	H. sapiens DMA, DMB, HLA-Z1, IPP2, LMP2, TAP1, LMP7, TAP2, DOB, DQB2 and RING8, 9, 13 and 14 genes
2037	15056	28074	2.43	1.0E-13	AA720574.1	EST_HUMAN	nm21g02.s1 NCI_CGAP_GCB0 Homo sapiens cDNA clone IMAGE:1241138 3' similar to contains THR.3
4623	17644	30532	2.2	1.0E-13	BF340987.1	EST_HUMAN	THR repetitive element ;
6586	19646	32915	0.61	1.0E-13	AA090732.1	EST_HUMAN	602038009F1 NCI_CGAP_Bm64 Homo sapiens cDNA clone IMAGE:4185966 5'
8242	21211	34616	0.78	1.0E-13	AA577812.1	EST_HUMAN	Y1535.seq.F Human fetal heart, Lambda ZAP Express Homo sapiens cDNA 5'
8242	21211	34617	0.78	1.0E-13	AA577812.1	EST_HUMAN	nm24d01.s1 NCI_CGAP_Gas1 Homo sapiens cDNA clone IMAGE:1084801 3' similar to contains Alu
10450	23372		0.82	1.0E-13	O15481	SWISSPROT	repetitive element; contains element MER24 repetitive element ;
10664	23586	37084	0.49	1.0E-13	AF300701.1	NT	repetitive element; contains element MER24 repetitive element ;
11707	24672	38249	10.13	1.0E-13	BF108755.1	EST_HUMAN	nm24d01.s1 NCI_CGAP_Gas1 Homo sapiens cDNA clone IMAGE:1084801 3' similar to contains Alu
12206	25048		2.34	1.0E-13	AV715377.1	EST_HUMAN	repetitive element; contains element MER24 repetitive element ;
12844	25454		3.21	1.0E-13	AJ271735.1	NT	MELANOMA-ASSOCIATED ANTIGEN B4 (MAGE-B4 ANTIGEN)
333	13422	26345	3.14	9.0E-14	AA781159.1	EST_HUMAN	Mus musculus osteoblastic protein tyrosine phosphatase mRNA, complete cds
334	13423	26346	2.37	9.0E-14	AA781159.1	EST_HUMAN	contains MER29.b2 MER29 repetitive element ;
2508	15511		4.8	9.0E-14	AW861577.1	EST_HUMAN	7145e10.x1 Soares_NSF_F8_gw_OT_PA_P_S1 Homo sapiens cDNA clone IMAGE:3524443 3' similar to
2597	15598	28617	1.03	9.0E-14	AJ133127.1	NT	AV715377 DCB Homo sapiens cDNA clone DCBAIE03 5'
2597	15598	28618	1.03	9.0E-14	AJ133127.1	NT	Homo sapiens Xq pseudautosomal region; segment 1/2
2764	15756	28777	6.94	9.0E-14	AB038192.1	NT	Homo sapiens Xq pseudautosomal region; segment 1/2
							Homo sapiens TFF gene cluster for trefoil factor, complete cds

Page 233 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3128	18185	28094	5.43	9.0E-14	AW513286.1	EST_HUMAN	xc54h05.x1 NCL_CGAP_U11 Homo sapiens cDNA clone IMAGE:2707833 3'
3252	13422	26345	0.67	9.0E-14	AA781159.1	EST_HUMAN	aj24c01.s1 Soares_testis_NHT Homo sapiens cDNA clone 1391232 3' similar to contains MER19.11 MER19
3811	16851	28759	7.16	9.0E-14	D14547.1	NT	repetitive element ;
4789	17807	30689	1.68	9.0E-14	AJ02163.1	NT	Human DNA, SINE repetitive element
3509	16555		1.44	8.0E-14	BE468263.1	EST_HUMAN	Saguninus oedipus gene for seminal vesicle secreted protein semenogelin I
3978	17018		3.46	8.0E-14	R76289.1	EST_HUMAN	hz71c09.x1 NCL_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3213424 3'
8803	21126	34530	21.45	8.0E-14	X89211.1	NT	yt72e03.r1 Soares placenta Nb2HP Homo sapiens cDNA clone IMAGE:144796 3'
8918	22739	36192	3.1	8.0E-14	AA218316.1	EST_HUMAN	H.sapiens DNA for endogenous retroviral like element
11762	24690		1.52	8.0E-14	BE062558.1	EST_HUMAN	zq17c10.s1 Stralagene fetal retina 937202 Homo sapiens cDNA clone IMAGE:629970 3'
12590	25294	31783	2.99	8.0E-14	A1688118.1	EST_HUMAN	wc92h08.x1 NCL_CGAP_Cos3 Homo sapiens cDNA clone IMAGE:2328143 3'
1633	15873		3.99	7.0E-14	AW151673.1	EST_HUMAN	x87e10.x1 NCL_CGAP_Gas4 Homo sapiens cDNA clone IMAGE:2623146 3' similar to contains MER10.12
9272	22238		0.51	7.0E-14	AL163285.2	NT	MER10 repetitive element ;
							Homo sapiens chromosome 21 segment HS21C085
367	13453	26381	16.94	6.0E-14	AF020503.1	NT	Homo sapiens FRA3B common fragile region, diadenosine triphosphate hydrolase (FHIT) gene, exon 5
10181	23106	36587	2.54	6.0E-14	AF020503.1	NT	Homo sapiens FRA3B common fragile region, diadenosine triphosphate hydrolase (FHIT) gene, exon 5
10181	23106	36588	2.54	6.0E-14	AF020503.1	NT	Homo sapiens FRA3B common fragile region, diadenosine triphosphate hydrolase (FHIT) gene, exon 5
620	13685	26603	5.23	5.0E-14	Q63120	SWISSPROT	CANALICULAR MULTISPECIFIC ORGANIC ANION TRANSPORTER 1 (MULTIDRUG RESISTANCE-ASSOCIATED PROTEIN 2) (CANALICULAR MULTIDRUG RESISTANCE PROTEIN)
3683	16726		0.95	5.0E-14	AL163247.2	NT	Homo sapiens chromosome 21 segment HS21C047
5093	18103	30879	1.39	5.0E-14	AW073791.1	EST_HUMAN	xb03b05.x1 NCL_CGAP_GU1 Homo sapiens cDNA clone IMAGE:2575186 3' similar to contains L1.12 L1
5611	18707	31864	4.84	5.0E-14	P08547	SWISSPROT	repetitive element ;
1125	18659		1.95	4.0E-14	P04928	SWISSPROT	LINE-1 REVERSE TRANSCRIPTASE HOMOLOG
1895	14920	27916	7	4.0E-14	AJ007973.1	NT	S-ANTIGEN PROTEIN PRECURSOR
3765	16807		1	4.0E-14	AA046502.1	EST_HUMAN	Homo sapiens LGMD2B gene
4320	17349	30233	0.96	4.0E-14	N46328.1	EST_HUMAN	zk67a06.f1 Soares_pregnant uterus_NHPU Homo sapiens cDNA clone IMAGE:487858 5'
							y73c12.s1 Soares_multiple_sclerosis_2NbrHSP Homo sapiens cDNA clone IMAGE:279160 3' similar to contains L1.13 L1 repetitive element ;
8291	21260		0.6	4.0E-14	X87344.1	NT	H.sapiens DMA, DMB, HLA-Z1, IPP2, LMP2, TAP1, LMP7, TAP2, DOB, DOB2 and RING8, 9, 13 and 14 genes

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
12905	25988		6.38	4.0E-14	AI886224.1	EST_HUMAN	wm08c03.x1 NCL_CGAP_U14 Homo sapiens cDNA clone IMAGE:2435332 3' similar to contains Alu repetitive element
950	14003	26955	4.69	3.0E-14	X95466.1	NT	R.norvegicus mRNA for OPG2 protein
4963	17978	30868	1.16	3.0E-14	7696864	NT	Homo sapiens a disintegrin and metalloproteinase domain 29 (ADAM29), mRNA
6898	19950	33246	0.96	3.0E-14	AI420786.1	EST_HUMAN	ta91c12.x1 NCL_CGAP_P128 Homo sapiens cDNA clone IMAGE:2094070 3' similar to TR:O00519 O00519 FATTY ACID AMIDE HYDROLASE. ;
6898	19950	33247	0.96	3.0E-14	AI420786.1	EST_HUMAN	ta91c12.x1 NCL_CGAP_P128 Homo sapiens cDNA clone IMAGE:2094070 3' similar to TR:O00519 O00519 FATTY ACID AMIDE HYDROLASE. ;
7021	25675		0.51	3.0E-14	AL163248.2	NT	Homo sapiens chromosome 21 segment HS21C048
7229	20251	33585	0.57	3.0E-14	AA386311.1	EST_HUMAN	EST185054 Brain IV Homo sapiens cDNA
9139	22105	35531	0.83	3.0E-14	IN42165.1	EST_HUMAN	Y907b10.r1 Soares melanocyte 2NBHM Homo sapiens cDNA clone IMAGE:270523 5'
11337	24287	37811	2.83	3.0E-14	BE888016.1	EST_HUMAN	601511530F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3913087 5'
11568	18347	31293	6.06	3.0E-14	AW286354.1	EST_HUMAN	xp45f12.x1 NCL_CGAP_HN11 Homo sapiens cDNA clone IMAGE:2743343 3' similar to contains Alu repetitive element; contains element MER9 repetitive element ;
12824	28854		1.68	3.0E-14	AL163285.2	NT	Homo sapiens chromosome 21 segment HS21C085
390	13465	26395	2.76	2.0E-14	AJ271736.1	NT	Homo sapiens Xq pseudautosomal region; segment 2/2
390	13465	26396	2.76	2.0E-14	AJ271736.1	NT	Homo sapiens Xq pseudautosomal region; segment 2/2
691	15847	26682	9.98	2.0E-14	AL163303.2	NT	Homo sapiens chromosome 21 segment HS21C103
2397	15404		1.89	2.0E-14	AW372868.1	EST_HUMAN	RC5-BT0377-091299-031-D12 BT0377 Homo sapiens cDNA
2472	15476		1.4	2.0E-14	7657629	NT	Homo sapiens rhabdoid tumor deletion region protein 1 (RTDR1), mRNA
2531	15534	28554	2.2	2.0E-14	AL163209.2	NT	Homo sapiens chromosome 21 segment HS21C009
2547	15548		1.03	2.0E-14	BE222432.1	EST_HUMAN	hy0g10.x1 NCL_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3180738 3' similar to contains Alu repetitive element; contains OFR.t1 OFR repetitive element ;
2683	15679		1.48	2.0E-14	P08548	SWISSPROT	LINE-1 REVERSE TRANSCRIPTASE HOMOLOG
5602	18698	31669	0.91	2.0E-14	BF380661.1	EST_HUMAN	IL2-U10072-240800-142-D07 UT0072 Homo sapiens cDNA
5702	18797	31972	0.81	2.0E-14	AI312351.1	EST_HUMAN	ta78h01.x2 NCL_CGAP_HSC2 Homo sapiens cDNA clone IMAGE:2050225 3' similar to contains L1.13 L1 repetitive element ;
5809	18899	32082	3.16	2.0E-14	U01317.1	NT	Human beta globin region on chromosome 11
7067	20089		0.92	2.0E-14	BE000550.1	EST_HUMAN	RC3-BN0072-240200-011-a06 BN0072 Homo sapiens cDNA
7290	20262	33596	0.57	2.0E-14	4585709	NT	Homo sapiens a disintegrin and metalloproteinase domain 11 (ADAM11), mRNA
7502	20467	33828	0.87	2.0E-14	P56163	SWISSPROT	ZINC-FINGER PROTEIN NEURO-D4
7751	20704	34072	21.51	2.0E-14	BE158761.1	EST_HUMAN	IL2-HT0397-071299-024-D04 HT0397 Homo sapiens cDNA
7751	20704	34073	21.51	2.0E-14	BE158761.1	EST_HUMAN	IL2-HT0397-071299-024-D04 HT0397 Homo sapiens cDNA

Page 235 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
10277	23202	36887	0.52	2.0E-14	AI978795.1	EST_HUMAN	wf59g10.x1 NCI_CGAP_U11 Homo sapiens cDNA clone IMAGE:2492034 3' similar to contains Alu repetitive element
10783	23704	37203	0.53	2.0E-14	AV741648.1	EST_HUMAN	AV741648 CB Homo sapiens cDNA clone CBFBBF04 5'
11133	24093	37622	3.94	2.0E-14	AW139800.1	EST_HUMAN	UI-H-B11-adv-a-10-0-UI.s1 NCI_CGAP_Sub3 Homo sapiens cDNA clone IMAGE:2718234 3'
12822	25857		1.71	2.0E-14	AF008191.1	NT	Homo sapiens putative G6 protein (GR6) gene, complete cds
1068	14113	27063	2.09	1.0E-14	AL163248.2	NT	Homo sapiens chromosome 21 segment HS21CQ46
1405	14438	27408	8.18	1.0E-14	AL163288.2	NT	Homo sapiens chromosome 21 segment HS21CQ68
1405	14438	27407	8.16	1.0E-14	AL163288.2	NT	Homo sapiens chromosome 21 segment HS21CQ68
2017	15038	28049	15.42	1.0E-14	L44140.1	NT	Homo sapiens chromosome X region from filamin (FLN) gene to glucose-6-phosphate dehydrogenase (G6PD) gene, complete cds
2195	15210	28228	5.77	1.0E-14	AL163303.2	NT	Homo sapiens chromosome 21 segment HS21C103
2419	15426	28449	5.29	1.0E-14	AF001689.1	NT	Homo sapiens ribosomal protein L23A (RPL23A) gene, complete cds
2955	16013	28940	1.05	1.0E-14	P05227	SWISSPROT	HISTIDINE-RICH PROTEIN PRECURSOR (CLONE PFHRP-II)
3182	16237	29154	6.2	1.0E-14	BF33527.1	EST_HUMAN	RC2-CT0432-310700-013-a09_1 CT0432 Homo sapiens cDNA
3182	16237	29155	6.2	1.0E-14	BF33527.1	EST_HUMAN	RC2-CT0432-310700-013-a09_1 CT0432 Homo sapiens cDNA
3901	16941	29852	1.75	1.0E-14	AA882994.1	EST_HUMAN	aa89c12.s1 Striatogene schizo brain S11 Homo sapiens cDNA clone IMAGE:971350 3'
4500	17525	30410	2.07	1.0E-14	AW275852.1	EST_HUMAN	xq39h10.x1 NCI_CGAP_Lu28 Homo sapiens cDNA clone IMAGE:2753059 3'
5907	18993	32184	2.1	1.0E-14	AF128145.1	NT	Bos taurus xenobiotic/medium-chain fatty acid:CoA ligase form XL-III mRNA, nuclear mRNA encoding mitochondrial protein, complete cds
6831	25669	33178	11.02	1.0E-14	11437150	NT	Homo sapiens prominin (mouse)-like 1 (PROML1), mRNA
6831	25669	33177	11.02	1.0E-14	11437150	NT	Homo sapiens prominin (mouse)-like 1 (PROML1), mRNA
1579	14612	27584	1.78	9.0E-15	7427522	NT	Homo sapiens protein tyrosine phosphatase, receptor type, T (PTPRT), mRNA
2183	15198						Homo sapiens transcription factor IGHM enhancer 3, JM11 protein, JM4 protein, JM5 protein, T64 protein, JM10 protein, A4 differentiation-dependent protein, triple LIM domain protein 6, and synaptophysin gene, complete cds; and L-type calcium channel a>
7738	20893	34058	1.37	9.0E-15	AF196779.1	NT	GAG POLYPROTEIN [CONTAINS: CORE PROTEINS P15, P12, P30, P10]
8350	21319	34733	4.28	9.0E-15	P21416	SWISSPROT	60167750F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3960156 5'
2822	13653		1.17	9.0E-15	BE903559.1	EST_HUMAN	601148632F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:3164023 5'
7387	20356	33708	1.42	8.0E-15	BE261482.1	EST_HUMAN	601458331F1 NIH_MGC_66 Homo sapiens cDNA clone IMAGE:3862036 5'
			1.55	7.0E-15	BF035327.1	EST_HUMAN	xt77d02.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2700483 3' similar to contains THR12 THR repetitive element;
10801	23722		2.45	7.0E-15	AW241958.1	EST_HUMAN	Homo sapiens Xq pseudautosomal region; segment 2/2
996	14047	27001	6.55	6.0E-15	AJ271736.1	NT	O-aries mRNA for hair keratin cysteine-rich protein
6027	18110	32311	1.11	6.0E-15	X73462.1	NT	O-aries mRNA for hair keratin cysteine-rich protein
6027	18110	32312	1.11	6.0E-15	X73462.1	NT	O-aries mRNA for hair keratin cysteine-rich protein

Page 236 of 546
Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
410	13483	26418	5.24	5.0E-15	AL163208.2	NT	Homo sapiens chromosome 21 segment HS21C008
2771	15763	28784	2.05	5.0E-15	U91328.1	NT	Human hereditary haemochromatosis region, histone 2A-like protein gene, hereditary haemochromatosis (HLA-H) gene, RoRet gene, and sodium phosphate transporter (NPT3) gene, complete cds
3482	16528		1.08	5.0E-15	AW296817.1	EST_HUMAN	U1-H-BW0-ajb-g-10-Q-U1.s1 NCI_CGAP_Sub6 Homo sapiens cDNA clone IMAGE:2731219 3'
11035	23999		2.27	5.0E-15	AV730056.1	EST_HUMAN	AV730056 HTF Homo sapiens cDNA clone HTFAVE06 5'
427	13122	26020	3.54	4.0E-15	AL163303.2	NT	Homo sapiens chromosome 21 segment HS21C103
6822	19876	33165	0.88	4.0E-15	AB007970.1	NT	Homo sapiens mRNA, chromosome 1 specific transcript KIAA0501
11401	21088	34487	1.79	4.0E-15	AJ130894.1	NT	Homo sapiens mRNA for transcription factor
11401	21088	34488	1.79	4.0E-15	AJ130894.1	NT	Homo sapiens mRNA for transcription factor
4245	17274		6.54	3.0E-15	N89452.1	EST_HUMAN	LY1142F Human fetal heart, Lambda ZAP Express Homo sapiens cDNA clone LY1142 5' similar to ANF(CARDIODILATIN)
5067	18077	30958	0.67	3.0E-15	AA078097.1	EST_HUMAN	7P01F03 Chromosome 7 Placental cDNA Library Homo sapiens cDNA clone 7P01F03
5067	18077	30959	0.67	3.0E-15	AA078097.1	EST_HUMAN	7P01F03 Chromosome 7 Placental cDNA Library Homo sapiens cDNA clone 7P01F03
6986	20209		1.27	3.0E-15	Q64625	SWISSPROT	GLUTATHIONE PEROXIDASE RY2D1 PRECURSOR (ODORANT-METABOLIZING PROTEIN RY2D1)
7495	20460	33819	3.66	3.0E-15	M27685.1	NT	Mus musculus ultra high sulfur keratin gene, complete cds
7495	20460	33820	3.66	3.0E-15	M27685.1	NT	Mus musculus ultra high sulfur keratin gene, complete cds
10285	23210		2.66	3.0E-15	AA807128.1	EST_HUMAN	cc36a07.s1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:1351764 3' similar to contains MER19.t1
11146	24106	37633	3.42	3.0E-15	AB026898.1	NT	MER19 repetitive element;
250	13347	26273	4.45	2.0E-15	AF223391.1	NT	Homo sapiens DNA, DLEC1 to ORCTL4 gene region, section 1/2 (DLEC1, ORCTL3, ORCTL4 genes, complete cds)
368	13454	26382	4.01	2.0E-15	AF223391.1	NT	Homo sapiens calcium channel alpha1E subunit (CACNA1E) gene, exons 7-49, and partial cds, alternatively spliced
368	13454	26383	4.01	2.0E-15	AF223391.1	NT	Homo sapiens calcium channel alpha1E subunit (CACNA1E) gene, exons 7-49, and partial cds, alternatively spliced
2381	15389	28413	1.02	2.0E-15	BE350127.1	EST_HUMAN	Homo sapiens calcium channel alpha1E subunit (CACNA1E) gene, exons 7-49, and partial cds, alternatively spliced
2381	15389	28414	1.02	2.0E-15	BE350127.1	EST_HUMAN	h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
4095	17129	30023	1.21	2.0E-15	AW238499.1	EST_HUMAN	h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
							MER29 repetitive element;
							h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3

Page 237 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4853	17674		2.73	2.0E-15	AI806335.1	EST_HUMAN	wf706.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2349923 3' similar to TR:Q61043
6308	18377	32618	1.02	2.0E-15	BE562362.1	EST_HUMAN	Q61043 NINEIN.1
6306	19377	32617	1.02	2.0E-15	BE562352.1	EST_HUMAN	601344253F1 NIH_MGC 8 Homo sapiens cDNA clone IMAGE:3677268 5'
							601344253F1 NIH_MGC 8 Homo sapiens cDNA clone IMAGE:3677268 5'
7321	20292		1.42	2.0E-15	AJ400877.1	NT	Homo sapiens ASCL3 gene, CEGP1 gene, C11orf14 gene, C11orf15 gene, C11orf16 gene and C11orf17 gene
7486	20451	33810	2.64	2.0E-15	AA704195.1	EST_HUMAN	z177e03.s1 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:460824 3'
7626	20586	33948	4.75	2.0E-15	W05064.1	EST_HUMAN	za78d10.r1 Soares_fetal_liver_NbHL19W Homo sapiens cDNA clone IMAGE:288675 5' similar to WP:F44F4.8 CE02227 TRANSPOSASE.1
8117	21064	34451	0.67	2.0E-15	AL163247.2	NT	Homo sapiens chromosome 21 segment HS21C047
9257	22223	35653	2.73	2.0E-15	D14647.1	NT	Human DNA, SINE repetitive element
9427	22391	35829	0.74	2.0E-15	AA397758.1	EST_HUMAN	z177g08.r1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:728414 5'
9427	22391	35830	0.74	2.0E-15	AA397758.1	EST_HUMAN	z177g08.r1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:728414 5'
9759	22700	38157	1.19	2.0E-15	AW379485.1	EST_HUMAN	GM0-HT0244-201099-078-at12 HT0244 Homo sapiens cDNA
9759	22700	38158	1.19	2.0E-15	AW379485.1	EST_HUMAN	GM0-HT0244-201099-078-at12 HT0244 Homo sapiens cDNA
11187	24143		4.15	2.0E-15	AJ271735.1	NT	Homo sapiens Xq pseudautosomal region, segment 1/2
12934	18339	31288	3.19	2.0E-15	AF223391.1	NT	Homo sapiens calcium channel alpha1E subunit (CACNA1E) gene, exons 7-49, and partial cds, alternatively spliced
12934	18339	31289	3.19	2.0E-15	AF223391.1	NT	Homo sapiens calcium channel alpha1E subunit (CACNA1E) gene, exons 7-49, and partial cds, alternatively spliced
2785	15777		2.95	1.0E-15	AI689384.1	EST_HUMAN	bx28h05.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:2270745 3' similar to TR:Q13539 Q13539
3026	16082	28006	1.53	1.0E-15	BE043684.1	EST_HUMAN	MARINER TRANSPOSASE.1
3158	16214	28129	1.2	1.0E-15	P08547	SWISSPROT	hk40e02.y1 NCI_CGAP_Ov34 Homo sapiens cDNA clone IMAGE:2999162 5'
5189	18198	31071	1.11	1.0E-15	AI984928.1	EST_HUMAN	LINE-1 REVERSE TRANSCRIPTASE HOMOLOG
6508	19572	32825	1.63	1.0E-15	T96763.1	EST_HUMAN	wr86e04.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2494590 3'
7205	20229		1.93	1.0E-15	BE074217.1	EST_HUMAN	ye40e10.s1 Soares_fetal_liver_spleen_1NFLS Homo sapiens cDNA clone IMAGE:120234 3' similar to contains MER6 repetitive element.1
7239	16974	33272	0.76	1.0E-15	P39057	SWISSPROT	QV3-BT0569-270100-074-g05 BT0569 Homo sapiens cDNA
8574	21542	34962	1.04	1.0E-15	AL163280.2	NT	DYNEIN BETA CHAIN, CILIARY
8763	21730	35152	4.51	1.0E-15	AI200976.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C080
8763	21730	35153	4.51	1.0E-15	AI200976.1	EST_HUMAN	qf68h06.x1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1756227 3'
8994	22359	35789	0.49	1.0E-15	AL163207.2	NT	qf68h06.x1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1756227 3'
9397	22362	35783	1.5	1.0E-15	4507208	NT	Homo sapiens spermidine synthase (SRM) mRNA

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
9602	22606	36055	0.79	1.0E-15	Q39575	SWISSPROT	DYNEIN GAMMA CHAIN, FLAGELLAR OUTER ARM
9990	22917	36383	0.95	1.0E-15	AA864653.1	EST_HUMAN	ch37c03.s1 NCI_CGAP_Kid6 Homo sapiens cDNA clone IMAGE:1459972 3' similar to contains L1.13 L1
11169	24127	37657	4.18	1.0E-15	AF044083.1	NT	repetitive element ;
13008	25720	31612	9.25	1.0E-15	AI783944.1	EST_HUMAN	Homo sapiens major histocompatibility locus class III region
4532	17555	30443	1.15	9.0E-16	4503188	NT	element;
11338	24288	37812	1.94	9.0E-16	F08688.1	EST_HUMAN	Homo sapiens cut (Drosophila)-like 1 (CCAAT displacement protein)(CUTL1) mRNA
5786	18878	32060	0.79	7.0E-16	4885120	NT	HSC23F051 normalized Infant brain cDNA Homo sapiens cDNA clone c-23105
7564	20527	33885	1.45	7.0E-16	O88807	SWISSPROT	Homo sapiens chemokine (C-C motif) receptor 8 (CCR8) mRNA
7564	20527	33886	1.45	7.0E-16	O88807	SWISSPROT	PROTEIN-ARGININE DEIMINASE TYPE IV (PEPTIDYLARGININE DEIMINASE IV) (PAD-R4)
12957	25809		1.88	7.0E-16	T64149.1	EST_HUMAN	(PEPTIDYLARGININE DEIMINASE TYPE ALPHA)
2151	15167		7.77	6.0E-16	AW972611.1	EST_HUMAN	PROTEIN-ARGININE DEIMINASE TYPE IV (PEPTIDYLARGININE DEIMINASE IV) (PAD-R4)
1489	14522	27495	1.28	5.0E-16	AJ251154.1	NT	ye28c12.1.1 Stragene lung (#937210) Homo sapiens cDNA clone IMAGE:119062 5'
2689	15685	28702	2.52	5.0E-16	AA992176.1	EST_HUMAN	EST384702 IMAGE resequences, MAGL Homo sapiens cDNA
10414	23336	36821	0.48	5.0E-16	AL163246.2	NT	Mus musculus olfactory receptor cluster, OR37A, OR37B, OR37C, OR37E genes and OR37D pseudogene
11849	24732	36319	2.54	5.0E-16	BF217368.1	EST_HUMAN	ol80c04.s1 Scores_total_fetus_Nb2HF8_gw Homo sapiens cDNA clone IMAGE:1623078 3' similar to
13044	25585		10.68	5.0E-16	11418127	NT	contains element L1 repetitive element ;
2249	15263		1.64	4.0E-16	AB001523.1	NT	Homo sapiens chromosome 21 segment HS21C046
2388	15396	28421	2.21	4.0E-16	AW797168.1	EST_HUMAN	Homo sapiens GTP binding protein 1 (GTPBP1), mRNA
2388	15396	28422	2.21	4.0E-16	AW797168.1	EST_HUMAN	Homo sapiens gene for TMEM1 and PWP2, complete and partial cds
3471	16517	29438	3.94	4.0E-16	Q16653	SWISSPROT	QV1-UM0036-200300-115-g02 UN0036 Homo sapiens cDNA
4166	17197	30083	4.74	4.0E-16	BE083875.1	EST_HUMAN	QV1-UM0036-200300-115-g02 UN0036 Homo sapiens cDNA
4166	17197	30084	4.74	4.0E-16	BE083875.1	EST_HUMAN	MYELIN-OLIGODENDROCYTE GLYCOPROTEIN PRECURSOR
7980	20919	34310	37.37	4.0E-16	AL163264.2	NT	PM4-BT0650-010400-002-g09 B T0650 Homo sapiens cDNA
9650	22594	36042	0.97	4.0E-16	P08548	SWISSPROT	PM4-BT0650-010400-002-g09 B T0650 Homo sapiens cDNA
12290	25106		2.41	4.0E-16	P08548	SWISSPROT	Homo sapiens chromosome 21 segment HS21C084
12392	25169	31816	2.11	4.0E-16	R18591.1	EST_HUMAN	Homo sapiens hypothetical protein FLJ10024 (FLJ10024), mRNA
12656	25336		1.36	4.0E-16	R18591.1	EST_HUMAN	LINE-1 REVERSE TRANSCRIPTASE HOMOLOG
133	13238	26169	1.24	3.0E-16	AW022862.1	EST_HUMAN	Homo sapiens Grib2-associated binder 2 (KIA00571), mRNA

Page 239 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
133	13238	26170	1.24	3.0E-16	AW022862.1	EST_HUMAN	d145c01.y1 Morton Fetal Cochlea Homo sapiens cDNA clone IMAGE:2486376 5'
466	13539		1.91	3.0E-16	AL049445.1	EST_HUMAN	DKFZp434P037_r1 434 (synonym: htes3) Homo sapiens cDNA clone DKFZp434P037 5'
476	13548		3.08	3.0E-16	AF135446.1	NT	Homo sapiens TSX (TSX) pseudogene, exon 5
1446	14479	27455	1.53	3.0E-16	Q28983	SWISSPROT	ZONADHESIN PRECURSOR
2888	16046	28986	3.94	3.0E-16	P03200	SWISSPROT	ENVELOPE GLYCOPROTEIN GP340 (MEMBRANE ANTIGEN) (MA) [CONTAINS: GLYCOPROTEIN GP220]
3953	16993	29909	0.96	3.0E-16	T08169.1	EST_HUMAN	EST06060 Infant Brain, Bento Soares Homo sapiens cDNA clone HIBBA13 5' end
3980	17020		0.77	3.0E-16	AF020503.1	NT	Homo sapiens FRA3B common fragile region, diadenosine triphosphate hydrolase (FHIT) gene, exon 5
3981	17021		1.06	3.0E-16	U03887.1	NT	Human BXP20 gene
5350	18455		1.11	3.0E-16	AA077225.1	EST_HUMAN	7B10F02 Chromosome 7 Fetal Brain cDNA Library Homo sapiens cDNA clone 7B10F02
5698	18793	31966	1.2	3.0E-16	AF003529.1	NT	Homo sapiens glypican 3 (GPC3) gene, partial cds and flanking repeat regions
9005	21971	35392	4.92	3.0E-16	AI002836.1	EST_HUMAN	am98105.s1 Strategene schizo brain S11 Homo sapiens cDNA clone IMAGE:1684185 3' similar to contains THR.52 THR repetitive element ;
10250	23175		0.9	3.0E-16	BF690617.1	EST_HUMAN	602246538F1 NIH_MGC_62 Homo sapiens cDNA clone IMAGE:4332032 5'
10478	23400	36897	6.77	3.0E-16	L78810.1	NT	Homo sapiens ADP/ATP carrier protein (ANT-2) gene, complete cds
13078	25961	31317	1.4	3.0E-16	AL043288.2	EST_HUMAN	DKFZp434L1623_r1 434 (synonym: htes3) Homo sapiens cDNA clone DKFZp434L1623 5'
973	14025		1.04	2.0E-16	AL163278.2	NT	Homo sapiens chromosome 21 segment HS21C079
2395	15402		1.32	2.0E-16	AA821761.1	EST_HUMAN	af06804.s1 Soares Testis_NHT Homo sapiens cDNA clone IMAGE:1030855 3'
2699	15695		1.26	2.0E-16	J03061.1	NT	Human SSANV-related endogenous retroviral LTR-like element
4207	17236	30123	1.14	2.0E-16	X89211.1	NT	H. sapiens DNA for endogenous retroviral like element
6905	19857	33254	0.83	2.0E-16	Q31125	SWISSPROT	HISTIDINE-RICH PROTEIN KE4
7984	20923	34316	1.4	2.0E-16	AI470723.1	EST_HUMAN	U116a11.x1 NCL_CGAP_Gas4 Homo sapiens cDNA clone IMAGE:2141708 3' similar to contains element MER33 repetitive element ;
8300	21269	34681	1.86	2.0E-16	AI732837.1	EST_HUMAN	nz47f06.x5 NCL_CGAP_Pr12 Homo sapiens cDNA clone IMAGE:1290947 similar to TR:O54849 O54849
8498	21466	34882	0.73	2.0E-16	BE88026.1	EST_HUMAN	HYPOTHELICAL 42.9 KD PROTEIN. [2] TR:O08905 ;contains MER7.1 MER7 repetitive element ;
8498	21466	34883	0.73	2.0E-16	BE88026.1	EST_HUMAN	7182109.x1 NCL_CGAP_Pr28 Homo sapiens cDNA clone IMAGE:3303521 3'
8872	21839	35261	0.75	2.0E-16	AW877214.1	EST_HUMAN	7182109.x1 NCL_CGAP_Pr28 Homo sapiens cDNA clone IMAGE:3303521 3'
8872	21839	35262	0.75	2.0E-16	AW877214.1	EST_HUMAN	CN4-PT0034-180200-506-a01 P T0034 Homo sapiens cDNA
11274	24226	37752	1.68	2.0E-16	5902145	NT	CN4-PT0034-180200-506-a01 P T0034 Homo sapiens cDNA
186	13286	26210	2.57	1.0E-16	AF200719.1	NT	Homo sapiens ubiquitin carrier protein E2-C (UBCH10), mRNA
							Homo sapiens pituitary tumor transforming gene protein (PTTG) gene, complete cds

Page 240 of 546
Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
382	13495		37.96	1.0E-16	AA628592.1	EST_HUMAN	af39g11.s1 Soares_total_fetus_Nb2HF8_9w Homo sapiens cDNA clone IMAGE:1034084 3' similar to contains OFR.12 OFR repetitive element:
1988	15009	28014	2.22	1.0E-16	BF327942.1	EST_HUMAN	QV0-BN0148-070700-293-at10 BN0148 Homo sapiens cDNA
5810	18900	32083	0.68	1.0E-16	AF163884.1	NT	Homo sapiens SNCA isoform (SNCA) gene, complete cds, alternatively spliced
6574	19634		25.8	1.0E-16	U45983.1	NT	Homo sapiens CCR8 chemokine receptor (CMKBR8) gene, complete cds
6726	19782	33061	3.06	1.0E-16	Q02779	SWISSPROT	MITOGEN-ACTIVATED PROTEIN KINASE KINASE 10 (MIXED LINEAGE KINASE 2) (PROTEIN KINASE MST)
7802	19634		6.75	1.0E-16	U45983.1	NT	Homo sapiens CCR8 chemokine receptor (CMKBR8) gene, complete cds
9638	22582	36031	1.06	1.0E-16	AW875681.1	EST_HUMAN	QV2-PT0012-040400-124-e05 PT0012 Homo sapiens cDNA
3751	16793	29704	2.77	9.0E-17	AW900048.1	EST_HUMAN	CM1-NN1003-200300-153-e01 NN1003 Homo sapiens cDNA
6886	19938		2.35	9.0E-17	AI392964.1	EST_HUMAN	tg22c11.x1 NCI_CGAP_CLL1 Homo sapiens cDNA clone IMAGE:2109524 3' similar to contains MER28.12
8445	21414		5.47	9.0E-17	AW150257.1	EST_HUMAN	MER28 repetitive element:
10584	23506		2.3	9.0E-17	AF200719.1	NT	xg49g12.x1 NCI_CGAP_U11 Homo sapiens cDNA clone IMAGE:2830950 3' similar to contains OFR.12 OFR repetitive element:
1020	14066		2.01	8.0E-17	AW880701.1	EST_HUMAN	Homo sapiens pituitary tumor transforming gene protein (PTTG) gene, complete cds
3907	16947		0.98	8.0E-17	AL163280.2	NT	QV0-OT0032-080300-155-d01 OT0032 Homo sapiens cDNA
5663	25642	31927	3.24	8.0E-17	BE172081.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C080
7490	20455		1.82	8.0E-17	AV730759.1	EST_HUMAN	MRO-HT0559-060300-003-e04 HT0559 Homo sapiens cDNA
8019	20956	34349	0.54	8.0E-17		NT	AV730759 HTF Homo sapiens cDNA clone HTFAQB07 5'
1452	14485		2.63	7.0E-17	6753097	NT	Mus musculus dynein, axon, heavy chain 11 (Dnatac11), mRNA
5396	18499		3.14	7.0E-17	AF216650.1	NT	Mus musculus apolipoprotein B editing complex 2 (ApoBec2), mRNA
							Homo sapiens putative MTAP (MTAP) mRNA, partial cds, alternatively spliced
							Mus musculus WNT-2 gene, partial cds; putative ankyrin-related protein and cystic fibrosis transmembrane conductance regulator (CFTR) genes, section 1 of 2 of the complete cds; and unknown gene
6845	19898	33193	7.34	7.0E-17	AF229843.1	NT	
204	13305	26234	6.62	6.0E-17	AW983980.1	EST_HUMAN	RC1-HN0003-220300-021-b04 HN0003 Homo sapiens cDNA
6446	19511	32761	1.8	6.0E-17	AW682772.1	EST_HUMAN	h81d04.x1 Soares_NFL_I_GBC_S1 Homo sapiens cDNA clone IMAGE:2978695 3' similar to contains L1.12 L1 repetitive element:
10655	23577	37074	0.54	6.0E-17	P20138	SWISSPROT	MYELOID CELL SURFACE ANTIGEN CD33 PRECURSOR (GP67)
10928	23846		0.46	6.0E-17	W92331.1	EST_HUMAN	za15f03.s1 Soares_fetal_heart_NbHH19W Homo sapiens cDNA clone IMAGE:359093 3'
421	13116	26014	3.22	5.0E-17	T64110.1	EST_HUMAN	yc05h08.r1 Stratagene lung (#937210) Homo sapiens cDNA clone IMAGE:79839 5'
7840	20787	34162	1.76	5.0E-17	T81043.1	EST_HUMAN	y226b04.r1 Soares_fetal_liver_spleen_1NFLS Homo sapiens cDNA clone IMAGE:109327 5'
9717	22745	36196	1.24	4.0E-17	AW129165.1	EST_HUMAN	x12c04.x1 NCI_CGAP_Kid8 Homo sapiens cDNA clone IMAGE:2618622 3' similar to contains Alu repetitive element; contains MER19.b1 MER19 repetitive element:

Page 241 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
11821	24704	38286	1.86	4.0E-17	AL163247.2	NT	Homo sapiens chromosome 21 segment HS21C047
12303	25114		2.02	4.0E-17	A1073548.1	EST_HUMAN	ov45a04.x1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1640286 3' similar to TR:Q16630
1490	14523		1.72	3.0E-17	D14547.1	NT	Q16530 PMS3 MRNA ;contains MER10.12 MER10 repetitive element ;
2108	15125	28144	1.22	3.0E-17	AW119123.1	EST_HUMAN	Human DNA, SINE repetitive element
3208	16263		1.68	3.0E-17	P35410	SWISSPROT	xd89c08.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2604764 3'
3656	16899	29614	1.33	3.0E-17	BE326522.1	EST_HUMAN	MAS-RELATED G PROTEIN-COUPLED RECEPTOR MRG
3656	16699	29615	1.33	3.0E-17	BE326522.1	EST_HUMAN	hw05b04.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3181989 3'
5058	18078		1.17	3.0E-17	BF511266.1	EST_HUMAN	hw05b04.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3181989 3'
8611	21579	34995	1.18	3.0E-17	N68451.1	EST_HUMAN	U1-H-B14-eoj-c-08-0-U1.s1 NCI_CGAP_Sub8 Homo sapiens cDNA clone IMAGE:3085043 3'
10060	22987	36455	4.84	3.0E-17	AB028898.1	NT	zaf14b02.s1 Soares_fetal_liver_spleen_1NFLS Homo sapiens cDNA clone IMAGE:292491 3' similar to contains
10746	23668	37164	0.73	3.0E-17	BF327012.1	EST_HUMAN	PTR5.13 PTR5 repetitive element ;
10746	23668	37165	0.73	3.0E-17	BF327012.1	EST_HUMAN	Homo sapiens DNA, DLEC1 to ORCTL4 gene region, section 1/2 (DLEC1, ORCTL3, ORCTL4 genes, complete cds)
12266	25089		3.31	3.0E-17	11417866	NT	QV3-BN0047-270700-283-at2 BN0047 Homo sapiens cDNA
353	13442	26367	3.4	2.0E-17	A1270080.1	EST_HUMAN	QV3-BN0047-270700-283-at2 BN0047 Homo sapiens cDNA
354	13442	26367	3.97	2.0E-17	A1270080.1	EST_HUMAN	Homo sapiens SEC14 (S. cerevisiae)-like 2 (SEC14L2), mRNA
990	14042		2.04	2.0E-17	AA722632.1	EST_HUMAN	q163a08.x1 NCI_CGAP_Eso2 Homo sapiens cDNA clone IMAGE:1959922 3' similar to contains Alu
2453	15458	28478	2.3	2.0E-17	Q28983	SWISSPROT	q163a08.x1 NCI_CGAP_Eso2 Homo sapiens cDNA clone IMAGE:1959922 3' similar to contains Alu
2453	15458	28480	2.3	2.0E-17	Q28983	SWISSPROT	repetitive element;
2941	15999	28922	6.23	2.0E-17	P12036	SWISSPROT	q163a08.x1 NCI_CGAP_Eso2 Homo sapiens cDNA clone IMAGE:1959922 3' similar to contains Alu
5440	18542	31452	1.8	2.0E-17	M27685.1	NT	repetitive element;
5440	18542	31453	1.8	2.0E-17	M27685.1	NT	zq81d04.s1 Soares_fetal_heart_Nbr-H10W Homo sapiens cDNA clone IMAGE:398751 3'
6395	19463		1.99	2.0E-17	AF050506.1	NT	ZONADHESIN PRECURSOR
6395	19463		1.99	2.0E-17	AF050506.1	NT	ZONADHESIN PRECURSOR
6398	19896		1.86	2.0E-17	AL134881.1	EST_HUMAN	NEUROFILAMENT TRIPLET H PROTEIN (200 KDA NEUROFILAMENT PROTEIN)(NEUROFILAMENT
8133	21070	34469	0.85	2.0E-17	AB037839.1	NT	HEAVY POLYPEPTIDE)(NF-H)
8420	21389	34799	1.47	2.0E-17	Q95156	SWISSPROT	Mus musculus ultra high sulfur keratin gene, complete cds
8800	21767	35181	1.29	2.0E-17	AA300640.1	EST_HUMAN	Mus musculus ultra high sulfur keratin gene, complete cds
10228	23153	36843	2.35	2.0E-17	BE299888.1	EST_HUMAN	Homo sapiens MHC class 1 region
10264	23189	36873	2.83	2.0E-17	AL163247.2	NT	DKFZp762J0610_r1 762 (synonym: hmel2) Homo sapiens cDNA clone DKFZp762J0610 5'
							Homo sapiens mRNA for KIAA1418 protein, partial cds
							OLFACTORY RECEPTOR-LIKE PROTEIN OLF3
							EST13504 Testis tumor Homo sapiens cDNA 5' end similar to similar to glycogenin
							800944890P1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:2960815 5'
							Homo sapiens chromosome 21 segment HS21C047

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
10264	23189	36674	2.83	2.0E-17	AL163247.2	NT	Homo sapiens chromosome 21 segment HS21C047
10622	23544	37044	5.23	2.0E-17	D13391.1	NT	Human CYP19 gene for aromatase cytochrome P-450, promoter region (containing two cis-acting transcriptional regulatory elements)
10745	23667	37162	0.66	2.0E-17	P98063	SWISSPROT	BONE MORPHOGENETIC PROTEIN 1 PRECURSOR (BMP-1)
10745	23667	37163	0.66	2.0E-17	P98063	SWISSPROT	BONE MORPHOGENETIC PROTEIN 1 PRECURSOR (BMP-1)
10772	23663	37190	0.57	2.0E-17	A1798902.1	EST_HUMAN	we94b04.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2348719 3'
10772	23663	37191	0.57	2.0E-17	A1798902.1	EST_HUMAN	we94b04.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2348719 3'
12366	25153		1.31	2.0E-17	AF213884.1	NT	Homo sapiens nuclear factor of kappa light polypeptide gene enhancer in B-cells 1 (NFKB1) gene, complete cds
761	13812	26755	3.24	1.0E-17	P08183	SWISSPROT	MULTIDRUG RESISTANCE PROTEIN 1 (P-GLYCOPROTEIN 1)
1721	14751		1.35	1.0E-17	AJ271736.1	NT	Homo sapiens Xq pseudautosomal region; segment 2/2
1782	14811	27797	4.54	1.0E-17	AL163207.2	NT	Homo sapiens chromosome 21 segment HS21C007
2124	16141	28158	1.95	1.0E-17	P02461	SWISSPROT	COLLAGEN ALPHA 1(III) CHAIN PRECURSOR
2343	15363	28374	2.43	1.0E-17	U79410.1	NT	Homo sapiens thrombospondin 2 (THBS2) gene, promoter region and exons 1A and 1B
3581	16626		1.05	1.0E-17	AF224669.1	NT	Homo sapiens mannosidase, beta A, lysosomal (MANBA) gene, and ubiquitin-conjugating enzyme E2D 3
4162	17193		8.6	1.0E-17	R09942.1	EST_HUMAN	(UBE2D3) genes, complete cds
6600	19660		0.68	1.0E-17	AW468468.1	EST_HUMAN	U30607.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:128388 5'
6809	19863	33151	1.73	1.0E-17	A1185642.1	EST_HUMAN	he38e05.x1 NCL_CGAP_CML1 Homo sapiens cDNA clone IMAGE:2921312 3' similar to contains Alu repetitive element; contains LTR8.t1 LTR8 repetitive element
6809	19863	33152	1.73	1.0E-17	A1185642.1	EST_HUMAN	he38e05.x1 Soares_fetal_lung_NbHL19W Homo sapiens cDNA clone IMAGE:1743825 3'
7296	20268	33603	0.96	1.0E-17	Q16831	SWISSPROT	he38e05.x1 Soares_fetal_lung_NbHL19W Homo sapiens cDNA clone IMAGE:1743825 3'
8939	21905	35329	1.7	1.0E-17	BE062744.1	EST_HUMAN	URIDINE PHOSPHORYLASE (UDRPASE)
10366	23289	36766	0.87	1.0E-17	AW996538.1	EST_HUMAN	QV0-BT0263-101299-072-d07 B10263 Homo sapiens cDNA
11747	24632	38212	1.54	1.0E-17	Q28824	SWISSPROT	QV3-BN0046-220300-128-c10 BN0046 Homo sapiens cDNA
13104	25825		1.63	1.0E-17	BE221470.1	EST_HUMAN	MYOSIN LIGHT CHAIN KINASE, SMOOTH MUSCLE (MLCK) [CONTAINS: TELOKIN]
9556	22792		2.96	9.0E-18	AI472167.1	EST_HUMAN	hu25e05.x1 NCL_CGAP_Mel15 Homo sapiens cDNA clone IMAGE:3171104 3' similar to contains MER13.b1
3800	16540	29747	1.87	8.0E-18	4758977	NT	MEF13 repetitive element
3899	16939	29850	3.75	8.0E-18	Q07537	SWISSPROT	HEP403.x1 Soares_NSF_F8_9W_OT_PA_P_S1 Homo sapiens cDNA clone IMAGE:2148389 3'
349	13438	26361	23.15	7.0E-18	AW316976.1	EST_HUMAN	Homo sapiens protein tyrosine phosphatase, non-receptor type substrate 1 (PTPNS1) mRNA
							POLYPEPTIDE N-Acetylgalactosaminyltransferase (PROTEIN-UDP ACETYL GALACTOSAMINYLTRANSFERASE) (UDP-GALNAc:POLYPEPTIDE, N-Acetylgalactosaminyltransferase) (GALNAc-T1)
							xx10b04.x1 NCL_CGAP_Pan1 Homo sapiens cDNA clone IMAGE:2837071 3' similar to gb L20868 60S RIBOSOMAL PROTEIN L4 (HUMAN);

Page 243 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
349	13438	26362	23.15	7.0E-18	AW316976.1	EST_HUMAN	xx10b04.x1 NCL_CGAP_Pan1 Homo sapiens cDNA clone IMAGE:2837071 3' similar to gb:L20868 60S
7677	20835	33997	0.95	7.0E-18	AW887542.1	EST_HUMAN	RIBOSOMAL PROTEIN L4 (HUMAN);
12769	13438	26361	2.67	7.0E-18	AW316976.1	EST_HUMAN	xx10b04.x1 NCL_CGAP_Pan1 Homo sapiens cDNA clone IMAGE:2837071 3' similar to gb:L20868 60S
12769	13438	26362	2.67	7.0E-18	AW316976.1	EST_HUMAN	RIBOSOMAL PROTEIN L4 (HUMAN);
3306	16369	29278	1.29	6.0E-18	X71791.2	NT	xx10b04.x1 NCL_CGAP_Pan1 Homo sapiens cDNA clone IMAGE:2837071 3' similar to gb:L20868 60S
4777	17797		4.3	6.0E-18	P52181	SWISSPROT	Rattus norvegicus partial GdnPn-1 gene for glia-derived neuroprotease nadin I, enhancer region
8593	21561		2.64	6.0E-18	11428155	NT	PROTEIN-GLUTAMINE GAMMA-GLUTAMYLTRANSFERASE (TISSUE TRANSGLUTAMINASE)
8691	21659	35082	0.57	6.0E-18	AL163210.2	NT	(TGase C) (TGC)
11469	24412	37961	1.54	6.0E-18	AL163248.2	NT	Homo sapiens similar to high-mobility group (nonhistone chromosomal) protein 4 (H. sapiens) (LOC63446), mRNA
11657	24593	38166	2.06	6.0E-18	X87944.1	NT	Homo sapiens chromosome 21 segment HS21C010
12527	25256	31805	2.95	6.0E-18	U87929.1	NT	Homo sapiens chromosome 21 segment HS21C046
1160	14192	27144	17.6	5.0E-18	AI280214.1	EST_HUMAN	H. sapiens DMA, DM5, HLA-Z1, IPP2, LMP2, TAP1, LMP7, TAP2, DOB, DQB2 and RING8, 9, 13 and 14 genes
5345	18450	31321	0.99	5.0E-18	AF087913.1	NT	Human aconitase hydratase (ACO2) gene, exon 4
9070	22036	35459	5.53	5.0E-18	BE143312.1	EST_HUMAN	q165g11.x1 Soares_placenta_8to9weeks_2NbhP8b9W Homo sapiens cDNA clone IMAGE:1883668 3' similar to contains Alu repetitive element;
11323	24273	37800	3.26	5.0E-18	10242378	NT	Human endogenous retrovirus HERV-P-T47D
11323	24273	37801	3.26	5.0E-18	10242378	NT	MRO-HT0161-221089-002-c06 HT0161 Homo sapiens cDNA
12649	25332		6.29	5.0E-18	AW887182.1	EST_HUMAN	Homo sapiens lymphocyte activation-associated protein (LOC51088), mRNA
12980	25544		3.2	5.0E-18	AV650547.1	EST_HUMAN	Homo sapiens lymphocyte activation-associated protein (LOC51088), mRNA
125	13232	26160	1.04	4.0E-18	BE044076.1	EST_HUMAN	MR1-SN0035-060400-001-g11 SN0035 Homo sapiens cDNA
125	13232	26161	1.04	4.0E-18	BE044076.1	EST_HUMAN	AV650547 GJC Homo sapiens cDNA clone GICGA02 3'
1729	14759	27744	1.61	4.0E-18	AA621814.1	EST_HUMAN	h036h04.x1 NCL_CGAP_U11 Homo sapiens cDNA clone IMAGE:3039511 3' similar to contains MER28.b3
1806	14930		0.95	4.0E-18	AI738592.1	EST_HUMAN	MER29 repetitive element ;
2211	15226	28247	1.1	4.0E-18	Q06430	SWISSPROT	h036h04.x1 NCL_CGAP_U11 Homo sapiens cDNA clone IMAGE:3039511 3' similar to contains MER28.b3

Table 4

Single Exon Probes Expressed In Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2211	15226	28248	1.1	4.0E-18	Q06430	SW/ISSPROT	N-ACETYLGLUCOSAMINIDE BETA-1,6-N-ACETYLGLUCOSAMINYLTRANSFERASE (N- ACETYLGLUCOSAMINYLTRANSFERASE) (I-BRANCHING ENZYME) (IGNT)
3806	16846	29763	0.76	4.0E-18	AI581586.1	EST_HUMAN	ar63h06.x1 Barstead colon HPLRB7 Homo sapiens cDNA clone IMAGE:2173139 3' similar to contains Alu repetitive element
5437	18539	31447	2.29	4.0E-18	AI017565.1	EST_HUMAN	ou23e06.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1627138 3'
5437	18539	31448	2.29	4.0E-18	AI017565.1	EST_HUMAN	ou23e06.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1627138 3'
8178	21148		0.67	4.0E-18	AA746811.1	EST_HUMAN	mx64a08.s1 NCI_CGAP_AM1 Homo sapiens cDNA clone IMAGE:1266998 similar to contains L1.12 L1 repetitive element
11348	24298	37826	4.22	4.0E-18	AA371807.1	EST_HUMAN	EST83633 Pituitary gland, subtracted (prolactin/growth hormone) II Homo sapiens cDNA 5' end similar to EST containing O family repeat
850	13906	26865	24.96	3.0E-18	AA814196.1	EST_HUMAN	ob23h11.s1 NCI_CGAP_Kid5 Homo sapiens cDNA clone IMAGE:1324581 3' similar to SW:RS5_HUMAN
930	13983	26936	3.54	3.0E-18	BE088634.1	EST_HUMAN	P46782 40S RIBOSOMAL PROTEIN S5 ;
972	17012	29626	1.31	3.0E-18	AL163247.2	NT	CN0-BT0690-210300-288-g07 BT0690 Homo sapiens cDNA
7003	20129	33444	6.43	3.0E-18	BE001671.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C047
11271	24223	37748	1.76	3.0E-18	BF218650.1	EST_HUMAN	PM0-BN0081-100300-001-b08 BN0081 Homo sapiens cDNA
12774	25412		5.15	3.0E-18	AW022015.1	EST_HUMAN	df31h12.y1 Morton Fetal Cochlea Homo sapiens cDNA clone IMAGE:4103652 5'
251	13348	26274	5.97	2.0E-18	AW836620.1	EST_HUMAN	QV1-LT0036-150200-070-e07 LT0036 Homo sapiens cDNA
1155	14197		67.85	2.0E-18	BE256097.1	EST_HUMAN	601114352F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3355044 5'
3140	16197	29107	1.27	2.0E-18	Q39575	SW/ISSPROT	DYNEIN GAMMA CHAIN, FLAGELLAR OUTER ARM
5485	18585		3.85	2.0E-18	AA868610.1	EST_HUMAN	ak53a07.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1409662 3' similar to TR:O14577
5584	18680	31644	3.38	2.0E-18	D14547.1	NT	O14577 BAC CLONE RG114A06 FROM 7Q31, COMPLETE SEQUENCE. ;
5584	18680	31645	3.38	2.0E-18	D14547.1	NT	Human DNA, SINE repetitive element
5978	19063		1.87	2.0E-18	BF347229.1	EST_HUMAN	Human DNA, SINE repetitive element
6289	19361	32599	1	2.0E-18	X60459.1	NT	602021164F1 NCI_CGAP_Bm57 Homo sapiens cDNA clone IMAGE:4156670 5'
6289	19361	32599	1	2.0E-18	X60459.1	NT	Human IFNAR gene for interferon alpha/beta receptor
6409	19477	32724	0.75	2.0E-18	BF352940.1	EST_HUMAN	Human IFNAR gene for interferon alpha/beta receptor
6451	19516	32767	4.42	2.0E-18	AW685853.1	EST_HUMAN	Human IFNAR gene for interferon alpha/beta receptor
7670	20629	33983	0.72	2.0E-18	AA457619.1	EST_HUMAN	IL3-HT0619-220700-222-C12 HT0619 Homo sapiens cDNA
8487	21455	34872	0.52	2.0E-18	BE439524.1	EST_HUMAN	h94g01.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2879984 3' similar to contains MER19.12 MER19 repetitive element ;
							aa89d11.r1 Stratagene fetal retina 937202 Homo sapiens cDNA clone IMAGE:838485 5' similar to TR:G61634 G61634 POLYPEPTIDE PR77 ;
							HTM1-160F1 HTM1 Homo sapiens cDNA

Page 245 of 546
Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
10407	23328	36813	1.31	2.0E-18	AW151673.1	EST_HUMAN	x67e10.x1 NCI_CGAP_Gas4 Homo sapiens cDNA clone IMAGE:2623146 3' similar to contains MER10.12 MER10 repetitive element;
10407	23329	36814	1.31	2.0E-18	AW151673.1	EST_HUMAN	x67e10.x1 NCI_CGAP_Gas4 Homo sapiens cDNA clone IMAGE:2623146 3' similar to contains MER10.12 MER10 repetitive element;
11319	24269	37797	3.07	2.0E-18	AW470791.1	EST_HUMAN	ha33d06.x1 NCI_CGAP_Kid12 Homo sapiens cDNA clone IMAGE:2875499 3' similar to contains THR.b3 THR repetitive element;
12039	24914	38508	2.88	2.0E-18	AW151299.1	EST_HUMAN	xg47e09.x1 NCI_CGAP_U11 Homo sapiens cDNA clone IMAGE:2630728 3' similar to contains MER8.b2 MER8 repetitive element;
12461	14197		3.97	2.0E-18	BE258097.1	EST_HUMAN	601114352F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3355044 5' L1 repetitive element;
4445	17471		0.93	1.0E-18	T95406.1	EST_HUMAN	ye43g05.r1 Sceres fetal liver spleen 1NFSL Homo sapiens cDNA clone IMAGE:120538 5' similar to contains L1 repetitive element;
5429	18532	31412	2.71	1.0E-18	AY553405.1	EST_HUMAN	AV553405 GLC Homo sapiens cDNA clone GLCKE11 3'
5650	18748	31914	1.87	1.0E-18	D00099.1	NT	Homo sapiens mRNA for Na,K-ATPase alpha-subunit, complete cds
5650	18748	31915	1.87	1.0E-18	D00099.1	NT	Homo sapiens mRNA for Na,K-ATPase alpha-subunit, complete cds
6597	19657	32929	1.33	1.0E-18	AL163280.2	NT	Homo sapiens chromosome 21 segment HS21C080
8785	21752	35174	1.13	1.0E-18	AI148288.1	EST_HUMAN	oz69d09.x1 Sceres_senescent_fibroblasts_NbHSF Homo sapiens cDNA clone IMAGE:1880593 3' similar to contains L1.11 L1 repetitive element;
10259	23184	36669	4.28	1.0E-18	U91328.1	NT	Human hereditary haemochromatosis region, histone 2A-like protein gene, hereditary haemochromatosis (HLA-H) gene, RbRet gene, and sodium phosphate transporter (NPT3) gene, complete cds
12412	25184	31821	6.49	1.0E-18	AF003528.1	NT	Homo sapiens glypican 3 (GPC3) gene, partial cds and flanking repeat regions
547	13618	26540	5.55	9.0E-19	AA281991.1	EST_HUMAN	zt11d06.r1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:712811 5' similar to contains MER19.12 MER19 repetitive element;
548	13618	26540	4.1	9.0E-19	AA281991.1	EST_HUMAN	zt11d06.r1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:712811 5' similar to contains MER19.12 MER19 repetitive element;
8181	21151		5.71	9.0E-19	F08688.1	EST_HUMAN	HSC23F051 normalized infant brain cDNA Homo sapiens cDNA clone c-2305
9036	22002	35423	2.64	9.0E-19	AL163203.2	NT	Homo sapiens chromosome 21 segment HS21C003
9036	22002	35424	2.64	9.0E-19	AL163203.2	NT	Homo sapiens chromosome 21 segment HS21C003
11462	24405	37953	3.37	9.0E-19	AB032969.1	NT	Homo sapiens mRNA for KIAA1143 protein, partial cds
12172	13618	26540	1.94	9.0E-19	AA281991.1	EST_HUMAN	zt11d06.r1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:712811 5' similar to contains MER19.12 MER19 repetitive element;
1050	14096		1.31	8.0E-19	AW974902.1	EST_HUMAN	EST387007 MAGE sequences, MAGN Homo sapiens cDNA
4433	17480		0.96	8.0E-19	P08548	SWISSPROT	LINE-1 REVERSE TRANSCRIPTASE HOMOLOG
8488	21456	34873	1.04	8.0E-19	BE159336.1	EST_HUMAN	MR0-HT0404-210200-001-g08 HT0404 Homo sapiens cDNA

Page 246 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2257	15271	28296	1.43	7.0E-19	4758139	NT	Homo sapiens DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide 6 (RNA helicase, 54kD) (DDX6) mRNA
6598	19658	32930	1.95	7.0E-19	AF092090.1	NT	Rattus norvegicus cp151 mRNA, partial cds
7519	20484	33845	1.02	7.0E-19	P28444	SWISSPROT	BETA CRYSTALLIN A2
10372	23295	36771	0.43	7.0E-19	AJ344951.1	EST_HUMAN	U01c08.x1 NCI_CGAP_u28 Homo sapiens cDNA clone IMAGE:2052302 3'
12313	25969		3.28	7.0E-19	AA705684.1	EST_HUMAN	260b01.s1 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:435145 3'
3792	18833		1.6	6.0E-19	AW852830.1	EST_HUMAN	PMO-CT0248-131099-001-g01 CT0248 Homo sapiens cDNA
4490	17515	30403	1.44	6.0E-19	P34986	SWISSPROT	OLFACTORY RECEPTOR 6 (M50)
4490	17515	30404	1.44	6.0E-19	P34986	SWISSPROT	OLFACTORY RECEPTOR 6 (M50)
4837	17854		1.47	6.0E-19	AJ271735.1	NT	Homo sapiens Xq pseudautosomal region; segment 1/2
5064	18074	30954	1.29	6.0E-19	AL120817.1	EST_HUMAN	DKFZp62F192.1 762 (synonym: hmel2) Homo sapiens cDNA clone DKFZp62F192 5'
5958	19043	32242	4.88	5.0E-19	Q00193	SWISSPROT	ZONA PELLUCIDA SPERM-BINDING PROTEIN B PRECURSOR (ZONA PELLUCIDA GLYCOPROTEIN ZP-X) (RC55)
6342	19411	32852	0.69	5.0E-19	AW663302.1	EST_HUMAN	h17b06.y1 NCI_CGAP_GU1 Homo sapiens cDNA clone IMAGE:2968787 5'
10790	23711	37213	0.78	5.0E-19	AJ297699.1	NT	Homo sapiens partial IL-12RB1 gene for IL-12 receptor beta1 chain, exon 14
11885	24747	38329	4.78	5.0E-19	AW183725.1	EST_HUMAN	x187b02.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2664171 3' similar to contains element MSR1 repetitive element
556	13626	26544	0.89	4.0E-19	AB007970.1	NT	Homo sapiens mRNA, chromosome 1 specific transcript KIAA0501
2691	15687	28704	1.69	4.0E-19	BF697362.1	EST_HUMAN	602130910F1 NIH_MGC_56 Homo sapiens cDNA clone IMAGE:4287674 5'
5470	18571	31481	1.05	4.0E-19	AF224669.1	NT	Homo sapiens mannosidase, beta A, lysosomal (MANBA) gene, and ubiquitin-conjugating enzyme E2D 3 (UBE2D3) genes, complete cds
3868	16905	29812	1.4	3.0E-19	Q28997	SWISSPROT	BETA-2 ADRENERGIC RECEPTOR
3868	16905	29813	1.4	3.0E-19	Q28997	SWISSPROT	BETA-2 ADRENERGIC RECEPTOR
4315	17344	30227	0.69	3.0E-19	O43900	SWISSPROT	LIM-ONLY PROTEIN 6 (TRIPLE LIM DOMAIN PROTEIN 6)
4315	17344	30228	0.69	3.0E-19	O43900	SWISSPROT	LIM-ONLY PROTEIN 6 (TRIPLE LIM DOMAIN PROTEIN 6)
4475	17501	30385	1.79	3.0E-19	AV708136.1	EST_HUMAN	AV708136 ADC Homo sapiens cDNA clone ADCAMA11 5'
5352	18457		0.63	3.0E-19	AF223487.1	NT	Homo sapiens NP0008 protein (NP0008) mRNA, complete cds
7612	20572		1.81	3.0E-19	11432214	NT	Homo sapiens similar to aldo-keto reductase family 1, member B11 (aldose reductase-like) (H. sapiens) (LOC632222), mRNA
9814	21137	34539	1.11	3.0E-19	X89685.1	NT	M.musculus mRNA for TPOR33 protein
12552	25275		16.28	3.0E-19	AF166520.1	NT	Homo sapiens phorbol 1 protein (PBI) mRNA, complete cds
2567	15568	28568	27.04	2.0E-19	AL163201.2	NT	Homo sapiens chromosome 21 segment HS21C001
4474	17500		1.23	2.0E-19	AI311783.1	EST_HUMAN	q991e02.x1 NCI_CGAP_Kid5 Homo sapiens cDNA clone IMAGE:1915898 3' similar to TR:Q69386 Q69386 POL/ENV GENE;

Page 247 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6172	19247	32480	0.61	2.0E-19	AV731382.1	EST_HUMAN	AV731382 HTF Homo sapiens cDNA clone HTFAZC06 5'
7561	20524	33882	0.72	2.0E-19	7657286	NT	Mus musculus keratin-associated protein 9-1 (Krtap9-1), mRNA
8673	21641	35066	9.35	2.0E-19	AA012854.1	EST_HUMAN	ze34c09.r1 Soares retina N2b4HR Homo sapiens cDNA clone IMAGE:360880 5'
10269	23194	36682	0.68	2.0E-19	Q95155	SWISSPROT	OLFACTORY RECEPTOR-LIKE PROTEIN OLF2
482	13555		2.11	1.0E-19	BE40861.1	EST_HUMAN	607304725F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3638310 5'
							yc79g07.r1 Soares adult brain N2b4HB55Y Homo sapiens cDNA clone IMAGE:184188 5' similar to contains MER10 repetitive element;
2174	15190	28211	1.66	1.0E-19	H30795.1	EST_HUMAN	Human gene for Ahr-receptor, exon 7-9
2729	15723		2.48	1.0E-19	D38044.1	NT	Homo sapiens protein tyrosine phosphatase, non-receptor type substrate 1 (PTPNS1) mRNA
2860	15920		4.26	1.0E-19	4758977	NT	Homo sapiens protein tyrosine phosphatase, non-receptor type substrate 1 (PTPNS1) mRNA
3412	16460	29381	1.18	1.0E-19	AA834967.1	EST_HUMAN	al49b12.s1 Soares testis_NHT Homo sapiens cDNA clone IMAGE:1393631 3' similar to contains MER37.12
5186	18195		0.9	1.0E-19	AW117377.1	EST_HUMAN	xd88h10.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2604739 3' similar to contains L1.1 L1
6193	19267	32502	2.73	1.0E-19	U12188.1	NT	L1.b2 L1 L1 repetitive element;
6333	25995		0.63	1.0E-19	AA595527.1	EST_HUMAN	Oryctolagus cuniculus sodium/dicarboxylate cotransporter mRNA, partial cds
7890	20834	34213	0.99	1.0E-19	U08813.1	NT	repetitive element;
7890	20834	34214	0.99	1.0E-19	U08813.1	NT*	Oryctolagus cuniculus Na+/glucose cotransporter-related protein mRNA, complete cds
8085	25694		0.71	1.0E-19	AF200719.1	NT	Oryctolagus cuniculus Na+/glucose cotransporter-related protein mRNA, complete cds
8793	21760	35182	1.72	1.0E-19	M64657.1	NT	Homo sapiens pituitary tumor transforming gene protein (PTTG) gene, complete cds
							Rabbit phosphorylase kinase beta subunit mRNA, complete cds
9093	22059		2.74	1.0E-19	T99920.1	EST_HUMAN	ye72b02.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:123243 5' similar to contains OFR repetitive element;
10106	23032		0.97	1.0E-19	U60822.1	NT	Human dystrophin (DMD) gene, exons 7, 8 and 9, and partial cds
10547	23469	36984	27.33	1.0E-19	AW812259.1	EST_HUMAN	RC0-ST0174-191099-031-b05 ST0174 Homo sapiens cDNA
10557	23479	36974	2.1	1.0E-19	NA4631.1	EST_HUMAN	ys31e09.r1 Soares melanocyte 2NbtHM Homo sapiens cDNA clone IMAGE:272872 5'
11809	24594		3.69	1.0E-19	AW023137.1	EST_HUMAN	df49h01.y1 Morton Fetal Cochlea Homo sapiens cDNA clone IMAGE:2487000 5'
6803	19857	33143	2.45	8.0E-20	7657286	NT	Mus musculus keratin-associated protein 9-1 (Krtap9-1), mRNA
6803	19857	33144	2.45	8.0E-20	7657286	NT	Mus musculus keratin-associated protein 9-1 (Krtap9-1), mRNA
7761	20714	34084	1.31	8.0E-20	A1221371.1	EST_HUMAN	qg56f09.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1842089 3'
7761	20714	34085	1.31	8.0E-20	A1221371.1	EST_HUMAN	qg56f09.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1842089 3'
3289	16342	29263	0.72	7.0E-20	BF329455.1	EST_HUMAN	PM4-AN0098-050900-003-a04 AN0098 Homo sapiens cDNA
7188	18419	31220	5.56	7.0E-20	AL138120.1	EST_HUMAN	DKFZp547D092_r1 547 (synonym: hfbt1) Homo sapiens cDNA clone DKFZp547D092 5'
8841	21808	35227	9.11	7.0E-20	AA557657.1	EST_HUMAN	nl46c04.s1 NCI_CGAP_P4 Homo sapiens cDNA clone IMAGE:1043718 similar to contains MER29.b2 MER29 repetitive element;

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8841	21808	35228	9.11	7.0E-20	AA557657.1	EST_HUMAN	nl46c04.s1 NCL_CGAP_P14 Homo sapiens cDNA clone IMAGE:1043718 similar to contains MER29.b2
12023	24899		6.31	7.0E-20	6912633	NT	MER29 repetitive element ;
3568	16613	29535	3.93	6.0E-20	P39188	SWISSPROT	Homo sapiens ribosomal protein L13a (RPL13A), mRNA
4301	17330	30210	2.98	6.0E-20	BE622434.1	EST_HUMAN	ALU SUBFAMILY J SEQUENCE CONTAMINATION WARNING ENTRY
4626	17647		1.05	5.0E-20	AV725123.1	EST_HUMAN	601441231F1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3916231 5'
7322	20293	33636	1.19	5.0E-20	AF075301.1	EST_HUMAN	AV725123 HTC Homo sapiens cDNA clone HTC8TA01 5'
8277	21246	34657	5	5.0E-20	W90525.1	EST_HUMAN	AF076301 Human fetal liver cDNA library Homo sapiens cDNA clone HA0250
8277	21246	34658	5	5.0E-20	W90525.1	EST_HUMAN	z178d08.s1 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:418191 3' similar to contains MER30.t1 MER30 repetitive element ;
8440	21409	34822	0.78	5.0E-20	BE165980.1	EST_HUMAN	z178d08.s1 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:418191 3' similar to contains MER30.t1 MER30 repetitive element ;
9187	22153	35582	1.24	5.0E-20	AB028174.1	NT	MR3-HT0487-150200-113-g01 HT0487 Homo sapiens cDNA
9187	22153	35583	1.24	5.0E-20	AB028174.1	NT	Mus musculus MMAN-g mRNA, complete cds
9800	21123		0.93	5.0E-20	O60809	SWISSPROT	Mus musculus MMAN-g mRNA, complete cds
1624	14657	27635	1.73	4.0E-20	AL163247.2	NT	HYPOTHETICAL PROTEIN DJ845024.1
5732	18826		0.89	4.0E-20	Q99880	SWISSPROT	Homo sapiens chromosome 21 segment HS21C047
8258	21227		5.27	4.0E-20	A1874352.1	EST_HUMAN	HISTONE H2B C (H2B/C)
10865	23785	37286	1.9	4.0E-20	AW937469.1	EST_HUMAN	z64g03.x1 NCL_CGAP_Ox35 Homo sapiens cDNA clone IMAGE:2293396 3'
2149	15165	28181	0.91	3.0E-20	U03888.1	NT	QV3-DT0043-090200-080-c04 DT0043 Homo sapiens cDNA
4237	17266	30153	1.63	3.0E-20	P23273	SWISSPROT	Human BXP21 gene
4855	17676	30562	1.43	3.0E-20	AA037616.1	EST_HUMAN	OLFACTORY RECEPTOR-LIKE PROTEIN 114
9287	22253		3.32	3.0E-20	D14547.1	NT	z138b12.s1 Soares_pregnant_uterus_NbHPU Homo sapiens cDNA clone IMAGE:484895 3' similar to contains L1.t3 L1 repetitive element ;
10884	23606	37099	0.68	3.0E-20	BF185284.1	EST_HUMAN	Human DNA, SINE repetitive element
11024	23989		1.59	3.0E-20	P11369	SWISSPROT	601843561F1 NIH_MGC_54 Homo sapiens cDNA clone IMAGE:4064343 5'
11840	24723	36308	8.22	3.0E-20	A1284244.1	EST_HUMAN	RETROVIRUS-RELATED POLYPROTEIN [CONTAINS: REVERSE TRANSCRIPTASE ; ENDONUCLEASE]
11840	24723	36309	8.22	3.0E-20	A1284244.1	EST_HUMAN	q170d02.x1 NCL_CGAP_Kid3 Homo sapiens cDNA clone IMAGE:1864803 3' similar to contains Alu repetitive element;
12329	25130	31849	4.15	3.0E-20	BE888422.1	EST_HUMAN	q170d02.x1 NCL_CGAP_Kid3 Homo sapiens cDNA clone IMAGE:1864803 3' similar to contains Alu repetitive element;
831	13886		33.91	2.0E-20	AW303868.1	EST_HUMAN	601514180F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3915522 5'

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1113	14157	27107	3.88	2.0E-20	AA516335.1	EST_HUMAN	ng69h09.s1 NCI_CGAP_Lip2 Homo sapiens cDNA clone IMAGE:940097 similar to TR:G1224066 G1224066 ORF2: FUNCTION UNKNOWN. ;
1113	14157	27108	3.88	2.0E-20	AA516335.1	EST_HUMAN	ng69h09.s1 NCI_CGAP_Lip2 Homo sapiens cDNA clone IMAGE:940097 similar to TR:G1224066 G1224066 ORF2: FUNCTION UNKNOWN. ;
2828	13898		15.67	2.0E-20	AW303868.1	EST_HUMAN	xt24e10.x1 NCI_CGAP_U14 Homo sapiens cDNA clone IMAGE:2761098 3' similar to SW:RS6_MOUSE
4983	17988	30886	4.76	2.0E-20	Q28983	SWISSPROT	ZONADHESIN PRECURSOR
4983	17988	30887	4.76	2.0E-20	Q28983	SWISSPROT	ZONADHESIN PRECURSOR
8455	21424	34840	0.9	2.0E-20	AA309457.1	EST_HUMAN	EST180326 Liver III Homo sapiens cDNA 5' and
9545	22508	35957	7.56	2.0E-20	D10083.1	NT	Homo sapiens RGH1 gene, retrovirus-like element
9545	22508	35958	7.56	2.0E-20	D10083.1	NT	Homo sapiens RGH1 gene, retrovirus-like element
12703	25714	31611	3.98	2.0E-20	H55371.1	EST_HUMAN	CHR220310 Chromosome 22 exon Homo sapiens cDNA clone C22_391 5'
2029	15822	28063	4.32	1.0E-20	AA281961.1	EST_HUMAN	z11d06.r1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:712811 5' similar to contains MER19.12 MER19 repetitive element ;
4467	17493	30380	1.04	1.0E-20	BF115158.1	EST_HUMAN	hr84b06.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:3135155 3' similar to contains L1.12 L1 repetitive element ;
7079	20100	33411	1.04	1.0E-20	AF049567.1	EST_HUMAN	AF049567 Human activated dendritic cell mRNA Homo sapiens cDNA clone GA05
9318	22481	35926	2.24	1.0E-20	11418491	NT	Homo sapiens Autosomal Highly Conserved Protein (AHCP), mRNA
11879	24761	36346	2.11	1.0E-20	AF223391.1	NT	Homo sapiens calcium channel alpha1E subunit (CACNA1E) gene, exons 7-49, and partial cds, alternatively spliced
12458	25215		3.09	1.0E-20	AA420453.1	EST_HUMAN	nc60g08.r1 NCI_CGAP_P11 Homo sapiens cDNA clone IMAGE:745694 similar to contains L1.13 L1 repetitive element ;
2923	15981		1	9.0E-21	AJ003514.1	EST_HUMAN	AJ003514 Selected chromosome 21 cDNA library Homo sapiens cDNA clone MPIp12-8J21
12175	25023		3.77	9.0E-21	AW898189.1	EST_HUMAN	RC3-NN0088-090500-021-b03 NN0088 Homo sapiens cDNA
9163	22129		1.13	8.0E-21	AW674891.1	EST_HUMAN	bb30a02.y1 NIH_MGC_10 Homo sapiens cDNA clone IMAGE:2884714 5' similar to SW:NIAM_HUMAN
11868	24748	38330	4.38	8.0E-21	AA809411.1	EST_HUMAN	O95169 NADH-UBIQUINONE OXIDOREDUCTASE ASH1 SUBUNIT PRECURSOR ;
12342	25140		2.94	8.0E-21	O21930	SWISSPROT	cb71f06.s1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:7338835 3'
2082	15099	28115	1.59	7.0E-21	P15900	SWISSPROT	ATP SYNTHASE A CHAIN (PROTEIN 6)
2082	15099	28116	1.59	7.0E-21	P15900	SWISSPROT	LAMININ BETA-2 CHAIN PRECURSOR (S-LAMININ) (LAMININ CHAIN B3)
3716	16769	28671	0.63	7.0E-21	AL163300.2	NT	LAMININ BETA-2 CHAIN PRECURSOR (S-LAMININ) (LAMININ CHAIN B3)
4283	17312		5.22	7.0E-21	AA046502.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C100
6573	19633	32900	0.81	7.0E-21	AL163218.2	NT	zkb7a06.r1 Soares_pregnant_uterus_NbHPU Homo sapiens cDNA clone IMAGE:487858 5' Homo sapiens chromosome 21 segment HS21C018

Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8731	21699	35124	1.42	7.0E-21	AJ277557.1	NT	Homo sapiens dNT-2 gene for mitochondrial 5'(3')-deoxyribonucleotidase (dNT-2 gene), exons 1-5
9024	21690	35411	11.21	7.0E-21	D14718.1	NT	Human chromosomal protein HMG1 related gene
10472	23394	36891	0.82	7.0E-21	AW856922.1	EST_HUMAN	RC0-CT0301-271199-031-F03 CT0301 Homo sapiens cDNA
							zg73403.s1 Soares_fetal_heart_NbHH19W Homo sapiens cDNA clone IMAGE:398981 3' similar to
							gb:M14338 VITAMIN K-DEPENDENT PROTEIN S PRECURSOR (HUMAN); contains THR.13 OFR
							repetitive element 1:
11054	24017	37540	1.69	7.0E-21	AA723404.1	EST_HUMAN	Homo sapiens PTDO13 protein (PTDO13), mRNA
11599	24537	38094	1.87	7.0E-21	7706668	NT	607304125F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3638310 5'
4130	17163	30052	1.68	6.0E-21	BE408611.1	EST_HUMAN	PM1-HT0454-080100-002-H09 HT0454 Homo sapiens cDNA
9491	22455		0.59	6.0E-21	BE162737.1	EST_HUMAN	607649871F1 NIH_MGC_74 Homo sapiens cDNA clone IMAGE:3933880 5'
4390	17418	30302	3.16	5.0E-21	BE66839.1	EST_HUMAN	Homo sapiens melanoma antigen, family C, 1 (MAGEC1), mRNA
4839	17856	30753	6.18	5.0E-21	4885474	NT	hcd5e10.x1 NCI_CGAP_CML1 Homo sapiens cDNA clone IMAGE:2918154 3'
6927	20151		0.92	5.0E-21	AW440864.1	EST_HUMAN	7833d11.x1 NCI_CGAP_P28 Homo sapiens cDNA clone IMAGE:3303573 3' similar to contains OFR.11
							OFR repetitive element 1:
7213	20236	39570	0.96	5.0E-21	BE865505.1	EST_HUMAN	ZINC FINGER PROTEIN GLI1 (GLI-1)
10939	23859	37374	0.43	5.0E-21	Q91690	SWISSPROT	ZINC FINGER PROTEIN GLI1 (GLI-1)
10939	23859	37375	0.43	5.0E-21	Q91690	SWISSPROT	z172c04.r1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:727878 5'
12255	25081		5.38	5.0E-21	AA393574.1	EST_HUMAN	o086e08.s1 NCI_CGAP_Kid5 Homo sapiens cDNA clone IMAGE:1573094 3' similar to TR:Q16630 Q16530
							PMS3 MRNA ; contains OFR.11 OFR repetitive element 1:
1748	14777	27762	1.95	4.0E-21	AA970713.1	EST_HUMAN	Rattus norvegicus mRNA for rTIM, complete cds
7055	20077	33386	3.35	4.0E-21	AB019576.1	NT	
							Human hereditary haemochromatosis region, histone 2A-like protein gene, hereditary haemochromatosis
							(HLA-H) gene, RoRet gene, and sodium phosphate transporter (NPT3) gene, complete cds
10139	23065	36541	0.59	4.0E-21	U91328.1	NT	zq15d06.s1 Stralagene fetal retina 937202 Homo sapiens cDNA clone IMAGE:629771 3'
1854	14880	27876	1.05	3.0E-21	AA218891.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C001
2282	15295	28319	1.48	3.0E-21	AL163201.2	NT	Homo sapiens LGMD2B gene
3096	16153	29066	4.17	3.0E-21	AJ007973.1	NT	
							Homo sapiens dNT-2 gene for mitochondrial 5'(3')-deoxyribonucleotidase (dNT-2 gene), exons 1-5
5577	18673	31636	0.93	3.0E-21	AJ277557.1	NT	
							Homo sapiens dNT-2 gene for mitochondrial 5'(3')-deoxyribonucleotidase (dNT-2 gene), exons 1-5
5577	18673	31637	0.93	3.0E-21	AJ277557.1	NT	
5928	18918		0.74	3.0E-21	AV661044.1	EST_HUMAN	AV661044 GLC Homo sapiens cDNA clone GLCGA10 3'
6303	19374		1.89	3.0E-21	BF184739.1	EST_HUMAN	601844465F1 NIH_MGC_54 Homo sapiens cDNA clone IMAGE:4064945 5'
7271	20006	33306	7.18	3.0E-21	BF361093.1	EST_HUMAN	RC1-OT0083-100800-019-908 OT0083 Homo sapiens cDNA

Page 251 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
10051	22878	36445	0.77	3.0E-21	AW897760.1	EST_HUMAN	CM1-NN0063-280400-203-008 NN0063 Homo sapiens cDNA
147	13250		28.45	2.0E-21	BE163247.1	EST_HUMAN	QV3-HT0458-170200-090-q12 HT0458 Homo sapiens cDNA
1219	14257		3.29	2.0E-21	BE064410.1	EST_HUMAN	RC4-BT0311-141199-011-008 BT0311 Homo sapiens cDNA
2646	15643	28687	2.28	2.0E-21	Q28983	SWISSPROT	ZONADHESIN PRECURSOR
2646	15643	28688	2.28	2.0E-21	Q28983	SWISSPROT	ZONADHESIN PRECURSOR
5561	18658	31604	1.54	2.0E-21	AI624582.1	EST_HUMAN	Is3003.x1 NCL_CGAP_Pan1 Homo sapiens cDNA clone IMAGE:2230109.3 similar to TR:Q89854 Q89854
5656	18762	31918	0.81	2.0E-21	AA027211.1	EST_HUMAN	HYPOTHETICAL 51.1 KD PROTEIN;
5656	18762	31919	0.81	2.0E-21	AA027211.1	EST_HUMAN	ze97a12.r1 Soares_fetal_heart_NBHH19W Homo sapiens cDNA clone IMAGE:386910.5
6148	18224	32454	0.61	2.0E-21	W44493.1	EST_HUMAN	ze97a12.r1 Soares_fetal_heart_NBHH19W Homo sapiens cDNA clone IMAGE:386910.5
8615	21583	34989	0.48	2.0E-21	AJ010770.1	NT	zc28h02.r1 Soares_senescent_fibroblasts_NbHSP Homo sapiens cDNA clone IMAGE:323667.5
8706	21674	35089	6.64	2.0E-21	BE141785.1	EST_HUMAN	Homo sapiens hyperion gene, exons 1-50
9175	22141	35567	3.96	2.0E-21	AU136779.1	EST_HUMAN	QV0-HT0103-091199-050-g11 HT0103 Homo sapiens cDNA
9175	24594	38152	1.72	2.0E-21	BE973829.1	EST_HUMAN	AU136779 PLACE1 Homo sapiens cDNA clone PLACE1005052.5
11647	24594	38153	1.72	2.0E-21	BE973829.1	EST_HUMAN	601680636F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:3951008.5
12560	25279		17.51	2.0E-21	AF176815.1	NT	601680636F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:3951008.5
1260	14295	27259	2.06	1.0E-21	AA557657.1	EST_HUMAN	Homo sapiens putative 8-hydroxyguanine DNA glycosylase gene, complete cds
1402	14435		7.17	1.0E-21	AI601284.1	EST_HUMAN	nl46c04.a1 NCL_CGAP_P4 Homo sapiens cDNA clone IMAGE:1043718 similar to contains MER28.b2
6634	19692		2.6	1.0E-21	AL079752.1	EST_HUMAN	MER29 repetitive element;
7398	20366	33719	4.83	1.0E-21	AI223104.1	EST_HUMAN	ar88d12.x1 Barstead colon HPLRB7 Homo sapiens cDNA clone IMAGE:2152343.3
10603	23525	37021	0.46	1.0E-21	AL163203.2	NT	DKFZp43440830_r1 434 (synonym: hles3) Homo sapiens cDNA clone DKFZp43440830.5
10603	23525	37022	0.46	1.0E-21	AL163203.2	NT	tg47ed5.x1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1838336.3 similar to gb:M64241 QM
10949	23869		1.87	1.0E-21	6730038	NT	PROTEIN (HUMAN);
12932	25514		1.32	1.0E-21	AF046133.1	NT	Homo sapiens chromosome 21 segment HS21C003
4439	17465	30355	2.03	9.0E-22	AI702438.1	EST_HUMAN	Homo sapiens SET domain and mariner transposase fusion gene (SETMAR) mRNA
8951	21917	35341	1.29	9.0E-22	AL163201.2	NT	Homo sapiens chromosome 21 segment HS21C001
8951	21917	35342	1.29	9.0E-22	AL163201.2	NT	Homo sapiens chromosome 21 segment HS21C001
11144	24104	37631	3.13	9.0E-22	AV761874.1	EST_HUMAN	AV761874 MDS Homo sapiens cDNA clone MDSCCG05.5
949	14002		7.03	8.0E-22	BE144748.1	EST_HUMAN	CM0-HT0179-281099-076-005 HT0179 Homo sapiens cDNA
8228	21197		3.82	8.0E-22	AA046502.1	EST_HUMAN	zk67a08.r1 Soares_pregnant_uterus_NbHPU Homo sapiens cDNA clone IMAGE:487858.5
668	13731	26656	6.78	7.0E-22	AL163246.2	NT	Homo sapiens chromosome 21 segment HS21C046

Page 252 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4312	17341	30221	2.36	7.0E-22	Q61838	SWISSPROT	ALPHA-2-MACROGLOBULIN PRECURSOR (ALPHA2M)
5078	18086	30966	0.97	7.0E-22	AB008681.1	NT	Homo sapiens gene for activin receptor type IIB, complete cds
9038	22004		2.46	7.0E-22	AF151054.1	NT	Homo sapiens HSPC220 mRNA, complete cds
9184	22150	35578	3.88	7.0E-22	M78690.1	EST_HUMAN	EST00738 Fetal brain, Striatogene (cat#336206) Homo sapiens cDNA clone HFBCF07
9981	22888	36349	1.92	7.0E-22	AF009660.1	NT	Homo sapiens T cell receptor beta locus, TORBY/S3A2 to TORBY/2S2 region
8584	21552		1.88	6.0E-22	AW029123.1	EST_HUMAN	w05g07.x1 NCI_CGAP_Gas4 Homo sapiens cDNA clone IMAGE:2542812 3'
5285	18291		0.72	5.0E-22	D14547.1	NT	Human DNA, SINE repetitive element
6666	19723	32988	3.05	5.0E-22	AL163303.2	NT	Homo sapiens chromosome 21 segment HS21C103
10682	23604	37088	7.82	5.0E-22	U60822.1	NT	Human dystrophin (DMD) gene, exons 7, 8 and 9, and partial cds
12775	25413		2.76	5.0E-22	BF476511.1	EST_HUMAN	neaz7b06.x1 NCI_CGAP_P128 Homo sapiens cDNA clone IMAGE:3255688 3' similar to contains Alu repetitive element
3650	16693		0.83	4.0E-22	AJ271735.1	NT	Homo sapiens Xq pseudautosomal region; segment 1/2
8442	21411	34824	0.42	4.0E-22	AV703223.1	EST_HUMAN	AV703223 ADB Homo sapiens cDNA clone ADBAUE12 5'
8758	26008		3.36	4.0E-22	AL163202.2	NT	Homo sapiens chromosome 21 segment HS21C002
11077	24039	37563	2.15	4.0E-22	BF218030.1	EST_HUMAN	601882813F1 NIH_MGC_57 Homo sapiens cDNA clone IMAGE:4095434 5'
12938	25518		2.74	4.0E-22	AL163209.2	NT	Homo sapiens chromosome 21 segment HS21C009
960	14013		1.06	3.0E-22	AI469879.1	EST_HUMAN	hm14h10.x1 NCI_CGAP_Co14 Homo sapiens cDNA clone IMAGE:2156611 3' similar to gb:L19593 HIGH AFFINITY INTERLEUKIN-8 RECEPTOR B (HUMAN); contains L1.11 L1 repetitive element;
2576	15577	28596	2.15	3.0E-22	AI859038.1	EST_HUMAN	w66b04.x1 NCI_CGAP_Bm25 Homo sapiens cDNA clone IMAGE:2429839 3' similar to SW:RL21_HUMAN
3686	16729		1.35	3.0E-22	D14718.1	NT	P46778 60S RIBOSOMAL PROTEIN L21;
4838	17855	30752	2.88	3.0E-22	AI090125.1	EST_HUMAN	Human chromosomal protein HMG1 related gene
8572	21540		1.21	3.0E-22	BE156613.1	EST_HUMAN	qb28c07.x1 Soares_pregnant_uterus_NbkIPU Homo sapiens cDNA clone IMAGE:1697580 3' similar to contains MER12.12 MER12 repetitive element;
8577	21545	34964	3.4	3.0E-22	BE089841.1	EST_HUMAN	QV0-HT0368-090200-099-112 HT0368 Homo sapiens cDNA
8703	21671	35093	0.77	3.0E-22	X60660.1	NT	RC5-BT0707-150300-021-H10 BT0707 Homo sapiens cDNA
8703	21671	35094	0.77	3.0E-22	X60660.1	NT	R. rattus RY2G5 mRNA for a potential ligand-binding protein
1970	14991		4.79	2.0E-22	N24942.1	EST_HUMAN	R. rattus RY2G5 mRNA for a potential ligand-binding protein
2628	15531	28552	1.82	2.0E-22	P24916	SWISSPROT	YK73d05.s1 Soares melanocyte 2NbHM Homo sapiens cDNA clone IMAGE:267369 3'
3431	16479	29398	4.76	2.0E-22	8394043	NT	IMMEDIATE EARLY GENE 13 PROTEIN PRECURSOR
4253	17282	30163	1.26	2.0E-22	AW817794.1	EST_HUMAN	Homo sapiens protein kinase, AMP-activated, gamma 3 non-catalytic subunit (PRKAG3), mRNA
5951	25648	32232	1.34	2.0E-22	W39456.1	EST_HUMAN	PM1-ST0282-261199-001-d12 ST0282 Homo sapiens cDNA
6301	19372	32811	3.57	2.0E-22	BF092116.1	EST_HUMAN	zc2001.1 Soares_senescent_fibroblasts_NbHSF Homo sapiens cDNA clone IMAGE:322873 5' similar to gb:X72308 MONOCYTE CHEMOTACTIC PROTEIN 3 PRECURSOR (HUMAN);
							RC0-TN0079-150900-025-h12 TN0079 Homo sapiens cDNA

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
10091	22988	36456	1.61	2.0E-22	AI276522.1	EST_HUMAN	q17h09.x1 Soares_NHMPu_S1 Homo sapiens cDNA clone IMAGE:1878289 3' similar to contains
10156	23081	36556	0.85	2.0E-22	AA715315.1	EST_HUMAN	MER29 b3 MER29 repetitive element;
10156	23081	36557	0.65	2.0E-22	AA715315.1	EST_HUMAN	nv04h11.s1 NCI CGAP_P22 Homo sapiens cDNA clone IMAGE:1219269 3'
10991	23911	37426	0.65	2.0E-22	R15209.1	EST_HUMAN	nv04h11.s1 NCI CGAP_P22 Homo sapiens cDNA clone IMAGE:1219269 3'
12054	24927	38525	1.58	2.0E-22	AW418960.1	EST_HUMAN	yf88c09.r1 Soares infant brain 1N1B Homo sapiens cDNA clone IMAGE:28740 5'
12139	25504	31705	1.92	2.0E-22	AL163280.2	NT	haz4f04.x1 NCI CGAP_Kid12 Homo sapiens cDNA clone IMAGE:2874655 3'
1896	14921	27917	1.76	1.0E-22	AW865517.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C080
2598	15589	28606	1.82	1.0E-22	U50871.1	NT	PM4-SN0020-010400-009-H02 SN0020 Homo sapiens cDNA
3422	16470	29390	1.49	1.0E-22	D14547.1	NT	Human familial Alzheimer's disease (STM2) gene, complete cds
							Human DNA, SINE repetitive element
5295	18300		1.5	1.0E-22	AF003528.1	NT	Homo sapiens X-linked anthrillitic ectodermal dysplasia protein gene (EDA), exon 2 and flanking repeat regions
8015	20953	34347	0.95	1.0E-22	BE084667.1	EST_HUMAN	MRO-BT0659-220200-002-H07 BT0659 Homo sapiens cDNA
10918	23838	37354	0.8	1.0E-22	A1965435.1	EST_HUMAN	q209b07.x1 NCI CGAP_CLL1 Homo sapiens cDNA clone IMAGE:2020981 3' similar to contains MER29 b2
10918	23838	37355	0.8	1.0E-22	A1965435.1	EST_HUMAN	MER29 repetitive element;
12991	25551		9.05	9.0E-23	AW802801.1	EST_HUMAN	q209b07.x1 NCI CGAP_CLL1 Homo sapiens cDNA clone IMAGE:2020981 3' similar to contains MER29 b2
3586	16630	28548	0.73	8.0E-23	AF196349.1	NT	IL2-UM0076-070400-061-F11 UM0076 Homo sapiens cDNA
3322	16373		1.96	7.0E-23	AV647246.1	EST_HUMAN	Gallus gallus Dach2 protein (Dach2) mRNA, complete cds
11376	24923	37852	4.11	7.0E-23	5031952	NT	AV647246 GLC Homo sapiens cDNA clone GLCAW/C07 3'
3447	16494		1.68	6.0E-23	AF196333.1	NT	Homo sapiens Naf56 (D. melanogaster)-like protein (NOT56L) mRNA
4297	17326	30206	1.13	6.0E-23	AL163249.2	NT	Rattus norvegicus RIM1B (Rim1B) mRNA, complete cds
							Homo sapiens chromosome 21 segment HS21C049
12281	25099	31834	4.64	6.0E-23	AF224669.1	NT	Homo sapiens mannosidase, beta A, lysosomal (MANBA) gene, and ubiquitin-conjugating enzyme E2D 3
12281	25099	31835	4.64	6.0E-23	AF224669.1	NT	(UBE2D3) genes, complete cds
							Homo sapiens mannosidase, beta A, lysosomal (MANBA) gene, and ubiquitin-conjugating enzyme E2D 3
12480	25228	31795	3.03	6.0E-23	AI209130.1	EST_HUMAN	(UBE2D3) genes, complete cds
							qg59c03.x1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1839460 3' similar to
							SW:MMV10_MOUSE P23249 PROTEIN MOV.10.;
5519	19618	31552	4	5.0E-23	U82671.2	NT	Homo sapiens chromosome Xq28 melanoma antigen family A2a (MAGEA2A), melanoma antigen family A12
6367	25659	32679	3.55	5.0E-23	AF179818.1	NT	(MAGEA12), melanoma antigen family A2b (MAGEA2B), melanoma antigen family A3 (MAGEA3), caltractin
7671	25659	32679	3.25	5.0E-23	AF179818.1	NT	(CALT), NAD(P)H dehydrogenase-like protein (NSDHL), and L1>
							Pongo pygmaeus olfactory receptor (PPY110) gene, partial cds
							Pongo pygmaeus olfactory receptor (PPY116) gene, partial cds

Page 254 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6580	19640	32906	1.07	3.0E-23	AL163227.2	NT	Homo sapiens chromosome 21 segment HS21C027
6580	19640	32907	1.07	3.0E-23	AL163227.2	NT	Homo sapiens chromosome 21 segment HS21C027
8171	21141	34547	4.18	3.0E-23	AA130185.1	EST_HUMAN	z135j09.r1 Soares_pregnant_uterus_NbHPU Homo sapiens cDNA clone IMAGE:503968 5' similar to contains MER29.12 MER29 repetitive element ;
9604	22608	36058	2.74	3.0E-23	Z70684.1	NT	Human endogenous retroviral element HC2
9604	22608	36059	2.74	3.0E-23	Z70684.1	NT	Human endogenous retroviral element HC2
10680	23602		1.27	3.0E-23	AW897927.1	EST_HUMAN	RC3-NN0086-270400-011-011 NN0086 Homo sapiens cDNA
667	13732	26657	3.75	2.0E-23	AJ289880.1	NT	Homo sapiens KIAA0851 gene (partial), X13 gene and LZTFL1 gene
1145	15817		3.02	2.0E-23	M55270.1	NT	Human matrix Gla protein (MGP) gene, complete cds
2807	15789	28817	2.08	2.0E-23	P22105	SWISSPROT	TENASCIN-X PRECURSOR (TN-X) (HEXABRACHION-LIKE)
2807	15789	28818	2.08	2.0E-23	P22105	SWISSPROT	TENASCIN-X PRECURSOR (TN-X) (HEXABRACHION-LIKE)
3384	16433		1.5	2.0E-23	AI201458.1	EST_HUMAN	qs73f11.x1 NCI_OGAP_Pr28 Homo sapiens cDNA clone IMAGE:1943757 3' similar to TR:Q13537 Q13537
3729	16771		2.97	2.0E-23	BE165980.1	EST_HUMAN	MER37 TRANSDUCIBLE ELEMENT, COMPLETE CONSENSUS SEQUENCE. ;
4001	17040	29947	2.59	2.0E-23	H59931.1	EST_HUMAN	MR3-HT0487-150200-113-g01 HT0487 Homo sapiens cDNA
4001	17040	29948	2.59	2.0E-23	H59931.1	EST_HUMAN	yr16a02.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:205418 5'
5062	18072	30952	8.48	2.0E-23	D14547.1	NT	yr16a02.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:205418 5'
						NT	Human DNA, SINE repetitive element
8205	21175		4.26	2.0E-23	AF280107.1	NT	Homo sapiens cytochrome P450 polypeptide 43 (CYP3A43) gene, partial cds; cytochrome P450 polypeptide 4 (CYP3A4) and cytochrome P450 polypeptide 7 (CYP3A7) genes, complete cds; and cytochrome P450
9195	22161	35589	1.12	2.0E-23	AL163303.2	NT	polypeptide 5 (CYP3A5) gene, partial cds
12262	25086		3.91	2.0E-23	M32658.1	NT	Homo sapiens chromosome 21 segment HS21C103
12787	25419		2.55	2.0E-23	AF009660.1	NT	Human alcohol dehydrogenase gamma subunit (ADH3) gene, exon 1
4558	17581	30472	1.44	1.0E-23	AL163252.2	NT	Homo sapiens T cell receptor beta locus, TORBV7S3A2 to TORBV12S2 region
4789	17818		4.76	1.0E-23	AL163210.2	NT	Homo sapiens chromosome 21 segment HS21C052
6882	19834		3.11	1.0E-23	BE378471.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C010
						EST_HUMAN	601236455F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3608653 5'
8699	21667	35090	4.73	1.0E-23	AA448097.1	EST_HUMAN	zw82c06.r1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:782698 5' similar to contains PTR5.12
						EST_HUMAN	PTR5 repetitive element ;
554	13624		3.05	9.0E-24	AA663213.1	EST_HUMAN	ab75a08.s1 Stratagene fetal retina 937202 Homo sapiens cDNA clone IMAGE:852753 3' similar to
4678	17698	30566	1.15	8.0E-24	P23269	SWISSPROT	TR-E19822 E19822 CA PROTEIN. ;
4678	17699	30567	1.15	8.0E-24	P23269	SWISSPROT	OLFACTORY RECEPTOR-LIKE PROTEIN I3
6591	19651	32922	1.34	8.0E-24		NT	OLFACTORY RECEPTOR-LIKE PROTEIN I3
8155	21093	34492	0.77	8.0E-24	11422027	NT	Homo sapiens capping protein (actin filament) muscle Z-line, alpha 2 (CAPZA2), mRNA
					11422027	NT	Homo sapiens capping protein (actin filament) muscle Z-line, alpha 2 (CAPZA2), mRNA

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3898	16926		1.38	7.0E-24	AW837054.1	EST_HUMAN	QV0-DT0047-170200-122-a06 DT0047 Homo sapiens cDNA
707	13769		2.31	6.0E-24	AB001421.1	NT	Macaca fasciata mRNA for Testis-Specific Protein Y (TSFY), complete cds
839	13896	26851	15.66	6.0E-24	AL163249.2	NT	Homo sapiens chromosome 21 segment HS21C049
3984	17034	28942	8.31	5.0E-24	AJ228043.1	NT	Homo sapiens 959 kb contig between AML1 and CBR1 on chromosome 21q22, segment 3/3
8034	20971	34365	1.34	5.0E-24	AF223391.1	NT	Homo sapiens calcium channel alpha1E subunit (CACNA1E) gene, exons 7-49, and partial cde, alternatively spliced
6039	19121	32326	3.63	4.0E-24	AA594178.1	EST_HUMAN	nm31h05.s1 NCI_CGAP_Gas1 Homo sapiens cDNA clone IMAGE:1085529 3' similar to SW:POL_MLVK
9029	21965	35415	1.29	4.0E-24	AW813711.1	EST_HUMAN	P31795 POL POLYPROTEIN ;
11514	24455	38005	1.52	4.0E-24	BE544822.1	EST_HUMAN	RC3-ST0197-130100-014-006 ST0197 Homo sapiens cDNA
12844	25328	31790	5.58	4.0E-24	AB029016.1	NT	601078812F1 NIH_MGC_12 Homo sapiens cDNA clone IMAGE:3464498 5'
12807	25713	31610	8.82	4.0E-24	M20707.1	NT	Homo sapiens mRNA for KIAA1063 protein, partial cde
12878	25509	31708	1.88	4.0E-24	11418318	NT	Human kappa-immunoglobulin germline pseudogene (Chr22.4) variable region (subgroup V kappa II)
						NT	Homo sapiens G-2 and S-phase expressed 1 (GTSE1), mRNA
7285	20062	33368	0.6	3.0E-24	U66061.1	NT	Human germline T-cell receptor beta chain TCRBV17S1A1T, TCRBV2S1, TCRBV10S1P, TCRBV28S1P, TCRBV19S1P, TCRBV15S1, TCRBV11S1A1T, HVB relic, TCRBV28S1P, TCRBV34S1, TCRBV14S1, TCRBV3S1, TCRBV4S1A1T, TRY4, TRY5, TRY6, TRY7, TRY8, TCRBD1, TCRBJ1S1, TCRBJ1S2, >
7285	20062	33369	0.6	3.0E-24	U66061.1	NT	Human germline T-cell receptor beta chain TCRBV17S1A1T, TCRBV2S1, TCRBV10S1P, TCRBV28S1P, TCRBV19S1P, TCRBV15S1, TCRBV11S1A1T, HVB relic, TCRBV28S1P, TCRBV34S1, TCRBV14S1, TCRBV3S1, TCRBV4S1A1T, TRY4, TRY5, TRY6, TRY7, TRY8, TCRBD1, TCRBJ1S1, TCRBJ1S2, >
8768	21733		2.89	3.0E-24	AW614871.1	EST_HUMAN	hh68c08.x1 NCI_CGAP_GU1 Homo sapiens cDNA clone IMAGE:2987950 3' similar to contains MER29.b2
8822	21789		1.25	3.0E-24	AW962076.1	EST_HUMAN	MER29 repetitive element ;
8820	22689	36126	4.11	3.0E-24	AL163252.2	NT	ESTT374149 MAGE rescues, MAGG Homo sapiens cDNA
12715	25369	31772	2.16	3.0E-24	BF127762.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C052
2354	15363	28385	2.8	2.0E-24	AA197539.1	EST_HUMAN	601810449F1 NIH_MGC_48 Homo sapiens cDNA clone IMAGE:4053396 5'
3512	18852		0.89	2.0E-24	AW898189.1	EST_HUMAN	zp11f09.r1 Stragene fetal retina 937202 Homo sapiens cDNA clone IMAGE:609161 5'
7583	26001		0.61	2.0E-24	AL163209.2	NT	RC3-NN0068-090500-021-b03 NN0068 Homo sapiens cDNA
7715	20672	34039	1.12	2.0E-24	AF086924.1	NT	Homo sapiens chromosome 21 segment HS21C009
7720	20677	34042	0.55	2.0E-24	AJ003536.1	EST_HUMAN	Mus musculus rho/rac-interacting citron kinase (Crik) mRNA, complete cds
9092	22058	35484	3.09	2.0E-24	AL119158.1	EST_HUMAN	AJ003536 Selected chromosome 21 cDNA library Homo sapiens cDNA clone MP1p12-5H13
						EST_HUMAN	DKFZp761L1712.1 761 (synonym: hamy2) Homo sapiens cDNA clone DKFZp761L1712 5'

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
9130	22096			2.0E-24	H69214.1	EST_HUMAN	y92b09.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:212729 5' similar to contains
10213	23138	36626	0.96	2.0E-24	AI521759.1	EST_HUMAN	MER28 repetitive element:
10213	23138	36627	0.98	2.0E-24	AI521759.1	EST_HUMAN	877a09.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2138008 3'
12568	25947		10.03	2.0E-24	M28877.1	NT	877a09.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2138008 3'
1705	14735	27717	2.53	1.0E-24	7706340	NT	Human O family dispersed repeat element
2681	15677		1.52	1.0E-24	AW820194.1	EST_HUMAN	Homo sapiens CGI-127 protein (LOC51646), mRNA
3033	16091	28009	0.78	1.0E-24	D88423.1	NT	QVO-ST0284-100400-185-c10 ST0284 Homo sapiens cDNA
4289	17328		2	1.0E-24	AF14313.1	NT	Mus musculus mRNA for HGT keratin, partial cds
6541	19803	32865	0.68	1.0E-24	7106336	NT	Homo sapiens PTEN (PTEN) gene, exon 2
7796	20748	34123	3.98	1.0E-24	AL163303.2	NT	Mus musculus keratin complex-1, gene C29 (Krt1-c29), mRNA
8002	20941	34334	0.68	1.0E-24	BE144526.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C103
8276	21245	34656	1.81	1.0E-24	AW901164.1	EST_HUMAN	MRO-HT0186-271198-005-409 HT0186 Homo sapiens cDNA
6625	19683	32861	0.52	9.0E-25	11420402	NT	CMO-NN1010-130300-281-407 NN1010 Homo sapiens cDNA
12008	24885	38480	1.53	9.0E-25	7706707	NT	Homo sapiens kallikrein-like protein NHL (LOC51760), mRNA
5031	18045	30827	2.85	7.0E-25	AA483944.1	EST_HUMAN	Homo sapiens putative secreted protein (SIG11), mRNA
8561	21529	34949	6.63	7.0E-25	AA468646.1	EST_HUMAN	Homo sapiens cDNA clone IMAGE:880408 3' similar to contains THR.b2 THR
12012	24889	38486	3.24	7.0E-25	AA583540.1	EST_HUMAN	repetitive element:
7184	18415		4.41	6.0E-25	W87623.1	EST_HUMAN	m25h06.s1 NCI_CGAP_P1 Homo sapiens cDNA clone IMAGE:814843 similar to SW.R14A_YEAST
7992	20931	34328	10.26	6.0E-25	7305360	NT	P36105 PROBABLE 60S RIBOSOMAL PROTEIN L14EA. ;
1659	14591	27667	1.67	5.0E-25	AW850271.1	EST_HUMAN	zh65h07.r1 Soares fetal liver spleen 1NFLS_S1 Homo sapiens cDNA clone IMAGE:416889 5'
5183	18192		0.92	5.0E-25	AA994228.1	EST_HUMAN	Mus musculus obgelin (Obg), mRNA
11645	24582	38150	3.16	5.0E-25	AW979107.1	EST_HUMAN	IL3-CT0219-181199-031-D04 CT0219 Homo sapiens cDNA
1441	14474	27451	2.3	4.0E-25	T98107.1	EST_HUMAN	element:
3413	16461		2.68	4.0E-25	AW887671.1	EST_HUMAN	EST391217 MAGP resequences, MAGP Homo sapiens cDNA
3923	16953	29876	0.93	4.0E-25	AF000368.1	NT	y55h04.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA
4345	17372		3.13	4.0E-25	BE170957.1	EST_HUMAN	PM3-OT0093-280200-001-g07 OT0093 Homo sapiens cDNA
3331	16382	29303	2.77	3.0E-25		NT	PM3-OT0093-280200-001-g07 OT0093 Homo sapiens cDNA
3331	16382	29304	2.77	3.0E-25	8923321	NT	Rattus norvegicus voltage-gated sodium channel mRNA, complete cds
5877	18966	32157	0.64	3.0E-25	US5212.1	NT	QV3-HT0543-140400-149-e11 HT0543 Homo sapiens cDNA
							Homo sapiens hypothetical protein FLJ20344 (FLJ20344), mRNA
							Homo sapiens hypothetical protein FLJ20344 (FLJ20344), mRNA
							Human degenerate channel MDEG mRNA, partial cds

Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6769	19824	33107	0.66	3.0E-25	AA603590.1	EST_HUMAN	np27b02.s1 NCL CGAP_P122 Homo sapiens cDNA clone IMAGE:1117515 3' similar to gb:M61868 ZINC
6880	21648	35070	4.08	3.0E-25	AL163210.2	NT	FINGER PROTEIN 85 (HUMAN);
1350	14385	27354	2.6	2.0E-25	5032158	NT	Homo sapiens chromosome 21 segment HS21C010
2317	15328	28351	7.52	2.0E-25	BE888016.1	EST_HUMAN	Homo sapiens transducin (beta)-like 1 (TBL1) mRNA
2842	15551	28572	3.35	2.0E-25	P17008	SWISSPROT	601511530F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3813087 5'
4218	17247	30131	1.96	2.0E-25	P17008	SWISSPROT	40S RIBOSOMAL PROTEIN S16
4218	17247	30132	1.96	2.0E-25	P17008	SWISSPROT	40S RIBOSOMAL PROTEIN S16
10123	23049	36528	2.03	2.0E-25	AL449573.1	EST_HUMAN	AL449573 Homo sapiens Testis (Starvies GS) Homo sapiens cDNA
364	13450	28378	1.4	1.0E-25	AL040229.1	EST_HUMAN	DKFZp434H0313_r1 434 (synonym: htes3) Homo sapiens cDNA clone DKFZp434H0313 5'
1253	14289		1.34	1.0E-25	9635487	NT	Human endogenous retrovirus, complete genome
2441	15448	28468	1.04	1.0E-25	Q06055	SWISSPROT	ATP SYNTHASE LIPID-BINDING PROTEIN P2 PRECURSOR (ATPASE PROTEIN 9) (SUBUNIT C)
4895	17912	30802	2.33	1.0E-25	BE162737.1	EST_HUMAN	PM1-HT0454-080100-002-h08 HT0454 Homo sapiens cDNA
6719	19775		0.83	1.0E-25	AA189080.1	EST_HUMAN	zp45b06.s1 Stratagene hNT neuron (#937233) Homo sapiens cDNA clone IMAGE:632627 3' similar to
6965	25676	33516	3.22	1.0E-25	AA682690.1	EST_HUMAN	contains Alu repetitive element;
8246	21215	34623	4.36	1.0E-25	AA709079.1	EST_HUMAN	nm54h11.s1 NCL CGAP_Kid8 Homo sapiens cDNA clone IMAGE:1087749 3'
9904	22856	36317	0.69	1.0E-25	X60660.1	NT	zf6g04.s1 Soares_fetal_heart_NbhH10W Homo sapiens cDNA clone IMAGE:384822 3' similar to contains
9904	22856	36318	0.69	1.0E-25	X60660.1	NT	PTR5.0 PTR5 repetitive element ;
11316	24266	37794	2.91	1.0E-25	U63163.1	NT	R.rattus RY2G5 mRNA for a potential ligand-binding protein
12278	25097	38180	1.47	1.0E-25	D14547.1	NT	R.rattus RY2G5 mRNA for a potential ligand-binding protein
12278	25097	38181	1.47	1.0E-25	D14547.1	NT	Homo sapiens IMAGE-B2 (MAGE-B2), MAGE-B3 (MAGE-B3), MAGE-B4 (MAGE-B4), and MAGE-B1
13053	25591		1.83	1.0E-25	X51755.1	NT	(MAGE-B1) genes, complete cds
2491	15494	28519	1.47	9.0E-26	AL163216.2	NT	Human DNA, SINE repetitive element
5778	18870		1.58	8.0E-26	D14547.1	NT	Human DNA, SINE repetitive element
1580	14613	27585	2.88	7.0E-26	AF003528.1	NT	Human DNA, SINE repetitive element
4005	17044	29952	1.21	7.0E-26	X89211.1	NT	Homo sapiens X-linked anhidrotic ectodermal dysplasia protein gene (EDA), exon 2 and flanking repeat
4186	17217	30103	1.68	7.0E-26	AW340153.1	EST_HUMAN	regions
5721	18815	31994	0.72	7.0E-26	AL163202.2	NT	H.sapiens DNA for endogenous retroviral like element
11978	24855		8.08	7.0E-26	AA115895.1	EST_HUMAN	hd02e12.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2608368 3'
							Homo sapiens chromosome 21 segment HS21C002
							zn30d08.r1 Stratagene neuroepithelium NT2RAM1 937234 Homo sapiens cDNA clone IMAGE:548943 5'
							similar to gb:M14338 VITAMIN K-DEPENDENT PROTEIN S PRECURSOR (HUMAN);

Page 258 of 546
Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2234	15248	28272	2.26	6.0E-26	AF029308.1	NT	Homo sapiens chromosome 9 duplication of the T cell receptor beta locus and tyrosinogen gene families
3357	16407	29329	1.03	6.0E-26	AA206131.1	EST_HUMAN	z652h04.r1 Stratagene neuroepithelium (#937231) Homo sapiens cDNA clone IMAGE:645271 5'
11990	24867	38462	1.91	6.0E-26	AL163210.2	NT	Homo sapiens chromosome 21 segment HS21C010
1181	14222	27178	1.86	5.0E-26	AI708235.1	EST_HUMAN	as38h08.x1 Barstead acta HPLRB6 Homo sapiens cDNA clone IMAGE:2319519 3' similar to WP:F49C1.2.11 CE03371 ;
1181	14222	27179	1.88	5.0E-26	AI708235.1	EST_HUMAN	as38h08.x1 Barstead acta HPLRB6 Homo sapiens cDNA clone IMAGE:2319519 3' similar to WP:F49C12.11 CE03371 ;
1546	14578		0.96	4.0E-26	AA329548.1	EST_HUMAN	EST33446 Embryo, 12 week II Homo sapiens cDNA 5' end
9767	22708		3.77	4.0E-26	7657670	NT	Homo sapiens upstream binding transcription factor, RNA polymerase I (UBTF), mRNA
11022	23987	37514	2.93	4.0E-26	BE266187.1	EST_HUMAN	601191345F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3535210 5'
1773	14802	27787	2.15	3.0E-26	D14547.1	NT	Human DNA, SINE repetitive element
2019	15040	28051	1.27	3.0E-26	AL045855.2	EST_HUMAN	DKFZp434i066_r1 434 (synonym: htes3) Homo sapiens cDNA clone DKFZp434i066 5'
2047	15066		3.59	3.0E-26	AA115895.1	EST_HUMAN	zn30d08.r1 Stratagene neuroepithelium NT2RAMI 937234 Homo sapiens cDNA clone IMAGE:548943 5'
3791	16832	29738	1.12	3.0E-26	AA152464.1	EST_HUMAN	similar to gb:M14338 VITAMIN K-DEPENDENT PROTEIN S PRECURSOR (HUMAN); zn30d08.r1 Stratagene colon (#937204) Homo sapiens cDNA clone IMAGE:588427 5' similar to TR:G695374
3791	16832	29739	1.12	3.0E-26	AA152464.1	EST_HUMAN	G695374 THYROID RECEPTOR INTERACTOR ;
7096	20030	33334	6.22	3.0E-26	BF245458.1	EST_HUMAN	z630f10.r1 Stratagene colon (#937204) Homo sapiens cDNA clone IMAGE:588427 5' similar to TR:G695374
11894	24775	38361	2.03	3.0E-26	AW875651.1	EST_HUMAN	z630f10.r1 THYROID RECEPTOR INTERACTOR ;
11894	24775	38362	2.03	3.0E-26	AW875651.1	EST_HUMAN	G695374 THYROID RECEPTOR INTERACTOR ;
11928	24809	38404	4.91	3.0E-26	AA583173.1	EST_HUMAN	z630f10.r1 THYROID RECEPTOR INTERACTOR ;
13101	25624	31678	1.37	3.0E-26	AF165520.1	NT	G695374 THYROID RECEPTOR INTERACTOR ;
682	13745	26672	10.08	2.0E-26	AL163282.2	NT	601864963F1 NIH_MGC_57 Homo sapiens cDNA clone IMAGE:4083278 5'
1884	14909		3.56	2.0E-26	AL038099.2	EST_HUMAN	QV2_P T0012-040400-124-e05 PT0012 Homo sapiens cDNA
3245	16300	29225	4.92	2.0E-26	X86694.1	NT	QV2_P T0012-040400-124-e05 PT0012 Homo sapiens cDNA
11105	24065		2.38	2.0E-26	D87675.1	NT	nn37d05.s1 NCI_CGAP_GC5 Homo sapiens cDNA clone IMAGE:1088057 3' similar to contains OFR.11
11553	24493	38049	2.55	2.0E-26	AB01412.1	EST_HUMAN	OFR repetitive element ;
11748	24633		1.76	2.0E-26	AF055086.1	NT	Homo sapiens phorbol 1 protein (PBI) mRNA, complete cds
12097	24968	38565	1.84	2.0E-26	M82788.1	NT	Homo sapiens chromosome 21 segment HS21C082
12388	25166		1.7	2.0E-26	AB037859.1	NT	DKFZp566l171_s1 566 (synonym: hfkd2) Homo sapiens cDNA clone DKFZp566l171 3'
							Musculus mRNA for astrocytic phosphoprotein, PEA-15
							Homo sapiens DNA for amyloid precursor protein, complete cds
							tc89a01.x1 NCI_CGAP_Gas4 Homo sapiens cDNA clone IMAGE:2185416 3' similar to contains Alu
							repetitive element; contains element MER20 MER20 repetitive element ;
							Homo sapiens MHC class 1 region
							Human endogenous retroviral element S71
							Homo sapiens mRNA for KIAA1438 protein, partial cds

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
137	13242	28172	37.48	1.0E-26	BE170371.1	EST_HUMAN	QV4-HT0538-020300-123-a02 HT0538 Homo sapiens cDNA
2063	15081	28100	1.33	1.0E-26	AL039363.2	EST_HUMAN	DKFZp434H1910_r1 434 (synonym: htes3) Homo sapiens cDNA clone DKFZp434H1910 5'
2897	15693		11.4	1.0E-26	AF281085.1	NT	Homo sapiens glyceraldehyde-3-phosphate dehydrogenase (GADPH) mRNA, complete cds
7016	20142		2.79	1.0E-26	BE165980.1	EST_HUMAN	MR3-HT0487-150200-113-g01 HT0487 Homo sapiens cDNA
11239	24192		2.12	1.0E-26	AL038487.1	EST_HUMAN	DKFZp566C2148_r1 566 (synonym: mfkd2) Homo sapiens cDNA clone DKFZp566C2148 5'
12630	25966		2.65	1.0E-26	H55093.1	EST_HUMAN	CHR220032 Chromosome 22 exon Homo sapiens cDNA clone C22_46 5'
7837	20784		1.24	9.0E-27	BF371227.1	EST_HUMAN	RC8-FN0138-110800-022-A02 FN0138 Homo sapiens cDNA
9658	22815		4.04	9.0E-27	U93183.1	NT	Homo sapiens MAGE-B2 (MAGE-B2), MAGE-B3 (MAGE-B3), MAGE-B4 (MAGE-B4), and MAGE-B1 (MAGE-B1) genes, complete cds
12142	25008		5.95	9.0E-27	BF445556.1	EST_HUMAN	ncs03c07.x1 NCI_CGAP_P128 Homo sapiens cDNA clone IMAGE:3253644 3' similar to contains OFR.t1
11	13131	28029	4.71	8.0E-27	AB81482.1	EST_HUMAN	wf49a04.x1 NCI_CGAP_P128 Homo sapiens cDNA clone IMAGE:2406150 3' similar to contains THIR.b2
559	13629		4.61	8.0E-27	AL163227.2	NT	THIR repetitive element ;
1414	14447	27419	30.06	8.0E-27	AW162737.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C027
1414	14447	27420	30.06	8.0E-27	AW162737.1	EST_HUMAN	au87h08.x1 Schneider fetal brain 00004 Homo sapiens cDNA clone IMAGE:2783295 3' similar to gb:K00558
2177	15192	28214	1.1	8.0E-27	AW864776.1	EST_HUMAN	TUBULIN ALPHA-1 CHAIN (HUMAN);
3199	18254	29174	1.17	8.0E-27	P12236	SWISSPROT	ADP.ATP CARRIER PROTEIN, LIVER ISOFORM T2 (ADP/ATP TRANSLOCASE 3) (ANT 3)
3364	16414	28339	0.84	8.0E-27	AF181897.1	NT	Homo sapiens WRN (WRN) gene, complete cds
5779	18871	32053	0.97	8.0E-27	AV732214.1	EST_HUMAN	AV732214 HTF Homo sapiens cDNA clone HTFBCB08 5'
7170	18401		2.12	8.0E-27	BE926560.1	EST_HUMAN	MR4-BT0398-250800-204-d06 BT0398 Homo sapiens cDNA
7248	19983	33280	2.41	8.0E-27	N84970.1	EST_HUMAN	J1751F Human fetal heart, Lambda ZAP Express Homo sapiens cDNA clone J1751 5' similar to REPETITIVE ELEMENT L1
9564	22526	35975	1.41	8.0E-27	AW857579.1	EST_HUMAN	CM1-CT0315-091299-063-d07 CT0315 Homo sapiens cDNA
9564	22526	35976	1.41	8.0E-27	AW857579.1	EST_HUMAN	CM1-CT0315-091299-063-d07 CT0315 Homo sapiens cDNA
684	13747		1.65	7.0E-27	Z70884.1	NT	Human endogenous retroviral element HC2
5126	18135		2.05	7.0E-27	AW629172.1	EST_HUMAN	h15h12.x1 Scores_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2875879 3' similar to TR:O76040
9209	22175		0.98	7.0E-27	D86984.1	NT	O76040 ORF2: FUNCTION UNKNOWN. ;
11101	24061		3.24	7.0E-27	AJ271735.1	NT	Human mRNA for KIAA0231 gene, partial cds
12759	26402		1.54	7.0E-27	AV723365.1	EST_HUMAN	Homo sapiens Xq pseudautosomal region, segment 1/2
							AV723365 HTB Homo sapiens cDNA clone HTBAHE02 5'

Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
11080	24042	37565	10.71	6.0E-27	M26697.1	NT	Human nucleolar protein (B23) mRNA, complete cds
8055	20992		0.79	5.0E-27	AL163303.2	NT	Homo sapiens chromosome 21 segment HS21C103
10597	23519	37010	3.37	5.0E-27	BF666614.1	EST_HUMAN	602121491F1 NIH_MGC_56 Homo sapiens cDNA clone IMAGE:4278527 5'
10597	23519	37011	3.37	5.0E-27	BF666614.1	EST_HUMAN	602121491F1 NIH_MGC_56 Homo sapiens cDNA clone IMAGE:4278527 5'
6908	19960	33256	1.72	4.0E-27	9910569	NT	Mus musculus sperm tail associated protein (Step), mRNA
8271	21240		1.22	4.0E-27	AL163209.2	NT	Homo sapiens chromosome 21 segment HS21C009
8316	21285		1.25	4.0E-27	AF078779.1	NT	Rattus norvegicus putative four repeat ion channel mRNA, complete cds
10101	23027	36504	0.72	4.0E-27	AW88059.1	EST_HUMAN	QV0-OT0033-070300-152-b10 OT0033 Homo sapiens cDNA
11929	24810	38405	1.98	4.0E-27	X89211.1	NT	H. sapiens DNA for endogenous retroviral like element
2057	15076	28096	4.38	3.0E-27	X60698.1	NT	R. rattus RYA3 mRNA for a potential ligand-binding protein
4300	17329	30209	1.08	3.0E-27	BE071924.1	EST_HUMAN	PM0-BT0527-060100-001-d11 BT0527 Homo sapiens cDNA
5419	18522	31400	5.68	3.0E-27	AA077705.1	EST_HUMAN	7B44C08 Chromosome 7 Fetal Brain cDNA Library Homo sapiens cDNA clone 7B44C08
8089	21025	34424	0.57	3.0E-27	BE870351.1	EST_HUMAN	7e33f02.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3284283 3'
9680	22817	36271	4.46	3.0E-27	BF035327.1	EST_HUMAN	601458531F1 NIH_MGC_66 Homo sapiens cDNA clone IMAGE:3662086 5'
43	13163	26066	9.25	2.0E-27	AF054187.1	NT	Homo sapiens alpha NAC mRNA, complete cds
1911	14935		24.32	2.0E-27	AA565345.1	EST_HUMAN	nk01b10.s1 NCI_CGAP_P111 Homo sapiens cDNA clone IMAGE:1000699 similar to gb:M17886 60S
3126	16183		10.81	2.0E-27	AW629172.1	EST_HUMAN	h151h12.x1 Scores_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2975879 3' similar to TR:O76040
3238	16293	29215	1.61	2.0E-27	AF111167.2	NT	O76040 ORF2: FUNCTION UNKNOWN.;
3238	16293	29216	1.61	2.0E-27	AF111167.2	NT	Homo sapiens jun dimerization protein gene, partial cds; cfos gene, complete cds; and unknown gene
6833	19886	33179	0.72	2.0E-27	H02655.1	EST_HUMAN	Homo sapiens jun dimerization protein gene, partial cds; cfos gene, complete cds; and unknown gene
8427	21396	34807	1.44	2.0E-27	A1866347.1	EST_HUMAN	y36e01.r1 Scores placenta Nb2HP Homo sapiens cDNA clone IMAGE:150840 5' similar to SP-HMGC_MOUSE Q02591 HOMEBOX PROTEIN ;
9624	22568		2.61	2.0E-27	AA551527.1	EST_HUMAN	w28g07.x1 NCI_CGAP_U11 Homo sapiens cDNA clone IMAGE:2426268 3'
10151	23076	36552	0.78	2.0E-27	X60958.1	NT	nh08h05.s1 NCI_CGAP_Thyl1 Homo sapiens cDNA clone IMAGE:943737 similar to contains L1.13 L1 repetitive element ;
10395	23317	36797	1.32	2.0E-27	M78590.1	EST_HUMAN	R. rattus RYA3 mRNA for a potential ligand-binding protein
10395	23317	36798	1.32	2.0E-27	M78590.1	EST_HUMAN	EST00738 Fetal brain, Striatum (cat#3636206) Homo sapiens cDNA clone HFBCF07
11302	24252	37778	2.97	2.0E-27	AU121685.1	EST_HUMAN	EST00738 Fetal brain, Striatum (cat#3636206) Homo sapiens cDNA clone HFBCF07
11816	14935		19.93	2.0E-27	AA565345.1	EST_HUMAN	AU121685 MAMMA1 Homo sapiens cDNA clone MAMMA1000746 5'
							nk01b10.s1 NCI_CGAP_P111 Homo sapiens cDNA clone IMAGE:1000699 similar to gb:M17886 60S
							ACIDIC RIBOSOMAL PROTEIN P1 (HUMAN);

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
436	13510		2.28	1.0E-27	AL163246.2	NT	Homo sapiens chromosome 21 segment HS21C046
998	14049	27002	1.58	1.0E-27	AB026898.1	NT	Homo sapiens DNA, DLEC1 to ORCTL4 gene region, section 1/2 (DLEC1, ORCTL3, ORCTL4 genes, complete cds)
1707	14798	27720	0.85	1.0E-27	4827059	NT	Homo sapiens xylulokinase (H. influenzae) homolog (XYLB) mRNA
4108	17142		1.08	1.0E-27	BE350127.1	EST_HUMAN	h09g01.x1 NCL CGAP_Kld13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER28.b3
6694	19751	33028	5.21	1.0E-27	6005855	NT	MER28 repetitive element ;
7054	20076	33384	2.01	1.0E-27	F30158.1	EST_HUMAN	Homo sapiens Retina-derived POU-domain factor-1 (RPF-1), mRNA
7054	20076	33385	2.01	1.0E-27	F30158.1	EST_HUMAN	HSPD20461 HM3 Homo sapiens cDNA clone s4000095C10
8957	21923	35351	0.71	1.0E-27	AB007923.1	NT	Homo sapiens mRNA for KIAA0454 protein, partial cds
8937	22302		2.33	1.0E-27	BE079780.1	EST_HUMAN	RC8-BT0627-140200-011-E06 BT0627 Homo sapiens cDNA
10080	23007	36478	2.7	1.0E-27	D87449.1	NT	Human mRNA for KIAA0260 gene, partial cds
12018	24893	38490	3.73	1.0E-27	AF111093.1	NT	Bos taurus latrophilin 3 splice variant bbat mRNA, complete cds
143	13245		2.16	9.0E-28	BE348399.1	EST_HUMAN	hwi7c11.x1 NCL CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3183188 3' similar to TR:Q07314 Q07314
311	13403	26329	2.84	9.0E-28	AU126260.1	EST_HUMAN	SECRETED NEUREXIN III-ALPHA-C PRECURSOR. [3] TR:Q07280 TR:Q07313 ;
4817	17834	30732	1.08	9.0E-28	P50447	SW/SSPROT	AU126260 NT2RFP1 Homo sapiens cDNA clone NT2RP1000443 5'
12222	25059		3.71	9.0E-28	BF377859.1	EST_HUMAN	ALPHA-1-ANTITRYPSIN PRECURSOR (ALPHA-1 PROTEASE INHIBITOR) (ALPHA-1-ANTIPROTEINASE)
12553	25817		1.9	8.0E-28	AW157571.1	EST_HUMAN	GM2-TN0140-070900-372-g01 TN0140 Homo sapiens cDNA
1185	14226	27182	8.96	7.0E-28	AU142750.1	EST_HUMAN	au83h08.x1 Schneider fetal brain 00004 Homo sapiens cDNA clone IMAGE:2782911 3' similar to TR:O60302 O60302 KIAA0555 PROTEIN ; contains element MER22 repetitive element ;
11620	24461	38012	2.43	7.0E-28	11417866	NT	AU142750 Y79AA1 Homo sapiens cDNA clone Y79AA1000824 5'
12181	25029		2.98	7.0E-28	AV735348.1	EST_HUMAN	Homo sapiens gamma-glutamyltransferase-like activity 1 (GGTLA1), mRNA
9271	22237		1.09	6.0E-28	AF016052.1	NT	Homo sapiens zinc finger protein ZNF191 (ZNF191) gene, complete cds
12806	25433		3.82	6.0E-28	AA504562.1	EST_HUMAN	aa60a03.1 NCL CGAP_GCB1 Homo sapiens cDNA clone IMAGE:325340 5' similar to contains Alu repetitive element ; contains element PTR5 repetitive element ;
318	13410		3.1	5.0E-28	AB921003.1	EST_HUMAN	w018c07.x1 NCL CGAP_Pan1 Homo sapiens cDNA clone IMAGE:2456892 3' similar to contains THR.b1 THR repetitive element ;
4035	17073	29873	1.52	5.0E-28	R79762.1	EST_HUMAN	y89f10.1 Scores placenta Nb2HP Homo sapiens cDNA clone IMAGE:146443 5'
2633	16632	28657	1.48	4.0E-28	AW195066.1	EST_HUMAN	xr33c09.x1 NCL CGAP_Kld11 Homo sapiens cDNA clone IMAGE:2695504 3' similar to SW:GG85_HUMAN
2989	16047	28967	1.18	4.0E-28	4505316	NT	Q08379 GOLGIN-96 ;
3125	16182	28092	1.93	4.0E-28	BE409100.1	EST_HUMAN	Homo sapiens myosin phosphatase, target subunit 1 (MYPT1), mRNA
							601300703F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3635305 5'

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7551	20514	33872	2.45	4.0E-28	AI198941.1	EST_HUMAN	qf66f10.x1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1755019 3' similar to gb:M19503 LINE-1 REVERSE TRANSCRIPTASE HOMOLOG (HUMAN);
11213	24166		3.51	4.0E-28	AF028308.1	NT	Homo sapiens chromosome 9 duplication of the T cell receptor beta locus and trypsinogen gene families
11349	24299		38.65	4.0E-28	AB038241.1	NT	Felis catus GAPDH mRNA for glyceraldehyde-3-phosphate dehydrogenase, complete cds
11364	20514	33872	3.87	4.0E-28	AI198941.1	EST_HUMAN	qf66f10.x1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1755019 3' similar to gb:M19503 LINE-1 REVERSE TRANSCRIPTASE HOMOLOG (HUMAN);
12599	25301		1.86	4.0E-28	AW854244.1	EST_HUMAN	RC3-CT0254-240400-210-f12 CT0254 Homo sapiens cDNA
1288	14323		2.61	3.0E-28	AF155382.1	NT	Homo sapiens metalloproteinase-like, disintegrin-like, cysteine-rich protein 2 epsilon (ADAM22) mRNA, complete cds
9179	22145	35572	1.94	3.0E-28	BF354030.1	EST_HUMAN	MR3-HT0713-280500-013-009 HT0713 Homo sapiens cDNA
11282	24232	37758	2.14	3.0E-28	U63588.1	NT	Homo sapiens MHC class 1 region
12628	25315		2.92	3.0E-28	AI831991.1	EST_HUMAN	wf8807.x1 NCI_CGAP_Lym12 Homo sapiens cDNA clone IMAGE:2410885 3' similar to contains Alu repetitive element; contains element HGR repetitive element;
89	13205	26129	11.64	2.0E-28	BE062167.1	EST_HUMAN	RC1-BT0254-220300-019-c05 BT0254 Homo sapiens cDNA
1047	14093	27045	4.14	2.0E-28	4501912	NT	Homo sapiens a disintegrin and metalloproteinase domain 23 (ADAM23) mRNA
1169	14210	27164	12.37	2.0E-28	Y11107.3	NT	Homo sapiens ITGB4 gene for integrin beta 4 subunit, exons 3-41
2485	15489	28513	2.27	2.0E-28	AI348634.1	EST_HUMAN	qo35b06.x1 NCI_CGAP_Lu5 Homo sapiens cDNA clone IMAGE:1910483 3' similar to contains L1.b2 L1 repetitive element;
3373	16423	29348	0.76	2.0E-28	AL163209.2	NT	Homo sapiens chromosome 21 segment HS21C009
6440	19505	32756	1.48	2.0E-28	BF224402.1	EST_HUMAN	h76c03.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:3134404 3' similar to contains LOR1.b1 LOR1 repetitive element;
6464	19529		6.46	2.0E-28	BF212905.1	EST_HUMAN	601814196F1 NIH_MGC_54 Homo sapiens cDNA clone IMAGE:4048751 5'
8379	21348	34760	0.76	2.0E-28	AF005273.1	NT	Sus scrofa domestica submaxillary apomucin mRNA, complete cds
9943	22870		8.68	2.0E-28	AW972305.1	EST_HUMAN	EST384394 IMAGE resequences, MAGL Homo sapiens cDNA
11936	24817	38414	1.92	2.0E-28	AF224669.1	NT	Homo sapiens mannosidase, beta A, lysosomal (MANBA) gene, and ubiquitin-conjugating enzyme E2D 3 (UBE2D3) genes, complete cds
12609	25308		2.06	2.0E-28	H06376.1	EST_HUMAN	y79c09.r1 Soares infant brain INIB Homo sapiens cDNA clone IMAGE:44300 5'
1474	14507	27481	3.15	1.0E-28	D38044.1	NT	Human gene for Ah-receptor, exon 7-9
2228	15243	28268	1.84	1.0E-28	BF333236.1	EST_HUMAN	QV1-BT0821-120900-360-b03 BT0821 Homo sapiens cDNA
2692	15688	28705	0.92	1.0E-28	AF000995.1	NT	Homo sapiens ubiquitous TPR motif, Y isoform (UTY) mRNA, alternative transcript 2, complete cds
4985	18000	30889	0.64	1.0E-28	AV732194.1	EST_HUMAN	AV732194 HTF Homo sapiens cDNA clone HTFBIH05 5'
8193	21163		8.03	1.0E-28	11429885	NT	Homo sapiens similar to ribosomal protein L12 (H. sapiens) (LOC63081), mRNA
8352	21321		3.37	1.0E-28	8922793	NT	Homo sapiens hypothetical protein FLJ10968 (FLJ10968), mRNA

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
9633	22577	36027	4.47	1.0E-28	AA308744.1	EST_HUMAN	EST:179615 HCC cell line (metastasis to liver in mouse) II Homo sapiens cDNA 5' end similar to similar to retroviral LTR
10235	23160	36648	6.47	1.0E-28	4759431	NT	Homo sapiens gamma-glutamyltransferase-like activity 1 (GGT1A1), mRNA
10235	23160	36649	6.47	1.0E-28	4759431	NT	Homo sapiens gamma-glutamyltransferase-like activity 1 (GGT1A1), mRNA
12186	25033		4.36	1.0E-28	AA054182.1	EST_HUMAN	ZF51c01.1 Soares retina N2b4HR Homo sapiens cDNA clone IMAGE:380448 5'
12931	25716		2.58	1.0E-28	AL163247.2	NT	Homo sapiens chromosome 21 segment HS21C047
13037	25918	31302	3.46	9.0E-29	AW663987.1	EST_HUMAN	hi76g06.x1 Soares, NFL, T, GBC, S1 Homo sapiens cDNA clone IMAGE:2978266 3'
12713	25367		3.12	8.0E-29	Q00130	SWISSPROT	HYPOTHETICAL GENE 50 PROTEIN
1608	14638	27615	1.04	7.0E-29	BE254708.1	EST_HUMAN	EST:378521 MAGC, resequences, MAGI Homo sapiens cDNA
3564	16610		0.9	7.0E-29	BE254708.1	EST_HUMAN	601114980F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3355367 5'
13086	25616		9.37	7.0E-29	A132352.1	NT	Rattus norvegicus mRNA for 45 kDa secretory protein, partial
597	13664	26578	6.87	6.0E-29	A1936748.1	EST_HUMAN	wp69b01.x1 NCI_CGAP_Brn25 Homo sapiens cDNA clone IMAGE:2466985 3' similar to TR:O15475
12489	25234		8.12	6.0E-29	BE940436.1	EST_HUMAN	O15475 UNNAMED HERV-H PROTEIN, contains LTR7.b1 LTR7 repetitive element;
12574	25284		1.97	6.0E-29	BF568097.1	EST_HUMAN	RC3-UT0062-210800-021-c05 UT0062 Homo sapiens cDNA
5033	18047		1.34	5.0E-29	AL163203.2	NT	602184092F1 NIH_MGC_42 Homo sapiens cDNA clone IMAGE:4300079 5'
9083	22049		8.5	5.0E-29	AW887541.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C003
							RC3-OT0091-170300-011-c12 OT0091 Homo sapiens cDNA
3246	16301		1.33	4.0E-29	A1752367.1	EST_HUMAN	cn15c02.x1 Normal Human Trabecular Bone Cells Homo sapiens cDNA clone NHTBC_cn15c02 random
6125	19203		5.91	4.0E-29	BE164930.1	EST_HUMAN	QV1-HT0471-280300-121-a05 HT0471 Homo sapiens cDNA
							wd35g06.x1 Soares, NFL, T, GBC, S1 Homo sapiens cDNA clone IMAGE:2330170 3' similar to contains
8417	21386	34794	0.92	4.0E-29	A1678101.1	EST_HUMAN	MER29.12 MER29 repetitive element;
							wd35g06.x1 Soares, NFL, T, GBC, S1 Homo sapiens cDNA clone IMAGE:2330170 3' similar to contains
8417	21386	34795	0.92	4.0E-29	A1678101.1	EST_HUMAN	MER29.12 MER29 repetitive element;
9097	22063	35488	2.97	4.0E-29	J04988.1	NT	Human 90 kD heat shock protein gene, complete cds
2379	15387	28411	0.94	3.0E-29	U67847.1	NT	Human beta-galactoside alpha2,6-sialyltransferase (SIAT1) mRNA, exon U
4444	17470	30369	1.61	3.0E-29	AB042297.1	NT	Homo sapiens PTS gene for 6-pyruvoyltetrahydropterin synthase, complete cds
4764	17784	30880	0.94	3.0E-29	BF333236.1	EST_HUMAN	QV1-BT0821-120900-360-503 BT0821 Homo sapiens cDNA
6040	19122	32327	0.77	3.0E-29	BE314018.1	EST_HUMAN	601152657F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:3508527 5'
9085	22051	35473	2.19	3.0E-29	D38044.1	NT	Human gene for Ah-receptor, exon 7-9
							xv17703.x1 Soares, NFL, T, GBC, S1 Homo sapiens cDNA clone IMAGE:2813405 3' similar to contains Alu
9655	22598	36047	1.97	3.0E-29	AW303317.1	EST_HUMAN	repetitive element; contains MER19.12 MER19 repetitive element;
9889	22842		2.2	3.0E-29	AL163246.2	NT	Homo sapiens chromosome 21 segment HS21C046

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
10318	23242		0.73	3.0E-29	BE350127.1	EST_HUMAN	h109g01.x1 NCL_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER28.b3
12385	25163			3.0E-29	D63882.1	NT	MER29 repetitive element ;
493	13565	26487	1.68	2.0E-29	AF084899.1	NT	Human HsLIM15 mRNA for HsLIM15, complete cds
493	13565	26488	1.68	2.0E-29	AF084899.1	NT	Homo sapiens envelope protein RIC-6 (env) gene, complete cds
1535	14568	27538	7.19	2.0E-29	A1963604.1	EST_HUMAN	Homo sapiens envelope protein RIC-6 (env) gene, complete cds
1535	14568	27539	7.19	2.0E-29	A1963604.1	EST_HUMAN	wr65d10.x1 NCL_CGAP_UH1 Homo sapiens cDNA clone IMAGE:2492563 3' similar to TR:O15546 O15546
4308	17337	30215	2.4	2.0E-29	AL163268.2	NT	HERV-E ENVELOPE GLYCOPROTEIN ;
5251	18259	31128	0.99	2.0E-29	OS4827	SWISSPROT	wr65d10.x1 NCL_CGAP_UH1 Homo sapiens cDNA clone IMAGE:2492563 3' similar to TR:O15546 O15546
5924	19010	32203	1.08	2.0E-29	A1082459.1	EST_HUMAN	HERV-E ENVELOPE GLYCOPROTEIN ;
6304	19375	32613	1.22	2.0E-29	A1806418.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C068
7808	19375	32613	1.18	2.0E-29	A1806418.1	EST_HUMAN	POTENTIAL PHOSPHOLIPID-TRANSPORTING ATPASE VA
8309	21278	34690	1.04	2.0E-29	BE967157.1	EST_HUMAN	os71604.x1 NCL_CGAP_GC2 Homo sapiens cDNA clone IMAGE:1610814 3' similar to contains L1.12 L1
8924	21890	35317	0.63	2.0E-29	-10567821	NT	repetitive element ;
8924	21890	35318	0.63	2.0E-29	10567821	NT	wf27g07.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2356860 3' similar to contains
8866	22802	36255	3.5	2.0E-29	AL163248.2	NT	element MER6 repetitive element ;
9866	22802	36256	3.5	2.0E-29	AL163248.2	NT	wf27g07.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2356860 3' similar to contains
10599	23521	37013	3.27	2.0E-29	AL163248.2	NT	element MER6 repetitive element ;
10599	23521	37014	3.27	2.0E-29	AL163248.2	NT	wf27g07.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:3846648 5'
11806	24692		4.13	2.0E-29	11425108	NT	601442206F1 NIH_MGC_65 Homo sapiens cDNA clone IMAGE:3846648 5'
11844	24727		2.03	2.0E-29	AW880701.1	EST_HUMAN	Homo sapiens DNA-binding protein (LOC56242), mRNA
9144	22110	35536	10.17	1.0E-29	AW983880.1	EST_HUMAN	Homo sapiens DNA-binding protein (LOC56242), mRNA
10986	23906	37420	0.69	1.0E-29	X60658.1	NT	Homo sapiens chromosome 21 segment HS21C048
6734	19790	33070	3.26	9.0E-30	AA761215.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C048
12263	25087		2.14	9.0E-30	11422746	NT	Homo sapiens chromosome 21 segment HS21C048
6452	19517		9.62	8.0E-30	F08688.1	EST_HUMAN	Homo sapiens splicing factor similar to dhaJ (SPF31), mRNA
8613	21691	34997	3.18	8.0E-30	AA383873.1	EST_HUMAN	QV0-OT0032-090300-155-d01 OT0032 Homo sapiens cDNA
9031	21997	35416	3.9	8.0E-30	A1557072.1	EST_HUMAN	RC1-HN0003-220300-021-b04 HN0003 Homo sapiens cDNA
							Rattus RYA3 mRNA for a potential ligand-binding protein
							h220d07.s1 NCL_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:1288332 3' similar to contains MER4.b1
							MER4 repetitive element ;
							Homo sapiens zinc/ferron regulated transporter-like (ZIRTL), mRNA
							HSC23F051 normalized infant brain cDNA Homo sapiens cDNA clone c-23f05
							EST979317 Thymus 1 Homo sapiens cDNA 5' and similar to EST containing O family repeat
							PT2.1_13_B11.tumor2 Homo sapiens cDNA 3'

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1518	14550		1.02	7.0E-30	BE091133.1	EST_HUMAN	PIM4-BT0724-150400-004-d11 BT0724 Homo sapiens cDNA
1571	14604		1.4	6.0E-30	X51755.1	NT	Human lambda-immunoglobulin constant region complex (germline)
1788	14817	27802	1.8	6.0E-30	D26303.1	NT	Human mRNA for integrin alpha subunit, complete cds
3204	16259	29178	2.51	6.0E-30	BE008026.1	EST_HUMAN	QV0-BN0147-280400-214-f12 BN0147 Homo sapiens cDNA
4791	16259	29178	1.02	6.0E-30	BE008026.1	EST_HUMAN	QV0-BN0147-280400-214-f12 BN0147 Homo sapiens cDNA
10905	23825	37337	0.74	6.0E-30	AF17727.1	NT	Homo sapiens CTCL tumor antigen sc20-10 mRNA, partial cds
13054	14604		4.35	6.0E-30	X51755.1	NT	Human lambda-immunoglobulin constant region complex (germline)
4041	17079	29979	32.98	6.0E-30	AI399992.1	EST_HUMAN	ig92g03.x1 NCI_CGAP_CELL1 Homo sapiens cDNA clone IMAGE:2116278 3' similar to contains Alu repetitive element
5310	25746		4.98	5.0E-30	U87631.1	NT	Human acetylcholinesterase (AChE) gene, exon 7
11233	24186		2.21	5.0E-30	AL163276.2	NT	Homo sapiens chromosome 21 segment HS21C078
11499	24432	37981	2.03	5.0E-30	AL163210.2	NT	Homo sapiens chromosome 21 segment HS21C010
11489	24432	37982	2.03	5.0E-30	AL163210.2	NT	Homo sapiens chromosome 21 segment HS21C010
2153	15169	28185	1.79	4.0E-30	AW93747.1	EST_HUMAN	QV3-DT0043-090200-080-c06 DT0043 Homo sapiens cDNA
2153	15169	28186	1.79	4.0E-30	AW93747.1	EST_HUMAN	QV3-DT0043-090200-080-c06 DT0043 Homo sapiens cDNA
7035	18367	31254	0.55	4.0E-30	P11369	SWISSPROT	RETROVIRUS-RELATED POLYPROTEIN [CONTAINS: REVERSE TRANSCRIPTASE ;
8256	22222	35652	2.5	4.0E-30	AW812488.1	EST_HUMAN	CM1-ST0181-091199-035-f08 ST0181 Homo sapiens cDNA
1154	14196		4.51	3.0E-30	AI338551.1	EST_HUMAN	qq93c05.x1 Soares, total, testis Nb2HF8_gw Homo sapiens cDNA clone IMAGE:1938920 3' similar to contains MER29 b2 MER29 repetitive element ;
3770	16812	29721	1.03	3.0E-30	AF128893.1	NT	Homo sapiens telomerase reverse transcriptase (TERT) gene, exons 1-6
7470	20436	33793	0.5	3.0E-30	T18962.1	EST_HUMAN	b120566 Testis 1 Homo sapiens cDNA clone b12056
8284	21253		0.52	3.0E-30	AF078779.1	NT	Rattus norvegicus putative four repeat ion channel mRNA, complete cds
8831	21798		0.44	3.0E-30	AF078779.1	NT	Rattus norvegicus putative four repeat ion channel mRNA, complete cds
10800	23721	37224	2.18	3.0E-30	BE350127.1	EST_HUMAN	hb09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29 b3
10932	23852	37368	0.52	3.0E-30	AB032989.1	NT	MER29 repetitive element ;
10932	23852	37367	0.52	3.0E-30	AB032989.1	NT	Homo sapiens mRNA for KIAA1143 protein, partial cds
11541	24482	38034	5.69	3.0E-30	P34056	SWISSPROT	Homo sapiens mRNA for KIAA1143 protein, partial cds
676	13739	26668	1.57	2.0E-30	AW867315.1	EST_HUMAN	TRANSCRIPTION FACTOR AP-2
1086	14130		3.03	2.0E-30	F08688.1	EST_HUMAN	CM0-CT0307-310100-158-h03 CT0307 Homo sapiens cDNA
1475	14508	27482	5.38	2.0E-30	BE175877.1	EST_HUMAN	HSC23F051 normalized infant brain cDNA Homo sapiens cDNA clone c-23105
2727	15721	28738	11.19	2.0E-30	BE766232.1	EST_HUMAN	RC5-HT0582-110400-013-H08 HT0582 Homo sapiens cDNA
2830	15988	28909	6.11	2.0E-30	AF114156.1	NT	IL2-NT0101-280700-116-E04 NT0101 Homo sapiens cDNA
							Homo sapiens Y-linked zinc finger protein (ZFY) gene, complete cds

Page 266 of 546
Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3803	16943	29751	2.1	2.0E-30	AW206581.1	EST_HUMAN	U1-H-B1-af-c-12-Q-J1.s1 NCL_CGAP_Sub3 Homo sapiens cDNA clone IMAGE:2722568 3'
4812	17829	30726	1.76	2.0E-30	BE298945.1	EST_HUMAN	601119860F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3029438 5'
4812	17829	30727	1.76	2.0E-30	BE298945.1	EST_HUMAN	601119860F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3029438 5'
6922	19972	33269	0.71	2.0E-30	BF306337.1	EST_HUMAN	601893208F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:4138993 5'
8820	21787	35211	0.69	2.0E-30	AA019103.1	EST_HUMAN	ze58c10.r1 Soares retina N2b-4HR Homo sapiens cDNA clone IMAGE:363186 5'
8882	21849	35270	7.02	2.0E-30	C18939.1	EST_HUMAN	C18939 Human placenta cDNA (TFujiwara) Homo sapiens cDNA clone GEN-570C01 5'
8882	21948	35371	3.99	2.0E-30	BE670617.1	EST_HUMAN	7e37c12.x1 NCL_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3284662 3' similar to SW:DHSA_HUMAN P31040 SUCCINATE DEHYDROGENASE [UBIQUINONE] FLAVOPROTEIN SUBUNIT PRECURSOR ;
8982	21948	35372	3.99	2.0E-30	BE670617.1	EST_HUMAN	7e37c12.x1 NCL_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3284662 3' similar to SW:DHSA_HUMAN P31040 SUCCINATE DEHYDROGENASE [UBIQUINONE] FLAVOPROTEIN SUBUNIT PRECURSOR ;
10356	23280	36756	3.88	2.0E-30	AW971568.1	EST_HUMAN	EST3883657 IMAGE resequences, MAGL Homo sapiens cDNA hs33406.x1 NCL_CGAP_Kid12 Homo sapiens cDNA clone IMAGE:2875499 3' similar to contains THR.b3 THR repetitive element ;
10442	23364	36854	8.55	2.0E-30	AW470791.1	EST_HUMAN	C18939 Human placenta cDNA (TFujiwara) Homo sapiens cDNA clone GEN-570C01 5'
286	13381	26309	19.55	1.0E-30	C18939.1	EST_HUMAN	hd30504.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2910991 3' similar to contains MER1.13 MER1 MER1 repetitive element ;
539	13610	26529	7.04	1.0E-30	AW468897.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C003
717	13779	26713	1.23	1.0E-30	AL163203.2	NT	ac77b08.s1 Stratagene lung (#937210) Homo sapiens cDNA clone IMAGE:868599 3'
2222	15236	28260	3.82	1.0E-30	AA664377.1	EST_HUMAN	602022660F1 NCL_CGAP_Bm87 Homo sapiens cDNA clone IMAGE:4157991 5'
2469	15473	28496	2.39	1.0E-30	BF347728.1	EST_HUMAN	EST186868 HCC cell line (metastasis to liver in mouse) II Homo sapiens cDNA 5' end
3087	16124	29037	1.12	1.0E-30	AA315045.1	EST_HUMAN	601809932F1 NIH_MGC_18 Homo sapiens cDNA clone IMAGE:4040694 5'
7995	20834	34328	2.08	1.0E-30	BF183230.1	EST_HUMAN	CHR220532 Chromosome 22 exon Homo sapiens cDNA clone C22_728 5'
12862	25841		11.93	1.0E-30	H55593.1	EST_HUMAN	y99b08.r1 Soares infant brain 1N1B Homo sapiens cDNA clone IMAGE:30566 5' similar to gb:X12953 RAS- RELATED PROTEIN RAB-2 (HUMAN);
8667	21635	35056	0.92	9.0E-31	R18214.1	EST_HUMAN	y99b08.r1 Soares infant brain 1N1B Homo sapiens cDNA clone IMAGE:30566 5' similar to gb:X12953 RAS- RELATED PROTEIN RAB-2 (HUMAN);
8667	21635	35057	0.92	9.0E-31	R18214.1	EST_HUMAN	RELATED PROTEIN RAB-2 (HUMAN);
8971	21937		1.79	9.0E-31	Z38293.1	EST_HUMAN	HSC05F032 normalized infant brain cDNA Homo sapiens cDNA clone c-05f03 3'
8973	21939	35364	0.49	9.0E-31	AF078778.1	NT	Rattus norvegicus putative four repeat ion channel mRNA, complete cds
1078	14123	27076	1.82	8.0E-31	8923389	NT	Homo sapiens hypothetical protein FLJ20420 (FLJ20420), mRNA
2423	15430		5.96	8.0E-31	AL163208.2	NT	Homo sapiens chromosome 21 segment HS21C008
4955	17970	30860	1.12	8.0E-31	P23275	SWISSPROT	OLFACTORY RECEPTOR 15 (OR3)
4955	17970	30861	1.12	8.0E-31	P23275	SWISSPROT	OLFACTORY RECEPTOR 15 (OR3)

Page 267 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
712	13774		1.99	7.0E-31	AA372637.1	EST_HUMAN	EST184555 Colon adenocarcinoma IV Homo sapiens cDNA 5' end
2676	15872	28691	2.38	7.0E-31	BE328517.1	EST_HUMAN	hw05at1.x1 NCL CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3182012 3'
2676	15872	28692	2.38	7.0E-31	BE328517.1	EST_HUMAN	hw05at1.x1 NCL CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3182012 3'
8744	21712	35133	0.99	7.0E-31	AF208541.1	NT	Homo sapiens V1-vascular vasopressin receptor AVPR1A gene, promoter region and partial cds
8744	21712	35134	0.99	7.0E-31	AF208541.1	NT	Homo sapiens V1-vascular vasopressin receptor AVPR1A gene, promoter region and partial cds
9821	22565		0.92	7.0E-31	BE408611.1	EST_HUMAN	601304125FT NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3638310 5'
12711	25366	31771	5.66	7.0E-31	X51755.1	NT	Human lambda-immunoglobulin constant region complex (germline)
3691	16734		3.06	6.0E-31	AF223391.1	NT	Homo sapiens calcium channel alpha1E subunit (CACNA1E) gene, exons 7-49, and partial cds, alternatively spliced
8493	21461		7.57	6.0E-31	AF055066.1	NT	Homo sapiens MHC class 1 region
8674	21842	35087	0.7	6.0E-31	BE350127.1	EST_HUMAN	h09g01.x1 NCL CGAP_Kld13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
11090	24050	37573	1.86	6.0E-31	AU118105.1	EST_HUMAN	h09g01.x1 NCL CGAP_Kld13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
12325	25127	31848	2.27	6.0E-31	AW372868.1	EST_HUMAN	AU118105 HEMBA1 Homo sapiens cDNA clone HEMBA1005050 5'
12456	25784		2.08	6.0E-31	BE894488.1	EST_HUMAN	RC5-BT0377-081289-031-D12 BT0377 Homo sapiens cDNA
194	13295	26222	2.83	5.0E-31	M60694.1	NT	601493087F1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3918524 5'
194	13295	26223	2.83	5.0E-31	M60694.1	NT	Homo sapiens type I DNA topoisomerase gene, exon 8
8788	21755		1.46	5.0E-31	BF056540.1	EST_HUMAN	Homo sapiens type I DNA topoisomerase gene, exon 8
598	13665		3.45	4.0E-31	AJ271735.1	NT	7K0604.x1 NCL CGAP_GC6 Homo sapiens cDNA clone IMAGE:3443479 3' similar to TR:Q13537 Q13537
						NT	SIMILAR TO POGO ELEMENT ; contains L1.1 L1 repetitive element ;
						NT	Homo sapiens Xq pseudautosomal region; segment 1/2
1615	14647	27622	1.01	4.0E-31	Q10473	SWISSPROT	POLYPEPTIDE N-ACETYL GALACTOSAMINYLTRANSFERASE (PROTEIN-UDP
1834	14861		2.09	4.0E-31	AL163280.2	NT	ACETYL GALACTOSAMINYLTRANSFERASE (UDP-GALNAc:POLYPEPTIDE, N-
2600	15792		1.98	4.0E-31	5730038	NT	ACETYL GALACTOSAMINYLTRANSFERASE (GALNAc-T1)
10900	23820	37329	0.43	4.0E-31	AF084464.1	NT	Homo sapiens chromosome 21 segment HS21C080
						NT	Homo sapiens SET domain and mariner transposase fusion gene (SETMAR) mRNA
2603	15603	28625	0.98	3.0E-31	6005871	NT	Rattus norvegicus GTP-binding protein REM2 (Rem2) mRNA, complete cds
7562	20525	33883	6.73	3.0E-31	4826853	NT	Homo sapiens SEC83, endoplasmic reticulum translocon component (S. cerevisiae) like (SEC83L), mRNA
7736	20691	34055	1.28	3.0E-31	11420329	NT	Homo sapiens NADH dehydrogenase (ubiquinone) 1 beta subcomplex, 8 (19kD, ASH1) (NDUFB8) mRNA
8501	21469		2.35	3.0E-31	AL163206.2	NT	Homo sapiens hypothetical protein FLJ10842 (FLJ10842), mRNA
9939	22866	36328	4.66	3.0E-31	D14523.1	NT	Homo sapiens chromosome 21 segment HS21C006
10961	23881	37394	0.52	3.0E-31	AA421242.1	EST_HUMAN	Horse mRNA for ferritin L-chain, complete cds
						EST_HUMAN	zu06d04.r1 Scores_NHT Homo sapiens cDNA clone IMAGE:731047 5'

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
10995	23861	37486	3.17	3.0E-31	P11174	SWISSPROT	40S RIBOSOMAL PROTEIN S15 (RIG PROTEIN)
11487	24430		6.84	3.0E-31	BF05327.1	EST_HUMAN	601458531F1 NIH_MGC_66 Homo sapiens cDNA clone IMAGE:3882086 5'
1932	14956	27853	1.33	2.0E-31	AW838171.1	EST_HUMAN	QV2-LT0051-260300-111-03 L10031 Homo sapiens cDNA
2224	15238	28262	0.98	2.0E-31	AI933388.1	EST_HUMAN	tg44g05.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2111672 3'
2347	15356	28378	2.53	2.0E-31	AL119245.1	EST_HUMAN	DKFZp761G1513_1 761 (synonym: hary2) Homo sapiens cDNA clone DKFZp761G1513 5'
							ea88f11.s1 Stratagene fetal retina 937202 Homo sapiens cDNA clone IMAGE:838413 3' similar to contains THR.12 THR repetitive element ;
2447	15452	28473	5.67	2.0E-31	AA458824.1	EST_HUMAN	UH-H-B3-akb-f-09-0-U1.s1 NCI_CGAP_Sub5 Homo sapiens cDNA clone IMAGE:2733833 3'
5347	18452	31323	0.72	2.0E-31	AW444496.1	EST_HUMAN	h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
5798	18890	32072	2.86	2.0E-31	BE350127.1	EST_HUMAN	MER29 repetitive element ;
9431	22395		2.71	2.0E-31	AA877764.1	EST_HUMAN	MER37 TRANSPOSABLE ELEMENT, COMPLETE CONSENSUS SEQUENCE. ;
9562	22524	35973	4.13	2.0E-31	7681535	NT	Homo sapiens B9 protein (B9), mRNA
10266	23191	36677	1.13	2.0E-31	AV710948.1	EST_HUMAN	AV710948 Cu Homo sapiens cDNA clone CUAALB07 5'
10266	23191	36677	1.13	2.0E-31	AV710948.1	EST_HUMAN	AV710948 Cu Homo sapiens cDNA clone CUAALB07 5'
10266	23191	36677	1.13	2.0E-31	AV710948.1	EST_HUMAN	AV710948 Cu Homo sapiens cDNA clone CUAALB07 5'
10435	23357	36844	2.57	2.0E-31	BE408611.1	EST_HUMAN	601304125F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3638310 5'
10435	23357	36844	2.57	2.0E-31	BE408611.1	EST_HUMAN	601304125F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3638310 5'
12427	25195		1.91	2.0E-31	AF148512.1	NT	Homo sapiens hexokinase II gene, promoter region
12566	25987		3.94	2.0E-31	AI114527.1	EST_HUMAN	HA1110 Human fetal liver cDNA library Homo sapiens cDNA
							(IMAGE-B1) genes, complete cds
17	13137	26036	11.03	1.0E-31	U93163.1	NT	(IMAGE-B1) genes, complete cds
1671	14703	27678	3.34	1.0E-31	O85371	SWISSPROT	OLFACTORY RECEPTOR 2C1
1671	14703	27679	3.34	1.0E-31	O85371	SWISSPROT	OLFACTORY RECEPTOR 2C1
1671	14703	27680	3.34	1.0E-31	O85371	SWISSPROT	OLFACTORY RECEPTOR 2C1
4666	17687	30571	1.35	1.0E-31	AL134376.1	EST_HUMAN	DKFZp547B235_1 547 (synonym: hibr1) Homo sapiens cDNA clone DKFZp547B235 5'
4666	17687	30572	1.35	1.0E-31	AL134376.1	EST_HUMAN	DKFZp547B235_1 547 (synonym: hibr1) Homo sapiens cDNA clone DKFZp547B235 5'
5385	18470	31341	3.75	1.0E-31	AW391679.1	EST_HUMAN	MR3-S10220-151299-028-a08_1 ST0220 Homo sapiens cDNA
6256	19329	32559	2.31	1.0E-31	AF048727.1	NT	Homo sapiens minisatellite ceb1 repeat region
							Bos taurus xenobiotic/medium-chain fatty acid:CoA ligase form XL-III mRNA, nuclear mRNA encoding mitochondrial protein, complete cds
7506	20471	33831	1.08	1.0E-31	AF126145.1	NT	mitochondrial protein, complete cds
8132	21069	34468	0.76	1.0E-31	BE972818.1	EST_HUMAN	601652052F1 NIH_MGC_82 Homo sapiens cDNA clone IMAGE:3935293 5'
							Homo sapiens IMAGE-B2 (IMAGE-B2), IMAGE-B3 (IMAGE-B3), IMAGE-B4 (IMAGE-B4), and IMAGE-B1 (IMAGE-B1) genes, complete cds
10596	23518	37008	0.68	1.0E-31	U93163.1	NT	(IMAGE-B1) genes, complete cds

Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
11291	24213	37737	4.66	1.0E-31	A1086434.1	EST_HUMAN	q121h03.x1 NCI_CGAP_Bm25 Homo sapiens cDNA clone IMAGE:1750709 3' similar to TR:Q16595 Q16595 FRAXIN.
12103	24974	38571	1.5	1.0E-31	U66081.1	NT	Human germ-line T-cell receptor beta chain TCRBV17S1A1T, TCRBV2S1, TCRBV10S1P, TCRBV28S1P, TCRBV19S1P, TCRBV15S1, TCRBV11S1A1T, HVB relic, TCRBV28S1P, TCRBV34S1, TCRBV14S1, TCRBV35S1, TCRBV4S1A1T, TRY4, TRY6, TRY8, TRY7, TRY8, TCRBD1, TCRBJ1S1, TCRBJ1S2, >
6795	19849	33134	2.13	9.0E-32	AV723976.1	EST_HUMAN	AV723976 HTB Homo sapiens cDNA clone HTBAAG01 5'
7598	20559	33919	0.53	9.0E-32	L31770.1	NT	Bos taurus vacuolar H ⁺ -ATPase subunit mRNA, complete cds
7848	20765		0.85	9.0E-32	11430822	NT	Homo sapiens hypothetical protein FLJ11294 (FLJ11294), mRNA
2090	15107	28128	3.05	8.0E-32	A1068770.1	EST_HUMAN	oz15a09.x1 Soares fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:1675384 3'
5559	18656	31801	0.89	8.0E-32	AW997214.1	EST_HUMAN	RC2-BN0048-200300-015-e04 BN0048 Homo sapiens cDNA
4898	17913	30803	1.16	7.0E-32	P52591	SWISSPROT	NUCLEAR ENVELOPE PORE MEMBRANE PROTEIN POM 121 (PORE MEMBRANE PROTEIN OF 121 KD) (P145)
12405	25178		7.66	7.0E-32	X17283.1	NT	Human chromosome 22 immunoglobulin V(K) gene, part, with 5' breakpoint between orphon and neighbouring non-amplified region
2742	15738	28752	1.2	6.0E-32	A1478104.1	EST_HUMAN	Im34a10.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2159994 3' similar to contains MER29.13 MER29 repetitive element.
7591	20552		1.29	6.0E-32	BE888016.1	EST_HUMAN	601511530F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3913087 5'
1035	14081	27032	17.73	5.0E-32	AF116627.1	NT	Homo sapiens PRO1181 mRNA, complete cds
931	13984		1.85	4.0E-32	AL163246.2	NT	Homo sapiens chromosome 21 segment HS21C046
7861	20805	34181	3.03	4.0E-32	11432574	NT	Homo sapiens AT-binding transcription factor 1 (ATBF1), mRNA
7861	20805	34182	3.03	4.0E-32	11432574	NT	Homo sapiens AT-binding transcription factor 1 (ATBF1), mRNA
8702	21670		1	4.0E-32	BE064410.1	EST_HUMAN	RC4-BT0311-141199-011-k06 BT0311 Homo sapiens cDNA
466	13529	28459	3.32	3.0E-32	Y17293.1	NT	Homo sapiens FLI-1 gene, partial
1448	14481	27458	9.76	3.0E-32	AV731500.1	EST_HUMAN	AV731500 HTF Homo sapiens cDNA clone HTFAK007 5'
9749	22890	38147	19.67	3.0E-32	AV758634.1	EST_HUMAN	AV758634 BM Homo sapiens cDNA clone BMFBBH12 5'
9749	22890	38148	19.67	3.0E-32	AV758634.1	EST_HUMAN	AV758634 BM Homo sapiens cDNA clone BMFBBH12 5'
11270	24222	37747	2.81	3.0E-32	AA777621.1	EST_HUMAN	z195a07.s1 Soares fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:448500 3' similar to contains THR.13 THR repetitive element.
11550	24491		1.46	3.0E-32	BF036327.1	EST_HUMAN	601456531F1 NIH_MGC_66 Homo sapiens cDNA clone IMAGE:3862086 5'
12430	25197		5.4	3.0E-32	BE278086.1	EST_HUMAN	601156285F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3139701 5'
12786	18336	31283	3.46	3.0E-32	5174574	NT	Homo sapiens myeloid/lymphoid or mixed-lineage leukemia (trithorax (Drosophila) homolog); translocated to, 4 (MLLT4) mRNA

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
12786	18336	31284	3.46	3.0E-32	5174574	NT	Homo sapiens myeloid/lymphoid or mixed-lineage leukemia (trithorax (Drosophila) homolog); translocated to, 4 (MLL T4) mRNA
12937	25517		4.33	3.0E-32	BE279086.1	EST_HUMAN	601166285F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3139701 5'
4918	17935	30827	0.97	2.0E-32	BE296813.1	EST_HUMAN	601173631F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3529159 5'
6381	19449	32690	0.87	2.0E-32	M35418.1	NT	Human cell 12-lipoxygenase mRNA, complete cds
6624	19682	32959	6.86	2.0E-32	Z38133.1	NT	H. sapiens mRNA for myosin
6624	19682	32960	6.86	2.0E-32	Z38133.1	NT	H. sapiens mRNA for myosin
8621	21589	35008	2.19	2.0E-32	AA114294.1	EST_HUMAN	zn66c08.r1 Stratagene HeLa cell s3 937216 Homo sapiens cDNA clone IMAGE:563150 5'
8621	21589	35007	2.19	2.0E-32	AA114294.1	EST_HUMAN	zn66c08.r1 Stratagene HeLa cell s3 937216 Homo sapiens cDNA clone IMAGE:563150 5'
13049	25589	31683	4.17	2.0E-32	AV736449.1	EST_HUMAN	AV736449 CB Homo sapiens cDNA clone CBFIA08 5'
13049	25589	31684	4.17	2.0E-32	AV736449.1	EST_HUMAN	AV736449 CB Homo sapiens cDNA clone CBFIA08 5'
3110	16167	33289	1.07	1.0E-32	BE743299.1	EST_HUMAN	601573207F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3834433 5'
7256	19991		6.73	1.0E-32	11439789	NT	Homo sapiens chromosome 11 open reading frame 9 (C11ORF9), mRNA
8943	21809	35334	6.78	1.0E-32	AA720574.1	EST_HUMAN	hw21g02.s1 NCI_CGAP_GC80 Homo sapiens cDNA clone IMAGE:1241138 3' similar to contains THR.13 THR repetitive element;
3493	16540		5.7	9.0E-33	BE327112.1	EST_HUMAN	hw07c05.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3182216 3' similar to TR:O88539 O88539 WW DOMAIN BINDING PROTEIN 11.;
6560	19620		3.43	9.0E-33	AF223391.1	NT	Homo sapiens calcium channel alpha1E subunit (CACNA1E) gene, exons 7-49, and partial cds, alternatively spliced
9140	22106	35532	1.82	9.0E-33	BF347228.1	EST_HUMAN	602021164F1 NCI_CGAP_Brn67 Homo sapiens cDNA clone IMAGE:4156670 5'
11150	24110		4.08	9.0E-33	AL163280.2	NT	Homo sapiens chromosome 21 segment HS21C080
63	13182	26098	2.4	7.0E-33	5031736	NT	Homo sapiens short-chain alcohol dehydrogenase family member (HEP27) mRNA
63	13182	26099	2.4	7.0E-33	5031736	NT	Homo sapiens short-chain alcohol dehydrogenase family member (HEP27) mRNA
2169	15185	28206	2.43	7.0E-33	AI590116.1	EST_HUMAN	to12b09.x1 NCI_CGAP_U12 Homo sapiens cDNA clone IMAGE:2178809 3' similar to contains OFR.11 OFR repetitive element;
2657	15654		7.82	7.0E-33	AV730056.1	EST_HUMAN	AV730056 HTF Homo sapiens cDNA clone HTFAVE06 5'
2841	14737	27719	1.62	7.0E-33	AV730015.1	EST_HUMAN	AV730015 HTF Homo sapiens cDNA clone HTFANF08 5'
3256	16310		16.32	7.0E-33	AW971307.1	EST_HUMAN	EST383396 MAGL Homo sapiens cDNA
9298	22264		1.07	7.0E-33	X54890.1	NT	Human hLRP mRNA for leukocyte common antigen-related peptide (protein-tyrosine phosphate) (EC 3.1.3.48)
11178	24134	37664	2.89	7.0E-33	BF347229.1	EST_HUMAN	602021164F1 NCI_CGAP_Brn67 Homo sapiens cDNA clone IMAGE:4156670 5'
11578	24516	38071	2.65	7.0E-33	AW971598.1	EST_HUMAN	EST383357 MAGL Homo sapiens cDNA
12409	25182	31819	3.85	7.0E-33	AA601416.1	EST_HUMAN	no16h01.s1 NCI_CGAP_Phe1 Homo sapiens cDNA clone IMAGE:1100881 3' similar to contains L1.11 L1 repetitive element;

Page 271 of 546
Table 4
Single Exon Probes Expressed In Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3749	16791		0.69	6.0E-33	AL163285.2	NT	Homo sapiens chromosome 21 segment HS21C085
6185	19280	32494	1.09	6.0E-33	F30631.1	EST_HUMAN	HSPD21201 HM3 Homo sapiens cDNA clone s4000107H08
6185	19280	32495	1.09	6.0E-33	F30631.1	EST_HUMAN	HSPD21201 HM3 Homo sapiens cDNA clone s4000107H08
8925	21881	35319	7.52	6.0E-33	J04038.1	NT	Human glyceraldehyde-3-phosphate dehydrogenase (GAPDH) gene, complete cds
9050	22016	35440	3.18	6.0E-33	11429198	NT	Homo sapiens similar to RAD23 (S. cerevisiae) homolog B (H. sapiens) (LOC83277), mRNA
10371	23294	36769	1.73	6.0E-33	6756609	NT	Mus musculus SRY-box containing gene 6 (Sox6), mRNA
10371	23294	36770	1.73	6.0E-33	6756609	NT	Mus musculus SRY-box containing gene 6 (Sox6), mRNA
1792	14821		1.63	6.0E-33	BF373515.1	EST_HUMAN	QV1-F10169-100700-271-e02 F10169 Homo sapiens cDNA
1898	14923		1.27	5.0E-33	11141894	NT	Homo sapiens solute carrier family 5 (choline transporter), member 7 (SLC5A7), mRNA
1914	14938	27933	1.31	5.0E-33	4507208	NT	Homo sapiens spermidine synthase (SRM) mRNA
1914	14938	27934	1.31	5.0E-33	4507208	NT	Homo sapiens spermidine synthase (SRM) mRNA
2280	15293		1.49	5.0E-33	AL163285.2	NT	Homo sapiens chromosome 21 segment HS21C085
4087	17121	30015	1.28	5.0E-33	AB014599.1	NT	Homo sapiens mRNA for KIAA0639 protein, partial cds
6823	19877	33166	51.92	5.0E-33	AA189080.1	EST_HUMAN	z44506.s1 Stratagene hNT neuron (#637233) Homo sapiens cDNA clone IMAGE:632827 3' similar to contains Alu repetitive element;
10810	23532	37027	0.85	5.0E-33	AW284679.1	EST_HUMAN	xq33f11.x1 NCI_CGAP_Lu28 Homo sapiens cDNA clone IMAGE:2752461 3'
10810	23532	37028	0.85	5.0E-33	AW284679.1	EST_HUMAN	xq33f11.x1 NCI_CGAP_Lu28 Homo sapiens cDNA clone IMAGE:2752461 3'
1130	14173		0.87	4.0E-33	AL163207.2	NT	Homo sapiens chromosome 21 segment HS21C007
2135	16152	28167	1.53	4.0E-33	4758987	NT	Homo sapiens RAB1, member RAS oncogene family (RAB1) mRNA
2428	15435		2.92	4.0E-33	AA626821.1	EST_HUMAN	ab51b1.r1 Stratagene lung carcinoma 937218 Homo sapiens cDNA clone IMAGE:844317 5' similar to contains Alu repetitive element; contains MER28.b2 MER28 repetitive element;
2552	15554	28574	2.35	4.0E-33	AL163210.2	NT	Homo sapiens chromosome 21 segment HS21C010
4509	17534	30418	1.85	4.0E-33	AW293349.1	EST_HUMAN	U1-H-B12-ah1-c-03-0-U1.s1 NCI_CGAP_Sub4 Homo sapiens cDNA clone IMAGE:2727149 3'
5477	18578	31487	21.95	4.0E-33	AA053053.1	EST_HUMAN	z171a08.r1 Stratagene colon (#937204) Homo sapiens cDNA clone IMAGE:510038 5' similar to gb:X12671.maf HETEROGENEOUS NUCLEAR RIBONUCLEOPROTEIN A1 (HUMAN);
6532	19595	32857	2.14	4.0E-33	8393994	NT	Homo sapiens polymerase (DNA directed), alpha (POLA), mRNA
6532	19595	32858	2.14	4.0E-33	8393994	NT	Homo sapiens polymerase (DNA directed), alpha (POLA), mRNA
1091	14135		6.18	3.0E-33	BE350127.1	EST_HUMAN	ht09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER28.b3 MER29 repetitive element;
1092	14135		4.81	3.0E-33	BE350127.1	EST_HUMAN	ht09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER28.b3 MER29 repetitive element;
2456	15894		0.91	3.0E-33	AV647851.1	EST_HUMAN	AV647851 GLC Homo sapiens cDNA clone G1C8CF09 3'
10806	23727	37228	1.02	3.0E-33	AA861510.1	EST_HUMAN	ak32b12.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1407847 3' similar to TR:Q13579 Q13579 MARINER TRANSPOSASE.;

Page 272 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
18	13138		0.63	2.0E-33	AI160189.1	EST_HUMAN	qb67g03.x1 Soares_fetal_heart_NbHH19W Homo sapiens cDNA clone IMAGE:1705204 3' similar to contains OFR.t1 OFR repetitive element;
105	13138		2.93	2.0E-33	AI160189.1	EST_HUMAN	qb67g03.x1 Soares_fetal_heart_NbHH19W Homo sapiens cDNA clone IMAGE:1705204 3' similar to contains OFR.t1 OFR repetitive element;
4449	17475		4.22	2.0E-33	BE159039.1	EST_HUMAN	MRO-HT0405-160300-202-408 HT0405 Homo sapiens cDNA
5021	18035	30920	9.82	2.0E-33	AA626683.1	EST_HUMAN	ab51g11.1 Stratagene lung carcinoma 937218 Homo sapiens cDNA clone IMAGE:844388 5' similar to gb:X00734_cds1 TUBULIN BETA-5 CHAIN (HUMAN);
5129	18138	31015	2.68	2.0E-33	11421332	NT	Homo sapiens hypothetical protein SIRP-b2 (SIRP-b2), mRNA
5129	18138	31016	2.58	2.0E-33	11421332	NT	Homo sapiens hypothetical protein SIRP-b2 (SIRP-b2), mRNA
6563	19623	32888	1	2.0E-33	AI277492.1	EST_HUMAN	qb6d01.x1 Soares_NbHMPu_S1 Homo sapiens cDNA clone IMAGE:1880161 3'
9456	22420		2.29	2.0E-33	AI052256.1	EST_HUMAN	az21d03.x1 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:1675973 3' similar to gb:IM29636 TRANSLATIONAL INITIATION FACTOR 2 BETA SUBUNIT (HUMAN);
10979	23899	37411	0.9	2.0E-33	11421332	NT	Homo sapiens hypothetical protein SIRP-b2 (SIRP-b2), mRNA
10979	23899	37412	0.9	2.0E-33	11421332	NT	Homo sapiens hypothetical protein SIRP-b2 (SIRP-b2), mRNA
9	13129		2.05	1.0E-33	AF003528.1	NT	Homo sapiens X-linked anhidrotic ectodermal dysplasia protein gene (EDA), exon 2 and flanking repeat regions
5669	18784	31934	0.7	1.0E-33	AF199420.1	NT	Homo sapiens F-box protein FBL4 (FBL4) mRNA, complete cds
7637	20597	33961	1.18	1.0E-33	MT3975.1	NT	Homo sapiens protein kinase C beta-II type (PRKCB1) mRNA, complete cds
10381	26010		0.73	1.0E-33	U60822.1	NT	Human dystrophin (DMD) gene, exons 7, 8 and 9, and partial cds
11377	24324	37853	1.72	1.0E-33	AV744220.1	EST_HUMAN	AV744220 CB Homo sapiens cDNA clone CBOAAA11 5'
11650	24587	38157	1.79	1.0E-33	AV996818.1	EST_HUMAN	QV3-BN0047-230200-102-b03 BN0047 Homo sapiens cDNA
11973	24851	38448	2.59	1.0E-33	U60822.1	NT	Human dystrophin (DMD) gene, exons 7, 8 and 9, and partial cds
12885	26352		1.98	1.0E-33	AI927191.1	EST_HUMAN	wc88c06.x1 NCJ_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2462410 3'
12852	13129		3.4	1.0E-33	AF003528.1	NT	Homo sapiens X-linked anhidrotic ectodermal dysplasia protein gene (EDA), exon 2 and flanking repeat regions
4644	17665		1.17	9.0E-34	BE155575.1	EST_HUMAN	PM4-HT0362-181199-001-D02 HT0362 Homo sapiens cDNA
13069	25003		3.44	9.0E-34	AJ271735.1	NT	Homo sapiens Xq pseudautosomal region; segment 1/2
2181	15196	28216	0.93	8.0E-34	8922751	NT	Homo sapiens hypothetical protein FLJ10900 (FLJ10900), mRNA
8077	21014	34414	0.49	8.0E-34	BE098882.1	EST_HUMAN	MR4-BT0399-200100-001-h03 BT0399 Homo sapiens cDNA
1439	14472	27449	2.93	7.0E-34	T70845.1	EST_HUMAN	yd15e05.r1 Soares_fetal_liver_spleen_1NFLS Homo sapiens cDNA clone IMAGE:108320 5'
10359	14472	27449	0.6	7.0E-34	T70845.1	EST_HUMAN	yd15e05.r1 Soares_fetal_liver_spleen_1NFLS Homo sapiens cDNA clone IMAGE:108320 5'
12479	25227		1.69	7.0E-34	HI2866.1	EST_HUMAN	y14c10.r1 Soares_placenta Nb2HP Homo sapiens cDNA clone IMAGE:148722 5'
471	13543	26471	2.11	6.0E-34	U10991.1	NT	Human G2 protein mRNA, partial cds
471	13543	26472	2.11	6.0E-34	U10991.1	NT	Human G2 protein mRNA, partial cds

Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
12287	25103	31836	1.86	6.0E-34	U03686.1	NT	Mus musculus DAB/2J hair-specific (hac-1) gene
1897	14922		2.36	5.0E-34	7706500	NT	Homo sapiens Npvs38-binding protein NpvsBP (LOC61729). mRNA
5101	18111	30983	4.68	5.0E-34	U30883.1	NT	Human splicing factor SRP55-1 (SRP-55) mRNA, complete cds
9218	22184	35617	1.17	5.0E-34	AF078779.1	NT	Rattus norvegicus putative four repeat ion channel mRNA, complete cds
11015	23980	37506	2.03	5.0E-34	AB037856.1	NT	Homo sapiens mRNA for KIAA1435 protein, partial cds
11583	24521		1.49	5.0E-34	AL163209.2	NT	Homo sapiens chromosome 21 segment HS21C009
2014	16035	28046	1.71	4.0E-34	AI804667.1	EST_HUMAN	U94c06.x1 NCI CGAP_P28 Homo sapiens cDNA clone IMAGE:2249194 3'
5223	18231	31108	0.64	4.0E-34	AW886252.1	EST_HUMAN	RC8-O70078-280300-022-D02 OT0078 Homo sapiens cDNA
9393	22358	35788	1.07	4.0E-34	BF209778.1	EST_HUMAN	601874950F1 NIH_MGC_54 Homo sapiens cDNA clone IMAGE:4102213 5'
9359	19428	32671	0.74	3.0E-34	M37277.1	NT	Human Ig germline H-chain D-region genes, partial cds
11486	24429		3.18	3.0E-34	BF035327.1	EST_HUMAN	601458531F1 NIH_MGC_66 Homo sapiens cDNA clone IMAGE:3862086 5'
9303	22268	35698	1.93	2.0E-34	AI678101.1	EST_HUMAN	w335g06.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2330170 3' similar to contains MER29.12 MER28 repetitive element;
9303	22268	35699	1.93	2.0E-34	AI678101.1	EST_HUMAN	w335g06.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2330170 3' similar to contains MER29.12 MER28 repetitive element;
11496	24439	37987	1.57	2.0E-34	P51805	SWISSPROT	PLEXIN 4 PRECURSOR (TRANSMEMBRANE PROTEIN SEX)
11496	24439	37988	1.57	2.0E-34	P51805	SWISSPROT	PLEXIN 4 PRECURSOR (TRANSMEMBRANE PROTEIN SEX)
1505	14538	27510	8.53	1.0E-34	P12236	SWISSPROT	ADP,ATP CARRIER PROTEIN, LIVER ISOFORM T2 (ADP/ATP TRANSLOCASE 3) (ADENINE NUCLEOTIDE TRANSLOCATOR 3) (ANT 3)
3687	16730	29641	1.35	1.0E-34	AF003528.1	NT	Homo sapiens X-linked anhidrotic ectodermal dysplasia protein gene (EDA), exon 2 and flanking repeat regions
4098	17132	30025	0.81	1.0E-34	AY009397.1	NT	Homo sapiens WNT3 precursor (WNT3) mRNA, complete cds
4098	17132	30026	0.81	1.0E-34	AY009397.1	NT	Homo sapiens WNT3 precursor (WNT3) mRNA, complete cds
4508	17631		6.11	1.0E-34	BE071414.1	EST_HUMAN	RC2-BT0508-240400-016-h08 BT0508 Homo sapiens cDNA
6261	19334	32565	1.98	1.0E-34	BE074052.1	EST_HUMAN	601484430F1 NIH_MGC_69 Homo sapiens cDNA clone IMAGE:3886989 5'
6261	19334	32566	1.98	1.0E-34	BE074052.1	EST_HUMAN	601484430F1 NIH_MGC_69 Homo sapiens cDNA clone IMAGE:3886989 5'
9881	22634	36080	0.46	1.0E-34	P23266	SWISSPROT	OLFACTORY RECEPTOR-LIKE PROTEIN F5
10055	22982	36450	14.47	1.0E-34	AL036635.1	EST_HUMAN	DKFZ564A1563.1 564 (synonym: hfb2) Homo sapiens cDNA clone DKFZ564A1563 5'
11516	24457	38007	1.71	1.0E-34	BE781790.1	EST_HUMAN	601470592F1 NIH_MGC_67 Homo sapiens cDNA clone IMAGE:3873478 5'
11516	24457	38008	1.71	1.0E-34	BE781790.1	EST_HUMAN	601470592F1 NIH_MGC_67 Homo sapiens cDNA clone IMAGE:3873478 5'
11530	24471	38022	3.22	1.0E-34	11439598	NT	Homo sapiens nucleobindin 2 (NUCB2), mRNA
12654	25921		1.4	1.0E-34	AA807097.1	EST_HUMAN	cc31c11.s1 NCI CGAP_GCB1 Homo sapiens cDNA clone IMAGE:1351316 3' similar to gb:X68203
12874	25507		4.01	1.0E-34	AL163210.2	NT	TYROSINE-PROTEIN KINASE RECEPTOR FL4 PRECURSOR (HUMAN); Homo sapiens chromosome 21 segment HS21C010

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3659	16702	29617	1.25	9.0E-35	AW663302.1	EST_HUMAN	h77b06.y1 NCI_CGAP_GU1 Homo sapiens cDNA clone IMAGE:2968787 5'
227	13328		13.21	8.0E-35	6031190	NT	Homo sapiens prohibitin (PHB) mRNA naa33a08.x1 NCI_CGAP_Kid11_Homo sapiens cDNA clone IMAGE:3258134 3' similar to TR:O75912
1751	14780	27765	4.47	8.0E-35	BF589937.1	EST_HUMAN	O75912 DIACYLGLYCEROL KINASE IOTA. ; naa33a08.x1 NCI_CGAP_Kid11_Homo sapiens cDNA clone IMAGE:3258134 3' similar to TR:O75912
1751	14780	27766	4.47	8.0E-35	BF589937.1	EST_HUMAN	O75912 DIACYLGLYCEROL KINASE IOTA. ;
4902	17919	30811	2.91	8.0E-35	BF183195.1	EST_HUMAN	601809588F1 NIH_MGC_18 Homo sapiens cDNA clone IMAGE:4040324 5'
11049	24012	37537	1.84	8.0E-35	BE378480.1	EST_HUMAN	601236468F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3608513 5'
12402	25175		5.41	8.0E-35	BF569282.1	EST_HUMAN	602184624T1 NIH_MGC_42 Homo sapiens cDNA clone IMAGE:4300660 3'
6631	19689	32968	1.85	7.0E-35	11425417	NT	Homo sapiens phosphatidylinositol glycan, class L (PIGL), mRNA
1411	14444	27416	0.83	6.0E-35	AA757115.1	EST_HUMAN	ah53103.s1 Soares_testis_NHT_Homo sapiens cDNA clone 1309397 3'
1985	15006	28009	2.85	6.0E-35	6005975	NT	Homo sapiens zinc finger protein 208 (ZNF208), mRNA
4083	17117	30012	0.76	6.0E-35	AW297191.1	EST_HUMAN	UI-H-BWO-ajd-4-09-0-UI.s1 NCI_CGAP_Sub66 Homo sapiens cDNA clone IMAGE:2731433 3'
8229	21198	34605	3.66	6.0E-35	6005921	NT	Homo sapiens triple functional domain (PTPRF interacting) (TRIO), mRNA
9058	22024	35447	0.51	6.0E-35	X94232.1	NT	H. sapiens mRNA for novel T-cell activation protein
9058	22024	35448	0.51	6.0E-35	X94232.1	NT	H. sapiens mRNA for novel T-cell activation protein
10025	22952	36420	0.68	6.0E-35	AB002364.1	NT	Human mRNA for KIAA0366 gene, partial cds
10263	23188	36672	3.04	6.0E-35	AB037786.1	NT	Homo sapiens mRNA for KIAA1365 protein, partial cds
1722	14752	27737	61.6	5.0E-35	X65392.1	NT	H. sapiens immunoglobulin kappa light chain variable region L14
2795	15787	28805	0.9	5.0E-35	AB007866.2	NT	H. sapiens mRNA for KIAA0406 protein, partial cds
3021	16079	29000	1.47	5.0E-35	6912639	NT	Homo sapiens Ring1 and YY1 binding protein (RYBP), mRNA
							Homo sapiens cdk2 kinase (CLK2), protein1, cote1, glucocorticoidase (GBA), and metaxin genes, complete cds; metaxin pseudogene and glucocorticoidase pseudogene; and
4438	17464	30354	2.05	5.0E-35	AF023268.1	NT	cds TCBAP1D3842 Pediatric pre-B cell acute lymphoblastic leukemia Baylor-HGSC project=TCBA Homo sapiens cDNA clone TCBAP3842
4742	17762	30656	0.99	5.0E-35	BE246085.1	EST_HUMAN	sapiens cDNA clone IMAGE:3917229 5'
8626	21493		4.74	5.0E-35	BE890992.1	EST_HUMAN	601431984F1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:1837448 3' similar to qg38c05.x1 Soares_testis_NHT_Homo sapiens cDNA clone IMAGE:1837448 3' similar to
8552	21520	34939	2.2	5.0E-35	AI208765.1	EST_HUMAN	SW:Y249_HUMAN_Q92539 HYPOTHETICAL PROTEIN KIAA0249. ; qg38c05.x1 Soares_testis_NHT_Homo sapiens cDNA clone IMAGE:1837448 3' similar to
8552	21520	34940	2.2	5.0E-35	AI208765.1	EST_HUMAN	SW:Y249_HUMAN_Q92539 HYPOTHETICAL PROTEIN KIAA0249. ;
11512	24453		2.39	5.0E-35	AA001786.1	EST_HUMAN	zh84f12.1 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:428015 5'
1428	14463	27440	19.86	4.0E-35	BE257907.1	EST_HUMAN	601108719F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3350405 5'

Table 4

Single Exon Probes Expressed In Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriplar
1835	14862	27859	7.51	4.0E-35	H91193.1	EST_HUMAN	YU88a07.r1 Scores fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:241236 5' similar to contains PTR5 repetitive element ;
4844	17861		0.63	4.0E-35	AF003528.1	NT	Homo sapiens X-linked anhidrotic ectodermal dysplasia protein gene (EDA), exon 2 and flanking repeat regions
5145	18154		0.93	4.0E-35	BE409102.1	EST_HUMAN	601300705F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3835401 5'
7416	20383		1.81	4.0E-35	BE360127.1	EST_HUMAN	h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3148256 3' similar to contains MER29.b3
8863	21830	35253	8.37	4.0E-35	AL046696.1	EST_HUMAN	MER29 repetitive element ;
1592	14816	27588	21.76	3.0E-35	BE268182.1	EST_HUMAN	DKFZp434L148.1 434 (synonym: hies3) Homo sapiens cDNA clone DKFZp434L148 5'
2338	15349		3.36	3.0E-35	AF224492.1	NT	601125280F1 NIH_MGC_8 Homo sapiens cDNA clone IMAGE:3345063 5'
5413	18516	31393	27.9	3.0E-35	BF433100.1	EST_HUMAN	Homo sapiens phospholipid scramblase 1 gene, complete cds
5413	18516	31394	27.9	3.0E-35	BF433100.1	EST_HUMAN	7n25a09.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3665361 3' similar to TR:Q8QZ17
9844	22780		1.71	3.0E-35	AF223391.1	NT	Q9QZ17 F-BOX PROTEIN FBL2 ;
10835	23457	36954	0.93	3.0E-35	AW003063.1	EST_HUMAN	Q9QZ17 F-BOX PROTEIN FBL2 ;
108	15832	26146	0.83	2.0E-35	N88965.1	EST_HUMAN	Homo sapiens calcium channel alpha1E subunit (CACNA1E) gene, exons 7-49, and partial cds, alternatively spliced
1192	14232	27188	1.39	2.0E-35	T11909.1	EST_HUMAN	wf03a05.x1 NCI_CGAP_G06 Homo sapiens cDNA clone IMAGE:2480432 3' similar to SW:POL1_HUMAN
2227	15241	28266	5.04	2.0E-35	AB018413.1	NT	P10266 RETROVIRUS-RELATED POL POLYPROTEIN [CONTAINS: REVERSE TRANSCRIPTASE ;
2693	15689	28706	1	2.0E-35	AW665005.1	EST_HUMAN	K6932F Human fetal heart, Lambda ZAP Express Homo sapiens cDNA clone K6932 5' similar to
3323	16374	29294	0.93	2.0E-35	6912459	NT	REPEATITIVE ELEMENT
3323	16374	29285	0.93	2.0E-35	6912459	NT	A971F Heart Homo sapiens cDNA clone A971
3570	16615		1.06	2.0E-35	AB020702.1	NT	Homo sapiens mRNA for Gab2, complete cds
3930	16970	29883	1.42	2.0E-35	BE247575.1	EST_HUMAN	h186a12.x1 Scores_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2979166 3' similar to
3930	16970	29884	1.42	2.0E-35	BE247575.1	EST_HUMAN	SW:TR12_HUMAN Q14669 THYROID RECEPTOR INTERACTING PROTEIN 12 ;
4697	17718		2.65	2.0E-35	H49239.1	EST_HUMAN	Homo sapiens Grb2-associated binder 2 (KIAA0571), mRNA
5662	18768	31926	1.8	2.0E-35	BF332417.1	EST_HUMAN	Homo sapiens Grb2-associated binder 2 (KIAA0571), mRNA
							Homo sapiens mRNA for KIAA0895 protein, partial cds
							TCBAP2E4328 Pediatric pre-B cell acute lymphoblastic leukemia Baylor-HGSC project=TCBA Homo sapiens
							cDNA clone TCBAP4328
							TCBAP2E4328 Pediatric pre-B cell acute lymphoblastic leukemia Baylor-HGSC project=TCBA Homo sapiens
							cDNA clone TCBAP4328
							Yq19a12.r1 Scores fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:274079 5'
							QV0-BT0701-210400-198-b04 BT0701 Homo sapiens cDNA

Page 276 of 546
Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7311	20282	33622	0.65	2.0E-35	BE832636.1	EST_HUMAN	CM2-MT0125-280700-297-G02 MT0125 Homo sapiens cDNA
7311	20282	33623	0.65	2.0E-35	BE832636.1	EST_HUMAN	CM2-MT0125-280700-297-G02 MT0125 Homo sapiens cDNA
11148	24108	37634	11.23	2.0E-35	X59417.1	NT	H.sapiens PROS-27 mRNA
12158	16374	29294	2.39	2.0E-35	6912459	NT	Homo sapiens Grb2-associated binder 2 (KIAA0571), mRNA
12158	16374	29295	2.39	2.0E-35	6912459	NT	Homo sapiens Grb2-associated binder 2 (KIAA0571), mRNA
12340	25138	31851	1.47	2.0E-35	BE904978.1	EST_HUMAN	Homo sapiens cDNA clone IMAGE:3898699 5'
12340	25138	31852	1.47	2.0E-35	BE904978.1	EST_HUMAN	601496774F1 NIH_MGC_70 Homo sapiens cDNA clone IMAGE:3898699 5'
12854	25462		7.86	2.0E-35	AL163210.2	NT	Homo sapiens chromosome 21 segment HS21C010
12973	15832	26146	1.72	2.0E-35	N89965.1	EST_HUMAN	K6932F Human fetal heart, Lambda ZAP Express Homo sapiens cDNA clone K6932 5' similar to
48	13168	26073	5.26	1.0E-35	AA631949.1	EST_HUMAN	REPETITIVE ELEMENT
48	13168	26074	5.26	1.0E-35	AA631949.1	EST_HUMAN	fmf616 Regional genomic DNA specific cDNA library Homo sapiens cDNA clone CR12-1
753	13814	26756	95.25	1.0E-35	AW388473.1	EST_HUMAN	IL2-ST0162-131099-006-d12 ST0162 Homo sapiens cDNA
753	13814	26757	95.25	1.0E-35	AW388473.1	EST_HUMAN	IL2-ST0162-131099-006-d12 ST0162 Homo sapiens cDNA
910	13965		0.99	1.0E-35	T87947.1	EST_HUMAN	yd93a01.r1 Soares fetal liver spleen 1NFS Homo sapiens cDNA clone IMAGE:115762 5' similar to
2549	15550	28571	3.02	1.0E-35	7705994	NT	SP-A44282 A44282 RETROVIRUS-RELATED POL POLYPROTEIN - HUMAN ;
2778	15770	28790	1.85	1.0E-35	BE350127.1	EST_HUMAN	Homo sapiens hypothetical protein (LOC51233), mRNA
2778	15770	28791	1.85	1.0E-35	BE350127.1	EST_HUMAN	Homo sapiens hypothetical protein (LOC51233), mRNA
3177	16232	29148	3.44	1.0E-35	AV650422.1	EST_HUMAN	h09g01.x1 NCL_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3148256 3' similar to contains MER29.b3
3177	16232	29149	3.44	1.0E-35	AV650422.1	EST_HUMAN	MER29 repetitive element ;
4452	17478	30365	4.04	1.0E-35	7656905	NT	MER29 repetitive element ;
4452	17478	30366	4.04	1.0E-35	7656905	NT	MER29 repetitive element ;
5688	16884	31653	1.54	1.0E-35	AW808665.1	EST_HUMAN	MER29 repetitive element ;
7189	18420	31221	0.59	1.0E-35	AW808665.1	EST_HUMAN	MER29 repetitive element ;
7189	18420	31222	0.59	1.0E-35	AW808665.1	EST_HUMAN	MER29 repetitive element ;
7225	20681	34045	0.83	1.0E-35	AB033105.1	NT	MER29 repetitive element ;
7903	20846	34231	0.94	1.0E-35	AB033105.1	NT	MER29 repetitive element ;
9900	25699	36312	3.17	1.0E-35	AU158595.1	EST_HUMAN	MER29 repetitive element ;
9900	25699	36313	3.17	1.0E-35	AU158595.1	EST_HUMAN	MER29 repetitive element ;
10942	23862	37377	0.63	1.0E-35	BF589594.1	EST_HUMAN	MER29 repetitive element ;

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
10942	23862	37378	0.63	1.0E-35	BF589594.1	EST_HUMAN	na006d06.x1 NCI_CGAP_P128 Homo sapiens cDNA clone IMAGE:3254051 3' similar to TR:O31341
12052	24925	38522	1.72	1.0E-35	AB028980.1	NT	O31341 BETA-GALACTOSIDASE ;
12052	24925	38523	1.72	1.0E-35	AB028980.1	NT	Homo sapiens mRNA for KIAA1057 protein, partial cds
12057	24930		1.59	1.0E-35	AI625119.1	EST_HUMAN	Homo sapiens mRNA for KIAA1057 protein, partial cds
12188	25887		1.71	1.0E-35	11418274	NT	promina-7 D01.1 bvtumor Homo sapiens cDNA 5'
12320	15550	28571	1.42	1.0E-35	7705994	NT	Homo sapiens fibulin 1 (FBLN1), mRNA
12404	25177		1.77	1.0E-35	11418110	NT	Homo sapiens hypothetical protein (LOC51233), mRNA
12747	25398		1.97	1.0E-35	BE782832.1	EST_HUMAN	Homo sapiens casein kinase 1, epsilon (CSNK1E), mRNA
4011	17050	29566	2.35	9.0E-38	AW821707.1	EST_HUMAN	601584833F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3638985 5'
6123	19201	32425	0.75	8.0E-36	X78479.1	NT	RC3-ST0315-180200-013-112 ST0315 Homo sapiens cDNA
9585	22647	35998	0.61	8.0E-36	AA348480.1	EST_HUMAN	B. bovis BBSc mRNA for schlerith
10518	23438		0.45	8.0E-36	7706259	NT	EST 54938 Hippocampus II Homo sapiens cDNA 5' end similar to similar to endogenous retrovirus 9, 5' LTR
2942	16000	28823	1.68	7.0E-36	AW857579.1	EST_HUMAN	Homo sapiens CGI-09 protein (LOC51605), mRNA
3135	16192		4.05	7.0E-36	4557498	NT	CM1-CT0315-091299-063-d07 CT0315 Homo sapiens cDNA
7916	20859	34247	6.21	7.0E-36	U06672.1	NT	Homo sapiens C-terminal binding protein 2 (CTBP2), mRNA
7916	20859	34248	6.21	7.0E-36	U06672.1	NT	Human carcinoembryonic antigen gene family member 12 (CGM12) gene, exons L and L/N
12558	25278	31778	2.01	7.0E-38	AF052051.1	NT	Human carcinoembryonic antigen gene family member 12 (CGM12) gene, exons L and L/N
2021	15042	28053	4.16	6.0E-36	7706622	NT	Homo sapiens glutathione transferase A4 gene, exon 1
2427	15434		5.3	6.0E-36	AB035346.1	NT	Homo sapiens ninjurin 2 (NINJ2), mRNA
3653	16696	29611	1.88	6.0E-36	BF515101.1	EST_HUMAN	Homo sapiens TCL6 gene, exon 12
5404	18507	31384	5.66	6.0E-36	AI435169.1	EST_HUMAN	U1-H-BW1-ant-c-12-0-U1.at NCI_CGAP_Sub7 Homo sapiens cDNA clone IMAGE:3083542 3'
7316	20287	33629	3.48	6.0E-36	AW780143.1	EST_HUMAN	tf93b06.x1 Soares_NSF_F8_9W_OT_PA_P_S1 Homo sapiens cDNA clone IMAGE:2126185 3' similar to
8998	21965	35390	2.51	6.0E-36	AF208161.1	NT	gb:MI1949 PANCREATIC SECRETORY TRYPsin INHIBITOR PRECURSOR (HUMAN);
10585	23507		0.6	6.0E-36	C16927.1	EST_HUMAN	PS2292 IMPORTIN ALPHA-2 SUBUNIT ;
11874	24756	38339	3.51	6.0E-36	A1380489.1	EST_HUMAN	Homo sapiens syncytin precursor, mRNA, complete cds
12963	25804	31526	1.9	6.0E-36	BE737154.1	EST_HUMAN	C16927 Clontech human aorta polyA+ mRNA (#5572) Homo sapiens cDNA clone GEN-535C11 5'
138	13243	26173	12.88	5.0E-36	AJ271735.1	NT	tf95c09.x1 NCI_CGAP_CELL1 Homo sapiens cDNA clone IMAGE:2107024 3' similar to contains MER9.b2
2761	15753	28773	12.8	5.0E-36	BE388436.1	EST_HUMAN	601305064F1 NIH_MGC_38 Homo sapiens cDNA clone IMAGE:3639782 5'
3626	16669	29581	1.32	5.0E-36	AL163209.2	NT	Homo sapiens Xq pseudautosomal region; segment 1/2
							Homo sapiens chromosome 21 segment HS21C009

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4827	17844	30743	1.21	5.0E-36	5729728	NT	Homo sapiens API5-like 1 (API5L1), mRNA
4827	17844	30744	1.21	5.0E-36	5729729	NT	Homo sapiens API5-like 1 (API5L1), mRNA
8070	21007	34405	0.77	5.0E-36	11079227	NT	Homo sapiens N-ethylmaleimide-sensitive factor (NSF), mRNA
12156	13243	26173	2.97	5.0E-36	AJ271735.1	NT	Homo sapiens Xq pseudautosomal region, segment 1/2
12455	25214	31832	3.03	5.0E-36	11417862	NT	Homo sapiens calcineurin binding protein 1 (KIAA0330), mRNA
1228	14266	27223	1.24	4.0E-36	BE010038.1	EST_HUMAN	PM3-BN0176-100400-001-g04 BN0176 Homo sapiens cDNA
1436	14469	27447	0.99	4.0E-36	P10266	SWISSPROT	RETROVIRUS-RELATED POLYPROTEIN [CONTAINS: REVERSE TRANSCRIPTASE ; ENDONUCLEASE]
1652	14684	27658	1.63	4.0E-36	BE382574.1	EST_HUMAN	601298574F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:3628386 5'
2231	15245		1.84	4.0E-36	AW247772.1	EST_HUMAN	2820020.5prime NIH_MGC_7 Homo sapiens cDNA clone IMAGE:2820020 5'
3365	16415	28340	0.65	4.0E-36	BE389299.1	EST_HUMAN	601282266F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3604168 5'
3365	16415	28341	0.65	4.0E-36	BE389299.1	EST_HUMAN	601282266F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3604168 5'
4786	17804	30696	0.71	4.0E-36	AL163204.2	NT	Homo sapiens chromosome 21 segment HS21C004
5804	18995		0.96	4.0E-36	R64023.1	EST_HUMAN	y19f05.1f1 Soares placenta Nb2HP Homo sapiens cDNA clone IMAGE:139713 5'
6173	19248	32481	2.48	4.0E-36	11497041	NT	Homo sapiens a disintegrin and metalloproteinase domain 22 (ADAM22), transcript variant 3, mRNA
7915	20858	34246	1.74	4.0E-36	M33320.1	NT	Human platelet Glycoprotein IIb (GPIIb) gene, exons 2-29
8901	21867	35290	1.2	4.0E-36	D87675.1	NT	Homo sapiens DNA for amyloid precursor protein, complete cds
8901	21867	35291	1.2	4.0E-36	D87675.1	NT	Homo sapiens DNA for amyloid precursor protein, complete cds
11332	24282	37806	1.8	4.0E-36	AA400370.1	EST_HUMAN	zu69c10.1f1 Soares testis NHT Homo sapiens cDNA clone IMAGE:743250 5'
12471	25220		1.86	4.0E-36	11420516	NT	Homo sapiens nuclear factor of activated T-cells, cytoplasmic 2 (NFATC2), mRNA
12515	25768		8.26	4.0E-36	AV753629.1	EST_HUMAN	Homo sapiens TP Homo sapiens cDNA clone TPGABH01 5'
697	13759	26691	3.9	3.0E-36	AF099810.1	NT	Homo sapiens neurexin III-alpha gene, partial cds
1497	14530	27502	0.97	3.0E-36	AF110239.1	NT	Homo sapiens calmodulin-stimulated cyclic nucleotide phosphodiesterase (PDE1A) gene, partial cds
1497	14530	27503	0.97	3.0E-36	AF110239.1	NT	Homo sapiens calmodulin-stimulated cyclic nucleotide phosphodiesterase (PDE1A) gene, partial cds
4530	17554	30442	6.81	3.0E-36	10181139	NT	Mus musculus junctophilin 1 (Jp1-pending), mRNA
3184	16239	29157	2.17	2.0E-36	BE259267.1	EST_HUMAN	601106343F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3342706 5'
4996	18011	30898	8.63	2.0E-36	AW890376.1	EST_HUMAN	QV0-OT0030-240300-174-H04 OT0030 Homo sapiens cDNA
5563	18660	31606	2.52	2.0E-36	AF267747.1	NT	Mus musculus p47-phox gene, complete cds
5948	19034	32227	3.89	2.0E-36	T08756.1	EST_HUMAN	EST06648 Infant Brain, Bento Soares Homo sapiens cDNA clone HIBB128 5' end
6728	19784	33063	12.4	2.0E-36	T88629.1	EST_HUMAN	yc44a07.1f1 Strategene liver (#637224) Homo sapiens cDNA clone IMAGE:83508 5'
9743	22884	36138	0.82	2.0E-36	BF512794.1	EST_HUMAN	UIH-BW1-amu-a-11-O-UJ.s1 NCI_CGAP_Sub7 Homo sapiens cDNA clone IMAGE:3071132 3'
9907	22728	36184	0.57	2.0E-36	4507548	NT	Homo sapiens ubiquitin specific protease 13 (isopeptidase T-3) (USP13) mRNA

Page 279 of 546
Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
9807	22728	36185	0.57	2.0E-36	4507848	NT	Homo sapiens ubiquitin specific protease 13 (isopeptidase Y-3) (USP13) mRNA
886	13941	26899	2.74	1.0E-36	BE409310.1	EST_HUMAN	601300838F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3635480 5'
2155	15171	28189	1.06	1.0E-36	BE146523.1	EST_HUMAN	RC1-HT0217-1311199-021-h07 HT0217 Homo sapiens cDNA
2155	15171	28190	1.06	1.0E-36	BE146523.1	EST_HUMAN	RC1-HT0217-1311199-021-h07 HT0217 Homo sapiens cDNA
2212	15227	28249	1.35	1.0E-36	BF073761.1	EST_HUMAN	602136493F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:4272886 5'
3355	18408		1.34	1.0E-36	AF156962.1	NT	Homo sapiens human endogenous retrovirus W provC8-19 protease (pro) gene, partial cds
5818	18908	32092	0.82	1.0E-36	AL044446.1	EST_HUMAN	DKFZp434G022_r1 434 (synonym: htec3) Homo sapiens cDNA clone DKFZp434G022 5'
6003	19086	32286	1.3	1.0E-36	4827064	NT	Homo sapiens zinc finger protein 147 (estrogen-responsive finger protein) (ZNF147) mRNA
6307	19378		3.86	1.0E-36	AI867714.1	EST_HUMAN	wb37c12.x1 NCL_CGAP_GC6 Homo sapiens cDNA clone IMAGE:2307862 3' similar to contains Alu repetitive element
6529	19592	32852	1.34	1.0E-36	R25012.1	EST_HUMAN	y636g10.r1 Scores infant brain 1N1B Homo sapiens cDNA clone IMAGE:34529 5' similar to SP:CAHP_HUMAN P35219 CARBONIC ANHYDRASE-RELATED PROTEIN ;
6529	19592	32853	1.34	1.0E-36	R25012.1	EST_HUMAN	y636g10.r1 Scores infant brain 1N1B Homo sapiens cDNA clone IMAGE:34529 5' similar to SP:CAHP_HUMAN P35219 CARBONIC ANHYDRASE-RELATED PROTEIN ;
6839	19892	33187	0.7	1.0E-36	AL120542.1	EST_HUMAN	DKFZp761A229_r1 761 (synonym: hamy2) Homo sapiens cDNA clone DKFZp761A229 5'
8293	21282	34671	2.77	1.0E-36	AA148034.1	EST_HUMAN	z551a12.r1 Striatagene endotheil cell 937223 Homo sapiens cDNA clone IMAGE:590388 5'
8293	21282	34672	2.77	1.0E-36	AA148034.1	EST_HUMAN	z551a12.r1 Striatagene endotheil cell 937223 Homo sapiens cDNA clone IMAGE:590388 5'
8388	21357	34784	1.15	1.0E-36	AA420467.1	EST_HUMAN	nc60e08.r1 NCL_CGAP_P1 Homo sapiens cDNA clone IMAGE:745670
8388	21357	34785	1.15	1.0E-36	AA420467.1	EST_HUMAN	nc60e08.r1 NCL_CGAP_P1 Homo sapiens cDNA clone IMAGE:745670
8520	21488	34902	0.48	1.0E-36	AU141688.1	EST_HUMAN	AU141688 THYRO1 Homo sapiens cDNA clone THYRO1001033 5'
8520	21488	34903	0.48	1.0E-36	AU141688.1	EST_HUMAN	AU141688 THYRO1 Homo sapiens cDNA clone THYRO1001033 5'
9384	22349	36781	2.72	1.0E-36	AW103658.1	EST_HUMAN	xe82b07.x1 NCL_CGAP_Bim35 Homo sapiens cDNA clone IMAGE:2614357 3'
10473	23395	36892	3.95	1.0E-36	BF394169.1	EST_HUMAN	QV3-NN1023-010600-199-h01 NN1023 Homo sapiens cDNA
10691	23813	37107	0.65	1.0E-36	AW855968.1	EST_HUMAN	RC3-C10279-040500-017-a10 C10279 Homo sapiens cDNA
10691	23813	37108	0.65	1.0E-36	AW855968.1	EST_HUMAN	RC3-C10279-040500-017-a10 C10279 Homo sapiens cDNA
11294	24244	37771	2.84	1.0E-36	AW697636.1	EST_HUMAN	RC3-C10279-040500-017-a10 C10279 Homo sapiens cDNA
11709	24874	38251	2.88	1.0E-36	AW504143.1	EST_HUMAN	CM8-NN0081-140400-147-r12 NN0081 Homo sapiens cDNA
12338	25136		5.51	1.0E-36	11418177	NT	U1-HF-BN0-ale-c-03-O-JL1 NIH_MGC_50 Homo sapiens cDNA clone IMAGE:3079277 5'
12777	25414		4.97	1.0E-36	AL163213.2	NT	Homo sapiens Ran GTPase activating protein 1 (RANGAP1) mRNA
13034	25579		4.02	1.0E-36	AF202723.2	NT	Homo sapiens chromosome 21 segment HS21C013
7607	20568	33929	2.3	9.0E-37	AW009277.1	EST_HUMAN	Homo sapiens Sad1 unc-84 domain protein 2 (SUN2) mRNA, partial cds
7607	20568	33930	2.3	9.0E-37	AW009277.1	EST_HUMAN	ws80b07.x1 NCL_CGAP_Cc3 Homo sapiens cDNA clone IMAGE:2504245 3'
3368	18416	29342	1.17	8.0E-37	4757979	NT	ws80b07.x1 NCL_CGAP_Cc3 Homo sapiens cDNA clone IMAGE:2504245 3'
5320	18428		1.9	8.0E-37	BE698077.1	EST_HUMAN	Homo sapiens chimerin (chimaerin) 2 (CHN2) mRNA
							CM0-U10003-050800-503-d08 UT0003 Homo sapiens cDNA

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5927	19013	32205	3.73	8.0E-37	BE350127.1	EST_HUMAN	h09g01.x1 NCL_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3 MER29 repetitive element;
5927	19013	32206	3.73	8.0E-37	BE350127.1	EST_HUMAN	h09g01.x1 NCL_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3 MER29 repetitive element;
5977	19062	32263	6.05	8.0E-37	AW840840.1	EST_HUMAN	MER29 repetitive element;
8216	21185	34595	6.98	8.0E-37	X87344.1	NT	RC1-CN0008-210100-012-a09_1 CN0008 Homo sapiens cDNA H.sapiens DMB, DMB, HLA-Z1, IIP2, LMP2, TAP1, LMP7, TAP2, DOB, DOB2 and RING8, 9, 13 and 14 genes
1289	14324		2.33	7.0E-37	AL042800.1	EST_HUMAN	DKFZp434E0422_r1 434 (synonym: hies3) Homo sapiens cDNA clone DKFZp434E0422 5'
1759	14788	27773	0.92	7.0E-37	AF111167.2	NT	Homo sapiens jun dimerization protein gene, partial cds; cfos gene, complete cds; and unknown gene
1759	14788	27774	0.92	7.0E-37	AF111167.2	NT	Homo sapiens jun dimerization protein gene, partial cds; cfos gene, complete cds; and unknown gene
5161	18170	31049	1.56	7.0E-37	AW968823.1	EST_HUMAN	EST380899 MAGE resequences, MAGJ Homo sapiens cDNA wk25b11.x1 NCL_CGAP_Bm25 Homo sapiens cDNA clone IMAGE:2413341 3' similar to contains PTR5.12 PTR5 repetitive element;
11109	24069	37591	8.45	7.0E-37	AI817700.1	EST_HUMAN	hm87g03.x1 NCL_CGAP_Bm25 Homo sapiens cDNA clone IMAGE:2165140 3' similar to contains L1.b3 L1 repetitive element;
11241	24194	37712	1.83	7.0E-37	AI536702.1	EST_HUMAN	Homo sapiens protodactherin alpha 10 alternate isoform (PODH-alpha10) mRNA, complete cds
8782	21749	35171	0.59	6.0E-37	AF169589.1	NT	Homo sapiens Sed1 unc-84 domain protein 2 (SUN2) mRNA, partial cds
12903	25487		3.58	6.0E-37	AF202723.1	NT	Homo sapiens Sed1 unc-84 domain protein 2 (SUN2) mRNA, partial cds
6212	19286	32518	4.33	5.0E-37	AA307123.1	EST_HUMAN	EST178035 Colon carcinoma (HCC) cell line Homo sapiens cDNA 5' end
6212	19286	32519	4.33	5.0E-37	AA307123.1	EST_HUMAN	EST178035 Colon carcinoma (HCC) cell line Homo sapiens cDNA 5' end
9109	22075	35501	0.88	5.0E-37	AV750211.1	EST_HUMAN	AV750211 NPC Homo sapiens cDNA clone NPCBGH09 5'
11265	24217		3.87	5.0E-37	7657117	NT	Homo sapiens glycine C-acetyltransferase (2-amino-3-ketobutyrate-CoA ligase) (GCAT), mRNA
12333	25133		6.43	5.0E-37	AF149773.1	NT	Homo sapiens NOD1 protein (NOD1) gene, exons 1, 2, and 3
2431	15438	28455	2.41	4.0E-37	AA702794.1	EST_HUMAN	z190b04.s1 Soares_fetal_liver_spleen_NFLS_S1 Homo sapiens cDNA clone IMAGE:448015 3'
4814	17831	30729	1.05	4.0E-37	M10976.1	NT	Human endogenous retroviral DNA (4-1), complete retroviral segment
5268	18275		0.93	4.0E-37	N62051.1	EST_HUMAN	EST52g10 WATM1 Homo sapiens cDNA clone 52g10 similar to human STS G04101
6419	19486	32735	0.69	4.0E-37	AW794502.1	EST_HUMAN	RC8-UM0014-210200-021-H05 UM0014 Homo sapiens cDNA
9711	22694	36121	0.57	4.0E-37	AA843806.1	EST_HUMAN	ak09c02.s1 Soares_parathyroid_tumor_NBHPA Homo sapiens cDNA clone IMAGE:1405442 3'
2033	15052	28068	3.07	3.0E-37	AL048956.1	EST_HUMAN	DKFZp434L2418_r1 434 (synonym: hies3) Homo sapiens cDNA clone DKFZp434L2418
2033	15052	28069	3.07	3.0E-37	AL048956.1	EST_HUMAN	DKFZp434L2418_r1 434 (synonym: hies3) Homo sapiens cDNA clone DKFZp434L2418
2519	15522		1.74	3.0E-37	AW961150.1	EST_HUMAN	EST373222 MAGE resequences, MAGF Homo sapiens cDNA
2976	16034		3.71	3.0E-37	AW961150.1	EST_HUMAN	EST373222 MAGE resequences, MAGF Homo sapiens cDNA
5964	19049	32250	0.73	3.0E-37	AL138274.1	EST_HUMAN	DKFZp547G067_r1 547 (synonym: hibr1) Homo sapiens cDNA clone DKFZp547G067 5'

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7804	20754	34130	0.75	3.0E-37	A1749952.1	EST_HUMAN	at34c05.x1 Barstead colon HPLRB7 Homo sapiens cDNA clone IMAGE:2373896 3' similar to TR:Q13537
381	13494	28426	3.06	2.0E-37	D89790.1	NT	Q13537 SIMILAR TO POGO ELEMENT ;
381	13494	28427	3.06	2.0E-37	D89790.1	NT	Homo sapiens mRNA for AML1, complete cds
1082	14126	27078	2.49	2.0E-37	AU131202.1	EST_HUMAN	Homo sapiens mRNA for AML1, complete cds
1082	14126	27080	2.49	2.0E-37	AU131202.1	EST_HUMAN	AU131202 NT2RP3 Homo sapiens cDNA clone NT2RP3002166 5'
1981	15002	28005	2.43	2.0E-37	AL163247.2	NT	AU131202 NT2RP3 Homo sapiens cDNA clone NT2RP3002166 5'
3908	16948	29859	5.24	2.0E-37	4503210	NT	Homo sapiens chromosome 21 segment HS21C047
5462	18564		0.74	2.0E-37	BF035327.1	EST_HUMAN	Homo sapiens cytochrome P450, subfamily XXVIIA (steroid 27-hydroxylase, cerebrotendinous xanthomatosis), polypeptide 1 (CYP27A1b) mRNA
6896	19753	33030	0.55	2.0E-37	11990617	NT	601458531F1 NIH_MGC_66 Homo sapiens cDNA clone IMAGE:3862086 5'
6816	19870	33159	3.92	2.0E-37	AA346720.1	EST_HUMAN	Homo sapiens mouse thiamin pyrophosphokinase homolog (TPK1), mRNA
8329	21298	34713	0.51	2.0E-37	BE537764.1	EST_HUMAN	EST32931 Fetal Heart II Homo sapiens cDNA 5' end
8329	21298	34714	0.51	2.0E-37	BE537764.1	EST_HUMAN	601067534F1 NIH_MGC_10 Homo sapiens cDNA clone IMAGE:3453657 5'
8372	21341	34752	3.33	2.0E-37	BF204032.1	EST_HUMAN	601067534F1 NIH_MGC_10 Homo sapiens cDNA clone IMAGE:3453657 5'
11885	24766	38353	8.89	2.0E-37	AF176013.1	NT	601869157F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:4111406 5'
12738	25607		1.51	2.0E-37	11417972	NT	Homo sapiens J domain containing protein 1 isoform b (JDP1) mRNA, complete cds
13074	25607		4.68	2.0E-37	11417972	NT	Homo sapiens pascadillo (zebrafish) homolog 1, containing BRCT domain (PES1), mRNA
2099	15116	28138	5.41	1.0E-37	AL163281.2	NT	Homo sapiens chromosome 21 segment HS21C081
3985	17025	29936	4.56	1.0E-37	AF169011.1	NT	Homo sapiens ribonuclease III (RN3) mRNA, complete cds
4191	17222	30111	1.09	1.0E-37	BE872365.1	EST_HUMAN	601448619F1 NIH_MGC_65 Homo sapiens cDNA clone IMAGE:3852652 5'
4976	17993	30882	2.21	1.0E-37	BF371719.1	EST_HUMAN	QV0-FN0180-280700-318-c10 FN0180 Homo sapiens cDNA
6119	19197		1.01	1.0E-37	7305360	NT	Mus musculus otogelin (Olog), mRNA
8557	21525	34943	0.7	1.0E-37	BE546032.1	EST_HUMAN	601072419F1 NIH_MGC_12 Homo sapiens cDNA clone IMAGE:3456308 5'
9087	22053	35476	3.45	1.0E-37	AA171408.1	EST_HUMAN	zp21b02.1 Stratagene neuroepithelium (#937231) Homo sapiens cDNA clone IMAGE:610059 5' similar to
10971	23991	37405	0.44	1.0E-37	AV730743.1	EST_HUMAN	contains L1 L2 L1 repetitive element ;
11056	24019	37542	2.07	1.0E-37	M22876.1	NT	AV730743 HTF Homo sapiens cDNA clone HTFAHG10 5'
12646	25329		4.28	1.0E-37	BE771814.1	EST_HUMAN	Human scarnic cytochrome c (HC1) processed pseudogene, complete cds
5872	18961	32150	1.87	9.0E-38	10048482	NT	CM3-F70096-140700-243-d07 FT0096 Homo sapiens cDNA
1226	14264	27221	1.85	8.0E-38	11436955	NT	Rattus norvegicus multidomain presynaptic cytomatrix protein Piccolo (LOC56769), mRNA
2506	15509	28536	2.16	8.0E-38	BF346221.1	EST_HUMAN	Homo sapiens Grb2-associated binder 2 (KIAA0971), mRNA
12698	14264	27221	1.44	8.0E-38	11436955	NT	602018401F1 NCI_COAP_Bm67 Homo sapiens cDNA clone IMAGE:4153892 5'
3055	16112	29027	1.88	6.0E-38	BF033033.1	EST_HUMAN	Homo sapiens Grb2-associated binder 2 (KIAA0971), mRNA
							601455722F1 NIH_MGC_66 Homo sapiens cDNA clone IMAGE:3859348 5'

Page 282 of 546
Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5870	18765	31935	1.48	6.0E-38	11425114	NT	Homo sapiens zinc finger protein ZNF287 (ZNF287), mRNA
5670	18765	31936	1.48	6.0E-38	11425114	NT	Homo sapiens zinc finger protein ZNF287 (ZNF287), mRNA
7550	20513	33871	0.51	6.0E-38	8923130	NT	Homo sapiens hypothetical protein FLJ20128 (FLJ20128), mRNA
7613	20573	33936	0.74	6.0E-38	AJ010969.1	NT	Homo sapiens mRNA for potassium channel Kv4.2
7613	20573	33937	0.74	6.0E-38	AJ010969.1	NT	Homo sapiens mRNA for potassium channel Kv4.2
12189	25035		3.19	6.0E-38	11435947	NT	Homo sapiens chromosome 12 open reading frame 3 (C12ORF3), mRNA
12677	25347		18.01	6.0E-38	AB002059.1	NT	Homo sapiens DNA for Human P2XM, complete cds
13052	25733	31616	1.68	6.0E-38	11418164	NT	Homo sapiens adenylsuccinate lyase (ADSL), mRNA
728	13789	28724	1.28	5.0E-38	AW971819.1	EST_HUMAN	Homo sapiens MAGI resequences, MAGI Homo sapiens cDNA
2460	15464	28487	1.24	5.0E-38	AJ237740.1	NT	Homo sapiens RIBIR gene (partial), exon 8
7228	20250	33584	1.8	6.0E-38	BE871610.1	EST_HUMAN	601450148F1 NIH_MGC_65 Homo sapiens cDNA clone IMAGE:3854074 5'
119	13228	26154	3.65	4.0E-38	Z25466.1	NT	B. taurus mitochondrial aspartate aminotransferase mRNA, complete CDS
119	13228	26155	3.65	4.0E-38	Z25466.1	NT	B. taurus mitochondrial aspartate aminotransferase mRNA, complete CDS
2110	15127		3.98	3.0E-38	AF003530.1	NT	Homo sapiens homeobox protein CDX4 (CDX4) gene, complete cds and flanking repeat regions
3710	16753		1.24	3.0E-38	7548807	NT	Homo sapiens HIRA interacting protein 4 (hira-4-like) (HIRAP4), mRNA
3869	16908	29817	1.68	3.0E-38	P53538	SWISSPROT	SSU72 PROTEIN
3869	16908	29818	1.68	3.0E-38	P53538	SWISSPROT	SSU72 PROTEIN
6917	25671	33264	7.83	3.0E-38	AL163300.2	NT	Homo sapiens chromosome 21 segment HS21C100
7455	20421	33776	0.6	3.0E-38	AW302461.1	EST_HUMAN	xv04d01.x1 NCJ_CGAP_Brn53 Homo sapiens cDNA clone IMAGE:2827009 3'
7832	20780		0.57	3.0E-38	AA378327.1	EST_HUMAN	EST91188 Synovial sarcoma Homo sapiens cDNA 5' end
7844	20791	34167	6.28	3.0E-38	BF373664.1	EST_HUMAN	CM3-FT0181-140700-241-407 FT0181 Homo sapiens cDNA
8997	21963	35388	1.97	3.0E-38	H65494.1	EST_HUMAN	yv88b04.r1 Soares melanocyte 2NbhM Homo sapiens cDNA clone IMAGE:249775 5'
8997	21963	35389	1.97	3.0E-38	H65494.1	EST_HUMAN	yv88b04.r1 Soares melanocyte 2NbhM Homo sapiens cDNA clone IMAGE:249775 5'
10331	23255		2.06	3.0E-38	AL163248.2	NT	Homo sapiens chromosome 21 segment HS21C048
12909	18333	31171	1.48	3.0E-38	11435947	NT	Homo sapiens chromosome 12 open reading frame 3 (C12ORF3), mRNA
52	13172	26081	2.54	2.0E-38	AL163248.2	NT	Homo sapiens chromosome 21 segment HS21C048
1380	14414	27384	2.28	2.0E-38	5902097	NT	Homo sapiens SMT3 (suppressor of mit two 3, yeast) homolog 2 (SMT3H2), mRNA
1653	14685	27659	2.07	2.0E-38	AA437353.1	EST_HUMAN	zw30d01.r1 Soares ovary tumor NBH0T Homo sapiens cDNA clone IMAGE:770785 5' similar to SW:MA12_RABIT P45701 MANNOSYL-OLIGOSACCHARIDE ALPHA-1,2-MANNOSIDASE ;
1653	14685	27660	2.07	2.0E-38	AA437353.1	EST_HUMAN	zw30d01.r1 Soares ovary tumor NBH0T Homo sapiens cDNA clone IMAGE:770785 5' similar to SW:MA12_RABIT P45701 MANNOSYL-OLIGOSACCHARIDE ALPHA-1,2-MANNOSIDASE ;
2418	15425	28448	1.11	2.0E-38	W76571.1	EST_HUMAN	zw66g09.r1 Soares fetal heart NBH19W Homo sapiens cDNA clone IMAGE:345684 5'
5271	18160	31040	0.79	2.0E-38	AA437181.1	EST_HUMAN	zw61d09.r1 Soares testis NHT Homo sapiens cDNA clone IMAGE:758129 5' similar to TR:G817957 G817957 GLYCINE RECEPTOR SUBUNIT ALPHA 4 ;

Table 4

Single Exon Probes Expressed In Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5807	18897	32079	0.61	2.0E-38	Z26634.2	NT	Homo sapiens mRNA for ankyrin B (440 kDa)
5807	18897	32080	0.61	2.0E-38	Z26634.2	NT	Homo sapiens mRNA for ankyrin B (440 kDa)
7988	20827	34322	1.27	2.0E-38	AV721103.1	EST_HUMAN	AV721103 HTB Homo sapiens cDNA clone HTBARH11 5'
8828	21795		5.69	2.0E-38	BE165980.1	EST_HUMAN	MR3-HT0487-150200-113-g01 HT0487 Homo sapiens cDNA
9246	22212	35642	0.55	2.0E-38	F06450.1	EST_HUMAN	HSC19F031 normalized infant brain cDNA Homo sapiens cDNA clone c-18703
9316	22281	35711	1.21	2.0E-38	AF069755.1	NT	Homo sapiens orphan G protein-coupled receptor HG20 (HG20) mRNA, complete cds
9576	22538						hu09g02.x1 NCL_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3166130 3' similar to TR:O02710 O02710
10816	23736	37239	1.04	2.0E-38	BE222566.1	EST_HUMAN	GAG POLYPROTEIN.
11819	24702	38284	1.74	2.0E-38	D63479.2	NT	Homo sapiens mRNA for KIAA0145 protein, partial cds
			4.62	2.0E-38	BE712790.1	EST_HUMAN	QV2-HT0698-080800-293-a05 HT0698 Homo sapiens cDNA
11955	24834	38429	3.66	2.0E-38	AF190501.1	NT	Homo sapiens leucine-rich repeat-containing G protein-coupled receptor 6 (LGR6) mRNA, partial cds
11955	24834	38430	3.66	2.0E-38	AF190501.1	NT	Homo sapiens leucine-rich repeat-containing G protein-coupled receptor 6 (LGR6) mRNA, partial cds
12240	25071		3.39	2.0E-38	AV726988.1	EST_HUMAN	AV726988 HTC Homo sapiens cDNA clone HTCAHX07 5'
12242	25072		2.13	2.0E-38	AB012723.1	NT	Homo sapiens gene for kinesin-like protein, complete cds
12538	25282		2.51	2.0E-38	M55630.1	NT	Human topoisomerase I pseudogene 2
12548	25271	31810	6.8	2.0E-38	H55641.1	EST_HUMAN	CHR220580 Chromosome 22 exon Homo sapiens cDNA clone C22_788 5'
13065	25599		3	2.0E-38	11418248	NT	Homo sapiens sulfotransferase-related protein (SULTX3) mRNA
1095	14139		2.38	1.0E-38	AA401570.1	EST_HUMAN	zu62b02.r1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:742539 5' similar to contains element
2015	15036	28047	1.92	1.0E-38	4885288	NT	MER19 repetitive element.
2036	15054	28071	1.17	1.0E-38	7661969	NT	Homo sapiens guanine nucleotide binding protein-like 1 (GNL1), mRNA
2502	15505	28532	2.01	1.0E-38	AF270831.1	NT	Homo sapiens KIAA0173 gene product (KIAA0173), mRNA
4192	17213	30101	0.99	1.0E-38	AB037863.1	NT	Homo sapiens cyclin K (CCNK) gene, exon 7
4352	17379	30259	10.48	1.0E-38	AL169203.2	NT	Homo sapiens mRNA for KIAA1442 protein, partial cds
4352	17379	30260	10.48	1.0E-38	AL169203.2	NT	Homo sapiens chromosome 21 segment HS21C003
4627	17648	30536	0.93	1.0E-38	8922543	NT	Homo sapiens chromosome 21 segment HS21C003
5143	18152	31032	0.77	1.0E-38	AA077526.1	EST_HUMAN	Homo sapiens hypothetical protein FLJ10600 (FLJ10600), mRNA
6143	19218	32447	6.58	1.0E-38	7305360	NT	7B44H06 Chromosome 7 Fetal Brain cDNA Library Homo sapiens cDNA clone 7B44H06
6143	19218	32448	6.58	1.0E-38	7305360	NT	Mus musculus obgolin (Obg), mRNA
7634	20594	33957	3.03	1.0E-38	AB014512.1	NT	Mus musculus obgolin (Obg), mRNA
9608	22471	35915	0.55	1.0E-38	11422250	NT	Homo sapiens mRNA for KIAA0612 protein, partial cds
							Homo sapiens hypothetical protein FLJ10600 (FLJ10600), mRNA

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
9765	22708	36162	6.34	1.0E-38	BE350127.1	EST_HUMAN	h09g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3
12401	25712		2.08	1.0E-38	AL163284.2	NT	Homo sapiens chromosome 21 segment HS21C084
56	13178	26087	5.73	8.0E-39	4502312	NT	Homo sapiens ATPase, H+ transporting, lysosomal (vacuolar proton pump) 16kD (ATP6C) mRNA
1395	14429	27398	0.94	8.0E-39	4758229	NT	Homo sapiens estrogen receptor-binding fragment-associated gene 9 (EBAG9) mRNA
1846	14872		1.54	8.0E-39	A1823404.1	EST_HUMAN	wh53f10.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2384491 3' similar to TR:P87890 P87890
2105	15122	28142	5.19	7.0E-39	AL163227.2	NT	POL PROTEIN:
11160	24118	37645	1.8	6.0E-39	BF331829.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C027
12981	25545		3.12	6.0E-39	BE670394.1	EST_HUMAN	GV1.B1T0631-040800-357-02 BT0631 Homo sapiens cDNA
1009	14058	27010	1.43	5.0E-39	AF003528.1	NT	7e34c03.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3284356 3' similar to WPR151.6
2998	16056	28976	8.13	5.0E-39	A1750154.1	EST_HUMAN	CE00828:
12699	25366		2.82	5.0E-39	11420289	NT	Homo sapiens X-linked anhidrotic ectodermal dysplasia protein gene (EDA), exon 2 and flanking repeat regions
552	13622	26542	20.77	4.0E-39	AB015610.1	NT	a36b04.x1 Barstead colon HPLRB7 Homo sapiens cDNA clone IMAGE:2374063 3' similar to TR:Q15408
3587	16632	29550	0.92	4.0E-39	AL163210.2	NT	Q15408 NEUTRAL PROTEASE LARGE SUBUNIT, contains LTR7.1 LTR7 repetitive element
5928	19014	32207	0.65	4.0E-39	11422113	NT	Homo sapiens hypothetical protein FLJ10803 (FLJ10803), mRNA
5928	19014	32208	0.65	4.0E-39	11422113	NT	Chlorocibius aethiops mRNA for ribosomal protein S4X, complete cds
8411	21380	34786	1.14	4.0E-39	AA682949.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C010
9684	22637	36092	0.61	4.0E-39	D841116.1	NT	Homo sapiens EBNA-2 co-activator (100kD) (p100), mRNA
9684	22637	36093	0.61	4.0E-39	D841116.1	NT	Homo sapiens EBNA-2 co-activator (100kD) (p100), mRNA
12704	25363		3.29	4.0E-39	11418177	NT	ae92g04.s1 Stratagene schizo brain S11 Homo sapiens cDNA clone IMAGE:1020438 3' similar to contains
12819	25441		3.15	4.0E-39	BE836452.1	EST_HUMAN	OFB.b1 OFR repetitive element
49	13169	26075	14.8	3.0E-39	AA631949.1	EST_HUMAN	Homo sapiens DNA for prostacyclin synthase, exon 2
49	13169	26076	14.8	3.0E-39	AA631949.1	EST_HUMAN	Homo sapiens DNA for prostacyclin synthase, exon 2
49	13169	26077	14.8	3.0E-39	AA631949.1	EST_HUMAN	Homo sapiens Ran GTPase activating protein 1 (RANGAP1), mRNA
12233	25065	38163	6.14	3.0E-39	A1084557.1	EST_HUMAN	Homo sapiens Ran GTPase activating protein 1 (RANGAP1), mRNA
12233	25065	38164	6.14	3.0E-39	A1084557.1	EST_HUMAN	Homo sapiens Ran GTPase activating protein 1 (RANGAP1), mRNA

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
12282	25100		11.16	3.0E-39	H37903.1	EST_HUMAN	yp51c06.s1 Soares retina N2b4HR Homo sapiens cDNA clone IMAGE:190954 3'
898	13953		9.79	2.0E-39	BE409203.1	EST_HUMAN	601301607F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3696289 5'
913	13968		13.84	2.0E-39	AI525119.1	EST_HUMAN	promina-7.D01.r bvtumor Homo sapiens cDNA 5'
1033	14079		4.67	2.0E-39	AF000573.1	NT	Homo sapiens homogenisate 1,2-dioxygenase gene, complete cds
1532	14565		24.51	2.0E-39	AW372318.1	EST_HUMAN	PMO-B70340-211299-003-d02 BT0340 Homo sapiens cDNA
1990	15011		3.62	2.0E-39	AA720574.1	EST_HUMAN	nw21g02.s1 NCI_CGAP_GC80 Homo sapiens cDNA clone IMAGE:1241138 3' similar to contains THR.3
2636	15635	28017	2.3	2.0E-39	AL163248.2	NT	THR repetitive element;
4431	17458	30349	1.58	2.0E-39	BF370207.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C048
5588	18665	31624	4.2	2.0E-39	AA508880.1	EST_HUMAN	RC4-FN0037-280700-011-a10 FN0037 Homo sapiens cDNA
7594	20555	33915	2.34	2.0E-39	AA080887.1	EST_HUMAN	ng8603.s1 NCI_CGAP_P16 Homo sapiens cDNA clone IMAGE:941693
7776	20729	34101	0.61	2.0E-39	AL163202.2	NT	zn06f02.r1 Stralagene hNT neuron (#937233) Homo sapiens cDNA clone IMAGE:546651 6'
7776	20729	34102	0.61	2.0E-39	AL163202.2	NT	Homo sapiens chromosome 21 segment HS21C002
8653	21621	35041	0.56	2.0E-39	AF078779.1	NT	Homo sapiens chromosome 21 segment HS21C002
9851	22787		1.32	2.0E-39	AA984631.1	EST_HUMAN	Rattus norvegicus putative four repeat ion channel mRNA, complete cds
9984	22911		0.63	2.0E-39	AI686660.1	EST_HUMAN	am88c11.s1 Stralagene schizo brain S11 Homo sapiens cDNA clone IMAGE:1630196 3'
11761	24689	38271	2.56	2.0E-39	D86964.1	EST_HUMAN	tu35e03.x1 NCI_CGAP_P128 Homo sapiens cDNA clone IMAGE:2253052 3'
1516	14548	27620	3.52	1.0E-39	AJ006345.1	NT	Human mRNA for KIAA0209 gene, partial cds
1516	14548	27521	3.52	1.0E-39	AJ006345.1	NT	Homo sapiens KVLQ11 gene
1533	14566	27535	6.96	1.0E-39	7657020	NT	Homo sapiens KVLQ11 gene
4689	17710	30603	6.87	1.0E-39	AW951995.1	EST_HUMAN	Homo sapiens DKFZp434P211 protein (DKFZP434P211), mRNA
4689	17710	30604	6.87	1.0E-39	AW951995.1	EST_HUMAN	EST364065 MAGE resequences, MAGB Homo sapiens cDNA
4731	17751	30643	8.48	1.0E-39	7657020	NT	EST364065 MAGE resequences, MAGB Homo sapiens cDNA
6432	18534	31442	0.87	1.0E-39	11417342	NT	Homo sapiens DKFZp434P211 protein (DKFZP434P211), mRNA
6432	18534	31443	0.87	1.0E-39	11417342	NT	Homo sapiens sema domain, seven thrombospondin repeats (type 1 and type 1-like), transmembrane domain (TM) and short cytoplasmic domain, (semaphorin) 5A (SEMA5A), mRNA
5711	18805	31982	1.2	1.0E-39	T80876.1	EST_HUMAN	Homo sapiens sema domain, seven thrombospondin repeats (type 1 and type 1-like), transmembrane domain (TM) and short cytoplasmic domain, (semaphorin) 5A (SEMA5A), mRNA
5747	18841	32023	4.7	1.0E-39	AJ278170.1	NT	y22606.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:109402 5' similar to contains
5747	18841	32024	4.7	1.0E-39	AJ278170.1	NT	Alu repetitive element; contains LTR; repetitive element;
7000	20126		1.68	1.0E-39	11436736	NT	Mus musculus mRNA for neuronal interacting factor X1 (NIX1) (NIX1 gene)
7589	20550	33911	2.1	1.0E-39	D78132.1	NT	Mus musculus tubby like protein 3 (TULP3), mRNA
8910	21876	35302	0.96	1.0E-39	O46530	SWISSPROT	Homo sapiens mRNA for ras-related GTP-binding protein, complete cds
							RIBONUCLEASE K6 PRECURSOR (RNASE K6)

Page 286 of 546
Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
557	13827	26545	1.8	9.0E-40	5803210	NT	Homo sapiens UDP-glucose pyrophosphorylase 2 (UGP2), mRNA
1239	14275	27234	14.84	9.0E-40	4755145	NT	Homo sapiens AE-binding protein 1 (AEBP1), mRNA
1239	14275	27235	14.84	9.0E-40	4755145	NT	Homo sapiens AE-binding protein 1 (AEBP1), mRNA
1443	14476	27453	0.99	9.0E-40	4507512	NT	Homo sapiens tissue inhibitor of metalloproteinase 3 (Sorsby fundus dystrophy, pseudoinflammatory) (TIMP3), mRNA
3799	18839	29746	0.88	9.0E-40	4503764	NT	Homo sapiens fragile X mental retardation 1 (FMR1), mRNA
3997	18315	29943	4.05	9.0E-40	AB033070.1	NT	Homo sapiens mRNA for KIAA1244 protein, partial cds
4527	17401	30281	0.78	9.0E-40	4507849	NT	Homo sapiens ubiquitin specific protease 13 (isopeptidase T-3) (USP13), mRNA
3054	16111	29026	0.91	8.0E-40	AA078165.1	EST_HUMAN	7H16A04 Chromosome 7 Hel.a cDNA Library Homo sapiens cDNA clone 7H16A04
3945	16985		2.39	8.0E-40	BE398541.1	EST_HUMAN	601288958F1 NIH_MGC_8 Homo sapiens cDNA clone IMAGE:3619166 5'
7985	20924	34317	2.22	7.0E-40	U60325.1	NT	Human DNA polymerase gamma mRNA, nuclear gene encoding mitochondrial protein, complete cds
7985	20924	34318	2.22	7.0E-40	U60325.1	NT	Human DNA polymerase gamma mRNA, nuclear gene encoding mitochondrial protein, complete cds
11243	24196	37715	1.76	7.0E-40	AL163246.2	NT	Homo sapiens chromosome 21 segment HS21C046
2737	15731	28746	7.5	6.0E-40	AA361275.1	EST_HUMAN	ESTT70527 T-cell lymphoma Homo sapiens cDNA 5' end similar to zinc finger protein family
2737	15731	28747	7.5	6.0E-40	AA361275.1	EST_HUMAN	ESTT70527 T-cell lymphoma Homo sapiens cDNA 5' end similar to zinc finger protein family
6049	19130		2.05	6.0E-40	BE504766.1	EST_HUMAN	h240g01.x1 NCL CGAP_G08 Homo sapiens cDNA clone IMAGE:3210480 3'
6270	19343		1.32	6.0E-40	7861999	NT	Homo sapiens KIAA0211 gene product (KIAA0211), mRNA
7121	20055	33359	3.38	6.0E-40	11439783	NT	Homo sapiens fatty acid desaturase 1 (FADS1), mRNA
7121	20055	33360	3.38	6.0E-40	11439783	NT	Homo sapiens fatty acid desaturase 1 (FADS1), mRNA
10336	23260	36738	9.47	6.0E-40	AV653028.1	EST_HUMAN	AV653028 GLC Homo sapiens cDNA clone GLCDGF04 3'
10336	23260	36739	9.47	6.0E-40	AV653028.1	EST_HUMAN	AV653028 GLC Homo sapiens cDNA clone GLCDGF04 3'
2612	15611	28635	1.12	5.0E-40	AL163285.2	NT	Homo sapiens chromosome 21 segment HS21C085
1894	14919	27915	3.21	4.0E-40	AI686005.1	EST_HUMAN	tt91b01.x1 NCL CGAP_P28 Homo sapiens cDNA clone IMAGE:2248873 3' similar to TR:O73505 O73505 POL PROTEIN ;
2117	15134		2.22	4.0E-40	AF003528.1	NT	Homo sapiens X-linked anhidrotic ectodermal dysplasia protein gene (EDA), exon 2 and flanking repeat regions
4415	17442	30333	8.57	4.0E-40	7662117	NT	Homo sapiens KIAA0433 protein (KIAA0433), mRNA
8218	21187	34597	0.44	4.0E-40	AU127831.1	EST_HUMAN	AU127831 NT2RP2 Homo sapiens cDNA clone NT2RP2002172 5'
8324	21293	34707	4.81	4.0E-40	AA742809.1	EST_HUMAN	nv34e10.r1 NCL CGAP_Br4 Homo sapiens cDNA clone IMAGE:1222122
9410	22376	35812	5.53	4.0E-40	BE009416.1	EST_HUMAN	PM0-BN0167-070500-002-h12 BN0167 Homo sapiens cDNA

Page 287 of 546
Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
9410	22376	36813	5.53	4.0E-40	BE009416.1	EST_HUMAN	PM0-BN0167-070500-002-ht2 BN0167 Homo sapiens cDNA
11071	24033	37557	1.68	4.0E-40	AW841585.1	EST_HUMAN	RC1-CN0017-120200-012-e04 CN0017 Homo sapiens cDNA
4158	17189	30077	1.02	3.0E-40	A1925949.1	EST_HUMAN	wh1207.x1 NCI_CGAP_K1d11 Homo sapiens cDNA clone IMAGE:2380549 3'
6607	19665	32840	0.68	3.0E-40	4506736	NT	Homo sapiens ribosomal protein S6 kinase, 70kD, polypeptide 1 (RP58KB1) mRNA
6766	19850	33135	7.89	3.0E-40	11417342	NT	Homo sapiens sema domain, seven thrombospondin repeats (type 1 and type 1-like), transmembrane domain (TM) and short cytoplasmic domain, (semaphorin) 5A (SEMA5A), mRNA
8724	21692	35118	3.94	3.0E-40	5454167	NT	Homo sapiens HBV associated factor (XAP4) mRNA
9320	22285	35715	1.23	3.0E-40	AF078779.1	NT	Rattus norvegicus putative four repeat ion channel mRNA, complete cds
9566	22528	35977	1.34	3.0E-40	AF078779.1	NT	Rattus norvegicus putative four repeat ion channel mRNA, complete cds
11597	24535	38092	9.3	3.0E-40	6005813	NT	Homo sapiens serine threonine protein kinase (NDR), mRNA
325	13416		4.59	2.0E-40	A1223036.1	EST_HUMAN	qc62h08.x1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1836847 3'
795	13854		29.29	2.0E-40	AW303868.1	EST_HUMAN	xr24e10.x1 NCI_CGAP_U14 Homo sapiens cDNA clone IMAGE:2761098 3' similar to SW:RS5_MOUSE
1842	14868		1.77	2.0E-40	AV731601.1	EST_HUMAN	P97461 40S RIBOSOMAL PROTEIN S6.1
1951	14974	27973	1.94	2.0E-40	4506188	NT	AV731601 HTF Homo sapiens cDNA clone HTFAZE05 5'
1951	14974	27974	1.94	2.0E-40	4506188	NT	Homo sapiens proteasome (prosome, macropain) subunit, alpha type, 7 (PSMA7) mRNA, and translated products
2085	15102	28119	1.01	2.0E-40	A1968562.1	EST_HUMAN	Homo sapiens proteasome (prosome, macropain) subunit, alpha type, 7 (PSMA7) mRNA, and translated products
2179	15184	28215	1.84	2.0E-40	5453592	NT	w80a11.x1 NCI_CGAP_GC8 Homo sapiens cDNA clone IMAGE:2614716 3' similar to TR:Q91929 Q91929 ZINC FINGER PROTEIN.1
2700	15696		1.79	2.0E-40	BE275932.1	EST_HUMAN	Homo sapiens adenyl cyclase-associated protein 2 (CAP2) mRNA
3143	16200	29111	4.44	2.0E-40	5453592	NT	601121567F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3345784 5'
4937	17953	30845	1.7	2.0E-40	AL163280.2	NT	Homo sapiens adenyl cyclase-associated protein 2 (CAP2) mRNA
4937	17953	30846	1.7	2.0E-40	AL163280.2	NT	Homo sapiens adenyl cyclase-associated protein 2 (CAP2) mRNA
5237	18245	31117	1.12	2.0E-40	4506880	NT	Homo sapiens chromosome 21 segment HS21C080
884	13939		1.63	2.0E-40	AA225989.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C080
2629	15628	28653	1.47	1.0E-40	BF036881.1	EST_HUMAN	Homo sapiens plasmidogen (PLG) mRNA
2698	15692		1.54	1.0E-40	BE018348.1	EST_HUMAN	nc09a09.st NCI_CGAP_P11 Homo sapiens cDNA clone IMAGE:1007608
2747	15740	28756	1.38	1.0E-40	BF641030.1	EST_HUMAN	601460375F1 NIH_MGC_66 Homo sapiens cDNA clone IMAGE:3863803 5'
2747	15740	28757	1.38	1.0E-40	BF641030.1	EST_HUMAN	b578a10.y1 NIH_MGC_10 Homo sapiens cDNA clone IMAGE:3048570 5' similar to TR:Q92168 Q92168 SYNTAXIN 17.1
3309	16362		1.98	1.0E-40	4507142	NT	602068604F1 NIH_MGC_58 Homo sapiens cDNA clone IMAGE:4087736 5'
4640	17681	30549	4.18	1.0E-40	4508012	NT	602068604F1 NIH_MGC_58 Homo sapiens cDNA clone IMAGE:4087736 5'
							Homo sapiens sorting nexin 3 (SNX3) mRNA
							Homo sapiens zinc finger protein 200 (ZNF200) mRNA, and translated products

Page 288 of 546
Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6384	19452	32685	0.73	1.0E-40	W92708.1	EST_HUMAN	zh79f11.s1 Soares_fetal_liver_spleen_INF1L5_S1 Homo sapiens cDNA clone IMAGE:418317 3'
6384	19452	32686	0.73	1.0E-40	W92708.1	EST_HUMAN	zh79f11.s1 Soares_fetal_liver_spleen_INF1L5_S1 Homo sapiens cDNA clone IMAGE:418317 3'
7293	20285	33598	1.92	1.0E-40	AA573201.1	EST_HUMAN	h42404.s1 NCI_CGAP_AA1 Homo sapiens cDNA clone IMAGE:396167 3'
7293	20285	33600	1.92	1.0E-40	AA573201.1	EST_HUMAN	h42404.s1 NCI_CGAP_AA1 Homo sapiens cDNA clone IMAGE:396167 3'
7443	20409	33761	0.84	1.0E-40	P26808	SWISSPROT	POL POLYPROTEIN [CONTAINS: PROTEASE; REVERSE TRANSCRIPTASE; RIBONUCLEASE H]
11282	24214	37738	2.42	1.0E-40	AU148945.1	EST_HUMAN	AU149348 NT2RM4 Homo sapiens cDNA clone NT2RM4002122 3'
12659	25847		14.2	1.0E-40	BF334112.1	EST_HUMAN	MR2-CT0222-211099-002-e10 CT0222 Homo sapiens cDNA
12813	25822		1.64	1.0E-40	Z00015.1	NT	H.sapiens V(k) gene low repetitive L-family member (cos 20)
8254	21223	34633	1.59	8.0E-41	AL163203.2	NT	Homo sapiens chromosome 21 segment HS21C003
829	15852	26840	1.81	7.0E-41	AI934384.1	EST_HUMAN	wp04h04.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2463895 3'
829	15852	26841	1.81	7.0E-41	AI934384.1	EST_HUMAN	wp04h04.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2463895 3'
5337	18442	31193	0.95	7.0E-41		NT	Homo sapiens hypothetical protein FLJ13188 (FLJ13188), mRNA
6124	19202	32428	2.97	7.0E-41	11419208	NT	Homo sapiens a disintegrin and metalloproteinase domain 22 (ADAM22), mRNA
6488	19553	32803	1.08	7.0E-41	11433010	NT	Homo sapiens IQ motif containing GTPase activating protein 1 (IQGAP1), mRNA
7186	18417	31218	0.88	7.0E-41	U72335.1	NT	Human platelet activating factor acetylhydrolase, brain isoform, 45 kDa subunit (LIS1) gene, exons 3 and 4
11763	24691	38272	2.6	7.0E-41	4758445	NT	Homo sapiens guanine nucleotide binding protein 10 (GNG10) mRNA
13072	25844		10.83	7.0E-41	11417972	NT	Homo sapiens pascadillo (zebrafish) homolog 1, containing BRCT domain (PES1), mRNA
280	13375	26304	0.65	6.0E-41	AB037163.1	NT	Homo sapiens DSCR5b mRNA, complete cds
2120	15137	28157	1.67	6.0E-41	7657042	NT	Homo sapiens Down syndrome candidate region 1 (DSOR1), mRNA
8304	21273	34684	1.59	6.0E-41	BF513783.1	EST_HUMAN	U1-H-BW1-amp-B-03-0-U1.s1 NCI_CGAP_Sub7 Homo sapiens cDNA clone IMAGE:3070421 3'
1819	14846	27838	1.75	5.0E-41	T62628.1	EST_HUMAN	yc03e10.s1 Stratagene lung (#637210) Homo sapiens cDNA clone IMAGE:79626 3'
4134	17166		1.03	5.0E-41	4885636	NT	Homo sapiens target of myb1 (chicken) homolog (TOM1), mRNA
6698	19755		2.06	5.0E-41	BE067042.1	EST_HUMAN	PM4-BT0341-251199-002-F11 BT0341 Homo sapiens cDNA
391	13466		1.73	4.0E-41	BE156318.1	EST_HUMAN	QV6-HT0367-150200-114-g09 HT0367 Homo sapiens cDNA
1100	14144	27094	1.16	4.0E-41	AU119344.1	EST_HUMAN	AU119344 HEMBA1 Homo sapiens cDNA clone HEMBA1005583 5'
1408	14441	27411	9.16	4.0E-41	AI027117.1	EST_HUMAN	ow45e06.s1 Soares_parathyroid_tumor_NbHPA Homo sapiens cDNA clone IMAGE:1649794 3' similar to TR:O00597 O00597 CYTOCHROME C-LIKE POLYPEPTIDE, contains LTR5.b1 LTR5 repetitive element ;
1408	14441	27412	9.16	4.0E-41	AI027117.1	EST_HUMAN	ow45e06.s1 Soares_parathyroid_tumor_NbHPA Homo sapiens cDNA clone IMAGE:1649794 3' similar to TR:O00597 O00597 CYTOCHROME C-LIKE POLYPEPTIDE, contains LTR5.b1 LTR5 repetitive element ;
1420	14453	27427	2.75	4.0E-41	AB008681.1	NT	Homo sapiens gene for activin receptor type IIB, complete cds

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1641	14673	27646	6.9	4.0E-41	AI500406.1	EST_HUMAN	hm86c04.x1 NCL CGAP_Brn25 Homo sapiens cDNA clone IMAGE:2166968 3' similar to contains OFR.b1 OFR repetitive element;
2899	15958	28876	3.58	4.0E-41	AJ229041.1	NT	Homo sapiens 959 kb contig between AML1 and CBR1 on chromosome 21q22; segment 1/3
2899	15958	28877	3.55	4.0E-41	AJ229041.1	NT	Homo sapiens 959 kb contig between AML1 and CBR1 on chromosome 21q22; segment 1/3
4168	17199	30085	2.28	4.0E-41	X92865.1	NT	H.sapiens DNase I hypersensitive site (HSS-3) enhancer element
6658	19715		1.31	4.0E-41	AV758295.1	EST_HUMAN	A758295 BM Homo sapiens cDNA clone BMFBHC06 5'
10052	22979	36448	8.41	4.0E-41	BF304683.1	EST_HUMAN	60188089F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:4122119 5'
11981	24858		11.56	4.0E-41	AV710480.1	EST_HUMAN	AV710480 Cu Homo sapiens cDNA clone CUAAOC07 5'
947	14000	26952	2.51	3.0E-41	AB030176.1	NT	Homo sapiens PAD-H19 mRNA for peptidylarginine deiminase type II, complete cds
4382	17389	30271	2.6	3.0E-41	AB026898.1	NT	Homo sapiens DNA, DLEC1 to ORCTL4 gene region, section 1/2 (DLEC1, ORCTL3, ORCTL4 genes, complete cds)
5148	18157		1.15	3.0E-41	AB037748.1	NT	Homo sapiens mRNA for KIAA1327 protein, partial cds
5589	18666	31625	9.46	3.0E-41	X87689.1	NT	H.sapiens mRNA for putative p64 CLCP protein
6518	19681	32839	1.61	3.0E-41	AB037808.1	NT	Homo sapiens mRNA for KIAA1387 protein, partial cds
7473	20439	33797	0.62	3.0E-41	AA356168.1	EST_HUMAN	EST64683 Jurkat T-cells VI Homo sapiens cDNA 5' end
8072	21009	34407	0.52	3.0E-41	RS4755.1	EST_HUMAN	W75d08.r1 Soares breast 2NblHBst Homo sapiens cDNA clone IMAGE:154575 5'
12116	24986	38587	3.46	3.0E-41	AW994941.1	EST_HUMAN	QV0-BN0040-170300-160-H08 BN0040 Homo sapiens cDNA
12116	24986	38588	3.46	3.0E-41	AW994941.1	EST_HUMAN	QV0-BN0040-170300-160-H08 BN0040 Homo sapiens cDNA
12195	25040		1.49	3.0E-41	AA609768.1	EST_HUMAN	ef17710.s1 Soares testis NHT Homo sapiens cDNA clone IMAGE:1031947 3'
1841	14595	27570	15.21	2.0E-41	U43701.1	NT	Human ribosomal protein L23a mRNA, complete cds
1975	14996	27098	2.16	2.0E-41	AA331940.1	EST_HUMAN	EST35818 Embryo, 8 week I Homo sapiens cDNA 5' end
2228	15242	28267	1.37	2.0E-41	D89632.1	NT	Human mRNA for KIAA0207 gene, complete cds
2278	15289	28314	4.43	2.0E-41	X89631.1	NT	G.gorilla DNA for ZNF80 gene homolog
2839	14695	27570	7.99	2.0E-41	U43701.1	NT	Human ribosomal protein L23a mRNA, complete cds
3851	18891	29795	0.9	2.0E-41	5032106	NT	Homo sapiens son of sevenless (Drosophila) homolog 1 (SOS1) mRNA
4652	17673	30560	1.13	2.0E-41	AL163267.2	NT	Homo sapiens chromosome 21 segment HS21C067
4652	17673	30561	1.13	2.0E-41	AL163267.2	NT	Homo sapiens chromosome 21 segment HS21C067
5617	18713	31871	0.61	2.0E-41	AA884575.1	EST_HUMAN	nc12c07.s1 NCL CGAP_Phe1 Homo sapiens cDNA clone IMAGE:1100460 3' similar to gb:X62861_mn1
6782	19837	33121	0.85	2.0E-41	4504778	NT	PEPTIDYL-PROLYL CIS-TRANS ISOMERASE A (HUMAN);
7935	20877	34267	6.36	2.0E-41	AF038404.1	NT	Homo sapiens integrin, beta 8 (ITGB8) mRNA
8148	21085	34484	0.8	2.0E-41	11422047	NT	Homo sapiens homolog of Nedd5 (hNedd5) mRNA, complete cds
8403	21372	34780	1.63	2.0E-41	M96944.1	NT	Homo sapiens origin recognition complex, subunit 5 (yeast homolog)-like (ORC5L), mRNA
8403	21372	34781	1.63	2.0E-41	M96944.1	NT	Human B-cell specific transcription factor (BSAP) mRNA, complete cds
8403	21372	34781	1.63	2.0E-41	M96944.1	NT	Human B-cell specific transcription factor (BSAP) mRNA, complete cds

Page 290 of 546
Table 4

Single Exon Probes Expressed In Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8433	21402	34815	1.47	2.0E-41	AA328265.1	EST_HUMAN	EST131723 Embryo, 12 week Homo sapiens cDNA 5' end
9326	22291	35721	1.61	2.0E-41	P52742	SWISSPROT	ZINC FINGER PROTEIN 135
9772	22713	36167	0.72	2.0E-41	11417118	NT	Homo sapiens KIAA0433 protein (KIAA0433), mRNA
9772	22713	36168	0.72	2.0E-41	11417118	NT	Homo sapiens KIAA0433 protein (KIAA0433), mRNA
11815	24700	38281	2.21	2.0E-41	AA372637.1	EST_HUMAN	Homo sapiens KIAA0433 protein (KIAA0433), mRNA
3219	18274	29197	1.33	1.0E-41	BE869735.1	EST_HUMAN	EST84555 Colon adenocarcinoma IV Homo sapiens cDNA 5' end
3219	18274	29198	1.33	1.0E-41	BE869735.1	EST_HUMAN	EST84555 Colon adenocarcinoma IV Homo sapiens cDNA 5' end
4598	17619	30512	7.8	1.0E-41	6678488	NT	Mus musculus tubulin alpha 6 (Tubaf), mRNA
7026	18358	31278	0.49	1.0E-41	H90979.1	EST_HUMAN	yx18b03.s1 Soares melanocyte 2Nbl-HM Homo sapiens cDNA clone IMAGE:262061 3'
9773	22714	36169	1.73	1.0E-41	A1217868.1	EST_HUMAN	q75c10.x1 Soares testis_NHT Homo sapiens cDNA clone IMAGE:1756858 3'
11494	24437	37986	1.56	1.0E-41	AW847812.1	EST_HUMAN	IL3-CT0213-190200-040-F09 CT0213 Homo sapiens cDNA
12332	25132		2.72	1.0E-41	11526291	NT	Homo sapiens hypothetical protein FLJ20454 (FLJ20454), mRNA
8965	21832		1.06	9.0E-42	BE179191.1	EST_HUMAN	Homo sapiens hypothetical protein FLJ20454 (FLJ20454), mRNA
9529	22492	35939	3.08	9.0E-42	11560151	NT	RCO-HT0613-210300-032-g01 HT0613 Homo sapiens cDNA
9529	22492	35940	3.08	9.0E-42	11560151	NT	Homo sapiens hypothetical C2H2 zinc finger protein FLJ22504 (FLJ22504), mRNA
463	13536	26462	6.85	8.0E-42	AF003530.1	NT	Homo sapiens homeobox protein CDX4 (CDX4) gene, complete cds and flanking repeat regions
2118	15135	28155	1.18	8.0E-42	AB026998.1	NT	Homo sapiens DNA, DLEC1 to ORCTL4 gene region, section 1/2 (DLEC1, ORCTL3, ORCTL4 genes, complete cds)
5197	18206	31080	1.06	8.0E-42	6678031	NT	Mus musculus neural precursor cell expressed, developmentally down-regulated gene 1 (Nedd1), mRNA
12376	25850		28	8.0E-42	AA493896.1	EST_HUMAN	rh07c02.s1 NCL_CGAP_Thy1 Homo sapiens cDNA clone IMAGE:943586 similar to TR:G434304 G434304 367BP EXPRESSED SEQUENCE TAG MRNA :
12394	25726		1.55	8.0E-42	AW088062.1	EST_HUMAN	xc97a04.x1 NCL_CGAP_Bm35 Homo sapiens cDNA clone IMAGE:2592174 3' similar to contains OFR.12
932	13985		1.46	7.0E-42	AL163285.2	NT	OFR repetitive element :
8814	21781		0.6	7.0E-42	R10963.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C085
9599	22603	36052	1.67	7.0E-42	A1204358.1	EST_HUMAN	y98g04.r1 Soares fetal liver spleen 1NfLS Homo sapiens cDNA clone IMAGE:129174 5'
11508	24450	38000	3.47	7.0E-42	AA569592.1	EST_HUMAN	qf56g12.x1 Soares testis_NHT Homo sapiens cDNA clone IMAGE:1754278 3'
11508	24450	38001	3.47	7.0E-42	AA569592.1	EST_HUMAN	nf23g07.s1 NCL_CGAP_P11 Homo sapiens cDNA clone IMAGE:914652
1873	14898	27895	3.35	6.0E-42	AF012872.1	NT	nf23g07.s1 NCL_CGAP_P11 Homo sapiens cDNA clone IMAGE:914652
1873	14898	27896	3.35	6.0E-42	AF012872.1	NT	Homo sapiens phosphatidylinositol 4-kinase 230 (p14K230) mRNA, complete cds
2297	15309		5.49	6.0E-42	AW238656.1	EST_HUMAN	Homo sapiens phosphatidylinositol 4-kinase 230 (p14K230) mRNA, complete cds xp29f08.x1 NCL_CGAP_HN10 Homo sapiens cDNA clone IMAGE:2741799 3' similar to contains L1.1 L1 repetitive element :

Page 291 of 548
Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5039	18052		1.46	6.0E-42	A1284770.1	EST_HUMAN	qu24h09.x1 NCI_OGAP_Br12 Homo sapiens cDNA clone IMAGE:1865761 similar to contains Alu repetitive element;
5543	18640	31580	1.6	6.0E-42	AB028990.1	NT	Homo sapiens mRNA for KIAA1067 protein, partial cds
5803	18640	31580	1.37	6.0E-42	AB028990.1	NT	Homo sapiens mRNA for KIAA1067 protein, partial cds
138	13241		5.99	5.0E-42	AJ271735.1	NT	Homo sapiens Xq pseudautosomal region; segment 1/2
438	13512	26443	1.7	5.0E-42	BE217913.1	EST_HUMAN	h31e11.x1 NCI_OGAP_Lu24 Homo sapiens cDNA clone IMAGE:3176052 3'
487	13560		4.65	5.0E-42	5730038	NT	Homo sapiens SET domain and mariner transposase fusion gene (SETMAR) mRNA
488	13561		1.37	5.0E-42	5730038	NT	Homo sapiens SET domain and mariner transposase fusion gene (SETMAR) mRNA
6844	19897	33191	1.07	5.0E-42	11433063	NT	Homo sapiens ubiquitin protein ligase E3A (human papilloma virus E6-associated protein, Angelman syndrome) (UBE3A), mRNA
6844	19897	33192	1.07	5.0E-42	11433063	NT	Homo sapiens ubiquitin protein ligase E3A (human papilloma virus E6-associated protein, Angelman syndrome) (UBE3A), mRNA
6871	20194	33522	2.61	5.0E-42	11417957	NT	Homo sapiens myotubularin related protein 3 (MTMR3), mRNA
7409	20376	33727	1.6	5.0E-42	AF071599.1	NT	Homo sapiens multifunctional calcium/calmodulin-dependent protein kinase II delta2 isoform mRNA, complete cds
8110	21047	34447	0.51	5.0E-42	4826977	NT	Homo sapiens reelin (RELN) mRNA
9131	22097	35524	2.98	5.0E-42	AB037715.1	NT	Homo sapiens mRNA for KIAA1294 protein, partial cds
10970	23890	37403	0.48	5.0E-42	11431168	NT	Homo sapiens 3-hydroxyanthranilate 3,4-dioxygenase (HAAO), mRNA
10970	23890	37404	0.48	5.0E-42	11431168	NT	Homo sapiens 3-hydroxyanthranilate 3,4-dioxygenase (HAAO), mRNA
12087	24959	38555	3.28	5.0E-42	X98411.1	NT	H. sapiens mRNA for myosin-IE
12087	24959	38556	3.28	5.0E-42	X98411.1	NT	H. sapiens mRNA for myosin-IE
754	13815	26758	23.04	4.0E-42	AF055068.1	NT	Homo sapiens MHC class 1 region
754	13815	26759	23.04	4.0E-42	AF055068.1	NT	Homo sapiens MHC class 1 region
1087	14112	27062	2.03	4.0E-42	AF189011.1	NT	Homo sapiens ribonuclease III (RN3) mRNA, complete cds
4223	17252	30139	1.24	4.0E-42	X59417.1	NT	H. sapiens PROS-27 mRNA
4255	17284	30166	1.12	4.0E-42	AF246219.1	NT	Homo sapiens SNARE protein kinase SNAK mRNA, complete cds
4277	17306	30185	4.28	4.0E-42	4506498	NT	Homo sapiens regulatory factor X, 4 (influences HLA class II expression) (RFX4) mRNA
4613	17634	30525	10.99	4.0E-42	4508008	NT	Homo sapiens zinc finger protein 177 (ZNF177) mRNA
5290	18295	31155	1	4.0E-42	AL163203.2	NT	Homo sapiens chromosome 21 segment HS21C0003
5290	18295	31155	1	4.0E-42	AL163203.2	NT	Homo sapiens chromosome 21 segment HS21C0003
10850	23770	37269	0.54	4.0E-42	AW371201.1	EST_HUMAN	CMO-BT0282-171299-127-603 BT0282 Homo sapiens cDNA
11010	23976	37499	1.88	4.0E-42	AW818630.1	EST_HUMAN	RC1-ST0278-040400-018-h11 ST0278 Homo sapiens cDNA
11010	23976	37500	1.88	4.0E-42	AW818630.1	EST_HUMAN	RC1-ST0278-040400-018-h11 ST0278 Homo sapiens cDNA
11741	24926	38205	2.68	4.0E-42	BF035327.1	EST_HUMAN	601456531F1 NIH_MGC_66 Homo sapiens cDNA clone IMAGE:3862086 5'

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1479	14512	27488	4.08	2.0E-42	BF376834.1	EST_HUMAN	RC0-TN0078-110900-024-g07 TN0079 Homo sapiens cDNA
2402	15409	28433	0.93	2.0E-42	AV690218.1	EST_HUMAN	AV690218 GK Homo sapiens cDNA clone GKCCBB08 5'
2422	15429		3.65	2.0E-42	AW898344.1	EST_HUMAN	RC3-NN0070-270400-011-t10 NN0070 Homo sapiens cDNA
2432	15439	28458	3.27	2.0E-42	AW250059.1	EST_HUMAN	2819283.3prime NIH_MGC_7 Homo sapiens cDNA clone IMAGE:2819293 3'
5850	18640	32124	11.89	2.0E-42	AW955388.1	EST_HUMAN	EST367438 MAGC resequences, MAGC Homo sapiens cDNA
5850	18640	32125	11.89	2.0E-42	AW955388.1	EST_HUMAN	EST367438 MAGC resequences, MAGC Homo sapiens cDNA
6638	19694	32971	0.73	2.0E-42	M29145.1	NT	Human hepatocyte growth factor (HGF) mRNA, complete cds
6916	19688	33263	0.77	2.0E-42	AO52586.1	EST_HUMAN	ow83d05.x1 Soares fetal liver spleen_1NPLS_S1 Homo sapiens cDNA clone IMAGE:1663417 3'
10201	23126	36612	1.17	2.0E-42	BE538819.1	EST_HUMAN	601061284F1 NIH_MGC_10 Homo sapiens cDNA clone IMAGE:3447620 5'
10415	23337	36822	0.61	2.0E-42	P81949	SWISSPROT	RIBONUCLEASE K3 (RNAASE K3)
10415	23337	36823	0.61	2.0E-42	P81949	SWISSPROT	RIBONUCLEASE K3 (RNAASE K3)
10974	23894	37408	0.82	2.0E-42	AW834834.1	EST_HUMAN	RC0-L T0001-150200-032-t11 LT0001 Homo sapiens cDNA
12045	24918	38515	1.48	2.0E-42	AL163246.2	NT	Homo sapiens chromosome 21 segment HS21C046
735	13795	26734	2.47	1.0E-42	X57147.1	NT	Human endogenous retrovirus pHE.1 (ERV9)
1043	14088	27042	0.76	1.0E-42	AW295808.1	EST_HUMAN	U1-H-B11-aft-e-04-0-U1.s1 NCL_CGAP_Sub3 Homo sapiens cDNA clone IMAGE:2721871 3'
1103	14147	27087	1.27	1.0E-42	AJ251818.1	NT	Homo sapiens partial C9 gene for complement component C9, exon 1
1103	14147	27098	1.27	1.0E-42	AJ251818.1	NT	Homo sapiens partial C9 gene for complement component C9, exon 1
1247	15882	27248	12.69	1.0E-42	AF067166.1	NT	Homo sapiens NADH-ubiquinone oxidoreductase AGGG subunit precursor homolog mRNA, nuclear gene encoding mitochondrial protein, complete cds
1247	15882	27249	12.69	1.0E-42	AF067166.1	NT	Homo sapiens NADH-ubiquinone oxidoreductase AGGG subunit precursor homolog mRNA, nuclear gene encoding mitochondrial protein, complete cds
1711	14741	27725	2.08	1.0E-42	11423219	NT	Homo sapiens rec (LOC51201), mRNA
2048	15065	28085	1.05	1.0E-42	AF110296.1	NT	Homo sapiens PDNP1 gene, exon 17
2551	15553	28573	1.88	1.0E-42	5174458	NT	Homo sapiens major histocompatibility complex, class II, DM alpha (HLA-DMA) mRNA
2975	16033	28956	10.93	1.0E-42	4505524	NT	Homo sapiens origin recognition complex, subunit 5 (yeast homolog) like (ORC5L) mRNA, and translated products
3721	16784	29675	2.43	1.0E-42	7662027	NT	Homo sapiens KIAA0255 gene product (KIAA0255), mRNA
3948	16988	29603	1.02	1.0E-42	AL163287.2	NT	Homo sapiens chromosome 21 segment HS21C087
4274	17303	30183	1.85	1.0E-42	AL163280.2	NT	Homo sapiens chromosome 21 segment HS21C080
4824	17645	30533	0.77	1.0E-42	AW813617.1	EST_HUMAN	RC3-ST0197-161098-012-a03 ST0197 Homo sapiens cDNA
4776	17796	30888	2.44	1.0E-42	5803122	NT	Homo sapiens proteasome inhibitor (P131), mRNA
4776	17796	30888	2.44	1.0E-42	5803122	NT	Homo sapiens proteasome inhibitor (P131), mRNA
4813	17830	30728	5.31	1.0E-42	4506758	NT	Homo sapiens ryanodine receptor 3 (RYR3) mRNA
4997	18012	30899	0.79	1.0E-42	Z46120.1	EST_HUMAN	HSC0F071 normalized infant brain cDNA Homo sapiens cDNA clone c-0ff07

Page 293 of 546
Table 4
Single Exon Probes Expressed In Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
10446	23388	36859	4.15	9.0E-43	4757969	NT	Homo sapiens chromodomain protein, Y chromosome-like (CDYL) mRNA
653	13719	26841	1.4	8.0E-43	AV736824.1	EST_HUMAN	AV736824 CB Homo sapiens cDNA clone CBLAKH08 5'
653	13719	26842	1.4	8.0E-43	AV736824.1	EST_HUMAN	AV736824 CB Homo sapiens cDNA clone CBLAKH08 5'
701	13763	26606	4.8	8.0E-43	8923276	NT	Homo sapiens hypothetical protein FLJ20297 (FLJ20297), mRNA
701	13763	26606	4.8	8.0E-43	8923276	NT	Homo sapiens hypothetical protein FLJ20297 (FLJ20297), mRNA
701	13763	26607	4.8	8.0E-43	8923276	NT	Homo sapiens hypothetical protein FLJ20297 (FLJ20297), mRNA
5783	18875	32057	0.78	8.0E-43	H13952.1	EST_HUMAN	y08e11.1 Soares placenta Nb2HP Homo sapiens cDNA clone IMAGE:148172 5'
3655	16898	29613	7.28	7.0E-43	AW246442.1	EST_HUMAN	2822251.5prime NIH_MGC_7 Homo sapiens cDNA clone IMAGE:2822251 5'
9121	22087		3.41	7.0E-43	A1936748.1	EST_HUMAN	wp68b01.x1 NCI_CGAP_Bm25 Homo sapiens cDNA clone IMAGE:2466985 3' similar to TR:O15475
1347	14382		14.15	6.0E-43	AA491890.1	EST_HUMAN	O15475 UNNAMED HERV-H PROTEIN ; contains LTR7.b1 LTR7 repetitive element ;
2588	15589		2.91	6.0E-43	AV708201.1	EST_HUMAN	RIBOSOMAL PROTEIN L30 (HUMAN);
8444	19509	32759	2.18	6.0E-43	9955973	NT	Homo sapiens A TP-binding cassette, sub-family C (CFTR/MRP), member 3 (ABCC3), transcript variant MRP3B, mRNA
7093	20027	33331	1.91	6.0E-43	AW468897.1	EST_HUMAN	hd30b04.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2910991 3' similar to contains MER1.19 MER1 MERT repetitive element ;
10210	23135	36822	2.31	6.0E-43	AA195154.1	EST_HUMAN	z35ed06.r1 Soares_NhHMPu_S1 Homo sapiens cDNA clone IMAGE:665410 5' similar to TR:G528641
11437	24380		2.08	6.0E-43	AL119158.1	EST_HUMAN	G528641 DB1, COMPLETE CDS ; contains element PTR7 repetitive element ;
144	13247		1.8	5.0E-43	AL163213.2	NT	DKFZp761L1712_r1 761 (synonym: hemy2) Homo sapiens cDNA clone DKFZp761L1712 5'
503	13575	26496	3.96	5.0E-43	AA382780.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C013
2859	15919	28840	1.63	5.0E-43	AV732578.1	EST_HUMAN	EST90033 Testis I Homo sapiens cDNA 5' end
8438	20021	33323	1.15	5.0E-43	A1613509.1	EST_HUMAN	AV732578 HTF Homo sapiens cDNA clone HTFANC08 5'
7087	20021	33323	0.65	5.0E-43	A1613509.1	EST_HUMAN	hw22e07.x1 NCI_CGAP_Bm52 Homo sapiens cDNA clone IMAGE:2260452 3'
8528	21498	34910	0.7	5.0E-43	AA442271.1	EST_HUMAN	hw22e07.x1 NCI_CGAP_Bm52 Homo sapiens cDNA clone IMAGE:2260452 3'
8528	21496	34911	0.7	5.0E-43	AA442271.1	EST_HUMAN	z35ed03.r1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:757420 5'
9231	22197		0.89	5.0E-43	H74277.1	EST_HUMAN	z35ed03.r1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:757420 5'
9719	22747	36198	4.22	5.0E-43	AA465288.1	EST_HUMAN	yu48g12.r1 Soares fetal liver spleen TNFHS Homo sapiens cDNA clone IMAGE:228510 5'
10763	23684	37180	2.36	5.0E-43	A1733244.1	EST_HUMAN	aa33d08.r1 NCI_CGAP_GCBI Homo sapiens cDNA clone IMAGE:815085 5'
10802	23723	37225	1.46	5.0E-43	AL049110.1	EST_HUMAN	po52c10.x5 NCI_CGAP_Lu5 Homo sapiens cDNA clone IMAGE:1669810 3' similar to TR:P90591 P90591
11115	24076	37598	4.88	5.0E-43	AW863007.1	EST_HUMAN	PV14 GENE ;
11786	23941	37463	3.46	5.0E-43	X15804.1	NT	DKFZp434D0119_r1 434 (synonym: htes3) Homo sapiens cDNA clone DKFZp434D0119
							MR2-SN0007-250400-004-c02 SN0007 Homo sapiens cDNA
							Human mRNA for alpha-actinin

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
974	15816	26979	3.95	4.0E-43	AF003528.1	NT	Homo sapiens X-linked anhidrotic ectodermal dysplasia protein gene (EDA), exon 2 and flanking repeat regions
5331	18437	31189	1.18	4.0E-43	AI056338.1	EST_HUMAN	oy47n03.x1 NCI_CGAP_Bn23 Homo sapiens cDNA clone IMAGE:1669013 3'
6505	19569	32821	0.78	4.0E-43	8990009	NT	Homo sapiens glycyl-rRNA synthetase (GARS), mRNA
7337	20308		1.94	4.0E-43	11416793	NT	Homo sapiens protocadherin beta 6 (PCDH6), mRNA
8518	21486	34900	5.73	4.0E-43	AI244341.1	EST_HUMAN	q176a02.x1 NCI_CGAP_Kid3 Homo sapiens cDNA clone IMAGE:1865354 3' similar to contains MER10.13
8518	21486	34901	5.73	4.0E-43	AI244341.1	EST_HUMAN	q176a02.x1 NCI_CGAP_Kid3 Homo sapiens cDNA clone IMAGE:1865354 3' similar to contains MER10.13
10678	23600	37095	1.39	4.0E-43	6005967	NT	MER10 repetitive element;
12306	25115		6.35	4.0E-43	R20950.1	EST_HUMAN	Homo sapiens zinc finger protein 161 (ZNF161), mRNA
1218	14256		3.85	3.0E-43	AF223391.1	NT	yg06b05.r1 Soares infant brain 1N1B Homo sapiens cDNA clone IMAGE:31363 5' similar to contains MER10 repetitive element;
1704	14734	27716	1.63	3.0E-43	X97869.1	NT	Homo sapiens calcium channel alpha1E subunit (CACNA1E) gene, exons 7-49, and partial cds, alternatively spliced
3586	16631	29549	1.32	3.0E-43	S69002.1	NT	H. sapiens gene encoding La autoantigen
4319	17348	30232	1.02	3.0E-43	AA548154.1	EST_HUMAN	AML1-EVI-1=AML1-EVI-1 fusion protein (rearranged translocation) [human, leukemic cell line SKH1, mRNA Mutant, 5938 nt]
5003	18017	30904	0.98	3.0E-43	AB037856.1	NT	nk55d06.s1 NCI_CGAP_P77 Homo sapiens cDNA clone IMAGE:1017419
5424	18527	31405	0.51	3.0E-43	M59259.1	NT	Homo sapiens mRNA for KIAA1435 protein, partial cds
5424	18527	31406	0.51	3.0E-43	M59259.1	NT	Human carcinoembryonic antigen (CEA) gene, exon 6
5996	19080	32277	0.9	3.0E-43	D34613.1	NT	Human carcinoembryonic antigen (CEA) gene, exon 1
6492	19557	32807	1.86	3.0E-43	7305360	NT	Human TBXAS1 gene for thromboxane synthase, promoter region and exon 1
6492	19557	32808	1.86	3.0E-43	7305360	NT	Mus musculus otogelin (Otog), mRNA
6890	19942	33238	4.38	3.0E-43	U65487.1	NT	Mus musculus otogelin (Otog), mRNA
8503	21471		8.69	3.0E-43	AA458824.1	EST_HUMAN	Human ribosomal RNA upstream binding transcription factor (UBTF) gene, partial cds
9172	22138	35564	1.82	3.0E-43	7661721	NT	aa88f11.s1 Stragene fetal retina 937202 Homo sapiens cDNA clone IMAGE:838413 3' similar to contains
10223	23148	36637	0.6	3.0E-43	11420217	NT	TH-R.12 THR repetitive element;
185	13285		9.29	2.0E-43	AI190764.1	EST_HUMAN	Homo sapiens hypothetical protein (HSA011916), mRNA
6620	19678	32955	0.95	2.0E-43	BE222778.1	EST_HUMAN	Homo sapiens similar to onefline carboxyltransferase (H. sapiens) (LOC63648), mRNA
							q461c09.x1 Soares tests_NHT Homo sapiens cDNA clone IMAGE:1733968 3' similar to contains PTR7.13
							PTR7 PTR7 repetitive element;
							hu53a08.x1 NCI_CGAP_Bn41 Homo sapiens cDNA clone IMAGE:3173750 3' similar to contains element
							MER40 repetitive element;

Page 295 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6620	19678	32956	0.95	2.0E-43	BE222778.1	EST_HUMAN	h153a08.x1 NCL_CGAP_Brn41 Homo sapiens cDNA clone IMAGE:3173750 3' similar to contains element MER40 repetitive element;
7491	20456	33814	1.07	2.0E-43	AW207390.1	EST_HUMAN	U14-B11-aff-a-09-0-U1.s1 NCL_CGAP_Sub3 Homo sapiens cDNA clone IMAGE:2721712 3'
8651	21619		9.34	2.0E-43	UA3701.1	NT	Human ribosomal protein L23a mRNA, complete cds
11532	24473		2.66	2.0E-43	T03007.1	EST_HUMAN	FB1G5 Fetal brain, Stratiene Homo sapiens cDNA clone FB1G5 3' end similar to LINE-1
1657	14889	27684	4.13	1.0E-43	AF154836.1	NT	Homo sapiens Ras-like GTP-binding protein (RAB27A) gene, exons 1b and 2
1657	14889	27685	4.13	1.0E-43	AF154836.1	NT	Homo sapiens Ras-like GTP-binding protein (RAB27A) gene, exons 1b and 2
1717	14747	27733	2.13	1.0E-43	AL163284.2	NT	Homo sapiens chromosome 21 segment HS21C084
2734	15728	28742	5.67	1.0E-43	BF348283.1	EST_HUMAN	602022313F1 NCL_CGAP_Brn67 Homo sapiens cDNA clone IMAGE:4157686 5'
5484	18594	31496	0.71	1.0E-43	4885544	NT	Homo sapiens pyruvate dehydrogenase kinase, isoenzyme 3 (PDK3) mRNA
6764	19818	33098	6.3	1.0E-43	4507168	NT	Homo sapiens Sp4 transcription factor (SP4) mRNA
6784	19818	33098	6.3	1.0E-43	4507168	NT	Homo sapiens Sp4 transcription factor (SP4) mRNA
7159	18391	31235	1.67	1.0E-43	R19751.1	EST_HUMAN	y940e01.r1 Soares infant brain 1N1B Homo sapiens cDNA clone IMAGE:34732 5' similar to SP1B038 MOUSE P28656 BRAIN PROTEIN DN38 ;
8284	21233	34644	0.97	1.0E-43	AF175285.1	NT	Homo sapiens vacuolar sorting protein 35 (VPS35) mRNA, complete cds
8401	21370		3.15	1.0E-43	AF198490.1	NT	Homo sapiens 8q22.1 region and MTG8 (CBFA2T1) gene, partial cds
9189	22155	35594	30.83	1.0E-43	AW963676.1	EST_HUMAN	EST1375749 MAGe resequences, MAGH Homo sapiens cDNA
10654	23578	37073	0.82	1.0E-43	AW953229.1	EST_HUMAN	EST1366299 MAGe resequences, MAGH Homo sapiens cDNA
11311	24261	37787	5.9	1.0E-43	AI884961.1	EST_HUMAN	w87h01.x1 NCL_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2494705 3'
11693	24658	38238	3.35	1.0E-43	11424378	NT	Homo sapiens calcium channel, voltage-dependent, alpha 1E subunit (CACNA1E), mRNA
12244	25074		2.8	1.0E-43	AL137864.1	EST_HUMAN	DKFZ5761D1015_r1 761 (synonym: hamy2) Homo sapiens cDNA clone DKFZ5761D1015 5'
12542	25265	31808	2.24	1.0E-43	AI878416.1	EST_HUMAN	w699b04.x1 NCL_CGAP_P128 Homo sapiens cDNA clone IMAGE:2313779 3'
12745	25394	31757	2.8	8.0E-44	11418322	NT	Homo sapiens cadherin EGF LAG seven-pass G-type receptor 1 (CELSR1), mRNA
891	13946	26904	7.09	8.0E-44	AI222985.1	EST_HUMAN	qh23g01.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1845552 3'
891	13946	26905	7.09	8.0E-44	AI222985.1	EST_HUMAN	qh23g01.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1845552 3'
8884	21850	35271	2.88	8.0E-44	X94354.1	NT	H. sapiens DNA for Cone cGMP-PDE gene
10702	23624	37120	0.47	8.0E-44	11423497	NT	Homo sapiens small proline-rich protein 2C (SPRR2C), mRNA
10702	23624	37121	0.47	8.0E-44	11423497	NT	Homo sapiens small proline-rich protein 2C (SPRR2C), mRNA
11499	24442	37993	3.93	8.0E-44	Y10498.2	NT	Homo sapiens mRNA for thymidine kinase, partial
11995	24872	38469	2.24	8.0E-44	L29139.1	NT	Homo sapiens myosin mRNA, partial cds
12485	25237	31801	2.95	8.0E-44	11527383	NT	Homo sapiens polymerase (RNA) II (DNA directed) polypeptide F (POLR2F), mRNA
12536	25577	31698	1.53	8.0E-44	11418086	NT	Homo sapiens putative nuclear protein (HRIHFB2122), mRNA
12870	26755	31518	2.68	8.0E-44	11418099	NT	Homo sapiens protein kinase C, alpha binding protein (PRKCABP), mRNA
13029	25577	31698	1.58	8.0E-44	11418086	NT	Homo sapiens putative nuclear protein (HRIHFB2122), mRNA

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
660	13726		0.87	7.0E-44	R06035.1	EST_HUMAN	ye89e01.r1 Soares fetal liver spleen 1NPLS Homo sapiens cDNA clone IMAGE:124920 5'
2243	16257	28283	0.95	7.0E-44	5031896	NT	Homo sapiens LIM domain-containing preferred translocation partner in lipoma (LPP) mRNA
2977	16035	28957	2.68	7.0E-44	AF048729.1	NT	Homo sapiens minisatellite ms32 repeat region
2977	16035	28958	2.68	7.0E-44	AF048729.1	NT	Homo sapiens minisatellite ms32 repeat region
3876	16915	29824	2.55	7.0E-44	AL163284.2	NT	Homo sapiens chromosome 21 segment HS27C084
4270	17299	30177	1.07	7.0E-44	AF231919.1	NT	Homo sapiens chromosome 21 unknown mRNA
4270	17299	30178	1.07	7.0E-44	AF231919.1	NT	Homo sapiens chromosome 21 unknown mRNA
6168	18177	31055	1.04	7.0E-44	AF111188.2	NT	Homo sapiens serine palmitoyl transferase, subunit II gene, complete cds; and unknown genes
8526	21494	34908	5.87	7.0E-44	AU159839.1	EST_HUMAN	AU159839 Y79AA1 Homo sapiens cDNA clone Y79AA1000496 3'
6223	19287	32531	0.55	6.0E-44	AU159839.1	EST_HUMAN	HSAAADEYU P. Human foetal Brain Whole tissue Homo sapiens cDNA
12070	24943	38536	1.83	6.0E-44	AW954050.1	EST_HUMAN	EST366120 MAGE resequences, MAGEC Homo sapiens cDNA
303	13397		3.9	5.0E-44	AJ289880.1	NT	Homo sapiens KIAA0851 gene (partial), X13 gene and LZ1FL1 gene
332	13421		2.88	5.0E-44	AJ289880.1	NT	Homo sapiens KIAA0851 gene (partial), X13 gene and LZ1FL1 gene
8220	21189	34598	3.85	5.0E-44	AI568523.1	EST_HUMAN	tr40002.x1 NCL_CGAP_Bm25 Homo sapiens cDNA clone IMAGE:2170083 3' similar to contains OFR.t1
9739	22767		2.65	5.0E-44	AU124571.1	EST_HUMAN	OFR OFR repetitive element
3425	16473	29392	3.2	4.0E-44	AL163303.2	NT	AU124571 NT2RM4 Homo sapiens cDNA clone NT2RM4000218 5'
5050	18062		1.02	4.0E-44	AI435225.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C103
7711	20668	34035	0.66	4.0E-44	BE883178.1	EST_HUMAN	ti1002.x1 NCL_CGAP_Pan1 Homo sapiens cDNA clone IMAGE:2130147 3'
8614	21552	34998	0.84	4.0E-44	L21948.1	EST_HUMAN	601509601F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3910152 5'
9230	22198		0.49	4.0E-44	BE176618.1	EST_HUMAN	Human fibrillin (FBN1) locus polymorphism
11569	24508	38065	8.23	3.0E-44	U90878.1	NT	RC3-HT0585-010400-023-d08 HT0585 Homo sapiens cDNA
1801	14829		0.95	3.0E-44	6912477	NT	Homo sapiens carboxyl terminal LIM domain protein (CLIM1) mRNA, complete cds
2537	15539	28562	0.95	3.0E-44	BE880626.1	EST_HUMAN	Homo sapiens karyopherin alpha 6 (Importin alpha 7) (KPNA6), mRNA
3114	16171	29081	6.12	3.0E-44	AA169851.1	EST_HUMAN	Homo sapiens karyopherin alpha 6 (Importin alpha 7) (KPNA6), mRNA
3905	16945	29858	1.71	3.0E-44	AA337234.1	EST_HUMAN	Homo sapiens karyopherin alpha 6 (Importin alpha 7) (KPNA6), mRNA
8074	21011	34410	0.55	3.0E-44	BE884820.1	EST_HUMAN	Homo sapiens karyopherin alpha 6 (Importin alpha 7) (KPNA6), mRNA
9877	22830	36284	0.58	3.0E-44	AF005275.1	NT	Homo sapiens carboxyl terminal LIM domain protein (CLIM1) mRNA, complete cds
1051	14097	27047	1.04	2.0E-44	4826685	NT	Sus scrofa domestica submaxillary apomucin mRNA, complete cds
1051	14097	27048	1.04	2.0E-44	4826685	NT	Homo sapiens DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide 1 (DDX1) mRNA
1212	14250	27208	2.52	2.0E-44	5803200	NT	Homo sapiens DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide 1 (DDX1) mRNA
1212	14250	27208	2.52	2.0E-44	5803200	NT	Homo sapiens DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide 1 (DDX1) mRNA
1315	14350	27318	5.49	2.0E-44	AF133588.1	NT	Homo sapiens DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide 1 (DDX1) mRNA

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1370	14404	27374	1.05	2.0E-44	BE465325.1	EST_HUMAN	hw14g06.xt NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3182938 3' similar to SW:OXYB_HUMAN
2161	15177	28188	2.57	2.0E-44	AF070651.1	NT	P22059 OXYSTEROL-BINDING PROTEIN ;
2618	15616		2.01	2.0E-44	5901933	NT	Homo sapiens tissue-type bone marrow zinc finger protein 4 mRNA, complete cds
3484	16530	29455	1.18	2.0E-44	D87675.1	NT	Homo sapiens adaptor-related protein complex 4, sigma 1 subunit (CLAPS4), mRNA
4600	17821	30514	1.8	2.0E-44	AW864379.1	EST_HUMAN	Homo sapiens DNA for amyloid precursor protein, complete cds
6214	19288	32521	1.59	2.0E-44	1144890.1	NT	PM4-SN0016-120500-003-a04 SN0016 Homo sapiens cDNA
7037	18369	31256	1.73	2.0E-44	AF038968.1	NT	Homo sapiens chemokine (C-C motif) receptor 9 (CCR9), mRNA
7645	20605	33970	3.8	2.0E-44	11419226	NT	Homo sapiens general transcription factor 2-1 (GTF2I) mRNA, alternatively spliced product, complete cds
7645	20605	33971	3.8	2.0E-44	11419226	NT	Homo sapiens glutamate receptor, metabotropic 3 (GRM3), mRNA
8771	21738	35168	0.72	2.0E-44	7706370	NT	Homo sapiens glutamate receptor, metabotropic 3 (GRM3), mRNA
8771	21738	35169	0.72	2.0E-44	7706370	NT	Homo sapiens vesicle transport-related protein (KIAA0917), mRNA
8968	21932	35357	1.83	2.0E-44	BE389058.1	EST_HUMAN	Homo sapiens vesicle transport-related protein (KIAA0917), mRNA
12152	25010		1.44	2.0E-44	BE244902.1	EST_HUMAN	601286914F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3613586 5'
12695	25899		1.32	2.0E-44	4826863	NT	TCBAP1E2795 Pediatric pre-B cell acute lymphoblastic leukemia Baylor-HGSC project=TCBA Homo sapiens cDNA clone TCBAP2795
13047	25587		1.58	2.0E-44	11526293	NT	Homo sapiens neuronal cell adhesion molecule (NRCAM) mRNA
54	13174	26084	7.76	1.0E-44	7657334	NT	Homo sapiens cat eye syndrome chromosome region, candidate 1 (CECR1), mRNA
54	13174	26085	7.76	1.0E-44	7657334	NT	Homo sapiens Misschaps/NIK-related kinase (MINK), mRNA
592	13650	26564	1.85	1.0E-44	AW853132.1	EST_HUMAN	Homo sapiens Misschaps/NIK-related kinase (MINK), mRNA
1202	14241		1.85	1.0E-44	AW894803.1	EST_HUMAN	RC1-BN0039-110300-012-b01 BN0039 Homo sapiens cDNA
1577	14810		7.03	1.0E-44	AL163303.2	NT	RC1-BN0039-110300-012-b01 BN0039 Homo sapiens cDNA
2233	15247	28270	4.49	1.0E-44	AA434554.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C103
2233	15247	28271	4.49	1.0E-44	AA434554.1	EST_HUMAN	zW53d02.1 Soares total_fetus_Nb2HF8_9w Homo sapiens cDNA clone IMAGE:773763 5' similar to
2290	15859	28327	0.95	1.0E-44	AA398098.1	EST_HUMAN	contains THR13 THR repetitive element ;
2770	15762	28783	2.5	1.0E-44	AF196779.1	NT	zW53d02.1 Soares total_fetus_Nb2HF8_9w Homo sapiens cDNA clone IMAGE:773763 5' similar to
3738	16780		3.01	1.0E-44	AA455889.1	EST_HUMAN	contains THR13 THR repetitive element ;
5155	18165	31043	0.84	1.0E-44	AJ130755.1	NT	zB85g11.1 Soares testis_NHT Homo sapiens cDNA clone IMAGE:728478 5'
5155	18165	31044	0.84	1.0E-44	AJ130755.1	NT	Homo sapiens transcription factor IGHM enhancer 3, JM11 protein, JM4 protein, JM5 protein, T84 protein, JM10 protein, A4 differentiation-dependent protein, triple LIM domain protein 6, and synaptophysin genes, complete cds; and L-type calcium channel α
							aa01c09.s1 Soares_NHMPu_S1 Homo sapiens cDNA clone IMAGE:911984 3'
							Homo sapiens alpha satellite DNA, M1 monomer type
							Homo sapiens alpha satellite DNA, M1 monomer type

Page 298 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8608	21576	34991	1.17	1.0E-44	AW967073.1	EST_HUMAN	EST378147 MAGC resequences, MAGJ Homo sapiens cDNA
8608	21576	34992	1.17	1.0E-44	AW967073.1	EST_HUMAN	EST378147 MAGC resequences, MAGJ Homo sapiens cDNA
8993	21959	35385	1.23	1.0E-44	AL163209.2	NT	Homo sapiens chromosome 21 segment HS21C008
9381	22346	35778	0.59	1.0E-44	AI337183.1	EST_HUMAN	qx88g07.x1 NCI_CGAP_G06 Homo sapiens cDNA clone IMAGE:2009628 3'
11354	24304		12.74	1.0E-44	AV714608.1	EST_HUMAN	AV714608 DGB Homo sapiens cDNA clone DCBBYE03 5'
11858	24740	38325	3.23	1.0E-44	10082664	NT	Homo sapiens Sushi domain (SCR repeat) containing (BK65A6.2), mRNA
11917	24798	38388	2.7	1.0E-44	AW846967.1	EST_HUMAN	RC1-CT0198-150999-011-C08 CT0198 Homo sapiens cDNA
11917	24798	38389	2.7	1.0E-44	AW846967.1	EST_HUMAN	RC1-CT0198-150999-011-C08 CT0198 Homo sapiens cDNA
4609	17630	30522	1.16	9.0E-45	8922391	NT	Homo sapiens hypothetical protein FLJ10379 (FLJ10379), mRNA
4609	17630	30523	1.16	9.0E-45	8922391	NT	Homo sapiens hypothetical protein FLJ10379 (FLJ10379), mRNA
6806	19880	33147	1.52	9.0E-45	AB023212.1	NT	Homo sapiens TRK-fused gene (NOTE: non-standard symbol and name) (TFG) mRNA
2529	15532	28553	1.57	8.0E-45	5174718	NT	Homo sapiens TRK-fused gene (NOTE: non-standard symbol and name) (TFG) mRNA
5119	18129	31005	8.66	8.0E-45	5174718	NT	Homo sapiens TRK-fused gene (NOTE: non-standard symbol and name) (TFG) mRNA
8444	21413	34827	0.85	8.0E-45	AA377985.1	EST_HUMAN	EST190893 Synovial sarcoma Homo sapiens cDNA 5' and
2969	16027		0.86	7.0E-45	AL160131.1	NT	Novel human gene mapping to chromosome 22
1556	14598		1	6.0E-45	AI675425.1	EST_HUMAN	wb99c06.x1 NCI_CGAP_P128 Homo sapiens cDNA clone IMAGE:2313802 3' similar to contains L1.t1 L1 repetitive element
4003	17042		3.48	6.0E-45	AW157570.1	EST_HUMAN	au83107.x1 Schneider fetal brain 00004 Homo sapiens cDNA clone IMAGE:2782809 3' similar to SW:R13A_HUMAN P40429 60S RIBOSOMAL PROTEIN L13A :
12836	25948		1.53	6.0E-45	11418213	NT	Homo sapiens ADP-ribosylation factor GTPase activating protein 1 (ARFGAP1), mRNA
883	13948		1.56	5.0E-45	AL163203.2	NT	Homo sapiens chromosome 21 segment HS21C003
2018	15039	28050	4.99	5.0E-45	BF333627.1	EST_HUMAN	CM4-CN0044-180200-515-01 CN0044 Homo sapiens cDNA
3223	16278	29203	1.49	5.0E-45	AI523766.1	EST_HUMAN	tg94f07.x1 NCI_CGAP_G011 Homo sapiens cDNA clone IMAGE:2116453 3' similar to SW:PAX1_MOUSE P09084 PAIRED BOX PROTEIN PAX-1 ;
5590	18686	31654	8.41	5.0E-45	AA397781.1	EST_HUMAN	z172403.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:727877 3' similar to contains element TAR1 repetitive element ;
6135	19212	32439	1.48	5.0E-45	Y18933.1	NT	Homo sapiens MCP-1 gene and enhancer region
6135	19212	32440	1.48	5.0E-45	Y18933.1	NT	Homo sapiens MCP-1 gene and enhancer region
6183	19258	32491	0.84	5.0E-45	AB022318.1	NT	Homo sapiens mRNA for inducible nitric oxide synthase, complete cds
6183	19258	32492	0.84	5.0E-45	AB022318.1	NT	Homo sapiens mRNA for inducible nitric oxide synthase, complete cds
6313	19384	32625	1.07	5.0E-45	11496268	NT	Homo sapiens zinc finger protein 277 (ZNF277), mRNA
6313	19384	32626	1.07	5.0E-45	11496268	NT	Homo sapiens zinc finger protein 277 (ZNF277), mRNA
8619	21587	35003	0.66	5.0E-45	11418704	NT	Homo sapiens bone morphogenetic protein 5 (BMP5), mRNA
8396	22361	35792	1.29	5.0E-45	4759223	NT	Homo sapiens programmed cell death 5 (PDCD5), mRNA

Table 4

Single Exon Probes Expressed In Bone Marrow

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
12003	24880	38476	2.3	5.0E-45	8923698	NT	Homo sapiens golgin-like protein (GLP), mRNA
1146	14188	27139	10.78	4.0E-45	X95926.1	NT	H. sapiens ART14 gene
2299	15311	28331	1.91	4.0E-45	BE286622.1	EST_HUMAN	601194440F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3538426 5'
4535	17558	30446	0.72	4.0E-45	4759249	NT	Homo sapiens TRAF family member-associated NFKB activator (TANK) mRNA
9308	22273		0.89	4.0E-45	AA226220.1	EST_HUMAN	nc26a07.s1 NCI_CGAP_P11 Homo sapiens cDNA clone IMAGE:1009284 similar to contains element L1 repetitive element;
12167	25894	31418	1.4	4.0E-45	11435947	NT	Homo sapiens chromosome 12 open reading frame 3 (C12ORF3), mRNA
4115	16393		0.99	3.0E-45	T71480.1	EST_HUMAN	yd3507.r1 Soares fetal liver spleen 1NLS Homo sapiens cDNA clone IMAGE:110246 5'
6394	19433	32876	1.13	3.0E-45	6753661	NT	Mus musculus dynein, axon, heavy chain 11 (Dnahc11), mRNA
6364	19433	32877	1.13	3.0E-45	6753661	NT	Mus musculus dynein, axon, heavy chain 11 (Dnahc11), mRNA
8794	21761		1.53	3.0E-45	AV723976.1	EST_HUMAN	AV723976 HTB Homo sapiens cDNA clone HTBAAG01 5'
9143	22109	35535	3.82	3.0E-45	4758451	NT	Homo sapiens golgi autoantigen, golgin subfamily a, 2 (GOLGA2) mRNA
10870	23592	37087	10.98	3.0E-45	AL163227.2	NT	Homo sapiens chromosome 21 segment HS21C027
10670	23592	37088	10.98	3.0E-45	AL163227.2	NT	Homo sapiens chromosome 21 segment HS21C027
12964	25888		4.13	3.0E-45	X89211.1	NT	H. sapiens DNA for endogenous retroviral like element
2511	16514		1.96	2.0E-45	AL163218.2	NT	Homo sapiens chromosome 21 segment HS21C018
3045	18102	28016	1.6	2.0E-45	AJ243213.1	NT	Homo sapiens partial 5-HT4 receptor gene, exons 2 to 5
6871	19728	33004	5.17	2.0E-45	L01665.1	NT	Human eosinophil Charcot-Leyden crystal (CLC) protein (lysophospholipase) gene, promoter and exon 1
7668	20812	34189	1.25	2.0E-45	BE782184.1	EST_HUMAN	601467793F1 NIH_MGC_67 Homo sapiens cDNA clone IMAGE:3870838 5'
8758	21725	35148	1.08	2.0E-45	AW834834.1	EST_HUMAN	RC0-LT0001-150200-032-d11 LT0001 Homo sapiens cDNA
11154	25704	37639	25.96	2.0E-45	BE934350.1	EST_HUMAN	MR0-HT0923-190800-201-a02 HT0923 Homo sapiens cDNA
11511	24452	38002	3.5	2.0E-45	AA458770.1	EST_HUMAN	aa87112.11 Stralagene fetal retina 937202 Homo sapiens cDNA clone IMAGE:838319 5' similar to TR:G1144569 G1144569 R-SLY1;
11832	24715	38289	1.67	2.0E-45	AW270280.1	EST_HUMAN	xp72a03.x1 NCI_CGAP_Ov40 Homo sapiens cDNA clone IMAGE:2745888 3'
11832	24715	38300	1.67	2.0E-45	AW270280.1	EST_HUMAN	xp72a03.x1 NCI_CGAP_Ov40 Homo sapiens cDNA clone IMAGE:2745888 3'
12999	25555		3.46	2.0E-45	11418157	NT	Homo sapiens calcium channel, voltage-dependent, alpha 11 subunit (CACNA11), mRNA
124	13482		1.84	1.0E-45	BE389855.1	EST_HUMAN	601284360F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3608183 5'
409	13482		2.09	1.0E-45	BE389855.1	EST_HUMAN	601284360F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3608183 5'
473	13482	26474	1.93	1.0E-45	4506412	NT	Homo sapiens RAP1A, member of RAS oncogene family (RAP1A), mRNA
1178	14219	27175	1.94	1.0E-45	7657290	NT	Homo sapiens Langerhans cell specific c-type lectin (LANGERIN), mRNA
3120	16177	29088	7.12	1.0E-45	U32169.1	NT	Human pro-a2 chain of collagen type XI (COL11A2) gene, complete cds
3503	16550	29477	0.84	1.0E-45	8659558	NT	Homo sapiens chromosome 21 open reading frame 1 (C21orf4), mRNA
4503	17528	30413	4.06	1.0E-45	BE396833.1	EST_HUMAN	601289116F1 NIH_MGC_8 Homo sapiens cDNA clone IMAGE:3519803 5'

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4757	17777		1.01	1.0E-45	H57443.1	EST_HUMAN	y05802.r1 Soares fetal liver spleen 1NF1LS Homo sapiens cDNA clone IMAGE:204363 5'
8365	21334	34745	0.57	1.0E-45	11422236	NT	Homo sapiens peroxisomal biogenesis factor 14 (PEX14), mRNA
8365	21334	34746	0.57	1.0E-45	11422236	NT	Homo sapiens peroxisomal biogenesis factor 14 (PEX14), mRNA
8365	21334	34746	0.57	1.0E-45	11422236	NT	Homo sapiens peroxisomal biogenesis factor 14 (PEX14), mRNA
8954	21920	35346	0.85	1.0E-45	D87675.1	NT	Homo sapiens DNA for amyloid precursor protein, complete cds
9476	22440	35880	4.82	1.0E-45	BE887843.1	EST_HUMAN	801511226F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3912535 5'
9880	22833	36287	1.03	1.0E-45	AB002297.1	NT	Human mRNA for KIAA0299 gene, partial cds
12369	25155	31856	9.31	1.0E-45	11418099	NT	Homo sapiens protein kinase C, alpha binding protein (PRKCAP), mRNA
12551	25274		9.31	1.0E-45	11526291	NT	Homo sapiens hypothetical protein FLJ20454 (FLJ20454), mRNA
12556	25271		6.48	1.0E-45	11418177	NT	Homo sapiens Ran GTPase activating protein 1 (RANGAP1), mRNA
12962	25532	31715	3.98	1.0E-45	11418157	NT	Homo sapiens calcium channel, voltage-dependent, alpha 1I subunit (CACNA1I), mRNA
8570	21538	34959	1.68	9.0E-46	8910283	NT	Homo sapiens keratin complex 2, gene 6g (Krt2-6g), mRNA
8981	21947		7.02	9.0E-46	AL163209.2	NT	Homo sapiens chromosome 21 segment HS21C009
10845	23765	37264	9.09	9.0E-46	AW246964.1	EST_HUMAN	2822449.5prine NIH_MGC_7 Homo sapiens cDNA clone IMAGE:2822449 5'
							I32208.x1 NCI_CGAP_Gas4 Homo sapiens cDNA clone IMAGE:2132189 3' similar to gb:J00314_ma2
2448	15453	28474	11.23	8.0E-46	A1433261.1	EST_HUMAN	TUBULIN BETA-1 CHAIN (HUMAN);
							I32208.x1 NCI_CGAP_Gas4 Homo sapiens cDNA clone IMAGE:2132189 3' similar to gb:J00314_ma2
2448	15453	28475	11.23	8.0E-46	A1433261.1	EST_HUMAN	TUBULIN BETA-1 CHAIN (HUMAN);
8389	21358		6.79	8.0E-46	BE167244.1	EST_HUMAN	RC6-HT0506-280200-012-C12 HT0506 Homo sapiens cDNA
2248	15282	28289	1.17	7.0E-46	U46007.1	NT	Rattus norvegicus esph mRNA, complete cds
4611	17632		3.58	7.0E-46	BE386165.1	EST_HUMAN	801277292F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3618119 5'
4845	17862		1.14	7.0E-46	BE064386.1	EST_HUMAN	RC4-BT0310-110300-015-F10 BT0310 Homo sapiens cDNA
8160	19235	32466	3.92	7.0E-46	8922708	NT	Homo sapiens hypothetical protein FLJ10847 (FLJ10847), mRNA
8642	19700	32976	1.95	7.0E-46	BF105845.1	EST_HUMAN	601822835F1 NIH_MGC_77 Homo sapiens cDNA clone IMAGE:4042736 5'
							wm31f08.x1 NCI_CGAP_U14 Homo sapiens cDNA clone IMAGE:2437575 3' similar to contains MER19.12
2765	15757	28778	5.63	6.0E-46	A1884381.1	EST_HUMAN	MER19 repetitive element;
							wm31f08.x1 NCI_CGAP_U14 Homo sapiens cDNA clone IMAGE:2437575 3' similar to contains MER19.12
2765	15757	28779	5.63	6.0E-46	A1884381.1	EST_HUMAN	MER19 repetitive element;
							ts68h10.x1 NCI_CGAP_Kid8 Homo sapiens cDNA clone IMAGE:2232835 3' similar to TR:O60363 O60363
6252	19325	32556	10.15	6.0E-46	A1635448.1	EST_HUMAN	SA GENE.;
							xs42e04.x1 NCI_CGAP_U11 Homo sapiens cDNA clone IMAGE:2706854 3' similar to gb:J08069 DNAJ
7426	20393	33743	0.76	6.0E-46	AW513244.1	EST_HUMAN	PROTEIN HOMOLOG 2 (HUMAN);
7609	20570	33933	0.51	6.0E-46	BF509740.1	EST_HUMAN	UI-H-B14-apg-b-06-0-U1.s1 NCI_CGAP_Sub8 Homo sapiens cDNA clone IMAGE:3087298 3'
205	13306		6.47	5.0E-46	AL163210.2	NT	Homo sapiens chromosome 21 segment HS21C010
3539	16585	29508	1.01	5.0E-46	BE677194.1	EST_HUMAN	7d81g01.x1 Lupskl_doreal_root_ganglion Homo sapiens cDNA clone IMAGE:3279408 3'

Page 301 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3539	16585	29509	1.01	5.0E-46	BE677194.1	EST_HUMAN	7d81g01.x1 Lupski_dorsal_root_ganglion Homo sapiens cDNA clone IMAGE:3279408 3'
6899	19951	33248	1.64	5.0E-46	BF590442.1	EST_HUMAN	naa38f07.x1 NCL_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:3258767 3' similar to TR:O76202
7128	20104	33415	3.97	5.0E-46	BF347229.1	EST_HUMAN	O75202 HOMOLOG OF RAT KIDNEY-SPECIFIC;
7302	20273	33609	0.67	5.0E-46	AW582283.1	EST_HUMAN	602021164F1 NCL_CGAP_Brn67 Homo sapiens cDNA clone IMAGE:4156670 5'
7614	20574	33938	0.56	5.0E-46	BE549744.1	EST_HUMAN	QV4-ST0212-120100-076-109 ST0212 Homo sapiens cDNA
642	13708		2.88	4.0E-46	AA601143.1	EST_HUMAN	7b38b05.x1 NCL_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3230481 3'
							no54909.s1 NCL_CGAP_SS1 Homo sapiens cDNA clone IMAGE:1104520 3' similar to gb:X53741_rna1
							FIBULIN-1, ISOFORM A PRECURSOR (HUMAN);
1715	14745	27729	7.91	4.0E-46	AW770544.1	EST_HUMAN	h186c03.x1 NCL_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3008836 3' similar to gb:X14008_rna1
							LYSOZYME C PRECURSOR (HUMAN); contains element MER37 repetitive element;
1715	14746	27730	7.91	4.0E-46	AW770544.1	EST_HUMAN	h186c03.x1 NCL_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3008836 3' similar to gb:X14008_rna1
2749	15742	28759	3.26	4.0E-46	M18048.1	NT	LYSOZYME C PRECURSOR (HUMAN); contains element MER37 repetitive element;
4447	17473	30361	0.95	4.0E-46	AB014522.1	NT	Human endogenous retrovirus RTVL-H2
4447	17473	30362	0.95	4.0E-46	AB014522.1	NT	Homo sapiens mRNA for KIAA0622 protein, partial cds
5194	18203	31076	0.78	4.0E-46	BE044260.1	EST_HUMAN	Homo sapiens mRNA for KIAA0622 protein, partial cds
5194	18203	31077	0.78	4.0E-46	BE044260.1	EST_HUMAN	h042a07.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:3040020 3'
5511	18611	31542	2.11	4.0E-46	M36852.1	NT	h042a07.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:3040020 3'
5511	18611	31543	2.11	4.0E-46	M36852.1	NT	Human Ig germline gamma-3 heavy-chain gene V region, partial cds
12792	25422	31737	2.51	4.0E-46	AB002059.1	NT	Human Ig germline gamma-3 heavy-chain gene V region, partial cds
4421	17448	30339	1.21	3.0E-46	4506376	NT	Homo sapiens DNA for Human P2XM, complete cds
							Homo sapiens mitogen-activated protein kinase kinase kinase 3 (MAP4K3), mRNA
4809	17828	30722	2.84	3.0E-46	Z73660.1	NT	H. sapiens Ig lambda light chain variable region gene (7c.11.2) germline; Ig-Lambda; VLambda
4809	17828	30723	2.84	3.0E-46	Z73660.1	NT	H. sapiens Ig lambda light chain variable region gene (7c.11.2) germline; Ig-Lambda; VLambda
9102	22068	35494	10	3.0E-46	A1631462.1	EST_HUMAN	w148c04.x1 NCL_CGAP_Lu19 Homo sapiens cDNA clone IMAGE:2406150 3' similar to contains THR.b2
9358	22323	35750	0.59	3.0E-46	L08850.1	NT	THR repetitive element;
9358	22323	35751	0.59	3.0E-46	L08850.1	NT	Human AD amyloid mRNA, complete cds
11898	24779	38365	2.01	3.0E-46	D31765.1	NT	Human AD amyloid mRNA, complete cds
							Human mRNA for KIAA0061 gene, partial cds
838	13895	26850	10.84	2.0E-46	AA468646.1	EST_HUMAN	no06a09.s1 NCL_CGAP_Cc3 Homo sapiens cDNA clone IMAGE:880408 3' similar to contains THR.b2 THR

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1564	14597		2.13	2.0E-46	AA678246.1	EST_HUMAN	z127a11.s1 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:431986 3'
1647	14879	27652	4.43	2.0E-48	U78027.1	NT	Homo sapiens Bruton's tyrosine kinase (BTK), alpha-D-galactosidase A (GLA), L44-like ribosomal protein (L44L) and FTP3 (FTP3) genes, complete cds
5010	18024	30910	1.06	2.0E-46	AA399286.1	EST_HUMAN	z159e02.11 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:728650 5' similar to SW:RSP1_MOUSE
7726	20682	34046	7.69	2.0E-46	9910569	NT	Q01730 RSP-1 PROTEIN.;
8404	21373		1.18	2.0E-46	BE869151.1	EST_HUMAN	Mus musculus sperm tail associated protein (Slap), mRNA
11578	24514		1.82	2.0E-46	7657233	NT	801445137F1 NIH_MGC_65 Homo sapiens cDNA clone IMAGE:3849297 5'
12857	25741	31619	3.22	2.0E-46	AW277214.1	EST_HUMAN	Homo sapiens small acidic protein (IMAGE145052), mRNA
1237	14273	27233	6.68	1.0E-48	4502894	NT	xq78h03.x1 NCI_CGAP_Lu34 Homo sapiens cDNA clone IMAGE:2756789 3'
2289	15302	28326	3.26	1.0E-46	AW978516.1	EST_HUMAN	Homo sapiens cell division cycle 10 (homologous to CDC10 of S. cerevisiae) (CDC10) mRNA
2409	15416	28440	2.9	1.0E-46	H97330.1	EST_HUMAN	EST390825 MAGG resequences, MAGP Homo sapiens cDNA
3262	16316	29236	1.32	1.0E-46	AA631912.1	EST_HUMAN	EST486095 WATM1 Homo sapiens cDNA clone 486095
4908	17925		2.93	1.0E-48	AB023197.1	NT	np78b02.s1 NCI_CGAP_Pr2 Homo sapiens cDNA clone IMAGE:1132395 similar to gb:X76717 H.sapiens MT-11 mRNA. (HUMAN);
5784	18876	32058	7.06	1.0E-48	BF194707.1	EST_HUMAN	Homo sapiens mRNA for KIAA0980 protein, partial cds
6089	25653	32382	5.57	1.0E-48	8923762	NT	7092b01.x1 NCI_CGAP_Ov18 Homo sapiens cDNA clone IMAGE:3643705 3'
6089	25653	32383	5.57	1.0E-48	8923762	NT	Homo sapiens centaurin-alpha 2 protein (HSA272195), mRNA
6766	19820	33102	0.65	1.0E-46	BF196247.1	EST_HUMAN	Homo sapiens centaurin-alpha 2 protein (HSA272195), mRNA
11211	18876	32058	3.61	1.0E-48	BF194707.1	EST_HUMAN	7n48e07.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3567852 3' similar to contains element MER22 repetitive element ;
12322	25124	31845	1.52	1.0E-48	BF531102.1	EST_HUMAN	MER22 repetitive element ;
12322	25124	31846	1.52	1.0E-48	BF531102.1	EST_HUMAN	7092b01.x1 NCI_CGAP_Ov18 Homo sapiens cDNA clone IMAGE:3643705 3'
13066	25600		4.54	1.0E-46	AV715377.1	EST_HUMAN	602072284F1 NCI_CGAP_Bm67 Homo sapiens cDNA clone IMAGE:4215398 5'
767	13826		3.24	9.0E-47	AJ271735.1	NT	602072284F1 NCI_CGAP_Bm67 Homo sapiens cDNA clone IMAGE:4215398 5'
4968	17983	30873	3.91	9.0E-47	AW770928.1	EST_HUMAN	AV715377 DCB Homo sapiens cDNA clone DCBAIE03 5'
6513	19577	32832	1.58	9.0E-47	11425439	NT	Homo sapiens Xq pseudautosomal region; segment 1/2
12816	25843	31432	2.25	9.0E-47	11417966	NT	h183e04.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3009534 3' similar to TR:O75703 O75703 HYPOTHETICAL 12.4 KD PROTEIN. ;
1825	14852	27846	47.72	8.0E-47	Y18536.1	NT	Homo sapiens zinc finger protein ZNF286 (ZNF286), mRNA
1825	14852	27847	47.72	8.0E-47	Y18536.1	NT	Homo sapiens SEC14 (S. cerevisiae)-like 2 (SEC14L2), mRNA
2728	15722	28739	1.77	8.0E-47	5453955	NT	Homo sapiens HLA-C gene, exon 5, individual 19323
3036	16094	28012	2.12	8.0E-47	AJ229043.1	NT	Homo sapiens HLA-C gene, exon 5, individual 19323
							Homo sapiens protein phosphatase 2, regulatory subunit B (B56), epsilon isoform (PPP2R5E) mRNA
							Homo sapiens 959 kb contig between AML1 and CBR1 on chromosome 21q22, segment 3/3

Page 303 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3840	16683	29588	0.78	8.0E-47	AB041926.1	NT	Homo sapiens mRNA for GCK family kinase MINK-2, complete cds
3840	16683	29598	0.78	8.0E-47	AB041926.1	NT	Homo sapiens mRNA for GCK family kinase MINK-2, complete cds
5254	18282	31131	0.85	8.0E-47	7662421	NT	Homo sapiens KIAA0971 protein (KIAA0971), mRNA
2555	15557	28575	2.2	6.0E-47	AL163246.2	NT	Homo sapiens chromosome 21 segment HS21C046
9040	22006	35427	0.49	6.0E-47	U77054.1	EST_HUMAN	HSU77054 Human Homo sapiens cDNA clone N7
9631	22575	36025	6.5	6.0E-47	AI695189.1	EST_HUMAN	U28802.x1 NCL CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2286669 3'
10070	22997	36465	0.86	6.0E-47	AB042824.1	NT	Homo sapiens RECQL5 beta mRNA for DNA helicase recQ5 beta, complete cds
10070	22997	36468	0.86	6.0E-47	AB042824.1	NT	Homo sapiens RECQL5 beta mRNA for DNA helicase recQ5 beta, complete cds
6129	19785	33064	6.56	5.0E-47	11423972	NT	Homo sapiens CDC37 (cell division cycle 37, S. cerevisiae, homolog) (CDC37), mRNA
11147	24107		4.8	5.0E-47	M78590.1	EST_HUMAN	EST00738 Fetal brain, Stratagene (cat#936206) Homo sapiens cDNA clone HFBCF07
1400	14433	27403	4.48	4.0E-47	4557556	NT	Homo sapiens E1a binding protein p300 (EP300) mRNA
7006	20132	33447	0.98	4.0E-47	BE938996.1	EST_HUMAN	MR4-TN0108-280800-201-404 TN0108 Homo sapiens cDNA
8825	21792	35214	2.45	4.0E-47	BE616483.1	EST_HUMAN	601280486F1 NIH_MGC 39 Homo sapiens cDNA clone IMAGE:3622437 5'
8825	21792	35215	2.45	4.0E-47	BE616483.1	EST_HUMAN	601280486F1 NIH_MGC 39 Homo sapiens cDNA clone IMAGE:3622437 5'
8965	21931	35356	0.81	4.0E-47	AW963777.1	EST_HUMAN	RC3-BN0034-220300-015-105 BN0034 Homo sapiens cDNA
11954	24833		5.51	4.0E-47	AW515509.1	EST_HUMAN	xx6607.x1 NCL CGAP_Lym12 Homo sapiens cDNA clone IMAGE:2848597 3' similar to SW:INT8_MOUSE
546	13617	26538	1.73	3.0E-47	BE907634.1	EST_HUMAN	Q64252 VIRAL INTEGRATION SITE PROTEIN INT-6, [1]:
546	13617	26539	1.73	3.0E-47	BE907634.1	EST_HUMAN	601497639F1 NIH_MGC 70 Homo sapiens cDNA clone IMAGE:3899721 5'
819	13677	26826	6.7	3.0E-47	N57483.1	EST_HUMAN	601497639F1 NIH_MGC 70 Homo sapiens cDNA clone IMAGE:3899721 5'
944	13697	26949	7.86	3.0E-47	AL163284.2	NT	W54b04.s1 Soares_multiple_sclerosis_2NbHMSF Homo sapiens cDNA clone IMAGE:277327 3'
3315	16368	29288	0.7	3.0E-47	4504116	NT	Homo sapiens chromosome 21 segment HS21C084
3990	17030		6.21	3.0E-47	U63181.1	NT	Homo sapiens glutamate receptor, ionotropic, kainate 1 (GRIK1) mRNA
4389	17417	30301	0.98	3.0E-47	M12959.1	NT	Homo sapiens nuclear dual-specificity phosphatase (SBF1) mRNA, partial cds
6128	19206	32429	4.76	3.0E-47	AW408800.1	EST_HUMAN	Human T-cell receptor active alpha-chain mRNA from JM cell line, complete cds
6128	19206	32430	4.76	3.0E-47	AW408800.1	EST_HUMAN	UI-HF-BM0-adv-d-07-Q-U1.r1 NIH_MGC 38 Homo sapiens cDNA clone IMAGE:3063205 5'
6716	19772		1.72	3.0E-47	AI222413.1	EST_HUMAN	UI-HF-BM0-adv-d-07-Q-U1.r1 NIH_MGC 38 Homo sapiens cDNA clone IMAGE:3063205 5'
7608	20569	33931	0.59	3.0E-47	AI819755.1	EST_HUMAN	qh04e07.x1 Soares_NEL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1843716 3'
7608	20569	33932	0.59	3.0E-47	AI819755.1	EST_HUMAN	wj11h08.x1 NCL CGAP_Kid12 Homo sapiens cDNA clone IMAGE:2402569 3'
9185	22151	35579	0.59	3.0E-47	AW963796.1	EST_HUMAN	wj11h08.x1 NCL CGAP_Kid12 Homo sapiens cDNA clone IMAGE:2402569 3'
9185	22151	35580	0.59	3.0E-47	AW963796.1	EST_HUMAN	EST375869 MAGe resequences, MAGH Homo sapiens cDNA
149	13252	26181	1.57	2.0E-47	4505318	NT	EST375869 MAGe resequences, MAGH Homo sapiens cDNA
969	14021	26973	2.24	2.0E-47	AL163209.2	NT	Homo sapiens myosin phosphatase, target subunit 2 (MYPT2), mRNA
969	14021	26974	2.24	2.0E-47	AL163209.2	NT	Homo sapiens chromosome 21 segment HS21C009

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1570	14603		1.08	2.0E-47	A169279.1	EST_HUMAN	wq9b02.x1 NCI_CGAP_GC8 Homo sapiens cDNA clone IMAGE:2479851 3'
1597	14629	27604	2.2	2.0E-47	7662109	NT	Homo sapiens KIAA0426 gene product (KIAA0426), mRNA
1687	14718	27698	3.87	2.0E-47	AA524514.1	EST_HUMAN	ng43h12.s1 NCI_CGAP_Co3 Homo sapiens cDNA clone IMAGE:937807 3'
4374	17402	30282	1.82	2.0E-47	4504866	NT	Homo sapiens ring finger protein (C3HC4 type) 8 (RNFB), mRNA
4411	17439	30327	1.48	2.0E-47	AA569592.1	EST_HUMAN	m23g07.s1 NCI_CGAP_P1 Homo sapiens cDNA clone IMAGE:914652
4411	17439	30328	1.48	2.0E-47	AA569592.1	EST_HUMAN	m23g07.s1 NCI_CGAP_P1 Homo sapiens cDNA clone IMAGE:914652
4534	17557	30445	1.68	2.0E-47	5174648	NT	Homo sapiens Rev/Rex activation domain binding protein-related (RAB-R) mRNA
4850	17867	30760	1.22	2.0E-47	AW965166.1	EST_HUMAN	EST377239 IMAGE resequences, MAGI Homo sapiens cDNA
5187	18196		0.7	2.0E-47	AI041128.1	EST_HUMAN	ov61h03.x1 Soares testis NHT Homo sapiens cDNA clone IMAGE:1641845 3'
5880	18969	32160	1.22	2.0E-47	AF073921.1	NT	Homo sapiens regulator of G-protein signalling 6 variant form (RGS6) mRNA, complete cds
6088	19168	32380	1.29	2.0E-47	BE778475.1	EST_HUMAN	601463932F1 NIH_MGC_67 Homo sapiens cDNA clone IMAGE:3867487 5'
6088	19168	32381	1.29	2.0E-47	BE778475.1	EST_HUMAN	601463932F1 NIH_MGC_67 Homo sapiens cDNA clone IMAGE:3867487 5'
7964	25692		1.43	2.0E-47	LO9731.1	NT	Homo sapiens 5-hydroxytryptamine 1D receptor pseudogene with an Alu repeat insertion
8297	21266	34677	1.76	2.0E-47	D87675.1	NT	Homo sapiens DNA for amyloid precursor protein, complete cds
8297	21266	34678	1.76	2.0E-47	D87675.1	NT	Homo sapiens DNA for amyloid precursor protein, complete cds
9088	22034	35457	1.75	2.0E-47	AF071771.1	NT	Homo sapiens SPH-binding factor mRNA, partial cds
9845	22781	36235	0.76	2.0E-47	11526136	NT	Homo sapiens BTG family, member 3 (BTG3), mRNA
11800	23955	37478	2.31	2.0E-47	M76125.1	NT	Human tyrosine kinase receptor (ex) mRNA, complete cds
12358	25886	31415	2.12	2.0E-47	R42423.1	EST_HUMAN	Human tyrosine kinase receptor (ex) mRNA, complete cds
1404	14437	27405	6.91	1.0E-47	A133429.1	EST_HUMAN	yf92e08.s1 Soares Infant brain 1N1B Homo sapiens cDNA clone IMAGE:29966 3' similar to contains OFR
3835	16875	28776	1.18	1.0E-47	BE280477.1	EST_HUMAN	repetitive element;
3835	16875	28777	1.18	1.0E-47	BE280477.1	EST_HUMAN	qp99h03.x1 Soares fetal lung_NHL19W Homo sapiens cDNA clone IMAGE:1931189 3'
5112	18122	30897	2.55	1.0E-47	AW813906.1	EST_HUMAN	601155321F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3138893 5'
7244	19979	33276	6.6	1.0E-47	A1880896.1	EST_HUMAN	601155321F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3138893 5'
9220	22186		0.77	1.0E-47	AW664648.1	EST_HUMAN	RC3-ST0197-130400-017-R02 ST0197 Homo sapiens cDNA
10721	23643	37136	2.41	1.0E-47	L30115.1	NT	at19e06.x1 Barslead aorta HPLR86 Homo sapiens cDNA clone IMAGE:2355586 3' similar to gb:M22995
1616	14648	27623	3.85	9.0E-48	AF223391.1	NT	RAS-RELATED PROTEIN RAP-1A (HUMAN);
3569	16614	29536	0.7	9.0E-48	BF359947.1	EST_HUMAN	h184h11.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2978972 3' similar to gb:M26326
5763	18855	32035	0.84	9.0E-48	BE888196.1	EST_HUMAN	KERATIN, TYPE I CYTOSKELETAL 18 (HUMAN);
5763	18855	32036	0.84	9.0E-48	BE888196.1	EST_HUMAN	Papio hamadryas alcohol dehydrogenase class I (ADH) gene, 5' region
							Homo sapiens calcium channel alpha1E subunit (CACNA1E) gene, exons 7-49, and partial cds, alternatively spliced
							spliced
							CM2-MT0100-310700-290-105 MT0100 Homo sapiens cDNA
							601511714F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3913106 5'
							601511714F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3913106 5'
							601511714F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3913106 5'

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6220	19294	32628	0.6	9.0E-48	AI833168.1	EST_HUMAN	el75h09.x1 Barstead codon HPLRB7 Homo sapiens cDNA clone IMAGE:2377889 3' similar to TR:O60844
6351	19420	32661	0.73	9.0E-48	AU123240.1	EST_HUMAN	O60844 HOMOLOG OF RAT ZYMOGEN GRANULE MEMBRANE PROTEIN. ;
11452	24395	37940	2.49	9.0E-48	BE93813.1	EST_HUMAN	AU123240 NT2RM1 Homo sapiens cDNA clone NT2RM1000978 5'
1255	14291		1.5	8.0E-48	4501900	NT	601310479F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3632083 5'
1256	14291		1.54	8.0E-48	4501900	NT	Homo sapiens aminocyclase 1 (ACY1), mRNA
3152	16209	29123	3.31	8.0E-48	AW768477.1	EST_HUMAN	hik61b03.x1 NCL CGAP_Lym12 Homo sapiens cDNA clone IMAGE:3001133 3' similar to gb:XB4707
3152	16209	29124	3.31	8.0E-48	AW768477.1	EST_HUMAN	BREAST BASIC CONSERVED PROTEIN 1 (HUMAN);
491	13564		1.54	7.0E-48	AB033035.1	NT	hik61b03.x1 NCL CGAP_Lym12 Homo sapiens cDNA clone IMAGE:3001133 3' similar to gb:XB4707
492	13564		22.81	7.0E-48	AB033035.1	NT	BREAST BASIC CONSERVED PROTEIN 1 (HUMAN);
1486	14529	27501	1.04	7.0E-48	6912719	NT	Homo sapiens mRNA for KIAA1209 protein, partial cds
1843	14675	27648	4.5	7.0E-48	5730038	NT	Homo sapiens SET domain and mariner transposase fusion gene (SETMAR) mRNA
6707	19763	33042	24.74	7.0E-48	11416831	EST_HUMAN	hik61b03.x1 NCL CGAP_Kid12 Homo sapiens cDNA clone IMAGE:23988613 3'
3812	16657	29575	1.2	6.0E-48	AI761111.1	NT	Homo sapiens BMX non-receptor tyrosine kinase (BMX), mRNA
6178	19251	32484	1.12	6.0E-48	AB006955.1	NT	Homo sapiens putative oncogene protein mRNA, partial cds
6953	20177	33502	0.89	6.0E-48	11420995	NT	Homo sapiens hypothetical protein FLJ11006 (FLJ11006), mRNA
7702	25687	34023	0.56	6.0E-48	AB046844.1	NT	zq45b06.s1 Stratagene hNT neuron (#837233) Homo sapiens cDNA clone IMAGE:632827 3' similar to contains Alu repetitive element;
9479	22443	35886	1.94	6.0E-48	AF026816.1	NT	Homo sapiens phosphodiesterase 1A, calmodulin-dependent (PDE1A) mRNA
9899	22652	36311	1.78	6.0E-48	11427428	NT	RC4-BT0311-141199-011-h06 BT0311 Homo sapiens cDNA
10047	22974	36441	3.3	6.0E-48	AA189080.1	EST_HUMAN	tc47a02.x1 NCL CGAP_P28 Homo sapiens cDNA clone IMAGE:2264154 3'
3320	18313	28292	1.58	5.0E-48	4826891	NT	AV609064 GKC Homo sapiens cDNA clone GKCDRE12 5'
8921	21887	35314	1.11	5.0E-48	BE064410.1	EST_HUMAN	Homo sapiens chromosome X open reading frame 6 (CXORF6) mRNA
11305	24255	37782	2.83	4.0E-48	AI620420.1	EST_HUMAN	Homo sapiens chromosome X open reading frame 6 (CXORF6) mRNA
1385	14419	27388	1.33	3.0E-48	AV609064.1	EST_HUMAN	Homo sapiens opid growth factor receptor mRNA, complete cds
1993	15014	28020	16.21	3.0E-48	4885170	NT	Homo sapiens opid growth factor receptor mRNA, complete cds
1993	15014	28021	16.21	3.0E-48	4885170	NT	h114b12.x1 NCL CGAP_GU1 Homo sapiens cDNA clone IMAGE:2972255 3' similar to SW:DCRB_HUMAN
3429	18477	29396	0.93	3.0E-48	AF172453.1	NT	P56555 DOWN SYNDROME CRITICAL REGION PROTEIN B. ;
3647	16690	29606	0.75	3.0E-48	AW664531.1	EST_HUMAN	z104g03.1 Scores_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:428844 5'
4275	17304		0.9	3.0E-48	AA009541.1	EST_HUMAN	

Page 306 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5997	19081	32278	2.41	3.0E-48	BE084571.1	EST_HUMAN	MR4-BT0657-060400-201-e10 BT0657 Homo sapiens cDNA
7215	20237	33571	1.06	3.0E-48	AF087913.1	NT	Human endogenous retrovirus HERV-P-T47D
8734	21702		4.11	3.0E-48	AA659930.1	EST_HUMAN	nt03105.s1 NCL_CGAP_P222 Homo sapiens cDNA clone IMAGE:1219137 3' similar to contains PTR5.b1
11221	24174	37700	6.89	3.0E-48	BF514170.1	EST_HUMAN	PTR5 repetitive element:
5	13126	26025	2.4	2.0E-48	AA465007.1	EST_HUMAN	ULH-BW1-ent-a-10-Q-U1.s1 NCL_CGAP_Sub7 Homo sapiens cDNA clone IMAGE:3082267 3'
47	13167	26072	1.23	2.0E-48	AA631940.1	EST_HUMAN	z680c03.r1 Soares ovary tumor NBHOT Homo sapiens cDNA clone IMAGE:810052 5'
1223	14261		0.65	2.0E-48	H24278.1	EST_HUMAN	tfm67 Regional genomic DNA specific cDNA library Homo sapiens cDNA clone CR17-26
4562	17585	30477	0.92	2.0E-48	BE246065.1	EST_HUMAN	ym55e10.r1 Soares infant brain IN1B Homo sapiens cDNA clone IMAGE:52182 5' similar to
5912	18998	32188	0.63	2.0E-48	AA613171.1	EST_HUMAN	SP-M6B_MOUSE P35803 MEMBRANE GLYCOPROTEIN
5912	18998	32189	0.63	2.0E-48	AA613171.1	EST_HUMAN	TCBAP-1D3842 Pediatric pre-B cell acute lymphoblastic leukemia Baylor-HGSC project-TCBA Homo
7762	20715	34086	3.9	2.0E-48	AB040934.1	NT	sapiens cDNA clone TCBAP3842
7762	20715	34087	3.9	2.0E-48	AB040934.1	NT	nt18g01.s1 NCL_CGAP_Phet1 Homo sapiens cDNA clone IMAGE:1101072 3'
7777	20730	34103	3.52	2.0E-48	11496238	NT	nt18g01.s1 NCL_CGAP_Phet1 Homo sapiens cDNA clone IMAGE:1101072 3'
8698	21666	35089	1.37	2.0E-48	AV743451.1	EST_HUMAN	Homo sapiens mRNA for KIAA1501 protein, partial cds
12318	13126	26025	3.8	2.0E-48	AA465007.1	EST_HUMAN	Homo sapiens mRNA for KIAA1501 protein, partial cds
58	13177	26089	3.37	1.0E-48	7706534	NT	Homo sapiens v-rel avian reticuloendotheliosis viral oncogene homolog A (nuclear factor of kappa light
874	13930	26888	1.61	1.0E-48	4502166	NT	polypeptide gene enhancer in B-cells 3 (p65) (RELA), mRNA
1077	14122	27073	1.8	1.0E-48	7657430	NT	AV743451 CB Homo sapiens cDNA clone CBCCGG10 5'
1077	14122	27074	1.8	1.0E-48	7657430	NT	z680c03.r1 Soares ovary tumor NBHOT Homo sapiens cDNA clone IMAGE:810052 5'
1299	14335	27298	5.06	1.0E-48	5032032	NT	Homo sapiens dispiratin resistance-associated overexpressed protein (LOC51747), mRNA
1933	14957	27954	14.5	1.0E-48	AL163302.2	NT	Homo sapiens amyloid beta (A4) precursor protein (protease nexin-II, Alzheimer disease) (APP), mRNA
3500	16547	29473	0.83	1.0E-48	AL163246.2	NT	Homo sapiens EBNA-2 co-activator (100kD) (p100), mRNA
6420	19487	32736	1.17	1.0E-48	AI889077.1	EST_HUMAN	Homo sapiens EBNA-2 co-activator (100kD) (p100), mRNA
6420	19487	32737	1.17	1.0E-48	AI889077.1	EST_HUMAN	Homo sapiens RNA binding motif protein 6 (RBM6) mRNA
6648	19708		1.03	1.0E-48	Y18000.1	NT	Homo sapiens chromosome 21 segment HS21C102
6748	19802	33082	0.7	1.0E-48	AB028994.1	NT	Homo sapiens chromosome 21 segment HS21C046
6748	19802	33083	0.7	1.0E-48	AB028994.1	NT	nt17d01.x1 NCL_CGAP_Cot16 Homo sapiens cDNA clone IMAGE:2075904 3' similar to TR:O14588 O14588
							SIMILARITY TO U73941 ;
							nt17c01.x1 NCL_CGAP_Cot16 Homo sapiens cDNA clone IMAGE:2075904 3' similar to TR:O14588 O14588
							SIMILARITY TO U73941 ;
							Homo sapiens NF2 gene
							Homo sapiens mRNA for KIAA1071 protein, partial cds
							Homo sapiens mRNA for KIAA1071 protein, partial cds

Page 307 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7471	20437	33794	3.15	1.0E-48	4755137	NT	Homo sapiens huntingtin (Huntington disease) (HD) mRNA
9183	22149	35576	0.49	1.0E-48	4758695	NT	Homo sapiens mitogen-activated protein kinase kinase 13 (MAP3K13), mRNA
9183	22149	35577	0.49	1.0E-48	4758695	NT	Homo sapiens mitogen-activated protein kinase kinase 13 (MAP3K13), mRNA
9568	22530	35980	1.19	1.0E-48	4502838	NT	Homo sapiens Chediak-Higashi syndrome 1 (CHS1) mRNA
9623	22567	36017	7.13	1.0E-48	AB033071.1	NT	Homo sapiens mRNA for KIAA1245 protein, partial cds
9824	22808	36280	0.69	1.0E-48	BE168410.1	EST_HUMAN	QV3-H10513-060400-147-401 HT0513 Homo sapiens cDNA
9941	22868	36330	4.48	1.0E-48	BF304683.1	EST_HUMAN	601888096F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:4122119 5'
10736	23658	37151	3.85	1.0E-48	11429808	NT	Homo sapiens B cell linker protein (SLP65), mRNA
10736	23658	37152	3.85	1.0E-48	11429808	NT	Homo sapiens B cell linker protein (SLP65), mRNA
12280	25830		1.53	1.0E-48	W26785.1	EST_HUMAN	15d6 Human retina cDNA randomly primed sublibrary Homo sapiens cDNA
6171	19246	32478	3	8.0E-49	10048417	NT	Mus musculus T-box 20 (Tbx20), mRNA
6171	19246	32479	3	8.0E-49	10048417	NT	Mus musculus T-box 20 (Tbx20), mRNA
7017	20143	33460	0.57	8.0E-49	AA642035.1	EST_HUMAN	ns18n03.t1 NCI_CGAP_G0B1 Homo sapiens cDNA clone IMAGE:1184021 5'
8638	21606	35029	3.32	8.0E-49	U23850.1	NT	Human Inositol 1,4,5 trisphosphate receptor type 1 mRNA, partial cds
10348	23272	36748	2.1	8.0E-49	AB008681.1	NT	Homo sapiens gene for activin receptor type IIB, complete cds
11204	24158	37688	2.32	8.0E-49	AI623722.1	EST_HUMAN	ts38d12.x1 NCI_CGAP_U04 Homo sapiens cDNA clone IMAGE:2230871 3' similar to contains Alu repetitive element; contains element PTR5 repetitive element
140	13468	26388	2.24	7.0E-49	5729990	NT	Homo sapiens proteasome (prosome, macropain) 26S subunit, ATPase, 4 (PSMC4) mRNA
140	13468	26399	2.24	7.0E-49	5729990	NT	Homo sapiens proteasome (prosome, macropain) 26S subunit, ATPase, 4 (PSMC4) mRNA
393	13468	26398	1.53	7.0E-49	5729990	NT	Homo sapiens proteasome (prosome, macropain) 26S subunit, ATPase, 4 (PSMC4) mRNA
393	13468	26399	1.53	7.0E-49	5729990	NT	Homo sapiens proteasome (prosome, macropain) 26S subunit, ATPase, 4 (PSMC4) mRNA
394	13468	26398	2.06	7.0E-49	5729990	NT	Homo sapiens proteasome (prosome, macropain) 26S subunit, ATPase, 4 (PSMC4) mRNA
394	13468	26399	2.06	7.0E-49	5729990	NT	Homo sapiens proteasome (prosome, macropain) 26S subunit, ATPase, 4 (PSMC4) mRNA
1225	14263	27220	2.85	7.0E-49	AL163284.2	NT	Homo sapiens chromosome 21 segment HS21C084
5535	18632	31571	1.57	7.0E-49	AB07191.1	EST_HUMAN	wf25h04.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2356663 3' similar to TR:O54923
5545	18642	31582	1.33	7.0E-49	AL120637.1	EST_HUMAN	O54923 RSEC15.; DKFZp762C033_s1 762 (synonym: hmel2) Homo sapiens cDNA clone DKFZp762C033 3'
5903	18632	31571	0.84	7.0E-49	AB07191.1	EST_HUMAN	wf25h04.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2356663 3' similar to TR:O54923
188	13299	26227	86.86	6.0E-49	AW731740.1	EST_HUMAN	ba55g05.x1 NIH_MGC_10 Homo sapiens cDNA clone IMAGE:2800504 3' similar to gb:X17206 40S
4142	17173	30082	1.14	6.0E-49	AL162091.1	EST_HUMAN	RIBOSOMAL PROTEIN S4 (HUMAN); gb:M20632 Mouse LLRep3 protein mRNA from a repetitive element, complete (MOUSE);
6582	19642	32809	0.65	6.0E-49	AU140742.1	EST_HUMAN	DKFZp761A138_s1 761 (synonym: hamy2) Homo sapiens cDNA clone DKFZp761A138 3'
						EST_HUMAN	AU140742 PLACE4 Homo sapiens cDNA clone PLACE4000148 5'

Page 308 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
11609	24547	38107	2	6.0E-49	AW452218.1	EST_HUMAN	U1H-B13-alo-a-05-0-U1.s1 NCI_CGAP_Sub5 Homo sapiens cDNA clone IMAGE:3068048 3'
11972	24850	38446	4.09	6.0E-49	AA366566.1	EST_HUMAN	EST177525 Pancreas tumor III Homo sapiens cDNA 5' end
11972	24850	38447	4.09	6.0E-49	AA366566.1	EST_HUMAN	EST177525 Pancreas tumor III Homo sapiens cDNA 5' end
12845	25723		1.7	6.0E-49	AA707567.1	EST_HUMAN	429c08.s1 Scores_fetal_liver_spleen_INFLS_S1 Homo sapiens cDNA clone IMAGE:451694 3'
713	13775	26708	8.21	5.0E-49	AL163210.2	NT	Homo sapiens chromosome 21 segment HS21C010
713	13775	26709	8.21	5.0E-49	AL163210.2	NT	Homo sapiens chromosome 21 segment HS21C010
1809	14837	27828	3.44	5.0E-49	AA172121.1	EST_HUMAN	zp29c07.r1 Stratagene neuroepithelium (#337231) Homo sapiens cDNA clone IMAGE:610860 5' similar to TR:G233226 G233226 RTVL-H PROTEIN ; contains LTR7 LTR7 LTR7 LTR7 repetitive element ;
2760	15752	28772	9.75	5.0E-49	U17714.1	NT	Homo sapiens putative tumor suppressor ST13 (ST13) mRNA, complete cds
3286	16340	29259	6.07	5.0E-49	11436355	NT	Homo sapiens similar to ribosomal protein S27 (metalloproteinin 1) (H. sapiens) (LOC633362), mRNA x08b01.x1 NCI_CGAP_U14 Homo sapiens cDNA clone IMAGE:2875683 3' similar to WP.B0350.2B CE06703 ;
526	13597	26514	25.9	4.0E-49	AW189533.1	EST_HUMAN	Homo sapiens mRNA for ankryrin B (440 kDa)
7457	20423	33778	1.06	4.0E-49	Z26634.2	NT	Homo sapiens mRNA for ankryrin B (440 kDa)
7457	20423	33779	1.06	4.0E-49	Z26634.2	NT	Homo sapiens UDP-N-acetyl-alpha-D-galactosamine:polypeptide N-acetylgalactosaminyltransferase 8 (GalNAc-T8) (GALNT8), mRNA
7487	20452	33811	0.66	4.0E-49	11525737	NT	Homo sapiens UDP-N-acetyl-alpha-D-galactosamine:polypeptide N-acetylgalactosaminyltransferase 8 (GalNAc-T8) (GALNT8), mRNA
7487	20452	33812	0.66	4.0E-49	11525737	NT	Homo sapiens KIAA0623 gene product (KIAA0623), mRNA
8109	21046	34446	0.71	4.0E-49	7662209	NT	Homo sapiens copine III (CPNE3), mRNA
9216	22182	35614	0.53	4.0E-49	11425374	NT	Homo sapiens copine III (CPNE3), mRNA
9216	22182	35615	0.53	4.0E-49	11425374	NT	Homo sapiens cDNA clone IMAGE:682977 5'
12508	25939		8.71	4.0E-49	AA210798.1	EST_HUMAN	Homo sapiens glutathione S-transferase theta 2 (GSTT2) and glutathione S-transferase theta 1 (GSTT1) genes, complete cds
12594	26297		3.19	4.0E-49	AF240786.1	NT	H. sapiens mRNA for acetyl-CoA carboxylase
562	13632	26549	1.27	3.0E-49	X69068.1	NT	ze31c05.r1 Scores retina N2b4HR Homo sapiens cDNA clone IMAGE:360584 5' similar to contains L1.13 L1 repetitive element ;
2656	16653		1.93	3.0E-49	AA016131.1	EST_HUMAN	Human type IV collagen (COL4A6) gene, exon 40
5019	18033	30919	2.11	3.0E-49	U46999.1	NT	EST26e12 WATM1 Homo sapiens cDNA clone 25e12
7650	20610	33978	10.82	3.0E-49	H39479.1	EST_HUMAN	EST42572 Endometrial tumor Homo sapiens cDNA 5' end
11633	24570	38134	1.54	3.0E-49	AA337591.1	EST_HUMAN	MIR3-HT0487-150200-113-g01 HT0487 Homo sapiens cDNA
662	13728		3.89	2.0E-49	BE165980.1	EST_HUMAN	Y23d06.r1 Scores melanocyte 2NbhM Homo sapiens cDNA clone IMAGE:262571 5'
3236	16261	29213	1.5	2.0E-49	N26446.1	EST_HUMAN	

Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3583	16828	29547	0.78	2.0E-49	AF026564.1	NT	Homo sapiens RNA binding protein II (RBMII) gene, complete cds
6900	19952	33249	1.14	2.0E-49	AV717938.1	EST_HUMAN	AV717938 DCB Homo sapiens cDNA clone DOBALB01 5'
8438	21405		1.62	2.0E-49	M80033.1	EST_HUMAN	EST02558 Fetal brain, Stralagene (ca#938206) Homo sapiens cDNA clone HFBCY60
12603	25821		2.57	2.0E-49	AF163864.1	NT	Homo sapiens SNCA isoform (SNCA) gene, complete cds, alternatively spliced
800	13955		9.35	1.0E-49	BF036327.1	EST_HUMAN	601458531F1 NIH_MGC_68 Homo sapiens cDNA clone IMAGE:3662086 5'
1557	14589	27560	1.27	1.0E-49	4557887	NT	Homo sapiens keratin 18 (KRT18) mRNA
1818	14845	27837	3.33	1.0E-49	BE265216.1	EST_HUMAN	601115769F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3356273 5'
5433	18535	31444	5.72	1.0E-49	BF131007.1	EST_HUMAN	601820053F1 NIH_MGC_68 Homo sapiens cDNA clone IMAGE:4052052 5'
6196	19270	32505	0.87	1.0E-49	H18291.1	EST_HUMAN	Yr48h04.1 Soares adult brain N2b6HB65Y Homo sapiens cDNA clone IMAGE:171703 5' similar to SP:GBG1_HUMAN Q08447 GUANINE NUCLEOTIDE-BINDING PROTEIN G(T) GAMMA-1 SUBUNIT ;
6202	19276	32510	1	1.0E-49	AW064640.1	EST_HUMAN	EST1376713 IMAGE resequences, MAGH Homo sapiens cDNA
7427	20394	33744	0.58	1.0E-49	AV703000.1	EST_HUMAN	AV703000 ADB Homo sapiens cDNA clone ADBGVD11 5'
7427	20394	33745	0.58	1.0E-49	AV703000.1	EST_HUMAN	AV703000 ADB Homo sapiens cDNA clone ADBGVD11 5'
7433	20400	33763	3.3	1.0E-49	BE398110.1	EST_HUMAN	601290330F1 NIH_MGC_8 Homo sapiens cDNA clone IMAGE:3620863 5'
7433	20400	33764	3.3	1.0E-49	BE398110.1	EST_HUMAN	601290330F1 NIH_MGC_8 Homo sapiens cDNA clone IMAGE:3620863 5'
7520	20485	33846	2.2	1.0E-49	N25884.1	EST_HUMAN	yw78g12.s1 Soares placenta_8to9weeks_2NbhP8to9W Homo sapiens cDNA clone IMAGE:268406 3' similar to gb:XB6873 KINESIN HEAVY CHAIN (HUMAN);
7620	20485	33847	2.2	1.0E-49	N25884.1	EST_HUMAN	yw78g12.s1 Soares placenta_8to9weeks_2NbhP8to9W Homo sapiens cDNA clone IMAGE:268406 3' similar to gb:XB6873 KINESIN HEAVY CHAIN (HUMAN);
8414	21383	34790	0.69	1.0E-49	11321580	NT	Homo sapiens succinate-CoA ligase, GDP-forming, alpha subunit (SUCLG1), mRNA
8414	21383	34791	0.69	1.0E-49	11321580	NT	Homo sapiens succinate-CoA ligase, GDP-forming, alpha subunit (SUCLG1), mRNA
9023	21989		0.78	1.0E-49	9994184	NT	Homo sapiens RNA binding motif protein 7 (LOC51120), mRNA
9344	22309	35734	1.14	1.0E-49	BE409340.1	EST_HUMAN	601300992F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3635398 5'
10485	23407	36803	1.22	1.0E-49	AL043128.2	EST_HUMAN	DKFZp434D2423_1 434 (synonym: htes3) Homo sapiens cDNA clone DKFZp434D2423 5'
11399	24344	37877	1.89	1.0E-49	AB020335.1	NT	Homo sapiens Pancreas-specific TSA305 mRNA, complete cds
11840	24577	38143	3.12	1.0E-49	11427366	NT	Homo sapiens brefeldin A-inhibited guanine nucleotide-exchange protein 1 (BIG1), mRNA
12147	25007		1.7	1.0E-49	BE159343.1	EST_HUMAN	MR0-H70407-010200-006-02 HT0407 Homo sapiens cDNA
12502	25241		2.78	1.0E-49	11418322	NT	Homo sapiens cadherin EGF LAG seven-pass G-type receptor 1 (CELSR1), mRNA
6544	25997		1.06	9.0E-50	BE295758.1	EST_HUMAN	601176250F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3531588 5'
171	13273	26198	3.9	8.0E-50	AL163202.2	NT	Homo sapiens chromosome 21 segment HS21C002
720	13782	26716	2.14	8.0E-50	X95097.2	NT	Homo sapiens mRNA for VIP receptor 2
720	13782	26717	2.14	8.0E-50	X95097.2	NT	Homo sapiens mRNA for VIP receptor 2
1778	14807	27763	4	8.0E-50	4501890	NT	Homo sapiens actinin, alpha 1 (ACTN1) mRNA
2710	15704	28720	2.18	8.0E-50	4826658	NT	Homo sapiens capping protein (actin filament) muscle Z-line, beta (CAPZB), mRNA

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
621	13686	26604	0.68	7.0E-50	BE089591.1	EST_HUMAN	QV0-BT0703-280400-211-e08 BT0703 Homo sapiens cDNA
6952	20176	33500	1.21	7.0E-50	BF091922.1	EST_HUMAN	RC8-TN0073-150900-011-A12 TN0073 Homo sapiens cDNA
6952	20176	33501	1.21	7.0E-50	BF091922.1	EST_HUMAN	RC8-TN0073-150900-011-A12 TN0073 Homo sapiens cDNA
7526	20490	33852	0.62	7.0E-50	AA627822.1	EST_HUMAN	nc99e12.s1 NCI_CGAP_C09 Homo sapiens cDNA clone IMAGE:1148206 3' similar to gb:X68391 60S
11108	24068	37590	28.05	7.0E-50	AI872137.1	EST_HUMAN	RIBOSOMAL PROTEIN L6 (HUMAN); wm55g11.x1 NCI_CGAP_U12 Homo sapiens cDNA clone IMAGE:2439908 3'
8566	21524		6.69	6.0E-50	BE044076.1	EST_HUMAN	nc38h04.x1 NCI_CGAP_U11 Homo sapiens cDNA clone IMAGE:3039511 3' similar to contains MER29.b3
11166	24124	37652	7.96	6.0E-50	AA312079.1	EST_HUMAN	MER29 repetitive element;
11166	24124	37653	7.96	6.0E-50	AA312079.1	EST_HUMAN	EST182775 Jurkat T-cells V1 Homo sapiens cDNA 5' end
1808	14836	27826	1.18	5.0E-50	BF332938.1	EST_HUMAN	EST182775 Jurkat T-cells V1 Homo sapiens cDNA 5' end
1808	14836	27827	1.18	5.0E-50	BF332938.1	EST_HUMAN	CM0-BT0792-300500-398-b05 BT0792 Homo sapiens cDNA
9448	22412		5.65	5.0E-50	AA557683.1	EST_HUMAN	CM0-BT0792-300500-398-b05 BT0792 Homo sapiens cDNA
918	13972		1.45	4.0E-50	AA601143.1	EST_HUMAN	nl45h10.s1 NCI_CGAP_P14 Homo sapiens cDNA clone IMAGE:1043683 similar to contains PTR5.13 PTR5 repetitive element;
6497	19561	32813	0.54	4.0E-50	11440883	NT	nc54e09.s1 NCI_CGAP_SS1 Homo sapiens cDNA clone IMAGE:1104520 3' similar to gb:X53741_rna1 FIBULIN-1, ISOFORM A PRECURSOR (HUMAN);
7445	20411	33763	0.93	4.0E-50	BE087536.1	EST_HUMAN	Homo sapiens cysteinyl-RNA synthetase (CARS), mRNA
1955	14978		2.86	3.0E-50	M18048.1	NT	QV1-BT0681-280300-127-f12 BT0681 Homo sapiens cDNA
2525	15528	28549	1.11	3.0E-50	BE259196.1	EST_HUMAN	Human endogenous retrovirus RTVL-H2
3310	16363	29283	0.88	3.0E-50	AA746142.1	EST_HUMAN	601109717F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3350309 5'
6834	19887	33180	0.6	3.0E-50	11419317	NT	cb03f06.s1 NCI_CGAP_Kd3 Homo sapiens cDNA clone IMAGE:1322627 3'
6834	19887	33181	0.6	3.0E-50	11419317	NT	Homo sapiens protein tyrosine phosphatase, non-receptor type 12 (PTPN12), mRNA
6929	20153	33472	1.56	3.0E-50	11421514	NT	Homo sapiens protein tyrosine phosphatase, non-receptor type 12 (PTPN12), mRNA
7906	20849	34234	4.3	3.0E-50	AF233436.2	NT	Homo sapiens similar to sema domain, immunoglobulin domain (Ig), short basic domain, secreted, (semaphorin) 3A (H. sapiens) (LOC63232), mRNA
7906	20849	34235	4.3	3.0E-50	AF233436.2	NT	Homo sapiens FYVE domain-containing dual specificity protein phosphatase FYVE-DSP1a mRNA, complete cds
8929	21895	35323	0.81	3.0E-50	6601569	NT	Homo sapiens FYVE domain-containing dual specificity protein phosphatase FYVE-DSP1a mRNA, complete cds
10177	23102	36582	1.1	3.0E-50	AB046818.1	NT	Homo sapiens ankyrin-like with transmembrane domains 1 (ANKTM1), mRNA
10186	23111	36595	0.96	3.0E-50	11418614	NT	Homo sapiens mRNA for KIAA1598 protein, partial cds
10885	23805	37309	0.74	3.0E-50	AB002297.1	NT	Homo sapiens t-complex 10 (a murine top homolog) (TCP10), mRNA
11438	24381	37920	1.99	3.0E-50	11436955	NT	Human mRNA for KIAA0299 gene, partial cds
							Homo sapiens G1b2-associated binder 2 (KIAA0571), mRNA

Page 311 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
11792	23947	37488	8.4	3.0E-50	AJ245621.1	NT	Homo sapiens CTL2 gene
778	13837		6.8	2.0E-50	AF055066.1	NT	Homo sapiens MHC class 1 region
1081	14125	27078	6.73	2.0E-50	4557752	NT	Homo sapiens midline 1 (Opitz/BBB syndrome) (MID1) mRNA
1437	14470	27448	0.95	2.0E-50	AF138303.1	NT	Homo sapiens decorin D mRNA, complete cds, alternatively spliced
3300	16353	29272	0.83	2.0E-50	AF111168.2	NT	Homo sapiens serine palmitoyl transferase, subunit II gene, complete cds; and unknown genes
4289	17318	30197	0.75	2.0E-50	D88424.1	NT	Mus musculus mRNA for high-sulfur keratin protein, partial cds
7051	20073	33380	0.51	2.0E-50	AU124065.1	EST_HUMAN	AU124065 NT2RM2 Homo sapiens cDNA clone NT2RM2001609 5'
8859	21627	35047	1.09	2.0E-50	AB038162.1	NT	Homo sapiens TFF gene cluster for trefoil factor, complete cds
8859	21627	35048	1.09	2.0E-50	AB038162.1	NT	Homo sapiens TFF gene cluster for trefoil factor, complete cds
8789	21766	35189	6.78	2.0E-50	X06956.1	NT	Human HALPHA44 gene for alpha-tubulin, exons 1-3
8789	21766	35190	6.78	2.0E-50	X06956.1	NT	Human HALPHA44 gene for alpha-tubulin, exons 1-3
10244	23169	36657	1.43	2.0E-50	9910293	NT	Mus musculus keratin complex 2, gene 8g (Krt2-8g), mRNA
10244	23169	36658	1.43	2.0E-50	9910293	NT	Mus musculus keratin complex 2, gene 8g (Krt2-8g), mRNA
11971	24849		1.52	2.0E-50	AF023861.1	NT	Macaca mulatta cyclophilin A mRNA, complete cds
462	13535	26461	2.26	1.0E-50	AL163208.2	NT	Homo sapiens chromosome 21 segment HS21C009
2373	15381		9.27	1.0E-50	AJ271735.1	NT	Homo sapiens Xq pseudautosomal region; segment 1/2
7970	20909		0.55	1.0E-50	AJ271735.1	NT	Homo sapiens Xq pseudautosomal region; segment 1/2
10553	23475	36970	0.97	1.0E-50	D11078.1	NT	Homo sapiens RGH2 gene, retrovirus-like element
6095	19174	32390	1.01	9.0E-51	AW511225.1	EST_HUMAN	hd44602.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2812378 3' similar to TR:O95636
6350	19419	32860	0.71	9.0E-51	AA744837.1	EST_HUMAN	O95636 CAMP-REGULATED GUANINE NUCLEOTIDE EXCHANGE FACTOR II.; ny67f03.s1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:1283381 3'
9020	21986	35407	0.55	9.0E-51	AI791154.1	EST_HUMAN	ab23g04.x5 Stratagene lung (#937210) Homo sapiens cDNA clone IMAGE:841686 3' similar to SW:PSM_HUMAN Q04609 PROSTATE-SPECIFIC MEMBRANE ANTIGEN;
9679	22632	36088	1.2	9.0E-51	AA043738.1	EST_HUMAN	z51c09.r1 Soares_pregnant_uterus_NbHPU Homo sapiens cDNA clone IMAGE:486352 5'
9858	22794	36245	0.52	9.0E-51	AI791154.1	EST_HUMAN	ab23g04.x5 Stratagene lung (#937210) Homo sapiens cDNA clone IMAGE:841686 3' similar to SW:PSM_HUMAN Q04609 PROSTATE-SPECIFIC MEMBRANE ANTIGEN;
9858	22794	36246	0.52	9.0E-51	AI791154.1	EST_HUMAN	ab23g04.x5 Stratagene lung (#937210) Homo sapiens cDNA clone IMAGE:841686 3' similar to SW:PSM_HUMAN Q04609 PROSTATE-SPECIFIC MEMBRANE ANTIGEN;
11804	23959	37483	1.5	9.0E-51	H89078.1	EST_HUMAN	ab23g04.x5 Stratagene lung (#937210) Homo sapiens cDNA clone IMAGE:841686 3' similar to SW:PSM_HUMAN Q04609 PROSTATE-SPECIFIC MEMBRANE ANTIGEN;
11804	23959	37484	1.5	9.0E-51	H89078.1	EST_HUMAN	ab23g04.x5 Stratagene lung (#937210) Homo sapiens cDNA clone IMAGE:841686 3' similar to SW:PSM_HUMAN Q04609 PROSTATE-SPECIFIC MEMBRANE ANTIGEN;
4599	17620	30513	6.51	8.0E-51	AA610842.1	EST_HUMAN	np98e09.s1 NCI_CGAP_Lu1 Morton Fetal Cochlea Homo sapiens cDNA clone IMAGE:253210 5'
7914	20857	34245	2.04	8.0E-51	11439987	NT	np98e09.s1 NCI_CGAP_Lu1 Morton Fetal Cochlea Homo sapiens cDNA clone IMAGE:253210 5'
9819	22668		0.96	8.0E-51	AJ138560.1	EST_HUMAN	np98e09.s1 NCI_CGAP_Lu1 Morton Fetal Cochlea Homo sapiens cDNA clone IMAGE:253210 5'
							HETEROGENEOUS NUCLEAR RIBONUCLEOPROTEIN A1 (HUMAN); Homo sapiens PDZ-73 protein (PDZ-73/NY-CO-38), mRNA
							AU138560 PLACE1 Homo sapiens cDNA clone PLACE1008887 5'

Page 312 of 546
Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3295	16348	29268	1.68	7.0E-51	AW889219.1	EST_HUMAN	QV4-NT0028-200400-180-d05 NT0028 Homo sapiens cDNA
3374	16424	29349	0.72	7.0E-51	AW274720.1	EST_HUMAN	xn34603.x1 NCL_OGAP_Kid11 Homo sapiens cDNA clone IMAGE:2695564 3' similar to TR:Q9Z340
4196	17227	30116	1.4	7.0E-51	AL079628.1	EST_HUMAN	Q9Z340 ATYPICAL PKC SPECIFIC BINDING PROTEIN. ;
4196	17227	30117	1.4	7.0E-51	AL079628.1	EST_HUMAN	DKFZp434B2229.1 434 (synonym: hies3) Homo sapiens cDNA clone DKFZp434B2229 5'
4378	17406	30286	1.54	7.0E-51	AW295603.1	EST_HUMAN	DKFZp434B2229.1 434 (synonym: hies3) Homo sapiens cDNA clone DKFZp434B2229 5'
11993	24870	38466	2.13	7.0E-51	AF161449.1	NT	UI-HBW0-alp-b-05-0-J1.s1 NCL_OGAP_Sub6 Homo sapiens cDNA clone IMAGE:2729817 3'
1530	14563	27534	0.91	6.0E-51	6678763	NT	Homo sapiens HSPC331 mRNA, partial cds
1996	15017	28024	5.54	6.0E-51	7657266	NT	Homo sapiens putative DNA binding protein (M96), mRNA
3487	16533	29458	17.23	6.0E-51	7657266	NT	Homo sapiens KIAA0929 protein Mx2 interacting nuclear target (MINT) homolog (KIAA0929), mRNA
4338	17365	30247	0.69	6.0E-51	9910553	NT	Homo sapiens KIAA0929 protein Mx2 interacting nuclear target (MINT) homolog (KIAA0929), mRNA
4338	17365	30248	0.69	6.0E-51	9910553	NT	Homo sapiens solute carrier family 2 (facilitated glucose transporter), member 9 (SLC2A9), mRNA
6105	19184	32403	2.8	6.0E-51	X01788.1	NT	Homo sapiens solute carrier family 2 (facilitated glucose transporter), member 9 (SLC2A9), mRNA
6116	19194	32417	8.29	6.0E-51	AF070083.1	NT	Human hemoglobin related (Hpr) gene exon 3
6116	19194	32418	8.29	6.0E-51	AF070083.1	NT	Homo sapiens mitogen-activated protein kinase kinase 1 (MKK4) gene, exon 4
6925	20149	33469	1.13	6.0E-51	4506736	NT	Homo sapiens mitogen-activated protein kinase kinase 1 (MKK4) gene, exon 4
7076	20098	33408	1.03	6.0E-51	11416761	NT	Homo sapiens ribosomal protein S6 kinase, 70kD, polypeptide 1 (RPS6KB1) mRNA
7157	18389	31233	2.29	6.0E-51	11429665	NT	Homo sapiens non-kinase Cdc42 effector protein SPEC2 (LOC55148), mRNA
9492	22456	35896	0.62	6.0E-51	11428525	NT	Homo sapiens cerebral cell adhesion molecule (LOC51148), mRNA
10042	22969	36436	2.04	6.0E-51	7661635	NT	Homo sapiens hypothetical protein FLJ11042 (FLJ11042), mRNA
10120	23046	36525	1.14	6.0E-51	U60093.1	NT	Homo sapiens hypothetical protein FLJ11042 (FLJ11042), mRNA
11585	24523	38078	1.56	6.0E-51	11526289	NT	Homo sapiens B9 protein (B9), mRNA
792	13851	26798	8.57	5.0E-51	AL163203.2	NT	Human ankyrin (ANK1) gene, exon 2
804	13862	26812	1.9	5.0E-51	AL163203.2	NT	Homo sapiens interleukin 17 receptor (IL17R), mRNA
963	15856	26998	1.23	5.0E-51	AL133204.1	NT	Homo sapiens chromosome 21 segment HS21C003
1612	14644	27620	1.02	5.0E-51	AL133204.1	NT	Homo sapiens T-cell lymphoma invasion and metastasis 1 (TIAM1) mRNA
2599	15600	28619	7.72	5.0E-51	AJ007558.1	NT	Novel human gene mapping to chromosome X
3965	17005	29919	1.85	5.0E-51	M30938.1	NT	Homo sapiens 26S proteasome-associated pad1 homolog (POH1) mRNA
3965	17005	29920	1.85	5.0E-51	M30938.1	NT	Homo sapiens mRNA for nucleoporin 155
11610	24548	38108	4.07	5.0E-51	5803136	NT	Human Ku (p70/p80) subunit mRNA, complete cds
							Human Ku (p70/p80) subunit mRNA, complete cds
							Homo sapiens RNA binding motif protein 3 (RBM3), mRNA

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
135	13240	26171	1.53	3.0E-51	AI587348.1	EST_HUMAN	t81c09.x1 NCI_CGAP_Pan1 Homo sapiens cDNA clone IMAGE:2224720 3' similar to gb:M26328 KERATIN, TYPE I CYTOSKELETAL 18 (HUMAN);
1180	14221	27177	3.31	3.0E-51	AI587348.1	EST_HUMAN	t81c09.x1 NCI_CGAP_Pan1 Homo sapiens cDNA clone IMAGE:2224720 3' similar to gb:M26326 KERATIN, TYPE I CYTOSKELETAL 18 (HUMAN);
1940	14964	27981	1.09	3.0E-51	AA211296.1	EST_HUMAN	2q87g01.s1 Strati gene hNT neuron (#937233) Homo sapiens cDNA clone IMAGE:849008 3'
4354	17381	30263	2.23	3.0E-51	AL159142.1	NT	Novel human gene mapping to chromosome 22
7831	20779	34157	1.2	3.0E-51	R15914.1	EST_HUMAN	y847c08.r1 Soares infant brain 1NIB Homo sapiens cDNA clone IMAGE:53233 5' similar to gb:M14123_cdo4 RETROVIRUS-RELATED POLYPROTEIN (HUMAN); contains LTR5 repetitive element;
9191	22157		4.32	3.0E-51	M20063.1	NT	Human hnRNP C2 protein mRNA
9423	26008		0.46	3.0E-51	AW583777.1	EST_HUMAN	is04d06.y1 Human Pancreatic islets Homo sapiens cDNA 5'
12810	25435		1.36	3.0E-51	AF003528.1	NT	Homo sapiens X-linked anhidrotic ectodermal dysplasia protein gene (EDA), exon 2 and flanking repeat regions
366	13452	26380	1.19	2.0E-51	4507798	NT	Homo sapiens ubiquitin protein ligase E3A (human papilloma virus E6-associated protein, Angelman syndrome) (UBE3A) mRNA
689	13752	26878	0.66	2.0E-51	BE391063.1	EST_HUMAN	601285694F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3607463 5'
689	13752	26879	0.66	2.0E-51	BE391063.1	EST_HUMAN	601285694F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3607463 5'
1697	14727	27710	4.99	2.0E-51	AA233352.1	EST_HUMAN	z30a05.r1 Strati gene NT2 neuronal precursor 937230 Homo sapiens cDNA clone IMAGE:864880 5' similar to TR:G233226 G233226 RTVL-H PROTEIN; contains LTR7.13 LTR7 repetitive element;
3745	16787	28698	2.46	2.0E-51	A492415.1	EST_HUMAN	t127g03.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2131732 3'
4521	17546	30433	0.69	2.0E-51	AW137826.1	EST_HUMAN	UIH-B11-adj-d-02-0-UI.s1 NCI_CGAP_Sub3 Homo sapiens cDNA clone IMAGE:2716851 3'
5513	18613	31545	0.57	2.0E-51	A1732851.1	EST_HUMAN	6034709.x5 NCI_CGAP_Kid5 Homo sapiens cDNA clone IMAGE:1325609 3' similar to SW:NM1_MOUSE P35436 GLUTAMATE [NMMA] RECEPTOR SUBUNIT EPSILON 1 PRECURSOR;
5513	18613	31546	0.57	2.0E-51	A1732851.1	EST_HUMAN	6034709.x5 NCI_CGAP_Kid5 Homo sapiens cDNA clone IMAGE:1325609 3' similar to SW:NM1_MOUSE P35436 GLUTAMATE [NMMA] RECEPTOR SUBUNIT EPSILON 1 PRECURSOR;
6131	19208	32433	4.17	2.0E-51	BE782015.1	EST_HUMAN	601470446F1 NIH_MGC_67 Homo sapiens cDNA clone IMAGE:3873563 5'
7531	20494		0.68	2.0E-51	AF219827.1	NT	Homo sapiens diacylglycerol kinase iota (DGKI) gene, exon 23
7690	20848	34012	0.91	2.0E-51	7662349	NT	Homo sapiens cell recognition molecule Casp2 (KIAA0868) mRNA
9046	22012	35434	1.54	2.0E-51	BE901994.1	EST_HUMAN	601676787F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3958613 5'
9046	22012	35435	1.54	2.0E-51	BE901994.1	EST_HUMAN	601676787F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3958613 5'
8369	22354	35785	0.97	2.0E-51	11037064	NT	Homo sapiens disrupted in schizophrenia 1 (DISC1) mRNA
8870	22823	36276	1.35	2.0E-51	A1917078.1	EST_HUMAN	ts74d07.x1 NCI_CGAP_GC6 Homo sapiens cDNA clone IMAGE:2236980 3' similar to SW:TRKC_HUMAN Q16288 NT-3 GROWTH FACTOR RECEPTOR PRECURSOR;
9962	22889	36350	5.78	2.0E-51	BE165980.1	EST_HUMAN	MR3-HT0487-150200-113-g01 HT0487 Homo sapiens cDNA

Page 314 of 546
Table 4
Single Exon Probes Expressed In Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
9877	22804	36368	0.53	2.0E-51	AB007926.1	NT	Homo sapiens mRNA for KIAA0457 protein, partial cds
10789	23720	37223	1.54	2.0E-51	AV682474.1	EST_HUMAN	AV682474 GKB Homo sapiens cDNA clone GKBAGF05 5'
10838	23758	37258	1.14	2.0E-51	AA378559.1	EST_HUMAN	EST191296 Synovial sarcoma Homo sapiens cDNA 5' end
11655	18613	31545	7.03	2.0E-51	AJ732851.1	EST_HUMAN	ob34f09.x5 NCI_CGAP_Kid5 Homo sapiens cDNA clone IMAGE:1325609 3' similar to SW-NME1_MOUSE
11655	18613	31546	7.03	2.0E-51	AJ732851.1	EST_HUMAN	P35436 GLUTAMATE [NMDA] RECEPTOR SUBUNIT EPSILON 1 PRECURSOR ;
12122	24991	38592	2.3	2.0E-51	AA011698.1	EST_HUMAN	ob34f09.x5 NCI_CGAP_Kid5 Homo sapiens cDNA clone IMAGE:1325609 3' similar to SW-NME1_MOUSE
12803	25430	31740	2	2.0E-51	11419159	NT	P35436 GLUTAMATE [NMDA] RECEPTOR SUBUNIT EPSILON 1 PRECURSOR ;
114	13225	26149	8.48	1.0E-51	4503528	NT	z03a01.11 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:429672 5'
1491	14524		33.7	1.0E-51	AV742248.1	EST_HUMAN	Homo sapiens myeloid/lymphoid or mixed-lineage leukemia (lithorex (Drosophila) homolog); translocated to, 4 (MLLT4), mRNA
4437	17463	30352	0.99	1.0E-51	4759071	NT	Homo sapiens eukaryotic translation initiation factor 4A, isoform 1 (EIF4A1) mRNA
4437	17463	30353	0.99	1.0E-51	4759071	NT	AV742248 CB Homo sapiens cDNA clone CBFBC12 5'
5463	18585	31476	3.94	1.0E-51	T18862.1	EST_HUMAN	Homo sapiens small inducible cytokine subfamily A (Cys-Cys), member 15 (SCYA15) mRNA
7911	20854	34242	0.98	1.0E-51	AJ572532.1	EST_HUMAN	Homo sapiens small inducible cytokine subfamily A (Cys-Cys), member 15 (SCYA15) mRNA
8235	21204	34609	0.79	1.0E-51	BF434359.1	EST_HUMAN	b120561 Testis 1 Homo sapiens cDNA clone b12056
12073	26012		1.67	1.0E-51	AV760590.1	EST_HUMAN	te39g02.x1 Soares_NhHMPu_S1 Homo sapiens cDNA clone IMAGE:2089106 3'
12589	25293		5.29	9.0E-52	AA777621.1	EST_HUMAN	7c96b02.x1 NCI_CGAP_Ov18 Homo sapiens cDNA clone IMAGE:3644091 3' similar to TR:P87892 P87892
153	13286	26184	9.3	8.0E-52	AA720574.1	EST_HUMAN	PROTEASE ;
1495	14528	27500	1.77	8.0E-52	X84900.1	NT	AV760590 MDS Homo sapiens cDNA clone MDSCB02 5'
1662	14694	27669	2.98	8.0E-52		NT	z95a07.s1 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:448500 3' similar to contains THR.13
1662	14694	27670	2.98	8.0E-52		NT	nw21g02.s1 NCI_CGAP_GCB0 Homo sapiens cDNA clone IMAGE:1241138 3' similar to contains THR.13
4019	14694	27669	6.44	8.0E-52		NT	THR repetitive element ;
4019	14694	27670	6.44	8.0E-52		NT	H. sapiens mRNA for laminin-5, alpha3b chain
7760	20713	34082	0.69	8.0E-52		NT	Homo sapiens hypothetical protein FLJ13556 similar to N-myc downstream regulated 3 (FLJ13556), mRNA
7760	20713	34083	0.69	8.0E-52		NT	Homo sapiens hypothetical protein FLJ13556 similar to N-myc downstream regulated 3 (FLJ13556), mRNA

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
9367	22332	35762	1.55	7.0E-52	W56471.1	EST_HUMAN	zc59a06.r1 Soares_papillary_tumor_NbHPA Homo sapiens cDNA clone IMAGE:326578 5' similar to contains Alu repetitive element;
1191	14231		0.85	6.0E-52	BE072409.1	EST_HUMAN	QV3-BT0537-271299-049-d07 BT0537 Homo sapiens cDNA
1703	14733	27715	3.37	6.0E-52	AF109907.1	NT	Homo sapiens S164 gene, partial cds; PS1 and hypothetical protein genes, complete cds; and S171 gene, partial cds
5816	18906	32089	1.06	6.0E-52	AI208794.1	EST_HUMAN	q944f04.x1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1838047 3'
11543	24484	38037	1.63	6.0E-52	BE048172.1	EST_HUMAN	tz48h04.y1 NCL_CGAP_Brn52 Homo sapiens cDNA clone IMAGE:2291671 5' similar to SW:PGBM_MOUSE Q05793 BASEMENT MEMBRANE-SPECIFIC HEPARAN SULFATE PROTEOGLYCAN CORE PROTEIN PRECURSOR ;
4469	17495	30383	1.6	5.0E-52	Z78898.1	NT	H. sapiens flow-sorted chromosome 6 HindIII fragment, SC6pA18H7
9747	22888	36144	0.47	5.0E-52	11437365	NT	Homo sapiens FSHD region gene 1 (FRG1), mRNA
1670	14702	27677	1.25	4.0E-52	AF257318.1	NT	Homo sapiens SH3-containing protein SH3GLB1 mRNA, complete cds
1803	14831	27818	1.15	4.0E-52	4758943	NT	Homo sapiens nucleoprotein 155kD (NUP155) mRNA
4769	17789	30682	1	4.0E-52	AI768614.1	EST_HUMAN	w185b02.x1 NCL_CGAP_Kid12 Homo sapiens cDNA clone IMAGE:2400459 3'
5359	18464	31334	1.41	4.0E-52	4506132	NT	Homo sapiens phosphoribosyl pyrophosphate synthetase-associated protein 2 (PRPSAP2) mRNA
5359	18484	31335	1.41	4.0E-52	4506132	NT	Homo sapiens phosphoribosyl pyrophosphate synthetase-associated protein 2 (PRPSAP2) mRNA
7943	20885	34276	0.56	4.0E-52	11525731	NT	Homo sapiens RAD51-interacting protein (PIR51), mRNA
8373	21342	34753	2.33	4.0E-52	BE622032.1	EST_HUMAN	601440687F1 NIH_MGC 72 Homo sapiens cDNA clone IMAGE:3915836 5'
8879	21846	35268	6.18	4.0E-52	11417035	NT	Homo sapiens hydroxysteroid (17-beta) dehydrogenase 4 (HSD17B4), mRNA
12426	25194		3.05	4.0E-52	11418177	NT	Homo sapiens Ran GTPase activating protein 1 (RANGAP1), mRNA
12906	25486		4.73	4.0E-52	AB002059.1	NT	Homo sapiens DNA for Human P2XM, complete cds
4119	17152		11.15	3.0E-52	11437042	NT	Homo sapiens hypothetical protein FLJ10675 (FLJ10675), mRNA
564	13634	28550	1.97	2.0E-52	M10976.1	NT	Human endogenous retroviral DNA (4-1), complete retroviral segment
564	13634	28551	1.97	2.0E-52	M10976.1	NT	Human endogenous retroviral DNA (4-1), complete retroviral segment
2030	15049	28064	1.43	2.0E-52	AB033075.1	NT	Homo sapiens mRNA for KIAA1249 protein, partial cds
2507	15510	28537	1.95	2.0E-52	BE207575.1	EST_HUMAN	bb66b07.y1 NIH_MGC 9 Homo sapiens cDNA clone IMAGE:3030421 5' similar to gb:X16483 M.musculus mRNA for Zpf-1 zinc finger protein (MOUSE);
2746	15739		10.45	2.0E-52	BF677892.1	EST_HUMAN	602084710F1 NIH_MGC 83 Homo sapiens cDNA clone IMAGE:4248891 5'
5013	18027	30912	3.26	2.0E-52	AL137188.3	NT	Novel human gene mapping to chromosome 20, similar to membrane transporters
5049	18061	30939	0.98	2.0E-52	AI141802.1	EST_HUMAN	qa56e05.s1 Soares_NHMPu_S1 Homo sapiens cDNA clone IMAGE:1690784 3'
5049	18061	30940	0.98	2.0E-52	AI141802.1	EST_HUMAN	qa56e05.s1 Soares_NHMPu_S1 Homo sapiens cDNA clone IMAGE:1690784 3'
5788	18890	32062	3.71	2.0E-52	AW848041.1	EST_HUMAN	IL3-CT0214-231289-053-E12 CT0214 Homo sapiens cDNA
6503	19567	32819	1.7	2.0E-52	11141868	NT	Homo sapiens interleukin 21 receptor (IL21R), mRNA
6872	19925	33221	1.04	2.0E-52	AB029004.1	NT	Homo sapiens mRNA for KIAA1081 protein, partial cds

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7129	20105	33416	0.73	2.0E-52	AI792146.1	EST_HUMAN	ss45d12.y5 NCI_CGAP_Br2 Homo sapiens cDNA clone IMAGE:1608311 5'
8121	21058	34455	0.52	2.0E-52	5032158	NT	Homo sapiens transducin (beta)-like 1 (TBL1) mRNA
8121	21058	34456	0.52	2.0E-52	5032158	NT	Homo sapiens transducin (beta)-like 1 (TBL1) mRNA
9000	21968		11.69	2.0E-52	AF147880.1	NT	Macaca mulatta beta-tubulin mRNA, complete cds
9288	22254	35684	0.87	2.0E-52	AA778795.1	EST_HUMAN	z145g05.s1 Scores_fetal_liver_spleen_1NPLS_S1 Homo sapiens cDNA clone IMAGE:453272 3'
							Homo sapiens NADH dehydrogenase (ubiquinone) Fe-S protein 5 (16kD) (NADH-coenzyme Q reductase) (NDUFS5) mRNA
9834	22683		1.05	2.0E-52	4758789	NT	Homo sapiens SET domain and mariner transposase fusion gene (SETMAR) mRNA
10474	23396	36893	6.19	2.0E-52	5730038	NT	Homo sapiens SET domain and mariner transposase fusion gene (SETMAR) mRNA
10474	23396	36894	6.19	2.0E-52	5730038	NT	wi49c04.x1 NCI_CGAP_Lu19 Homo sapiens cDNA clone IMAGE:2406150 3' similar to contains THR.b2
11538	24479	38028	3.09	2.0E-52	AI831462.1	EST_HUMAN	THR repetitive element;
11538	24479	38030	3.09	2.0E-52	AI831462.1	EST_HUMAN	wi49c04.x1 NCI_CGAP_Lu19 Homo sapiens cDNA clone IMAGE:2406150 3' similar to contains THR.b2
11551	24492	38048	2.73	2.0E-52	AV715377.1	EST_HUMAN	THR repetitive element;
11680	24646		12.53	2.0E-52	W70260.1	EST_HUMAN	AV715377 DCB Homo sapiens cDNA clone DCBAIE03 5'
11939	24819		2.73	2.0E-52	11417990	NT	z149g12.r1 Scores_fetal_heart_NbHH19W Homo sapiens cDNA clone IMAGE:344038 5'
							Homo sapiens LIM domain kinase 2 (LIMK2), mRNA
							xn72e07.x1 NCI_CGAP_CML1 Homo sapiens cDNA clone IMAGE:2700036 3' similar to contains Alu
							repetitive element; contains element LTR2 repetitive element;
12231	25982	31300	18.5	2.0E-52	AW236297.1	EST_HUMAN	wi67d05.x1 Scores_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2360649 3' similar to TR:Q16859
12633	25319		7.5	2.0E-52	AI808985.1	EST_HUMAN	Q16859 CARBOXYLESTERASE;
534	13605	26524	1.45	1.0E-52	AA634445.1	EST_HUMAN	z175h12.s1 Scores_testis_NHT Homo sapiens cDNA clone IMAGE:743879 3'
1373	14407	27377	9.8	1.0E-52	4504026	NT	Homo sapiens glutamate-aminonia ligase (glutamine synthase) (GLUL) mRNA
2542	15544		2.17	1.0E-52	4502238	NT	Homo sapiens arylsulfatase D (ARSD), transcript variant 1, mRNA
							Homo sapiens arylsulfatase D (ARSD), transcript variant 1, mRNA
							pol=reverse transcriptase homolog (retroviral element) [human, endogenous retroviral element RTVL-Hp1,
							Genomic, 660 nt]
3072	16129	29041	1.99	1.0E-52	SG1070.1	NT	Human P-glycoprotein (MDR1) gene, exon 4
5406	18509	31386	4.22	1.0E-52	M29426.1	NT	Human PMS2 related (hPMSR2) gene, complete cds
6533	19596	32859	2.4	1.0E-52	U38964.1	NT	Human aldolase C gene for fructose-1,6-bisphosphate aldolase
7664	20623	33987	2.35	1.0E-52	X07292.1	NT	Human aldolase C gene for fructose-1,6-bisphosphate aldolase
							Homo sapiens basic transcription factor 2 p44 (btf2p44) gene, partial cds, neuronal apoptosis inhibitory
							protein (nalp) and survival motor neuron protein (smn) genes, complete cds
8150	21087	34486	0.55	1.0E-52	U80017.1	NT	Homo sapiens chromosome 21 segment HS21C027
8808	21775		1.13	1.0E-52	AF163227.2	NT	Homo sapiens chromosome 21 segment HS21C027
9543	22508	36955	0.7	1.0E-52	AF078779.1	NT	Rattus norvegicus putative four repeat ion channel mRNA, complete cds
10941	23861		1.21	1.0E-52	AW020370.1	EST_HUMAN	df08g05.y1 Morlon Fetal Cochlea Homo sapiens cDNA clone IMAGE:2483145 5'
10951	23871		1.14	1.0E-52	AL163202.2	NT	Homo sapiens chromosome 21 segment HS21C002

Page 317 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
11117	24077	37601	1.84	1.0E-52	U48296.1	NT	Homo sapiens protein tyrosine phosphatase PTPCAAX1 (PTPCAAX1) mRNA, complete cds
13114	25633	31608	1.3	1.0E-52	AB011399.1	NT	Homo sapiens gene for AF-6, complete cds
3805	18845	29752	0.9	9.0E-53	4506064	NT	Homo sapiens protein kinase, cAMP-dependent, regulatory, type II, beta (PRKAR2B) mRNA
4418	17445	30336	0.91	9.0E-53	AF001446.1	NT	Homo sapiens core binding factor alpha1 subunit (CBFA1) gene, exon 3
12477	25225		2.58	7.0E-53	BF238465.1	EST_HUMAN	601804771F1 NIH_MGC_54 Homo sapiens cDNA clone IMAGE:4132783 5'
12881	25858		6.21	7.0E-53	AI421782.1	EST_HUMAN	44407.x1 NCI_CGAP_Bm23 Homo sapiens cDNA clone IMAGE:2098077 3' similar to contains THR.1 THR repetitive element:
5215	18224	31098	0.89	6.0E-53	BE295719.1	EST_HUMAN	601175776F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3630948 5'
4128	17159	30047	3	5.0E-53	4738543	NT	Homo sapiens heterogeneous nuclear ribonucleoprotein C (C1/C2) (HNRPC) mRNA
12110	24880	38560	1.54	5.0E-53	BE728270.1	EST_HUMAN	601561627F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3831175 5'
12922	25253		1.67	5.0E-53	AW813563.1	EST_HUMAN	RC3-ST0197-151099-011-g10 ST0197 Homo sapiens cDNA
51	13171	26079	2.37	4.0E-53	AL163285.2	NT	Homo sapiens chromosome 21 segment HS21C085
51	13171	26080	2.37	4.0E-53	AL163285.2	NT	Homo sapiens chromosome 21 segment HS21C085
4959	17876	30764	1.11	4.0E-53	7705414	NT	Homo sapiens hook1 protein (HOOK1), mRNA
9771	22712		0.82	4.0E-53	AI613037.1	EST_HUMAN	Y06904.x1 NCI_CGAP_U13 Homo sapiens cDNA clone IMAGE:2278327 3'
10114	23040		0.71	4.0E-53	F13080.1	EST_HUMAN	HSC3ID041 normalized infant brain cDNA Homo sapiens cDNA clone c-3id04
11548	24489	38044	2.93	4.0E-53	BF128701.1	EST_HUMAN	601870969F1 NIH_MGC_48 Homo sapiens cDNA clone IMAGE:4053977 5'
11548	24489	38045	2.93	4.0E-53	BF128701.1	EST_HUMAN	601870969F1 NIH_MGC_48 Homo sapiens cDNA clone IMAGE:4053977 5'
2669	15666	28885	2.84	3.0E-53	AB026998.1	NT	Homo sapiens DNA, DLEC1 to ORCTL4 gene region, section 1/2 (DLEC1, ORCTL3, ORCTL4 genes, complete cds)
3744	16786	29698	1.01	3.0E-53	AW050836.1	EST_HUMAN	wz22c07.x1 Soares_Diackgraeft colon_NHCD Homo sapiens cDNA clone IMAGE:2558796 3'
5499	18599	31511	0.92	3.0E-53	AF001212.1	NT	Homo sapiens 26S proteasome subunit 9 mRNA, complete cds
5707	18802	31979	1.09	3.0E-53	11526297	NT	Homo sapiens MIL1 protein (MIL1), mRNA
6318	19389	32629	0.95	3.0E-53	BE160025.1	EST_HUMAN	QV1-HT0412-280300-123-c04 HT0412 Homo sapiens cDNA
7305	20276	33613	0.98	3.0E-53	Y10388.3	NT	H sapiens graf gene
7305	20276	33614	0.98	3.0E-53	Y10388.3	NT	H sapiens graf gene
8647	21615	35037	12.56	3.0E-53	S72043.1	NT	GIF=growth inhibitory factor [human, brain, Genomic, 2015 nt]
9211	22177	35607	0.69	3.0E-53	10835090	NT	Homo sapiens bone morphogenetic protein 5 (BMP5), mRNA
9412	22377		9.53	3.0E-53	5901953	NT	Homo sapiens FGFR1 oncogene partner (FOP), mRNA
458	13531		2.53	2.0E-53	AA368556.1	EST_HUMAN	EST77525 Pancreas tumor III Homo sapiens cDNA 5' end
2335	15346	28367	6.08	2.0E-53	U78027.1	NT	Homo sapiens Bruton's tyrosine kinase (BTK), alpha-D-galactosidase A (GLA), L44-like ribosomal protein (L44L) and FTP3 (FTP3) genes, complete cds
2543	15545		11.44	2.0E-53	4502316	NT	Homo sapiens ATPase, H+ transporting, lysosomal (vacuolar proton pump) 31kD; Vacuolar proton-ATPase, subunit E; V-ATPase, subunit E (ATP6E), mRNA

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2736	15730	28744	1.17	2.0E-53	4757915	NT	Homo sapiens core-binding factor, runt domain, alpha subunit 2; translocated to, 1; cyclin D-related (CBFA2T1) mRNA
2736	15730	28745	1.17	2.0E-53	4757915	NT	Homo sapiens core-binding factor, runt domain, alpha subunit 2; translocated to, 1; cyclin D-related (CBFA2T1) mRNA
3232	16287	29208	1.46	2.0E-53	7705687	NT	Homo sapiens leucine aminopeptidase (LOC51056), mRNA
3259	16313	29234	0.8	2.0E-53	AF083822.1	NT	Homo sapiens dihydropyridine receptor alpha 2 subunit (CACNA2D1) gene, exon 6
4088	17122	30016	2.78	2.0E-53	M61873.1	NT	Human Krueppel-related DNA-binding protein (TF34) gene, partial cds
4520	17545	30432	1.23	2.0E-53	4506962	NT	Homo sapiens SKAP55 homologue (SKAP-HOM) mRNA
5193	18202	31074	0.96	2.0E-53	AL163281.2	NT	Homo sapiens chromosome 21 segment HS21C081
5193	18202	31075	0.96	2.0E-53	AL163281.2	NT	Homo sapiens chromosome 21 segment HS21C081
5500	18600	31512	3.33	2.0E-53	BF334740.1	EST_HUMAN	PM1-CT0396-170800-001-g03 CT0396 Homo sapiens cDNA
5500	18600	31513	3.33	2.0E-53	BF334740.1	EST_HUMAN	PM1-CT0396-170800-001-g03 CT0396 Homo sapiens cDNA
8203	21173	34563	1.13	2.0E-53	AW975598.1	EST_HUMAN	EST387707 MAGE resequences, MAGN Homo sapiens cDNA
8340	21309		0.61	2.0E-53	AA095652.1	EST_HUMAN	15429 seq.F Human fetal heart, Lambda ZAP Express Homo sapiens cDNA 5'
9763	22704		15.48	2.0E-53	AW245676.1	EST_HUMAN	2822665.5 prime NIH_MGC_7 Homo sapiens cDNA clone IMAGE:2822665 5'
1440	14473	27450	2	1.0E-53	AJ271736.1	NT	Homo sapiens Xq pseudautosomal region; segment 2/2
3421	16469	29389	1.29	1.0E-53	AB026898.1	NT	Homo sapiens DNA, DLEC1 to ORCTL4 gene region, section 1/2 (DLEC1, ORCTL3, ORCTL4 genes, complete cds)
5001	18015	30902	1.32	1.0E-53	BE296386.1	EST_HUMAN	601176725F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3531919 5'
6650	19903	33198	1.43	1.0E-53	BF364201.1	EST_HUMAN	CM4-NN1029-150800-543-e02 NN1029 Homo sapiens cDNA
7459	20425	33781	0.84	1.0E-53	BE012071.1	EST_HUMAN	RC5-BN1058-270400-031-D01 BN1058 Homo sapiens cDNA
8287	21236	34647	0.55	1.0E-53	AA249072.1	EST_HUMAN	119571 seq.F Human fetal heart, Lambda ZAP Express Homo sapiens cDNA 5'
9444	22408	35845	13.12	1.0E-53	X79536.1	NT	H. sapiens mRNA for hnRNP core protein A1
12105	24976	38574	3.08	1.0E-53	X984111.1	NT	H. sapiens mRNA for myosin-IE
12105	24976	38575	3.08	1.0E-53	X984111.1	NT	H. sapiens mRNA for myosin-IE
5375	25636	31353	5.13	9.0E-54	4506786	NT	Homo sapiens IQ motif containing GTPase activating protein 1 (IQGAP1) mRNA
208	13309	26236	1.73	8.0E-54	BE386785.1	EST_HUMAN	601272863F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3614031 5'
1852	14878	27874	2.4	8.0E-54	4504610	NT	Homo sapiens Insulin-like growth factor 2 receptor (IGF2R) mRNA
6045	19127	32333	23.25	8.0E-54	6005700	NT	Homo sapiens ATP-binding cassette, sub-family A (ABC1), member 8 (ABCA8), mRNA
11962	24841	38434	1.67	8.0E-54	AW592568.1	EST_HUMAN	h44e05.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2934752 3'
11962	24841	38435	1.67	8.0E-54	AW592568.1	EST_HUMAN	h44e05.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2934752 3'
384	13497	26429	1.85	7.0E-54	AA812537.1	EST_HUMAN	al79c12.s1 Soares_testis_NHT Homo sapiens cDNA clone 1377046 3' similar to contains MER30.13 MER30 repetitive element
1847	14873	27869	1.51	7.0E-54	Y16645.1	NT	Homo sapiens mRNA for monocyte chemotactic protein-2

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2215	15228	28252	4.54	7.0E-54	N27177.1	EST_HUMAN	yw68d12.s1 Soares_placenta_8to9weeks_2Nbi-P8to9W Homo sapiens cDNA clone IMAGE:257389 3' similar to contains LTR7.b3 LTR7 repetitive element ;
10487	23408	36806	1.91	7.0E-54	11417222	NT	Homo sapiens similar to nuclear factor related to kappa B binding protein (H. sapiens) (LOC63182), mRNA contains ORF.11 OFR repetitive element ;
11623	24561		3.26	7.0E-54	AI160188.1	EST_HUMAN	Homo sapiens DNA for M1GB, exon 4, 5 and partial cds
25	13145	26045	2.06	6.0E-54	AB003618.1	NT	Homo sapiens hypothetical protein DKFZp434M035 (DKFZp434M035), mRNA
385	13498	26430	0.67	6.0E-54	8922148	NT	Homo sapiens hypothetical protein DKFZp434M035 (DKFZp434M035), mRNA
385	13498	26431	0.67	6.0E-54	8922148	NT	Homo sapiens hypothetical protein DKFZp434M035 (DKFZp434M035), mRNA
3296	16349	29269	0.99	6.0E-54	8922148	NT	Homo sapiens hypothetical protein DKFZp434M035 (DKFZp434M035), mRNA
3946	16592	28517	0.96	6.0E-54	AL163247.2	NT	Homo sapiens chromosome 21 segment HS21C047
4030	17068	29869	1.48	6.0E-54	4502872	NT	Homo sapiens chloride channel 6 (Cl CN6) mRNA
4489	17514	30402	0.78	6.0E-54	AV754746.1	EST_HUMAN	AV754746 TP Homo sapiens cDNA clone TPGAAC10 5'
4819	17838	30734	0.94	6.0E-54	AV724885.1	EST_HUMAN	AV724885 HTB Homo sapiens cDNA clone HTBACE02 5'
4880	17897	30786	1.95	6.0E-54	4505806	NT	Homo sapiens phosphatidylinositol 4-kinase, catalytic, alpha polypeptide (PIK4CA) mRNA
4808	17926		1.23	6.0E-54	Y09846.1	NT	H. sapiens shc pseudogene, p86 isoform
5035	17926		1.27	6.0E-54	Y09846.1	NT	H. sapiens shc pseudogene, p86 isoform
11771	23926	37446	1.6	6.0E-54	11433623	NT	Homo sapiens KIAA0071 protein (KIAA0071), mRNA
11771	23926	37447	1.6	6.0E-54	11433623	NT	Homo sapiens KIAA0071 protein (KIAA0071), mRNA
2160	15176	28197	3.75	5.0E-54	P51523	SWISSPROT	ZINC FINGER PROTEIN 84 (ZINC FINGER PROTEIN HPF2)
184	13284		319.6	4.0E-54	AF110103.1	NT	Tupala balangeri beta-actin mRNA, partial cds
957	14010	26963	29.88	4.0E-54	AA306764.1	EST_HUMAN	EST177696 Jurkat T-cells V1 Homo sapiens cDNA 5' end similar to glyceraldehyde-3-phosphate dehydrogenase
1822	14849	27842	2.91	4.0E-54	D38521.1	NT	Human mRNA for KIAA0077 gene, partial cds
1822	14849	27843	2.91	4.0E-54	D38521.1	NT	Human mRNA for KIAA0077 gene, partial cds
3217	16272		1.03	4.0E-54	AI935086.1	EST_HUMAN	wd26d11.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2329269 3' similar to TR:002711
7524	20488		0.68	4.0E-54	BE544889.1	EST_HUMAN	O02711 PRO-POL-DUTPASE POLYPROTEIN ;
93	13209	28133	13.65	3.0E-54	AA313487.1	EST_HUMAN	80107604F1 NIH_MGC_12 Homo sapiens cDNA clone IMAGE:3491017 5'
2632	15631		1.1	3.0E-54	AI908757.1	EST_HUMAN	EST185371 Colon carcinoma (HCC) cell line Homo sapiens cDNA 5' end
6007	18090	32290	1.52	3.0E-54	4502434	NT	IL-BT189-190399-007 BT189 Homo sapiens cDNA
7619	20579	33942	1.49	3.0E-54	AA844061.1	EST_HUMAN	Homo sapiens BMX non-receptor tyrosine kinase (BMX) mRNA
7619	20579	33943	1.49	3.0E-54	AA844061.1	EST_HUMAN	ai92c08.s1 Soares_parathyroid_tumor_NbHPA Homo sapiens cDNA clone IMAGE:1388270 3'
8081	21018	34418	0.51	3.0E-54	AI742622.1	EST_HUMAN	ai92c08.s1 Soares_parathyroid_tumor_NbHPA Homo sapiens cDNA clone IMAGE:1388270 3'
							wg44b11.x1 Soares_NSF_F8_9W_OT_PA_P_S1 Homo sapiens cDNA clone IMAGE:2367933 3'

Page 320 of 546
Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
11363	24312		4.82	3.0E-54	11434806	NT	Homo sapiens golgi autoantigen, golgin subfamily a, 5 (GOLGA5), mRNA
11423	24367	37902	3.55	3.0E-54	BF345600.1	EST_HUMAN	602019408F1 NCI_CGAP_Brn67 Homo sapiens cDNA clone IMAGE:4155121 5'
11696	24661	38239	2.11	3.0E-54	AA393362.1	EST_HUMAN	z707f12.1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:727727 5' similar to TR:G191315
12334	25134	31850	4.08	3.0E-54	AW954559.1	EST_HUMAN	G191315 ANDROGEN-DEPENDENT EXPRESSED PROTEIN. ;
12380	25942		1.67	3.0E-54	AW748965.1	EST_HUMAN	EST366628 IMAGE resequences, MAGC Homo sapiens cDNA
643	13709	26628	6.22	2.0E-54	5031900	NT	RC1-BT0313-131199-011-b09 BT0313 Homo sapiens cDNA
1367	14401	27371	1.48	2.0E-54	4507164	NT	Homo sapiens killer cell lectin-like receptor subfamily G, member 1 (KLRG1), mRNA
1550	14583	27554	1.32	2.0E-54	AA655008.1	EST_HUMAN	Homo sapiens nuclear antigen Sp100 (SP100) mRNA
2546	15547	28570	1.04	2.0E-54	AW163175.1	EST_HUMAN	n78a09.s1 NCI_CGAP_Pr3 Homo sapiens cDNA clone IMAGE:1204600 similar to contains element L1
2608	15607	28631	1.45	2.0E-54	AL163210.2	NT	repetitive element ;
2805	15964	28887	1.4	2.0E-54	AW057524.1	EST_HUMAN	au92g03.y1 Schneider fetal brain 00004 Homo sapiens cDNA clone IMAGE:2783764 5' similar to SW:CU11_HUMAN Q13616 CULLIN HOMOLOG 1 ;
3559	16605		5.43	2.0E-54	AA632925.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C010
4232	17261		1.73	2.0E-54	4502642	NT	wy60b12.x1 Soares NSF_F8_9W_OT_PA_P_S1 Homo sapiens cDNA clone IMAGE:2552827 3' similar to
4470	17496		1.18	2.0E-54	AF208161.1	NT	TR:Q62084 Q62084 PHOSPHOLIPASE C NEIGHBORING ;
4914	17931	30822	0.99	2.0E-54	7708446	NT	n145g03.s1 NCI_CGAP_Pr8 Homo sapiens cDNA clone IMAGE:985488 similar to gb:X53777 60S
5278	18284	31147	1.07	2.0E-54	4506962	NT	RIBOSOMAL PROTEIN L23 (HUMAN);
5551	18648	31591	1.8	2.0E-54	4759069	NT	Homo sapiens chaperonin containing T-complex subunit 6 (CCT6) mRNA
5684	18779	31952	1.25	2.0E-54	BE047864.1	EST_HUMAN	Homo sapiens peptidylarginine deiminase type III (LOC51702), mRNA
5856	18946	32131	3.9	2.0E-54	11426657	NT	Homo sapiens SKAP55 homologue (SKAP-HOM) mRNA
5961	19046	32245	10.03	2.0E-54	AB046811.1	NT	Homo sapiens small inducible cytokine subfamily A (Oye-Cys), member 14 (SCYA14) mRNA
5961	19046	32246	10.03	2.0E-54	AB046811.1	NT	tz43c11.y1 NCI_CGAP_Brn52 Homo sapiens cDNA clone IMAGE:2291348 5'
6814	19668	33157	0.77	2.0E-54	AF008915.1	NT	Homo sapiens KIAA0100 gene product (KIAA0100), mRNA
6983	20206	33535	0.73	2.0E-54	AB023212.1	NT	Homo sapiens mRNA for KIAA1591 protein, partial cds
6983	20206	33536	0.73	2.0E-54	AB023212.1	NT	Homo sapiens EVI5 homolog mRNA, complete cds
							Homo sapiens mRNA for KIAA0995 protein, partial cds
							Homo sapiens mRNA for KIAA0995 protein, partial cds
							Homo sapiens neurofibromin 1 (neurofibromatosis, von Recklinghausen disease, Watson disease) (NF1), mRNA
7330	20301	33645	7.58	2.0E-54	11426544	NT	Homo sapiens KIAA0100 gene product (KIAA0100), mRNA
9987	22914	36379	4.03	2.0E-54	AB001025.1	NT	Homo sapiens mRNA for brain ryanodine receptor, complete cds
10369	23292	36768	1.61	2.0E-54	11429127	NT	Homo sapiens Janus kinase 2 (a protein tyrosine kinase) (JAK2), mRNA
10480	23402	36899	0.98	2.0E-54	11416762	NT	Homo sapiens serologically defined colon cancer antigen 10 (SDCCAG10), mRNA

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
10480	23402	36900	0.88	2.0E-54	1141762	NT	Homo sapiens serologically defined colon cancer antigen 10 (SDCCAG10), mRNA
12034	24910		4.31	2.0E-54	7657454	NT	Homo sapiens pescadillo (zebrafish) homolog 1, containing BRC1 domain (PES1), mRNA
4492	17517		1.6	1.0E-54	BF315418.1	EST_HUMAN	601899230F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:4128535 5'
9081	22047	35470	0.51	1.0E-54	11417222	NT	Homo sapiens similar to nuclear factor related to kappa B binding protein (H. sapiens) (LOC63182), mRNA
10815	23537	37036	0.51	1.0E-54	AA412409.1	EST_HUMAN	zu10e09.r1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:731484 5'
10615	23537	37036	0.51	1.0E-54	AA412409.1	EST_HUMAN	zu10e09.r1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:731484 5'
12998	25554		4.2	1.0E-54	AU077341.1	EST_HUMAN	AU077341 Sugeno cDNA library Homo sapiens cDNA clone Zv6C880 similar to 5'-end region of Human
10724	23846	37139	0.85	9.0E-55	BE081469.1	EST_HUMAN	gamma-glutamyl transpeptidase mRNA, 5 end
1318	14353		0.98	8.0E-55	Y07829.2	NT	Homo sapiens RFB30 gene for RING finger protein
1321	14356		2.63	8.0E-55	Y07829.2	NT	Homo sapiens RFB30 gene for RING finger protein
11528	24469		1.73	8.0E-55	AW40971.1	EST_HUMAN	h02a02.x1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:2960907 5'
12390	25167		1.3	8.0E-55	BE327189.1	EST_HUMAN	h08d06.x1 NCI CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3182315 3' similar to TR:Q9Z1J8
1083	14127	27081	1.52	7.0E-55	R08346.1	EST_HUMAN	SP-C561_BOVIN P10897 CYTOCHROME ;
9156	22122		1.54	7.0E-55	AW103839.1	EST_HUMAN	xd76e02.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2603522 3' similar to TR:O60365
9536	22499	35947	1.22	7.0E-55	AA89581.1	EST_HUMAN	O60365 FOS39554.1 ;
8570	22532	35982	2.15	7.0E-55	AU139909.1	EST_HUMAN	ak28a11.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1407260 3'
11544	24485	38038	8.31	7.0E-55	AI561056.1	EST_HUMAN	AU139909 PLACE1 Homo sapiens cDNA clone PLACE1011578 5'
11544	24485	38039	8.31	7.0E-55	AI561056.1	EST_HUMAN	iq29f09.x1 NCI CGAP_U11 Homo sapiens cDNA clone IMAGE:2210249 3'
12135	25004		1.8	7.0E-55	H48714.1	EST_HUMAN	iq29f09.x1 NCI CGAP_U11 Homo sapiens cDNA clone IMAGE:2210249 3'
12668	25876		1.78	7.0E-55	H23396.1	EST_HUMAN	yq78d03.r1 Soares fetal liver spleen 1N1B Homo sapiens cDNA clone IMAGE:201893 5'
11843	24726	38313	1.85	6.0E-55	AB040934.1	EST_HUMAN	ym57g07.r1 Soares infant brain 1N1B Homo sapiens cDNA clone IMAGE:52444 5'
1785	14814	27798	1.3	5.0E-55	AA704971.1	EST_HUMAN	Homo sapiens mRNA for KIAA1501 protein, partial cds
6890	19747	33023	1.65	5.0E-55	4502240	NT	z095b09.s1 Soares_fetal_liver_spleen_1N1B S1 Homo sapiens cDNA clone IMAGE:462817 3'
6890	19747	33024	1.65	5.0E-55	4502240	NT	z095b09.s1 Soares_fetal_liver_spleen_1N1B S1 Homo sapiens cDNA clone IMAGE:462817 3'
7237	20258	33592	0.69	5.0E-55	7382477	NT	Homo sapiens arylsulfatase E (chondrodysplasia punctata 1) (ARSE), mRNA
7513	20478	33839	0.68	5.0E-55	11434422	NT	Homo sapiens Rho GTPase activating protein 5 (ARHGAP5), transcript variant 5, mRNA
8327	21296	34711	0.74	5.0E-55	11528491	NT	Homo sapiens speckle-type POZ protein (SPOP), mRNA
9399	22384	35796	2.57	5.0E-55	4506302	NT	Homo sapiens BCL2-associated atrogenase (BAG1), mRNA
							Homo sapiens protein tyrosine phosphatase, receptor type, alpha polypeptide (PTPRA) mRNA

Single Exon Probes Expressed In Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
9674	22627		1.9	5.0E-55	BE064386.1	EST_HUMAN	RC4-BT0310-110300-015-f10 BT0310 Homo sapiens cDNA
10397	23319	36801	1.31	5.0E-55	AB014511.1	NT	Homo sapiens mRNA for KIAA0811 protein, partial cds
10397	23319	36802	1.31	5.0E-55	AB014511.1	NT	Homo sapiens mRNA for KIAA0811 protein, partial cds
10582	23504	36987	1.2	5.0E-55	5453766	NT	Homo sapiens nel (chicken)-like 2 (NELL2), mRNA
12419	25189		3.4	5.0E-55	1147972	NT	Homo sapiens pascadillo (zebrafish) homolog 1, containing BRCT domain (PES1), mRNA
57	15831	26088	1.49	4.0E-55	AW957994.1	EST_HUMAN	EST370064 MAGE resequences, MAGE Homo sapiens cDNA
673	13737	26664	31.1	4.0E-55	4826973	NT	Homo sapiens RNA binding motif protein, Y chromosome, family 1, member A1 (RBM1A1) mRNA
1517	14549		1.97	4.0E-55	BF061411.1	EST_HUMAN	7152b10.x1 Soares_NSF_F8_9W_OT_PA_P_S1 Homo sapiens cDNA clone IMAGE:3390043 3' similar to contains L1.13 L1 repetitive element
2040	15059	28078	1.04	4.0E-55	4506180	NT	Homo sapiens proteasome (prosome, macropain) subunit, alpha type, 2 (PSMA2) mRNA
2040	15059	28079	1.04	4.0E-55	4506180	NT	Homo sapiens proteasome (prosome, macropain) subunit, alpha type, 2 (PSMA2) mRNA
2097	15114	28134	8.73	4.0E-55	4503314	NT	Homo sapiens diacylglycerol kinase, gamma (90kD) (DGKG) mRNA
2097	15114	28135	8.73	4.0E-55	4503314	NT	Homo sapiens diacylglycerol kinase, gamma (90kD) (DGKG) mRNA
2319	15330	28354	2.05	4.0E-55	4507794	NT	Homo sapiens ubiquitin-conjugating enzyme E2 variant 1 (UBE2V1) mRNA
8687	21655		11	4.0E-55	AL163210.2	NT	Homo sapiens chromosome 21 segment HS21C010
11563	24503		2.89	4.0E-55	W28189.1	EST_HUMAN	43c5 Human retina cDNA randomly primed sublibrary Homo sapiens cDNA
12335	25135		3.64	4.0E-55	BF303941.1	EST_HUMAN	601886575F2 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:4120338 5'
6751	19805	33086	0.78	3.0E-55	AA077156.1	EST_HUMAN	7B09A09 Chromosome 7 Fetal Brain cDNA Library Homo sapiens cDNA clone 7B09A09
12271	25093		1.91	3.0E-55	BE178519.1	EST_HUMAN	PM1-HT0603-090300-001-g08 HT0603 Homo sapiens cDNA
13007	25560		1.9	3.0E-55	AL163284.2	NT	Homo sapiens chromosome 21 segment HS21C084
377	13461	26391	2.24	2.0E-55	X57147.1	NT	Human endogenous retrovirus pHE.1 (ERV9)
553	13623		1.59	2.0E-55	M10976.1	NT	Human endogenous retroviral DNA (4-1), complete retroviral segment
650	13716	26638	3.26	2.0E-55	4507296	NT	Homo sapiens syntaxin-binding protein 1 (STXBP1) mRNA, and translated products
2870	16028	28951	1.02	2.0E-55		NT	Homo sapiens ubiquitin protein ligase E3A (human papilloma virus E6-associated protein, Angelman syndrome) (UBE3A) mRNA
4808	17825	30721	2.19	2.0E-55	BE179986.1	EST_HUMAN	CM1-HT0876-150800-357-g03 HT0876 Homo sapiens cDNA
7747	25689	34067	0.69	2.0E-55	AW501988.1	EST_HUMAN	UHF-BNO-aks-f06-0-UI.1 NIH_MGC_50 Homo sapiens cDNA clone IMAGE:3078276 5'
9420	22385	35823	0.51	2.0E-55	BF224452.1	EST_HUMAN	h78h08.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:3134463 3'
9420	22385	35824	0.51	2.0E-55	BF224452.1	EST_HUMAN	h78h08.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:3134463 3'
9515	22478		6.16	2.0E-55	AI002836.1	EST_HUMAN	am98h05.s1 Stratagene schizo brain S11 Homo sapiens cDNA clone IMAGE:1864185 3' similar to contains THR b2 THR repetitive element
9596	22558		0.78	2.0E-55	BE007959.1	EST_HUMAN	QV0-BN0147-280400-213-g06 BN0147 Homo sapiens cDNA
10607	23529	37024	0.43	2.0E-55	AI439401.1	EST_HUMAN	i03h08.x1 NCI_CGAP_Gas4 Homo sapiens cDNA clone IMAGE:2140479 3'
11296	24246	37773	1.84	2.0E-55	AU119344.1	EST_HUMAN	AU119344 HEMBA1 Homo sapiens cDNA clone HEMBA1005683 5'

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
12113	24983	38584	1.51	2.0E-55	BE88059.1	EST_HUMAN	601507718F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3809078 5'
98	13212	26136	2.4	1.0E-55	4506080	NT	Homo sapiens mannose-6-phosphate receptor (cation dependent) (M6PR) mRNA
191	13292	26218	93.01	1.0E-55	U09823.1	NT	Oryctolagus cuniculus New Zealand white elongation factor 1 alpha (Rabefiaz) mRNA, complete cds
576	13645	26558	0.75	1.0E-55	A1026718.1	EST_HUMAN	065509.X1 Soares testis_NHT Homo sapiens cDNA clone IMAGE:1844160 3'
1162	14194	27146	4.22	1.0E-55	AB020710.1	NT	Homo sapiens mRNA for KIAA0903 protein, partial cds
1987	14988	27890	1.65	1.0E-55	BE277861.1	EST_HUMAN	601120116F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:2867027 5'
1987	14988	27891	1.65	1.0E-55	BE277861.1	EST_HUMAN	601120116F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:2867027 5'
2333	15344		3.95	1.0E-55	5903174	NT	Homo sapiens SMA3 (SMA3) mRNA
2345	15824	28376	1.31	1.0E-55	AF000990.1	NT	Homo sapiens testis-specific Testis Transcript Y 1 (TTY1) mRNA, partial cds
2624	15527	28548	52.04	1.0E-55	X13111.1	NT	Human mRNA for HLA-A11E, a MHC class I molecule (major histocompatibility complex)
2561	15562	28590	4.62	1.0E-55	AB007866.2	NT	Homo sapiens mRNA for KIAA0406 protein, partial cds
2561	15662	28591	4.62	1.0E-55	AB007866.2	NT	Homo sapiens mRNA for KIAA0406 protein, partial cds
2619	15817	28641	4.76	1.0E-55	L54057.1	NT	Homo sapiens CLP mRNA, partial cds
2801	16793	28811	0.98	1.0E-55	AB033045.1	NT	Homo sapiens mRNA for KIAA1219 protein, partial cds
3420	18468	29388	0.96	1.0E-55	W28189.1	EST_HUMAN	43c5 Human retina cDNA randomly primed sublibrary Homo sapiens cDNA
4015	17054	29955	4.23	1.0E-55	AL163287.2	NT	Homo sapiens chromosome 21 segment HS21C087
4323	17352	30238	1.08	1.0E-55	AL163210.2	NT	Homo sapiens chromosome 21 segment HS21C010
4762	17782		1.21	1.0E-55	N77261.1	EST_HUMAN	y44g03.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:245620 5'
4865	17882	30769	1.79	1.0E-55	AB037163.1	NT	Homo sapiens DSCR5b mRNA, complete cds
4865	17882	30770	1.79	1.0E-55	AB037163.1	NT	Homo sapiens DSCR5b mRNA, complete cds
5177	18186	31063	1.3	1.0E-55	8923125	NT	Homo sapiens hypothetical protein FLJ20126 (FLJ20126), mRNA
5576	18671	31634	0.56	1.0E-55	AF119856.1	NT	Homo sapiens PRO1851 mRNA, complete cds
6402	19470	32718	7	1.0E-55	11433046	NT	Homo sapiens hect domain and RLD 2 (HERC2), mRNA
6402	19470	32719	7	1.0E-55	11433046	NT	Homo sapiens hect domain and RLD 2 (HERC2), mRNA
7282	20015		0.66	1.0E-55	AF199420.1	NT	Homo sapiens F-box protein FBL4 (FBL4) mRNA, complete cds
8321	21290	34704	1.25	1.0E-55	11432994	NT	Homo sapiens discs, large (Drosophila) homolog 2 (chapsyn-110) (DLG2), mRNA
8321	21290	34705	1.25	1.0E-55	11432994	NT	Homo sapiens discs, large (Drosophila) homolog 2 (chapsyn-110) (DLG2), mRNA
8410	21379	34785	0.49	1.0E-55	11421649	NT	Homo sapiens SKAP65 homologue (SKAP-HOM), mRNA
8418	21387	34788	1.27	1.0E-55	AF224492.1	NT	Homo sapiens phospholipid scramblase 1 gene, complete cds
8418	21387	34787	1.27	1.0E-55	AF224492.1	NT	Homo sapiens phospholipid scramblase 1 gene, complete cds
11778	23931	37452	1.65	1.0E-55	U60960.1	NT	Human infant brain unknown product mRNA, complete cds
11785	23950	37471	1.68	1.0E-55	T10045.1	EST_HUMAN	seq11575 b4HB3MA C048-HAP-F1 Homo sapiens cDNA clone b4HB3MA-C078-HAP-F161 5' similar to similar to Chinese Hamster DHFR-coamplified protein mRNA

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
11902	24783	38371	1.74	1.0E-55	10567821	NT	Homo sapiens DNA-binding protein (LOC56242), mRNA
7590	20551	33912	1.89	9.0E-56	BE379074.1	EST_HUMAN	601237702F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3609582 5'
2743	19737	28753	6.5	7.0E-56	H19834.1	EST_HUMAN	Yn62g03.r1 Soares adult brain N2b5HB55Y Homo sapiens cDNA clone IMAGE:173044 5' similar to contains THR repetitive element;
7902	20845	34229	2.13	7.0E-56	AW361213.1	EST_HUMAN	RC1-CT0252-231099-013-b07 CT0252 Homo sapiens cDNA
7902	20845	34230	2.13	7.0E-56	AW361213.1	EST_HUMAN	RC1-CT0252-231099-013-b07 CT0252 Homo sapiens cDNA
1701	14731	27713	1.99	5.0E-56	AW997712.1	EST_HUMAN	RC3-BN0053-170200-011-h01 BN0053 Homo sapiens cDNA
9516	22479	35923	0.61	5.0E-56	AW015507.1	EST_HUMAN	U1-H-B10p-aau-e-05-0-U1.s1 NCL_CGAP_Sub2 Homo sapiens cDNA clone IMAGE:2710544 3'
10754	23676		1.7	5.0E-56	W28189.1	EST_HUMAN	43c5 Human retina cDNA randomly primed sublibrary Homo sapiens cDNA
12507	28930	31309	5.41	5.0E-56	H55099.1	EST_HUMAN	CHR220038 Chromosome 22 exon Homo sapiens cDNA clone C22_55 5'
30	13150	26049	12.5	4.0E-56	AF141349.1	NT	Homo sapiens beta-tubulin mRNA, complete cds
30	13150	26050	12.5	4.0E-56	AF141349.1	NT	Homo sapiens beta-tubulin mRNA, complete cds
2719	15713	28730	4.9	4.0E-56	4507728	NT	Homo sapiens beta-tubulin mRNA, complete cds
2719	15713	28731	4.9	4.0E-56	4507728	NT	Homo sapiens tubulin, beta polypeptide (TUBB) mRNA
2823	13598	26516	3.69	4.0E-56	AF003528.1	NT	Homo sapiens X-linked anhidrotic ectodermal dysplasia protein gene (EDA), exon 2 and flanking repeat regions
2843	15620	28644	1.16	4.0E-56	AI632488.1	EST_HUMAN	wb09f08.x1 NCL_CGAP_G08 Homo sapiens cDNA clone IMAGE:2305191 3' similar to SW:DCOR_MUSPA P27119 ORNITHINE DECARBOXYLASE;
2843	15620	28645	1.16	4.0E-56	AI632488.1	EST_HUMAN	wb09f08.x1 NCL_CGAP_G08 Homo sapiens cDNA clone IMAGE:2305191 3' similar to SW:DCOR_MUSPA P27119 ORNITHINE DECARBOXYLASE;
6387	19455	32700	5.85	4.0E-56	AF217508.1	NT	Homo sapiens uncharacterized bone marrow protein BM031 mRNA, complete cds
6387	19455	32701	5.85	4.0E-56	AF217508.1	NT	Homo sapiens uncharacterized bone marrow protein BM031 mRNA, complete cds
10872	23792	37293	3.94	4.0E-56	AF043349.1	NT	Homo sapiens lymphocyte-specific protein 1 (LSP1) gene, LSP1-7 allele, partial cds
11268	24220	37743	7.82	4.0E-56	AI498066.1	EST_HUMAN	hm65g12.x1 NCL_CGAP_Bm25 Homo sapiens cDNA clone IMAGE:2163046 3'
11268	24220	37744	7.82	4.0E-56	AI498066.1	EST_HUMAN	hm65g12.x1 NCL_CGAP_Bm25 Homo sapiens cDNA clone IMAGE:2163046 3'
1345	14380	27349	1.74	3.0E-56	8924029	NT	Homo sapiens hypothetical protein PRO1304 (PRO1304), mRNA
1779	14808	27794	0.99	3.0E-56	6912743	NT	Homo sapiens 5'-3' xotribonuclease 2 (XRN2), mRNA
3142	16199	29109	1.83	3.0E-56	AA325826.1	EST_HUMAN	EST28889 Cerebellum II Homo sapiens cDNA 5' end
3142	16199	29110	1.83	3.0E-56	AA325826.1	EST_HUMAN	EST28889 Cerebellum II Homo sapiens cDNA 5' end
3847	16887		1.73	3.0E-56	AF055068.1	NT	Homo sapiens MHC class 1 region
3838	16978	29893	1.1	3.0E-56	BE333512.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C088
4454	17480	30368	4.84	3.0E-56	AL163268.2	NT	Homo sapiens superkiller viralicidic activity 2 (S. cerevisiae homolog)-like (SKIV2L), mRNA
4603	17824	30517	2.34	3.0E-56	5902085	NT	Homo sapiens superkiller viralicidic activity 2 (S. cerevisiae homolog)-like (SKIV2L), mRNA
4841	17858		1.81	3.0E-56	BE893572.1	EST_HUMAN	601438154F1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3923100 5'

Table 4

Single Exon Probes Expressed In Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5767	18859	32038	1.64	3.0E-56	4759163	NT	Homo sapiens spercalonelectin, cwcw and kazal-like domains proteoglycan (testican) (SPOCK) mRNA
5767	18859	32039	1.64	3.0E-56	4759163	NT	Homo sapiens spercalonelectin, cwcw and kazal-like domains proteoglycan (testican) (SPOCK) mRNA
7058	20080	33389	5.05	3.0E-56	11421124	NT	Homo sapiens lysosomal-associated membrane protein 2 (LAMP2), mRNA
9168	22134	35560	5	3.0E-56	11418704	NT	Homo sapiens bone morphogenetic protein 5 (BMP5), mRNA
10172	23097	36577	1.12	3.0E-56	D63479.2	NT	Homo sapiens mRNA for KIAA0145 protein, partial cds
10846	23788	37265	1.63	3.0E-56	11434958	NT	Homo sapiens KIAA0317 gene product (KIAA0317), mRNA
11643	24580	38147	4.57	3.0E-56	5902013	NT	Homo sapiens nuclear pore complex interacting protein (NP1P), mRNA
11643	24580	38148	4.57	3.0E-56	5902013	NT	Homo sapiens nuclear pore complex interacting protein (NP1P), mRNA
11983	24860	38455	7.15	3.0E-56	U46900.1	NT	Homo sapiens NACP/alpha-synuclein gene, exon 5
11983	24860	38456	7.15	3.0E-56	U46900.1	NT	Homo sapiens NACP/alpha-synuclein gene, exon 5
12378	25160	31812	2.99	3.0E-56	11434878	NT	Homo sapiens caveolin 3 (CAV3), mRNA
12378	25160	31813	2.99	3.0E-56	11434878	NT	Homo sapiens caveolin 3 (CAV3), mRNA
525	13596		1.92	2.0E-56	AA199818.1	EST_HUMAN	Homo sapiens caveolin 3 (CAV3), mRNA
734	15849	26732	2.02	2.0E-56	BE064386.1	EST_HUMAN	zq52a08.s1 Stratagene neuroepithelium (#837231) Homo sapiens cDNA clone IMAGE:845206 3'
734	15849	26733	2.02	2.0E-56	BE064386.1	EST_HUMAN	RC4-BT0310-110300-015-f10 BT0310 Homo sapiens cDNA
2392	15400	28425	1.22	2.0E-56	BE064386.1	EST_HUMAN	RC4-BT0310-110300-015-f10 BT0310 Homo sapiens cDNA
2392	15400	28426	1.22	2.0E-56	M26061.1	NT	Human cGMP phosphodiesterase alpha subunit (CGPR-A) mRNA, complete cds
3001	16059	28978	1.52	2.0E-56	AB037835.1	NT	Human cGMP phosphodiesterase alpha subunit (CGPR-A) mRNA, complete cds
3327	16378		1.71	2.0E-56	AB008881.1	NT	Homo sapiens mRNA for KIAA1414 protein, partial cds
3544	16590	29515	1.18	2.0E-56	AV703184.1	EST_HUMAN	Homo sapiens gene for activin receptor type IIB, complete cds
7297	20289	33604	1.24	2.0E-56	5730038	NT	Homo sapiens SET domain and mariner transposase fusion gene (SETMAR) mRNA
981	14032		1.28	1.0E-56	AF190930.1	NT	Homo sapiens SET domain and mariner transposase fusion gene (SETMAR) mRNA
3688	16731	29642	2.08	1.0E-56	AW598833.1	EST_HUMAN	Macaca fascicularis protein tyrosine phosphatase (PRL-1) mRNA, complete cds
3688	16731	29643	2.08	1.0E-56	AW598833.1	EST_HUMAN	hg23c11.x1 NCL CGAP_G08 Homo sapiens cDNA clone IMAGE:2946452 3'
5071	18081	30982	1.22	1.0E-56	AW05162.1	EST_HUMAN	hg23c11.x1 NCL CGAP_G08 Homo sapiens cDNA clone IMAGE:2946452 3'
6995	20121	33435	0.66	1.0E-56	AW609520.1	EST_HUMAN	QV-BT077-130199-078 BT077 Homo sapiens cDNA
10315	23239		0.61	1.0E-56	AL163203.2	NT	MR3-ST0203-180100-208-H02 ST0203 Homo sapiens cDNA
10408	23330	36815	1.82	1.0E-56	AW845987.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21Q03
826	13691		2.17	9.0E-57	AW880885.1	EST_HUMAN	RC2-CT0163-220989-001-E02 CT0163 Homo sapiens cDNA
11554	24494	38050	1.51	9.0E-57	AF228497.1	NT	QV0-OT0033-070300-152-H03 OT0033 Homo sapiens cDNA
11554	24494	38051	1.51	9.0E-57	AF228497.1	NT	Homo sapiens serine protease 17 (KLK4) gene, complete cds
11850	24733	36320	2.23	9.0E-57	AB020981.1	NT	Homo sapiens serine protease 17 (KLK4) gene, complete cds
							Homo sapiens mRNA for cyclin B2, complete cds

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
14	13134	26032	1.11	8.0E-57	8923349	NT	Homo sapiens hypothetical protein FLJ20371 (FLJ20371), mRNA
297	13391	26319	3.14	8.0E-57	AW816405.1	EST_HUMAN	QV4-S10234-181199-037-05 S10234 Homo sapiens cDNA
885	13940	26898	9.74	8.0E-57	AW264599.1	EST_HUMAN	x05d10.x1 NCI_CGAP_Bm53 Homo sapiens cDNA clone IMAGE:2759251 3' similar to gb:U05875
1833	14860	27658	2.19	8.0E-57	AA496109.1	EST_HUMAN	INTERFERON-GAMMA RECEPTOR BETA CHAIN PRECURSOR (HUMAN);
4946	17962	30852	1.11	8.0E-57	4557630	NT	z5f1b12.11 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:757151 5'
5073	18083	30965	1.32	8.0E-57	BE299916.1	EST_HUMAN	Homo sapiens glutamate receptor, ionotropic, AMPA 4 (GRIA4) mRNA
5312	25848	31435	1.69	8.0E-57	11418185	NT	600944440F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:2960864 5'
6539	19601	32863	0.54	8.0E-57	AB020705.1	NT	Homo sapiens acylase 2, mitochondrial (ACO2), mRNA
6608	19666	32941	12.65	8.0E-57	AB0203177.1	NT	Homo sapiens mRNA for KIAA0898 protein, partial cds
6608	19666	32942	12.65	8.0E-57	AB0203177.1	NT	Homo sapiens mRNA for KIAA0960 protein, partial cds
7682	20640	34003	0.71	8.0E-57	7682283	NT	Homo sapiens KIAA0716 gene product (KIAA0716), mRNA
8024	20961	34357	2.69	8.0E-57	AB020644.1	NT	Homo sapiens mRNA for KIAA0837 protein, partial cds
8024	20961	34358	2.69	8.0E-57	AB020644.1	NT	Homo sapiens mRNA for KIAA0837 protein, partial cds
10848	23768	37267	0.44	8.0E-57	11428710	NT	Homo sapiens paired box gene 5 (B-cell lineage specific activator protein) (PAX5), mRNA
11807	13134	26032	2.8	8.0E-57	8923349	NT	Homo sapiens hypothetical protein FLJ20371 (FLJ20371), mRNA
12088	24960	38557	1.67	8.0E-57	11431260	NT	Homo sapiens Ras suppressor protein 1 (RSU1), mRNA
12733	25386	31751	3.29	8.0E-57	11545732	NT	Homo sapiens SH3-domain binding protein 1 (SH3BP1), mRNA
12749	25386	31751	1.39	8.0E-57	11545732	NT	Homo sapiens SH3-domain binding protein 1 (SH3BP1), mRNA
3263	16317	29237	1.09	7.0E-57	7242158	NT	Homo sapiens NME7 (NME7), mRNA
3263	16317	29238	1.09	7.0E-57	7242158	NT	Homo sapiens NME7 (NME7), mRNA
3284	16338	29258	0.65	7.0E-57	6005979	NT	Homo sapiens Kruppel-like factor 8 (KLF8), mRNA
3891	16931	29840	2.63	7.0E-57	AF012872.1	NT	Homo sapiens phosphatidylinositol 4-kinase 230 (pi4K230) mRNA, complete cds
3891	16931	29841	2.63	7.0E-57	AF012872.1	NT	Homo sapiens phosphatidylinositol 4-kinase 230 (pi4K230) mRNA, complete cds
4816	17833	30731	1.03	7.0E-57	U11058.2	NT	Homo sapiens large conductance calcium- and voltage-dependent potassium channel alpha subunit (Maxik) mRNA, complete cds
13075	25884		3.96	6.0E-57	AJ271735.1	NT	Homo sapiens Xq pseudautosomal region; segment 1/2
3766	16808	29718	2.12	4.0E-57	AB026898.1	NT	Homo sapiens DNA, DLEC1 to ORCTL4 gene region, section 1/2 (DLEC1, ORCTL3, ORCTL4 genes, complete cds)
805	13863	26613	0.93	3.0E-57	4507798	NT	Homo sapiens ubiquitin protein ligase E3A (human papilloma virus E6-associated protein, Angelman syndrome) (UBE3A) mRNA
1334	14368		58.49	3.0E-57	AA230279.1	EST_HUMAN	nc13107.s1 NCI_CGAP_P1 Homo sapiens cDNA clone IMAGE:1008037 similar to SW:RS10_HUMAN
2400	15407	28431	0.95	3.0E-57	AA348335.1	EST_HUMAN	P46783 40S RIBOSOMAL PROTEIN S10. ; EST54770 Hippocampus II Homo sapiens cDNA 5' end

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2714	15708	28724	1.19	3.0E-57	BE676922.1	EST_HUMAN	753b10.x1 NCI_CGAP_OCL1 Homo sapiens cDNA clone IMAGE:3296443 3' similar to WP.Y47H8C.2 OE20263 ;
2714	15708	28725	1.19	3.0E-57	BE676922.1	EST_HUMAN	753b10.x1 NCI_CGAP_OCL1 Homo sapiens cDNA clone IMAGE:3296443 3' similar to WP.Y47H8C.2 OE20263 ;
3711	16754		26.47	3.0E-57	AW853984.1	EST_HUMAN	753b10.x1 NCI_CGAP_OCL1 Homo sapiens cDNA clone IMAGE:3296443 3' similar to WP.Y47H8C.2 OE20263 ;
6145	19220	32450	1.37	3.0E-57	11225608	NT	RC3-CT0254-110300-027-f10 GT0264 Homo sapiens cDNA
6246	19319	32549	3.49	3.0E-57	BE768637.1	EST_HUMAN	Homo sapiens angiotensin I converting enzyme (peptidyl-dipeptidase A) 2 (ACE2), mRNA
8484	21462	34870	2.61	3.0E-57	W28130.1	EST_HUMAN	601598986F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3844302 5'
8510	21478	34891	1.9	3.0E-57	11545798	NT	426 Human retina cDNA randomly primed sublibrary Homo sapiens cDNA
8510	21478	34892	1.9	3.0E-57	11545798	NT	Homo sapiens hypothetical protein FLJ11656 (FLJ11656), mRNA
8624	21592	35011	0.68	3.0E-57	11427757	NT	Homo sapiens hypothetical protein FLJ11656 (FLJ11656), mRNA
8772	21739	35160	0.68	3.0E-57	J05262.1	NT	Homo sapiens KIAA0649 gene product (KIAA0649), mRNA
9210	22176	36006	0.68	3.0E-57	J05262.1	NT	Human fatty acid synthetase mRNA, complete cds
9605	22609	36060	4.95	3.0E-57	AU117659.1	EST_HUMAN	AU117659 HEMBA1 Homo sapiens cDNA clone HEMBA1001010 5'
9605	22609	36061	0.7	3.0E-57	11545798	NT	Homo sapiens hypothetical protein FLJ11656 (FLJ11656), mRNA
11254	24207	37729	2.98	3.0E-57	AW248374.1	EST_HUMAN	Homo sapiens hypothetical protein FLJ11656 (FLJ11656), mRNA
12394	25951	31314	7.53	3.0E-57	W23871.1	EST_HUMAN	2820473 Spine NIH_MGC_7 Homo sapiens cDNA clone IMAGE:2820473 5'
1500	14533	27504	1.05	2.0E-57	AF246219.1	NT	Zb45d11.1 Soares fetal lung Nbl-L18W Homo sapiens cDNA clone IMAGE:306549 5'
1500	14533	27505	1.05	2.0E-57	AF246219.1	NT	Homo sapiens SNARE protein kinase SNARE mRNA, complete cds
3452	18498		2.19	2.0E-57	AL163204.2	NT	Homo sapiens SNARE protein kinase SNARE mRNA, complete cds
3562	16808	29529	0.65	2.0E-57	R07702.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C004
3562	16808	29530	0.65	2.0E-57	R07702.1	EST_HUMAN	ye98h01.r1 Soares fetal liver spleen INFLS Homo sapiens cDNA clone IMAGE:125809 5'
3561	16991	29807	0.86	2.0E-57	BE073284.1	EST_HUMAN	ye98h01.r1 Soares fetal liver spleen INFLS Homo sapiens cDNA clone IMAGE:125809 5'
4538	17561	30448	6.69	2.0E-57	AL163283.2	NT	MRO-BT0551-060300-103-503 BT0551 Homo sapiens cDNA
5139	18148	31027	1.74	2.0E-57	AL163206.2	NT	Homo sapiens chromosome 21 segment HS21C003
						NT	Homo sapiens chromosome 21 segment HS21C006
5751	18845		1.67	2.0E-57	AA016131.1	EST_HUMAN	ze31c05.r1 Soares retina N2b4HR Homo sapiens cDNA clone IMAGE:360584 5' similar to contains L1.13 L1 repetitive element ;
6150	19225		32.23	2.0E-57	BF115266.1	EST_HUMAN	7n80f04.x1 NCI_CGAP_Ov18 Homo sapiens cDNA clone IMAGE:3570986 3' similar to contains TAR1.11 MER22 repetitive element ;
6283	19355	32591	0.7	2.0E-57	11431281	NT	Homo sapiens small inducible cytokine subfamily A (Oxy-Cys), member 22 (SCYA22), mRNA
8978	21944	33368	1.02	2.0E-57	AF045452.1	NT	Homo sapiens cell-line KG1 transcriptional regulatory protein p54 mRNA, complete cds
10205	23130	35617	1.63	2.0E-57	AF057722.1	NT	Homo sapiens 17-beta-hydroxysteroid dehydrogenase IV (HSD17B4) gene, exons 3 and 4
11601	24539	38097	1.88	2.0E-57	11424084	NT	Homo sapiens hypothetical protein FLJ20041 (FLJ20041), mRNA
11601	24539	38098	1.88	2.0E-57	11424084	NT	Homo sapiens hypothetical protein FLJ20041 (FLJ20041), mRNA

Page 328 of 546

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
11842	24579	38145	1.74	2.0E-57	AJ245503.1	NT	Homo sapiens partial mRNA for PEX6 related protein
11842	24579	38146	1.74	2.0E-57	AJ245503.1	NT	Homo sapiens partial mRNA for PEX6 related protein
2240	15254	28278	1.49	1.0E-57	AW503208.1	EST_HUMAN	UHF-BN0-akt-g-07-0-U1.1 NIH_MGC_50 Homo sapiens cDNA clone IMAGE:3078348 5'
9041	22007		4.47	1.0E-57	BE043031.1	EST_HUMAN	h32a08.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3039062 3' similar to TR:O00246 O00246
12537	25261		3.65	1.0E-57	AW470791.1	EST_HUMAN	h33306.x1 NCI_CGAP_Kia12 Homo sapiens cDNA clone IMAGE:2875499 3' similar to contains THR.b3
5760	18853	32033	1.01	9.0E-58	AA297847.1	EST_HUMAN	THR repetitive element
12795	25424	31738	2.37	9.0E-58	BE398061.1	EST_HUMAN	EST11348 Uterus Homo sapiens cDNA 5' and
591	13658		2.43	8.0E-58	BE868715.1	EST_HUMAN	601309465F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3631000 5'
655	13721	26644	2.84	8.0E-58	AI798376.1	EST_HUMAN	601445948F1 NIH_MGC_65 Homo sapiens cDNA clone IMAGE:3850211 5'
655	13721	26645	2.84	8.0E-58	AI798376.1	EST_HUMAN	h34507.x1 NCI_CGAP_Ov23 Homo sapiens cDNA clone IMAGE:2220181 3' similar to TR:O15475 O15475
1874	14899	27897	1.98	8.0E-58	11434921	NT	UNNAMED HERV-H PROTEIN
1874	14899	27898	1.98	8.0E-58	11434921	NT	h34507.x1 NCI_CGAP_Ov23 Homo sapiens cDNA clone IMAGE:2220181 3' similar to TR:O15475 O15475
2987	16045		2.65	8.0E-58	7706132	NT	UNNAMED HERV-H PROTEIN
7449	20415	33769	0.95	7.0E-58	BE561971.1	EST_HUMAN	h34507.x1 NCI_CGAP_Ov23 Homo sapiens cDNA clone IMAGE:2220181 3' similar to TR:O15475 O15475
11203	24157		4.96	7.0E-58	5174542	NT	UNNAMED HERV-H PROTEIN
11275	24227	37753	2.79	7.0E-58	AW504109.1	EST_HUMAN	Homo sapiens putative protein O-mannosyltransferase (POMT2), mRNA
11275	24227	37754	2.79	7.0E-58	AW504109.1	EST_HUMAN	Homo sapiens putative protein O-mannosyltransferase (POMT2), mRNA
2385	15393	28419	4.05	6.0E-58	AU130689.1	EST_HUMAN	Homo sapiens DHHC1 protein (LOC51304), mRNA
2912	15970	28893	1.62	6.0E-58	BE242150.1	EST_HUMAN	Homo sapiens DHHC1 protein (LOC51304), mRNA
2912	15970	28894	1.62	6.0E-58	BE242150.1	EST_HUMAN	601348704F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3687577 5'
6294	19366	32605	1.16	6.0E-58	AF106911.1	NT	Homo sapiens MAD5 box transcription enhancer factor 2, polypeptide B (myocyte enhancer factor 2B)
10672	23584	37091	1.02	6.0E-58	11434746	NT	(MEF2B) mRNA
12829	25316		1.41	6.0E-58	11526291	NT	UHF-BN0-akt-g-10-0-U1.1 NIH_MGC_50 Homo sapiens cDNA clone IMAGE:3079867 5'
300	13394	26321	4.35	5.0E-58	4507334	NT	UHF-BN0-akt-g-10-0-U1.1 NIH_MGC_50 Homo sapiens cDNA clone IMAGE:3079867 5'
711	13773	26707	7.63	5.0E-58	BE763984.1	EST_HUMAN	UHF-BN0-akt-g-10-0-U1.1 NIH_MGC_50 Homo sapiens cDNA clone IMAGE:3079867 5'
1199	14239	27195	3.77	5.0E-58	AW797948.1	EST_HUMAN	AU130689 NT2RP3 Homo sapiens cDNA clone NT2RP3001263 5'
1199	14239	27196	3.77	5.0E-58	AW797948.1	EST_HUMAN	AU130689 NT2RP3 Homo sapiens cDNA clone NT2RP3001263 5'

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1200	14239	27195	3.1	5.0E-58	AW797948.1	EST_HUMAN	CM3-UM0043-240300-127-e07 UM0043 Homo sapiens cDNA
1200	14239	27196	3.1	5.0E-58	AW797948.1	EST_HUMAN	CM3-UM0043-240300-127-e07 UM0043 Homo sapiens cDNA
3334	16385	28306	3.85	5.0E-58	AA088183.1	EST_HUMAN	098607.s1 NCL CGAP_Lu6 Homo sapiens cDNA clone IMAGE:1603908 3'
4287	17316	30195	0.95	5.0E-58	AI636745.1	EST_HUMAN	ts89-e07.x1 NCL CGAP_GC8 Homo sapiens cDNA clone IMAGE:2238488 3' similar to SW:PRO2_ACACA
5710	18804		2.2	5.0E-58	11499282	NT	P19984 PROFILIN II
6302	19373	32612	5.97	5.0E-58	H23072.1	EST_HUMAN	Homo sapiens placenta-specific 1 (PLACT1), mRNA
6334	19597	32860	0.94	5.0E-58	AL163285.2	EST_HUMAN	ym51h07.r1 Soares infant brain 1N1B Homo sapiens cDNA clone IMAGE:52071 5'
6616	19673	32951	1.16	5.0E-58	AF051334.1	NT	Homo sapiens chromosome 21 segment HS21C085
6945	20169	33492	0.7	5.0E-58	AF051334.1	NT	Homo sapiens epical protein, Xenopus laevis-like (APXL), mRNA
6945	20169	33493	0.7	5.0E-58	AF051334.1	NT	Homo sapiens ribirin (NBS) mRNA, complete cds
7313	20284	33626	0.8	5.0E-58	AF051334.1	NT	Homo sapiens ribirin (NBS) mRNA, complete cds
8302	21271	34683	7.52	5.0E-58	8922693	NT	Homo sapiens holocytochrome c synthase (cytochrome c heme-lyase) (HCOS) mRNA
8896	21684	35088	0.76	5.0E-58	AB048837.1	NT	Homo sapiens hypothetical protein FLJ10826 (FLJ10826), mRNA
9695	22648	36103	1.34	5.0E-58	5231227	NT	Homo sapiens mRNA for KIAA1617 protein, partial cds
9696	22648	36104	1.34	5.0E-58	5231227	NT	Homo sapiens ribonuclease B precursor (RNA5E8PL) mRNA
10216	23141	36829	1.01	5.0E-58	11430647	NT	Homo sapiens pre-mRNA splicing factor similar to S. cerevisiae Prp18 (PRP18), mRNA
10482	23404	36901	1.66	5.0E-58	AL163218.2	NT	Homo sapiens chromosome 21 segment HS21C018
10766	23687	37183	0.51	5.0E-58	AB014511.1	NT	Homo sapiens mRNA for KIAA0611 protein, partial cds
10766	23687	37184	0.51	5.0E-58	AB014511.1	NT	Homo sapiens mRNA for KIAA0611 protein, partial cds
12352	25878		2.17	5.0E-58	11526293	NT	Homo sapiens cat eye syndrome chromosome region, candidate 1 (CECR1), mRNA
12791	25904		1.48	5.0E-58	11428423	NT	Homo sapiens acetyl-Coenzyme A carboxylase alpha (ACACA), mRNA
13015	25565		2.08	5.0E-58	11418177	NT	Homo sapiens Ran GTPase activating protein 1 (RANGAP1), mRNA
373	13459	26388	1.85	4.0E-58	4502302	NT	Homo sapiens ATP synthase, H+ transporting, mitochondrial F1 complex, O subunit (oligomycin sensitivity
797	13856	26803	1.42	4.0E-58	4504634	NT	conferring protein) (ATP5O) mRNA
1464	14497	27471	1.14	4.0E-58	4503648	NT	Homo sapiens interleukin 10 receptor, beta (IL10RB), mRNA
2639	16638	28661	2.02	4.0E-58	U36251.1	NT	(F9) mRNA
3336	16387	28608	1.11	4.0E-58	D16470.1	NT	Human beta-prime-adaptin (BAM22) gene, exon 3
3753	16795	28706	1.02	4.0E-58	5031680	NT	Human mRNA, Xa terminal portion
8120	21057	34454	0.69	4.0E-58	BE463857.1	EST_HUMAN	Homo sapiens EGF-like repeats and discoidin-like domains 3 (EDIL3), mRNA
11671	24607	38184	7.52	4.0E-58	11424059	NT	Hy18a02.x1 NCL CGAP_GC8 Homo sapiens cDNA clone IMAGE:3197842 3'
335	13424		0.84	3.0E-58	R17879.1	EST_HUMAN	Homo sapiens E1B-55kDa-associated protein 5 (E1B-AP5), mRNA
							Y910e02.r1 Soares infant brain 1N1B Homo sapiens cDNA clone IMAGE:31693 5'

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1390	14424	27393	2.32	3.0E-58	4758981	NT	Homo sapiens peptide YY (PYY) mRNA
3183	16248	29195	2.57	3.0E-58	BF569848.1	EST_HUMAN	802185789F1 NIH_MGC_45 Homo sapiens cDNA clone IMAGE:4309943 5'
3193	16248	29195	2.57	3.0E-58	BF569848.1	EST_HUMAN	802185789F1 NIH_MGC_45 Homo sapiens cDNA clone IMAGE:4309943 5'
6390	19458	32703	0.61	3.0E-58	BE089509.1	EST_HUMAN	QV0-BT0702-170400-194-f09 BT0702 Homo sapiens cDNA
6587	19647	32916	0.79	3.0E-58	F07056.1	EST_HUMAN	HSC1T0081 normalized infant brain cDNA Homo sapiens cDNA clone c-1tg08
6797	19851	33136	3.92	3.0E-58	AV712977.1	EST_HUMAN	AV712977 DCA Homo sapiens cDNA clone DCAA2G04 5'
939	13992	28944	8.85	2.0E-58	AF088624.1	NT	Homo sapiens 5-aminolevulinic synthase 2 (ALAS2) gene, complete cds
1294	14329						ba08507.y1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:2823733 5' similar to gp:X69391 60S RIBOSOMAL PROTEIN L6 (HUMAN); gb:X81987 M.musculus mRNA for TAX responsive element binding protein (MOUSE);
5409	18512	31390	8.41	2.0E-58	BE208532.1	EST_HUMAN	xa08a09.x1 Soares NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2567704 3'
5431	25638	31413	0.75	2.0E-58	AW074831.1	EST_HUMAN	601499961F1 NIH_MGC_70 Homo sapiens cDNA clone IMAGE:3901911 5'
5431	25638	31441	3.25	2.0E-58	BE907186.1	EST_HUMAN	601499961F1 NIH_MGC_70 Homo sapiens cDNA clone IMAGE:3901911 5'
6175	19250	32483	1.09	2.0E-58	BF513468.1	EST_HUMAN	UI-H-BW1-ams-g-11-Q-U1.s1 NCI_CGAP_Sub7 Homo sapiens cDNA clone IMAGE:3071060 3'
6244	19317	32547	1.85	2.0E-58	A124874.1	EST_HUMAN	am57e02.x1 Johnston frontal cortex Homo sapiens cDNA clone IMAGE:1539674 3' similar to WP:ZK328.1 CE05065 UBIQUITIN CONJUGATING ENZYME; RECOVERIN SUBFAMILY OF EF-HAND CALCIUM BINDING PROTEIN;
6278	19350	32584	0.83	2.0E-58	R92567.1	EST_HUMAN	xa08h06.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:106379 5'
7112	20046	33348	0.83	2.0E-58	A1291407.1	EST_HUMAN	qm84c01.x1 NCI_CGAP_Lu5 Homo sapiens cDNA clone IMAGE:1895424 3'
7364	20334	33983	2.68	2.0E-58	AF134838.1	NT	Homo sapiens endocytic receptor Endo180 (ENDO180) mRNA, complete cds
7364	20334	33984	2.68	2.0E-58	AF134838.1	NT	Homo sapiens endocytic receptor Endo180 (ENDO180) mRNA, complete cds
11093	24053	37576	18.24	2.0E-58	BF307745.1	EST_HUMAN	601890812F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:4131891 5'
11312	24262	37788	1.48	2.0E-58	AW872641.1	EST_HUMAN	hm25f08.x1 NCI_CGAP_Try4 Homo sapiens cDNA clone IMAGE:3013671 3'
723	13785	28719	0.88	1.0E-58	M65134.1	NT	Human complement component C5 mRNA, 3' end
1089	14114	27084	5.96	1.0E-58	6274549	NT	Homo sapiens NADH dehydrogenase (ubiquinone) 1 beta subcomplex, 9 (22KD, B22) (NDUFB9), mRNA
1330	14365	27333	2.03	1.0E-58	AW957182.1	EST_HUMAN	EST369252 MAG E ressequences, MAGD Homo sapiens cDNA
1330	14365	27334	2.03	1.0E-58	AW957182.1	EST_HUMAN	EST369252 MAG E ressequences, MAGD Homo sapiens cDNA
1397	14431	27400	0.98	1.0E-58	AJ238093.1	NT	Homo sapiens partial AF-4 gene, exons 2 to 7 and Alu repeat elements
1672	14704	27681	0.95	1.0E-58	BE466132.1	EST_HUMAN	hy10f08.x1 NCI_CGAP_G08 Homo sapiens cDNA clone IMAGE:3196935 3'
2814	15806	28825	1.21	1.0E-58	4759169	NT	Homo sapiens steroid regulatory element binding transcription factor 2 (SREBF2) mRNA
3548	16594	29520	1.19	1.0E-58	4758081	NT	Homo sapiens chondroitin sulfate proteoglycan 2 (versican) (CSPG2) mRNA
3548	16594	29521	1.19	1.0E-58	4758081	NT	Homo sapiens chondroitin sulfate proteoglycan 2 (versican) (CSPG2) mRNA
3733	16776	29687	0.7	1.0E-58	4507628	NT	Homo sapiens transition protein 1 (during histone to protamine replacement) (TNP1) mRNA

Page 331 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLASTE Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5008	18020	30908	5.17	1.0E-58	AI141083.1	EST_HUMAN	oz43h01.x1 Soares_NH-MPU_S1 Homo sapiens cDNA clone IMAGE:1678128 3'
5941	19027	32221	1.18	1.0E-58	BE061860.1	EST_HUMAN	RC1-BT0254-290100-015-e01 BT0254 Homo sapiens cDNA
7048	20068	33374	0.84	1.0E-58	11422031	NT	Homo sapiens hypothetical protein (LOC51260), mRNA
8451	21420		0.5	1.0E-58	AW073537.1	EST_HUMAN	EST386637 MAGE Requences, MAGM Homo sapiens cDNA
9221	22187	35619	0.59	1.0E-58	4505314	NT	Homo sapiens myomesin (M-protein) 2 (165kD) (MYOM2), mRNA
9333	22298	35727	0.94	1.0E-58	AV751001.1	EST_HUMAN	AV751001 NPC Homo sapiens cDNA clone NPCAGH09 5'
9436	22400	35837	0.65	1.0E-58	AA412397.1	EST_HUMAN	z89f05.r1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:730497 5'
9436	22400	35838	0.65	1.0E-58	AA412397.1	EST_HUMAN	z89f05.r1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:730497 5'
10548	23488	36963	0.58	1.0E-58	11432984	NT	Homo sapiens disc, large (Drosophila) homolog 2 (chapsyn-110) (DLG2), mRNA
12099	24942		2.61	1.0E-58	X63392.1	NT	H. sapiens immunoglobulin kappa light chain variable region L14
2238	15252	28276	21.09	8.0E-59	4507378	NT	Homo sapiens TATA box binding protein (TBP) mRNA
7016	20141	33468	0.71	8.0E-59	AA382291.1	EST_HUMAN	EST196683 Testis I Homo sapiens cDNA 5' end
7015	20141	33469	0.71	8.0E-59	AA382291.1	EST_HUMAN	EST196683 Testis I Homo sapiens cDNA 5' end
8521	21489	34904	3.74	8.0E-59	AI761963.1	EST_HUMAN	wh5d08.x1 NCL_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2384171 3'
179	15834		3.9	6.0E-59	BF035327.1	EST_HUMAN	601459631F1 NIH_MGC_66 Homo sapiens cDNA clone IMAGE:3862086 5'
8151	21089	34489	1.64	6.0E-59	AA982431.1	EST_HUMAN	om81a04.s1 NCL_CGAP_Kid3 Homo sapiens cDNA clone IMAGE:1553560 3' similar to TR:Q13732 Q13732 SA GENE PRODUCT PRECURSOR.;
8598	21558	34972	0.56	6.0E-59	AI750970.1	EST_HUMAN	cn06h02.y1 Normal Human Trabecular Bone Cells Homo sapiens cDNA clone NHTBC_cn06h02 random
1768	14797	27782	1.19	5.0E-59	AW157281.1	EST_HUMAN	au83h05.x1 Schneider fetal brain 00004 Homo sapiens cDNA clone IMAGE:2783865 3' similar to TR:O75786 O75786 GANGLIOSIDE-INDUCED DIFFERENTIATION ASSOCIATED PROTEIN 1.;
1768	14797	27783	1.19	5.0E-59	AW157281.1	EST_HUMAN	au83h05.x1 Schneider fetal brain 00004 Homo sapiens cDNA clone IMAGE:2783865 3' similar to TR:O75786 O75786 GANGLIOSIDE-INDUCED DIFFERENTIATION ASSOCIATED PROTEIN 1.;
3144	16201	28712	7.03	5.0E-59	AJ807484.1	EST_HUMAN	w48c11.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2356836 3'
4887	17703	30601	7.38	5.0E-59	X83497.1	NT	H. sapiens DNA for ZNF80-linked ERV9 long terminal repeat
5786	18888	32070	0.58	5.0E-59	6005608	NT	Homo sapiens alexin 2 related protein (A2LP), mRNA
7182	18413	31215	7.91	5.0E-59	AW162304.1	EST_HUMAN	au66c07.x1 Schneider fetal brain 00004 Homo sapiens cDNA clone IMAGE:2781228 3' similar to contains element TAR1 repetitive element;
9158	22124	35653	0.95	5.0E-59	11421778	NT	Homo sapiens polymerase (RNA) III (DNA directed) (39kD) (RPC39), mRNA
10063	22890	36459	1.64	5.0E-59	AV762869.1	EST_HUMAN	AV762869 MDS Homo sapiens cDNA clone MDSEIC12 5'
11253	24206	37728	3.1	5.0E-59	11434908	NT	Homo sapiens hypothetical protein (LOC57143), mRNA
794	13863	28801	3.22	4.0E-59	D80006.1	NT	Human mRNA for KIAA0184 gene, partial cds
1242	14278	27239	0.75	4.0E-59	4505818	NT	Homo sapiens phosphatidylinositol-4-phosphate 5-kinase, type II, beta (PIP5K2B) mRNA, and translated products

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1242	14278	27240	0.75	4.0E-59	4505818	NT	Homo sapiens phosphatidylinositol-4-phosphate 5-kinase, type II, beta (PIP5K2B) mRNA, and translated products
5615	18711	31869	1.04	4.0E-59	11034810	NT	Homo sapiens cactinin (cadherin-associated protein), delta 2 (neural plakophilin-related arm-repeat protein) (CTNND2), mRNA
12107	24977	38578	1.6	4.0E-59	7657426	NT	Homo sapiens origin recognition complex, subunit 6 (yeast homolog)-like (ORC6L), mRNA
12482	25810		2.98	4.0E-59	AF057720.1	NT	Homo sapiens 17-beta-hydroxysteroid dehydrogenase IV (HSD17B4) gene, promoter region and exon 1
10	13130		6.6	3.0E-59	AW966524.1	EST_HUMAN	EST37582 IMAGE sequences, MAGI Homo sapiens cDNA
228	13327	28250	4.47	3.0E-59	7662247	NT	Homo sapiens KIAA0680 gene product (KIAA0680), mRNA
1723	14763	27738	11.42	3.0E-59	4505860	NT	Homo sapiens plasminogen activator, tissue (PLATa) mRNA
1723	14763	27739	11.42	3.0E-59	4505860	NT	Homo sapiens plasminogen activator, tissue (PLATa) mRNA
2139	15156	28171	6.05	3.0E-59	AB029035.1	NT	Homo sapiens mRNA for KIAA1112 protein, partial cds
2139	15156	28172	6.05	3.0E-59	AB029035.1	NT	Homo sapiens mRNA for KIAA1112 protein, partial cds
3146	16203	29116	2.91	3.0E-59	4602014	NT	Homo sapiens A kinase (PKA) anchor protein 1 (AKAP1), mRNA
3146	16203	29117	2.91	3.0E-59	4602014	NT	Homo sapiens A kinase (PKA) anchor protein 1 (AKAP1), mRNA
3838	16878	29781	1.26	3.0E-59	4508044	NT	Homo sapiens zona pellucida glycoprotein 2 (spERM receptor) (ZP2) mRNA
4712	17732	30626	1.4	3.0E-59	AL163284.2	NT	Homo sapiens chromosome 21 segment HS21C084
4878	17895	30785	1.66	3.0E-59	7427522	NT	Homo sapiens protein tyrosine phosphatase, receptor type, T (PTPRT), mRNA
5091	18101		1.05	3.0E-59	M95861.1	NT	Human prohormone converting enzyme (NEC2) gene, exon 2
6346	19415	32556	1.98	3.0E-59	8924074	NT	Homo sapiens nuclear receptor co-repressor 1 (NCOR1), mRNA
7584	20548	33906	2.12	3.0E-59	8464137	NT	Human mRNA for dbl proto-oncogene
8263	21232	34642	1.5	3.0E-59	X12556.1	NT	Human mRNA for dbl proto-oncogene
8263	21232	34643	1.5	3.0E-59	X12556.1	NT	Human mRNA for dbl proto-oncogene
10404	23326	36809	0.84	3.0E-59	X70251.1	NT	H. sapiens CKII-alpha gene
10404	23326	36810	0.84	3.0E-59	X70251.1	NT	H. sapiens CKII-alpha gene
12470	25219		1.37	3.0E-59	11417866	NT	Homo sapiens gamma-glutamyltransferase-like activity 1 (GGTLA1), mRNA
12812	25311		7.97	3.0E-59	11417866	NT	Homo sapiens gamma-glutamyltransferase-like activity 1 (GGTLA1), mRNA
5985	19070	32268	0.82	2.0E-59	BF509383.1	EST_HUMAN	UJ-H-B14-ey-b-02-Q.U.s1 NCI_CGAP Sub8 Homo sapiens cDNA clone IMAGE:3086522 3'
5985	19070	32269	0.82	2.0E-59	BF509383.1	EST_HUMAN	UJ-H-B14-ey-b-02-Q.U.s1 NCI_CGAP Sub8 Homo sapiens cDNA clone IMAGE:3086522 3'
6979	20202		0.61	2.0E-59	AA470073.1	EST_HUMAN	Z88405.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:730377 3'
7272	20007	33307	0.57	2.0E-59	AF135187.1	NT	Homo sapiens interferon-induced protein p78 (MX1) gene, complete cds
8082	21019		0.52	2.0E-59	BF37329.1	EST_HUMAN	MRO-FT0144-250700-002-at10 FT0144 Homo sapiens cDNA
9995	22922		4.9	2.0E-59	AA309774.1	EST_HUMAN	EST180833 Jurkat T-cells V Homo sapiens cDNA 5' end
10893	23813		1.56	2.0E-59	BF365554.1	EST_HUMAN	RCO-NT0036-100700-032-a07 NT0036 Homo sapiens cDNA

Page 333 of 546
Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
11180	24138	37667	2.34	2.0E-59	AW410698.1	EST_HUMAN	fr07h04.x1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:2961654 5'
11180	24138	37668	2.34	2.0E-59	AW410698.1	EST_HUMAN	fr07h04.x1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:2961654 5'
12373	25158	31857	6.96	2.0E-59	AI631808.1	EST_HUMAN	wa36c12.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2300182 3' similar to TR:Q86542
12884	25836	31426	4.02	2.0E-59	L11845.1	NT	Q86542 RTVL-H PROTEIN, contains LTR7.b1 LTR7 repetitive element;
184	13267		18.92	1.0E-59	BE206411.1	EST_HUMAN	Homo sapiens alpha-tubulin mRNA, complete cds
2625	15624		3.89	1.0E-59	AA748468.1	EST_HUMAN	60117675F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3531627 5'
7812	20761	34137	1.18	1.0E-59	AJ130894.1	NT	oa56h11.s1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:1309029 3' similar to TR:Q13537
7986	20925	34319	1.07	1.0E-59	BE266814.1	EST_HUMAN	Q13537 MER37 TRANSCRIPTIONAL ELEMENT, COMPLETE CONSENSUS SEQUENCE;
7986	20925	34320	1.07	1.0E-59	BE266814.1	EST_HUMAN	Homo sapiens mRNA for transcription factor
9740	22768	36222	0.85	1.0E-59	11419630	NT	601111861F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3352692 5'
9863	22890	36351	0.54	1.0E-59	11428849	NT	601111861F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3352692 5'
9863	22890	36352	0.54	1.0E-59	11428849	NT	Homo sapiens zinc finger protein 275 (ZNF275), mRNA
11201	20761	34137	9.85	1.0E-59	AJ130894.1	EST_HUMAN	Homo sapiens 3-hydroxybutyryl-Coenzyme A hydrolase (HIBCH), mRNA
784	13824	26768	2.28	8.0E-60	AW977845.1	EST_HUMAN	Homo sapiens 3-hydroxybutyryl-Coenzyme A hydrolase (HIBCH), mRNA
1487	14500	27474	2.86	8.0E-60	4759159	NT	Homo sapiens mRNA for transcription factor
2182	15197	28217	2.65	8.0E-60	5174656	NT	EST389848 MAGE resequences, MAGE Homo sapiens cDNA
2182	15197	28218	2.65	8.0E-60	5174656	NT	Homo sapiens small nuclear ribonucleoprotein D3 polypeptide (18kD) (SNRPD3) mRNA
6094	19173	32389	0.94	8.0E-60	AB025004.1	NT	Homo sapiens differentiation-related gene 1 (nickel-specific induction protein) (RTP) mRNA
							Homo sapiens differentiation-related gene 1 (nickel-specific induction protein) (RTP) mRNA
6653	19710	32987	1.01	8.0E-60	S83182.1	NT	Homo sapiens mRNA for KIAA1081 protein, partial cds
7962	20803	34295	0.99	8.0E-60	11420841	NT	hyaluronan-binding protein=hepatocyte growth factor activator homolog [human, plasma, mRNA, 2408 nt]
8298	21267	34679	2.37	8.0E-60	X17033.1	NT	Homo sapiens phosphate cytidylyltransferase 1, choline, beta isoform (PCYT1B), mRNA
9281	22257	35687	2.68	8.0E-60	11428949	NT	Human mRNA for Integrin alpha-2 subunit
9826	22675	36130	1.2	8.0E-60	11417118	NT	Homo sapiens S-antigen; retina and pineal gland (arrestin) (SAG), mRNA
9826	22675	36131	1.2	8.0E-60	11417118	NT	Homo sapiens KIAA0433 protein (KIAA0433), mRNA
10938	23858	37373	0.68	8.0E-60	5453997	NT	Homo sapiens KIAA0433 protein (KIAA0433), mRNA
11182	24138	37670	4.65	8.0E-60	AL163204.2	NT	Homo sapiens RAN binding protein 7 (RANBP7), mRNA
11182	24138	37671	4.65	8.0E-60	AL163204.2	NT	Homo sapiens RAN binding protein 7 (RANBP7), mRNA
755	13816	26760	30.34	7.0E-60	AF055066.1	NT	Homo sapiens chromosome 21 segment HS21C004
756	13816	26760	69.13	7.0E-60	AF055066.1	NT	Homo sapiens chromosome 21 segment HS21C004
816	13874	26822	1.17	7.0E-60	4604634	NT	Homo sapiens MHC class 1 region
2138	15155	28170	1.04	7.0E-60	AF077188.1	NT	Homo sapiens MHC class 1 region
							Homo sapiens interleukin 10 receptor, beta (IL10RB), mRNA
							Homo sapiens cullin 4A (CUL4A) mRNA, complete cds

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2796	15788	28806	1.18	7.0E-60	AB011153.1	NT	Homo sapiens mRNA for KIAA0581 protein, partial cds
4208	17237	30124	3.1	7.0E-60	4505483	NT	Homo sapiens ornithine decarboxylase 1 (ODC1) mRNA
4606	17627	30519	0.72	7.0E-60	AF264750.1	NT	Homo sapiens ALR-like protein mRNA, partial cds
9762	22703	36161	3.69	7.0E-60	H58041.1	EST_HUMAN	y1204.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:205087 5' similar to contains LTR5 repetitive element;
11692	24657	38235	1.57	7.0E-60	H58041.1	EST_HUMAN	y1204.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:205087 5' similar to contains LTR5 repetitive element;
2189	15204	28224	1.01	6.0E-60	BE964974.2	EST_HUMAN	601658751R1 NIH_MGC_59 Homo sapiens cDNA clone IMAGE:3886069 3'
8156	21094	34493	0.66	6.0E-60	11421735	NT	Homo sapiens cAMP response element-binding protein CRE-BPa (H_GS1651.15.1), mRNA
8780	21747		8.33	6.0E-60	H52456.1	EST_HUMAN	y178h09.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:201953 5' similar to contains OFR repetitive element;
84	13200	26123	1.13	5.0E-60	AI807917.1	EST_HUMAN	wf62c07.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2359212 3'
84	13200	26124	1.13	5.0E-60	AI807917.1	EST_HUMAN	wf62c07.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2359212 3'
2244	15258	28284	1.25	4.0E-60	AW503208.1	EST_HUMAN	U1HF-BNO-akt-g-07-0-JUL1 NIH_MGC_50 Homo sapiens cDNA clone IMAGE:3078348 5'
2244	15258	28285	1.25	4.0E-60	AW503208.1	EST_HUMAN	U1HF-BNO-akt-g-07-0-JUL1 NIH_MGC_50 Homo sapiens cDNA clone IMAGE:3078348 5'
2984	16042		1.31	4.0E-60	AA298037.1	EST_HUMAN	EST11498 Uterus Homo sapiens cDNA 5' end similar to similar to retrovirus-related pol
7576	20538	33897	0.91	4.0E-60	BF196098.1	EST_HUMAN	hr81f05.x1 NCL CGAP_Kid11 Homo sapiens cDNA clone IMAGE:3134913 3' similar to SW:RHOP_MOUSE
9482	22446		0.59	4.0E-60	AL163278.2	NT	Q81085 GTP-RHO BINDING PROTEIN 1;
11628	24566	38127	1.7	4.0E-60	11433597	NT	Homo sapiens v-raf-1 murine leukemia viral oncogene homolog 1 (RAF1), mRNA
11628	24566	38128	1.7	4.0E-60	11433597	NT	Homo sapiens v-raf-1 murine leukemia viral oncogene homolog 1 (RAF1), mRNA
1876	14901	27900	4.44	3.0E-60	BE562611.1	EST_HUMAN	601336446F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3690395 5'
1876	14901	27901	4.44	3.0E-60	BE562611.1	EST_HUMAN	601336446F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3690395 5'
1885	14910		1.88	3.0E-60	6031190	NT	Homo sapiens prohibitin (PHB) mRNA
4485	17510	30398	2.27	3.0E-60	AJ271735.1	NT	Homo sapiens Xq pseudautosomal region, segment 1/2
5452	18554	31465	2.11	3.0E-60	BF368143.1	EST_HUMAN	QV44NN1149-250900-423-a01 NN1149 Homo sapiens cDNA
5724	18818	31997	2.11	3.0E-60	AW836196.1	EST_HUMAN	RC3-LT0023-200100-012-a01 LT0023 Homo sapiens cDNA
7143	18375	31263	0.95	3.0E-60	AJ792814.1	EST_HUMAN	660h11.y6 NCL CGAP_Kid3 Homo sapiens cDNA clone IMAGE:1534063 5' similar to SW:UDP_MOUSE
8745	21713	35135	5.22	3.0E-60	5174644	NT	P52624 URIDINE PHOSPHORYLASE;
8745	21713	35136	5.22	3.0E-60	5174644	NT	Homo sapiens proline dehydrogenase (proline oxidase) (PRODH) mRNA
8930	21896	35324	0.58	3.0E-60	AJ040235.1	EST_HUMAN	Homo sapiens proline dehydrogenase (proline oxidase) (PRODH) mRNA
9094	22060	35485	4.2	3.0E-60	5174644	NT	Homo sapiens proline dehydrogenase (proline oxidase) (PRODH) mRNA

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
10017	22844	36411	0.42	3.0E-60	BF102612.1	EST_HUMAN	601646227F1 NIH_MGC_60 Homo sapiens cDNA clone IMAGE:3930890 6'
12970	25871		1.53	3.0E-60	AA485286.1	EST_HUMAN	ab07h04.r1 Stratagene lung (#937210) Homo sapiens cDNA clone IMAGE:840161 5' similar to contains LTR10.t1 LTR10 repetitive element ;
33	13153	26054	1.7	2.0E-60	AY008285.1	NT	Homo sapiens solute carrier (SLC25A18) mRNA, complete cds; nuclear gene for mitochondrial product
1421	14454	27428	2.76	2.0E-60	Z11694.1	NT	H sapiens 41kDa protein kinase related to rat ERK2
1734	14764	27747	1.34	2.0E-60	M24603.1	NT	Human bcr protein mRNA, 5' end
1743	14773	27758					
2492	15495	28520	1.01	2.0E-60	AY008285.1	NT	Homo sapiens solute carrier (SLC25A18) mRNA, complete cds; nuclear gene for mitochondrial product
2614	15612	28637	1.78	2.0E-60	AW380450.1	EST_HUMAN	RC1-H70268-031289-012-02 HT0268 Homo sapiens cDNA
2721	15715	28733	1.38	2.0E-60	7657229	NT	Homo sapiens interleukin 17 receptor (IL17R), mRNA
3592	16637	29557	0.94	2.0E-60	AW978005.1	EST_HUMAN	EST380114 MAGO resequences, MAGO Homo sapiens cDNA
3935	16975	29889	1.49	2.0E-60	4757867	NT	Homo sapiens v-raf murine sarcoma viral oncogene homolog B1 (BRAF) mRNA
4151	17182		0.83	2.0E-60	AF231919.1	NT	Homo sapiens chromosome 21 unknown mRNA
6433	19499	32752	0.65	2.0E-60	BF513458.1	EST_HUMAN	UI-H-BW1-ams-e-05-0-UJ.s1 NCI CGAP Sub7 Homo sapiens cDNA clone IMAGE:1078496 5' similar to contains THR.t1 THR repetitive element ;
6640	19698	32974	0.8	2.0E-60	AI791952.1	EST_HUMAN	Homo sapiens pro-alpha 2(I) collagen (COL1A2) gene, complete cds
6874	19927	33224	1.49	2.0E-60	AF004877.1	NT	Homo sapiens DNA polymerase zeta catalytic subunit (REV3) mRNA, complete cds
7027	18359	31279	0.92	2.0E-60	AF157476.1	NT	Homo sapiens corticotropin releasing hormone receptor 2 (CRHR2) mRNA
7027	18359	31280	2.05	2.0E-60	4503044	NT	Homo sapiens corticotropin releasing hormone receptor 2 (CRHR2) mRNA
7317	20288	33630	2.05	2.0E-60	AA311159.1	EST_HUMAN	EST181949 Jurkat T-cells V Homo sapiens cDNA 5' end similar to similar to prothymosin, alpha
7317	20288	33631	6.8	2.0E-60	AA311159.1	EST_HUMAN	EST181949 Jurkat T-cells V Homo sapiens cDNA 5' end similar to similar to prothymosin, alpha
7434	20401	33755					tb23409.x1 NCI CGAP_Kid12 Homo sapiens cDNA clone IMAGE:2056185 3' similar to SW:GALR_RAT
7894	20837		0.53	2.0E-60	AI308124.1	EST_HUMAN	O62805 GALANIN RECEPTOR ;
8338	21307	34722	1.06	2.0E-60	BF512808.1	EST_HUMAN	UI-H-BW1-ams-e-02-0-UJ.s1 NCI CGAP_Sub7 Homo sapiens cDNA clone IMAGE:3071210 3'
9219	22185	35618	1.09	2.0E-60	X85697.1	EST_HUMAN	HS15BEST human adult testis Homo sapiens cDNA clone CAM_EST15
			4.86	2.0E-60	L36033.1	NT	Human pre-B cell stimulating factor homologue (SDF1b) mRNA, complete cds
10337	23261	36740					Homo sapiens sema domain, transmembrane domain (TM), and cytoplasmic domain, (semaphorin) 6A (SEMA6A), mRNA
10337	23261	36741	2.2	2.0E-60	11991659	NT	Homo sapiens sema domain, transmembrane domain (TM), and cytoplasmic domain, (semaphorin) 6A (SEMA6A), mRNA
12094	24965	38561	1.9	2.0E-60	AW751191.1	EST_HUMAN	CMO-CT0013-290699-017-f03 CT0013 Homo sapiens cDNA
12094	24965	38562	1.9	2.0E-60	AW751191.1	EST_HUMAN	CMO-CT0013-290699-017-f03 CT0013 Homo sapiens cDNA

Page 336 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
12847	25330		1.38	2.0E-60	11418192	NT	Homo sapiens non-histone chromosome protein 2 (S. cerevisiae)-like 1 (NHP2L1), mRNA
12771	25800		1.82	2.0E-60	AF068757.1	NT	Homo sapiens somatostatin receptor subtype 3 (SSTR3) gene, 5' flanking region and partial cds
12773	25411		5.64	2.0E-60	11418088	NT	Homo sapiens similar to HSPC022 protein (H. sapiens) (LOC63504), mRNA
12789	25421		2.36	2.0E-60	AB011399.1	NT	Homo sapiens gene for AF-6, complete cds
523	13594	26512	0.97	1.0E-60	BE178886.1	EST_HUMAN	PM3-HT0605-270200-001-c06 HT0605 Homo sapiens cDNA
3920	16960	26873	1.46	1.0E-60	AU143389.1	EST_HUMAN	AU143389 Y79AA1 Homo sapiens cDNA clone Y79AA1001854 5'
4993	18008	30896	1.34	1.0E-60	AL163285.2	NT	Homo sapiens chromosome 21 segment HS21C085
8280	21249	34661	0.98	1.0E-60	BE064410.1	EST_HUMAN	RC4-BT0311-141199-011-h06 BT0311 Homo sapiens cDNA
9108	22074		3.08	1.0E-60	AA244041.1	EST_HUMAN	nc04e12.r1 NCI_CGAP_P1 Homo sapiens cDNA clone IMAGE:1007182 similar to contains L1.t1 L1
9134	22100	35526	1.38	1.0E-60	AV754081.1	EST_HUMAN	repetitive element;
1101	14145	27095	1.85	9.0E-61	AU119344.1	EST_HUMAN	AV754081 TP Homo sapiens cDNA clone TPGAED05 5'
9061	22027	35450	0.46	9.0E-61	4885546	NT	AU119344 HEMBA1 Homo sapiens cDNA clone HEMBA1005583 5'
9061	22027	35451	0.46	9.0E-61	4885546	NT	Homo sapiens PHD finger protein 2 (PHF2) mRNA
2678	15674	28694	1.17	8.0E-61	AW006478.1	EST_HUMAN	Homo sapiens PHD finger protein 2 (PHF2) mRNA
2678	15674	28695	1.17	8.0E-61	AW006478.1	EST_HUMAN	w05b10.x1 NCI_CGAP_C03 Homo sapiens cDNA clone IMAGE:2506555 3'
2862	16020		1.66	8.0E-61	X57147.1	NT	w05b10.x1 NCI_CGAP_C03 Homo sapiens cDNA clone IMAGE:2506555 3'
8227	21196	34604	0.73	8.0E-61	AA583968.1	EST_HUMAN	Human endogenous retrovirus pHE.1 (ERV9)
11926	24807	38400	1.47	8.0E-61	H71225.1	EST_HUMAN	nm59g06.s1 NCI_CGAP_Lart1 Homo sapiens cDNA clone IMAGE:1088218 3'
11926	24807	38401	1.47	8.0E-61	H71225.1	EST_HUMAN	nm59g06.s1 NCI_CGAP_Lart1 Homo sapiens cDNA clone IMAGE:1088218 3'
128	13234	26163	0.67	7.0E-61	7706670	NT	SP:C40H1.1 CE00109 OVARIAN PROTEIN ;
128	13234	26164	0.67	7.0E-61	7706670	NT	ys12e09.r1 Soares fetal liver spleen 1NFSL Homo sapiens cDNA clone IMAGE:214600 5' similar to
265	13381	26285	2.61	6.0E-61	BE409310.1	EST_HUMAN	SP:C40H1.1 CE00109 OVARIAN PROTEIN ;
812	13870	26819	2.17	6.0E-61	BE409310.1	EST_HUMAN	Homo sapiens PXR2b protein (PXR2b), mRNA
1324	14359	27326	13.5	6.0E-61	AF119860.1	NT	Homo sapiens PXR2b protein (PXR2b), mRNA
1634	14666	27642	0.9	6.0E-61	BE257400.1	EST_HUMAN	601300938F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3635480 5'
1655	14687	27662	2.32	6.0E-61	AA596033.1	EST_HUMAN	601300938F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3635480 5'
2137	15154	28169	0.91	6.0E-61	AY008285.1	NT	Homo sapiens complete cds
3317	16370	29290	8.07	6.0E-61	AU130889.1	EST_HUMAN	Homo sapiens PR02014 mRNA, complete cds
5147	19222	32452	3.08	6.0E-61	S79249.1	NT	601109238F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3350145 5'
7565	20528	33887	1.53	6.0E-61	U24498.1	NT	nm66h09.s1 NCI_CGAP_Lart1 Homo sapiens cDNA clone IMAGE:1088897 3'
							Homo sapiens solute carrier (SLC25A18) mRNA, complete cds; nuclear gene for mitochondrial product
							AU130689 NT2RP3 Homo sapiens cDNA clone NT2RP3001263 5'
							Ig-beta/B29=CD78b [alternatively spliced] [human, B cells, mRNA Partial, 375 nt]
							Human autosomal dominant polycystic kidney disease protein 1 (PKD1) gene

Page 337 of 546
Table 4

Single Exon Probes Expressed In Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7878	20822	34189	1.87	6.0E-61	AF035737.1	NT	Homo sapiens general transcription factor 2-1 (GTF2I) mRNA, complete cds
221	13321	26246	1.14	5.0E-61	8922890	NT	Homo sapiens hypothetical protein FLJ11316 (FLJ11316), mRNA
221	13321	26247	1.14	5.0E-61	8922890	NT	Homo sapiens hypothetical protein FLJ11316 (FLJ11316), mRNA
1688	14719	27699	3.18	5.0E-61	4506008	NT	Homo sapiens protein phosphatase 1, regulatory subunit 10 (PPP1R10) mRNA
3049	16106	28020	1.98	5.0E-61	AL163279.2	NT	Homo sapiens chromosome 21 segment HS21G078
4008	17045		1.87	5.0E-61	AJ228041.1	NT	Homo sapiens 859 kb contig between AML1 and CBR1 on chromosome 21q22; segment 1/3
1774	14803	27788	1.17	4.0E-61	AU140307.1	EST_HUMAN	AU140307 PLAGE2 Homo sapiens cDNA clone PLAGE2000302 5'
5913	18998	32190	0.51	4.0E-61	7681637	NT	Homo sapiens DKFZP668B023 protein (DKFZP668B023), mRNA
12348	25143		2.27	4.0E-61	AV731140.1	EST_HUMAN	AV731140 HTF Homo sapiens cDNA clone HTFARB01 5'
8764	21731	35154	0.65	3.0E-61	AF150190.1	EST_HUMAN	AF150190 Human mRNA from cd34+ stem cells Homo sapiens cDNA clone CBDAGB04
489	13571	26483	1.74	2.0E-61	8922829	NT	Homo sapiens hypothetical protein FLJ11028 (FLJ11028), mRNA
1217	14255	27213	3.4	2.0E-61	BE168410.1	EST_HUMAN	QV3-HT0513-060400-147-401 HT0513 Homo sapiens cDNA
1217	14255	27214	3.4	2.0E-61	BE168410.1	EST_HUMAN	QV3-HT0513-060400-147-401 HT0513 Homo sapiens cDNA
1674	14706	27684	1.34	2.0E-61	N53039.1	EST_HUMAN	y63d11.s1 Soares fetal liver spleen 1N1FLS Homo sapiens cDNA clone IMAGE:246453 3' similar to
2649	15846		1.25	2.0E-61	N39397.1	EST_HUMAN	gb:L25444 60S RIBOSOMAL PROTEIN L35A (HUMAN);
6566	19826	32891	0.92	2.0E-61	11426166	NT	Homo sapiens ATPase, H+ transporting, lysosomal (vacuolar proton pump) non-catalytic accessory protein
9369	22334	35785	1.07	2.0E-61	AV694317.1	EST_HUMAN	1A (110/118kD) (ATP6N1A), mRNA
9820	22741		1.27	2.0E-61	AB011108.1	NT	Homo sapiens mRNA for KIAA0536 protein, partial cds
10282	23207	36692	1.61	2.0E-61	AW500258.1	EST_HUMAN	U1-HF-BN0-akd-f-12-0-J1.1 NIH_MGC_50 Homo sapiens cDNA clone IMAGE:3076774 5'
10612	23534	37031	2.88	2.0E-61	11421778	NT	Homo sapiens polymerase (RNA) III (DNA directed) (39kD) (RPC39), mRNA
11230	24183		6.91	2.0E-61	11419729	NT	Homo sapiens ribosomal protein L44 (RPL44), mRNA
13042	25583	31701	1.39	2.0E-61	AW995326.1	EST_HUMAN	QV0-BN0042-170300-192-f10 BN0042 Homo sapiens cDNA
435	13508		1.85	1.0E-61	AL163203.2	NT	Homo sapiens chromosome 21 segment HS21G003
774	13833	26778	0.96	1.0E-61	5453829	NT	Homo sapiens origin recognition complex, subunit 2 (yeast homolog)-like (ORC2L) mRNA
1784	14813		0.95	1.0E-61	U32857.1	NT	Human polymorphic trinuclotide repeat in X-linked retinitis pigmentosa (RP3) gene region
1875	14900	27898	4.69	1.0E-61	6005983	NT	Homo sapiens zona pellucida glycoprotein 3A (sperm receptor) (ZP3A), mRNA
2206	15221	28241	1.52	1.0E-61	AW827281.1	EST_HUMAN	xt11b09.y1 NCI_CGAP_L15 Homo sapiens cDNA clone IMAGE:2683368 5' similar to contains element
2846	15908	28931	1.58	1.0E-61	BE396383.1	EST_HUMAN	MSR1 repetitive element;
3387	16436	28363	0.87	1.0E-61	7662319	NT	601273513F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3614667 5'
4288	17317	30196	1	1.0E-61	M68840.1	NT	Homo sapiens KIAA0806 gene product (KIAA0806), mRNA
4468	17484	30381	1.02	1.0E-61	4759249	NT	Human monamine oxidase A (MAOA) mRNA, complete cds
							Homo sapiens TRAF family member-associated NFKB activator (TANK) mRNA

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4468	17494	30382	1.02	1.0E-61	4759249	NT	Homo sapiens TRAF family member-associated NFKB activator (TANK) mRNA
4893	17910	30789	9.18	1.0E-61	AW298181.1	EST_HUMAN	UI-H-BWO-aj-b-08-0-UI.s1 NCI_CGAP_Sub6 Homo sapiens cDNA clone IMAGE:2732871 3'
4893	17910	30800	9.18	1.0E-61	AW298181.1	EST_HUMAN	UI-H-BWO-aj-b-08-0-UI.s1 NCI_CGAP_Sub6 Homo sapiens cDNA clone IMAGE:2732871 3'
4893	17986	30876	0.94	1.0E-61	7705898	NT	Homo sapiens flavohemoglobin b5-b5R (LOC51187), mRNA
4971	17986	30877	0.94	1.0E-61	7705898	NT	Homo sapiens flavohemoglobin b5-b5R (LOC51187), mRNA
5467	18669	31479	0.68	1.0E-61	M78423.1	NT	H. sapiens carbonic anhydrase VII (CA VII) gene, exons 4, 5, 6, and 7, and complete cds
5773	18665	32048	0.74	1.0E-61	7682303	NT	Homo sapiens KIAA0783 gene product (KIAA0783), mRNA
5884	19069	32287	1.02	1.0E-61	7682303	NT	Homo sapiens survival of motor neuron 1, telomeric (SMN1), mRNA
7085	20019	33321	7.63	1.0E-61	M30135.1	NT	Human P40 T-cell and mast cell growth factor (HP40) gene, complete cds
7298	20270	33605	0.95	1.0E-61	4759171	NT	Homo sapiens SC35-interacting protein 1 (SRRP123), mRNA
7397	20365	33717	1.58	1.0E-61	8923130	NT	Homo sapiens hypothetical protein FLJ20128 (FLJ20128), mRNA
7397	20365	33718	1.58	1.0E-61	8923130	NT	Homo sapiens hypothetical protein FLJ20128 (FLJ20128), mRNA
8471	21440	34858	4.16	1.0E-61	11034840	NT	Homo sapiens growth hormone releasing hormone (GHRH), mRNA
8568	21824	35044	3.41	1.0E-61	AF224869.1	NT	Homo sapiens mannosidase, beta A, lysosomal (MANBA) gene, and ubiquitin-conjugating enzyme E2D 3 (UBE2D3) genes, complete cds
9637	22581		2.94	1.0E-61	AW999728.1	EST_HUMAN	MR0-BN0070-040400-010-R01 BN0070 Homo sapiens cDNA
9712	22865	36122	0.99	1.0E-61	11416280	NT	Homo sapiens cadherin 18 (CDH18), mRNA
10389	23311	36790	5.56	1.0E-61	11428892	NT	Homo sapiens KIAA0971 protein (KIAA0971), mRNA
10998	23964	37488	3.38	1.0E-61	11425578	NT	Homo sapiens actinin, alpha 4 (ACTN4), mRNA
11861	24597		3.59	1.0E-61	BE439409.1	EST_HUMAN	HTM1-025F1 HTM1 Homo sapiens cDNA
12283	25846	31433	4.15	1.0E-61	11430460	NT	Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA
12883	25846	31434	4.15	1.0E-61	11430460	NT	Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA
12652	25335	31761	23.14	1.0E-61	M20809.1	NT	Human kappa-immunoglobulin germline pseudogene (Chr1) variable region (subgroup V kappa I)
12942	25621	31711	10.09	1.0E-61	11418127	NT	Homo sapiens GTP binding protein 1 (GTPBP1), mRNA
10722	23644	37137	2.13	9.0E-62	BE064386.1	EST_HUMAN	RC4-BT0310-110300-015-f10 BT0310 Homo sapiens cDNA
4581	17603	30500	1.04	8.0E-62	AA830420.1	EST_HUMAN	cc88h11.s1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:1354725 3' similar to SW:POL_MLVRK
1109	14153	27103	1.9	7.0E-62	AV714334.1	EST_HUMAN	P31795 POL_POLYPROTEIN ;
3517	16563	29488	0.7	7.0E-62	P17480	SWISSPROT	AV714334 DCB Homo sapiens cDNA clone DCBAMA08 5'
6023	19106	32309	1.13	7.0E-62	11427965	NT	NUCLEOLAR TRANSCRIPTION FACTOR 1 (UPSTREAM BINDING FACTOR 1) (UBF-1) (AUTOANTIGEN NOR-90)
11678	24644	38221	9.39	7.0E-62	A1208691.1	EST_HUMAN	Homo sapiens hypothetical protein (FLJ20261), mRNA
3012	16070		1.49	6.0E-62	U06410.1	NT	qg56a04.x1 Soares testis NHT Homo sapiens cDNA clone IMAGE:1839150 3' similar to TR:O15103
							O15103 HYPOTHETICAL 27.3 KD PROTEIN ;
							Human zinc finger protein ZNF131 mRNA, partial cds

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3395	16444		4.9	6.0E-62	11418255	NT	Homo sapiens CGI-66 protein (CGI-66), mRNA
7887	20831	34209	3.27	6.0E-62	A1762801.1	EST_HUMAN	w04d02.x1 NCI_CGAP CLL1 Homo sapiens cDNA clone IMAGE:2389251 3'
7887	20831	34210	3.27	6.0E-62	A1762801.1	EST_HUMAN	w04d02.x1 NCI_CGAP CLL1 Homo sapiens cDNA clone IMAGE:2389251 3'
8422	21391		0.72	6.0E-62	AW501124.1	EST_HUMAN	U1-HF-BPOp-ait-d-08-0-UJ.r1 NIH_MGC_51 Homo sapiens cDNA clone IMAGE:3072833 5'
8600	21598	34984	1.4	6.0E-62	11431139	NT	Homo sapiens CGI-18 protein (LOC51008), mRNA
9709	22682	36118	4.02	6.0E-62	AW814393.1	EST_HUMAN	MIR3-ST0203-130100-025-a09 ST0203 Homo sapiens cDNA
416	13489	26424	2.28	5.0E-62	A1950528.1	EST_HUMAN	w051e07.x1 NCI_CGAP L128 Homo sapiens cDNA clone IMAGE:2547204 3' similar to SW:GG95_HUMAN
2416	15423	28446	3.61	5.0E-62	AJ271735.1	NT	Q08378 GOLGIN-95, contains element MER22 repetitive element;
2416	15423	28447	3.61	5.0E-62	AJ271735.1	NT	Homo sapiens Xq pseudautosomal region; segment 1/2
2596	15597	28615	1.43	5.0E-62	U39487.1	NT	Homo sapiens Xq pseudautosomal region; segment 1/2
2596	15597	28616	1.43	5.0E-62	U39487.1	NT	Human xanthine dehydrogenase/oxidase mRNA, complete cds
3430	16478	29397	2.95	5.0E-62	4506758	NT	Human xanthine dehydrogenase/oxidase mRNA, complete cds
4355	17382	30264	1.91	5.0E-62	AA431093.1	EST_HUMAN	Homo sapiens ryanodine receptor 3 (RYR3) mRNA
4589	17611		1.1	5.0E-62	AW905887.1	EST_HUMAN	zw78e09.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:782344 3' similar to SW:NRDC_RAT
8894	21860	35283	0.64	5.0E-62	4506758	NT	P47245 NARDILYSIN;
8875	22828	36282	8.13	5.0E-62	AW410887.1	EST_HUMAN	RC5-NN1089-100500-021-H03 NN1089 Homo sapiens cDNA
11596	24634	38090	2.18	5.0E-62	11425574	NT	Homo sapiens ryanodine receptor 3 (RYR3) mRNA
11596	24634	38091	2.18	5.0E-62	11425574	NT	Homo sapiens muscle specific gene (M9), mRNA
841	13898	26853	2.28	4.0E-62	AW161478.1	EST_HUMAN	Homo sapiens muscle specific gene (M9), mRNA
841	13898	26854	2.28	4.0E-62	AW161478.1	EST_HUMAN	au71d03.y1 Schneider fetal brain 00004 Homo sapiens cDNA clone IMAGE:2781701 5' similar to gb:M37104
842	13898	26853	1.27	4.0E-62	AW161478.1	EST_HUMAN	ATP SYNTHASE COUPLING FACTOR 6, MITOCHONDRIAL PRECURSOR (HUMAN);
842	13898	26854	1.27	4.0E-62	AW161478.1	EST_HUMAN	ATP SYNTHASE COUPLING FACTOR 6, MITOCHONDRIAL PRECURSOR (HUMAN);
1458	14491		1	4.0E-62	AA311281.1	EST_HUMAN	au71d03.y1 Schneider fetal brain 00004 Homo sapiens cDNA clone IMAGE:2781701 5' similar to gb:M37104
2464	15468	28491	2.85	4.0E-62	A1827800.1	EST_HUMAN	ATP SYNTHASE COUPLING FACTOR 6, MITOCHONDRIAL PRECURSOR (HUMAN);
2464	15468	28492	2.85	4.0E-62	A1827900.1	EST_HUMAN	au71d03.y1 Schneider fetal brain 00004 Homo sapiens cDNA clone IMAGE:2781701 5' similar to gb:M37104
3410	16459		6.48	4.0E-62	4557887	NT	EST182043 Jurkat T-cells V Homo sapiens cDNA 5' end
							wf12b08.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2350359 3' similar to
							gb:X57138_mat1 HISTONE H2B.2 (HUMAN);
							wf12b08.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2350359 3' similar to
							gb:X57138_mat1 HISTONE H2B.2 (HUMAN);
							Homo sapiens keratin 18 (KRT18) mRNA

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6032	19115	32318	1.63	4.0E-62	4506978	NT	Homo sapiens solute carrier family 13 (sodium-dependent dicarboxylate transporter), member 2 (SLC13A2) mRNA
6429	19495	32748	2.53	4.0E-62	11420654	NT	Homo sapiens ubiquitin specific protease 9, X chromosome (Drosophila fat facets related) (USP9X), mRNA
7377	20347	33698	2.08	4.0E-62	11421041	NT	Homo sapiens phosphoribosyl pyrophosphatase 2 (PRPS2), mRNA
7896	20839	34219	2.59	4.0E-62	7657057	NT	Homo sapiens eukaryotic translation initiation factor 2B, subunit 2 (beta, 39kD) (EIF2B2), mRNA
7896	20839	34220	2.59	4.0E-62	7657057	NT	Homo sapiens eukaryotic translation initiation factor 2B, subunit 2 (beta, 39kD) (EIF2B2), mRNA
8511	21479	34893	0.93	4.0E-62	11429973	NT	Homo sapiens 26S proteasome-associated pad1 homolog (POH1), mRNA
9198	22164	35594	5.95	4.0E-62	AB033089.1	NT	Homo sapiens mRNA for KIAA1263 protein, partial cds
11353	24303	37830	3.05	4.0E-62	278768.1	NT	H. sapiens flow-sorted chromosome 6 HindIII fragment, SC9pA16D3
11353	24303	37831	3.05	4.0E-62	278768.1	NT	H. sapiens flow-sorted chromosome 6 HindIII fragment, SC9pA16D3
11598	24536	38093	1.57	4.0E-62	AW023559.1	EST_HUMAN	af55g04.y1 Morton Fetal Cochlea Homo sapiens cDNA clone IMAGE:2487751 5'
12267	25090	38176	3.39	4.0E-62	11418086	NT	Homo sapiens putative nuclear protein (HRIHFB2122), mRNA
12491	25803		1.3	4.0E-62	11418192	NT	Homo sapiens non-histone chromosome protein 2 (S. cerevisiae)-like 1 (NHP2L1), mRNA
12871	25505	31706	1.96	4.0E-62	11418322	NT	Homo sapiens cadherin EGF LAG seven-pass G-type receptor 1 (OELSR1), mRNA
12924	25500	31703	19.77	4.0E-62	11417862	NT	Homo sapiens calcineurin binding protein 1 (KIAA0330), mRNA
12924	25500	31704	19.77	4.0E-62	11417862	NT	Homo sapiens calcineurin binding protein 1 (KIAA0330), mRNA
12977	25542	31717	3.07	4.0E-62	11430460	NT	Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA
76	13192	26114	0.66	3.0E-62	4557794	NT	Homo sapiens neurofibromin 2 (bilateral acoustic neuroma) (NF2) mRNA
3059	16116	29029	1.02	3.0E-62	AB040909.1	NT	Homo sapiens mRNA for KIAA1476 protein, partial cds
3059	16116	29030	1.02	3.0E-62	AB040909.1	NT	Homo sapiens mRNA for KIAA1476 protein, partial cds
3712	16755	29669	3.62	3.0E-62	X52858.1	NT	Human cyclophilin-related processed pseudogene
							Human cyclophilin-related processed pseudogene
8885	21851	35272	4.85	3.0E-62	AI632733.1	EST_HUMAN	wa33p04.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2269803 3' similar to contains THR12
1235	14272	27232	2.78	2.0E-62	AL163284.2	NT	THR repetitive element;
8142	21079	34479	0.88	2.0E-62	AA307490.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C084
9127	22093	35520	4.47	2.0E-62	BF329911.1	EST_HUMAN	EST1178374 Colon carcinoma (HCC) cell line Homo sapiens cDNA 5' end
9127	22093	35521	4.47	2.0E-62	BF329911.1	EST_HUMAN	RCO-BN0284-300500-031-e05 BN0284 Homo sapiens cDNA
							RCO-BN0284-300500-031-e05 BN0284 Homo sapiens cDNA
10533	23455		4.96	2.0E-62	AF224669.1	NT	Homo sapiens mannosidase, beta A, lysosomal (MANBA) gene, and ubiquitin-conjugating enzyme E2D 3
11966	24873		20.5	2.0E-62	BF330676.1	EST_HUMAN	(UBE2D3) genes, complete cds
1045	14091	27044	1.88	1.0E-62	AF248540.1	NT	QV4-BT0257-081199-017-e03 BT0257 Homo sapiens cDNA
1647	14580	27552	12.74	1.0E-62	L78810.1	NT	Homo sapiens intersecin 2 (SH3D1B) mRNA, complete cds
							Homo sapiens ADP/ATP carrier protein (ANT-2) gene, complete cds

Page 341 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1815	14842	27833	1.18	1.0E-62	AA625207.1	EST_HUMAN	af70e11.1 Soares_NHMPu_S1 Homo sapiens cDNA clone IMAGE:1047404 5' similar to WP:K01H12.1 CE03453
2925	15983	28908	1.45	1.0E-62	AL039044.1	EST_HUMAN	DKFZ566F104_r1 566 (synonym: hfkd2) Homo sapiens cDNA clone DKFZp566F104 5'
3435	18482		1.15	1.0E-62	AB040911.1	NT	Homo sapiens mRNA for KIAA1478 protein, partial cds
4558	17578	30470	1.43	1.0E-62		NT	Homo sapiens hypothetical protein FLJ20212 (FLJ20212), mRNA
5169	18178	31058	0.88	1.0E-62	AA148922.1	EST_HUMAN	206b08.r1 Soares_pregnant_uterus_NbHPU Homo sapiens cDNA clone IMAGE:491611 5' similar to SW:CS61_BOVIN P10897 CYTOCHROME B561.1
5198	18205	31078	0.94	1.0E-62	L23503.1	NT	Human glucagon-like peptide-1 receptor (GLP-1) mRNA, complete cds
6421	19488	32738	2.84	1.0E-62	U62111.2	NT	Homo sapiens X28 region near ALD locus containing dual specificity phosphatase 9 (DUSP9), ribosomal protein L18a (RPL18a), Ca ²⁺ /Calmodulin-dependent protein kinase I (CAMKI), creatine transporter (CRTR), CDM protein (CDM), adrenoleukodystrophy protein >
7341	20312	33655	0.91	1.0E-62	AA490060.1	EST_HUMAN	ab05c02.s1 Strategene fetal retina 937202 Homo sapiens cDNA clone IMAGE:836906 3'
7352	20322	33669	2.48	1.0E-62	AA722878.1	EST_HUMAN	zg98f10.s1 Soares_fetal_heart_NbHH19W Homo sapiens cDNA clone IMAGE:408771 3'
7352	20322	33670	2.48	1.0E-62	AA722878.1	EST_HUMAN	zg98f10.s1 Soares_fetal_heart_NbHH19W Homo sapiens cDNA clone IMAGE:408771 3'
9110	22076	35502	0.68	1.0E-62	AA280050.1	EST_HUMAN	zs93e07.r1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:706060 5'
9413	22378	35818	1.82	1.0E-62		NT	Homo sapiens KIAA0763 gene product (KIAA0763), mRNA
9413	22378	35817	1.82	1.0E-62	7662289	NT	Homo sapiens KIAA0763 gene product (KIAA0763), mRNA
9457	22421	35858	1.97	1.0E-62	X15533.1	NT	H. sapiens lysosomal acid phosphatase gene (EC 3.1.3.2) Exon 9
9457	22421	35859	1.97	1.0E-62	X15533.1	NT	H. sapiens lysosomal acid phosphatase gene (EC 3.1.3.2) Exon 9
9915	22738	36189	3.42	1.0E-62	AA465170.1	EST_HUMAN	aa33408.s1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:815055 3'
11694	24639	36237	2.41	1.0E-62	Z78688.1	NT	H. sapiens flow-sorted chromosome 6 HindIII fragment, SC8PA14D8
12750	25397		2.22	1.0E-62	11418322	NT	Homo sapiens cadherin EGF LAG seven-pass G-type receptor 1 (CELSR1), mRNA
12956	25529	31714	3.25	1.0E-62	11430490	NT	Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA
338	13427	26349	2.41	1.0E-62	AW818405.1	EST_HUMAN	QV4-ST0234-181199-037-05 ST0234 Homo sapiens cDNA
2353	15382		1.51	9.0E-63	C18159.1	EST_HUMAN	C18159 Human placenta cDNA (TFujiware) Homo sapiens cDNA clone GEN-568C10 5'
4071	17107	30000	9.29	9.0E-63	AB002348.2	NT	Homo sapiens mRNA for KIAA0350 protein, partial cds
4071	17107	30001	9.29	9.0E-63	AB002348.2	NT	Homo sapiens mRNA for KIAA0350 protein, partial cds
5315	18331	38814	2.17	9.0E-63	11418185	NT	Homo sapiens acyltransferase 2, mitochondrial (ACOT2), mRNA
5541	18638	38814	1.3	9.0E-63	Y15056.1	NT	Homo sapiens mRNA for PKB kinase
7388	20357	33709	3.41	9.0E-63	11426985	NT	Homo sapiens nucleoporin 88kD (NUP88), mRNA
8138	21075	34475	0.73	9.0E-63	4885544	NT	Homo sapiens pyruvate dehydrogenase kinase, isoenzyme 3 (PDK3) mRNA
8668	21637	35080	1.58	9.0E-63	11421160	NT	Homo sapiens Ras association (RalGDS/AF-6) domain family 2 (RASSF2), mRNA
11246	24199	37719	1.54	9.0E-63	7662289	NT	Homo sapiens KIAA0763 gene product (KIAA0763), mRNA
11246	24199	37720	1.54	9.0E-63	7662289	NT	Homo sapiens KIAA0763 gene product (KIAA0763), mRNA

Page 342 of 546
Table 4

Single Exon Probes Expressed In Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2351	15360	28382	1.1	8.0E-63	4557734	NT	Homo sapiens monoamine oxidase A (MAOA), nuclear gene encoding mitochondrial protein, mRNA
2383	15391	28416	2.49	8.0E-63	5031810	NT	Homo sapiens IL2-inducible T-cell kinase (ITK), mRNA
3475	16521	29443	3.42	8.0E-63	AF198349.1	NT	Gallus gallus Dach2 protein (Dach2) mRNA, complete cds
3475	16521	29444	3.42	8.0E-63	AF198349.1	NT	Gallus gallus Dach2 protein (Dach2) mRNA, complete cds
4294	17323	30203	3.75	8.0E-63	AL163268.2	NT	Homo sapiens chromosome 21 segment HS21C068
928	13982		1.67	7.0E-63	AB72137.1	EST_HUMAN	hm55g11.x1 NCL_CGAP_U02 Homo sapiens cDNA clone IMAGE:2439908 3'
5412	18515		23.22	6.0E-63	AA420803.1	EST_HUMAN	nc6302.11 NCL_CGAP_P11 Homo sapiens cDNA clone IMAGE:745947 similar to gb:Y00361 60S
3228	22192	35622	0.63	6.0E-63	11526484	NT	RIBOSOMAL PROTEIN (HUMAN);
3332	16383	29305	0.7	4.0E-63	AL163278.2	NT	Homo sapiens G protein-coupled receptor 51 (GPR51), mRNA
3821	16961	29764	1.16	4.0E-63	AB014607.1	NT	Homo sapiens chromosome 21 segment HS21C078
3821	16861	29765	1.16	4.0E-63	AB014607.1	NT	Homo sapiens mRNA for KIAA0707 protein, partial cds
6598	19648	32917	2.92	4.0E-63	AW750372.1	EST_HUMAN	Homo sapiens mRNA for KIAA0707 protein, partial cds
6598	19648	32918	2.92	4.0E-63	AW750372.1	EST_HUMAN	CM3-BT0595-190100-072-a09 BT0595 Homo sapiens cDNA
11467	24410	37958	2.12	4.0E-63	AW134709.1	EST_HUMAN	UI-H-B11-abq-a-02-0-U1.s1 NCL_CGAP_Sub3 Homo sapiens cDNA clone IMAGE:2712482 3'
11467	24410	37959	2.12	4.0E-63	AW134709.1	EST_HUMAN	UI-H-B11-abq-a-02-0-U1.s1 NCL_CGAP_Sub3 Homo sapiens cDNA clone IMAGE:2712482 3'
13023	25571		1.49	4.0E-63	AA629056.1	EST_HUMAN	zu84b01.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:744649 3' similar to contains L1.H1 L1 repetitive element;
1952	14976	27976	2.52	3.0E-63	AB018260.1	NT	Homo sapiens mRNA for KIAA0717 protein, partial cds
2780	15782	28798	1.85	3.0E-63	J00310.1	NT	Human Met-tRNA-Ile gene 1
2832	14280	27243	15.82	3.0E-63	6005963	NT	Homo sapiens zinc finger protein 144 (ZNF144), mRNA
6619	19677	32954	32.29	3.0E-63	11545810	NT	Homo sapiens hepatocellular carcinoma antigen gene 520 (LOC63928), mRNA
10064	22991	36460	0.51	3.0E-63	BE876158.1	EST_HUMAN	G01485656F1 NIH_MGC_69 Homo sapiens cDNA clone IMAGE:3888253 5'
10064	22991	36461	0.51	3.0E-63	BE876158.1	EST_HUMAN	G01485656F1 NIH_MGC_69 Homo sapiens cDNA clone IMAGE:3888253 5'
193	13294	26221	1.91	2.0E-63	U07804.1	NT	Human DNA topoisomerase I mRNA, partial cds
199	13300	26228	1.91	2.0E-63	4885228	NT	Homo sapiens eyes absent (Drosophila) homolog 2 (EYA2), mRNA
498	13570		3.06	2.0E-63	4557624	NT	Homo sapiens glutamate-cysteine ligase (gamma-glutamylcysteine synthetase), catalytic (72.8kD) (GLOLC) mRNA
827	13885	26838	1.7	2.0E-63	7857042	NT	Homo sapiens Down syndrome candidate region 1 (DSOR1), mRNA
1569	14602	27577	4.18	2.0E-63	AB030388.1	NT	Homo sapiens RHCE mRNA for Rh blood CE group antigen polypeptide, complete cds
1569	14602	27578	4.18	2.0E-63	AB030388.1	NT	Homo sapiens RHCE mRNA for Rh blood CE group antigen polypeptide, complete cds
1781	14810	27796	1.33	2.0E-63	BE410739.1	EST_HUMAN	G01301627F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3636103 5'
3298	16351	29271	2.77	2.0E-63	AF109718.1	NT	Homo sapiens chromosome 3 subtelomeric region

Page 343 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3925	16965	29878	3.64	2.0E-63	L39891.1	NT	Homo sapiens polyomavirus kidney disease-associated protein (PKD1) gene, complete cdo
4901	17918	30810	0.95	2.0E-63	AF111167.2	NT	Homo sapiens jun dimerization protein gene, partial cds, cfos gene, complete cds; and unknown gene
5188	18197	31070	1.19	2.0E-63	BE146928.1	EST_HUMAN	QV4-HT0222-011199-018-g01 HT0222 Homo sapiens cDNA
5232	18240	31112	1.69	2.0E-63	6912617	NT	Homo sapiens glutamyl-peptide cyclotransferase (glutamyl cyclase) (QPCT), mRNA
5334	25635	31192	0.57	2.0E-63	11419429	NT	Homo sapiens similar to acetylcholinesterase 3 (H. sapiens) (LOC63214), mRNA
5986	19071	32270	2.49	2.0E-63	BF373541.1	EST_HUMAN	QV1-FT0170-040700-265-c05 FT0170 Homo sapiens cDNA
5986	19071	32270	2.49	2.0E-63	BF373541.1	EST_HUMAN	QV1-FT0170-040700-265-c05 FT0170 Homo sapiens cDNA
6310	19381	32620	0.83	2.0E-63	11421940	NT	Homo sapiens protein kinase, cAMP-dependent, regulatory, type II, beta (PRKAR2B), mRNA
6310	19381	32621	0.83	2.0E-63	11421940	NT	Homo sapiens protein kinase, cAMP-dependent, regulatory, type II, beta (PRKAR2B), mRNA
							Human germline T-cell receptor beta chain Dopamine-beta-hydroxylase-like, TRY1, TRY2, TRY3, TCRBV27S1P, TCRBV22S1A2N1T, TCRBV6S1A1T, TCRBV7S1A1N2T, TCRBV6S1A1T, TCRBV13S3, TCRBV6S7P, TCRBV7S3A2T, TCRBV13S2A1T, TCRBV6S2A2PT, TCRBV7S2A1N4T, TCRBV13S9/13S>
6860	19913	33209	1.23	2.0E-63	U66059.1	NT	Homo sapiens MIST mRNA, partial cds
6911	19963	33259	0.81	2.0E-63	AB032369.1	NT	Homo sapiens MIST mRNA, partial cds
6911	19963	33260	0.81	2.0E-63	AB032369.1	NT	Homo sapiens MIST mRNA, partial cds
7278	20012	33315	1.46	2.0E-63	9910365	NT	Homo sapiens Carbonic anhydrase-related protein 10 (LOC56834), mRNA
7278	20012	33316	1.46	2.0E-63	9910365	NT	Homo sapiens Carbonic anhydrase-related protein 10 (LOC56834), mRNA
8098	20995	34391	0.82	2.0E-63	AB046844.1	NT	Homo sapiens mRNA for KIAA1624 protein, partial cds
8878	21845	35287	3.8	2.0E-63	AL163210.2	NT	Homo sapiens chromosome 21 segment HS21C010
9409	22374	35810	1.06	2.0E-63	11420949	NT	Homo sapiens kinesin family member 3B (KIF3B), mRNA
9409	22374	35811	1.06	2.0E-63	11420949	NT	Homo sapiens kinesin family member 3B (KIF3B), mRNA
10299	23224	36707	0.98	2.0E-63	AL163218.2	NT	Homo sapiens chromosome 21 segment HS21C018
11098	24058	37592	13.74	2.0E-63	N78945.1	EST_HUMAN	zb18b05.s1 Soares_fetal_lung_NbHL19W Homo sapiens cDNA clone IMAGE:302385 3' similar to
11127	24087	37614	2.32	2.0E-63	AF099810.1	NT	gb:XI7206 40S RIBOSOMAL PROTEIN S4 (HUMAN);
11127	24087	37615	2.32	2.0E-63	AF099810.1	NT	Homo sapiens neuraxin III-alpha gene, partial cds
12381	25747	31515	6.02	2.0E-63	11418165	NT	Homo sapiens neuraxin III-alpha gene, partial cds
1516	14547	27618	0.93	1.0E-63	F08485.1	EST_HUMAN	Homo sapiens aconitase 2, mitochondrial (ACO2), mRNA
1516	14547	27619	0.93	1.0E-63	F08485.1	EST_HUMAN	HSCZVD111 normalized infant brain cDNA Homo sapiens cDNA clone c-zvd11
4370	17397	30276	3.4	1.0E-63	F08485.1	EST_HUMAN	HSCZVD111 normalized infant brain cDNA Homo sapiens cDNA clone c-zvd11
4370	17397	30277	3.4	1.0E-63	F08485.1	EST_HUMAN	HSCZVD111 normalized infant brain cDNA Homo sapiens cDNA clone c-zvd11
5426	18529	31408	1.66	1.0E-63	AJ271736.1	NT	Homo sapiens Xq pseudautosomal region, segment 2/2

Page 344 of 546
Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5864	18953	32140	97.84	1.0E-63	AW582266.1	EST_HUMAN	QVO-ST0215-060100-083-509 ST0215 Homo sapiens cDNA
6531	18594	32855	0.72	1.0E-63	AW451950.1	EST_HUMAN	UI-H-B13-alt-h-02-0-UI.s1 NCL CGAP Sub5 Homo sapiens cDNA clone IMAGE:3068763 3'
6531	19594	32856	0.72	1.0E-63	AW451950.1	EST_HUMAN	UI-H-B13-alt-h-02-0-UI.s1 NCL CGAP Sub5 Homo sapiens cDNA clone IMAGE:3068763 3'
8816	21783		2.94	1.0E-63	AL163247.2	NT	Homo sapiens chromosome 21 segment HS21C047
13020	25859		5.18	1.0E-63	AL163207.2	NT	Homo sapiens chromosome 21 segment HS21C007
6079	19159	32370	0.58	9.0E-64	AW401433.1	EST_HUMAN	UI-HF-BK0-eed-h-09-0-UI.r1 NIH_MGC_36 Homo sapiens cDNA clone IMAGE:3053153 5'
8199	21169	34579	4.61	9.0E-64	AI478186.1	EST_HUMAN	hm50607.x1 NCL CGAP Kid11 Homo sapiens cDNA clone IMAGE:2161625 3'
1048	14094		2.71	8.0E-64	BE280796.1	EST_HUMAN	601155232F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3139038 5'
6283	19336	32569	3.25	8.0E-64	BE885755.1	EST_HUMAN	60150898F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3910336 5'
12187	25034		6.22	8.0E-64	11418177	NT	Homo sapiens Ran GTPase activating protein 1 (RANGAP1), mRNA
12239	25070		2.63	8.0E-64	T60651.1	EST_HUMAN	ys88b02.r1 Striatagene lung (#637210) Homo sapiens cDNA clone IMAGE:79179 5'
3540	16566		0.8	7.0E-64	BE394321.1	EST_HUMAN	601311455F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3633204 5'
4763	17783	30678	3.2	7.0E-64	4507490	NT	Homo sapiens thimet oligopeptidase 1 (THOP1) mRNA
4763	17783	30678	3.2	7.0E-64	4507490	NT	Homo sapiens thimet oligopeptidase 1 (THOP1) mRNA
8098	21032	34430	0.84	7.0E-64	4508786	NT	Homo sapiens IQ motif containing GTPase activating protein 1 (IQGAP1) mRNA
10393	23315	36794	4.76	7.0E-64	Y07848.1	NT	Homo sapiens EWS, gar22, rp22 and barn22 genes
1735	14765	27748	3.86	6.0E-64	AI651992.1	EST_HUMAN	wb51e07.x1 NCL CGAP GC8 Homo sapiens cDNA clone IMAGE:2309220 3' similar to gb:M15182 BETA-GLUCURONIDASE PRECURSOR (HUMAN);
1735	14765	27749	3.86	6.0E-64	AI651992.1	EST_HUMAN	wb51e07.x1 NCL CGAP GC8 Homo sapiens cDNA clone IMAGE:2309220 3' similar to gb:M15182 BETA-GLUCURONIDASE PRECURSOR (HUMAN);
3139	18196	29105	4.25	6.0E-64	AW026445.1	EST_HUMAN	wv13e03.x1 NCL CGAP Brn23 Homo sapiens cDNA clone IMAGE:2529436 3'
3139	18196	29106	4.25	6.0E-64	AW026445.1	EST_HUMAN	wv13e03.x1 NCL CGAP Brn23 Homo sapiens cDNA clone IMAGE:2529436 3'
5703	18798	31973	2.43	6.0E-64	Y18933.1	NT	Homo sapiens MCP-1 gene and enhancer region
5703	18798	31974	2.43	6.0E-64	Y18933.1	NT	Homo sapiens MCP-1 gene and enhancer region
5725	18819	31988	6.33	6.0E-64	M13975.1	NT	Homo sapiens protein kinase C beta-II type (PRKCB1) mRNA, complete cds
5929	18015	32209	0.71	6.0E-64	11422189	NT	Homo sapiens calcitonin receptor (CALCR), mRNA
5929	18015	32210	0.71	6.0E-64	11422189	NT	Homo sapiens calcitonin receptor (CALCR), mRNA
7446	20412	33764	2.85	6.0E-64	11525879	NT	Homo sapiens mesenchyme homeo box 1 (MEOX1), mRNA
7446	20412	33765	2.85	6.0E-64	11525879	NT	Homo sapiens mesenchyme homeo box 1 (MEOX1), mRNA
9862	22635	36091	7.07	6.0E-64	11420555	NT	Homo sapiens acetyl-CoA synthetase (LOC55602), mRNA
9864	22800	36254	1.78	6.0E-64	AF274753.1	NT	Homo sapiens progressive ankylosis-like protein (ANK) mRNA, complete cds
10076	23003	36473	2.44	6.0E-64	S76475.1	NT	tkc [human, brain, mRNA, 2715 nt]
11121	24081	37605	4.48	6.0E-64	11420197	NT	Homo sapiens stromal antigen 3 (STAG3), mRNA
11121	24081	37606	4.48	6.0E-64	11420197	NT	Homo sapiens stromal antigen 3 (STAG3), mRNA

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
11358	16196	29105	1.73	6.0E-64	AW026445.1	EST_HUMAN	w13e03.x1 NCI CGAP_Brn23 Homo sapiens cDNA clone IMAGE:2529436 3'
11358	16196	29106	1.73	6.0E-64	AW026445.1	EST_HUMAN	w13e03.x1 NCI CGAP_Brn23 Homo sapiens cDNA clone IMAGE:2529436 3'
12398	25172	31818	9.28	6.0E-64	11526198	NT	Homo sapiens Interleukin 10 receptor, beta (IL10RB), mRNA
821	13879	28829	3.66	5.0E-64	AF231919.1	NT	Homo sapiens chromosome 21 unknown mRNA
821	13879	28830	3.66	5.0E-64	AF231919.1	NT	Homo sapiens chromosome 21 unknown mRNA
1341	14376	27345	0.93	5.0E-64	AB020710.1	NT	Homo sapiens mRNA for KIAA0903 protein, partial cds
1724	14754	27740	1.7	5.0E-64	U89358.1	NT	Human (3)mbt protein homolog mRNA, complete cds
2837	14509	27483	3.52	5.0E-64	7662205	NT	Homo sapiens KIAA0618 gene product (KIAA0618), mRNA
2837	14509	27484	3.52	5.0E-64	7662205	NT	Homo sapiens KIAA0618 gene product (KIAA0618), mRNA
3983	17023	29834	7.14	5.0E-64	AF017433.1	NT	Homo sapiens putative transcription factor CR63 (CR63) mRNA, partial cds
4132	17164	30053	0.93	5.0E-64	AB020710.1	NT	Homo sapiens mRNA for KIAA0903 protein, partial cds
8125	21062	34460	0.57	4.0E-64	BE784607.1	EST_HUMAN	601590382F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3944397 5'
11164	24122	37650	1.55	4.0E-64	AW813783.1	EST_HUMAN	RC3-ST0197-120200-015-a03 ST0197 Homo sapiens cDNA
11164	24122	37651	1.55	4.0E-64	AW813783.1	EST_HUMAN	RC3-ST0197-120200-015-a03 ST0197 Homo sapiens cDNA
2208	15223	28243	6.32	3.0E-64	C18895.1	EST_HUMAN	C18895 Human placenta cDNA (TFujiware) Homo sapiens cDNA clone GEN-589E02 5'
3268	16322	29244	0.72	3.0E-64	BE784381.1	EST_HUMAN	601590382F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3943677 5'
3457	16503	29422	1.85	3.0E-64	AV711714.1	EST_HUMAN	AV711714 DCA Homo sapiens cDNA clone DCAAMC01 5'
3457	16503	29423	1.85	3.0E-64	AV711714.1	EST_HUMAN	AV711714 DCA Homo sapiens cDNA clone DCAAMC01 5'
6200	18274	32508	1.35	3.0E-64	Z26273.1	NT	H sapiens isoform 1 gene for L-type calcium channel, exon 28
6475	19540	32786	0.84	3.0E-64	AW500861.1	EST_HUMAN	UHF-BPOp-ax-c-08-q-U1.r1 NIH_MGC_51 Homo sapiens cDNA clone IMAGE:3073161 5'
6641	19699	32975	2.78	3.0E-64	BF370000.1	EST_HUMAN	RC6-FN0019-290800-011-G11 FN0019 Homo sapiens cDNA
8809	21776	35201	1.78	3.0E-64	AF248953.1	NT	Homo sapiens golgi matrix protein GM130 (GOLGA2) mRNA, complete cds
8809	21776	35202	1.78	3.0E-64	AF248953.1	NT	Homo sapiens golgi matrix protein GM130 (GOLGA2) mRNA, complete cds
8840	21807	35226	2.73	3.0E-64	BE206521.1	EST_HUMAN	b572h12.y1 NIH_MGC_12 Homo sapiens cDNA clone IMAGE:3047975 5' similar to gb:L08089 DNAJ
8840	21807	35226	2.73	3.0E-64	BE206521.1	EST_HUMAN	b572h12.y1 NIH_MGC_12 Homo sapiens cDNA clone IMAGE:3047975 5' similar to gb:L08089 DNAJ
9782	22723	36177	1.54	3.0E-64	AL163246.2	NT	PROTEIN HOMOLOG 2 (HUMAN);
9782	22723	36178	1.54	3.0E-64	AL163246.2	NT	PROTEIN HOMOLOG 2 (HUMAN);
9872	22825	36278	0.8	3.0E-64	AW977394.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C046
9872	22825	36279	0.8	3.0E-64	AW977394.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C046
11998	24875	38471	1.87	3.0E-64	AL163227.2	EST_HUMAN	EST389493 IMAGE resequences, MAGO Homo sapiens cDNA
1090	14134	27088	0.95	2.0E-64	AA809940.1	EST_HUMAN	EST389493 IMAGE resequences, MAGO Homo sapiens cDNA
1398	14432	27401	1.2	2.0E-64	4757701	NT	Homo sapiens chromosome 21 segment HS21C027
							af09c08.s1 Soares, Iselle, NHT Homo sapiens cDNA clone IMAGE:1031161 3'
							Homo sapiens eIF4E-like cap-binding protein (4EHP) mRNA

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2530	15533		2.05	2.0E-64	AI927030.1	EST_HUMAN	wo87b01.x1 NCL_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2462281 3' similar to contains element L1 repetitive element;
2536	15538	28560	3.13	2.0E-64	AL163246.2	NT	Homo sapiens chromosome 21 segment HS21C046
2536	15538	28561	3.13	2.0E-64	AL163246.2	NT	Homo sapiens chromosome 21 segment HS21C046
3801	16841	29748	0.87	2.0E-64	AW958145.1	EST_HUMAN	EST1370215 MAGE resequences, MAGE Homo sapiens cDNA
3801	16841	29749	0.87	2.0E-64	AW958145.1	EST_HUMAN	EST1370215 MAGE resequences, MAGE Homo sapiens cDNA
6121	19199	32424	2.2	2.0E-64	AU124387.1	EST_HUMAN	AU124387 NT2RM2 Homo sapiens cDNA clone NT2RM2002113 5'
6370	19438	32681	1.38	2.0E-64	AF113708.1	NT	Homo sapiens angiotensin 4 (ANG4) mRNA, partial cds
6632	19690	32969	4.02	2.0E-64	BF688537.1	EST_HUMAN	602123474F1 NIH_MGC_56 Homo sapiens cDNA clone IMAGE:4280395 5'
6745	19800	33080	1.5	2.0E-64	A078387.1	EST_HUMAN	oz29503.x1 Soares total_fetus_Nb2HF8_9w Homo sapiens cDNA clone IMAGE:1676717 3'
6859	19912	33208	3.88	2.0E-64	M77185.1	NT	H sapiens dopamine receptor D5 pseudogene 1, partial cds
8106	21043	34442	0.57	2.0E-64	11431054	NT	Homo sapiens axitin 2-binding protein 1 (A2BP1), mRNA
8164	21102	34501	0.56	2.0E-64	AW606785.1	EST_HUMAN	QV1-HT0413-010200-086-h12 HT0413 Homo sapiens cDNA
9016	21982	35400	5.69	2.0E-64	11434008	NT	Homo sapiens lymphocyte cytosolic protein 1 (L-plastin) (LCP1), mRNA
9016	21982	35401	5.69	2.0E-64	11434008	NT	Homo sapiens lymphocyte cytosolic protein 1 (L-plastin) (LCP1), mRNA
9495	22459	35899	0.43	2.0E-64	11423508	NT	Homo sapiens lymphocyte cytosolic protein 1 (L-plastin) (LCP1), mRNA
9586	22548	35999	0.96	2.0E-64	AU132570.1	EST_HUMAN	Homo sapiens hypothetical protein SBB167 (LOC57115), mRNA
11114	24074	37597	3.74	2.0E-64	BF628114.1	EST_HUMAN	AU132570 NT2RP4 Homo sapiens cDNA clone NT2RP4000109 5'
11391	24337	37866	4.59	2.0E-64	A1922811.1	EST_HUMAN	602042882F1 NCL_CGAP_Bm67 Homo sapiens cDNA clone IMAGE:4180556 5'
11391	24337	37867	4.59	2.0E-64	A1922811.1	EST_HUMAN	wn81b06.x1 NCL_CGAP_U11 Homo sapiens cDNA clone IMAGE:2452211 3'
11833	24716	38301	1.89	2.0E-64	BE268860.1	EST_HUMAN	wn81b06.x1 NCL_CGAP_U11 Homo sapiens cDNA clone IMAGE:2452211 3'
11833	24716	38302	1.89	2.0E-64	BE268860.1	EST_HUMAN	601185078F1 NIH_MGC_8 Homo sapiens cDNA clone IMAGE:3542922 5'
12316	25122	31844	1.47	2.0E-64	8567387	NT	601185078F1 NIH_MGC_8 Homo sapiens cDNA clone IMAGE:3542922 5'
12744	25393		3.54	2.0E-64	H55162.1	EST_HUMAN	Homo sapiens period (Drosophila) homolog 3 (PER3), mRNA
258	13355	28279	1.48	1.0E-64	AF231919.1	EST_HUMAN	CHR220101 Chromosome 22 exon Homo sapiens cDNA clone C22_132 5'
1794	14823	27807	17.02	1.0E-64	A1929419.1	EST_HUMAN	Homo sapiens chromosome 21 unknown mRNA
3024	16081	29004	0.81	1.0E-64	4507334	NT	au60c01.x1 Schneider fetal brain 00004 Homo sapiens cDNA clone IMAGE:2519136 3' similar to gb:U21696_cds1 PROTHYMOSIN ALPHA (HUMAN); contains element MSR1 repetitive element;
3522	16568	29492	5.73	1.0E-64	AF196779.1	NT	Homo sapiens synaptotagmin 1 (SYNJ1), mRNA
3598	16643	29562	1.38	1.0E-64	AF228527.1	NT	Homo sapiens transcription factor 1GHM enhancer 3, JM11 protein, JM4 protein, JM5 protein, T54 protein, JM10 protein, A4 differentiation-dependent protein, triple LIM domain protein 6, and synaptophysin genes, complete cds; and L-type calcium channel α
3598	16643	29563	1.38	1.0E-64	AF228527.1	NT	Homo sapiens TRIAD3 mRNA, partial cds
3917	16957	29870	2	1.0E-64	8922829	NT	Homo sapiens TRIAD3 mRNA, partial cds
							Homo sapiens hypothetical protein FLJ11026 (FLJ11026), mRNA

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
10424	23346	36831	0.68	1.0E-64	AA042976.1	EST_HUMAN	z45308.s1 Soares_pregnant_uterus_NbHPU Homo sapiens cDNA clone IMAGE:486567 3'
12288	25104		2.03	1.0E-84	AL163246.2	NT	Homo sapiens chromosome 21 segment HS21C048
2284	15287	28321	1.64	9.0E-65	X89211.1	NT	H.sapiens DNA for endogenous retroviral like element
2284	15287	28322	1.64	9.0E-65	X89211.1	NT	H.sapiens DNA for endogenous retroviral like element
11863	24745		35.25	9.0E-65	BF330676.1	EST_HUMAN	QV4-BT0257-081199-017-e03 BT0257 Homo sapiens cDNA
11837	24720	38305	7.27	8.0E-65	AI929244.1	EST_HUMAN	au58107.x1 Schneider fetal brain 00004 Homo sapiens cDNA clone IMAGE:2518005 3' similar to SW_RL21_HUMAN P48778 60S RIBOSOMAL PROTEIN L21. ;
10515	23437	36936	2.13	7.0E-65	BE081653.1	EST_HUMAN	QV2-BT0635-240400-162-c02 BT0635 Homo sapiens cDNA
1059	14105	27056	2.73	6.0E-65	AV721898.1	EST_HUMAN	AV721898 HTB Homo sapiens cDNA clone HTBBZC06 5'
1938	14982		12.23	6.0E-65	AA550929.1	EST_HUMAN	rl88d10.s1 NCL CGAP_Prl11 Homo sapiens cDNA clone IMAGE:999379 similar to gb:K03002 60S RIBOSOMAL PROTEIN L32 (HUMAN);
6721	19777	33056	0.87	6.0E-65	AA503892.1	EST_HUMAN	nl337507.s1 NCL CGAP_Prl5 Homo sapiens cDNA clone IMAGE:954517
9098	22064	35489	2.49	6.0E-65	AW083252.1	EST_HUMAN	xc07609.x1 NCL CGAP_Co21 Homo sapiens cDNA clone IMAGE:2583545 3' similar to TR:Q63306 Q63306 LONG INTERSPERSED REPETITIVE DNA CONTAINING 7 ORFS ;contains L1 b2 L1 repetitive element ;
9365	22330	35759	4.16	6.0E-65	AA427878.1	EST_HUMAN	zw53b08.s1 Soares_total_fetus_Nb2HF8_Bw Homo sapiens cDNA clone IMAGE:773747 3'
9365	22330	35760	4.16	6.0E-65	AA427878.1	EST_HUMAN	zw53b08.s1 Soares_total_fetus_Nb2HF8_Bw Homo sapiens cDNA clone IMAGE:773747 3'
9429	22393	35832	1.08	6.0E-65	AI085314.1	EST_HUMAN	qt18h05.x1 NCL CGAP_Bm25 Homo sapiens cDNA clone IMAGE:1750425 3'
9429	22393	35833	1.08	6.0E-65	AI085314.1	EST_HUMAN	qt18h05.x1 NCL CGAP_Bm25 Homo sapiens cDNA clone IMAGE:1750425 3'
11220	24173	37699	2.59	6.0E-65	BE567816.1	EST_HUMAN	601340485F1 NIH_MGC_53 Homo sapiens cDNA clone IMAGE:3682877 5'
11378	24325	37854	1.51	6.0E-65	BF340825.1	EST_HUMAN	602037721F1 NCL CGAP_Bm64 Homo sapiens cDNA clone IMAGE:4185877 5'
11825	24708	38291	1.8	6.0E-65	AL163210.2	NT	Homo sapiens chromosome 21 segment HS21C010
632	13697	26817	1.92	5.0E-65	AF084604.1	NT	Homo sapiens KE03 protein mRNA, partial cds
1355	14390	27359	1.22	5.0E-65	7661951	NT	Homo sapiens KIAA0156 gene product (KIAA0156), mRNA
1355	14390	27360	1.22	5.0E-65	7661951	NT	Homo sapiens KIAA0156 gene product (KIAA0156), mRNA
2164	15180	28200	1.51	5.0E-65	AB033768.1	NT	Homo sapiens HPAD-colony10 mRNA for peptidylarginine deiminase type I, complete cds
3289	18323	29245	2.13	5.0E-65	4507848	NT	Homo sapiens ubiquitin specific protease 13 (isopeptidase T-3) (USP13) mRNA
3269	18323	29246	2.13	5.0E-65	4507848	NT	Homo sapiens ubiquitin specific protease 13 (isopeptidase T-3) (USP13) mRNA
7052	20074	33381	1.18	5.0E-65	4504606	NT	Homo sapiens interferon-related developmental regulator 1 (IFRD1), mRNA
10833	23764	37253	1.28	5.0E-65	AF009068.1	NT	Multiple sclerosis associated retrovirus polyprotein (pol) mRNA, partial cds
195	13296	26224	2.33	4.0E-65	AL120419.1	EST_HUMAN	DKFZp781G108_r1 761 (synonym: hamy2) Homo sapiens cDNA clone DKFZp781G108 5'
747	13808	26748	1.29	4.0E-65	AI266488.1	EST_HUMAN	qm46e01.x1 Soares_placenta_8to9weeks_2Nbl-IP8c9W Homo sapiens cDNA clone IMAGE:1891800 3'

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
747	13808	26749	1.29	4.0E-65	AI266468.1	EST_HUMAN	qm46e01.x1 Soares_placenta_8to8weeks_2NbpHP8to9W Homo sapiens cDNA clone IMAGE:1891800 3'
1080	14124	27077	1.51	4.0E-65	4826735	NT	Homo sapiens fragile X mental retardation, autosomal homolog 1 (FXR1), mRNA
1482	14515	27489	15.66	4.0E-65	4506636	NT	Homo sapiens ribosomal protein L34 (RPL34) mRNA
3971	17011	29925	0.97	4.0E-65	AW993185.1	EST_HUMAN	RC2-BN0033-160200-013-a03 BN0033 Homo sapiens cDNA
6279	19351	32585	4.17	4.0E-65	AB033093.1	NT	Homo sapiens mRNA for KIAA1267 protein, partial cds
6279	19351	32586	4.17	4.0E-65	AB033093.1	NT	Homo sapiens mRNA for KIAA1267 protein, partial cds
7289	20261	33595	0.62	4.0E-65	AY008372.1	NT	Homo sapiens oxysterol binding protein-related protein 3 (ORP3) mRNA, complete cds
7324	20295	33638	0.84	4.0E-65	MT19879.1	NT	Human clabindin 27 gene, exons 10 and 11, and L1 and Alu repeats
7429	20396	33748	2.48	4.0E-65	11545780	NT	Homo sapiens hypothetical protein FLJ22087 (FLJ22087), mRNA
7797	20749	34124	0.58	4.0E-65	U40372.1	NT	Human 3' 5' cyclic nucleotide phosphodiesterase (HSPDE1C3A) mRNA, partial cds
7797	20749	34125	0.58	4.0E-65	U40372.1	NT	Human 3' 5' cyclic nucleotide phosphodiesterase (HSPDE1C3A) mRNA, partial cds
8118	21055	34452	0.81	4.0E-65	U39636.1	NT	Human MAP kinase kinase 6 (MKK6) mRNA, complete cds
8174	21144	34549	0.78	4.0E-65	5453765	NT	Homo sapiens nrl (chicken)-like 2 (NELL2), mRNA
8174	21144	34550	0.78	4.0E-65	5453765	NT	Homo sapiens nrl (chicken)-like 2 (NELL2), mRNA
9501	22465	35905	1.34	4.0E-65	11429127	NT	Homo sapiens Janus kinase 2 (a protein tyrosine kinase) (JAK2), mRNA
10945	23865		2.65	4.0E-65	AJ277546.2	NT	Homo sapiens WEE1 gene for protein kinase and partial ZNF143 gene for zinc finger transcription factor
11301	24251	37777	2.99	4.0E-65	AV738764.1	EST_HUMAN	AV738764 CB Homo sapiens cDNA clone CBCCBE05 5'
11434	24378	37918	6.02	4.0E-65	AF119846.1	NT	Homo sapiens PRO1474 mRNA, complete cds
12606	14124	27077	1.79	4.0E-65	4826735	NT	Homo sapiens fragile X mental retardation, autosomal homolog 1 (FXR1), mRNA
13091	13296	26224	1.6	4.0E-65	AL120419.1	EST_HUMAN	DKFZ761G108_j1 761 (synonym: hemy2) Homo sapiens cDNA clone DKFZ761G108 5'
97	13214	26139	3.16	3.0E-65	5031976	NT	Homo sapiens pre-B-cell colony-enhancing factor (PBCE) mRNA
98	13214	26139	6.52	3.0E-65	5031976	NT	Homo sapiens pre-B-cell colony-enhancing factor (PBCE) mRNA
1236	15819		22.13	3.0E-65	X78932.1	NT	H. sapiens HZF9 mRNA for zinc finger protein
							ov23f03.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1638173 3' similar to contains element
							MSR1 repetitive element;
1840	14867	27868	1.7	3.0E-65	AI000692.1	EST_HUMAN	MSR1 repetitive element;
3003	16061	28979	0.74	3.0E-65	D87078.2	NT	Homo sapiens mRNA for KIAA0235 protein, partial cds
3290	16343	29264	0.68	3.0E-65	4504950	NT	Homo sapiens laminin, beta 1 (LAMB1), mRNA
							ov23f03.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1638173 3' similar to contains element
							MSR1 repetitive element;
3734	16776	29688	1.61	3.0E-65	AI000692.1	EST_HUMAN	MSR1 repetitive element;
4679	17700	30588	1.33	3.0E-65	6912385	NT	Homo sapiens rab6 GTPase activating protein (GAP and centrosome-associated) (GAPCENA), mRNA
10429	23351	36835	1.42	3.0E-65	BE787366.1	EST_HUMAN	601479686F1 NIH_MGC_68 Homo sapiens cDNA clone IMAGE:3882405 5'

Page 349 of 546
Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
11719	23916	37433	9.57	3.0E-65	AA430006.1	EST_HUMAN	zve5a06.1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:781042 5'
3415	16463	28384	6.08	2.0E-65	BF680294.1	EST_HUMAN	60215062F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:4285968 5'
6888	19743		4.55	2.0E-65	BE263373.1	EST_HUMAN	60119083F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3534741 5'
7339	20310	33653	27.64	2.0E-65	BF576922.1	EST_HUMAN	602134359F1 NIH_MGC_81 Homo sapiens cDNA clone IMAGE:4289295 5'
9197	22163	35592	1.26	2.0E-65	AK024463.1	NT	Homo sapiens mRNA for FLJ00056 protein, partial cds
9197	22163	35593	1.26	2.0E-65	AK024463.1	NT	Homo sapiens mRNA for FLJ00056 protein, partial cds
12238	25069		2.76	2.0E-65	AA307804.1	EST_HUMAN	EST178755 Colon carcinoma (HCC) cell line Homo sapiens cDNA 5' end similar to endogenous retrovirus
12708	25728		1.95	2.0E-65	BF246086.1	EST_HUMAN	601854033F1 NIH_MGC_57 Homo sapiens cDNA clone IMAGE:4073769 5'
540	13611	28530	1.54	1.0E-65	7657495	NT	Homo sapiens putative Rab5 GDP/GTP exchange factor homologue (RABEX5), mRNA
2056	15075	28095	1.07	1.0E-65	AB040948.1	EST_HUMAN	Homo sapiens mRNA for KIAA1513 protein, partial cds
3385	18434	28361	0.8	1.0E-65	BE466681.1	EST_HUMAN	h224a09.x1 NCI_CGAP_GC8 Homo sapiens cDNA clone IMAGE:3208888 3'
4023	17061	28962	1.71	1.0E-65	4504082	NT	Homo sapiens glycican 4 (GPC4) mRNA
4023	17061	28963	1.71	1.0E-65	4504082	NT	Homo sapiens glycican 4 (GPC4) mRNA
4234	17263	30147	2.4	1.0E-65	AW029340.1	EST_HUMAN	wx09c09.x1 NCI_CGAP_Gas4 Homo sapiens cDNA clone IMAGE:2543152 3'
4234	17263	30148	2.4	1.0E-65	AW029340.1	EST_HUMAN	wx09c09.x1 NCI_CGAP_Gas4 Homo sapiens cDNA clone IMAGE:2543152 3'
5356	18463	31332	0.54	1.0E-65	BE089506.1	EST_HUMAN	QV0-BT0702-170400-194-09 BT0702 Homo sapiens cDNA
5356	18463	31333	0.54	1.0E-65	BE089509.1	EST_HUMAN	QV0-BT0702-170400-194-09 BT0702 Homo sapiens cDNA
5554	18651	31595	0.61	1.0E-65	AI243738.1	EST_HUMAN	qh88h07.x1 Soares_NFL_T_GBC_ST Homo sapiens cDNA clone IMAGE:1854109 3' similar to TR:Q07823
8597	21585	34980	5.47	1.0E-65	AW820481.1	EST_HUMAN	Q07823 MAC30 PROTEIN
8597	21585	34981	5.47	1.0E-65	AW820481.1	EST_HUMAN	QV2-ST0298-140200-042-f12 ST0298 Homo sapiens cDNA
8623	21591	35009	2.16	1.0E-65	BE732118.1	EST_HUMAN	QV2-ST0298-140200-042-f12 ST0298 Homo sapiens cDNA
8623	21591	35010	2.16	1.0E-65	BE732118.1	EST_HUMAN	601566124F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3841012 5'
8662	21630	35050	2.14	1.0E-65	AU141295.1	EST_HUMAN	601566124F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3841012 5'
8662	21630	35051	2.14	1.0E-65	AU141295.1	EST_HUMAN	AU141295 THYRO1 Homo sapiens cDNA clone THYRO1000356 5'
9192	22158	35596	1.84	1.0E-65	BF698707.1	EST_HUMAN	AU141295 THYRO1 Homo sapiens cDNA clone THYRO1000356 5'
9374	22339	35769	2.25	1.0E-65	AU129040.1	EST_HUMAN	602126239F1 NIH_MGC_56 Homo sapiens cDNA clone IMAGE:4283313 5'
9374	22339	35770	2.25	1.0E-65	AU129040.1	EST_HUMAN	AU129040 NT2RP2 Homo sapiens cDNA clone NT2RP2004714 5'
9388	22351		2.52	1.0E-65	11431994	NT	AU129040 NT2RP2 Homo sapiens cDNA clone NT2RP2004714 5'
9388	22351		2.52	1.0E-65	11431994	NT	Homo sapiens insulin 1,4,5-triphosphate receptor, type 1 (ITPR1), mRNA
9832	22881	36136	5.48	1.0E-65	AI191716.1	EST_HUMAN	q456a02.x1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1733480 3' similar to gb:M28981 ZINC
10246	23170	36659	1.28	1.0E-65	AU153783.1	EST_HUMAN	FINGER PROTEIN 8 (HUMAN) contains MER19.1 MER19 repetitive element
10869	23587	37085	0.64	1.0E-65	AA069559.1	EST_HUMAN	AU153783 NT2RP3 Homo sapiens cDNA clone NT2RP3004016 3'
							z75a04.1 Soares_pituitary_gland_N3H-HPG Homo sapiens cDNA clone IMAGE:382734 5'

Page 350 of 546
Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
10935	23855	37371	1.02	1.0E-65	AB037832.1	NT	Homo sapiens mRNA for KIAA1411 protein, partial cds
11011	23976	37501	7.57	1.0E-65	M26167.1	NT	Human platelet factor 4 variant 1 (PF4var1) gene, complete cds
11131	24091	37620	10.37	1.0E-65	4506660	NT	Homo sapiens ribosomal protein L7a (RPL7A) mRNA
11465	24408	37855	2.43	1.0E-65	BF698707.1	EST_HUMAN	602126239F1 NIH_MGC_56 Homo sapiens cDNA clone IMAGE:4283313 5'
						EST_HUMAN	ts76a06.x1 NCI_CGAP_GC6 Homo sapiens cDNA clone IMAGE:2237170 3' similar to gb.L15533_rna1
						EST_HUMAN	PANCREATITIS ASSOCIATED PROTEIN 1 PRECURSOR (HUMAN);
11545	24486	38040	1.89	1.0E-65	A1621017.1	EST_HUMAN	Homo sapiens TNF-inducible protein CG12-1 (CG12-1), mRNA
12289	25105		3.13	1.0E-65	11418041	NT	Homo sapiens cadherin EGF LAG seven-pass G-type receptor 1 (CELSR1), mRNA
12391	25168	31815	7.2	1.0E-65	11418322	NT	Homo sapiens sulfotransferase-related protein (SULTX3), mRNA
12799	25427		1.87	1.0E-65	11418248	NT	Novel human gene mapping to chromosome 22
72	13190	26110	0.94	9.0E-66	AL160311.1	NT	Novel human gene mapping to chromosome 22
72	13190	26111	0.94	9.0E-66	AL160311.1	NT	Novel human gene mapping to chromosome 22
1356	14391	27361	0.93	9.0E-66	5031980	NT	Homo sapiens 26S proteasome-associated pad1 homolog (POH1) mRNA
1356	14391	27362	0.93	9.0E-66	5031980	NT	Homo sapiens 26S proteasome-associated pad1 homolog (POH1) mRNA
1480	14513		6.17	9.0E-66	M87299.1	NT	Human transposon-like element, partial
3916	16966	29888	0.74	9.0E-66	M72393.1	NT	Human calcium-dependent phospholipid-binding protein (PLA2) mRNA, complete cds
3916	16966	29889	0.74	9.0E-66	M72393.1	NT	Human calcium-dependent phospholipid-binding protein (PLA2) mRNA, complete cds
4719	17739	30631	0.73	9.0E-66	AL137163.1	NT	Novel human gene mapping to chromosome X
4717	17737	30629	1.58	8.0E-66	AA424304.1	EST_HUMAN	z60c05.r1 Soares_NHHMPu_ST Homo sapiens cDNA clone IMAGE:767048 5'
11675	24641		1.48	7.0E-66	BE064410.1	EST_HUMAN	RC4-BT0311-141199-011-h06 BT0311 Homo sapiens cDNA
						EST_HUMAN	wn57h07.x1 NCI_CGAP_Lu19 Homo sapiens cDNA clone IMAGE:2448597 3' similar to WP.F15G8.4A
						EST_HUMAN	CE18595;
4393	17421	30304	1.01	6.0E-66	A1924653.1	EST_HUMAN	wn57h07.x1 NCI_CGAP_Lu19 Homo sapiens cDNA clone IMAGE:2448597 3' similar to WP.F15G8.4A
4393	17421	30305	1.01	6.0E-66	A1924653.1	EST_HUMAN	CE18595;
4393	17421	30306	1.01	6.0E-66	A1924653.1	EST_HUMAN	wn57h07.x1 NCI_CGAP_Lu19 Homo sapiens cDNA clone IMAGE:2448597 3' similar to WP.F15G8.4A
8777	21744		0.62	6.0E-66	BE178563.1	EST_HUMAN	CE18595;
11493	24436	37985	4.18	6.0E-66	X69181.1	NT	PM2-HT0604-030300-001-b06 HT0604 Homo sapiens cDNA
1369	14403	27373	1.94	5.0E-66	BE064410.1	EST_HUMAN	H.sapiens mRNA for ribosomal protein L31
9849	22593	36041	15.54	5.0E-66		NT	RC4-BT0311-141199-011-h06 BT0311 Homo sapiens cDNA
791	13850	26797	1.39	4.0E-66	AW897798.1	EST_HUMAN	Homo sapiens thyroid hormone receptor binding protein (AIB3), mRNA
1760	14779	27764	1.16	4.0E-66	X89211.1	NT	RC4-BT0311-141199-011-h06 BT0311 Homo sapiens cDNA
2288	15301	28325	1.84	4.0E-66	AJ223364.1	NT	Homo sapiens thyroid hormone receptor binding protein (AIB3), mRNA
2481	15485		2.82	4.0E-66		NT	Mus musculus fragile X mental retardation syndrome 1 homolog (Fmr1), mRNA
4823	17840		3.19	4.0E-66	9635487	NT	Human endogenous retrovirus, complete genome

Page 351 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5830	18726	31887	3.88	4.0E-66	11428643	NT	Homo sapiens methylene tetrahydrofolate dehydrogenase (NAD+ dependent), methylenetetrahydrofolate
5835	18925	32109	0.78	4.0E-66	AW939119.1	EST_HUMAN	cyclohydrolase (MTHFD2), mRNA
7036	18368	31255	4.99	4.0E-66	AW985473.1	EST_HUMAN	QV1-DT0069-110200-087-g10 DT0069 Homo sapiens cDNA
7338	20309	33852	7.18	4.0E-66	U78188.1	NT	EST377548 IMAGE resequences, MAGI Homo sapiens cDNA
7891	18726	31887	0.98	4.0E-66	11428643	NT	Homo sapiens cAMP-regulated guanine nucleotide exchange factor 1 (cAMP-GEF1) mRNA, complete cds
8413	21382	34789	6.46	4.0E-66	11421638	NT	Homo sapiens methylene tetrahydrofolate dehydrogenase (NAD+ dependent), methylenetetrahydrofolate
8472	21441	34859	1.46	4.0E-66	X57147.1	NT	cyclohydrolase (MTHFD2), mRNA
11020	23985	37512	1.76	4.0E-66	BF507493.1	EST_HUMAN	Homo sapiens hypodermal protein FLJ20116 (FLJ20116), mRNA
11706	24871	38248	1.53	4.0E-66	AB023215.1	NT	Human endogenous retrovirus PHE.1 (ERV9)
1424	14457	27432	5.89	3.0E-66	4502098	NT	U1-H-BW1-amr-a-10-0.U1.st NCJ CGAP Sub7 Homo sapiens cDNA clone IMAGE:3070747 3'
1424	14457	27433	5.89	3.0E-66	4502098	NT	Homo sapiens solute carrier family 28 (mitochondrial carrier; adenine nucleotide translocator), member 5 (SLC25A5), nuclear gene encoding mitochondrial protein, mRNA
1999	15020	28027	1.07	3.0E-66	N55323.1	EST_HUMAN	Homo sapiens solute carrier family 28 (mitochondrial carrier; adenine nucleotide translocator), member 5 (SLC25A5), nuclear gene encoding mitochondrial protein, mRNA
1999	15020	28028	1.07	3.0E-66	N55323.1	EST_HUMAN	yz27g12.r1 Soares_multiple_sclerosis.2Nbl-HMSP Homo sapiens cDNA clone IMAGE:284328 5' similar to SW:H2B1_TIGCA P35068 HISTONE H2B.1/H2B.2 [2] PIR:B56612
1999	15020	28029	1.07	3.0E-66	N55323.1	EST_HUMAN	yz27g12.r1 Soares_multiple_sclerosis.2Nbl-HMSP Homo sapiens cDNA clone IMAGE:284328 5' similar to SW:H2B1_TIGCA P35068 HISTONE H2B.1/H2B.2 [2] PIR:B56612
2718	15712	28729	4.78	3.0E-66	1141880	NT	yz27g12.r1 Soares_multiple_sclerosis.2Nbl-HMSP Homo sapiens cDNA clone IMAGE:284328 5' similar to SW:H2B1_TIGCA P35068 HISTONE H2B.1/H2B.2 [2] PIR:B56612
3134	16191	29101	6.79	3.0E-66	7662223	NT	yz27g12.r1 Soares_multiple_sclerosis.2Nbl-HMSP Homo sapiens cDNA clone IMAGE:284328 5' similar to SW:H2B1_TIGCA P35068 HISTONE H2B.1/H2B.2 [2] PIR:B56612
5542	18639	31579	0.78	3.0E-66	AB020699.1	NT	Homo sapiens TGF(beta)-induced transcription factor 2 (TGIF2), mRNA
5657	18763	31920	0.78	3.0E-66	M13975.1	NT	Homo sapiens KIAA0649 gene product (KIAA0649), mRNA
5867	18956	32143	1.49	3.0E-66	11417948	NT	Homo sapiens KIAA0649 gene product (KIAA0649), mRNA
5867	18956	32144	1.49	3.0E-66	11417948	NT	Homo sapiens protein kinase C beta-II type (PRKCB1) mRNA, complete cds
7660	20620	33985	4.07	3.0E-66	X92211.1	NT	Homo sapiens NIPSNAP, C. elegans, homolog 1 (NIPSNAP1), mRNA
9883	22836	36280	0.7	3.0E-66	AK024463.1	NT	Homo sapiens NIPSNAP, C. elegans, homolog 1 (NIPSNAP1), mRNA
10077	23004	36474	0.62	3.0E-66	11417118	NT	H. sapiens germline immunoglobulin heavy chain, variable region, (15-1)
10433	23355	38841	0.69	3.0E-66	7019480	NT	Homo sapiens mRNA for FLJ00045 protein, partial cds
10889	23809	37315	0.97	3.0E-66	AF156659.1	NT	Homo sapiens KIAA0433 protein (KIAA0433), mRNA
							Homo sapiens protocadherin beta 1 (PCDH-beta1), mRNA
							Homo sapiens molybdenum cofactor biosynthesis protein E (MOBPE) mRNA, complete cds

Page 352 of 546
Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
11838	24721	38306	5.1	3.0E-66	5453949	NT	Homo sapiens protein phosphatase 2, regulatory subunit B (B56), alpha isoform (PPP2R5A) mRNA
13109	25628	31647	1.38	3.0E-66	11417862	NT	Homo sapiens calcineurin binding protein 1 (KIAA0330), mRNA
53	13173	26082	1.94	2.0E-66	7657334	NT	Homo sapiens Mitshapen/NIK-related kinase (MINK), mRNA
53	13173	26083	1.94	2.0E-66	7657334	NT	Homo sapiens Mitshapen/NIK-related kinase (MINK), mRNA
422	13117	26015	0.7	2.0E-66	4505524	NT	Homo sapiens origin recognition complex, subunit 5 (yeast homolog)-like (ORC5L), mRNA, and translated products
422	13117	26016	0.7	2.0E-66	4505524	NT	Homo sapiens origin recognition complex, subunit 5 (yeast homolog)-like (ORC5L), mRNA, and translated products
1843	14869	27867	2.18	2.0E-66	AL163301.2	NT	Homo sapiens chromosome 21 segment HS21C101
2241	15255	28279	2.33	2.0E-66	X65858.1	NT	H sapiens pseudogene for the low affinity IL-8 receptor
2986	16044	28965	1.39	2.0E-66	X65859.1	NT	H sapiens pseudogene for the low affinity IL-8 receptor
3532	16578	29501	0.79	2.0E-66	8923290	NT	Homo sapiens hypothetical protein FLJ20309 (FLJ20309), mRNA
3777	16819	29727	0.9	2.0E-66	AL117233.1	NT	Novel human gene mapping to chromosome 1
4685	17706	30598	36.62	2.0E-66	AJ133287.2	NT	Homo sapiens HLA-B gene for human leucocyte antigen B
4685	17706	30599	36.62	2.0E-66	AJ133287.2	NT	Homo sapiens HLA-B gene for human leucocyte antigen B
5914	19000	32191	0.82	2.0E-66	AW988854.1	EST_HUMAN	EST380930 MAGE resequences, MAG.J Homo sapiens cDNA
5914	19000	32192	0.82	2.0E-66	AW988854.1	EST_HUMAN	EST380930 MAGE resequences, MAG.J Homo sapiens cDNA
9169	22165	35595	2.86	2.0E-66	N45480.1	EST_HUMAN	Y59c02.r1 Soares_multiple_sclerosis_2NrhMSP Homo sapiens cDNA clone IMAGE:277826 5'
12614	25941	28885	2.91	2.0E-66	11418318	NT	Homo sapiens G-2 and S-phase expressed 1 (GTSE1), mRNA
2904	15963	28885	1.58	1.0E-66	AV717817.1	EST_HUMAN	AV717817 DCB Homo sapiens cDNA clone DCBADC07 5'
2904	15963	28886	1.58	1.0E-66	AV717817.1	EST_HUMAN	AV717817 DCB Homo sapiens cDNA clone DCBADC07 5'
4412	15963	28885	3.59	1.0E-66	AV717817.1	EST_HUMAN	AV717817 DCB Homo sapiens cDNA clone DCBADC07 5'
4412	15963	28886	3.59	1.0E-66	AV717817.1	EST_HUMAN	AV717817 DCB Homo sapiens cDNA clone DCBADC07 5'
5455	18557	31468	5.82	1.0E-66	BF673088.1	EST_HUMAN	602152996F1 NIH_MGC_81 Homo sapiens cDNA clone IMAGE:4284151 5'
5875	18964	32154	0.84	1.0E-66	BE765232.1	EST_HUMAN	IL2-NT0101-280700-116-E04 NT0101 Homo sapiens cDNA
5875	18964	32155	0.84	1.0E-66	BE765232.1	EST_HUMAN	IL2-NT0101-280700-116-E04 NT0101 Homo sapiens cDNA
7125	20058	33364	1.09	1.0E-66	BF328623.1	EST_HUMAN	RC5-BN0193-010900-034-G06 BN0193 Homo sapiens cDNA
8801	21768	35192	1.2	1.0E-66	AA608658.1	EST_HUMAN	ea80e04.s1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:827262 3'
9781	22722	36178	0.7	1.0E-66	AA018828.1	EST_HUMAN	ze87e12.r1 Soares retina N2b4HR Homo sapiens cDNA clone IMAGE:363118 5'
10737	23659	37153	0.9	1.0E-66	AV748749.1	EST_HUMAN	AV748749 NPC Homo sapiens cDNA clone NPCBVA05 5'
10737	23659	37154	0.9	1.0E-66	AV748749.1	EST_HUMAN	AV748749 NPC Homo sapiens cDNA clone NPCBVA05 5'
10993	23913	37429	0.44	1.0E-66	BE044595.1	EST_HUMAN	hc47h02.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:3040563 3'

Page 353 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
11290	24240	37787	2.47	1.0E-66	AF111187.2	NT	Homo sapiens jun dimerization protein gene, partial cds; cfos gene, complete cds; and unknown gene
11853	24735	38322	1.69	1.0E-68	AW688744.1	EST_HUMAN	EST380820 MAGE resequences, MAGJ Homo sapiens cDNA
12398	25170		2.75	9.0E-67	11418177	NT	Homo sapiens Ran GTPase activating protein 1 (RANGAP1), mRNA
380	13493	28426	2.51	7.0E-67	AW162232.1	EST_HUMAN	au75d02.x1 Schneider fetal brain 00004 Homo sapiens cDNA clone IMAGE:2782083 3' similar to gb:M37104 ATP SYNTHASE COUPLING FACTOR 6, MITOCHONDRIAL PRECURSOR (HUMAN);
1382	14416	27386	1.23	7.0E-67	AA383416.1	EST_HUMAN	EST168812 Testis 1 Homo sapiens cDNA 5' end similar to C. elegans hypothetical protein, cosmid ZK353
1558	14590	27561	1.19	7.0E-67	W85947.1	EST_HUMAN	zh56b05.r1 Soares fetal_liver_spleen_INFLS_S1 Homo sapiens cDNA clone IMAGE:416049 5'
1568	14590	27562	1.18	7.0E-67	W85947.1	EST_HUMAN	zh56b05.r1 Soares fetal_liver_spleen_INFLS_S1 Homo sapiens cDNA clone IMAGE:416049 5'
2048	15087	28088	1.02	7.0E-67	7657243	NT	Homo sapiens Inositol 1,3,4-trisphosphate 5/6 kinase (ITPK1), mRNA
2048	15087	28087	1.02	7.0E-67	7657243	NT	Homo sapiens Inositol 1,3,4-trisphosphate 5/6 kinase (ITPK1), mRNA
2821	13493	26426	2.78	7.0E-67	AW162232.1	EST_HUMAN	au75d02.x1 Schneider fetal brain 00004 Homo sapiens cDNA clone IMAGE:2782083 3' similar to gb:M37104 ATP SYNTHASE COUPLING FACTOR 6, MITOCHONDRIAL PRECURSOR (HUMAN);
6199	19273	32507	0.96	7.0E-67	10190995	NT	Homo sapiens zinc finger protein 304 (ZNF304), mRNA
6401	19469	32718	1.92	7.0E-67	11425572	NT	Homo sapiens adaptor-related protein complex 2, beta 1 subunit (AP2B1), mRNA
6401	19469	32717	1.92	7.0E-67	11425572	NT	Homo sapiens adaptor-related protein complex 2, beta 1 subunit (AP2B1), mRNA
6885	19937	33233	1.14	7.0E-67	4885084	NT	Homo sapiens ATPase, H+ transporting, lysosomal (vacuolar proton pump) non-catalytic accessory protein 1A (110/116kD) (ATP8A1A), mRNA
7893	20836	34216	1.13	7.0E-67	11419212	NT	Homo sapiens mitochondrial carrier family protein (LOC55972), mRNA
7893	20836	34217	1.13	7.0E-67	11419212	NT	Homo sapiens mitochondrial carrier family protein (LOC55972), mRNA
8668	21634	35055	0.69	7.0E-67	4557732	NT	Homo sapiens latent transforming growth factor beta binding protein 2 (LTBP2) mRNA
9284	22250	35681	0.73	7.0E-67	10835044	NT	Homo sapiens retinaldehyde dehydrogenase 2 (RALDH2), mRNA
11985	24882	38458	2.45	7.0E-67	U82486.1	NT	Human cytochrome oxidase subunit VIa (COX6A1P) pseudogene, complete cds
12169	25019	38619	1.92	7.0E-67	11430460	NT	Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA
12169	25019	38620	1.92	7.0E-67	11430460	NT	Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA
12639	26323	31789	1.68	7.0E-67	AB011399.1	NT	Homo sapiens gene for AF-6, complete cds
13009	26561		1.44	7.0E-67	11421527	NT	Homo sapiens calcium channel, voltage-dependent, alpha 2/delta subunit 1 (CACNA2D1), mRNA
561	13631	26548	1.19	6.0E-67	X88968.1	NT	H. sapiens mRNA for acetyl-CoA carboxylase
796	13855	28802	1.7	6.0E-67	Z17227.1	NT	Homo sapiens mRNA for transmembrane receptor protein
1278	14313	27274	2.06	6.0E-67	Y14320.1	NT	Homo sapiens PMP69 gene, exons 3,4,5,6 & 7
3183	16238	29156	1.16	6.0E-67	4506434	NT	Homo sapiens retinoblastoma 1 (including osteosarcoma) (RB1) mRNA
3451	16497	29414	1.33	6.0E-67	4507332	NT	Homo sapiens Synapsin III (SYN3) mRNA, and translated products
3451	16497	29415	1.33	6.0E-67	4507332	NT	Homo sapiens Synapsin III (SYN3) mRNA, and translated products

Page 354 of 546

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4152	17183	30089	0.79	6.0E-67	AL163201.2	NT	Homo sapiens chromosome 21 segment HS21C001
4152	17183	30070	0.79	6.0E-67	AL163201.2	NT	Homo sapiens chromosome 21 segment HS21C001
4734	17754	30647	3.56	6.0E-67	7657020	NT	Homo sapiens DKFZP434P211 protein (DKFZP434P211), mRNA
4734	17754	30648	3.56	6.0E-67	7657020	NT	Homo sapiens DKFZP434P211 protein (DKFZP434P211), mRNA
5242	18250	31121	0.99	6.0E-67	AF016898.1	NT	Homo sapiens B-A-TF gene, complete cds
5242	18250	31122	0.99	6.0E-67	AF016898.1	NT	Homo sapiens B-A-TF gene, complete cds
3235	16290	29212	2.02	5.0E-67	AF009860.1	NT	Homo sapiens T cell receptor beta locus, TORBV/7S3A2 to TORBV12S2 region
11329	24279		13.19	6.0E-67	BE010038.1	EST_HUMAN	PM3-BN0176-100400-001-g04 BN0176 Homo sapiens cDNA
1331	14866	27335	2.25	4.0E-67	R90819.1	EST_HUMAN	Yn02d11.1 Soares adult brain N2b-4H855Y Homo sapiens cDNA clone IMAGE:167253 5'
							Yn02d11.1 Soares adult brain N2b-4H855Y Homo sapiens cDNA clone IMAGE:1493288 3' similar to SW:Z33A_HUMAN
							Q26505.X5 NCL_CGAP_Kid3 Homo sapiens cDNA clone IMAGE:3134913 3' similar to SW:RHOP_MOUSE
							Q06730 ZINC FINGER PROTEIN 33A ;
8355	21924	34736	0.89	4.0E-67	A1733032.1	EST_HUMAN	RC0-HT0934-150900-026-c03 HT0934 Homo sapiens cDNA
8725	21693		1.18	4.0E-67	BF37321.1	EST_HUMAN	RC0-HT0934-150900-026-c03 HT0934 Homo sapiens cDNA clone IMAGE:1238472 3' similar to TR:O10385 O10385
							rw08a01.s1 NCL_CGAP_SS1 Homo sapiens cDNA clone IMAGE:1238472 3' similar to TR:O10385 O10385
11403	24347		1.46	4.0E-67	AA714294.1	EST_HUMAN	PRO-POL-DUTPASE POLYPROTEIN ;
2824	13699	26620	1.16	3.0E-67	AA333768.1	EST_HUMAN	EST T37803 Embryo, 9 week Homo sapiens cDNA 5' end
4723	17743	30634	2.52	3.0E-67	AW869159.1	EST_HUMAN	MR3-SN0066-040500-008-f01 SN0066 Homo sapiens cDNA
4753	17773		1.08	3.0E-67	AL163279.2	NT	Homo sapiens chromosome 21 segment HS21C079
							hr81f05.x1 NCL_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:3134913 3' similar to SW:RHOP_MOUSE
8522	21490	34905	1.15	3.0E-67	BF196098.1	EST_HUMAN	Q61085 GTP-RHO BINDING PROTEIN 1 ;
11598	24526		15.35	3.0E-67	AA927874.1	EST_HUMAN	om18b07.s1 Soares_NF1_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1541365 3'
							hw16g09.x1 NCL_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3163136 3' similar to WP:F23H11.9
190	13291	26217	0.97	2.0E-67	BE348354.1	EST_HUMAN	CE09617 ;
846	13902	26860	6.48	2.0E-67	AW816405.1	EST_HUMAN	QV4-ST0234-181169-037-f05 ST0234 Homo sapiens cDNA
1107	14151		1.26	2.0E-67	AF167460.1	NT	Homo sapiens double stranded RNA activated protein kinase (PKR) gene, exons 2a, 2, 3, and 4
							ba72g05.y1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:2905976 5' similar to TR:O94892 O94892
1901	14925	27922	1.26	2.0E-67	BE303037.1	EST_HUMAN	KIAA0798 PROTEIN ;
							ba72g05.y1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:2905976 5' similar to TR:O94892 O94892
1901	14925	27923	1.26	2.0E-67	BE303037.1	EST_HUMAN	KIAA0798 PROTEIN ;
2251	15265	28291	0.9	2.0E-67	11422946	NT	Homo sapiens hypothetical protein dJ462023.2 (DJ462023.2), mRNA
2251	15285	28292	0.9	2.0E-67	11422946	NT	Homo sapiens hypothetical protein dJ462023.2 (DJ462023.2), mRNA
2394	15401	28428	1.16	2.0E-67	AF309561.1	NT	Homo sapiens KRAB zinc finger protein ZFQR mRNA, complete cds
2438	15445	28463	1.36	2.0E-67	AA625755.1	EST_HUMAN	Homo sapiens developmentally regulated GTP-binding protein 1 (DRG1), mRNA
3481	16527	29452	3.78	2.0E-67	AA625755.1	EST_HUMAN	Homo sapiens developmentally regulated GTP-binding protein 1 (DRG1), mRNA
4027	17065	29968	2.7	2.0E-67	AL163300.2	NT	Zu91g01.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:745392 3'
							Homo sapiens chromosome 21 segment HS21C100

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8190	19284	32500	0.77	2.0E-67	AL049784.1	NT	Novel human gene mapping to chromosome 13
8247	19320	32560	4.91	2.0E-67	BF240768.1	EST_HUMAN	601875351F1 NIH_MGC_65 Homo sapiens cDNA clone IMAGE:4091893 5'
8428	19494	32748	2.19	2.0E-67	AB051763.1	NT	Homo sapiens mRNA for NADPH-cytochrome P-450 reductase, complete cds
8428	19494	32747	2.19	2.0E-67	AB051763.1	NT	Homo sapiens mRNA for NADPH-cytochrome P-450 reductase, complete cds
8788	19882	33137	0.77	2.0E-67	AL120542.1	EST_HUMAN	DKFZp761A229_r1 761 (synonym: hamy2) Homo sapiens cDNA clone DKFZp761A229 5'
8904	21870	35295	0.83	2.0E-67	AA334609.1	EST_HUMAN	EST338850 Embryo, 9 week Homo sapiens cDNA 5' end similar to cerebellin
8904	21870	35298	0.83	2.0E-67	AA334609.1	EST_HUMAN	EST338850 Embryo, 9 week Homo sapiens cDNA 5' end similar to cerebellin
9348	22313	36737	1.11	2.0E-67	AW602635.1	EST_HUMAN	RC4-BT0566-170100-011-c07 BT0566 Homo sapiens cDNA
9348	22313	36738	1.11	2.0E-67	AW602635.1	EST_HUMAN	RC4-BT0566-170100-011-c07 BT0566 Homo sapiens cDNA
9925	22809	36281	1.05	2.0E-67	AV731333.1	EST_HUMAN	AV731333 HTF Homo sapiens cDNA clone HTFARD03 5'
10087	22894	36483	1.01	2.0E-67	AW283624.1	EST_HUMAN	U1H-B12-ahn-e-10-0-J1.s1 NCI_CGAP_Sub4 Homo sapiens cDNA clone IMAGE:2727283 3'
10984	23904	37418	0.44	2.0E-67	AA928088.1	EST_HUMAN	on86607.s1 Soares NFL T_GBC_S1 Homo sapiens cDNA clone IMAGE:1563541 3'
11248	24202	37724	1.47	2.0E-67	BF685788.1	EST_HUMAN	602140470F1 NIH_MGC_46 Homo sapiens cDNA clone IMAGE:4301705 5'
11380	24327	37858	1.58	2.0E-67	BF034485.1	EST_HUMAN	60145532F1 NIH_MGC_66 Homo sapiens cDNA clone IMAGE:3858975 5'
11398	26011		2.61	2.0E-67	11436448	NT	Homo sapiens KIAA0985 protein (KIAA0985), mRNA
11562	24502	38060	1.93	2.0E-67	BE295714.1	EST_HUMAN	601175782F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3531038 5'
11784	23939	37461	1.83	2.0E-67	BF377169.1	EST_HUMAN	PM2.TN0103-040900-001-c02 TN0103 Homo sapiens cDNA
12808	25434	31741	1.73	2.0E-67	11417877	NT	Homo sapiens gamma-glutamyltransferase 1 (GGT1), mRNA
253	13350	28278	1.82	1.0E-67	4502166	NT	Homo sapiens amyloid beta (A4) precursor protein (protease nexin-II, Alzheimer disease) (APP), mRNA
709	13771	26705	1.34	1.0E-67	AA702794.1	EST_HUMAN	z80504.s1 Soares fetal_liver spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:448016 3'
10587	23509	37001	0.44	1.0E-67	Q93075	SWISSPROT	HYPOTHETICAL PROTEIN KIAA0218
10587	23509	37002	0.44	1.0E-67	Q93075	SWISSPROT	HYPOTHETICAL PROTEIN KIAA0218
2186	15201	28221	2.37	8.0E-68	BE070732.1	EST_HUMAN	601448558F1 NIH_MGC_65 Homo sapiens cDNA clone IMAGE:3852254 5'
3883	16923	29831	4.25	8.0E-68	AA209458.1	EST_HUMAN	z82110.r1 Stratagene hNT neuron (#837233) Homo sapiens cDNA clone IMAGE:648163 5' similar to
3883	16923	29832	4.25	8.0E-68	AA209458.1	EST_HUMAN	SW_SAV_SULAC Q07590 SAV PROTEIN. ;
8438	21407	34819	0.67	7.0E-68	AB105051.1	EST_HUMAN	z82110.r1 Stratagene hNT neuron (#837233) Homo sapiens cDNA clone IMAGE:648163 5' similar to
10818	23737	37240	2.48	8.0E-68	11422086	NT	wb89603.s1 NCI_CGAP_P28 Homo sapiens cDNA clone IMAGE:2312860 3'
12811	25436		2.18	6.0E-68	BE12554.1	EST_HUMAN	Homo sapiens brefeldin A-inhibited guanine nucleotide-exchange protein 2 (BIG2), mRNA
13058	25594	31888	1.52	6.0E-68	BF310675.1	EST_HUMAN	601452067F1 NIH_MGC_68 Homo sapiens cDNA clone IMAGE:3855761 5'
803	15815	28810	0.68	5.0E-68	AF231919.1	NT	601894635F2 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:4124144 5'
803	15815	28811	0.68	5.0E-68	AF231919.1	NT	Homo sapiens chromosome 21 unknown mRNA
803	15815	28811	0.68	5.0E-68	AF231919.1	NT	Homo sapiens chromosome 21 unknown mRNA

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
820	13878	26827	4.72	5.0E-68	AF231919.1	NT	Homo sapiens chromosome 21 unknown mRNA
820	13878	26828	4.72	5.0E-68	AF231919.1	NT	Homo sapiens chromosome 21 unknown mRNA
2791	15783	28799	1.23	5.0E-68	AF231919.1	NT	Homo sapiens chromosome 21 unknown mRNA
3192	16218	29133	3.08	5.0E-68	AB037852.1	NT	Homo sapiens mRNA for KIAA1431 protein, partial cds
4210	17239		0.8	5.0E-68	4826987	NT	Homo sapiens retinoblastoma-binding protein 2 (RBBP2) mRNA
4518	17643	30429	0.75	5.0E-68	AL157845.1	EST_HUMAN	DKFZp547D207.1 547 (synonym: hbr1) Homo sapiens cDNA clone DKFZp547D207.5
6889	19941	33236	0.67	5.0E-68	7019512	NT	Homo sapiens RAB3A interacting protein (rab3)-like 1 (RAB3IL1), mRNA
6889	19941	33237	0.67	5.0E-68	7019512	NT	Homo sapiens RAB3A interacting protein (rab3)-like 1 (RAB3IL1), mRNA
2532	15535	28555	0.94	4.0E-68	11421388	NT	Homo sapiens transcription factor NRF (NRF), mRNA
2532	15535	28556	0.94	4.0E-68	11421388	NT	Homo sapiens transcription factor NRF (NRF), mRNA
5011	18025		7.63	4.0E-68	P04406	SWISSPROT	GLYCERALDEHYDE 3-PHOSPHATE DEHYDROGENASE, LIVER
6075	19158	32368	0.67	4.0E-68	AF157063.1	NT	Homo sapiens sedlin (SEDL) gene, exon 4
6939	20163	33485	5.5	4.0E-68	11035991	NT	Homo sapiens serine carboxypeptidase 1 precursor protein (HSCP1), mRNA
6939	20163	33486	5.5	4.0E-68	11035991	NT	Homo sapiens serine carboxypeptidase 1 precursor protein (HSCP1), mRNA
7046	20887	34278	0.72	4.0E-68	7661683	NT	Homo sapiens DKFZP586L0724 protein (DKFZP586L0724), mRNA
9395	22360	35790	5.91	4.0E-68	D63479.2	NT	Homo sapiens mRNA for KIAA0145 protein, partial cds
9395	22360	35791	5.91	4.0E-68	D63479.2	NT	Homo sapiens mRNA for KIAA0145 protein, partial cds
9533	22496	35944	2.83	4.0E-68	AB040918.1	NT	Homo sapiens mRNA for KIAA1485 protein, partial cds
11345	24295	37821	1.55	4.0E-68	4506282	NT	Homo sapiens protein tyrosine phosphatase type IVA, member 1 (PTP4A1) mRNA
11345	24295	37822	1.55	4.0E-68	4506282	NT	Homo sapiens protein tyrosine phosphatase type IVA, member 1 (PTP4A1) mRNA
3673	16716	29630	5.02	3.0E-68	AF236082.1	NT	Mus musculus G-protein coupled receptor GPR73 (Gpr73) mRNA, complete cds
5289	18303	31164	0.93	3.0E-68	AF236082.1	NT	Mus musculus G-protein coupled receptor GPR73 (Gpr73) mRNA, complete cds
9812	21135		5.47	3.0E-68	AI342323.1	EST_HUMAN	q38h02.x1 Soares_fetal_lung_NbHL19W Homo sapiens cDNA clone IMAGE:1950291 3' similar to contains THR.12 THR repetitive element ;
10868	23788	37288	2.01	3.0E-68	F28784.1	EST_HUMAN	HSPD18178 HM3 Homo sapiens cDNA clone s3000023D09
13012	25725		1.99	3.0E-68	AW939485.1	EST_HUMAN	QV1-DT0072-010200-056-H06 D70072 Homo sapiens cDNA
2873	18321		27.9	2.0E-68	D00522.1	NT	Cricetulus longicaudatus mRNA for EF-1 alpha, complete cds
4055	17092	29987	0.75	2.0E-68	BE675786.1	EST_HUMAN	715f02.x1 NCL_CGAP_G11.1 Homo sapiens cDNA clone IMAGE:3294747 3' similar to TR:O80828 O80828 HYPOTHETICAL 88.8 KD PROTEIN. ;
4708	17729	30823	1.98	2.0E-68	AB000881.1	NT	Homo sapiens gene for activin receptor type IIB, complete cds
7059	20081		9.21	2.0E-68	R45088.1	EST_HUMAN	y938g04.s1 Soares Infant brain TNIB Homo sapiens cDNA clone IMAGE:34896 3'
7265	20000	33289	4.51	2.0E-68	BF05316.1	EST_HUMAN	601458514F1 NIH_MGC_66 Homo sapiens cDNA clone IMAGE:3862034 5'
7425	20392		0.61	2.0E-68	11525737	NT	Homo sapiens UDP-N-acetyl-alpha-D-galactosamine:polypeptide N-acetylglucosaminyltransferase 8 (GalNAc-T8) (GALNT8), mRNA

Single Exon Probes Expressed In Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7596	20558	33916	0.81	2.0E-68	BF336745.1	EST_HUMAN	IL3-CT0534-180900-273-A01 CT0534 Homo sapiens cDNA
9301	22268	35998	0.87	2.0E-68	Q05959	SWISSPROT	FORMIN 4 (LIMB DEFORMITY PROTEIN)
80	13196	26120	0.75	1.0E-68	4505222	NT	Homo sapiens meningioma (disrupted in balanced translocation) 1 (MN1), mRNA
298	13390	26318	17.65	1.0E-68	AW816405.1	EST_HUMAN	QV4-ST0234-181199-037-05 ST0234 Homo sapiens cDNA
2263	15277	28301	1.27	1.0E-68	AB011149.1	NT	Homo sapiens mRNA for KIAA0577 protein, complete cds
2263	15277	28302	1.27	1.0E-68	AB011149.1	NT	Homo sapiens mRNA for KIAA0577 protein, complete cds
2767	15759	28781	1.04	1.0E-68	AW451832.1	EST_HUMAN	UI-H-B13-alk-f-01-U1.s1 NCI_GGAP_Sub5 Homo sapiens cDNA clone IMAGE:2737272 3'
4037	17075	28975	1.01	1.0E-68	BE296032.1	EST_HUMAN	601177002F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3532344 5'
5068	18078	30957	0.89	1.0E-68	AA897343.1	EST_HUMAN	ak47g12.s1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1460518 3'
5395	18498	31376	1.8	1.0E-68	7662349	NT	Homo sapiens cell recognition molecule Caspr2 (KIAA0868), mRNA
7938	20980	34270	0.56	1.0E-68	11436716	NT	Homo sapiens sentrin/SUMO-specific protease (SENP1), mRNA
11198	24153	37684	1.48	1.0E-68	11418889	NT	Homo sapiens phosphodiesterase 7B (PDE7B), mRNA
11198	24153	37685	1.48	1.0E-68	11418889	NT	Homo sapiens phosphodiesterase 7B (PDE7B), mRNA
11260	24203	37725	3.37	1.0E-68	L76416.1	NT	Homo sapiens phosphodiesterase 7B (PDE7B), mRNA
11631	24568	38131	2.13	1.0E-68	U50319.1	NT	Homo sapiens MIF2 suppressor (HSM13) mRNA, complete cds
11631	24568	38132	2.13	1.0E-68	U50319.1	NT	Human protein kinase C substrate 80K-H (PRKGSH) gene, exon 4-5
11975	24852	38449	1.73	1.0E-68	11418431	NT	Human protein kinase C substrate 80K-H (PRKGSH) gene, exon 4-5
11975	24852	38450	1.73	1.0E-68	11418431	NT	Homo sapiens CGI-78 protein (LOC51832), mRNA
12780	13198	26120	2.19	1.0E-68	11418431	NT	Homo sapiens CGI-78 protein (LOC51832), mRNA
13005	26898	31419	2.07	1.0E-68	4505222	NT	Homo sapiens meningioma (disrupted in balanced translocation) 1 (MN1), mRNA
13057	26593		1.61	1.0E-68	11418213	NT	Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA
22	13142	26040	5.15	9.0E-69	5031976	NT	Homo sapiens ADP-ribosylation factor GTPase activating protein 1 (ARFGAP1), mRNA
22	13142	26041	5.15	9.0E-69	5031976	NT	Homo sapiens pre-B-cell colony-enhancing factor (PBEF) mRNA
1029	14076	27026	0.78	9.0E-69	5031976	NT	Homo sapiens pre-B-cell colony-enhancing factor (PBEF) mRNA
1029	14076	27026	0.78	9.0E-69	5031980	NT	Homo sapiens 26S proteasome-associated pad1 homolog (POH1) mRNA
4155	17188	30074	0.97	9.0E-69	6031980	NT	Homo sapiens 26S proteasome-associated pad1 homolog (POH1) mRNA
4175	17206	30092	1.02	9.0E-69	4757887	NT	Homo sapiens v-raf murine sarcoma viral oncogene homolog B1 (BRAF) mRNA
5241	18249	31120	0.93	9.0E-69	4504010	NT	Homo sapiens glutamate-cysteine ligase (gamma-glutamylcysteine synthetase), regulatory (30.8kD) (GLCLR) mRNA
11238	24188		5.51	9.0E-69	AF051777.1	NT	Homo sapiens T-cell receptor gamma V1 gene region
3397	16446		1.77	8.0E-69	AU117241.1	EST_HUMAN	AU117241 HEMBA1 Homo sapiens cDNA clone HEMBA1000988 5'
6487	19552	32802	5.85	7.0E-69	AJ237744.1	NT	Homo sapiens RIB1R gene (partial), exon 12
8195	21165	34574	15.42	6.0E-69	9986912	NT	Homo sapiens actin-related protein 3-beta (ARP3BETA), mRNA
						EST_HUMAN	q62h01.x1 Soares_fetal_lung_NBHL19W Homo sapiens cDNA clone IMAGE:1743801 3' similar to gb:L11596.605 RIBOSOMAL PROTEIN L18 (HUMAN);

Page 358 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8195	21165	34575	15.42	6.0E-69	AI192764.1	EST_HUMAN	q62h01.x1 Soares_fetal_lung_NBHL19W Homo sapiens cDNA clone IMAGE:1743601 3' similar to gb:L11566 60S RIBOSOMAL PROTEIN L18 (HUMAN);
9325	22290	35720	1.04	5.0E-69	AA826039.1	EST_HUMAN	cd60a03.s1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:1372300 3'
521	13592		1.27	4.0E-69	AI873630.1	EST_HUMAN	wm28h11.x1 NCI_CGAP_U14 Homo sapiens cDNA clone IMAGE:2437125 3'
5855	25646	32130	1.38	4.0E-69	BE561063.1	EST_HUMAN	601344705F1 NIH_MGC_8 Homo sapiens cDNA clone IMAGE:3677641 5'
5943	19029	32223	5	4.0E-69	AI764973.1	EST_HUMAN	wh57606.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2384819 3' similar to TR:O56137
6783	19838	33122	2.77	4.0E-69	4557732	NT	O55137 ACYL-COA THIOESTERASE. ;
6783	19838	33122	2.77	4.0E-69	4557732	NT	Homo sapiens latent transforming growth factor beta binding protein 2 (LTBP2) mRNA
9265	22231	35662	0.55	4.0E-69	AU119634.1	EST_HUMAN	Homo sapiens latent transforming growth factor beta binding protein 2 (LTBP2) mRNA
386	13499	26432	3.2	3.0E-69	BE256012.1	EST_HUMAN	AU119634 HEMBA1 Homo sapiens cDNA clone HEMBA1006283 5'
614	13679	26595	2.56	3.0E-69	AF221712.1	NT	601110371F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3351352 5'
2386	15394		0.93	3.0E-69	5729310	NT	Homo sapiens Smed- and Olf-interacting zinc finger protein mRNA, partial cds
4618	17639		0.93	3.0E-69	T96234.1	EST_HUMAN	Homo sapiens lymphatic vessel endothelial hyaluronan receptor 1 (LYVE-1) mRNA
5266	17639		0.93	3.0E-69	T96234.1	EST_HUMAN	ye48h04.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:121015 5'
5314	18330	38613	1.79	3.0E-69	11418185	NT	ye48h04.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:121015 5'
5712	18006	31983	0.54	3.0E-69	U14178.1	NT	Homo sapiens aconitase 2, mitochondrial (ACO2), mRNA
							Human type II IL-1 receptor gene, exon 1B
6972	20195		0.58	3.0E-69	AJ277557.1	NT	Homo sapiens dNT-2 gene for mitochondrial 5(3')-deoxyribonucleosidase (dNT-2 gene), exons 1-5
7038	18370	31257	0.6	3.0E-69	11426786	NT	Homo sapiens sperm surface protein (HSS), mRNA
							Homo sapiens short chain L-3-hydroxyacyl-CoA dehydrogenase precursor (HADHSC) gene, nuclear gene encoding mitochondrial protein, complete cds
7597	20558	33918	0.82	3.0E-69	AF095703.1	NT	Homo sapiens arm-repeat protein NPRAP/neurojulin (CTNND2) mRNA, partial cds
7651	20611	33977	1.52	3.0E-69	U52351.1	NT	Homo sapiens TRAF6-binding protein T88P mRNA, complete cds
7800	20752	34128	8.4	3.0E-69	AF288075.1	NT	Homo sapiens TRAF6-binding protein T88P mRNA, complete cds
8715	21683	35111	1.05	3.0E-69	AW138646.1	EST_HUMAN	UI-H-B17-acw-g-01-0-UI.s1 NCI_CGAP_Sub3 Homo sapiens cDNA clone IMAGE:2715840 3'
9120	22086		1.38	3.0E-69	AA376399.1	EST_HUMAN	EST88807 HSC172 cells II Homo sapiens cDNA 5' and similar to similar to ribosomal protein S18
9328	22283	35722	0.5	3.0E-69	8923248	NT	Homo sapiens hypothetical protein FLJ20275 (FLJ20275), mRNA
9768	22709	36164	1.64	3.0E-69	X13223.1	NT	H. sapiens mRNA for N-acetylglucosamide-(beta 1-4)-galactosyltransferase
							Human mRNA for calcium-binding protein in macrophages (MRP-14) macrophage migration inhibitory factor (MIF)-related protein
9891	22844	36301	59.4	3.0E-69	X06233.1	NT	(MIF)-related protein
10188	23113	36597	0.71	3.0E-69	5730036	NT	Homo sapiens SEC10 (S. cerevisiae)-like 1 (SEC10L1), mRNA
11003	23669	37493	3.26	3.0E-69	11432120	NT	Homo sapiens ribosomal protein S15a (RPS15A), mRNA
11180	24146		12.51	3.0E-69	AA376399.1	EST_HUMAN	EST88807 HSC172 cells II Homo sapiens cDNA 5' end similar to similar to ribosomal protein S18
12300	25111		7.34	3.0E-69	11419157	NT	Homo sapiens HGC6.2 protein (HGC6.2), mRNA

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
129	13477	26411	1.06	2.0E-69	AF160252.1	NT	Homo sapiens KIAA0553 protein gene, complete cds; and alpha1b protein gene, partial cds
129	13477	26412	1.06	2.0E-69	AF160252.1	NT	Homo sapiens KIAA0553 protein gene, complete cds; and alpha1b protein gene, partial cds
404	13477	26411	4.75	2.0E-69	AF160252.1	NT	Homo sapiens KIAA0553 protein gene, complete cds; and alpha1b protein gene, partial cds
404	13477	26412	4.75	2.0E-69	AF160252.1	NT	Homo sapiens KIAA0553 protein gene, complete cds; and alpha1b protein gene, partial cds
1802	14926	27824	1.46	2.0E-69	BE257857.1	EST_HUMAN	601109444F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3350074 5'
2856	15916		3.8	2.0E-69	AA431157.1	EST_HUMAN	2x71g02.1 Scores testis_NHT Homo sapiens cDNA clone IMAGE:781682 5'
8900	21866	35289	0.97	2.0E-69	AA114270.1	EST_HUMAN	2x28g01.1 Stragene pancreas (8937208) Homo sapiens cDNA clone IMAGE:527088 5'
1714	14744	27728	2.69	1.0E-69	AF053768.1	NT	Rattus norvegicus brain specific cortactin-binding protein CBF90 mRNA, partial cds
5059	18069		0.73	1.0E-69	BE409094.1	EST_HUMAN	601301284F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3635781 5'
6188	19243	32474	0.78	1.0E-69	BE902501.1	EST_HUMAN	601675788F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3958532 5'
6188	19243	32475	0.78	1.0E-69	BE902501.1	EST_HUMAN	601675788F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3958532 5'
6768	19812	33092	4.09	1.0E-69	AW393969.1	EST_HUMAN	QV0-TT0010-031189-045-c07 TT0010 Homo sapiens cDNA
6992	20216	33544	1.4	1.0E-69	7662263	NT	Homo sapiens KIAA0716 gene product (KIAA0716), mRNA
6992	20216	33545	1.4	1.0E-69	7662263	NT	Homo sapiens KIAA0716 gene product (KIAA0716), mRNA
7011	20137	33453	2.78	1.0E-69	AB032973.1	NT	Homo sapiens mRNA for KIAA1147 protein, partial cds
7011	20137	33454	2.78	1.0E-69	AB032973.1	NT	Homo sapiens mRNA for KIAA1147 protein, partial cds
7065	20087	33396	0.82	1.0E-69	BE531007.1	EST_HUMAN	601278532F1 NIH_MGC_39 Homo sapiens cDNA clone IMAGE:3610614 5'
7065	20087	33397	0.82	1.0E-69	BE531007.1	EST_HUMAN	601278532F1 NIH_MGC_39 Homo sapiens cDNA clone IMAGE:3610614 5'
10534	23456	36952	4.31	1.0E-69	BE245070.1	EST_HUMAN	TCBAP1E2678 Pediatric pre-B cell acute lymphoblastic leukemia Baylor-HQSC project=TCBA Homo sapiens cDNA clone TCBAP2678
10534	23456	36953	4.31	1.0E-69	BE245070.1	EST_HUMAN	TCBAP1E2678 Pediatric pre-B cell acute lymphoblastic leukemia Baylor-HQSC project=TCBA Homo sapiens cDNA clone TCBAP2678
10631	23553	37053	1.48	1.0E-69	AB014807.1	NT	Homo sapiens mRNA for KIAA0707 protein, partial cds
10779	23700	37188	0.53	1.0E-69	BF628429.1	EST_HUMAN	602043782F1 NCI_CGAP_Brn67 Homo sapiens cDNA clone IMAGE:4181329 5'
11219	24172		2.78	1.0E-69	4504918	NT	Homo sapiens keratin 8 (KRT8) mRNA
12234	25066	38167	1.89	1.0E-69	BF125887.1	EST_HUMAN	601762902F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:4026785 5'
12648	25331		6.78	1.0E-69	AI809894.1	EST_HUMAN	wf64a08.x1 Scores_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2360390 3' similar to contains Alu repetitive element; contains element MIR repetitive element;
2339	15890	28370	1.61	8.0E-70	AA230303.1	EST_HUMAN	nc13d12.1 NCI_CGAP_P1 Homo sapiens cDNA clone IMAGE:1008023
4401	17429	30314	2.11	8.0E-70	L77566.1	NT	Homo sapiens DGS-1 mRNA, 3' end
1830	14857	27654	2.26	7.0E-70	AI497807.1	EST_HUMAN	hm8901.x1 NCI_CGAP_Brn28 Homo sapiens cDNA clone IMAGE:2165305 3'
1830	14857	27655	2.26	7.0E-70	AI497807.1	EST_HUMAN	hm8901.x1 NCI_CGAP_Brn25 Homo sapiens cDNA clone IMAGE:2165305 3'
1947	14971	27669	1.87	7.0E-70	AA282955.1	EST_HUMAN	z119d04.1 NCI_CGAP_GCBT Homo sapiens cDNA clone IMAGE:713239 5'
2078	15095		2.97	7.0E-70	5031668	NT	Homo sapiens tumor suppressor deleted in oral cancer-related 1 (DOC-1R) mRNA

Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4252	17281	30162	4.29	7.0E-70	4757723	NT	Homo sapiens adenylate cyclase 3 (ADCY3) mRNA
5560	18557	31602	5.36	7.0E-70	AB032369.1	NT	Homo sapiens MIST mRNA, partial cds
5560	18557	31603	5.36	7.0E-70	AB032369.1	NT	Homo sapiens MIST mRNA, partial cds
7110	20044	33346	2.38	7.0E-70	AJ000052.1	NT	Homo sapiens gene encoding splicing factor SF1, exons 2-8
8045	20982	34379	0.74	7.0E-70	11417306	NT	Homo sapiens titin immunoglobulin domain protein (myotilin) (TTID), mRNA
8774	21741	35162	2.43	7.0E-70	AB037715.1	NT	Homo sapiens mRNA for KIAA1294 protein, partial cds
8774	21741	35163	2.43	7.0E-70	AB037715.1	NT	Homo sapiens mRNA for KIAA1294 protein, partial cds
9072	22038	35462	4.26	7.0E-70	MT4099.1	NT	Human displacement protein (CCAAAT) mRNA
9072	22038	35463	4.26	7.0E-70	MT4099.1	NT	Human displacement protein (CCAAAT) mRNA
9512	22475	35919	2.79	7.0E-70	X59841.1	NT	Human PBX3 mRNA
9512	22475	35920	2.79	7.0E-70	X59841.1	NT	Human PBX3 mRNA
9790	21113	34513	3.51	7.0E-70	AF153715.1	NT	Homo sapiens phospholipid scramblase 1 gene, exon 1 and 5' flanking region
9816	21138	34542	2.05	7.0E-70	11525984	NT	Homo sapiens karyopherin beta 2b, transportin (TRN2), mRNA
9816	21138	34543	2.05	7.0E-70	11525984	NT	Homo sapiens karyopherin beta 2b, transportin (TRN2), mRNA
							Homo sapiens glutamate-cysteine ligase (gamma-glutamylcysteine synthetase), catalytic (72.8kD) (GLCLC) mRNA
10014	22941	36407	0.93	7.0E-70	4557624	NT	Homo sapiens NDST4 mRNA for N-deacetylase/N-sulfotransferase 4, complete cds
10661	23583	37079	0.6	7.0E-70	AB036429.1	NT	Homo sapiens NDST4 mRNA for N-deacetylase/N-sulfotransferase 4, complete cds
10661	23583	37080	0.6	7.0E-70	AB036429.1	NT	Homo sapiens NDST4 mRNA for N-deacetylase/N-sulfotransferase 4, complete cds
11923	24804	38396	2.36	7.0E-70	11526319	NT	Homo sapiens HIR (histone cell cycle regulation defective, S. cerevisiae) homolog A (HIRA), mRNA
11923	24804	38397	2.36	7.0E-70	11526319	NT	Homo sapiens HIR (histone cell cycle regulation defective, S. cerevisiae) homolog A (HIRA), mRNA
12993	25982	31414	13.53	7.0E-70	Z00040.1	NT	Human kappa-immunoglobulin germ line pseudogene variable region (subgroup V kappa I)
13071	25905	31888	34.82	7.0E-70	Z00040.1	NT	Human kappa-immunoglobulin germ line pseudogene variable region (subgroup V kappa I)
872	13928	26986	2.38	6.0E-70	4502166	NT	Homo sapiens amyloid beta (A4) precursor protein (protease nexin-1, Alzheimer disease) (APP), mRNA
2147	15163	28179	1.7	6.0E-70	M30938.1	NT	Human Ku (p70/p80) subunit mRNA, complete cds
2516	15519	28542	1.17	6.0E-70	8923989	NT	Homo sapiens CMP-N-acetylneuraminic acid synthase (LOC55907), mRNA
2559	15997	28577	1.76	5.0E-70	7662307	NT	Homo sapiens KIAA0792 gene product (KIAA0792), mRNA
2559	15997	28578	1.76	5.0E-70	7662307	NT	Homo sapiens KIAA0792 gene product (KIAA0792), mRNA
12243	19073		2.52	5.0E-70	BE160034.1	EST_HUMAN	MR3-HT0487-150200-115-a06 HT0487 Homo sapiens cDNA
6918	19969	33265	1.24	4.0E-70	T06037.1	EST_HUMAN	EST T03928 Fetal brain, Stralagene (cat#936206) Homo sapiens cDNA clone HFBDN25
6961	20186	33510	0.78	4.0E-70	AW793228.1	EST_HUMAN	CM4-UM0003-010300-105-g08 UM0003 Homo sapiens cDNA
6961	20186	33511	0.78	4.0E-70	AW793228.1	EST_HUMAN	CM4-UM0003-010300-105-g08 UM0003 Homo sapiens cDNA

Page 361 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1593	14625	27598	1.56	3.0E-70	BE071796.1	EST_HUMAN	RCO-BT0522-071299-011-a12 BT0522 Homo sapiens cDNA
1593	14625	27599	1.56	3.0E-70	BE071796.1	EST_HUMAN	RCO-BT0522-071299-011-a12 BT0522 Homo sapiens cDNA
5701	18796	31970	0.63	3.0E-70	11430988	NT	Homo sapiens plakophilin 4 (PKP4), mRNA
5701	18796	31971	0.63	3.0E-70	11430988	NT	Homo sapiens plakophilin 4 (PKP4), mRNA
6055	19136	32346	1.1	3.0E-70	AI631975.1	EST_HUMAN	wh9d003.x1 NCL CGAP_GLL1 Homo sapiens cDNA clone IMAGE:2388005 3'
6509	19573	32826	1.27	3.0E-70	BF685233.1	EST_HUMAN	602141561F1 NIH_MGC_46 Homo sapiens cDNA clone IMAGE:4302806 5'
6509	19573	32827	1.27	3.0E-70	BF685233.1	EST_HUMAN	602141561F1 NIH_MGC_46 Homo sapiens cDNA clone IMAGE:4302806 5'
10487	23389	36883	0.55	3.0E-70	BE502973.1	EST_HUMAN	hz81h02.x1 NCL CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3214419 3'
40	13160	26063	2.14	2.0E-70	AF012872.1	NT	Homo sapiens phosphatidylinositol 4-kinase 230 (p4K230) mRNA, complete cds
690	13753	26680	14.23	2.0E-70	N42161.1	EST_HUMAN	YW7at0.1 Scores melanocyte 2N5HM Homo sapiens cDNA clone IMAGE:270522 5' similar to SW:D3HJ_RAT P29266 3-HYDROXYISOBUTYRATE DEHYDROGENASE PRECURSOR ;
690	13753	26681	14.23	2.0E-70	N42161.1	EST_HUMAN	YW7at0.1 Scores melanocyte 2N5HM Homo sapiens cDNA clone IMAGE:270522 5' similar to SW:D3HJ_RAT P29266 3-HYDROXYISOBUTYRATE DEHYDROGENASE PRECURSOR ;
706	13768	26704	1.39	2.0E-70	AI246899.1	EST_HUMAN	q651h01.x1 NCL CGAP_Pan1 Homo sapiens cDNA clone IMAGE:2004913 3'
1023	14069	27020	1.23	2.0E-70	8923669	NT	Homo sapiens hypothetical protein FLJ20768 (FLJ20768), mRNA
1188	14228	27184	1.73	2.0E-70	7661983	NT	Homo sapiens KIAA0193 gene product (KIAA0193), mRNA
1188	14228	27185	1.73	2.0E-70	7661983	NT	Homo sapiens KIAA0193 gene product (KIAA0193), mRNA
1664	14696	27671	1.53	2.0E-70	AA180093.1	EST_HUMAN	zp45h05.1 Strabagene HeLa cell s3 937216 Homo sapiens cDNA clone IMAGE:612441 5' similar to TR:G1041283 G1041293 D2085.5 ;
1664	14696	27672	1.53	2.0E-70	AA180093.1	EST_HUMAN	zp45h05.1 Strabagene HeLa cell s3 937216 Homo sapiens cDNA clone IMAGE:612441 5' similar to TR:G1041283 G1041293 D2085.5 ;
1757	14786	27771	1.73	2.0E-70	AL163202.2	NT	Homo sapiens chromosome 21 segment HS21C002
2328	15339		5.47	2.0E-70	AA054010.1	EST_HUMAN	zf48g04.1 Scores retina N2b4HR Homo sapiens cDNA clone IMAGE:380214 5' similar to SW:GAG_HTL1A
3641	16684	29600	1.06	2.0E-70	H37988.1	EST_HUMAN	P03345 GAG POLYPROTEIN ;
3633	16873	29774	0.86	2.0E-70	AL133207.2	NT	yp58b04.1 Scores fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:191699 5'
4079	17114	30010	5.63	2.0E-70	M69181.1	NT	Novel human gene mapping to chromosome X
4221	17250	30135	0.96	2.0E-70	L78810.1	NT	Human nonmuscle myosin heavy chain-B (MYH10) mRNA, partial cds
4221	17250	30136	0.96	2.0E-70	L78810.1	NT	Homo sapiens ADP/ATP carrier protein (ANT-2) gene, complete cds
5593	16689	31658	9.14	2.0E-70	X72662.1	NT	Homo sapiens ADP/ATP carrier protein (ANT-2) gene, complete cds
5593	16689	31659	9.14	2.0E-70	X72662.1	NT	H. sapiens gene for schwannomin (CS8)
6328	19398	32640	1.1	2.0E-70	AF310105.1	NT	H. sapiens gene for schwannomin (CS8)
6790	19844	33128	3.84	2.0E-70	D12625.1	NT	Homo sapiens NALP1 mRNA, complete cds
6824	19878	33167	11.3	2.0E-70	AF123074.1	NT	Human mRNA for NF1 protein isoform (neurofibromin isoform), complete cds Homo sapiens cytoplasmic dynein intermediate chain 1 mRNA, complete cds

Page 362 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6824	19878	33168	11.3	2.0E-70	AF123074.1	NT	Homo sapiens cytoplasmic dynein intermediate chain 1 mRNA, complete cds
7190	18421	31223	1.44	2.0E-70	11422642	NT	Homo sapiens sialyltransferase 6 (N-acetylglucosaminidase alpha 2,3-sialyltransferase) (SIAT6), mRNA
7633	20593	33956	0.58	2.0E-70	AF288207.1	NT	Homo sapiens cysteinyl-IRNA synthetase mRNA, complete cds, alternatively spliced
8251	21220	34629	5.38	2.0E-70	M21741.1	NT	Human guanine nucleotide-binding protein alpha-subunit gene (G-s-alpha), exons 4 and 5
8564	21532	34952	0.45	2.0E-70	11423599	NT	Homo sapiens amylo-1,6-glucosidase, 4-alpha-glucantransferase (glycogen debranching enzyme, glycogen storage disease type III) (AGL), mRNA
9007	21973		0.76	2.0E-70	H47959.1	EST_HUMAN	yp79g02.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:193682 5'
9524	22487	35935	0.95	2.0E-70	11526355	NT	Homo sapiens dynactin p62 subunit (LOC51164), mRNA
10497	23419	36918	1.42	2.0E-70	AF123303.1	NT	Homo sapiens calcium-binding transporter mRNA, partial cds
10963	23883	37396	0.49	2.0E-70	AB033042.1	NT	Homo sapiens mRNA for KIAA1216 protein, partial cds
11408	24352	37884	3.11	2.0E-70	8923420	NT	Homo sapiens hypothetical protein FLJ20450 (FLJ20450), mRNA
11408	24352	37885	3.11	2.0E-70	8923420	NT	Homo sapiens hypothetical protein FLJ20450 (FLJ20450), mRNA
11956	24835	38431	11.5	2.0E-70	4503520	NT	Homo sapiens eukaryotic translation initiation factor 3, subunit 6 (48K) (EIF3S6) mRNA
12637	25321	31786	2.64	2.0E-70	11430460	NT	Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA
12637	25321	31787	2.64	2.0E-70	11430460	NT	Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA
3404	18463		3.08	1.0E-70	4507476	NT	Homo sapiens transglutaminase 3 (E polypeptide, protein-glutamine-gamma-glutamyltransferase) (TGM3) mRNA
9635	22579		0.78	1.0E-70	W85795.1	EST_HUMAN	zh55g05.r1 Soares fetal liver spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:416024 5'
10158	23083		0.94	1.0E-70	AA442292.1	EST_HUMAN	zv54c03.r1 Soares testis_NHT Homo sapiens cDNA clone IMAGE:757444 5'
11281	24231	37757	8.6	1.0E-70	AV738538.1	EST_HUMAN	AV738538 CB Homo sapiens cDNA clone CBLGB10 5'
6054	19135	32344	7.1	9.0E-71	AI143870.1	EST_HUMAN	qe04f01.x1 Soares testis_NHT Homo sapiens cDNA clone IMAGE:1738009 3' similar to TR:O14045
6054	19135	32345	7.1	9.0E-71	AI143870.1	EST_HUMAN	O14045 PHOSPHOTRANSFERASE. ;
7231	20253	33587	1.98	9.0E-71	AI654903.1	EST_HUMAN	O14045 PHOSPHOTRANSFERASE. ;
11852	20253	33587	3.67	9.0E-71	AI654903.1	EST_HUMAN	wb52c05.x1 NCJ CGAP_GC6 Homo sapiens cDNA clone IMAGE:2309288 3' similar to TR:P97213 P97213 CDU2, CDU1, TCDD, TCDB, TCDE, TCDA, TCDC, CDD1, CDD2, CDD3, AND CDD4 GENES. ;
9425	22389		3.62	8.0E-71	AA171451.1	EST_HUMAN	wb52c05.x1 NCJ CGAP_GC6 Homo sapiens cDNA clone IMAGE:2309288 3' similar to TR:P97213 P97213 CDU2, CDU1, TCDD, TCDB, TCDE, TCDA, TCDC, CDD1, CDD2, CDD3, AND CDD4 GENES. ;
10967	23887	37398	0.45	8.0E-71	AW273820.1	EST_HUMAN	zp21d11.1 Stralagene neuroepithelium (#937231) Homo sapiens cDNA clone IMAGE:610101 5' similar to TR:G1143061 G1143061 STRAIN XA34 POL. ;
7601	20562	33923	8.17	7.0E-71	AA442230.1	EST_HUMAN	xv24d01.x1 Soares NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2814049 3' similar to TR:O54730 O54730 TRANSPLANTABILITY ASSOCIATED PROTEIN 1 ;
							zv60h06.r1 Soares testis_NHT Homo sapiens cDNA clone IMAGE:758075 5'

Page 363 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
9026	21992	35412	1.61	7.0E-71	AA705457.1	EST_HUMAN	z191a06.s1 Scarsa_fetal_liver_spleen_INFLS_S1 Homo sapiens cDNA clone IMAGE:462226 3'
11638	24594	38188	1.78	7.0E-71	AL163210.2	NT	Homo sapiens chromosome 21 segment HS21C010
2220	16234	28258	8.79	5.0E-71	AF056322.1	NT	Homo sapiens SP100-HMG nuclear autoantigen (SP100) mRNA, complete cds
4145	17177	30066	1.1	5.0E-71	AW816405.1	EST_HUMAN	QV4-ST0234-181199-037-005 ST0234 Homo sapiens cDNA
5981	18086	32284	2.02	5.0E-71	4502740	NT	Homo sapiens cyclin-dependent kinase 6 (CDK6) mRNA
6819	19873	33162	1.15	5.0E-71	11841408	NT	Homo sapiens keratin, hair, acidic, 7 (KRT1A7) mRNA
7105	20039	33341	0.72	5.0E-71	7682209	NT	Homo sapiens KIAA0623 gene product (KIAA0623), mRNA
7187	18398	31243	0.64	5.0E-71	AB033106.1	NT	Homo sapiens mRNA for KIAA1280 protein, partial cds
7187	18398	31244	0.64	5.0E-71	AB033106.1	NT	Homo sapiens mRNA for KIAA1280 protein, partial cds
7353	20323	33871	0.69	5.0E-71	11431590	NT	Homo sapiens protein kinase C, beta 1 (PRKCB1), mRNA
7753	20706	34075	1.62	5.0E-71	M38108.1	NT	Homo sapiens neurofibromatosis protein type 1 mRNA, 3' end of cds
7874	20913	34304	0.84	5.0E-71	11526445	NT	Homo sapiens MAGUK protein p57, Protein Associated with Lins 2 (LOC51678), mRNA
8007	20945	34340	22.85	5.0E-71	AF072810.1	NT	Homo sapiens transcription factor, WSTF mRNA, complete cds
8668	21835	35256	0.61	5.0E-71	5453777	NT	Homo sapiens nuclear factor related to kappa B binding protein (NFKB) mRNA
8668	21835	35257	0.61	5.0E-71	5453777	NT	Homo sapiens nuclear factor related to kappa B binding protein (NFKB) mRNA
10271	23196		2.45	5.0E-71	X13487.1	NT	Human PreA4 gene for Alzheimer's disease A4 amyloid protein precursor (exon 2)
11325	24275	37803					Homo sapiens pro-platelet basic protein (includes platelet basic protein, beta-thromboglobulin, connective tissue-activating peptide III, neutrophil-activating peptide-2) (PPBP), mRNA
11525	24466	38020	2.01	5.0E-71	11438069	NT	Homo sapiens similar to hypothetical protein FLJ20163 (H. sapiens) (LOC63325), mRNA
12198	25043	38624	1.81	5.0E-71	11417862	NT	Homo sapiens calcineurin binding protein 1 (KIAA0330), mRNA
104	13220	26145	1.04	4.0E-71	4507592	NT	Homo sapiens tumor necrosis factor (ligand) superfamily, member 10 (TNFSF10) mRNA
350	13439	26363	56.4	4.0E-71	AF157626.1	NT	Equus caballus glyceraldehyde-3-phosphate dehydrogenase mRNA, partial cds
350	13439	26364	56.4	4.0E-71	AF157626.1	NT	Equus caballus glyceraldehyde-3-phosphate dehydrogenase mRNA, partial cds
2897	16956	28873	1.9	4.0E-71	4505880	NT	Homo sapiens plasminogen (PLG) mRNA
4459	17485	30372	4.75	4.0E-71	AF056322.1	NT	Homo sapiens SP100-HMG nuclear autoantigen (SP100) mRNA, complete cds
5022	18038	30921	6.04	4.0E-71	7667602	NT	Homo sapiens putative home-binding protein (SOUL), mRNA
8368	21337		1.34	3.0E-71	AU135734.1	EST_HUMAN	AU135734 PLAGE1 Homo sapiens cDNA clone PLAGE1002775 5'
11051	24014	37538					n45h10.s1 NCL_CGAP_P4 Homo sapiens cDNA clone IMAGE:1043683 similar to contains PTR613 PTR5 repetitive element;
1234	14271	27231	2.84	3.0E-71	AA557683.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C008
5393	18496	31374	5.66	2.0E-71	AL163206.2	NT	Homo sapiens mRNA for KIAA0272 gene, partial cds
5393	18496	31374	8.35	2.0E-71	DB7462.1	NT	Human mRNA for KIAA0272 gene, partial cds
5393	18496	31375	8.35	2.0E-71	DB7462.1	NT	Human mRNA for KIAA0272 gene, partial cds
7160	18392	31236	0.67	2.0E-71	AL042439.1	EST_HUMAN	DKFZp434D1721_1 434 (synonym: htes3) Homo sapiens cDNA clone DKFZp434D1721 5'

Page 364 of 548
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
9359	22324	35752	0.5	2.0E-71	BF195585.1	EST_HUMAN	7n85c11.x1 NCI CGAP_OV18 Homo sapiens cDNA clone IMAGE:3571221 3' similar to TR:Q8Z165
10950	23870	37382	4.19	2.0E-71	AF095703.1	NT	Q8Z166 PUTATIVE FOUR REPEAT ION CHANNEL. ; Homo sapiens short chain L-3-hydroxyacyl-CoA dehydrogenase precursor (HADHSC) gene, nuclear gene encoding mitochondrial protein, complete cds
10950	23870	37383	4.19	2.0E-71	AF095703.1	NT	Homo sapiens short chain L-3-hydroxyacyl-CoA dehydrogenase precursor (HADHSC) gene, nuclear gene encoding mitochondrial protein, complete cds
11053	24016	37539	3.41	2.0E-71	BE018477.1	EST_HUMAN	b681a06.y1 NIH_MGC_10 Homo sapiens cDNA clone IMAGE:3048754 5' similar to SW:R23B_HUMAN
11907	24788	38377	2.27	2.0E-71	R55626.1	EST_HUMAN	P54727 UV EXCISION REPAIR PROTEIN RAD23 HOMOLOG B ;
12315	25121		7.13	2.0E-71	T95489.1	EST_HUMAN	yf77c11.r1 Soares breast 2NbHb1st Homo sapiens cDNA clone IMAGE:154772 5'
639	13705	26828	1.89	1.0E-71	A077927.1	EST_HUMAN	yf43a09.r1 Soares fetal liver spleen TNF1L5 Homo sapiens cDNA clone IMAGE:120520 5'
940	13993	26945	1.58	1.0E-71	7706281	NT	oy15a03.s1 Soares senescent_fibroblasts_NbHSP Homo sapiens cDNA clone IMAGE:1865916 3' similar to contains LOR1.b2 LOR1 repetitive element ;
1102	14146	27098	8.21	1.0E-71	AF205890.1	NT	Homo sapiens neuronal cell death-related protein (LOC51616), mRNA
1343	14378	27947	9.86	1.0E-71	AF012872.1	NT	Homo sapiens disabled-2 gene, exons 2 through 15 and complete cds
2094	15111	28131	1.29	1.0E-71	AB017007.1	NT	Homo sapiens phosphatidylinositol 4-kinase 230 (p4K230) mRNA, complete cds
2094	15111	28132	1.29	1.0E-71	AB017007.1	NT	Homo sapiens PMS2L16 mRNA, partial cds
2703	15699	28714	4.81	1.0E-71	7687153	NT	Homo sapiens PMS2L16 mRNA, partial cds
3610	16655	29572	5.11	1.0E-71	AF246219.1	NT	Homo sapiens hairy/enhancer-of-split related with YRPW motif-like (HEYL), mRNA
3610	16655	29573	5.11	1.0E-71	AF246219.1	NT	Homo sapiens SNARE protein kinase SNAK mRNA, complete cds
3662	16705	29619	1.18	1.0E-71	BE122850.1	EST_HUMAN	Homo sapiens SNARE protein kinase SNAK mRNA, complete cds
3662	16705	29620	1.18	1.0E-71	BE122850.1	EST_HUMAN	02_15 Human Epidermal Keratinocyte Subtraction Library- Upregulated Transcripts Homo sapiens cDNA clone 02_15 5' similar to Homo sapiens chromosome 19
3754	16796	29707	1.56	1.0E-71	AF218904.1	NT	02_15 Human Epidermal Keratinocyte Subtraction Library- Upregulated Transcripts Homo sapiens cDNA clone 02_15 5' similar to Homo sapiens chromosome 19
4497	17522	30409	2.16	1.0E-71	D28476.1	NT	Homo sapiens attractin precursor (ATRIN) gene, exon 19
4822	17643	30531	0.68	1.0E-71	H23176.1	EST_HUMAN	Human mRNA for KIAA0045 gene, complete cds
6906	19958	33255	1.38	1.0E-71	11426182	NT	ym56h10.r1 Soares infant brain TNIB Homo sapiens cDNA clone IMAGE:52528 5'
7292	20264	33598	1.28	1.0E-71	AB011131.1	NT	Homo sapiens GCN5 (general control of amino-acid synthesis, yeast, homolog)-like 2 (GCN5L2), mRNA
7533	20496	33857	12.87	1.0E-71	U80753.1	NT	Homo sapiens mRNA for KIAA0559 protein, partial cds
8486	21454	34871	0.76	1.0E-71	AF105267.1	NT	Homo sapiens CAGL79 mRNA, partial cds
8509	21477	34890	2.14	1.0E-71	11425430	NT	Homo sapiens glycican-6 (GPC6) mRNA, complete cds
8789	21756	35177	4.49	1.0E-71	8922811	NT	Homo sapiens myomesin (M-protein) 2 (165kD) (MYOM2), mRNA
							Homo sapiens hypothetical protein FLJ10998 (FLJ10998), mRNA

Page 365 of 546
Table 4
Single Exon Probes Expressed In Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8789	21766	35178	4.49	1.0E-71	8922811	NT	Homo sapiens hypothetical protein FLJ10998 (FLJ10998), mRNA
8984	22546	35997	0.83	1.0E-71	S72393.1	NT	CSNK2A1=casein kinase II (CKII) subunit alpha [human, Genomic, 18882 nt]
10367	23290	36767	9.49	1.0E-71	AY007643.1	NT	Homo sapiens cytochrome c oxidase subunit VIIa-related protein gene, complete cds
10428	23350		3.08	1.0E-71	AV761217.1	EST_HUMAN	AV761217 MDS Homo sapiens cDNA clone MDSEIA03 5'
10804	23824	37336	1.62	1.0E-71	11433142	NT	Homo sapiens activated leucocyte cell adhesion molecule (ALCAM), mRNA
11137	24097		2.43	1.0E-71	AV761217.1	EST_HUMAN	AV761217 MDS Homo sapiens cDNA clone MDSEIA03 5'
11228	24181	37708	2.12	1.0E-71	11418903	NT	Homo sapiens coagulation factor XIII, A1 polypeptide (F13A1), mRNA
11481	24424	37973	2.27	1.0E-71	11417191	NT	Homo sapiens leucyl/cystinyl aminopeptidase (LNPEP), mRNA
11481	24424	37974	2.27	1.0E-71	11417191	NT	Homo sapiens leucyl/cystinyl aminopeptidase (LNPEP), mRNA
12681	25349		3.13	1.0E-71	AB011399.1	NT	Homo sapiens gene for AF-6, complete cds
407	13480	28414	1.23	9.0E-72	AB57635.1	EST_HUMAN	wk95003.x1 NCI_CGAP_Lu19 Homo sapiens cDNA clone IMAGE:2423188 3' similar to TR:O86705 O86705 HYPOTHETICAL 38.6 KD PROTEIN. ;contains Alu repetitive element
407	13480	28415	1.23	9.0E-72	AB57635.1	EST_HUMAN	wk95003.x1 NCI_CGAP_Lu19 Homo sapiens cDNA clone IMAGE:2423188 3' similar to TR:O86705 O86705 HYPOTHETICAL 38.6 KD PROTEIN. ;contains Alu repetitive element
6232	19306	32538	0.89	8.0E-72	BF035752.1	EST_HUMAN	601458747F1 NIH_MGC_68 Homo sapiens cDNA clone IMAGE:3862431 5'
11444	24387	37927	2.55	8.0E-72	11424480	NT	Homo sapiens nuclear RNA helicase, DEAD variant of DEAD box family (DDXL), mRNA
11444	24387	37928	2.55	8.0E-72	11424480	NT	Homo sapiens nuclear RNA helicase, DEAD variant of DEAD box family (DDXL), mRNA
11444	24387	37929	2.55	8.0E-72	11424480	NT	Homo sapiens nuclear RNA helicase, DEAD variant of DEAD box family (DDXL), mRNA
4139	17170	30056	1.24	7.0E-72	4501866	NT	Homo sapiens aconitase 2, mitochondrial (ACO2), nuclear gene encoding mitochondrial protein, mRNA
4139	17170	30057	1.24	7.0E-72	4501866	NT	Homo sapiens aconitase 2, mitochondrial (ACO2), nuclear gene encoding mitochondrial protein, mRNA
4139	17170	30058	1.24	7.0E-72	4501866	NT	Homo sapiens aconitase 2, mitochondrial (ACO2), nuclear gene encoding mitochondrial protein, mRNA
7331	20302	33646	2.87	7.0E-72	S41694.1	NT	(pseudogene) PTPN22=prothymosin alpha [human, Genomic, 1192 nt, segment 2 of 3]
12800	28428		1.62	7.0E-72	F26259.1	EST_HUMAN	HSPD13670 HM3 Homo sapiens cDNA clone s4000061G02
8727	21696		4.9	6.0E-72	AL163246.2	NT	Homo sapiens chromosome 21 segment HS21C046
65	13184	26102	4.86	5.0E-72	BF333707.1	EST_HUMAN	QV0-CS0010-150900-398-e11 CS0010 Homo sapiens cDNA
65	13184	26103	4.86	5.0E-72	BF333707.1	EST_HUMAN	QV0-CS0010-150900-398-e11 CS0010 Homo sapiens cDNA
66	13184	26102	13.05	5.0E-72	BF333707.1	EST_HUMAN	QV0-CS0010-150900-398-e11 CS0010 Homo sapiens cDNA
66	13184	26103	13.05	5.0E-72	BF333707.1	EST_HUMAN	QV0-CS0010-150900-398-e11 CS0010 Homo sapiens cDNA
1141	14184		2.75	5.0E-72	L11645.1	NT	Homo sapiens alpha-tubulin mRNA, complete cds
7139	20114	33427	1.65	5.0E-72	AU128584.1	EST_HUMAN	AU128584 NT2RP2 Homo sapiens cDNA clone NT2RP2003761 5'

Page 366 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8163	21101	34500	0.55	5.0E-72	AA318632.1	EST_HUMAN	EST188312 HCC cell line (metastasis to liver in mouse) Homo sapiens cDNA 5' end similar to similar to FAC1
9129	22095	35523	4.14	5.0E-72	AW191274.1	EST_HUMAN	au80c03.y1 Schneider fetal brain 00004 Homo sapiens cDNA clone IMAGE:278256.4 5' similar to
10320	23244	36724	0.56	5.0E-72	AV724632.1	EST_HUMAN	TR:Q99785 Q99785 HYPOTHETICAL 32.4 KD PROTEIN ;contains element MSR1 repetitive element ;
11573	24511	38087	2.74	5.0E-72	BF331571.1	EST_HUMAN	AV724632 HTB Homo sapiens cDNA clone HTBAKB01 5'
11573	24511	38088	2.74	5.0E-72	BF331571.1	EST_HUMAN	NR4-BT0598-010600-005-BT0598 Homo sapiens cDNA
12389	25929		2.52	5.0E-72	BE29645.1	EST_HUMAN	NR4-BT0598-010600-005-BT0598 Homo sapiens cDNA
4860	17877		1.12	4.0E-72	11034844	NT	QV1-BT0632-280800-342-a10 BT0632 Homo sapiens cDNA
5540	18637	31577	0.75	4.0E-72	AF170025.1	NT	Homo sapiens hypothetical protein d1057820.2 (DJ1057820.2), mRNA
6709	19765	33045	0.83	4.0E-72	T87947.1	EST_HUMAN	Homo sapiens zinc finger protein ZFP-95 (ZFP95) mRNA, alternatively spliced, complete cds
7639	20599	33963	1.28	4.0E-72	5729867	NT	Yd83a01.1 Scores fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:115752 5' similar to
10143	23069	36545	1.24	4.0E-72	8923669	NT	SP-A44282 A44282 RETROVIRUS-RELATED POL POLYPROTEIN - HUMAN ;
10758	23679	37174	0.49	4.0E-72	AW836230.1	EST_HUMAN	Homo sapiens hect domain and RLD 2 (HERC2), mRNA
10758	23679	37175	0.49	4.0E-72	AW836230.1	EST_HUMAN	Homo sapiens hypothetical protein FLJ20758 (FLJ20758), mRNA
10786	23707	37208	1.24	4.0E-72	AI248796.1	EST_HUMAN	RC3-LT0023-200100-012-d11 LT0023 Homo sapiens cDNA
11616	24554	38115	1.54	4.0E-72	AA465388.1	EST_HUMAN	qh67c02.x1 Scores fetal liver spleen 1NFLS_S1 Homo sapiens cDNA clone IMAGE:1849730 3' similar to
11616	24554	38116	1.54	4.0E-72	AA465388.1	EST_HUMAN	TR:Q14498 Q14498 SPLICING FACTOR. [1]; contains Alu repetitive element; contains element L1 repetitive element ;
11857	24739	38324	5.09	4.0E-72	H79421.1	EST_HUMAN	aa23f09.s1 NCL_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:814121 3' similar to SW:CPTR_FLAPR
11988	24865	38461	1.72	4.0E-72	T81910.1	EST_HUMAN	P49131 CHLOROPLAST TRIOSE PHOSPHATE TRANSLOCATOR PRECURSOR. ;
12729	25382	31748	4.28	4.0E-72	AJ277546.2	NT	YJ28a03.1 Scores fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:235084 5'
21	13141	26039	1.99	3.0E-72	5031976	NT	Yd29d09.s1 Scores fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:109649 3'
804	13959		1.23	3.0E-72	AA723823.1	EST_HUMAN	Homo sapiens WEE1 gene for protein kinase and partial ZNF143 gene for zinc finger transcription factor
1159	14201	27152	5.57	3.0E-72	U16306.1	NT	Homo sapiens pre-B-cell colony-enhancing factor (PBEF) mRNA
1159	14201	27153	5.57	3.0E-72	U16306.1	NT	ah63a06.s1 Scores testis NHT Homo sapiens cDNA clone 1310280 3'
							Human chondroitin sulfate proteoglycan versican V0 splice-variant precursor peptide mRNA, complete cds
							Human chondroitin sulfate proteoglycan versican V0 splice-variant precursor peptide mRNA, complete cds

Page 367 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1198	14238	27193	0.71	3.0E-72	U80226.1	NT	Human gamma-aminobutyric acid transaminase mRNA, partial cds
1198	14238	27194	0.71	3.0E-72	U80226.1	NT	Human gamma-aminobutyric acid transaminase mRNA, partial cds
1523	14555	27526	1.45	3.0E-72	BE242161.1	EST_HUMAN	TCAAP1E1252 Pediatric acute myelogenous leukemia cell (FAB M1) Baylor-HGSC project=TCAA Homo sapiens cDNA clone TCAAP1252
3090	16148	29062	13.29	3.0E-72	AJ229043.1	NT	Homo sapiens 959 kb contig between AML1 and CBR1 on chromosome 21q22, segment 3/3
3292	16345	29265	2.41	3.0E-72	8923548	NT	Homo sapiens hypothetical protein (FLJ11127), mRNA
3936	16876	29778	2.52	3.0E-72	S77589.1	NT	TCR V delta 2-C alpha T-cell receptor delta and C alpha fusion gene (alternatively spliced, splice junction)
4578	17598	30492	3.77	3.0E-72	11418196	NT	[human, precursor B-cell line REH, mRNA Partial, 211 nt]
4800	17817	30710	1.31	3.0E-72	AF167572.1	NT	Homo sapiens hypothetical protein (FLJ11127), mRNA
4800	17817	30711	1.31	3.0E-72	AF167572.1	NT	Homo sapiens protein methyltransferase (JBP1) mRNA, complete cds
5149	18158	31037	1.02	3.0E-72	AW89677.1	EST_HUMAN	Homo sapiens protein methyltransferase (JBP1) mRNA, complete cds
5598	18694		1.06	3.0E-72	4759093	NT	EST371747 MAGF resequences, MAGF Homo sapiens cDNA
6092	19171	32386	1.91	3.0E-72	AF073367.1	NT	Homo sapiens semaphorin W (SEMAW) mRNA
6092	19171	32387	1.91	3.0E-72	AF073367.1	NT	Homo sapiens growth factor receptor-bound protein 10 (GRB10) gene, exon 5
6290	19362	32600	4.78	3.0E-72	AB029004.1	NT	Homo sapiens growth factor receptor-bound protein 10 (GRB10) gene, exon 5
6290	19362	32601	4.78	3.0E-72	AB029004.1	NT	Homo sapiens mRNA for KIAA1081 protein, partial cds
6767	19921	33103	3.89	3.0E-72	4826987	NT	Homo sapiens mRNA for KIAA1081 protein, partial cds
7838	20785	34160	1.87	3.0E-72	U80017.1	NT	Homo sapiens ribosomal protein L3-like (RPL3L) mRNA
8518	21494	34938	1.07	3.0E-72	5031892	NT	Homo sapiens basic transcription factor 2 p44 (btf2p44) gene, partial cds, neuronal apoptosis inhibitory protein (nrip) and survival motor neuron protein (smn) genes, complete cds
10797	23718	37220	7.09	3.0E-72	X88289.1	NT	Homo sapiens nuclear receptor subfamily 1, group H, member 3 (NR1H3), mRNA
11912	24793	38383	3.23	3.0E-72	11424091	NT	Homo sapiens S100A12 gene for Calgranulin C, exon 2 and joined cds
11912	24793	38384	3.23	3.0E-72	11424091	NT	Homo sapiens CD37 antigen (CD37), mRNA
12078	24950	38545	3.56	3.0E-72	AF190864.1	NT	Homo sapiens CD37 antigen (CD37), mRNA
6069	19150	32362	1.53	2.0E-72	11426871	NT	Homo sapiens ADP-ribosylation factor binding protein GGA3 (GGA3) mRNA, complete cds
8451	22415	35852	0.82	2.0E-72	BF308560.1	EST_HUMAN	Homo sapiens solute carrier family 13 (sodium-dependent dicarboxylate transporter), member 2 (SLC13A2), mRNA
8451	22415	35853	0.82	2.0E-72	BF308560.1	EST_HUMAN	601890419F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:4131461 5'
						EST_HUMAN	601890419F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:4131461 5'
11092	24052	37575	2.4	2.0E-72	AA799277.1	EST_HUMAN	aj28b09.s1 Soares_testis_NHT Homo sapiens cDNA clone 1391609 3' similar to gb:X02087 H.sapiens mRNA for 7SL RNA pseudogene (HUMAN);
12726	25379	31745	6.47	2.0E-72	AF182714.1	NT	Rattus norvegicus putative phosphate/phosphoenolpyruvate translocator mRNA, complete cds
5861	18950	32136	3.76	1.0E-72	7657676	NT	Homo sapiens vacuolar protein sorting 41 (yeast homolog) (VPS41), mRNA
6711	19767	33046	1.24	1.0E-72	11321578	NT	Homo sapiens myosin, heavy polypeptide 13, skeletal muscle (MYH13), mRNA

Page 368 of 546
Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6711	19767	33047	1.24	1.0E-72	11321578	NT	Homo sapiens myosin, heavy polypeptide 13, skeletal muscle (MYH13), mRNA
6788	25688	33126	1.3	1.0E-72	AV751818.1	EST_HUMAN	AV751818.NPD Homo sapiens cDNA clone NPDAIE11 5'
7899	20842	34224	3.72	1.0E-72	BE175434.1	EST_HUMAN	RC4-H10578-170300-012-302 HT0578 Homo sapiens cDNA
7899	20842	34225	3.72	1.0E-72	BE175434.1	EST_HUMAN	RC4-H10578-170300-012-302 HT0578 Homo sapiens cDNA
9949	22876	36338	7.79	1.0E-72	AF222742.1	NT	Homo sapiens synaptic glycoprotein SC2 (SC2) mRNA, complete cds
9949	22876	36339	7.79	1.0E-72	AF222742.1	NT	Homo sapiens synaptic glycoprotein SC2 (SC2) mRNA, complete cds
1455	14488	27463	1.53	9.0E-73	AW374968.1	EST_HUMAN	MR0-CT0063-071099-002-h11 CT0063 Homo sapiens cDNA
6156	19231	32462	0.94	9.0E-73	11525883	NT	Homo sapiens membrane protein, palmitoylated 3 (MAGUK p55 subfamily member 3) (MPP3), mRNA
11297	24247		18.46	9.0E-73	11424099	NT	Homo sapiens ribosomal protein L13a (RPL13A), mRNA
1039	14084	27035	0.83	8.0E-73	AW071755.1	EST_HUMAN	ws55c06.x1 NCI_CGAP_Bn25 Homo sapiens cDNA clone IMAGE:2501098 3' similar to TR:Q59050
5660	18756	31924	0.79	8.0E-73	4505798	NT	Q59050 HYPOTHETICAL PROTEIN MJ1656.
6724	19780	33059	5.01	8.0E-73	11426469	NT	Homo sapiens phosphatidylinositol 3-kinase, class 2, alpha polypeptide (PIK3C2A) mRNA
8432	21401	34814	2.3	8.0E-73	AF113129.1	NT	Homo sapiens lysosome homolog (LOC57151), mRNA
							Homo sapiens vacuolar ATPase isoform VA68 mRNA, complete cds
9708	22681	36117	7.24	8.0E-73	BE019900.1	EST_HUMAN	bb62a06.Y1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3030034 5' similar to gb:X04088_cds1 ACTIN, CYTOPLASMIC 2 (HUMAN); gb:M21495 Mouse cytoskeletal gamma-actin mRNA, complete cds (MOUSE);
10097	23023	36497	2.34	8.0E-73	11526037	NT	Homo sapiens interleukin 12 receptor, beta 1 (IL12RB1), mRNA
10097	23023	36498	2.34	8.0E-73	11526037	NT	Homo sapiens interleukin 12 receptor, beta 1 (IL12RB1), mRNA
12010	24887	39483	3.54	8.0E-73	AF084520.1	NT	Homo sapiens brefeldin A-inhibited guanine nucleotide-exchange protein 1 mRNA, complete cds
12785	25418	31735	3.45	8.0E-73	11418189	NT	Homo sapiens thyroid autoantigen 70kD (Ku antigen) (G22P1), mRNA
1136	14179	27130	1.3	7.0E-73	8923290	NT	Homo sapiens hypothetical protein FLJ20309 (FLJ20309), mRNA
3312	16365	29285	1	7.0E-73	AL163206.2	NT	Homo sapiens chromosome 21 segment HS21C008
4981	17996		1.74	7.0E-73	AL163282.2	NT	Homo sapiens chromosome 21 segment HS21C082
159	13262		2.28	6.0E-73	AL163218.2	NT	Homo sapiens chromosome 21 segment HS21C018
7378	20348	33699	3.58	6.0E-73	BE166574.1	EST_HUMAN	QV0-HT0494-020300-137-303 HT0494 Homo sapiens cDNA
5326	18432	31184	2.11	4.0E-73	11422159	NT	Homo sapiens HELG protein (FAM44A1), mRNA
1344	14379	27348	1.16	3.0E-73	AW943789.1	EST_HUMAN	GM0-CN0044-260100-164-408 CN0044 Homo sapiens cDNA
1879	14904	27804	1.34	3.0E-73	11435913	NT	Homo sapiens heme-binding protein (HEBP), mRNA
1879	14904	27805	1.34	3.0E-73	11435913	NT	Homo sapiens heme-binding protein (HEBP), mRNA
6856	19909	33204	0.86	3.0E-73	AA136403.1	EST_HUMAN	zn95c04.s1 Strabagene fetal retina 837202 Homo sapiens cDNA clone IMAGE:565950 3' similar to gb:Z23064_cds1 HETEROGENEOUS NUCLEAR RIBONUCLEOPROTEIN G (HUMAN);
9111	22077	35503	0.54	3.0E-73	AV729428.1	EST_HUMAN	AV729428 HTC Homo sapiens cDNA clone HTCAAF071 5'

Page 369 of 546
Table 4
Single Exon Probes Expressed In Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
9111	22077	35504	0.54	3.0E-73	AV729428.1	EST_HUMAN	AV729428 HTC Homo sapiens cDNA clone HTCAAF071 5'
11047	24011		1.85	3.0E-73	X89660.1	NT	H.sapiens SH3GLP2 pseudogene, 5' end
13017	25567		1.35	3.0E-73	AL163246.2	NT	Homo sapiens chromosome 21 segment HS21C046
13021	25669		1.97	3.0E-73	AW898081.1	EST_HUMAN	RC3-NN0086-270400-011-c04 NN0086 Homo sapiens cDNA
852	13908	26866	1.9	2.0E-73	AF139897.1	NT	Homo sapiens BASS1 (BASS1) mRNA, partial cds
1963	14985		2.95	2.0E-73	AW898081.1	EST_HUMAN	RC3-NN0086-270400-011-c04 NN0086 Homo sapiens cDNA
2306	16318		1.58	2.0E-73	U01317.1	NT	Human beta globin region on chromosome 11
3186	16251	29170	3.89	2.0E-73	4502582	NT	Homo sapiens caspase 8, apoptosis-related cysteine protease (CASP8) mRNA
3561	16607	29527	0.77	2.0E-73	7669539	NT	Homo sapiens Parkinson disease (autosomal recessive, juvenile) 2, parkin (PARK2), transcript variant 3, mRNA
3561	16607	29528	0.77	2.0E-73	7669539	NT	Homo sapiens Parkinson disease (autosomal recessive, juvenile) 2, parkin (PARK2), transcript variant 3, mRNA
6577	19637	32902	0.7	2.0E-73	AF086824.1	NT	Mus musculus rho/rac-interacting citron kinase (Crik) mRNA, complete cds
6577	19637	32903	0.7	2.0E-73	AF086824.1	NT	Mus musculus rho/rac-interacting citron kinase (Crik) mRNA, complete cds
6627	19685	32964	6.38	2.0E-73	AB046811.1	NT	Homo sapiens mRNA for KIAA1591 protein, partial cds
6858	19911	33206	1.62	2.0E-73	11431471	NT	Homo sapiens interleukin 4 receptor (IL4R), mRNA
6858	19911	33207	1.52	2.0E-73	11431471	NT	Homo sapiens interleukin 4 receptor (IL4R), mRNA
8092	21028	34427	0.59	2.0E-73	M94048.1	NT	Human peripheral myelin protein 22 mRNA, complete cds
8099	21035	34435	0.77	2.0E-73	AB037750.1	NT	Homo sapiens mRNA for KIAA1329 protein, partial cds
9890	22843	36289	0.55	2.0E-73	AF198349.1	NT	Gallus gallus Dach2 protein (Dach2) mRNA, complete cds
9890	22843	36300	0.55	2.0E-73	AF198349.1	NT	Gallus gallus Dach2 protein (Dach2) mRNA, complete cds
10788	23709	37211	1.12	2.0E-73	4504168	NT	Homo sapiens glutathione synthetase (GSS) mRNA
10863	23783	37284	1.59	2.0E-73	11496980	NT	Homo sapiens supervillin (SVIL), transcript variant 1, mRNA
10863	23783	37285	1.59	2.0E-73	11496980	NT	Homo sapiens supervillin (SVIL), transcript variant 1, mRNA
11107	24067	37589	1.49	2.0E-73	11431598	NT	Homo sapiens KIAA1080 protein; Golgi-associated, gamma-adenin ear containing, ARF-binding protein 2 (KIAA1080), mRNA
11395	24341	37872	2.54	2.0E-73	4557612	NT	Homo sapiens galactosylceramidase (Krabbe disease) (GALC), mRNA
11395	24341	37873	2.54	2.0E-73	4557612	NT	Homo sapiens galactosylceramidase (Krabbe disease) (GALC), mRNA
11420	24364	37899	1.81	2.0E-73	AB028982.1	NT	Homo sapiens mRNA for KIAA1059 protein, partial cds
12681	14985		1.91	2.0E-73	AW898081.1	EST_HUMAN	RC3-NN0086-270400-011-c04 NN0086 Homo sapiens cDNA
1798	14827	27814	2.81	1.0E-73	AJ121585.1	EST_HUMAN	AJ121585 MAMMA1 Homo sapiens cDNA clone MAMMA1000490 5'
6495	19559	32810	1.2	1.0E-73	BE151283.1	EST_HUMAN	CM1-HT0282-111199-042-h10 HT0282 Homo sapiens cDNA
9857	22783	36244	1.47	1.0E-73	AI147427.1	EST_HUMAN	qq61b07.r1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1839637 5' similar to contains element MER22 repetitive element;

Page 370 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
11779	23834	37455	2.1	1.0E-73	BE385477.1	EST_HUMAN	601276071F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3617105 5'
742	13803	26742	1.47	8.0E-74	4657428	NT	Homo sapiens CD39-like 4 (CD39L4) mRNA
6021	19104	32308	1.84	8.0E-74	S83194.1	NT	Ca2+/calmodulin-dependent protein kinase IV kinase isoform [rats, brain, mRNA, 3429 nt]
6021	19104	32307	1.84	8.0E-74	S83194.1	NT	Ca2+/calmodulin-dependent protein kinase IV kinase isoform [rats, brain, mRNA, 3429 nt]
1968	14987	27989	4.43	7.0E-74	AJ001689.1	NT	Homo sapiens NKG2D gene, exon 10
3339	16390	29311	2.01	7.0E-74	AL163246.2	NT	Homo sapiens chromosome 21 segment HS21C046
8598	22802	36051	2.25	7.0E-74	BE967432.1	EST_HUMAN	601649284F1 NIH_MGC_73 Homo sapiens cDNA clone IMAGE:3932997 5'
12784	25417	31734	4.84	7.0E-74	BE266305.1	EST_HUMAN	601191927F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3535855 5'
1124	14168	27120	5.19	6.0E-74	AF109907.1	NT	Homo sapiens S164 gene, partial cds; PS1 and hypothetical protein genes, complete cds; and S171 gene, partial cds
1631	14864	27639	1.03	6.0E-74	AW263177.1	EST_HUMAN	60178907 x1 Scarses NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2700636 3'
2324	15335	28357	7.92	6.0E-74	BE388260.1	EST_HUMAN	601283521F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3605453 5'
2324	15335	28358	7.92	6.0E-74	BE388260.1	EST_HUMAN	601283521F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3605453 5'
2875	15334	28852	1.12	6.0E-74	AW014039.1	EST_HUMAN	UI-H-B10-aah-h-03-0-JL.s1 NCI CGAP_Sub1 Homo sapiens cDNA clone IMAGE:2709365 3'
2875	15334	28853	1.12	6.0E-74	AW014039.1	EST_HUMAN	UI-H-B10-aah-h-03-0-JL.s1 NCI CGAP_Sub1 Homo sapiens cDNA clone IMAGE:2709365 3'
3726	16768	29679	1.28	6.0E-74	BE048846.1	EST_HUMAN	hr54e11.x1 NCI CGAP_Ki611 Homo sapiens cDNA clone IMAGE:3132332 3'
3726	16768	29680	1.28	6.0E-74	BE048846.1	EST_HUMAN	hr54e11.x1 NCI CGAP_Ki611 Homo sapiens cDNA clone IMAGE:3132332 3'
5065	18075	30955	4.18	6.0E-74	4758135	NT	Homo sapiens DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide 11 (S.cerevisiae CHL1-like helicase) (DDX11) mRNA
5065	18075	30956	4.18	6.0E-74	4758135	NT	Homo sapiens DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide 11 (S.cerevisiae CHL1-like helicase) (DDX11) mRNA
5439	18541	31451	3.08	6.0E-74	11056013	NT	Homo sapiens actin filament associated protein (AFAP), mRNA
906	13961	26917	2.09	5.0E-74	AW020988.1	EST_HUMAN	df17c09.y1 Morton Fetal Cochlea Homo sapiens cDNA clone IMAGE:2483704 5'
2713	15707	31492	3.68	5.0E-74	AW362756.1	EST_HUMAN	PM0-CT0289-271099-001-h07 CT0289 Homo sapiens cDNA
5481	18581	31492	1.76	5.0E-74	11425417	NT	Homo sapiens phosphatidylinositol glycan, class L (PIGL), mRNA
5987	18976	32188	12.05	5.0E-74	X69870.1	NT	H.sapiens mRNA for TPCR16 protein
5938	19024	32218	7.23	5.0E-74	4507866	NT	Homo sapiens VAMP (vesicle-associated membrane protein)-associated protein A (33kD) (VAPA) mRNA, and translated products
6013	19096	32296	2.71	5.0E-74	11431471	NT	Homo sapiens interleukin 4 receptor (IL4R), mRNA
6013	19096	32297	2.71	5.0E-74	11431471	NT	Homo sapiens interleukin 4 receptor (IL4R), mRNA
7080	20101	33412	2.18	5.0E-74	7662263	NT	Homo sapiens KIAA0716 gene product (KIAA0716), mRNA
7932	20101	33412	0.54	5.0E-74	7662263	NT	Homo sapiens KIAA0716 gene product (KIAA0716), mRNA
8371	21340	34751	3.05	5.0E-74	11345483	NT	Homo sapiens hypothetical protein FLJ13222 (FLJ13222), mRNA
11087	24048	37570	4.06	5.0E-74	Y08420.1	NT	H.sapiens mRNA for HIP-1

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
11087	24048	37571	4.08	5.0E-74	Y09420.1	NT	H. sapiens mRNA for HIP-1
278	13374	26303	1.85	4.0E-74	D87675.1	NT	Homo sapiens DNA for amyloid precursor protein, complete cds
853	13909	26867	5.8	4.0E-74	AB028942.1	NT	Homo sapiens mRNA for KIAA1019 protein, partial cds
1978	15000	28002	2.21	4.0E-74	AB028998.1	NT	Homo sapiens DNA, DLEC1 to ORCTL4 gene region, section 1/2 (DLEC1, ORCTL3, ORCTL4 genes, complete cds)
1979	15000	28003	2.21	4.0E-74	AB028998.1	NT	Homo sapiens DNA, DLEC1 to ORCTL4 gene region, section 1/2 (DLEC1, ORCTL3, ORCTL4 genes, complete cds)
2086	15103	28120	2.38	4.0E-74	4505192	NT	Homo sapiens proteasome (prosome, macropain) subunit, beta type, 1 (PSMB1) mRNA
2086	15103	28121	2.38	4.0E-74	4505192	NT	Homo sapiens proteasome (prosome, macropain) subunit, beta type, 1 (PSMB1) mRNA
2142	15159	28175	1.51	4.0E-74	AB032994.1	NT	Homo sapiens mRNA for KIAA1188 protein, partial cds
2434	15441	28459	0.91	4.0E-74	AJ006978.1	NT	Homo sapiens PLP gene
3107	16164	29076	5.45	4.0E-74	AJ006978.1	NT	Homo sapiens PLP gene
4091	17125	30018	1.23	4.0E-74	AL163247.2	NT	Homo sapiens chromosome 21 segment HS21C047
4587	17809	30504	2.06	4.0E-74	7682183	NT	Homo sapiens KIAA0569 gene product (KIAA0569), mRNA
4846	17867	30554	0.99	4.0E-74	Z17227.1	NT	Homo sapiens mRNA for transmembrane receptor protein
5055	18067	30948	0.74	4.0E-74	AB040909.1	NT	Homo sapiens mRNA for KIAA1476 protein, partial cds
8895	21861		21.61	3.0E-74	AA300378.1	EST_HUMAN	EST13131 Thymus tumor III Homo sapiens cDNA 5' end similar to similar to ribosomal protein L37
9727	22755	36208	2.57	3.0E-74	M78984.1	EST_HUMAN	EST01132 Subtracted Hippocampus, Stratagene (cat. #838205) Homo sapiens cDNA clone HHCPE91
10703	23625	37122	2.69	3.0E-74	AA601493.1	EST_HUMAN	nc017905.61 NCJ_CGAP_Phe1 Homo sapiens cDNA clone IMAGE:1100984 3'
959	14012	26965	58.94	2.0E-74	7689491	NT	Homo sapiens glyceraldehyde-3-phosphate dehydrogenase (GAPD), mRNA
959	14012	26966	58.94	2.0E-74	7689491	NT	Homo sapiens glyceraldehyde-3-phosphate dehydrogenase (GAPD), mRNA
1178	14220	27178	0.9	2.0E-74	AF020092.1	NT	Human endogenous retrovirus HERV-K-T47D
1249	14285	27251	1.32	2.0E-74	AI950528.1	EST_HUMAN	wx51607.x1 NCJ_CGAP_Lu28 Homo sapiens cDNA clone IMAGE:2547204 3' similar to SW:GG85_HUMAN
1599	14631	27806	3.54	2.0E-74	4885198	NT	Q08378 GOLGIN-95; contains element MER22 repetitive element;
1599	14631	27807	3.54	2.0E-74	4885198	NT	Homo sapiens epidermal growth factor receptor (avian erythroblastic leukemia viral (v-erb-b) oncogene homolog) (EGFR) mRNA
2608	15608	28632	3.02	2.0E-74	AI557280.1	EST_HUMAN	Homo sapiens epidermal growth factor receptor (avian erythroblastic leukemia viral (v-erb-b) oncogene homolog) (EGFR) mRNA
5042	18055	30933	3.87	2.0E-74	AL355092.1	NT	PT2.1_15_G11.1 tumor2 Homo sapiens cDNA 3'
5042	18055	30934	3.87	2.0E-74	AL355092.1	NT	Novel human gene mapping to chromosome 22
5046	18059	30938	0.93	2.0E-74	J02983.1	NT	Novel human gene mapping to chromosome 22
5898	25647	32174	2.03	2.0E-74	BE711134.1	EST_HUMAN	Human platelet glycoprotein IIb mRNA, 3' end
						EST_HUMAN	RC6-HT0878-220500-011-C03 HT0878 Homo sapiens cDNA

Page 372 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5999	25650	32280	1.93	2.0E-74	11439587	NT	Homo sapiens PDZ-73 protein (PDZ-73/NV-CO-38), mRNA
5999	25650	32281	1.93	2.0E-74	11439587	NT	Homo sapiens PDZ-73 protein (PDZ-73/NV-CO-38), mRNA
6077	25650	32280	2.58	2.0E-74	11439587	NT	Homo sapiens PDZ-73 protein (PDZ-73/NV-CO-38), mRNA
6077	25650	32281	2.58	2.0E-74	11439587	NT	Homo sapiens PDZ-73 protein (PDZ-73/NV-CO-38), mRNA
7310	20281	33621	1.14	2.0E-74	BF030788.1	EST_HUMAN	601557524F1 NIH_MGC_58 Homo sapiens cDNA clone IMAGE:3827649 5'
8272	21241	34652	1.35	2.0E-74	AB037816.1	NT	Homo sapiens mRNA for KIAA1395 protein, partial cds
8737	22765	36220	8.08	2.0E-74	AL163204.2	NT	Homo sapiens chromosome 21 segment HS21C004
12058	24931	38528	1.72	2.0E-74	5453965	NT	Homo sapiens protein kinase, AMP-activated, alpha 2 catalytic subunit (PRKAA2), mRNA
12521	25252	26086	3.11	2.0E-74	AA186181.1	EST_HUMAN	zp96a06.s1 Stratagene muscle 937209 Homo sapiens cDNA clone IMAGE:628018 3'
55	13175	26086	2.22	1.0E-74	7657334	NT	Homo sapiens Mischapen/NIK-related kinase (MINIK), mRNA
337	13426	26348	3.95	1.0E-74	AW1816405.1	EST_HUMAN	GV4-ST0234-181199-037-f05 ST0234 Homo sapiens cDNA
500	13572	26494	1.1	1.0E-74	8922829	NT	Homo sapiens hypothetical protein FLJ11028 (FLJ11028), mRNA
507	13578	26499	8.18	1.0E-74	X02344.1	NT	Homo sapiens beta 2 gene
603	13670	26584	2.15	1.0E-74	4508020	NT	Homo sapiens zinc finger protein 259 (ZNF259), mRNA
1001	14052	27004	2.21	1.0E-74	AL163246.2	NT	Homo sapiens chromosome 21 segment HS21C046
2235	15249	28273	3.56	1.0E-74	AB002059.1	NT	Homo sapiens DNA for Human P2XM, complete cds
3156	16212	29127	2.83	1.0E-74	4758697	NT	Homo sapiens marnosidase, alpha, class 2A, member 1 (MAN2A1), mRNA
3943	16983	29898	0.79	1.0E-74	4504116	NT	Homo sapiens glutamate receptor, ionotropic, kainate 1 (GRIK1), mRNA
3943	16983	29899	0.79	1.0E-74	4504116	NT	Homo sapiens glutamate receptor, ionotropic, kainate 1 (GRIK1), mRNA
3992	17032	29941	5.75	1.0E-74	AL163268.2	NT	Homo sapiens chromosome 21 segment HS21C068
4092	17126	30019	0.96	1.0E-74	BE083080.1	EST_HUMAN	RC2-BT0642-270300-019-f06 BT0642 Homo sapiens cDNA
4296	17325	30205	0.71	1.0E-74	BE467769.1	EST_HUMAN	hz73h08.xt NCJ_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3213663 3' similar to WP:B0511.12
5217	18226	31100	1.36	1.0E-74	D83327.1	NT	CE17351 ;
6863	19916	33210	0.97	1.0E-74	M89914.1	NT	Homo sapiens DCR1 mRNA, partial cds
7888	20832	34211	1.17	1.0E-74	11417977	NT	Homo sapiens neurofibromin (NF1) gene, complete cds
8391	21360	34767	1.1	1.0E-74	BE549105.1	EST_HUMAN	Homo sapiens KIAA0862 protein (KIAA0862), mRNA
8391	21360	34768	1.1	1.0E-74	BE549105.1	EST_HUMAN	601070088F1 NIH_MGC_12 Homo sapiens cDNA clone IMAGE:3456260 5'
9157	22123	35552	3.86	1.0E-74	AF214562.1	NT	601070088F1 NIH_MGC_12 Homo sapiens cDNA clone IMAGE:3456260 5'
9186	22152	35581	0.71	1.0E-74	BF351951.1	EST_HUMAN	Homo sapiens tracheal epithelium enriched protein (PLUNC) gene, complete cds
10600	23522	37015	0.55	1.0E-74	AJ251550.1	NT	MFR-HT0559-230500-021-a03 HT0559 Homo sapiens cDNA
10600	23522	37015	0.55	1.0E-74	AJ251550.1	NT	Homo sapiens partial AK155 gene for AK155 protein, exons 1-3 and joined CDS
10847	23767	37266	1.51	1.0E-74	11420549	NT	Homo sapiens partial AK155 gene for AK155 protein, exons 1-3 and joined CDS
12100	24971	38568	1.5	1.0E-74	AB007941.1	NT	Homo sapiens hypothetical protein FLJ10783 (FLJ10783), mRNA
							Homo sapiens mRNA for KIAA0472 protein, partial cds

Page 373 of 546
Table 4
Single Exon Probes Expressed In Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
12154	25012	38618	3.9	1.0E-74	11417856	NT	Homo sapiens glutathione S-transferase theta 2 (GSTT2), mRNA
12235	25067		7.14	1.0E-74	11417866	NT	Homo sapiens glutathione S-transferase theta 2 (GSTT2), mRNA
12848	25458		1.52	1.0E-74	AF240788.1	NT	Homo sapiens glutathione S-transferase theta 2 (GSTT2) and glutathione S-transferase theta 1 (GSTT1) genes, complete cds
2652	15549		6.34	8.0E-75	AF176228.1	NT	Homo sapiens DNA cytosine-5 methyltransferase 3B (DNMT3B) mRNA, complete cds
12543	25266		1.81	8.0E-75	AL163202.2	NT	Homo sapiens chromosome 21 segment HS21C002
2329	15340	28362	1.16	8.0E-75	AI817415.1	EST_HUMAN	wk38a08.x1 NCI CGAP P122 Homo sapiens cDNA clone IMAGE:2417654 3' similar to gbM14123_cds4
5201	18210	31084	0.91	5.0E-75	BE941305.1	EST_HUMAN	RETROVIRUS-RELATED POLYPROTEIN (HUMAN);
8075	21012	34411	0.51	5.0E-75	AA573446.1	EST_HUMAN	MRQ-SN0040-080600-006-g06 SN0040 Homo sapiens cDNA
8075	21012	34412	0.51	5.0E-75	AA573446.1	EST_HUMAN	nk98d03.s1 NCI CGAP Cc3 Homo sapiens cDNA clone IMAGE:10288933 3'
9259	22225	35654	1.13	5.0E-75	BE272325.1	EST_HUMAN	nk98d03.s1 NCI CGAP Cc3 Homo sapiens cDNA clone IMAGE:10288933 3'
9472	22436	35874	0.64	5.0E-75	AA132611.1	EST_HUMAN	601128088F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:2989865 5'
9549	22512	35961	0.89	5.0E-75	BE561655.1	EST_HUMAN	z017e08.r1 Stradene colon (#937204) Homo sapiens cDNA clone IMAGE:587174 5'
9549	22512	35962	0.89	5.0E-75	BE561655.1	EST_HUMAN	601346909F1 NIH_MGC_8 Homo sapiens cDNA clone IMAGE:3687458 5'
9728	22756	36209	1.42	5.0E-75	BF690254.1	EST_HUMAN	601346909F1 NIH_MGC_8 Homo sapiens cDNA clone IMAGE:3687458 5'
10594	23516	37007	2.9	5.0E-75	AI638623.1	EST_HUMAN	602166616T1 NIH_MGC_49 Homo sapiens cDNA clone IMAGE:4298738 3'
112	13223	26147	1.68	4.0E-75	BE081333.1	EST_HUMAN	tt31c12.x1 NCI CGAP GC6 Homo sapiens cDNA clone IMAGE:2242380 3' similar to TR:P97361 P97361
459	13532		2.68	4.0E-75	N36757.1	EST_HUMAN	HYPOTHETICAL 20.1 KD PROTEIN ;
1780	14809	27795	1.73	4.0E-75	AW897230.1	EST_HUMAN	QV1-BT0632-210200-079-a02 BT0632 Homo sapiens cDNA
2861	15921	28841	4.5	4.0E-75	BE409464.1	EST_HUMAN	y80h08.r1 Soares melanocyte 2N6HM Homo sapiens cDNA clone IMAGE:269055 5'
3512	16568	28482	0.93	4.0E-75		EST_HUMAN	CM0-NIN0057-150400-335-s11 NN0057 Homo sapiens cDNA
5807	18703	31859	0.65	4.0E-75	8922637	NT	601303866F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3638344 5'
5907	18703	31860	0.65	4.0E-75	11417946	NT	Homo sapiens hypothetical protein FLJ10747 (FLJ10747), mRNA
8400	19498	32715	6.35	4.0E-75	11417946	NT	Homo sapiens NIPSNAP, C. elegans, homolog 1 (NIPSNAP1), mRNA
6923	19973	33270	1.61	4.0E-75	5579457	NT	Homo sapiens NIPSNAP, C. elegans, homolog 1 (NIPSNAP1), mRNA
6923	19973	33271	1.61	4.0E-75	11417946	NT	Homo sapiens eukaryotic translation initiation factor 3, subunit 8 (110kD) (EIF3S8), mRNA
11044	24008	37534	15.05	4.0E-75	7696505	NT	Homo sapiens NIPSNAP, C. elegans, homolog 1 (NIPSNAP1), mRNA
1004	14055	27007	4.36	3.0E-75	AF157623.1	NT	Homo sapiens myosin, heavy polypeptide 1, skeletal muscle, adult (MYH1), mRNA
1005	14055	27007	3.22	3.0E-75	AF157623.1	NT	Homo sapiens HTRA serine protease (PRSS1), gene, complete cds
1653	14879	27875	2.36	3.0E-75	AB011163.1	NT	Homo sapiens HTRA serine protease (PRSS1), gene, complete cds
2430	15437	28454	5.12	3.0E-75	4759163	NT	Homo sapiens mRNA for KIAA0581 protein, partial cds
3034	16092	29010	1.06	3.0E-75	AL163201.2	NT	Homo sapiens synaptonemal-associated protein, 29kD (SNAP29) mRNA
							Homo sapiens chromosome 21 segment HS21C001

Page 374 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3203	16258	29177	1.13	3.0E-75	AB011153.1	NT	Homo sapiens mRNA for KIAA0581 protein, partial cds
3361	16411	28334	0.95	3.0E-75	M72393.1	NT	Human calcium-dependent phospholipid-binding protein (PLA2) mRNA, complete cds
3361	16411	28335	0.95	3.0E-75	M72393.1	NT	Human calcium-dependent phospholipid-binding protein (PLA2) mRNA, complete cds
3752	16794	29705	0.78	3.0E-75	M72393.1	NT	Human calcium-dependent phospholipid-binding protein (PLA2) mRNA, complete cds
4197	17228	30118	1.03	3.0E-75	D87675.1	NT	Homo sapiens DNA for amyloid precursor protein, complete cds
4486	17482	30379	0.71	3.0E-75	7662421	NT	Homo sapiens KIAA0971 protein (KIAA0971), mRNA
5323	18428	31179	1.15	3.0E-75	11420956	NT	Homo sapiens adaptor-related protein complex 1, sigma 2 subunit (AP1S2), mRNA
5323	18428	31180	1.15	3.0E-75	11420956	NT	Homo sapiens adaptor-related protein complex 1, sigma 2 subunit (AP1S2), mRNA
6657	19714	32991	0.51	3.0E-75	AF123074.1	NT	Homo sapiens cytoplasmic dynein intermediate chain 1 mRNA, complete cds
6657	19714	32992	0.51	3.0E-75	AF123074.1	NT	Homo sapiens cytoplasmic dynein intermediate chain 1 mRNA, complete cds
6935	20159	33479	1.76	3.0E-75	11526319	NT	Homo sapiens HIR (histone cell cycle regulation defective, <i>S. cerevisiae</i>) homolog A (HIRA), mRNA
6935	20159	33480	1.76	3.0E-75	11526319	NT	Homo sapiens HIR (histone cell cycle regulation defective, <i>S. cerevisiae</i>) homolog A (HIRA), mRNA
7342	20313	33656	4.47	3.0E-75	7662209	NT	Homo sapiens KIAA0623 gene product (KIAA0623), mRNA
7342	20313	33657	4.47	3.0E-75	7662209	NT	Homo sapiens KIAA0623 gene product (KIAA0623), mRNA
7884	20828	34204	2.82	3.0E-75	4885632	NT	Homo sapiens Oncogene TIM (TIM) mRNA
7884	20828	34205	2.82	3.0E-75	4885632	NT	Homo sapiens Oncogene TIM (TIM) mRNA
8336	22301	35730	1.21	3.0E-75	11420804	NT	Homo sapiens snail 1 (drosophila homolog), zinc finger protein (SNAI1), mRNA
10037	22984	36431	0.85	3.0E-75	11420222	NT	Homo sapiens Drosophila Kelch like protein (DKELCHL), mRNA
10908	23828	37341	4.16	3.0E-75	11436430	NT	Homo sapiens synuclein, alpha (non A4 component of amyloid precursor) (SNCA), mRNA
12085	24957	38552	1.73	3.0E-75	6715588	NT	Homo sapiens brefeldin A-inhibited guanine nucleotide-exchange protein 1 (BIG1), mRNA
12085	24957	38553	1.73	3.0E-75	6715588	NT	Homo sapiens brefeldin A-inhibited guanine nucleotide-exchange protein 1 (BIG1), mRNA
5756	18850		1.41	2.0E-75	AV734680.1	EST_HUMAN	AV734680 cDNA Homo sapiens cDNA clone cDABED02 5'
9103	22069	35495	2.56	2.0E-75	A1311783.1	EST_HUMAN	q991e02.x1 NCL CGAP_Kid5 Homo sapiens cDNA clone IMAGE:1915898 3' similar to TR:Q66386 Q66386 POL/ENV GENE;
2311	15323	28345	7.79	1.0E-75	AW168135.1	EST_HUMAN	x66d02.x1 NCL CGAP_U4 Homo sapiens cDNA clone IMAGE:2632707 3' similar to contains P TR7.11 PTR7 repetitive element;
2957	16015	28943	3.35	1.0E-75	X52221.1	NT	H sapiens ERCC2 gene, exons 1 & 2 (partial)
4718	17738	30630	0.65	1.0E-75	BE278301.1	EST_HUMAN	601157633F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3504272 5'
5224	18232	31107	0.7	1.0E-75	BE894192.1	EST_HUMAN	601437130F1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3922303 5'
7843	20790	34165	0.76	1.0E-75	BE082528.1	EST_HUMAN	RC5-BT0640-020300-031-H03 BT0640 Homo sapiens cDNA
7843	20790	34166	0.76	1.0E-75	BE082528.1	EST_HUMAN	RC5-BT0640-020300-031-H03 BT0640 Homo sapiens cDNA

Table 4

Single Exon Probes Expressed In Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8757	21724		12.42	1.0E-75	AA399270.1	EST_HUMAN	z157h03.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:726485 3' similar to gb:M13832 40S
9783	22724	38179	4.03	1.0E-75	BF313645.1	EST_HUMAN	RIBOSOMAL PROTEIN S17 (HUMAN);
9783	22724	38180	4.03	1.0E-75	BF313645.1	EST_HUMAN	601900294F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:4129678 5'
11229	24182		3.79	1.0E-75	AA684377.1	EST_HUMAN	601900294F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:4129678 5'
							ac77b08.s1 Stralagene lung (#937210) Homo sapiens cDNA clone IMAGE:868599 3'
11428	24372	37910	2.13	1.0E-75	AF223391.1	NT	Homo sapiens calcium channel alpha1E subunit (CACNA1E) gene, exons 7-49, and partial cds, alternatively spliced
12438	18232	31107	1.72	1.0E-75	BE894192.1	EST_HUMAN	601437130F1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3922303 5'
46	13166	26070	2.23	9.0E-76	AI652648.1	EST_HUMAN	w630b10.x1 NCI_CGAP_GC6 Homo sapiens cDNA clone IMAGE:2307163 3' similar to TR:O76235 O76235
46	13166	26071	2.23	9.0E-76	AI652648.1	EST_HUMAN	TRAP1 ;
2426	15432		0.96	9.0E-76	AA702415.1	EST_HUMAN	z185b07.s1 Soares_fetal_liver_spleen_1NF1S_S1 Homo sapiens cDNA clone IMAGE:447641 3'
10261	23186	36670	37.43	9.0E-76	M12937.1	NT	Human ferritin Heavy subunit mRNA, complete cds
937	13980	26941	0.98	8.0E-76	4504374	NT	Homo sapiens H factor 1 (complement) (HF1) mRNA
937	13980	26942	0.98	8.0E-76	4504374	NT	Homo sapiens H factor 1 (complement) (HF1) mRNA
2921	15979	28904	1.28	8.0E-76	7708724	NT	Homo sapiens LIM domain kinase 1 (LIMK1), mRNA
6295	19387	32806	4.79	8.0E-76	11421442	NT	Homo sapiens LIM domain kinase 2 (STK2), mRNA
7731	20686	34049	1.41	8.0E-76	11435215	NT	Homo sapiens serine/threonine kinase 2 (STK2), mRNA
7816	20765	34141	0.97	8.0E-76	11419242	NT	Homo sapiens mitochondrial carrier family protein (LOC55972), mRNA
8639	21607	35030	0.64	8.0E-76	11416981	NT	Homo sapiens AIM-1 protein (LOC51151), mRNA
9453	22417	35855	0.45	8.0E-76	AB046764.1	NT	Homo sapiens mRNA for KIAA1644 protein, partial cds
10744	23666	37161	1.41	8.0E-76	M13792.1	NT	Human adenosine deaminase (ADA) gene, complete cds
11026	23981	37518	4.09	8.0E-76	10442821	NT	Homo sapiens baculoviral IAP repeat-containing 6 (BIRC6), mRNA
12767	25408		2.29	8.0E-76	11417862	NT	Homo sapiens calcineurin binding protein 1 (KIAA0330), mRNA
777	13636	26782	1.41	7.0E-76	5016092	NT	Homo sapiens dihydropyrimidine dehydrogenase (E3 component of pyruvate dehydrogenase complex, 2-oxo-glutarate complex, branched chain keto acid dehydrogenase complex) (DLD) mRNA
3305	16358	29277	28.65	7.0E-76	AF056490.1	NT	Homo sapiens cAMP-specific phosphodiesterase 8A (PDE8A) mRNA, partial cds
3311	16364	29284	8.23	7.0E-76	4505052	NT	Homo sapiens lymphocyte antigen 75 (LY75) mRNA, and translated products
4398	17427	30311	4.52	7.0E-76	4507184	NT	Homo sapiens septaplatin reductase (7,8-dihydrobiopterin:NADP+ oxidoreductase) (SPR) mRNA
4398	17427	30312	4.52	7.0E-76	4507184	NT	Homo sapiens septaplatin reductase (7,8-dihydrobiopterin:NADP+ oxidoreductase) (SPR) mRNA
1238	14274		12.96	6.0E-76	BE396253.1	EST_HUMAN	601312019F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3668757 5'
11783	23948	37469	2.36	6.0E-76	BE273201.1	EST_HUMAN	601142253F1 NIH_MGC_14 Homo sapiens cDNA clone IMAGE:3506029 5'

Page 376 of 546
Table 4
Single Exon Probes Expressed In Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1960	14982	27983	8.97	5.0E-76	D63874.1	NT	Human mRNA for HMG-1, complete cds
1960	14982	27984	8.97	5.0E-76	D63874.1	NT	Human mRNA for HMG-1, complete cds
1960	14982	27985	8.97	5.0E-76	D63874.1	NT	Human mRNA for HMG-1, complete cds
3220	16275	29199	1.01	4.0E-76	BE814096.1	EST_HUMAN	QV3-BN0047-270700-283-g06 BN0047 Homo sapiens cDNA
5342	18447	31200	1.08	4.0E-76	BE783412.1	EST_HUMAN	601471725F1 NIH_MGC_67 Homo sapiens cDNA clone IMAGE:3874470 5'
10384	23306	36783	6.89	4.0E-76	D81625.1	EST_HUMAN	HUM178G01B Human fetal brain (TFujwara) Homo sapiens cDNA clone GEN-178G01 5'
10384	23306	36784	6.69	4.0E-76	D81625.1	EST_HUMAN	HUM178G01B Human fetal brain (TFujwara) Homo sapiens cDNA clone GEN-178G01 5'
630	13695	26814	1.94	3.0E-76	BF516282.1	EST_HUMAN	UI-HBW1-anz-b-04-0-U1.s1 NCI_CGAP_Sub7 Homo sapiens cDNA clone IMAGE:3083862 3'
630	13695	26815	1.94	3.0E-76	BF516282.1	EST_HUMAN	UI-HBW1-anz-b-04-0-U1.s1 NCI_CGAP_Sub7 Homo sapiens cDNA clone IMAGE:3083862 3'
1603	14635	27611	9.36	3.0E-76	4503476	NT	Homo sapiens eukaryotic translation elongation factor 1 beta 2 (EEF1B2) mRNA
1603	14635	27612	9.36	3.0E-76	4503476	NT	Homo sapiens eukaryotic translation elongation factor 1 beta 2 (EEF1B2) mRNA
3442	16489	29407	5.03	3.0E-76	BF375689.1	EST_HUMAN	RC5-ST0300-180100-033-A03 ST0300 Homo sapiens cDNA
3442	16489	29408	5.03	3.0E-76	BF375689.1	EST_HUMAN	RC5-ST0300-180100-033-A03 ST0300 Homo sapiens cDNA
4105	17139	30034	14.72	3.0E-76	BE348693.1	EST_HUMAN	h6712.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3151823 3' similar to TR:O94886 O94886 KIAA0792 PROTEIN ;
5301	18304	31165	0.88	3.0E-76	AV702981.1	EST_HUMAN	AV702981 ADB Homo sapiens cDNA clone ADBBSC02 5'
5309	18327	38612	2.12	3.0E-76	Z41314.1	EST_HUMAN	HSCZQD042 normalized infant brain cDNA Homo sapiens cDNA clone c-zqd04 3'
5822	18912	32095	1	3.0E-76	AA160611.1	EST_HUMAN	z073c07.r1 Strabagene pancreas (#937208) Homo sapiens cDNA clone IMAGE:592524 5' similar to gb:L32976 MIXED LINEAGE KINASE 1 (HUMAN);
6102	19181	32400	0.71	3.0E-76	AW027705.1	EST_HUMAN	w075c05.x1 Soares_thymus_NHFT Homo sapiens cDNA clone IMAGE:2635368 3'
6504	19568	32820	8.03	3.0E-76	AF286598.1	NT	Homo sapiens angiotensin binding protein 1 mRNA, complete cds
8490	21458	34876	0.83	3.0E-76	NA2671.1	EST_HUMAN	W20g10.r1 Soares melanocyte 2N6HM Homo sapiens cDNA clone IMAGE:271842 5'
10074	23001	36471	3.32	3.0E-76	AW299353.1	EST_HUMAN	xs49h01.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2773009 3'
10098	23024	38499	1.08	3.0E-76	AA442309.1	EST_HUMAN	zv54d11.r1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:757461 5'
10098	23024	36500	1.08	3.0E-76	AA442309.1	EST_HUMAN	zv54d11.r1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:757461 5'
12143	25760	31519	2.43	3.0E-76	AW967984.1	EST_HUMAN	EST380059 MAGC resequences, MAGJ Homo sapiens cDNA
12248	25971	31301	4.4	3.0E-76	AW956455.1	EST_HUMAN	EST368525 MAGC resequences, MAGD Homo sapiens cDNA
281	13376	26305	1.46	2.0E-76	D84295.1	NT	Human mRNA for possible protein TPRDII, complete cds
342	13431	26352	2.6	2.0E-76	D84295.1	NT	Human mRNA for possible protein TPRDII, complete cds
342	13431	26353	2.6	2.0E-76	D84295.1	NT	Human mRNA for possible protein TPRDII, complete cds
461	13534		1.14	2.0E-76	4557662	NT	Homo sapiens immunoglobulin (IGD79A) binding protein 1 (IGBP1) mRNA
592	13659	26373	1.12	2.0E-76	4503944	NT	Homo sapiens glucagon (GCG) mRNA
1032	14078	27031	1.37	2.0E-76	4758053	NT	Homo sapiens cAMP responsive element binding protein 1 (CREB1) mRNA
1537	14570	27542	1.74	2.0E-76	4504028	NT	Homo sapiens GM2 ganglioside activator protein (GM2A) mRNA

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1537	14570	27543	1.74	2.0E-76	4504028	NT	Homo sapiens GM2 ganglioside activator protein (GM2A) mRNA
1945	14969	27967	1.03	2.0E-76	AA253954.1	EST_HUMAN	z60h11.s1 Stralagene echizo brain S11 Homo sapiens cDNA clone IMAGE:701925 3'
2854	15914	28837	3.73	2.0E-76	P23266	SWISSPROT	OLFACTORY RECEPTOR-LIKE PROTEIN F5
3308	16361	29281	1.87	2.0E-76	AA445992.1	EST_HUMAN	zw64e02.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:780886 3' similar to SW:ITB5_HUMAN
3308	16361	29282	1.87	2.0E-76	AA445992.1	EST_HUMAN	P18084 INTEGRIN BETA-5 SUBUNIT PRECURSOR. ;
4561	17584	30476	1.01	2.0E-76	AL163283.2	NT	zw64e02.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:780886 3' similar to SW:ITB5_HUMAN
4884	17999	30888	7.6	2.0E-76	AW879618.1	EST_HUMAN	P18084 INTEGRIN BETA-5 SUBUNIT PRECURSOR. ;
5382	18486		0.97	2.0E-76	AF127845.1	NT	Homo sapiens chromosome 21 segment HS21C083
5700	18785	31969	5.35	2.0E-76	AB028004.1	NT	QV3-OT0026-220300-132-b11 OT0028 Homo sapiens cDNA
7643	20603	33968	0.55	2.0E-76	11421328	NT	Gorilla gorilla olfactory receptor (GGO18) gene, partial cds
7688	20627	33991	0.76	2.0E-76	11426908	NT	Homo sapiens KIAA0783 gene product (KIAA0783). mRNA
7924	20867	34255	1.68	2.0E-76	11427410	NT	Homo sapiens TPOR86 protein (HSTPCR86P). mRNA
10645	23567	37064	7.03	2.0E-76	11437211	NT	Homo sapiens similar to ribosomal protein S26 (H. sapiens) (LOC63150). mRNA
11266	24218	37742	2.64	2.0E-76	7549807	NT	Homo sapiens HIRA interacting protein 4 (dnaj-like) (HIRIP4). mRNA
4326	17355	30241	3.37	1.0E-76	D63874.1	NT	Human mRNA for HMG-1, complete cds
4326	17355	30242	3.37	1.0E-76	D63874.1	NT	Human mRNA for HMG-1, complete cds
5523	18622	31557	6.74	1.0E-76	BE786637.1	EST_HUMAN	601589896F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3944302 5'
6372	19440		0.64	1.0E-76	AA333207.1	EST_HUMAN	EST737301 Embryo, 8 week 1 Homo sapiens cDNA 5' end
7109	20043	33345	4.09	9.0E-77	BE889525.1	EST_HUMAN	601512435F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3913737 5'
12923	25499		1.36	9.0E-77	BE410354.1	EST_HUMAN	601302333F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3636763 5'
189	13289	26215	1.35	8.0E-77	R83144.1	EST_HUMAN	jp11h02.r1 Soares breast 3NBHb1 Homo sapiens cDNA clone IMAGE:187155 5' similar to
4550	17573	30483	1.25	8.0E-77	BF205181.1	EST_HUMAN	SP-ANKB_HUMAN Q01484 ANKYRIN, BRAIN VARIANT 1 ;
5528	18627	31563	1.83	8.0E-77	4506230	NT	601866926F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:4109503 5'
11716	24679	38257	1.82	8.0E-77	AA019770.1	EST_HUMAN	Homo sapiens proteasome (prosome, macropain) 26S subunit, non-ATPase, 7 (Mox34 homolog) (PSMD7) mRNA
11716	24679	38258	1.82	8.0E-77	AA019770.1	EST_HUMAN	z62e02.r1 Soares retina N2b4HR Homo sapiens cDNA clone IMAGE:363578 5'
12900	25484	31732	4.66	8.0E-77	R00245.1	EST_HUMAN	z62e02.r1 Soares retina N2b4HR Homo sapiens cDNA clone IMAGE:363578 5'
1946	14970	27968	2.43	7.0E-77	AA625755.1	EST_HUMAN	ye69f04.s1 Soares fetal liver spleen INFLS Homo sapiens cDNA clone IMAGE:123007 3' similar to containing
2421	15428	28451	1.88	7.0E-77	4505944	NT	MER10 repetitive element ;
2421	15428	28452	1.88	7.0E-77	4505944	NT	z01g01.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:745392 3'
							Homo sapiens polymerase (RNA) II (DNA directed) polypeptide E (25kD) (POLR2E) mRNA
							Homo sapiens polymerase (RNA) II (DNA directed) polypeptide E (25kD) (POLR2E) mRNA

Page 378 of 546
Table 4
Single Exon Probes Expressed In Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
262	13358	26283	4.64	6.0E-77	4504600	NT	Homo sapiens interferon (alpha, beta and omega) receptor 2 (IFNAR2) mRNA
1144	14187	27138	20.18	6.0E-77	AW657753.1	EST_HUMAN	EST369823 IMAGE ressequencing, MAGE Homo sapiens cDNA
1545	14578	27551	3.97	6.0E-77	A1204066.1	EST_HUMAN	qe7h12.x1 Soares_fetal_jung_NbHL19W Homo sapiens cDNA clone IMAGE:1745063 3'
1240	14276	27236	2.34	5.0E-77	AF041015.1	NT	7 Homo sapiens glucokinase (GCK) gene, exon 2
1362	14398	27367	1.41	5.0E-77	4557250	NT	Homo sapiens disintegrin and metalloprotease domain 10 (ADAM10) mRNA
2695	15691	28709	1.03	5.0E-77	AF162666.1	NT	Homo sapiens toubled-like kinase 1 (TLK1) mRNA, complete cds
2774	15766	28786	0.96	5.0E-77	4503160	NT	Homo sapiens cullin 1 (CUL1) mRNA
3534	16580	29504	0.64	5.0E-77	8394518	NT	Homo sapiens ubiquitin specific protease 18 (USP18), mRNA
4732	17752	30844	0.92	5.0E-77	5031660	NT	Homo sapiens EGF-like repeats and discoidin I-like domains 3 (EDIL3), mRNA
4732	17752	30845	0.92	5.0E-77	5031660	NT	Homo sapiens EGF-like repeats and discoidin I-like domains 3 (EDIL3), mRNA
4975	17990	30880	3.64	5.0E-77	AL043953.1	EST_HUMAN	DKFZp434G1728_r1 434 (synonym: htes3) Homo sapiens cDNA clone DKFZp434G1728 5'
6951	20175	33499	0.84	5.0E-77	MT13975.1	NT	Homo sapiens protein kinase C beta-II type (PRKCB1) mRNA, complete cds
7548	20511	33869	0.52	5.0E-77	X98296.1	NT	H. sapiens mRNA for ubiquitin hydrolase
7849	20511	33869	0.67	5.0E-77	X98296.1	NT	H. sapiens mRNA for ubiquitin hydrolase
8711	21678	35104	1.22	5.0E-77	11428849	NT	Homo sapiens 3-hydroxyisobutyryl-Coenzyme A hydrolase (HIBCH), mRNA
8711	21679	35105	1.22	5.0E-77	11428849	NT	Homo sapiens 3-hydroxyisobutyryl-Coenzyme A hydrolase (HIBCH), mRNA
9928	22811	36264	3	5.0E-77	11421928	NT	Homo sapiens sorting nexin 5 (SNX5), mRNA
9928	22811	36265	3	5.0E-77	11421928	NT	Homo sapiens sorting nexin 5 (SNX5), mRNA
10857	23777	37276	0.82	5.0E-77	AB002297.1	NT	Human mRNA for KIAA0299 gene, partial cds
10857	23777	37277	0.82	5.0E-77	AB002297.1	NT	Human mRNA for KIAA0299 gene, partial cds
1989	15010	28015	1.26	3.0E-77	5730038	NT	Homo sapiens SET domain and mariner transposase fusion gene (SETMAR) mRNA
1989	15010	28016	1.26	3.0E-77	5730038	NT	Homo sapiens SET domain and mariner transposase fusion gene (SETMAR) mRNA
10652	23574	37089	0.71	3.0E-77	H65167.1	EST_HUMAN	yu64g01.r1 Weizmann Offactory Epithelium Homo sapiens cDNA clone IMAGE:238608 5' similar to SP:S17447 S17447 PROBABLE LIGAND-BINDING PROTEIN RY2G5 - ;
10652	23574	37070	0.71	3.0E-77	H65167.1	EST_HUMAN	yu64g01.r1 Weizmann Offactory Epithelium Homo sapiens cDNA clone IMAGE:238608 5' similar to SP:S17447 S17447 PROBABLE LIGAND-BINDING PROTEIN RY2G5 - ;
10668	23988	37399	0.66	3.0E-77	A1017333.1	EST_HUMAN	ov31h07.x1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1638973 3'
10958	23988	37400	0.66	3.0E-77	A1017333.1	EST_HUMAN	ov31h07.x1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1638973 3'
11222	24175	37701	3.68	3.0E-77	BF359917.1	EST_HUMAN	PM3-MT0078-080800-005-g03 MT0078 Homo sapiens cDNA
1354	14369	27358	1.66	2.0E-77	AV764617.1	EST_HUMAN	AV764617 MDS Homo sapiens cDNA clone MDSBTF10 5'
1428	14462	27439	2.31	2.0E-77	AW997712.1	EST_HUMAN	RC3-BN0053-170200-011-h01 BN0053 Homo sapiens cDNA
2102	15119	28140	1.01	2.0E-77	L41825.1	NT	Homo sapiens CYP17 gene, 5' end
2113	15130	28150	2.46	2.0E-77	7706315	NT	Homo sapiens CGI-79 protein (LOC51634), mRNA
2600	15898	28620	2.28	2.0E-77	AB037836.1	NT	Homo sapiens mRNA for KIAA1415 protein, partial cds

Page 379 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2600	15888	26821	2.28	2.0E-77	AB037836.1	NT	Homo sapiens mRNA for KIAA1415 protein, partial cds
4084	17100	28992	1.25	2.0E-77	BE044316.1	EST_HUMAN	h043b05.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:3040113 3' similar to SW:GAG2_HUMAN P10264 RETROVIRUS-RELATED GAG POLYPROTEIN ;
4442	17468	30357	0.68	2.0E-77	AB13519.1	EST_HUMAN	tw22g02.x1 NCI_CGAP_Brn52 Homo sapiens cDNA clone IMAGE:2260466 3' similar to TR:O65245
4442	17468	30358	0.68	2.0E-77	AB13519.1	EST_HUMAN	tw22g02.x1 NCI_CGAP_Brn52 Homo sapiens cDNA clone IMAGE:2260466 3' similar to TR:O65245
4802	17819	30713	2.32	2.0E-77	AA653025.1	EST_HUMAN	ns68g12.s1 NCI_CGAP_P12 Homo sapiens cDNA clone IMAGE:1188838 similar to SW:RL29_HUMAN P47814 60S RIBOSOMAL PROTEIN L29. [1] ;contains element MSR1 repetitive element ;
5158	17468	30357	0.65	2.0E-77	AB13519.1	EST_HUMAN	tw22g02.x1 NCI_CGAP_Brn52 Homo sapiens cDNA clone IMAGE:2260466 3' similar to TR:O65245
5158	17468	30358	0.65	2.0E-77	AB13519.1	EST_HUMAN	tw22g02.x1 NCI_CGAP_Brn52 Homo sapiens cDNA clone IMAGE:2260466 3' similar to TR:O65245
6065	19146	32358	2.06	2.0E-77	BE298940.1	EST_HUMAN	60111852F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3029438 5'
6296	18368	32807	1.62	2.0E-77	BE787143.1	EST_HUMAN	601476802F1 NIH_MGC_88 Homo sapiens cDNA clone IMAGE:3879505 5'
7380	20350	33701	14.21	2.0E-77	AB833003.1	EST_HUMAN	at74a09.x1 Barstead colon HPLRB7 Homo sapiens cDNA clone IMAGE:2377720 3' similar to TR:Q13311 Q13311 TAX1-BINDING PROTEIN TXBP151. [1] ;
8874	21841	35284	0.75	2.0E-77	AI362707.1	EST_HUMAN	q70cd09.x1 NCI_CGAP_Brn25 Homo sapiens cDNA clone IMAGE:2017380 3' similar to WP:F28D11.1 CE05765 LOW DENSITY LIPID RECEPTOR-RELATED PROTEIN ;
9886	22839	36295	5.64	2.0E-77	U50321.1	NT	Human protein kinase C substrate 80K-H (PRKCSH) gene, exon 7
9886	22839	36296	5.64	2.0E-77	U50321.1	NT	Human protein kinase C substrate 80K-H (PRKCSH) gene, exon 7
10354	23278	36763	0.5	2.0E-77	BF310349.1	EST_HUMAN	601895183F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:4124541 5'
10354	23278	36764	0.5	2.0E-77	BF310349.1	EST_HUMAN	601895183F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:4124541 5'
45	13165	26068	0.94	1.0E-77	AB033102.1	NT	Homo sapiens mRNA for KIAA1276 protein, partial cds
45	13165	26069	0.94	1.0E-77	AB033102.1	NT	Homo sapiens mRNA for KIAA1276 protein, partial cds
272	13368	26294	1.33	1.0E-77	4502166	NT	Homo sapiens amyloid beta (A4) precursor protein (protease nexin-II, Alzheimer disease) (APP), mRNA
272	13368	26295	1.33	1.0E-77	4502166	NT	Homo sapiens amyloid beta (A4) precursor protein (protease nexin-II, Alzheimer disease) (APP), mRNA
876	15853	26891	2.31	1.0E-77	4502166	NT	Homo sapiens amyloid beta (A4) precursor protein (protease nexin-II, Alzheimer disease) (APP), mRNA
876	15853	26892	2.31	1.0E-77	4502166	NT	Homo sapiens amyloid beta (A4) precursor protein (protease nexin-II, Alzheimer disease) (APP), mRNA

Page 380 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2450	15455	28477	1.73	1.0E-77	AB02024.1	NT	Homo sapiens mRNA for KIAA1101 protein, complete cds
3058	16115	29028	2.01	1.0E-77	4503300	NT	Homo sapiens 2,4-dienoyl CoA reductase 1, mitochondrial (DECRT), mRNA
4390	17408	30289	3.92	1.0E-77	7706299	NT	Homo sapiens CGI-60 protein (LOC51626), mRNA
4525	17550	30438	0.73	1.0E-77	4758053	NT	Homo sapiens cAMP responsive element binding protein 1 (CREB1) mRNA
4552	17575	30465	16.98	1.0E-77	AJ229041.1	NT	Homo sapiens 959 kb contig between AML1 and CBR1 on chromosome 21q22; segment 1/3
4680	17701	30589	2.11	1.0E-77	6552322	NT	Homo sapiens breast cancer 1, early onset (BRCA1), transcript variant BRCA1-exon4, mRNA
4721	17741	30632	0.72	1.0E-77	AI273014.1	EST_HUMAN	q109g04.x1 NCI_CGAP_Ki68 Homo sapiens cDNA clone IMAGE:1981110 3'
5000	17550	30438	0.95	1.0E-77	4758053	NT	Homo sapiens cAMP responsive element binding protein 1 (CREB1) mRNA
5219	17550	30438	0.68	1.0E-77	4758053	NT	Homo sapiens cAMP responsive element binding protein 1 (CREB1) mRNA
5246	18254		1.12	1.0E-77	AL163247.2	NT	Homo sapiens chromosome 21 segment HS21C047
6038	19120	32324	1.61	1.0E-77	AF086944.1	NT	Homo sapiens dynactin 1 (DCTN1) gene, exons 27 and 28
6038	19120	32325	1.61	1.0E-77	AF086944.1	NT	Homo sapiens dynactin 1 (DCTN1) gene, exons 27 and 28
6165	19240	32471	1.39	1.0E-77	M25844.1	NT	Human von Willebrand factor gene, exon 20
6590	19650	32921	1.26	1.0E-77	4885182	NT	Homo sapiens diaphanous (Drosophila, homolog) 1 (DIAPH1), mRNA
7254	19989	33286	14.51	1.0E-77	5931412	NT	Homo sapiens elastin (supravalvular aortic stenosis, Williams-Beuren syndrome) (ELN), mRNA
7928	20871	34260	0.91	1.0E-77	11420159	NT	Homo sapiens cullin 1 (CUL1), mRNA
8040	20977	34373	0.69	1.0E-77	X04571.1	NT	Human mRNA for kidney epidermal growth factor (EGF) precursor
9620	22564	36013	0.65	1.0E-77	X94354.1	NT	H. sapiens DNA for Cone cGMP-PDE gene
9620	22564	36014	0.65	1.0E-77	X94354.1	NT	H. sapiens DNA for Cone cGMP-PDE gene
10890	23810	37316	0.92	1.0E-77	AB029396.1	NT	Homo sapiens hu-GlcAT-P mRNA for glucuronyltransferase, complete cds
10890	23810	37317	0.92	1.0E-77	AB029396.1	NT	Homo sapiens hu-GlcAT-P mRNA for glucuronyltransferase, complete cds
10916	23836	37352	3	9.0E-78	AW753302.1	EST_HUMAN	Homo sapiens cDNA
6599	19849	32918	2.93	8.0E-78	AW947081.1	EST_HUMAN	RC2-ET0023-080500-012-e05 ET0023 Homo sapiens cDNA
6599	19849	32920	2.93	8.0E-78	AW947081.1	EST_HUMAN	RC2-ET0023-080500-012-e05 ET0023 Homo sapiens cDNA
86	13202	26126	2.14	6.0E-78	AU118789.1	EST_HUMAN	RC2-ET0023-080500-012-e05 ET0023 Homo sapiens cDNA
86	13202	26127	2.14	6.0E-78	AU118789.1	EST_HUMAN	AU118789 HEMBA1 Homo sapiens cDNA clone HEMBA1004354 5'
3325	16376	29297	8.56	6.0E-78	BF344101.1	EST_HUMAN	AU118789 HEMBA1 Homo sapiens cDNA clone HEMBA1004354 5'
6712	19768		2.34	6.0E-78	11432710	NT	602016928F1 NCI_CGAP_Brm64 Homo sapiens cDNA clone IMAGE:4152511 5'
219	13319	26244	1.79	5.0E-78	11422486	NT	Homo sapiens GDNF family receptor alpha 1 (GFRAL), mRNA
							Homo sapiens hypothetical protein FLJ11316 (FLJ11316), mRNA
							ba54h03.v3 NIH_MGC_10 Homo sapiens cDNA clone IMAGE:2900405 5' similar to WP:Y48B6A.6
2569	15570	28590	5.46	5.0E-78	AW673424.1	EST_HUMAN	CE22121 ;
3396	16445	29372	3.94	5.0E-78	M55586.1	NT	Human collagenase type IV (CLG4) gene, exon 6
5486	18586	31497	2.45	5.0E-78	AF038536.1	NT	Homo sapiens Best's macular dystrophy related protein mRNA, partial cds
5655	18751	31917	24.78	5.0E-78	11416585	NT	Homo sapiens transforming growth factor, beta-induced, 68KD (TGFB1), mRNA

Page 381 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7381	20331	33681	2.22	5.0E-78	AW953120.1	EST_HUMAN	EST385190 IMAGE resequences, MAGB Homo sapiens cDNA
9438	22402	35940	6.85	5.0E-78	U60889.1	NT	Human lysosomal alpha-mannosidase (manB) gene, exon 7
9439	22403	35941	3.51	5.0E-78	BE900836.1	EST_HUMAN	601648061F1 NIH_MGC_92 Homo sapiens cDNA clone IMAGE:3931887 5'
11614	24552	38112	1.64	5.0E-78	BE241639.1	EST_HUMAN	TCAAP1E0686 Pediatric acute myelogenous leukemia cell (FAB M1) Baylor-HGSC project=TCAA Homo sapiens cDNA clone TCAAP0686
11614	24552	38113	1.64	5.0E-78	BE241639.1	EST_HUMAN	TCAAP1E0686 Pediatric acute myelogenous leukemia cell (FAB M1) Baylor-HGSC project=TCAA Homo sapiens cDNA clone TCAAP0686
1139	14182	27133	1.86	4.0E-78	AL043314.2	EST_HUMAN	DKFZp434N0323_r1 434 (synonym: htes3) Homo sapiens cDNA clone DKFZp434N0323 5'
1521	14553	27524	2.74	4.0E-78	AL356841.1	NT	Novel human gene mapping to chromosome 22
1656	14698	27663	1.11	4.0E-78	A1985094.1	EST_HUMAN	wr97b12.x1 NCI_CGAP Kid11 Homo sapiens cDNA clone IMAGE:24656153' similar to SW:WAP_PIG
2326	15337	28360	3.31	4.0E-78	AF107405.1	NT	O46656 WHEY ACIDIC PROTEIN PRECURSOR ;
4350	17377	30256	1.47	4.0E-78	7656876	NT	Homo sapiens pre-mRNA splicing factor (SFRS3) mRNA, complete cds
4807	17824	30720	2.16	4.0E-78	4505806	NT	Homo sapiens synovial (LOC30816), mRNA
5862	18951	32137	1.13	4.0E-78	11420732	NT	Homo sapiens phosphatidylinositol 4-kinase, catalytic, alpha polypeptide (PIK4CA) mRNA
6297	19369	32608	0.81	4.0E-78	7662109	NT	Homo sapiens SFRS3 protein kinase 2 (SRPK2), mRNA
6297	19369	32609	0.61	4.0E-78	7662109	NT	Homo sapiens KIAA0426 gene product (KIAA0426), mRNA
6725	19781	33060	0.59	4.0E-78	4506736	NT	Homo sapiens KIAA0426 gene product (KIAA0426), mRNA
7733	20688	34052	0.58	4.0E-78	4506736	NT	Homo sapiens ribosomal protein S6 kinase, 70kD, polypeptide 1 (RPS8KB1) mRNA
9209	22171	36801	1.66	4.0E-78	AF012872.1	NT	Homo sapiens ribosomal protein S6 kinase, 70kD, polypeptide 1 (RPS8KB1) mRNA
9205	22171	35602	1.66	4.0E-78	AF012872.1	NT	Homo sapiens phosphatidylinositol 4-kinase 230 (p14K230) mRNA, complete cds
9723	22751	36204	0.64	4.0E-78	11417251	NT	Homo sapiens phosphatidylinositol 4-kinase 230 (p14K230) mRNA, complete cds
10811	23732	37233	1.97	4.0E-78	11580151	NT	Homo sapiens X-ray repair complementing defective repair in Chinese hamster cells 4 (XRCC4), mRNA
10811	23732	37234	1.97	4.0E-78	11580151	NT	Homo sapiens hypothetical C2H2 zinc finger protein FLJ22504 (FLJ22504), mRNA
11749	24634	38213	1.65	4.0E-78	AF169148.1	NT	Homo sapiens hypothetical C2H2 zinc finger protein FLJ22504 (FLJ22504), mRNA
11883	24764	38350	5.69	4.0E-78	X05844.1	NT	Homo sapiens s-CaBP1 (CABP1) mRNA, complete cds
12126	24995	38559	2.38	4.0E-78	11024711	NT	Human transforming growth factor-beta precursor gene exons 4-5 (and joined mature peptide)
12797	25426	31739	3.89	4.0E-78	AF011399.1	NT	Homo sapiens myosin, heavy polypeptide 4, skeletal muscle (MYH4), mRNA
162	13265	26189	2.77	3.0E-78	AF096901.1	NT	Homo sapiens gene for AF-6, complete cds
162	13265	26190	2.77	3.0E-78	AF096901.1	NT	Homo sapiens eRF1 gene, complete cds
3778	16818		0.94	3.0E-78	AU140604.1	EST_HUMAN	Homo sapiens eRF1 gene, complete cds
3829	16869	29771	0.88	3.0E-78	4507334	NT	AU140604 PLACES3 Homo sapiens cDNA clone PLACES000373 5'
							Homo sapiens synaptobrevin 1 (SYNJ1), mRNA

Page 382 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4131	16869	29771	0.79	3.0E-78	4507334	NT	Homo sapiens synaptojanin 1 (SYNJ1), mRNA
10849	23571		5.79	3.0E-78	BE144758.1	EST_HUMAN	CMO-HT0180-04-1099-065-c07 HT0180 Homo sapiens cDNA
11328	24278	37804	1.8	3.0E-78	BE156318.1	EST_HUMAN	QV0-HT0367-150200-114-g09 HT0367 Homo sapiens cDNA
3138	16195		4.1	2.0E-78	U04493.1	NT	Homo sapiens type IV collagen alpha 5 chain (COL4A5) gene, exon 20
4042	17080		1.43	2.0E-78	AA311872.1	EST_HUMAN	EST182583 Jurkat T-cells VI Homo sapiens cDNA 5' end
7705	20662	34027	1.24	2.0E-78	AW402306.1	EST_HUMAN	UI-HF-BK0-eaj-g-10-0-UI.r1 NIH_MGC_36 Homo sapiens cDNA clone IMAGE:3054139 5'
7705	20662	34028	1.24	2.0E-78	AW402306.1	EST_HUMAN	UI-HF-BK0-eaj-g-10-0-UI.r1 NIH_MGC_36 Homo sapiens cDNA clone IMAGE:3054139 5'
8003	20942	34335	3.2	2.0E-78	BF689800.1	EST_HUMAN	602186529F1 NIH_MGC_49 Homo sapiens cDNA clone IMAGE:4298599 5'
8375	21344	34755	2.54	2.0E-78	AV714177.1	EST_HUMAN	AV714177 DCB Homo sapiens cDNA clone DCBAWF09 5'
8795	21762	35183	1.51	2.0E-78	AI557509.1	EST_HUMAN	P2.1_16_B07.r tumor2 Homo sapiens cDNA 3'
8795	21762	35184	1.51	2.0E-78	AI557509.1	EST_HUMAN	P2.1_16_B07.r tumor2 Homo sapiens cDNA 3'
11416	24360	37895	2.5	2.0E-78	AI197837.1	EST_HUMAN	q150h05.x1 NCI_GGAP_Bm25 Homo sapiens cDNA clone IMAGE:1859961 3' similar to WP.R90.1
11458	24401	37949	2.03	2.0E-78	N66951.1	EST_HUMAN	CE08325 PROTEIN KINASE ;
5378	18482	31357	3.22	1.0E-78	11417304	NT	za48112.s1 Soares fetal liver spleen 1NFSL Homo sapiens cDNA clone IMAGE:295823 3'
7144	18378	31264	0.67	1.0E-78	AV648699.1	EST_HUMAN	Homo sapiens GAP-like protein (LOC51306), mRNA
8499	21467		2.95	1.0E-78	U52373.1	NT	AV648699 GLC Homo sapiens cDNA clone GLCBMCO1 3'
12323	25125	31847	1.81	1.0E-78	11430460	NT	Human serine/threonine kinase MNB (mnb) mRNA, complete cds
4727	17747	30638	3.81	9.0E-79	11525891	NT	Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA
4899	17916	30807	3.55	9.0E-79	BE000837.1	EST_HUMAN	Homo sapiens peptide YY (PYY), mRNA
5507	18607	31537	16.13	9.0E-79	AB028070.1	NT	RC2-BN0074-090300-014-c12 BN0074 Homo sapiens cDNA
6474	19539	32785	2.49	9.0E-79	5454145	NT	Homo sapiens mRNA for activator of S phase Kinase, complete cds
6772	19827	33109	0.87	9.0E-79	11430822	NT	Homo sapiens ubiquitin-conjugating enzyme E2E 3 (homologous to yeast UBC4/5) (UBE2E3) mRNA
7573	25694		1.05	9.0E-79	11424427	NT	Homo sapiens hypothetical protein FLJ11294 (FLJ11294), mRNA
7825	20773	34150	0.84	9.0E-79	11421735	NT	Homo sapiens hypothetical protein FLJ20345 (FLJ20345), mRNA
7825	20773	34151	0.84	9.0E-79	11421735	NT	Homo sapiens cAMP response element-binding protein CRE-BPa (H_GS165L15.1), mRNA
7875	20819	34197	0.55	9.0E-79	D30858.1	NT	Homo sapiens cAMP response element-binding protein CRE-BPa (H_GS165L15.1), mRNA
8689	21657	35079	0.5	9.0E-79	11417260	NT	Human T-cell mRNA for glycyl tRNA synthetase, complete cds
8689	21657	35080	0.5	9.0E-79	11417260	NT	Homo sapiens threonyl-tRNA synthetase (TARS), mRNA
9418	22383	35821	5.53	9.0E-79	J02853.1	NT	Homo sapiens threonyl-tRNA synthetase (TARS), mRNA
9418	22383	35822	5.53	9.0E-79	J02853.1	NT	Homo sapiens casein kinase II alpha subunit mRNA, complete cds
9735	22763	36218	0.66	9.0E-79	D87675.1	NT	Homo sapiens casein kinase II alpha subunit mRNA, complete cds
10730	23652	37145	0.65	9.0E-79	11438643	NT	Homo sapiens DNA for amyloid precursor protein, complete cds
							Homo sapiens hypothetical protein FLJ20535 (FLJ20535), mRNA

Page 383 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
10784	23705	37204	1.53	9.0E-79	AF062346.1	NT	Homo sapiens zinc finger protein 216 splice variant 1 (ZNF216) mRNA, complete cds
10784	23705	37205	1.53	9.0E-79	AF062346.1	NT	Homo sapiens zinc finger protein 216 splice variant 1 (ZNF216) mRNA, complete cds
11406	24350	37882	4.27	9.0E-79	AY008273.1	NT	Homo sapiens TRAF6-regulated IKK activator 1 beta Uev1A mRNA, complete cds
11841	24724	38310	2.97	9.0E-79	11423827	NT	Homo sapiens suppressor of white apricot homolog 2 (SWAP2), mRNA
11841	24724	38311	2.97	9.0E-79	11423827	NT	Homo sapiens suppressor of white apricot homolog 2 (SWAP2), mRNA
12115	24985	38586	2.71	9.0E-79	7682451	NT	Homo sapiens KIAA1035 protein (KIAA1035), mRNA
13000	25558	31720	1.55	9.0E-79	11417877	NT	Homo sapiens gamma-glutamyltransferase 1 (GGT1), mRNA
3756	16797	29708	1.33	8.0E-79	AL163210.2	NT	Homo sapiens chromosome 21 segment HS21C010
5195	18204	31078	0.66	8.0E-79	8587387	NT	Homo sapiens period (Drosophila) homolog 3 (PER3), mRNA
3266	16320	29242	7.24	7.0E-79	BE619648.1	EST_HUMAN	601472768T1 NIH_MGC_68 Homo sapiens cDNA clone IMAGE:3875657 3'
12170	25020		2.63	6.0E-79	AA699829.1	EST_HUMAN	z94604.s1 Soares fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:482558 3' similar to
11824	24707	38290	4.57	5.0E-79	AL163282.2	NT	TR:Q15408 Q15408 NEUTRAL PROTEASE LARGE SUBUNIT
3191	16246		1.35	4.0E-79	8922325	NT	Homo sapiens chromosome 21 segment HS21C082
313	13405	26331	1.46	3.0E-79	AF114488.1	NT	Homo sapiens hypothetical protein FLJ10283 (FLJ10283), mRNA
979	14030	26984	2.02	3.0E-79	AF232708.1	NT	Homo sapiens interectin short isoform (ITSN) mRNA, complete cds
3115	16172	29082	1.82	3.0E-79	U09410.1	NT	Homo sapiens cell-line tsA201a chloride ion current inducer protein (Cin) gene, complete cds
5435	18537	31445	6.05	3.0E-79	AF110322.1	NT	Human zinc finger protein ZNF131 mRNA, partial cds
5812	18902	32089	1.61	3.0E-79	AB020699.1	NT	Homo sapiens MSTP018 (MST018) mRNA, complete cds
5841	18931	32115	0.95	3.0E-79	BE789470.1	EST_HUMAN	Homo sapiens mRNA for KIAA0892 protein, partial cds
5841	18931	32116	0.95	3.0E-79	BE789470.1	EST_HUMAN	601482143F1 NIH_MGC_68 Homo sapiens cDNA clone IMAGE:3884554 5'
5863	18952	32138	4.05	3.0E-79	11428770	NT	601482143F1 NIH_MGC_68 Homo sapiens cDNA clone IMAGE:3884554 5'
5863	18952	32139	4.05	3.0E-79	11428770	NT	Homo sapiens netrin 1 (NTN1), mRNA
6909	19961	33257	0.8	3.0E-79	BE256893.1	EST_HUMAN	Homo sapiens netrin 1 (NTN1), mRNA
7262	19997	33294	3.31	3.0E-79	AB014520.1	NT	601112055F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3352885 5'
7262	19997	33295	3.31	3.0E-79	AB014520.1	NT	Homo sapiens mRNA for KIAA0820 protein, partial cds
8504	21472	34886	1.58	3.0E-79	AF249273.1	NT	Homo sapiens Bcl-2-associated transcription factor short form mRNA, complete cds
9758	22699	36156	0.57	3.0E-79	10835038	NT	Homo sapiens tetraicopeptide repeat domain 3 (TTC3), mRNA
10712	23634		0.64	3.0E-79	AV698115.1	EST_HUMAN	Homo sapiens tetraicopeptide repeat domain 3 (TTC3), mRNA
287	13382		2.05	2.0E-79	H63129.1	EST_HUMAN	AV698115 GKCC Homo sapiens cDNA clone GKCAHE11 5'
635	13701	26622	1.29	2.0E-79	BE378926.1	EST_HUMAN	y44803.s1 Soares fetal liver spleen_1NFLS Homo sapiens cDNA clone IMAGE:208541 3'
928	13981	26935	1.35	2.0E-79	4757841	NT	601159415F2 NIH_MGC_53 Homo sapiens cDNA clone IMAGE:3511107 5'
985	14036	26990	4.78	2.0E-79	4885234	NT	Homo sapiens BCL2-like 2 (BCL2L2) mRNA
985	14036	26991	4.78	2.0E-79	4885234	NT	Homo sapiens Gardner-Rasheed feline sarcoma viral (v-fgr) oncogene homolog (FGR) mRNA

Table 4

Single Exon Probes Expressed In Bone Marrow

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1036	14082		1.02	2.0E-79	AI523747.1	EST_HUMAN	h18h07.x1 NC1_CGAP_Fr28 Homo sapiens cDNA clone IMAGE:2118685 3'
1804	14832	27819	0.97	2.0E-79	7657024	NT	Homo sapiens Dickkopf gene 4 (DKK-4), mRNA
1804	14832	27820	0.97	2.0E-79	7657024	NT	Homo sapiens Dickkopf gene 4 (DKK-4), mRNA
1803	14918	27914	0.92	2.0E-79	7662255	NT	Homo sapiens KIAA0703 gene product (KIAA0703), mRNA
2158	15174	28193	4.97	2.0E-79	4585863	NT	Homo sapiens phosphodiesterase 6A, cGMP-specific, rod, alpha (PDE6A), mRNA
2158	15174	28194	4.97	2.0E-79	4585863	NT	Homo sapiens phosphodiesterase 6A, cGMP-specific, rod, alpha (PDE6A), mRNA
2202	15217	28237	0.91	2.0E-79	AJ271408.1	NT	Homo sapiens mRNA for Fas-associated factor, FAF1 (Faf1 gene)
3933	16973	29887	0.83	2.0E-79	AF170492.1	NT	Homo sapiens chloride channel CLC4 (CLC4) mRNA, complete cds
4193	17224	30113	1.15	2.0E-79	AJ271408.1	NT	Homo sapiens mRNA for Fas-associated factor, FAF1 (Faf1 gene)
4716	17736	30628	0.97	2.0E-79	AL183206.2	NT	Homo sapiens chromosome 21 segment HS21C006
5754	18848		1.25	2.0E-79	AA312223.1	EST_HUMAN	EST182926 Jurkat T-cells VI Homo sapiens cDNA 5' end similar to C. elegans hypothetical protein, cosmid B0303.15
5815	18905	32088	0.98	2.0E-79	11181769	NT	Homo sapiens X transporter protein 3 (XT3), mRNA
6371	19439	32682	1.07	2.0E-79	AB020637.1	NT	Homo sapiens mRNA for KIAA0830 protein, partial cds
7153	18385	31273	0.7	2.0E-79	AF263613.1	NT	Homo sapiens membrane-associated calcium-independent phospholipase A2 gamma mRNA, complete cds
7373	20343	33694	1.74	2.0E-79	7382479	NT	Homo sapiens Rho GTPase activating protein 6 (ARHGAP6), transcript variant 4, mRNA
7373	20343	33695	1.74	2.0E-79	7382479	NT	Homo sapiens Rho GTPase activating protein 6 (ARHGAP6), transcript variant 4, mRNA
8437	21406	34818	1.13	2.0E-79	4506442	NT	Homo sapiens retinoblastoma-like 1 (p107) (RBL1) mRNA
8862	21829	35252	2.55	2.0E-79	11427428	NT	Homo sapiens hypothetical protein FLJ11006 (FLJ11006), mRNA
9118	22084	35512	0.46	2.0E-79	8923248	NT	Homo sapiens hypothetical protein FLJ20275 (FLJ20275), mRNA
9118	22084	35513	0.46	2.0E-79	8923248	NT	Homo sapiens hypothetical protein FLJ20275 (FLJ20275), mRNA
9357	22322	35749	1.1	2.0E-79	11432184	NT	Homo sapiens similar to ATPase, H+ transporting, lysosomal (vacuolar proton pump) membrane sector associated protein M8-9 (H. sapiens) (LOC63961), mRNA
10452	23374	36865	3.12	2.0E-79	S72869.1	NT	H4(D10S170)=putative cytoskeletal protein [human, thyroid, mRNA, 3011 nt]
10452	23374	36866	3.12	2.0E-79	S72869.1	NT	H4(D10S170)=putative cytoskeletal protein [human, thyroid, mRNA, 3011 nt]
11368	24315	37840	3.86	2.0E-79	BE064386.1	EST_HUMAN	RC4-BT0310-110300-015-110 BT0310 Homo sapiens cDNA
11368	24315	37841	3.86	2.0E-79	BE064386.1	EST_HUMAN	RC4-BT0310-110300-015-110 BT0310 Homo sapiens cDNA
11668	24602		2.82	2.0E-79	AB036532.1	NT	Homo sapiens p53R2 gene for ribonucleotide reductase, exon 9 and complete cds
12207	18350	31295	3.21	2.0E-79	7662357	NT	Homo sapiens KIAA0879 protein (KIAA0879), mRNA
12293	25107	31837	4.8	2.0E-79	AB020640.1	NT	Homo sapiens mRNA for KIAA0833 protein, partial cds
12524	25254	31804	2.41	2.0E-79	11418322	NT	Homo sapiens cadherin EGF LAG seven-pass G-type receptor 1 (CELSR1), mRNA
6739	25666		3.26	1.0E-79	BF363071.1	EST_HUMAN	MRO-NN0087-260600-017-b10 NN0087 Homo sapiens cDNA

Single Exon Probes Expressed In Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6852	19905	33200	0.51	1.0E-79	AI613480.1	EST_HUMAN	U37508.x1 NCI_CGAP_U12 Homo sapiens cDNA clone IMAGE:2281286 3' similar to TR:Q26623 Q26623 TEKTIN C1.;
6852	19905	33201	0.51	1.0E-79	AI613480.1	EST_HUMAN	U37508.x1 NCI_CGAP_U12 Homo sapiens cDNA clone IMAGE:2281286 3' similar to TR:Q26623 Q26623 TEKTIN C1.;
8587	21555	34971	0.73	1.0E-79	BE394211.1	EST_HUMAN	U37508.x1 NCI_CGAP_U12 Homo sapiens cDNA clone IMAGE:2281286 3' similar to TR:Q26623 Q26623 TEKTIN C1.;
11944	24824	38419	2.64	1.0E-79	BF087405.1	EST_HUMAN	U37508.x1 NCI_CGAP_U12 Homo sapiens cDNA clone IMAGE:2281286 3' similar to TR:Q26623 Q26623 TEKTIN C1.;
3161	16217	29131	6.25	9.0E-80	AA725848.1	EST_HUMAN	U37508.x1 NCI_CGAP_U12 Homo sapiens cDNA clone IMAGE:2281286 3' similar to TR:Q26623 Q26623 TEKTIN C1.;
3161	16217	29132	6.25	9.0E-80	AA725848.1	EST_HUMAN	U37508.x1 NCI_CGAP_U12 Homo sapiens cDNA clone IMAGE:2281286 3' similar to TR:Q26623 Q26623 TEKTIN C1.;
10373	23298	36772	1.02	9.0E-80	BE786803.1	EST_HUMAN	U37508.x1 NCI_CGAP_U12 Homo sapiens cDNA clone IMAGE:2281286 3' similar to TR:Q26623 Q26623 TEKTIN C1.;
11606	24544	38104	8.28	9.0E-80	11433924	NT	U37508.x1 NCI_CGAP_U12 Homo sapiens cDNA clone IMAGE:2281286 3' similar to TR:Q26623 Q26623 TEKTIN C1.;
11606	24544	38105	8.28	9.0E-80	11433924	NT	U37508.x1 NCI_CGAP_U12 Homo sapiens cDNA clone IMAGE:2281286 3' similar to TR:Q26623 Q26623 TEKTIN C1.;
3616	16680		1.22	8.0E-80	U94387.1	NT	U37508.x1 NCI_CGAP_U12 Homo sapiens cDNA clone IMAGE:2281286 3' similar to TR:Q26623 Q26623 TEKTIN C1.;
7882	20806	34183	2.95	8.0E-80	11422647	NT	U37508.x1 NCI_CGAP_U12 Homo sapiens cDNA clone IMAGE:2281286 3' similar to TR:Q26623 Q26623 TEKTIN C1.;
7882	20806	34184	2.95	8.0E-80	11422647	NT	U37508.x1 NCI_CGAP_U12 Homo sapiens cDNA clone IMAGE:2281286 3' similar to TR:Q26623 Q26623 TEKTIN C1.;
9757	22688	36164	1.14	8.0E-80	6005921	NT	U37508.x1 NCI_CGAP_U12 Homo sapiens cDNA clone IMAGE:2281286 3' similar to TR:Q26623 Q26623 TEKTIN C1.;
9757	22698	36155	1.14	8.0E-80	6005921	NT	U37508.x1 NCI_CGAP_U12 Homo sapiens cDNA clone IMAGE:2281286 3' similar to TR:Q26623 Q26623 TEKTIN C1.;
7166	18397	31242	0.58	7.0E-80	AF127882.1	NT	U37508.x1 NCI_CGAP_U12 Homo sapiens cDNA clone IMAGE:2281286 3' similar to TR:Q26623 Q26623 TEKTIN C1.;
901	13956	26913	0.7	6.0E-80	AI422197.1	EST_HUMAN	U37508.x1 NCI_CGAP_U12 Homo sapiens cDNA clone IMAGE:2281286 3' similar to TR:Q26623 Q26623 TEKTIN C1.;
1650	14882	27855	2.17	6.0E-80	U64898.1	NT	U37508.x1 NCI_CGAP_U12 Homo sapiens cDNA clone IMAGE:2281286 3' similar to TR:Q26623 Q26623 TEKTIN C1.;
2307	15319	28338	1.17	6.0E-80	6631084	NT	U37508.x1 NCI_CGAP_U12 Homo sapiens cDNA clone IMAGE:2281286 3' similar to TR:Q26623 Q26623 TEKTIN C1.;
2307	15319	28339	1.17	6.0E-80	6631084	NT	U37508.x1 NCI_CGAP_U12 Homo sapiens cDNA clone IMAGE:2281286 3' similar to TR:Q26623 Q26623 TEKTIN C1.;
4314	17343	30225	1.1	6.0E-80	AB032981.1	NT	U37508.x1 NCI_CGAP_U12 Homo sapiens cDNA clone IMAGE:2281286 3' similar to TR:Q26623 Q26623 TEKTIN C1.;
4314	17343	30226	1.1	6.0E-80	AB032981.1	NT	U37508.x1 NCI_CGAP_U12 Homo sapiens cDNA clone IMAGE:2281286 3' similar to TR:Q26623 Q26623 TEKTIN C1.;
5899	18988	32177	1.32	6.0E-80	11421462	NT	U37508.x1 NCI_CGAP_U12 Homo sapiens cDNA clone IMAGE:2281286 3' similar to TR:Q26623 Q26623 TEKTIN C1.;
6194	19268	32503	3.12	6.0E-80	AJ404468.1	NT	U37508.x1 NCI_CGAP_U12 Homo sapiens cDNA clone IMAGE:2281286 3' similar to TR:Q26623 Q26623 TEKTIN C1.;
6355	19424	32966	3.81	6.0E-80	11436736	NT	U37508.x1 NCI_CGAP_U12 Homo sapiens cDNA clone IMAGE:2281286 3' similar to TR:Q26623 Q26623 TEKTIN C1.;
6403	19471		0.93	6.0E-80	7822393	NT	U37508.x1 NCI_CGAP_U12 Homo sapiens cDNA clone IMAGE:2281286 3' similar to TR:Q26623 Q26623 TEKTIN C1.;
6455	19520	32770	0.88	6.0E-80	M18533.1	NT	U37508.x1 NCI_CGAP_U12 Homo sapiens cDNA clone IMAGE:2281286 3' similar to TR:Q26623 Q26623 TEKTIN C1.;
8178	22142	35568	3.06	6.0E-80	11528464	NT	U37508.x1 NCI_CGAP_U12 Homo sapiens cDNA clone IMAGE:2281286 3' similar to TR:Q26623 Q26623 TEKTIN C1.;

Page 386 of 546
Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
9176	22142	35569	3.06	6.0E-80	11528484	NT	Homo sapiens G protein-coupled receptor 51 (GPR51), mRNA
9373	22338	35768	1.56	6.0E-80	AL163301.2	NT	Homo sapiens chromosome 21 segment HS21C101
9714	22667	36125	0.94	6.0E-80	AF161495.1	NT	Homo sapiens HSPC146 mRNA, complete cds
9841	22777	36233	0.47	6.0E-80	AJ271735.1	NT	Homo sapiens Xq pseudautosomal region; segment 1/2
10220	23145	36634	1.55	6.0E-80	U20211.1	NT	Homo cone photoreceptor cGMP-phosphodiesterase alpha' subunit gene, exon 21
11289	24239	37766	2.43	6.0E-80	11427366	NT	Homo sapiens brefeldin A-inhibited guanine nucleotide-exchange protein 1 (BIG1), mRNA
11558	24498	38054	20.37	6.0E-80	AF226730.1	NT	Homo sapiens Cy119 mRNA, complete cds
12051	24924	38521	1.64	6.0E-80	AF102265.1	NT	Homo sapiens N-acetylglucosamine-phosphate mutase mRNA, complete cds
12304	25787		2.39	6.0E-80	AF240786.1	NT	Homo sapiens glutathione S-transferase theta 2 (GSTT2) and glutathione S-transferase theta 1 (GSTT1) genes, complete cds
12506	25243		6.41	6.0E-80	AB029900.1	NT	Homo sapiens CST gene for cerebroside sulfoltransferase, exon 1, 2, 3, 4, 5
12994	25914		4.47	6.0E-80	AJ133127.1	NT	Homo sapiens mRNA for sodium-glucose cotransporter (SGLT2 gene)
590	13657	26572	2.89	5.0E-80	4506228	NT	Homo sapiens proteasome (prosome, macropain) 26S subunit, non-ATPase, 3 (PSMD3) mRNA
836	13893	26848	1.49	5.0E-80	AF108830.1	NT	Homo sapiens serine-threonine protein kinase (MN1H) mRNA, complete cds
836	13893	26849	1.49	5.0E-80	AF108830.1	NT	Homo sapiens serine-threonine protein kinase (MN1H) mRNA, complete cds
1193	14233		0.98	5.0E-80	X91647.1	NT	H.sapiens ncx1 gene (exon 12)
1450	14483		2.21	5.0E-80	AL183283.2	NT	Homo sapiens chromosome 21 segment HS21C083
2369	15377	28400	1.92	5.0E-80	U89358.1	NT	Human (3)mbt protein homolog mRNA, complete cds
2437	15444	28462	6.37	5.0E-80	AB037855.1	NT	Homo sapiens mRNA for KIAA1434 protein, partial cds
2806	15798	28816	5	5.0E-80	4504292	NT	Homo sapiens H3 histone family, member J (H3FJ) mRNA
4069	17105	29999	1.26	5.0E-80	AB019038.1	NT	Homo sapiens HMT-1 mRNA for beta-1,4 mannosyltransferase, complete cds
4069	17105	29999	1.26	5.0E-80	AB019038.1	NT	Homo sapiens HMT-1 mRNA for beta-1,4 mannosyltransferase, complete cds
4991	18006	30894	1.53	5.0E-80	AL163268.2	NT	Homo sapiens chromosome 21 segment HS21C068
8700	21668	35091	1.14	5.0E-80	9910293	NT	Mus musculus keratin complex 2, gene 6g (Krt2-6g), mRNA
9613	22617	36069	15.19	4.0E-80	F25915.1	EST_HUMAN	HSPD13155 HM3 Homo sapiens cDNA clone s4000045F03
218	13318		9.37	3.0E-80	AL163210.2	NT	Homo sapiens chromosome 21 segment HS21C010
4738	17758	30653	1.45	3.0E-80	BF085009.1	EST_HUMAN	PMO-GN0018-040900-002-E03 GN0018 Homo sapiens cDNA
4945	17961		3.11	3.0E-80	BE817465.1	EST_HUMAN	QV4-BN0263-040600-241-g10 BN0263 Homo sapiens cDNA
5919	19005	32197	2.02	3.0E-80	AI091875.1	EST_HUMAN	TR-O38790 O35790 PIG-L;
1814	14841	27832	4.7	2.0E-80	R35321.1	EST_HUMAN	Y65408.1 Scores infant brain 1N1B Homo sapiens cDNA clone IMAGE:38060 5'
1877	14902	27902	1.49	2.0E-80	AI444821.1	EST_HUMAN	RET487 subtracted retina cDNA library Homo sapiens cDNA clone RET487
2071	15088	28106	5.1	2.0E-80	AL043116.2	EST_HUMAN	DKFZp434D1323_r1 434 (synonym: htes3) Homo sapiens cDNA clone DKFZp434D1323 5'
6374	19442	32684	0.69	2.0E-80	AI923972.1	EST_HUMAN	wn49c10.x1 NC_CGAP_Lu19 Homo sapiens cDNA clone IMAGE:2448786 3'

Page 387 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6374	19442	32885	0.69	2.0E-80	A1923972.1	EST_HUMAN	wn48c10.x1 NCI_CGAP_Lu19 Homo sapiens cDNA clone IMAGE:2448786 3'
6977	20200	33530	1.01	2.0E-80	AA582952.1	EST_HUMAN	nn80d01.s1 NCI_CGAP_Ca9 Homo sapiens cDNA clone IMAGE:1090177 3'
7098	20032	33335	1.51	2.0E-80	11421930	NT	Homo sapiens Golgi transport complex protein (90 kDa) (GTC90), mRNA
7463	20429	33786	0.81	2.0E-80	T75215.1	EST_HUMAN	yc86f12.r1 Soares infant brain 1N1B Homo sapiens cDNA clone IMAGE:22851 5' similar to SP:K1CR_XENLA P08802 KERATIN, TYPE I CYTOSKELETAL ENDO B ;
9514	22477	35922	1.22	2.0E-80	AW984270.1	EST_HUMAN	EST376343 MAGE resequences, MAGH Homo sapiens cDNA
10128	23052	36530	0.97	2.0E-80	AJ007379.1	NT	Homo sapiens GGT gene, exon 6
11218	24169	37697	8.05	2.0E-80	AA393362.1	EST_HUMAN	z70f12.r1 Soares testis_NHT Homo sapiens cDNA clone IMAGE:727727 5' similar to TR:G191315
340	13429		2.11	1.0E-80	AL163303.2	NT	G191315 ANDROGEN-DEPENDENT EXPRESSED PROTEIN. ;
800	13859	26806	1.95	1.0E-80	AF231920.1	NT	Homo sapiens chromosome 21 segment HS21C103
1971	14992		2.82	1.0E-80	A1732656.1	EST_HUMAN	nn01112.x5 NCI_CGAP_Ca9 Homo sapiens cDNA clone IMAGE:1076495 3' similar to contains OFR.11 OFR repetitive element ;
4857	17874	30762	0.78	1.0E-80	N99520.1	EST_HUMAN	za38g07.r1 Soares fetal liver spleen 1N1FLS Homo sapiens cDNA clone IMAGE:264972 5' similar to contains
5400	18503		3.62	1.0E-80	BE386615.1	EST_HUMAN	Alu repetitive element
5083	19183	32375	6.24	1.0E-80	L10347.1	NT	Human pro-alpha1 type II collagen (COL2A1) gene exons 1-54, complete cds
6846	19704	32980	1.3	1.0E-80	5174540	NT	Homo sapiens malate dehydrogenase 2, NAD (mitochondrial) (MDH2), nuclear gene encoding mitochondrial protein, mRNA
7414	20381	33732	1.09	1.0E-80	AJ224172.1	NT	Homo sapiens mRNA for lipophilin B
7824	20772	34148	2.6	1.0E-80	A1948731.1	EST_HUMAN	wq25c05.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2472286 3'
7824	20772	34149	2.6	1.0E-80	A1948731.1	EST_HUMAN	wq25c05.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2472286 3'
8573	21541	34961	1.17	1.0E-80	11421211	NT	Homo sapiens protein tyrosine phosphatase, receptor type, A (PTPRA), mRNA
9048	22014	35437	0.92	1.0E-80	11421211	NT	Homo sapiens protein tyrosine phosphatase, receptor type, A (PTPRA), mRNA
9048	22014	35438	0.92	1.0E-80	11421211	NT	Homo sapiens protein tyrosine phosphatase, receptor type, A (PTPRA), mRNA
9640	22584	36032	1.26	1.0E-80	AF245219.1	NT	Homo sapiens probable mannose binding C-type lectin DC-SIGNR mRNA, complete cds
9640	22584	36033	1.26	1.0E-80	AF245219.1	NT	Homo sapiens probable mannose binding C-type lectin DC-SIGNR mRNA, complete cds
10791	23712	37214	1.12	1.0E-80	D63478.2	NT	Homo sapiens mRNA for KIAA0145 protein, partial cds
11013	23978	37503	1.72	1.0E-80	11641276	NT	Homo sapiens similar to rat myomegalin (LOC64182), mRNA
11013	23978	37504	1.72	1.0E-80	11641276	NT	Homo sapiens similar to rat myomegalin (LOC64182), mRNA
11443	24366	37928	1.67	1.0E-80	8923939	NT	Homo sapiens myosin, heavy polypeptide 2, skeletal muscle, adult (MYH2), mRNA
12578	25287	31779	2.27	1.0E-80	11417901	NT	Homo sapiens meningioma (disrupted in balanced translocation) 1 (MN1), mRNA
11488	24431	37980	9.7	8.0E-81	BE394625.1	EST_HUMAN	601310531F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3632070 5'
7464	20430	33787	2.97	7.0E-81	A1822115.1	EST_HUMAN	z991a08.x5 Soares_fetal_lung_NHL19W Homo sapiens cDNA clone IMAGE:299918 3'

Page 388 of 546
Table 4
Single Exon Probes Expressed In Bone Marrow

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4414	17441	30331	4.98	6.0E-81	BE256829.1	EST_HUMAN	601111970F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3352840 5'
4414	17441	30332	4.98	6.0E-81	BE256829.1	EST_HUMAN	601111970F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3352840 5'
5355	18460	31329	1.65	6.0E-81	4501848	NT	Homo sapiens ATP-binding cassette, sub-family A (ABC1), member 3 (ABCA3), mRNA
5355	18460	31330	1.65	6.0E-81	4501848	NT	Homo sapiens ATP-binding cassette, sub-family A (ABC1), member 3 (ABCA3), mRNA
7845	20792	34168	0.56	6.0E-81	AF038660.1	NT	Homo sapiens chromosome 1p33-p34 beta-1, 4-galactosyltransferase mRNA, complete cds
9592	22554	36004	1.17	6.0E-81	AA380017.1	EST_HUMAN	EST69129 Fetal lung II Homo sapiens cDNA 5' end
12707	25364	31768	2.68	6.0E-81	BF679022.1	EST_HUMAN	602153666F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:4294601 5'
12707	25364	31769	2.68	6.0E-81	BF679022.1	EST_HUMAN	602153666F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:4294601 5'
2226	15240	28265	2.27	5.0E-81	BE288042.1	EST_HUMAN	601125505F1 NIH_MGC_8 Homo sapiens cDNA clone IMAGE:3345480 5'
8755	21723	35146	1.67	5.0E-81	AB007923.1	NT	Homo sapiens mRNA for KIAA0454 protein, partial cds
8755	21723	35147	1.57	5.0E-81	AB007923.1	NT	Homo sapiens mRNA for KIAA0454 protein, partial cds
10006	22833	36396	0.81	5.0E-81	M60316.1	NT	Human transforming growth factor-beta (tgf-beta) mRNA, complete cds
10006	22833	36397	0.91	5.0E-81	M60316.1	NT	Human transforming growth factor-beta (tgf-beta) mRNA, complete cds
11908	24789	36378	1.84	5.0E-81	9506834	NT	Homo sapiens hypothetical protein (FLJ11045), mRNA
703	13765	28700	1.21	4.0E-81	A521435.1	EST_HUMAN	th60e12.x1 NCI_CGAP_Ov23 Homo sapiens cDNA clone IMAGE:2122702 3' similar to TR:Q85560 Q85560
1839	14866	27865	1.36	4.0E-81	AW779612.1	EST_HUMAN	hn98d02.x1 NCI_CGAP_Co14 Homo sapiens cDNA clone IMAGE:3035907 3' similar to SW:COGP_BOVIN
3186	16241	29159	4.49	4.0E-81	AB037766.1	NT	P53620 COATOMER GAMMA SUBUNIT ; Homo sapiens mRNA for KIAA1345 protein, partial cds
3644	16687	29602	0.99	4.0E-81	AW004608.1	EST_HUMAN	ws90h03.x1 NCI_CGAP_Co3 Homo sapiens cDNA clone IMAGE:2505269 3' similar to TR:O43815 O43815
4187	17218	30104	1.85	4.0E-81	AF263306.1	NT	STRATIN. ; Homo sapiens rab3 interacting protein variant 2 mRNA, partial cds
4187	17218	30105	1.85	4.0E-81	AF263306.1	NT	Homo sapiens rab3 interacting protein variant 2 mRNA, partial cds
4419	17446	30337	1.1	4.0E-81	8923209	NT	Homo sapiens hypothetical protein FLJ20220 (FLJ20220), mRNA
7492	20457	33815	0.93	4.0E-81	4757893	NT	Homo sapiens calcium channel, voltage-dependent, L type, alpha 2/delta subunit (CACNA2) mRNA
7829	20589	33952	0.89	4.0E-81	11420544	NT	Homo sapiens epsilon variant gene 1 (ETV1), mRNA
8630	21598	35019	2	4.0E-81	X06989.1	NT	Human mRNA for amyloid A4(751) protein
8890	21856	35276	3.34	4.0E-81	U20197.1	NT	Human cone photoreceptor cGMP-phosphodiesterase alpha' subunit gene, exons 2 and 3
8890	21856	35277	3.34	4.0E-81	U20197.1	NT	Human cone photoreceptor cGMP-phosphodiesterase alpha' subunit gene, exons 2 and 3
9581	22543	35994	3.82	4.0E-81	AB018001.1	NT	Homo sapiens mRNA for Death-associated protein kinase 2, complete cds
10481	23383	36876	1.82	4.0E-81	11425281	NT	Homo sapiens ligase I, DNA, ATP-dependent (LIG1), mRNA
10531	23453	36950	0.67	4.0E-81	11439065	NT	Homo sapiens acyl-Coenzyme A dehydrogenase family, member 8 (ACAD8), mRNA
10531	23453	36951	0.67	4.0E-81	11439065	NT	Homo sapiens acyl-Coenzyme A dehydrogenase family, member 8 (ACAD8), mRNA

Page 389 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
11519	24460	38010	3.39	4.0E-81	4759085	NT	Homo sapiens vesicle trafficking protein sec22b (SEC22B) mRNA
11519	24460	38011	3.39	4.0E-81	4759085	NT	Homo sapiens vesicle trafficking protein sec22b (SEC22B) mRNA
12200	25853	31438	3.45	4.0E-81	11417862	NT	Homo sapiens calcineurin binding protein 1 (KIAA0330), mRNA
12200	25853	31439	3.45	4.0E-81	11417862	NT	Homo sapiens calcineurin binding protein 1 (KIAA0330), mRNA
12737	25389	31753	1.71	4.0E-81	11417871	NT	Homo sapiens beta-ureidopropionase (LOC51733), mRNA
12737	25389	31754	1.71	4.0E-81	11417871	NT	Homo sapiens beta-ureidopropionase (LOC51733), mRNA
12878	28472	31729	3.69	4.0E-81	11417974	NT	Homo sapiens transcobalamin II; macrocytic anemia (TCN2), mRNA
1272	14307	27266	10.2	3.0E-81	Y18000.1	NT	Homo sapiens NF2 gene
1272	14307	27267	10.2	3.0E-81	Y18000.1	NT	Homo sapiens NF2 gene
2380	15388	28412	1.65	3.0E-81	AF077188.1	NT	Homo sapiens cullin 4A (CUL4A) mRNA, complete cds
3004	16082	28980	5.19	3.0E-81	4506280	NT	Homo sapiens pleiotrophin (heparin binding growth factor 8, neurite growth-promoting factor 1) (PTN) mRNA
3004	16082	28981	5.19	3.0E-81	4506280	NT	Homo sapiens pleiotrophin (heparin binding growth factor 8, neurite growth-promoting factor 1) (PTN) mRNA
2844	15904	28828	2.48	2.0E-81	BE784636.1	EST_HUMAN	601474072F1 NIH_MGC_68 Homo sapiens cDNA clone IMAGE:3877121 5'
2844	15904	28829	2.48	2.0E-81	BE784636.1	EST_HUMAN	601474072F1 NIH_MGC_68 Homo sapiens cDNA clone IMAGE:3877121 5'
3787	16828	29736	0.88	2.0E-81	AW611542.1	EST_HUMAN	hg85c01.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2952384 3'
8290	21259	34670	0.53	2.0E-81	8923839	NT	Homo sapiens hypothetical protein (LOC55586), mRNA
13032	16828	29735	2.55	2.0E-81	AW611542.1	EST_HUMAN	hg85c01.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2952384 3'
4543	17566	30453	3.12	1.0E-81	AA040370.1	EST_HUMAN	z445f09.r1 Soares_pregnant_uterus_NIHPU Homo sapiens cDNA clone IMAGE:485826 5' similar to
4675	17606	30583	9.34	1.0E-81	BE047986.1	EST_HUMAN	PIR:S52437 S52437 CDP-diacylglycerol synthase - fruit fly
5308	18326	38611	3.31	1.0E-81	U67928.1	NT	tz45c04.y1 NCI_CGAP_Bm52 Homo sapiens cDNA clone IMAGE:2291526 5'
5427	18530	31409	3.8	1.0E-81	11432966	NT	Human acetylcholinesterase (ACO2) gene, exon 3
5427	18530	31410	3.8	1.0E-81	11432966	NT	Homo sapiens polymerase (DNA directed), gamma (POLG), mRNA
5580	18676	31639	0.83	1.0E-81	AA255569.1	EST_HUMAN	Homo sapiens polymerase (DNA directed), gamma (POLG), mRNA
5737	18831	32009	3.37	1.0E-81	U52351.1	NT	zr85d06.r1 Soares_NIHMPu_S1 Homo sapiens cDNA clone IMAGE:982475 5' similar to SW:PRI2_HUMAN
5737	18831	32010	3.37	1.0E-81	U52351.1	NT	P49843 DNA PRIMASE 58 KD SUBUNIT
5737	18831	32010	3.37	1.0E-81	U52351.1	NT	Homo sapiens arm-repeat protein NPRAP/neurjungin (CTNND2) mRNA, partial cds
6269	19342	32575	1.55	1.0E-81	BF674641.1	EST_HUMAN	Homo sapiens arm-repeat protein NPRAP/neurjungin (CTNND2) mRNA, partial cds
6699	19756	33032	0.56	1.0E-81	11420955	NT	602137864F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:4274936 5'
6699	19756	33033	0.56	1.0E-81	11420955	NT	Homo sapiens phosphodiesterase 1C, calmodulin-dependent (70kD) (PDE1C), mRNA
6699	19756	33033	0.56	1.0E-81	11420955	NT	Homo sapiens phosphodiesterase 1C, calmodulin-dependent (70kD) (PDE1C), mRNA
6902	19954	33251	1.26	1.0E-81	AJ133269.1	NT	Homo sapiens caveolin-1/2 locus, Contig1, D7S622, genes CAV2 (exons 1, 2a, and 2b), CAV1 (exons 1 and 2)

Page 390 of 546
Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8049	20966	34382	7.53	1.0E-81	11432966	NT	Homo sapiens polymerase (DNA directed), gamma (POLG), mRNA
10134	23060	36537	7.65	1.0E-81	BE958278.1	EST_HUMAN	601645051F1 NIH_MGC_56 Homo sapiens cDNA clone IMAGE:3930228 5'
10134	23060	36538	7.65	1.0E-81	BE958278.1	EST_HUMAN	601645051F1 NIH_MGC_56 Homo sapiens cDNA clone IMAGE:3930228 5'
10328	23252	36731	4.63	1.0E-81	BE564387.1	EST_HUMAN	601343180F1 NIH_MGC_53 Homo sapiens cDNA clone IMAGE:3885483 5'
							act14d06 s1 Stratagene HeLa cell s3 937216 Homo sapiens cDNA clone IMAGE:866427 3' similar to SW:YB36_YEAST P38126 HYPOTHETICAL 60.5 KD PROTEIN IN RPS101-RPS13 INTERGENIC REGION:
10463	23385	36878	1.09	1.0E-81	AA630784.1	EST_HUMAN	601577339F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3838280 5'
10465	23387	36880	3.01	1.0E-81	BE744545.1	EST_HUMAN	601577339F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3838280 5'
10465	23387	36881	3.01	1.0E-81	BE744545.1	EST_HUMAN	601577339F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3838280 5'
10874	23794	37296	1.7	1.0E-81	AW897550.1	EST_HUMAN	CM3-NN0059-140400-147-at2 NN0059 Homo sapiens cDNA
11425	24369	37905	2.9	1.0E-81	AW844986.1	EST_HUMAN	MR0-CT0006-250599-019 CT0006 Homo sapiens cDNA
11425	24369	37906	2.9	1.0E-81	AW844986.1	EST_HUMAN	MR0-CT0006-250599-019 CT0006 Homo sapiens cDNA
11429	24373	37911	6.55	1.0E-81	AW798167.1	EST_HUMAN	RC3-UM0046-290200-011-a06 UM0046 Homo sapiens cDNA
11429	24373	37912	6.55	1.0E-81	AW798167.1	EST_HUMAN	RC3-UM0046-290200-011-a06 UM0046 Homo sapiens cDNA
11851	24734	38321	2.11	1.0E-81	BF204253.1	EST_HUMAN	601867714F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:4110459 5'
12414	25185	31822	4.59	1.0E-81	11418138	NT	Homo sapiens phorbol (similar to apolipoprotein B mRNA encoding protein) (DJ742C19.2), mRNA
13	13133	26031	0.94	8.0E-82	AF161406.1	NT	Homo sapiens HSPC288 mRNA, partial cds
107	13133	26031	2.07	8.0E-82	AF161406.1	NT	Homo sapiens HSPC288 mRNA, partial cds
263	13359	26284	2.7	8.0E-82	U08988.1	NT	Human CRFB4 gene, partial cds
815	13873	26821	14.95	8.0E-82	U08988.1	NT	Human CRFB4 gene, partial cds
888	13943	26901	1.44	8.0E-82	U08988.1	NT	Human CRFB4 gene, partial cds
1487	14520	27493	1.36	8.0E-82	AB037748.1	NT	Homo sapiens mRNA for KIAA1327 protein, partial cds
1666	14698	27674	1.7	8.0E-82	6715601	NT	Homo sapiens glutathione peroxidase 5 (epididymal androgen-related protein) (GPX5), transcript variant 2, mRNA
4114	17148	30040	0.62	8.0E-82	4504116	NT	Homo sapiens glutamate receptor, ionotropic, kainate 1 (GRIK1) mRNA
4272	17301	30181	0.75	8.0E-82	8923432	NT	Homo sapiens hypothetical protein FLJ20461 (FLJ20461), mRNA
1444	14477	28789	2.53	7.0E-82	BF035327.1	EST_HUMAN	601458531F1 NIH_MGC_66 Homo sapiens cDNA clone IMAGE:3862086 5'
2777	15769	28789	1.8	7.0E-82	AU144050.1	EST_HUMAN	AU144050 HEMBA1 Homo sapiens cDNA clone HEMBA1000752 3'
12053	24926	38524	1.75	7.0E-82	AA663747.1	EST_HUMAN	ae68e04 s1 Stratagene schizo brain S11 Homo sapiens cDNA clone IMAGE:969342 3'
1680	14712	27690	25.07	4.0E-82	AF081484.1	NT	Homo sapiens alpha-tubulin isoform 1 mRNA, complete cds
5574	18670	31632	0.89	4.0E-82	BF351691.1	EST_HUMAN	QV2-HT0540-120900-362-f08 HT0540 Homo sapiens cDNA
5574	18670	31633	0.89	4.0E-82	BF351691.1	EST_HUMAN	QV2-HT0540-120900-362-f08 HT0540 Homo sapiens cDNA
5851	18941	32126	0.59	4.0E-82	M25833.1	NT	Human von Willebrand factor gene, exon 9

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
12025	24901	38498	7.32	4.0E-82	AI937300.1	EST_HUMAN	wp75609.x1 NCL_CGAP_Brn25 Homo sapiens cDNA clone IMAGE:2467624 3' similar to TR:O75276
12657	25337		3.69	4.0E-82	AF029701.2	NT	O75276 PKD1 ; Homo sapiens presenilin-1 gene, exons 1 and 2
277	13373	26304	16.34	3.0E-82	4502186	NT	Homo sapiens amyloid beta (A4) precursor protein (protease nexin-II, Alzheimer disease) (APP), mRNA
704	13766	26701	2.76	3.0E-82	BE005705.1	EST_HUMAN	RC2-BN0120-010400-013-02 BN0120 Homo sapiens cDNA
788	13847	26784	10.4	3.0E-82	5174702	NT	Homo sapiens transforming growth factor beta-activated kinase-binding protein 1 (TAB1), mRNA
871	13927	26885	6.11	3.0E-82	4502186	NT	Homo sapiens amyloid beta (A4) precursor protein (protease nexin-II, Alzheimer disease) (APP), mRNA
1082	14108		53.62	3.0E-82	AA725948.1	EST_HUMAN	ai23e05.x1 Soeres_testis_NHT Homo sapiens cDNA clone 1343648 3'
1357	14392	27363	1.01	3.0E-82	AW875073.1	EST_HUMAN	RC6-PT0001-190100-021-802 PT0001 Homo sapiens cDNA
1462	14495	27469	2.51	3.0E-82	AL163285.2	NT	Homo sapiens chromosome 21 segment HS21C085
1917	14941	27937	1.95	3.0E-82	BE813232.1	EST_HUMAN	RC1-BN0005-260700-018-g04 BN0005 Homo sapiens cDNA
2023	15043	28056	1.2	3.0E-82	4501922	NT	Homo sapiens adenylylate cyclase activating polypeptide 1 (pituitary) receptor type I (ADCYAP1R1) mRNA
3285	16339		2.31	3.0E-82	6453811	NT	Homo sapiens neurotrophic tyrosine kinase, receptor, type 2 (NTRK2) mRNA
8492	21480	34877	2.7	3.0E-82	11425206	NT	Homo sapiens ankyrin-like with transmembrane domains 1 (ANKTM1), mRNA
8902	21868	35292	0.77	3.0E-82	11432889	NT	Homo sapiens contactin 6 (CNTN6), mRNA
8902	21868	35293	0.77	3.0E-82	11432889	NT	Homo sapiens contactin 6 (CNTN6), mRNA
10183	23108	36590	3.98	3.0E-82	AB029000.1	NT	Homo sapiens mRNA for KIAA1077 protein, partial cds
10183	23108	36591	3.98	3.0E-82	AB029000.1	NT	Homo sapiens mRNA for KIAA1077 protein, partial cds
12108	24978	38577	1.6	3.0E-82	11432889	NT	Homo sapiens contactin 6 (CNTN6), mRNA
12108	24978	38578	1.6	3.0E-82	11432889	NT	Homo sapiens contactin 6 (CNTN6), mRNA
599	13668	26579	1.96	2.0E-82	AB023216.1	NT	Homo sapiens mRNA for KIAA0999 protein, partial cds
599	13668	26580	1.96	2.0E-82	AB023216.1	NT	Homo sapiens mRNA for KIAA0999 protein, partial cds
1694	14724	27707	2.13	2.0E-82	AL046390.1	EST_HUMAN	DKFZp434M117_r1 434 (synonym: hhes3) Homo sapiens cDNA clone DKFZp434M117 5'
2981	18049	28970	0.76	2.0E-82	AL163201.2	NT	Homo sapiens chromosome 21 segment HS21C001
3860	16899	29802	1.07	2.0E-82	D87675.1	NT	Homo sapiens DNA for amyloid precursor protein, complete cds
4052	17089	29984	0.65	2.0E-82	U76833.1	NT	Human integral membrane serine protease Seprase mRNA, complete cds
4261	17260	30171	1.07	2.0E-82	4504116	NT	Homo sapiens glutamate receptor, ionotropic, kainate 1 (GRIK1) mRNA
4588	17610	30505	1.09	2.0E-82	AB029019.1	NT	Homo sapiens mRNA for KIAA1096 protein, partial cds
4588	17610	30506	1.09	2.0E-82	AB029019.1	NT	Homo sapiens mRNA for KIAA1098 protein, partial cds
4804	17921	30813	3.21	2.0E-82	AF045555.1	NT	Homo sapiens wbscr1 (WBSOR1) and wbscr5 (WBSOR5) genes, complete cds, alternatively spliced and replication factor C subunit 2 (RFC2) gene, complete cds

Page 392 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5117	18127	31002	1.53	2.0E-82	4507590	NT	Homo sapiens tumor necrosis factor receptor superfamily, member 5 (TNFRSF5) mRNA
5117	18127	31003	1.53	2.0E-82	4507590	NT	Homo sapiens tumor necrosis factor receptor superfamily, member 5 (TNFRSF5) mRNA
5546	18843	31583	3.46	2.0E-82	AB018270.1	NT	Homo sapiens mRNA for KIAA0727 protein, partial cds
6299	19371	32610	4.99	2.0E-82	AF234882.1	NT	Homo sapiens FAM4A1 splice variant 1 (FAM4A1) mRNA, complete cds
7945	26004		0.88	2.0E-82	AI476428.1	EST_HUMAN	Im21g05.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2157272 3'
8104	21041	34440	0.89	2.0E-82	8923130	NT	Homo sapiens nucleotide binding protein 1 (E.coli MinD like) (NUBP1), mRNA
8689	21557	34973	0.48	2.0E-82	11431845	NT	Homo sapiens slit (Drosophila) homolog 3 (SLIT3), mRNA
8648	21616	35038	1.94	2.0E-82	11321570	NT	Homo sapiens microrchidia (mouse) homolog (MORC), mRNA
9017	21983	35402	0.47	2.0E-82	7657340	NT	Homo sapiens microrchidia (mouse) homolog (MORC), mRNA
9017	21983	35403	0.47	2.0E-82	7657340	NT	Homo sapiens microrchidia (mouse) homolog (MORC), mRNA
10468	23390	36884	1.66	2.0E-82	Y08032.1	NT	Human endogenous retrovirus-K, LTR U5 and gag gene
10468	23390	36885	1.66	2.0E-82	Y08032.1	NT	Human endogenous retrovirus-K, LTR U5 and gag gene
11600	24538	38095	3.95	2.0E-82	11417191	NT	Homo sapiens leucylcystinyl aminopeptidase (LNPEP), mRNA
11600	24538	38096	3.95	2.0E-82	11417191	NT	Homo sapiens leucylcystinyl aminopeptidase (LNPEP), mRNA
11638	24575	38140	2.31	2.0E-82	U80736.1	NT	Homo sapiens CAGF9 mRNA, partial cds
11638	24575	38141	2.31	2.0E-82	U80736.1	NT	Homo sapiens CAGF9 mRNA, partial cds
12227	25062		1.94	2.0E-82	N94950.1	EST_HUMAN	z531d10.s1 Soares_parathyroid_tumor_Nb1-PA Homo sapiens cDNA clone IMAGE:305203 3'
12760	25403		4.39	2.0E-82	AA011278.1	EST_HUMAN	z01g09.r1 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:429668 5'
13064	25598		1.53	2.0E-82	11418097	NT	Homo sapiens SRY (sex determining region Y)-box 10 (SOX10), mRNA
594	13661	26574	1.27	1.0E-82	11545921	NT	Homo sapiens melanoma differentiation associated protein-5 (MDA5), mRNA
1213	14251		1.09	1.0E-82	BE885106.1	EST_HUMAN	601510859F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3912207 5'
1290	14325	27286	2.11	1.0E-82	BE084386.1	EST_HUMAN	RC4-BT0310-110300-015-f10 BT0310 Homo sapiens cDNA
1291	14326	27287	1.07	1.0E-82	AB011110.2	NT	Homo sapiens mRNA for KIAA0538 protein, partial cds
9294	22260	35689	1.09	1.0E-82	AB037838.1	NT	Homo sapiens mRNA for KIAA1417 protein, partial cds
10011	22938	36403	0.56	1.0E-82	AB014562.1	NT	Homo sapiens mRNA for KIAA0862 protein, partial cds
10606	23528		1.24	1.0E-82	BF515938.1	EST_HUMAN	UI-H-BW1-aca-f-03-0-UI.s1 NCL_CGAP_Sub7 Homo sapiens cDNA clone IMAGE:3084053 3'
11087	24057	37581	1.87	1.0E-82	AL163209.2	NT	Homo sapiens chromosome 21 segment HS21C009
9065	22031	35434	4.87	9.0E-83	BF672220.1	EST_HUMAN	602150403F1 NIH_MGC_81 Homo sapiens cDNA clone IMAGE:4291561 5'
10637	23559	37058	0.62	9.0E-83	BE253347.1	EST_HUMAN	601117160F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3357734 5'
1412	14445	27417	1.55	8.0E-83	BE383973.1	EST_HUMAN	601273346F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3614362 5'
1691	15820	27702	4.08	8.0E-83	N66951.1	EST_HUMAN	z448f12.s1 Soares_fetal_liver_spleen_1NFLS Homo sapiens cDNA clone IMAGE:295823 3'
1359	14394	27364	0.99	7.0E-83	AW355529.1	EST_HUMAN	QV4-LT0016-271289-068-h11 LT0016 Homo sapiens cDNA
2876	15935		1.92	7.0E-83	AA584655.1	EST_HUMAN	no12h01.s1 NCL_CGAP_Phe1 Homo sapiens cDNA clone IMAGE:1100497 3' similar to contains Alu repetitive element;

Page 393 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4853	17870		7.64	7.0E-83	BF221813.1	EST_HUMAN	7p37a07.x1 NCL_CGAP_P128 Homo sapiens cDNA clone IMAGE:3647893 3' similar to TR:Q9Y318 Q9Y318 DJ207H1.1;
6169	18244	32476	0.73	7.0E-83	11428657	NT	Homo sapiens KIAA0100 gene product (KIAA0100), mRNA
403	13476	26410	3.07	6.0E-83	M33320.1	NT	Human platelet Glycoprotein Iib (GPIIb) gene, exons 2-29
1802	14830	27817	1.08	6.0E-83	AW573088.1	EST_HUMAN	fr31h03.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2933625 3' similar to
3030	16088	29008	0.64	6.0E-83	AW816405.1	EST_HUMAN	SW:YBEB_JAEIN_P44471 HYPOTHETICAL PROTEIN H10034.;
3064	16121		0.97	6.0E-83	AF231919.1	NT	QV4-ST0234-181199-037-405 ST0234 Homo sapiens cDNA
3083	16140	29051	1.03	6.0E-83	AA701457.1	EST_HUMAN	Homo sapiens chromosome 21 unknown mRNA
3576	16820	29541	2.54	6.0E-83	11430241	NT	z59c05.s1 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:435080 3'
5167	18176	31054	1.2	6.0E-83	4827033	NT	Homo sapiens hypothetical protein FLJ10379 (FLJ10379), mRNA
5366	18471	31342	1.53	6.0E-83	4507868	NT	Homo sapiens tumor necrosis factor (ligand) superfamily, member 18 (TNFSF18) mRNA
6139	18215	32444	1.32	6.0E-83	AJ010770.1	NT	Homo sapiens VAMP (vesicle-associated membrane protein)-associated protein A (33kD) (VAPA) mRNA, and translated products
7745	20699	34065	2.1	6.0E-83	11422024	NT	Homo sapiens hyperion gene, exons 1-50
10035	22982	36430	2.5	6.0E-83	4505314	NT	Homo sapiens met proto-oncogene (hepatocyte growth factor receptor) (MET), mRNA
10127	23053	36531	0.76	6.0E-83	11430647	NT	Homo sapiens myomesin (M-protein) 2 (165kD) (MYOM2), mRNA
10127	23053	36532	0.76	6.0E-83	11430647	NT	Homo sapiens pre-mRNA splicing factor similar to S. cerevisiae Prp18 (PRP18), mRNA
11859	24741		2.01	6.0E-83	AA486105.1	EST_HUMAN	Homo sapiens pre-mRNA splicing factor similar to S. cerevisiae Prp18 (PRP18), mRNA
12179	25027		5.85	6.0E-83	AF240786.1	NT	ab14610.s1 Stralagene lung (#937210) Homo sapiens cDNA clone IMAGE:840810 3' similar to contains
945	13998		1.42	5.0E-83	U17883.1	NT	THR12 THR repetitive element;
2066	15823		1	5.0E-83	AF006305.1	NT	Homo sapiens glutathione S-transferase theta 2 (GSTT2) and glutathione S-transferase theta 1 (GSTT1) genes, complete cds
3662	16695	29610	0.97	5.0E-83	AL133207.2	NT	Human succinate dehydrogenase iron-protein subunit (sdhB) gene, exon 5
3926	16966	29879	1.02	5.0E-83	4885180	NT	Homo sapiens 26S proteasome regulatory subunit (SUG2) mRNA, complete cds
5115	18125	31000	14.32	5.0E-83	4557013	NT	Novel human gene mapping to chromosome X
5115	18125	31001	14.32	5.0E-83	4557013	NT	Homo sapiens deoxyribonuclease I (DNASE1), mRNA
5245	18253	31124	0.93	5.0E-83	4508602	NT	Homo sapiens catalase (CAT) mRNA
641	13707	26628	2.28	4.0E-83	AF224699.1	NT	Homo sapiens catalase (CAT) mRNA
3525	16571	29494	1	4.0E-83	BE888078.1	EST_HUMAN	Homo sapiens phosphatidylinositol 3-kinase, catalytic, gamma polypeptide (PIK3CG) mRNA
899	14050		6.39	3.0E-83	AA368311.1	EST_HUMAN	Homo sapiens mannosidase, beta A, lysosomal (MANBA) gene, and ubiquitin-conjugating enzyme E2D 3 (UBE2D3) genes, complete cds
							601511560F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3913195 5'
							EST178542 Placenta 1 Homo sapiens cDNA similar to similar to endogenous retrovirus ERV9

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2788	15780		1.92	3.0E-83	AA632654.1	EST_HUMAN	np87c07.s1 NCI_CGAP_Thy1 Homo sapiens cDNA clone IMAGE:1133292 similar to contains THR12 THR repetitive element;
6730	19786		0.72	3.0E-83	AI217223.1	EST_HUMAN	q773e06.x1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1755682 3'
1816	14843	27834	1.68	2.0E-83	AA993492.1	EST_HUMAN	o64g05.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1621592 3' similar to TR:Q92614
1816	14843	27835	1.68	2.0E-83	AA993492.1	EST_HUMAN	Q92614 MYELOBLAST KIAA0216. ;
1942	14966	27963	3.01	2.0E-83	N66951.1	EST_HUMAN	o64g05.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1621592 3' similar to TR:Q92614
2864	15924	28843	1.36	2.0E-83	BE828694.1	EST_HUMAN	Q92614 MYELOBLAST KIAA0216. ;
3282	16336		2.14	2.0E-83	11430834	NT	RC8-E10046-280600-013-H12 ET0048 Homo sapiens cDNA
3788	16829		0.87	2.0E-83	AL163202.2	NT	Homo sapiens sal (Drosophila)-like 1 (SALL1), mRNA
4363	17390	30272	9.76	2.0E-83	AF202879.1	NT	Homo sapiens chromosome 21 segment HS21C002
4681	17702	30590	6.03	2.0E-83	7706398	NT	Homo sapiens hematopoietic progenitor cell antigen CD34 precursor (CD34) mRNA, partial cds
4681	17702	30591	6.03	2.0E-83	7706398	NT	Homo sapiens ankyrin repeat-containing protein ASB-2 (LOC51676), mRNA
5343	18448	31319	0.94	2.0E-83	U06679.1	NT	Homo sapiens ankyrin repeat-containing protein ASB-2 (LOC51676), mRNA
5547	18644	31584	1.09	2.0E-83	11024711	NT	Human carcinoembryonic antigen gene family member 18 (CGM18) gene, exons A1 and B1
5547	18644	31585	1.09	2.0E-83	11024711	NT	Homo sapiens myosin, heavy polypeptide 4, skeletal muscle (MYH4), mRNA
5945	19031	32224	0.54	2.0E-83	11428081	NT	Homo sapiens myosin, heavy polypeptide 4, skeletal muscle (MYH4), mRNA
6076	19157	32369	1.21	2.0E-83	BE885401.1	EST_HUMAN	Homo sapiens membrane protein CH1 (CH1), mRNA
7669	20628	33992	5.47	2.0E-83	AF129533.1	NT	601507482F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3909068 5'
8103	21039	34438	0.52	2.0E-83	BF105097.1	EST_HUMAN	Homo sapiens F-box protein Fbl3b (FBL3B) mRNA, partial cds
8175	21145	34551	0.55	2.0E-83	AB001025.1	NT	601822030F1 NIH_MGC_75 Homo sapiens cDNA clone IMAGE:4042318 5'
8175	21145	34552	0.55	2.0E-83	AB001025.1	NT	Homo sapiens mRNA for brain ryanodine receptor, complete cds
8319	21288	34702	1.46	2.0E-83	U66707.1	NT	Homo sapiens mRNA for brain ryanodine receptor, complete cds
8657	21625	35045	2.5	2.0E-83	AF011920.1	NT	Rattus norvegicus densin-180 mRNA, complete cds
8657	21625	35046	2.5	2.0E-83	AF011920.1	NT	Homo sapiens protein kinase CK2 catalytic subunit alpha gene, exon 1
9952	22879	36342	0.46	2.0E-83	5453881	NT	Homo sapiens protein kinase CK2 catalytic subunit alpha gene, exon 1
9952	22879	36343	0.46	2.0E-83	5453881	NT	Homo sapiens phosphotyrosine kinase, gamma 1 (muscle) (PHKG1) mRNA
10242	23167	36654	0.43	2.0E-83	BF128748.1	EST_HUMAN	Homo sapiens phosphotyrosine kinase, gamma 1 (muscle) (PHKG1) mRNA
10394	23316	36795	2.53	2.0E-83	M22094.1	NT	601811127F1 NIH_MGC_48 Homo sapiens cDNA clone IMAGE:4053394 5'
10394	23316	36796	2.53	2.0E-83	M22094.1	NT	Human neural cell adhesion molecule (N-CAM) secreted isoform mRNA, 3' end
10475	23397	36895	1.2	2.0E-83	AU117659.1	EST_HUMAN	Human neutral cell adhesion molecule (N-CAM) secreted isoform mRNA, 3' end
10549	23471	36966	0.74	2.0E-83	AW50600.1	EST_HUMAN	AU117659 HEMBA1 Homo sapiens cDNA clone HEMBA1001910 5'
11195	24150	37661	3.48	2.0E-83	11456448	NT	UI-HF-BND-arn-d-h-07-Q-U1.1 NIH_MGC_50 Homo sapiens cDNA clone IMAGE:3081852 5'
							Homo sapiens KIAA0985 protein (KIAA0985), mRNA

Page 395 of 546
Table 4
Single Exon Probes Expressed In Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
11272	24224	37749	1.84	2.0E-83	AL134452.1	EST_HUMAN	DKFZp547J135_r1 547 (synonym: hibr1) Homo sapiens cDNA clone DKFZp547J135 5'
11272	24224	37750	1.84	2.0E-83	AL134452.1	EST_HUMAN	DKFZp547J135_r1 547 (synonym: hibr1) Homo sapiens cDNA clone DKFZp547J135 5'
12802	25429		4.91	2.0E-83	AB011399.1	NT	Homo sapiens gene for AF-6, complete cds
1410	14443	27414	1.58	1.0E-83	4504326	NT	Homo sapiens hydroxyl-Coenzyme A dehydrogenase/3-ketacyl-Coenzyme A thiolase/enoyl-Coenzyme A hydratase (trifunctional protein), beta subunit (HADHB) mRNA
1410	14443	27415	1.58	1.0E-83	4504326	NT	Homo sapiens hydroxyl-Coenzyme A dehydrogenase/3-ketacyl-Coenzyme A thiolase/enoyl-Coenzyme A hydratase (trifunctional protein), beta subunit (HADHB) mRNA
1453	14486	27461	0.93	1.0E-83	AF105087.1	NT	Homo sapiens lipopolysaccharide-binding protein (LBP) mRNA, complete cds
1453	14486	27462	0.93	1.0E-83	AF105087.1	NT	Homo sapiens lipopolysaccharide-binding protein (LBP) mRNA, complete cds
2655	15652	28681	1.16	1.0E-83	BE883690.1	EST_HUMAN	601507375F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3908764 5'
3198	16253	29173	0.65	1.0E-83	7662349	NT	Homo sapiens cell recognition molecule Caspr2 (KIAA0868), mRNA
3882	16922	28830	3.33	1.0E-83	AF053768.1	NT	Rattus norvegicus brain specific cortactin-binding protein CBP90 mRNA, partial cds
4273	17302	30182	2.31	1.0E-83	Z25822.1	NT	H.sapiens gene for mitochondrial dodecenoyl-CoA delta-isoesterase, exon 3
6854	19907	33203	1.53	1.0E-83	AI027614.1	EST_HUMAN	ov99b08.x1 Soares testis_NHT Homo sapiens cDNA clone IMAGE:1645431 3' similar to gb:M64241 QM PROTEIN (HUMAN);
3810	16850	29758	3.88	7.0E-84	BE901209.1	EST_HUMAN	601676023F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3958853 5'
1298	14333	27294	4.11	6.0E-84	BE838864.1	EST_HUMAN	RC2-FN0119-200600-011-g05 FN0119 Homo sapiens cDNA
1298	14333	27295	4.11	6.0E-84	BE838864.1	EST_HUMAN	RC2-FN0119-200600-011-g05 FN0119 Homo sapiens cDNA
2407	15414	28438	5.78	6.0E-84	AA776574.1	EST_HUMAN	aa66a03.s1 Stratagene schizo brain S11 Homo sapiens cDNA clone IMAGE:971020 3'
5311	18328		1.9	6.0E-84	AL042863.2	EST_HUMAN	DKFZp434H0322_r1 434 (synonym: htes3) Homo sapiens cDNA clone DKFZp434H0322 5'
5598	18692	31662	1.69	6.0E-84	AA897339.1	EST_HUMAN	aa47g03.s1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1460500 3' similar to gb:M14338 VITAMIN K-DEPENDENT PROTEIN S PRECURSOR (HUMAN);
5743	18637	32018	1.09	6.0E-84	11428718	NT	Homo sapiens acetyl LDL receptor; SREC=scavenger receptor expressed by endothelial cells (SREC), mRNA
5743	18637	32019	1.09	6.0E-84	11428718	NT	Homo sapiens acetyl LDL receptor; SREC=scavenger receptor expressed by endothelial cells (SREC), mRNA
7714	20871	34038	3.35	6.0E-84	BE510371.1	EST_HUMAN	PM0-LT0019-190600-004-F02 LT0019 Homo sapiens cDNA
7955	20896	34289	0.89	6.0E-84	AF038391.1	NT	Homo sapiens pre-mRNA splicing factor (PRP16) mRNA, complete cds
8408	21377	34783	2.05	6.0E-84	BE770199.1	EST_HUMAN	PM4-FT0054-160600-004-e10 FT0054 Homo sapiens cDNA
715	13777	26712	0.81	5.0E-84	AA382811.1	EST_HUMAN	EST06094 Testis 1 Homo sapiens cDNA 5' end
3027	16084		1.54	5.0E-84	AF109718.1	NT	Homo sapiens chromosome 3 subtelomeric region
6227	19301	32634	0.49	5.0E-84	AA167678.1	EST_HUMAN	zs39e07.r1 Stratagene hNT neuron (#937233) Homo sapiens cDNA clone IMAGE:632100 5' similar to TR:G483915 G483915 RETROTRANSPOSABLE L1 ELEMENT LRE2 FROM CHROMOSOME 1Q.;

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
11871	24763	38334	2.06	5.0E-84	11428740	NT	Homo sapiens regulatory factor X, 3 (influences HLA class II expression) (RFX3), mRNA
11984	24843	38437	2.28	5.0E-84	AB032957.1	NT	Homo sapiens mRNA for KIAA1131 protein, partial cds
11984	24843	38438	2.28	5.0E-84	AB032957.1	NT	Homo sapiens mRNA for KIAA1131 protein, partial cds
1409	14442	27413	1.88	4.0E-84	AI885321.1	EST_HUMAN	wa76c04.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2302086 3' similar to SW:NRDC_HUMAN O43847 NARDILYSIN PRECURSOR ;
4987	18002	30891	0.88	4.0E-84	4505928	NT	Homo sapiens myosin light chain kinase isoform 2 (MLCK) mRNA, complete cds
4988	18003	30892	2.19	4.0E-84	AF069601.2	NT	Homo sapiens polymerase (DNA-directed), alpha (70KD) (POLA2), mRNA
5335	18440	31183	0.53	4.0E-84	AF022835.1	NT	Homo sapiens myosin light chain kinase isoform 2 (MLCK) mRNA, complete cds
5642	18738	31902	1.28	4.0E-84	11386168	NT	Homo sapiens multidrug resistance protein (MRP), exon 13
5642	18738	31903	1.28	4.0E-84	11386168	NT	Homo sapiens protein tyrosine phosphatase, receptor type, G (PTPRG), mRNA
6399	19467	32714	1.88	4.0E-84	AF059650.1	NT	Homo sapiens histone deacetylase 3 (HDAC3) gene, complete cds
7909	20852	34239	12.53	4.0E-84	11421326	NT	Homo sapiens KIAA0783 gene product (KIAA0783), mRNA
9262	22228	35658	0.9	4.0E-84	4557526	NT	Homo sapiens discs, large (Drosophila) homolog 2 (chapsyn-110) (DLG2) mRNA
9262	22228	35659	0.9	4.0E-84	4557526	NT	Homo sapiens discs, large (Drosophila) homolog 2 (chapsyn-110) (DLG2) mRNA
11263	24215	37739	5.34	4.0E-84	AB032856.1	NT	Homo sapiens mRNA for KIAA1130 protein, partial cds
316	13408	26334	1.92	3.0E-84	AF026200.1	NT	Homo sapiens Bach1 protein homolog mRNA, partial cds
1157	14189	27149	5.95	3.0E-84	4758081	NT	Homo sapiens chondroitin sulfate proteoglycan 2 (versican) (CSPG2) mRNA
1977	14898	28000	1.24	3.0E-84	5453855	NT	Homo sapiens pericentriolar material 1 (PCM1) mRNA
2024	15044	28057	3.11	3.0E-84	AL096880.1	NT	Novel human mRNA containing Zinc finger C2H2 type domains
3604	16649	29865	1.15	3.0E-84	AB026898.1	NT	Homo sapiens DNA, DLEC1 to ORCTL4 gene region, section 1/2 (DLEC1, ORCTL3, ORCTL4 genes, complete cds)
3762	16803	28715	6.28	3.0E-84	AF014459.1	NT	Homo sapiens X-linked juvenile retinoschisis precursor protein (XLR51) mRNA, complete cds
11226	24179		17.2	3.0E-84	AI983801.1	EST_HUMAN	wu20d05.x1 Soares_Dieckgrafe_cdon_NHCD Homo sapiens cDNA clone IMAGE:2620685 3' similar to gb:U05093.60S RIBOSOMAL PROTEIN L18A (HUMAN);
2115	15132	28153	5.88	2.0E-84	BE695397.1	EST_HUMAN	GM1-BT0795-190600-272-b08 BT0795 Homo sapiens cDNA
2115	15132	28154	5.88	2.0E-84	BE695397.1	EST_HUMAN	GM1-BT0795-190600-272-b08 BT0795 Homo sapiens cDNA
2954	16012	28839	7.98	2.0E-84	AF036943.1	NT	Homo sapiens myelin transcription factor 1-like (MYT1L) mRNA, complete cds
2973	16031	28954	1.35	2.0E-84	X89211.1	NT	H. sapiens DNA for endogenous retroviral like element
5604	18700	31671	0.88	2.0E-84	BF511575.1	EST_HUMAN	UI-H-B14-ad-a-02-Q-UI.s1 NCI CGAP_Sub8 Homo sapiens cDNA clone IMAGE:3084983 3'
5604	18700	31672	0.88	2.0E-84	BF511575.1	EST_HUMAN	UI-H-B14-ad-a-02-Q-UI.s1 NCI CGAP_Sub8 Homo sapiens cDNA clone IMAGE:3084983 3'
6793	19847	33132	0.88	2.0E-84	H63370.1	EST_HUMAN	yf56611.s1 Soares fetal liver spleen 1NF1S Homo sapiens cDNA clone IMAGE:209324 3'
8392	21361		1.62	2.0E-84	AI298674.1	EST_HUMAN	qm87c09.x1 NCI CGAP_Lu5 Homo sapiens cDNA clone IMAGE:1895728 3'
8728	21696	35121	0.56	2.0E-84	AL163204.2	NT	Homo sapiens chromosome 21 segment HS21C004
8728	21696	35122	0.56	2.0E-84	AL163204.2	NT	Homo sapiens chromosome 21 segment HS21C004

Page 397 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
9701	22854	38108	0.99	2.0E-84	AU120280.1	EST_HUMAN	AU120280 HEMBB1 Homo sapiens cDNA clone HEMBB100339 5'
10089	23015	38491	0.55	2.0E-84	H22841.1	EST_HUMAN	ym49e11.1 Soares Infant brain 1NIB Homo sapiens cDNA clone IMAGE:61383 5' similar to SP:APOH_RAT P26844 BETA-2-GLYCOPROTEIN 1;
12445	25206	31829	3.26	2.0E-84	BF448000.1	EST_HUMAN	nae30a02.x1 Lupski_sympathetic_trunk Homo sapiens cDNA clone IMAGE:4090251 3' similar to TR:Q9UGS3 Q9UGS3 DJ756G23.1;
12445	25206	31830	3.26	2.0E-84	BF448000.1	EST_HUMAN	nae30a02.x1 Lupski_sympathetic_trunk Homo sapiens cDNA clone IMAGE:4090251 3' similar to TR:Q9UGS3 Q9UGS3 DJ756G23.1;
312	13404	26330	1.44	1.0E-84	AF114488.1	NT	Homo sapiens intersechin short isoform (ITSN) mRNA, complete cds Homo sapiens tyrosine 3-monooxygenase/tryptophan 5-monooxygenase activation protein, zeta polypeptide (YWHAZ) mRNA
551	13821	26541	15.79	1.0E-84	4507952	NT	Homo sapiens complement component 5 (C5), mRNA
721	13783		1.16	1.0E-84	11427631	NT	Homo sapiens complement component 5 (C5), mRNA
1296	14331	27292	3.1	1.0E-84	AA984379.1	EST_HUMAN	am85b11.s1 Stratagene schizo brain S11 Homo sapiens cDNA clone IMAGE:1628865 3'
2070	15087	28105	2.34	1.0E-84	BE392137.1	EST_HUMAN	601308006F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3626257 5'
2232	15246	28289	1.27	1.0E-84	11427197	NT	Homo sapiens pericentriolar material 1 (PCM1), mRNA
3764	16808	29717	2.47	1.0E-84	AA720851.1	EST_HUMAN	hw12e06.s1 NCL_CGAP_SS1 Homo sapiens cDNA clone IMAGE:1239108 3'
4446	17472	30360	3.92	1.0E-84	AJ229041.1	NT	Homo sapiens 959 kb contig between AML1 and CBR1 on chromosome 21q22; segment 1/3
4728	17748	30639	2.66	1.0E-84	AL043314.2	EST_HUMAN	DKFZp434N0323_r1 434 (synonym: htes3) Homo sapiens cDNA clone DKFZp434N0323 5'
4728	17748	30640	2.66	1.0E-84	AL043314.2	EST_HUMAN	DKFZp434N0323_r1 434 (synonym: htes3) Homo sapiens cDNA clone DKFZp434N0323 5'
4949	17472	30360	2.12	1.0E-84	AJ229041.1	NT	Homo sapiens 959 kb contig between AML1 and CBR1 on chromosome 21q22; segment 1/3
6029	19112	32314	0.86	1.0E-84	11434422	NT	Homo sapiens speckle-type POZ protein (SPOP), mRNA uterine water channel=28 kda erythrocyte integral membrane protein homolog [human, uterus, mRNA, 1340 nt]
6314	19385	32627	1.38	1.0E-84	S73482.1	NT	Novel human gene mapping to chromosome 13
7094	20086	33394	1.44	1.0E-84	AL049784.1	NT	Novel human gene mapping to chromosome 13
7094	20086	33395	1.44	1.0E-84	AL049784.1	NT	Novel human gene mapping to chromosome 13
7314	20285	33626	2.56	1.0E-84	AL049784.1	NT	Novel human gene mapping to chromosome 13
7708	20665	34032	4.72	1.0E-84	8393994	NT	Homo sapiens polymerase (DNA directed), alpha (POLA), mRNA
7814	20763	34139	0.63	1.0E-84	11430848	NT	Homo sapiens NGF1A binding protein 1 (ERG1 binding protein 1) (NAB1), mRNA
7859	20763	34139	2.13	1.0E-84	11430848	NT	Homo sapiens NGF1A binding protein 1 (ERG1 binding protein 1) (NAB1), mRNA
9893	22846		2.91	1.0E-84	5031984	NT	Homo sapiens nuclear transport factor 2 (placental protein 15) (PP15) mRNA
10128	23054	36533	0.62	1.0E-84	AF224511.1	NT	Homo sapiens Ca2+-binding protein CABP3 (CABP3) gene, exon 8 and partial cds
10150	18337	31285	2.65	1.0E-84	4507848	NT	Homo sapiens ubiquitin specific protease 13 (isopeptidase T-3) (USP13) mRNA
10150	18337	31286	2.65	1.0E-84	4507848	NT	Homo sapiens ubiquitin specific protease 13 (isopeptidase T-3) (USP13) mRNA
12121	20285	33626	2.67	1.0E-84	AL049784.1	NT	Novel human gene mapping to chromosome 13
12324	26126		2.03	1.0E-84	11417812	NT	Homo sapiens purinergic receptor P2X-like 1, orphan receptor (P2RXL1), mRNA

Page 398 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
12436	25201	31825	2.32	1.0E-84	11418185	NT	Homo sapiens aconitase 2, mitochondrial (ACO2), mRNA
988	14020		1.9	9.0E-85	AL163208.2	NT	Homo sapiens chromosome 21 segment HS21C009
1074	14119	27069	2.21	9.0E-85	U51432.1	NT	Homo sapiens nuclear protein Skip mRNA, complete cds
1074	14119	27070	2.21	9.0E-85	U51432.1	NT	Homo sapiens nuclear protein Skip mRNA, complete cds
1581	14614	27586	1.31	9.0E-85	M33282.1	NT	Human plasmidogen gene, exon 7
1581	14614	27587	1.31	9.0E-85	M33282.1	NT	Human plasmidogen gene, exon 7
1684	14715	27695	2.95	9.0E-85	7657020	NT	Homo sapiens DKFZp434P211 protein (DKFZp434P211), mRNA
4280	17309	30188	1.11	9.0E-85	AL163280.2	NT	Homo sapiens chromosome 21 segment HS21C080
4913	17930	30821	1.05	9.0E-85	5901979	NT	Homo sapiens heat shock transcription factor 2 binding protein (HSF2BP), mRNA
4950	17965	30855	1	9.0E-85	AL163288.2	NT	Homo sapiens chromosome 21 segment HS21C088
1138	14181	27132	13.33	7.0E-85	L05094.1	NT	Homo sapiens ribosomal protein L27 mRNA, complete cds
11958	24837		9.76	7.0E-85	AF113210.1	NT	Homo sapiens MSTP030 mRNA, complete cds
11745	24630	38209	2.51	6.0E-85	11438573	NT	Homo sapiens DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide 10 (RNA helicase) (DDX10), mRNA
11745	24630	38210	2.51	6.0E-85	11438573	NT	Homo sapiens DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide 10 (RNA helicase) (DDX10), mRNA
2340	15350	28371	1.67	5.0E-85	AL163284.2	NT	Homo sapiens chromosome 21 segment HS21C084
5526	18625	31560	1.37	5.0E-85	BF035674.1	EST_HUMAN	601458646F1 NIH_MGC_66 Homo sapiens cDNA clone IMAGE:3862402 5'
5526	18625	31561	1.37	5.0E-85	BF035674.1	EST_HUMAN	601458646F1 NIH_MGC_66 Homo sapiens cDNA clone IMAGE:3862402 5'
13030	18344		6.19	5.0E-85	AF211189.1	NT	Homo sapiens T-type calcium channel alpha1 subunit Alpha1I-a isoform (CACNA1I) mRNA, complete cds
6271	19344	32576	1.42	4.0E-85	BF677910.1	EST_HUMAN	602084730F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:4249087 5'
6271	19344	32577	1.42	4.0E-85	BF677910.1	EST_HUMAN	602084730F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:4249087 5'
7013	20139	33456	0.88	4.0E-85	AB28119.1	EST_HUMAN	U64g01.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2285808 3'
10937	23857		1.35	4.0E-85	BE079263.1	EST_HUMAN	RC1-BT0623-120200-011-c07 BT0623 Homo sapiens cDNA
12375	25772		1.31	4.0E-85	Z18867.1	EST_HUMAN	HSDHEG03 Stratagene cDNA library Human heart, cat#935208 Homo sapiens cDNA clone HEGC03
1302	14338	27301	1.02	3.0E-85	AF096157.1	NT	Homo sapiens protein phosphatase 2A BR gamma subunit gene, exon 6
1795	14824	27808	3.9	3.0E-85	T97495.1	EST_HUMAN	ye53g09.r1 Scarses fetal liver spleen tNfLS Homo sapiens cDNA clone IMAGE:121504 5'
4835	17951	30842	1.37	3.0E-85	11024695	NT	Homo sapiens F-box only protein 24 (FBXO24), mRNA
4935	17951	30843	1.37	3.0E-85	11024695	NT	Homo sapiens F-box only protein 24 (FBXO24), mRNA
5475	18576	31485	0.85	3.0E-85	11436001	NT	Homo sapiens lacritinal proline rich protein (LPRP), mRNA
6204	19278	32511	0.68	3.0E-85	11422024	NT	Homo sapiens met proto-oncogene (hepatocyte growth factor receptor) (MET), mRNA
6257	19330	32560	5.69	3.0E-85	7662309	NT	Homo sapiens KIAA0793 gene product (KIAA0793), mRNA

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6257	19330	32561	5.99	3.0E-85	7662309	NT	Homo sapiens KIAA0793 gene product (KIAA0793), mRNA
7140	20116		7.73	3.0E-85	AJ404468.1	NT	Homo sapiens mRNA for dynein heavy chain (DNAH9 gene)
7626	20586	33949	0.88	3.0E-85	11416870	NT	Homo sapiens GTPase regulator associated with the focal adhesion kinase pp125(FAK); KIAA0621 protein (KIAA0621), mRNA
8204	21174	34584	1.64	3.0E-85	U44953.1	NT	Homo sapiens DENN mRNA, complete cds
8853	21820	35240	1.06	3.0E-85	11525829	NT	Homo sapiens CGI-81 protein (LOC51108), mRNA
9329	22284	36723	3.37	3.0E-85	11430889	NT	Homo sapiens phospholipase C, epsilon (PLOC), mRNA
9661	22818	36272	1.03	3.0E-85	11421422	NT	Homo sapiens small nuclear ribonucleoprotein polypeptide B'' (SNRBP2), mRNA
9661	22818	36273	1.03	3.0E-85	11421422	NT	Homo sapiens small nuclear ribonucleoprotein polypeptide B'' (SNRBP2), mRNA
10849	23769	37268	1.16	3.0E-85	AF098842.1	NT	Homo sapiens phospholipid scramblase mRNA, complete cds
11834	24717	38303	1.72	3.0E-85	5031660	NT	Homo sapiens EGF-like repeats and discoidin I-like domains 3 (EDIL3), mRNA
12919	25495		2.14	3.0E-85	11418177	NT	Homo sapiens Ran GTPase activating protein 1 (RANGAP1), mRNA
964	14016	28970	0.87	2.0E-85	7657288	NT	Homo sapiens KIAA0928 protein Mix2 interacting nuclear target (MINT) homolog (KIAA0928), mRNA
1041	14087	27039	2.52	2.0E-85	AF248540.1	NT	Homo sapiens interosin 2 (SH3D1B) mRNA, complete cds
1418	14451	27424	8.49	2.0E-85	5174775	NT	Homo sapiens apolipoprotein C-II (APOC2) mRNA
1418	14451	27425	8.49	2.0E-85	5174775	NT	Homo sapiens apolipoprotein C-II (APOC2) mRNA
2239	15253	28277	1.8	2.0E-85	U10525.1	NT	Human DNA polymerase beta gene, exons 12 and 13
2834	14375		14.69	2.0E-85	7657468	NT	Homo sapiens similar to rat integral membrane glycoprotein POM121 (POM121L1), mRNA
3035	16093	29011	1.16	2.0E-85	M30938.1	NT	Human Ku (p70/p80) subunit mRNA, complete cds
4361	17388	30270	4.83	2.0E-85	4505680	NT	Homo sapiens plasminogen (PLG) mRNA
4948	17864	30854	0.93	2.0E-85	AL163284.2	NT	Homo sapiens chromosome 21 segment HS21C084
5178	18187	31064	1.37	2.0E-85	4502212	NT	Homo sapiens arginase, liver (ARG1) mRNA
9628	22572	36022	2.67	2.0E-85	AI760820.1	EST_HUMAN	w67f08.x1 NCI_CGAP_Kid12 Homo sapiens cDNA clone IMAGE:2398431 3' similar to contains element
10007	22834	36398	0.94	2.0E-85	AI914459.1	EST_HUMAN	MSR1 repetitive element
10625	23647	37048	1.31	2.0E-85	AI886384.1	EST_HUMAN	wd49d03.x1 Soares_NFL_T: GBC_S1 Homo sapiens cDNA clone IMAGE:2331461 3'
2295	16307		2.51	1.0E-85	BE794306.1	EST_HUMAN	wm94d12.x1 NCI_CGAP_U2 Homo sapiens cDNA clone IMAGE:2443807 3'
2403	15410	28434	6.6	1.0E-85	BE618392.1	EST_HUMAN	601591476F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3946818 5'
2403	15410	28435	6.6	1.0E-85	BE618392.1	EST_HUMAN	601462817F1 NIH_MGC_67 Homo sapiens cDNA clone IMAGE:3868021 5'
8091	21027	34426	0.52	1.0E-85	BE062951.1	EST_HUMAN	MR0-BT0284-221169-002-403 BT0284 Homo sapiens cDNA
10140	23066	36642	2.41	1.0E-85	BE257917.1	EST_HUMAN	MR0-BT0284-221169-002-403 BT0284 Homo sapiens cDNA
10571	23493	36986	0.53	1.0E-85	AW813525.1	EST_HUMAN	601109738F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3360563 5'
11269	24221	37745	2.01	1.0E-85	AA78785.1	EST_HUMAN	RC1-ST0196-081099-011-405 ST0196 Homo sapiens cDNA
							z45f03.s1 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:453245 3'

Page 400 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
11269	24221	37746	2.01	1.0E-85	AA78785.1	EST_HUMAN	z4503.s1 Soares fetal liver spleen 1NFLS_S1 Homo sapiens cDNA clone IMAGE:453245 3'
11342	24292	37816	2.46	1.0E-85	BF311552.1	EST_HUMAN	601897003F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:4126440 5'
11342	24292	37817	2.46	1.0E-85	BF311552.1	EST_HUMAN	601897003F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:4126440 5'
12064	24937	38533	2.37	1.0E-85	AI198420.1	EST_HUMAN	q156a07.x1 NCI CGAP_Brn25 Homo sapiens cDNA clone IMAGE:1860468 3'
12328	25289	31780	3.47	1.0E-85	11417862	NT	Homo sapiens calcineurin binding protein 1 (KIAA0330), mRNA
12563	25289	31780	3.37	1.0E-85	11417862	NT	Homo sapiens calcineurin binding protein 1 (KIAA0330), mRNA
1426	14459		12.78	9.0E-86	BE274217.1	EST_HUMAN	601120778F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:2867690 5'
6249	19322	32552	1.27	8.0E-86	11424140	NT	Homo sapiens similar to CDC28 protein kinase 1 (H. sapiens) (LOC63041), mRNA
12004	24881	38477	1.57	8.0E-86	4503224	NT	Homo sapiens cytochrome P450, subfamily 11F, polypeptide 1 (CYP2F1) mRNA
936	13989	26939	0.83	7.0E-86	AA860801.1	EST_HUMAN	aj88f08.s1 Soares parathyroid tumor_NbH1PA Homo sapiens cDNA clone IMAGE:1403559 3'
936	13989	26940	0.83	7.0E-86	AA860801.1	EST_HUMAN	aj88f08.s1 Soares parathyroid tumor_NbH1PA Homo sapiens cDNA clone IMAGE:1403559 3'
6320	19391	32631	0.85	7.0E-86	9668886	NT	Homo sapiens tumor endothelial marker 7 precursor (TEM7), mRNA
6320	19391	32632	0.85	7.0E-86	9668886	NT	Homo sapiens tumor endothelial marker 7 precursor (TEM7), mRNA
7169	18400	31246	6.12	7.0E-86	11421737	NT	Homo sapiens Tax1 (human T-cell leukemia virus type I) binding protein 1 (TAX1BP1), mRNA
8096	22062	35487	4.12	7.0E-86	L38557.1	NT	Homo sapiens galactose oxidase (GALC) gene, exon 15
10058	22985		1.49	7.0E-86	5453997	NT	Homo sapiens RAN binding protein 7 (RANBP7), mRNA
10116	23042	36522	1.67	7.0E-86	11528307	NT	Homo sapiens DiGeorge syndrome critical region gene 6 (DGCR6), mRNA
1297	14332	27293	3.29	6.0E-86	4505492	NT	Homo sapiens oxoglutarate dehydrogenase (liponamide) (OGDH) mRNA
212	13312	26241	1.75	4.0E-86	BE547173.1	EST_HUMAN	601072594F1 NIH_MGC_12 Homo sapiens cDNA clone IMAGE:3458930 5'
6151	19226	32455	10.99	4.0E-86	BE295843.1	EST_HUMAN	601178665F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3531953 5'
11572	13312	26241	2.44	4.0E-86	BE547173.1	EST_HUMAN	601072594F1 NIH_MGC_12 Homo sapiens cDNA clone IMAGE:3458930 5'
5877	18772	31944	6.64	3.0E-86	AW340946.1	EST_HUMAN	xz82h12.x1 NCI CGAP_Lu24 Homo sapiens cDNA clone IMAGE:2871719 3'
8605	21573	34988	1.12	3.0E-86	AV722329.1	EST_HUMAN	AV722329 HTB Homo sapiens cDNA clone HTBBS04 5'
10581	23503	36995	3.26	3.0E-86	BE886479.1	EST_HUMAN	601509696F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3911303 5'
10581	23503	36996	3.26	3.0E-86	BE886479.1	EST_HUMAN	601509696F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3911303 5'
11764	23919	37437	5.6	3.0E-86	AI659240.1	EST_HUMAN	lut18b02.x1 NCI CGAP_P28 Homo sapiens cDNA clone IMAGE:2251371 3'
11842	24725	38312	1.55	3.0E-86	AV690469.1	EST_HUMAN	AV690469 GKC Homo sapiens cDNA clone GKCBSE02 5'
12295	25784		1.35	3.0E-86	BE410354.1	EST_HUMAN	601302333F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3636753 5'
266	13362	26286	1.63	2.0E-86	AA306264.1	EST_HUMAN	EST177232 Jurkat T-cells V1 Homo sapiens cDNA 5' end
414	13487		2.72	2.0E-86	AL163203.2	NT	Homo sapiens chromosome 21 segment HS21C003
1194	14234	27189	2.88	2.0E-86	N59877.1	EST_HUMAN	yz19a08.r1 Soares multiple sclerosis_2NbhMSP Homo sapiens cDNA clone IMAGE:283478 5'
2201	15216	28236	2.54	2.0E-86	9635487	NT	Human endogenous retrovirus, complete genome
2277	15290	28315	1.14	2.0E-86	AB033103.1	NT	Homo sapiens mRNA for KIAA1277 protein, partial cds
3426	16474	28393	1.47	2.0E-86	AW966142.1	EST_HUMAN	EST378215 IMAGE resequences, MAGI Homo sapiens cDNA

Page 401 of 546
Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3759	16800	29711	2.55	2.0E-86	AF156776.1	NT	Homo sapiens lysophosphatidic acid acyltransferase-delta (LPAAT-delta) mRNA, complete cds
3759	16800	29712	2.55	2.0E-86	AF156776.1	NT	Homo sapiens lysophosphatidic acid acyltransferase-delta (LPAAT-delta) mRNA, complete cds
4070	17106		3.01	2.0E-86	AW515742.1	EST_HUMAN	hd87g08.x1 NCJ_CGAP_GC6 Homo sapiens cDNA clone IMAGE:2916542 3'
4828	17845	30745	3.3	2.0E-86	AF058490.1	NT	Homo sapiens cAMP-specific phosphodiesterase 8A (PDE8A) mRNA, partial cds
5972	19057	32257	1.53	2.0E-86	Z16411.1	NT	H. sapiens mRNA encoding phospholipase c
5972	19057	32258	1.53	2.0E-86	Z16411.1	NT	H. sapiens mRNA encoding phospholipase c
7277	25672	33314	0.81	2.0E-86	11419429	NT	Homo sapiens similar to ectonucleotide pyrophosphatase/phosphodiesterase 3 (H. sapiens) (LOC63214), mRNA
8343	21312	34728	0.77	2.0E-86	U84744.1	NT	Human Chediak-Higashi syndrome protein short isoform (LYST) mRNA, complete cds
8881	21828		0.53	2.0E-86	AL163227.2	NT	Homo sapiens chromosome 21 segment HS21C027
8920	21886	35312	2.44	2.0E-86	11437135	NT	Homo sapiens butyrobetaine (gamma), 2-oxoglutarate dioxygenase (gamma-butyrobetaine hydroxylase) (BBOX), mRNA
8920	21886	35313	2.44	2.0E-86	11437135	NT	Homo sapiens butyrobetaine (gamma), 2-oxoglutarate dioxygenase (gamma-butyrobetaine hydroxylase) (BBOX), mRNA
9254	22220	35651	1.48	2.0E-86	10863876	NT	Homo sapiens phospholipid scramblase 1 (PLSCR1), mRNA
9673	23826	36080	2.12	2.0E-86	11422084	NT	Homo sapiens chromosome segregation 1 (yeast homolog)-like (CSE1L), mRNA
10814	23735	37237	2.88	2.0E-86	11545846	NT	Homo sapiens basic-helix-loop-helix-PAS protein (NPAS3), mRNA
10814	23735	37238	2.88	2.0E-86	11545846	NT	Homo sapiens basic-helix-loop-helix-PAS protein (NPAS3), mRNA
10869	23789	37289	1.63	2.0E-86	AB037632.1	NT	Homo sapiens mRNA for KIAA1411 protein, partial cds
12732	25385	31750	2.92	2.0E-86	11418189	NT	Homo sapiens thyroid autoantigen 70KD (Ku antigen) (G22P1), mRNA
12801	25485		6.37	2.0E-86	AB011399.1	NT	Homo sapiens gene for A-F-3, complete cds
1601	14633	27609	1.28	1.0E-86	4828855	NT	Homo sapiens NADH dehydrogenase (ubiquinone) Fe-S protein 1 (75kD) (NADH-coenzyme Q reductase) (NDUFS1) mRNA
3176	16231	29147	1.52	1.0E-86	5453649	NT	Homo sapiens fibulin 5 (FBLN5) mRNA
3248	16304	29228	2.61	1.0E-86	L20492.1	NT	Homo sapiens gamma-glutamyl transpeptidase mRNA, complete cds
3307	16300	29279	2.18	1.0E-86	AL163209.2	NT	Homo sapiens chromosome 21 segment HS21C009
3307	16300	29280	2.18	1.0E-86	AL163209.2	NT	Homo sapiens chromosome 21 segment HS21C009
3966	17006	29921	1.01	1.0E-86	7706161	NT	Homo sapiens hypothetical protein (LOC51318), mRNA
3966	17006	29922	1.01	1.0E-86	7706161	NT	Homo sapiens hypothetical protein (LOC51318), mRNA
4293	17322	30202	5.56	1.0E-86	AL163300.2	NT	Homo sapiens chromosome 21 segment HS21C100
4651	17072	30559	1.12	1.0E-86	4507334	NT	Homo sapiens synapjanin 1 (SYNJ1), mRNA
5632	18728	31889	1.44	1.0E-86	AL163284.2	NT	Homo sapiens chromosome 21 segment HS21C084
5430	18533		1.78	9.0E-87	AI150703.1	EST_HUMAN	qb77c09.x1 Soares_fetal_haart_NbHH19W Homo sapiens cDNA clone IMAGE:1706128 3' similar to SW:K1CJ_MOUSE P02535 KERATIN, TYPE I CYTOSKELETAL 10;

Page 402 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7681	20639	34001	1.73	9.0E-87	4757721	NT	Homo sapiens a disintegrin and metalloproteinase domain 22 (ADAM22), mRNA
7681	20639	34002	1.73	9.0E-87	4757721	NT	Homo sapiens a disintegrin and metalloproteinase domain 22 (ADAM22), mRNA
480	13552	26480	82.98	8.0E-87	X62245.1	NT	O. cuticulus mRNA for elongation factor 1 alpha
2304	15316	28336	3.11	7.0E-87	BF063211.1	EST_HUMAN	7h85f02.x1 NCI_CGAP_Co16 Homo sapiens cDNA clone IMAGE:3322779 3'
2304	15316	28337	3.11	7.0E-87	BF063211.1	EST_HUMAN	7h85f02.x1 NCI_CGAP_Co16 Homo sapiens cDNA clone IMAGE:3322779 3'
6640	19602	32864	1.01	7.0E-87	AW880336.1	EST_HUMAN	MR0-NT0039-020500-004-a11 NT0039 Homo sapiens cDNA
8631	21499	34915	2.59	7.0E-87	BF352776.1	EST_HUMAN	IL3-HT0619-060700-198-D10 HT0619 Homo sapiens cDNA
9809	21132	34535	0.66	7.0E-87	BE712961.1	EST_HUMAN	IL5-HT0702-160600-103-d08 HT0702 Homo sapiens cDNA
10431	23353	36837	3.41	7.0E-87	AL043314.2	EST_HUMAN	DKFZp434N0323_r1 434 (synonym: hies3) Homo sapiens cDNA clone DKFZp434N0323 5'
10431	23353	36838	3.41	7.0E-87	AL043314.2	EST_HUMAN	DKFZp434N0323_r1 434 (synonym: hies3) Homo sapiens cDNA clone DKFZp434N0323 5'
10834	25703	37708	0.48	7.0E-87	A1081585.1	EST_HUMAN	ox59n01.s1 Soares_NhHMPu_S1 Homo sapiens cDNA clone IMAGE:1660657 3'
11237	24190	37708	10.09	7.0E-87	K03002.1	NT	Human mRNA from chromosome 15 gene with homology to MHC-HLA-SB-1 Intron A
11237	24190	37709	10.09	7.0E-87	K03002.1	NT	Human mRNA from chromosome 15 gene with homology to MHC-HLA-SB-1 Intron A
3538	16584	29507	0.76	6.0E-87	7657213	NT	Homo sapiens hormonally upregulated neu tumor-associated kinase (HUNK), mRNA
6561	19621	32886	1.84	6.0E-87	AB029004.1	NT	Homo sapiens mRNA for KIAA1081 protein, partial cds
11079	24041		6.13	6.0E-87	11432444	NT	Homo sapiens similar to SET translocation (myeloid leukemia-associated) (H. sapiens) (LOC63102), mRNA
1162	14204	27157	1.86	5.0E-87	AA382811.1	EST_HUMAN	EST96094 Testis 1 Homo sapiens cDNA 5' end
12585	14204	27157	2	5.0E-87	AA382811.1	EST_HUMAN	EST96094 Testis 1 Homo sapiens cDNA 5' end
987	14019	26972	0.98	4.0E-87	AL163210.2	NT	Homo sapiens chromosome 21 segment HS21C010
1176	14217	27172	15.32	4.0E-87	AB037835.1	NT	Homo sapiens mRNA for KIAA1414 protein, partial cds
2045	15064	28084	1.49	4.0E-87	AB007925.1	NT	Homo sapiens mRNA for KIAA0456 protein, partial cds
3478	16524	28448	1.57	4.0E-87	5174574	NT	Homo sapiens myeloid/lymphoid or mixed-lineage leukemia (trithorax (Drosophila) homolog); translocated to, 4 (MLLT4) mRNA
5307	18310	31167	0.98	4.0E-87	4759073	NT	Homo sapiens small inducible cytokine subfamily A (Cys-Cys), member 16 (SCYA16) mRNA
5307	18310	31168	0.98	4.0E-87	4759073	NT	Homo sapiens small inducible cytokine subfamily A (Cys-Cys), member 16 (SCYA16) mRNA
5521	18620	31554	5.85	4.0E-87	O00321	SWISSPROT	ETS-RELATED PROTEIN 71 (ETS TRANSLLOCATION VARIANT 2)
5844	18934	32118	0.55	4.0E-87	U85429.1	NT	Human transcription factor NFATx3 mRNA, complete cds
6163	19238	32469	4.54	4.0E-87	BE247284.1	EST_HUMAN	TCBAP1E4051 Pediatric pre-B cell acute lymphoblastic leukemia Baylor HGSC project=TCBA Homo sapiens cDNA clone TCBA4051
7933	20875	34264	0.5	4.0E-87	11425281	NT	Homo sapiens KIAA1072 protein (KIAA1072), mRNA
7933	20875	34265	0.5	4.0E-87	11425281	NT	Homo sapiens KIAA1072 protein (KIAA1072), mRNA
8050	20987	34383	0.61	4.0E-87	L48524.1	NT	Homo sapiens tuberin (TSC2) gene, exon 10
9583	22545	35996	0.47	4.0E-87	AF223470.1	NT	Homo sapiens KIAA0871-1 protein (KIAA0871-1) mRNA, complete cds

Table 4
Single Exon Probes Expressed In Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
11500	24443	37894	5.12	4.0E-87	M60876.1	NT	Human von Willebrand factor pseudogene corresponding to exons 23 through 34
12678	25839	31428	1.47	4.0E-87	11417862	NT	Homo sapiens calcineurin binding protein 1 (KIAA0330), mRNA
12678	25839	31429	1.47	4.0E-87	11417862	NT	Homo sapiens calcineurin binding protein 1 (KIAA0330), mRNA
12825	25444		3.11	4.0E-87	11417812	NT	Homo sapiens purinergic receptor P2X-like 1, orphan receptor (P2RXL1), mRNA
2187	15779	28786	4.73	2.0E-87	4885420	NT	Homo sapiens high-mobility group (nonhistone chromosomal) protein 4 (HMG4) mRNA
2959	16017		0.79	2.0E-87	BF327920.1	EST_HUMAN	QV0-BN0148-050600-264-a03 BN0148 Homo sapiens cDNA
3798	18838	29745	0.9	2.0E-87	AU116935.1	EST_HUMAN	AU116935 HEMBA1 Homo sapiens cDNA clone HEMBA1000307 5'
4951	17966	30856	1.84	2.0E-87	BF376311.1	EST_HUMAN	CMO-TN0038-150900-652-h08 TN0038 Homo sapiens cDNA
4998	18013	30900	0.68	2.0E-87	BE175478.1	EST_HUMAN	RC5-HT0580-200300-031-G04 HT0580 Homo sapiens cDNA
5744	18838	32020	8.67	2.0E-87	BE734190.1	EST_HUMAN	601569041F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3843730 5'
5744	18838	32021	8.67	2.0E-87	BE734190.1	EST_HUMAN	601569041F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3843730 5'
6460	19525		3.73	2.0E-87	BE567193.1	EST_HUMAN	601341333F1 NIH_MGC_63 Homo sapiens cDNA clone IMAGE:3683348 5'
6857	19910	33205	1.12	2.0E-87	N48128.1	EST_HUMAN	W21e07.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:243398 5'
6948	20172	33495	0.64	2.0E-87	AV654143.1	EST_HUMAN	AV654143 GLC Homo sapiens cDNA clone GLCDSG04 3'
7379	20349	33700	1.31	2.0E-87	BE294432.1	EST_HUMAN	601176032F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3531511 5'
7436	20403	33767	0.81	2.0E-87	11430348	NT	Homo sapiens hct domain and RLD 2 (HERC2), mRNA
7686	20644	34008	37.21	2.0E-87	N48128.1	EST_HUMAN	W21e07.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:243398 5'
7951	20892	34284	36.03	2.0E-87	N48128.1	EST_HUMAN	W21e07.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:243398 5'
8738	21706	35130	13.21	2.0E-87	X52851.1	NT	Human cyclophilin gene for cyclophilin (EC 5.2.1.8)
10144	23070		6.58	2.0E-87	BE531136.1	EST_HUMAN	601278315F1 NIH_MGC_39 Homo sapiens cDNA clone IMAGE:3610539 5'
1186	15818		3.71	1.0E-87	7705683	NT	Homo sapiens putative glycolipid transfer protein (LOC51054), mRNA
3723	16766	29677	4.15	1.0E-87	Y00052.1	NT	Human mRNA for T-cell cyclophilin
3746	16788	29700	2.03	1.0E-87	4758827	NT	Homo sapiens neuroxin III (NFXN3) mRNA
5152	18162	31042	1.98	1.0E-87	U60949.1	NT	Rattus norvegicus taste bud receptor protein TB 641 (TB 641) gene, complete cds
6352	19421	32662	1.94	1.0E-87	AF073371.1	NT	Homo sapiens growth factor receptor-bound protein 10 (GRB10) gene, exon 8
6352	19421	32663	1.94	1.0E-87	AF073371.1	NT	Homo sapiens growth factor receptor-bound protein 10 (GRB10) gene, exon 8
7383	20363	33704	0.84	1.0E-87	AF039517.1	NT	Homo sapiens corticotropin-releasing factor type 1 receptor gene, exon 8
7383	20363	33705	0.84	1.0E-87	AF039517.1	NT	Homo sapiens corticotropin-releasing factor type 1 receptor gene, exon 8
7389	20358	33710	1.03	1.0E-87	4506786	NT	Homo sapiens IQ motif containing GTPase activating protein 1 (IQGAP1) mRNA
7628	20588	33951	1.17	1.0E-87	11431590	NT	Homo sapiens protein kinase C, beta 1 (PRKCB1), mRNA
7783	20736	34108	0.85	1.0E-87	4506786	NT	Homo sapiens IQ motif containing GTPase activating protein 1 (IQGAP1) mRNA
8088	21005	34403	0.54	1.0E-87	4505528	NT	Homo sapiens solute carrier family 22 (organic cation transporter), member 1-like (SLC22A1L), mRNA
8463	21422	34637	11.12	1.0E-87	AF214562.1	NT	Homo sapiens tracheal epithelium enriched protein (PLEUNC) gene, complete cds

Page 404 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
9280	22228	35655	0.97	1.0E-87	AB022918.1	NT	Homo sapiens mRNA for alpha2,3-sialyltransferase ST3Gal VI, complete cds
9280	22228	35656	0.97	1.0E-87	AB022918.1	NT	Homo sapiens mRNA for alpha2,3-sialyltransferase ST3Gal VI, complete cds
9991	22918	36384	6.88	1.0E-87	BE818183.1	EST_HUMAN	RC8-BN0276-050700-012-E02 BN0276 Homo sapiens cDNA
9991	22918	36385	6.88	1.0E-87	BE818183.1	EST_HUMAN	RC8-BN0276-050700-012-E02 BN0276 Homo sapiens cDNA
10739	23661	37155	3.11	1.0E-87	M34426.1	NT	Human L-plastin mRNA, 5' end
11084	24045	37567	1.78	1.0E-87	5729867	NT	Homo sapiens hct domain and RLD 2 (HERC2), mRNA
12675	25978		1.46	1.0E-87	7657632	NT	Homo sapiens sulfotransferase-related protein (SULTX3), mRNA
1108	14152	27102	6.48	9.0E-88	AF167465.1	NT	Homo sapiens double stranded RNA activated protein kinase (PKR) gene, exon 12
1351	14386	27355	2.56	9.0E-88	AB037820.1	NT	Homo sapiens mRNA for KIAA1399 protein, partial cds
1351	14386	27356	2.56	9.0E-88	AB037820.1	NT	Homo sapiens mRNA for KIAA1399 protein, partial cds
2130	15147	28162	1.14	9.0E-88	7661701	NT	Homo sapiens DKFZP586P1522 protein (DKFZP586P1522), mRNA
3642	16885	29601	0.99	9.0E-88	AL163209.2	NT	Homo sapiens chromosome 21 segment HS21C009
4298	17327	30207	3.27	9.0E-88	X91928.1	NT	H. sapiens ECE-1 gene (exon 9)
4298	17327	30208	3.27	9.0E-88	X91929.1	NT	H. sapiens ECE-1 gene (exon 9)
5038	18051	30931	1	9.0E-88	AB028698.1	NT	Homo sapiens DNA, DLEC1 to ORCTL4 gene region, section 1/2 (DLEC1, ORCTL3, ORCTL4 genes, complete cds)
9375	22340	35771	3.69	6.0E-88	AF003528.1	NT	Homo sapiens X-linked anhidrotic ectodermal dysplasia protein gene (EDA), exon 2 and flanking repeat regions
1845	14871		1.13	5.0E-88	7661887	NT	Homo sapiens KIAA0063 gene product (KIAA0063), mRNA
2647	15644	28669	5.45	5.0E-88	N89399.1	EST_HUMAN	K9719F Human fetal heart, Lambda ZAP Express Homo sapiens cDNA clone K9719 5' similar to ZINC FINGER PROTEIN HZF1
3013	16071	28991	0.91	5.0E-88	AF114488.1	NT	Homo sapiens intersectin short isoform (ITSN) mRNA, complete cds
3023	16080	29002	0.77	5.0E-88	AF114488.1	NT	Homo sapiens intersectin short isoform (ITSN) mRNA, complete cds
3023	16080	29003	0.77	5.0E-88	AF114488.1	NT	Homo sapiens intersectin short isoform (ITSN) mRNA, complete cds
3400	16449		2.75	6.0E-88	A1693217.1	EST_HUMAN	wd68h08.x1 NCI CGAP _lu24 Homo sapiens cDNA clone IMAGE:2336799 3' similar to contains Alu repetitive element; contains element MER22 MER22 repetitive element ;
6936	20160	33481	3.32	5.0E-88	H10932.1	EST_HUMAN	ym06b10.r1 Scores Infant brain TNIB Homo sapiens cDNA clone IMAGE:47129 5'
8261	21230	34639	2.44	5.0E-88	AL163284.2	NT	Homo sapiens chromosome 21 segment HS21C084
9666	22619	36070	0.57	5.0E-88	BF680208.1	EST_HUMAN	602154958F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:4296775 5'
12435	14871		1.73	5.0E-88	7661887	NT	Homo sapiens KIAA0063 gene product (KIAA0063), mRNA
1332	14367	27336	1.49	4.0E-88	BF091229.1	EST_HUMAN	PM1-TN0028-050900-004-f10 TN0028 Homo sapiens cDNA
1332	14367	27337	1.49	4.0E-88	BF091229.1	EST_HUMAN	PM1-TN0028-050900-004-f10 TN0028 Homo sapiens cDNA
5185	18194	31089	0.81	4.0E-88	BF670714.1	EST_HUMAN	602149762F1 NIH_MGC_81 Homo sapiens cDNA clone IMAGE:4290975 5'
7454	20420	33775	1.35	4.0E-88	11416586	NT	Homo sapiens transforming growth factor, beta-induced, 68kD (TGFB1), mRNA

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
11818	24701	38282	3.12	4.0E-88	7661947	NT	Homo sapiens KIAA0152 gene product (KIAA0152), mRNA
11818	24701	38283	3.12	4.0E-88	7661947	NT	Homo sapiens KIAA0152 gene product (KIAA0152), mRNA
733	13794	28731	0.85	3.0E-88	11545800	NT	Homo sapiens hypothetical protein FLJ21634 (FLJ21634), mRNA
1829	14856		1.78	3.0E-88	4508020	NT	Homo sapiens zinc finger protein 259 (ZNF259), mRNA
2958	16016	28944	2.51	3.0E-88	N66951.1	EST_HUMAN	z44812.s1 Scores fetal liver spleen 1NLS Homo sapiens cDNA clone IMAGE:295823 3'
4269	17298	30175	0.93	3.0E-88	4501912	NT	Homo sapiens a disintegrin and metalloproteinase domain 23 (ADAM23), mRNA
4269	17298	30176	0.93	3.0E-88	4501912	NT	Homo sapiens a disintegrin and metalloproteinase domain 23 (ADAM23), mRNA
4604	17529		3.64	3.0E-88	11429300	NT	Homo sapiens hypothetical protein FLJ20220 (FLJ20220), mRNA
5372	18477	31350	2.45	3.0E-88	11429367	NT	Homo sapiens valosin-containing protein (VCP), mRNA
5668	18761	31930	4.05	3.0E-88	9966888	NT	Homo sapiens polycythemia rubra vera 1; cell surface receptor (PRV1), mRNA
5789	18881	32063	3.62	3.0E-88	11420697	NT	Homo sapiens v-rat simian leukemia viral oncogene homolog A (ras related) (RALA), mRNA
6285	19357	32593	0.95	3.0E-88	11417370	NT	Homo sapiens interleukin 13 (IL13), mRNA
6553	25662	32877	0.77	3.0E-88	11419210	NT	Homo sapiens activator of S phase kinase (ASK), mRNA
6553	25662	32878	0.77	3.0E-88	11419210	NT	Homo sapiens activator of S phase kinase (ASK), mRNA
7267	20002	33302	15.04	3.0E-88	AF279265.1	NT	Homo sapiens putative anion transporter 1 mRNA, complete cds
7788	20741	34114	6.35	3.0E-88	11438400	NT	Homo sapiens retinoblastoma-binding protein 2 (RBBP2), mRNA
8253	21222	34832	10.99	3.0E-88	11421728	NT	Homo sapiens growth differentiation factor 5 (cartilage-derived morphogenetic protein-1) (GDF5), mRNA
8538	21508	34923	1.28	3.0E-88	AF034374.1	NT	Homo sapiens molybdenum cofactor biosynthesis protein A and molybdenum cofactor biosynthesis protein C mRNA, complete cds
9789	21112	34512	2.14	3.0E-88	11528262	NT	Homo sapiens v-ets avian erythroblastosis virus E26 oncogene related (ERG), mRNA
10288	23213	36696	0.74	3.0E-88	AB015228.1	NT	Homo sapiens mRNA for RALDH2-T, complete cds
10288	23213	36697	0.74	3.0E-88	AB015228.1	NT	Homo sapiens mRNA for RALDH2-T, complete cds
10316	23240	36721	0.99	3.0E-88	11439065	NT	Homo sapiens acyl-Coenzyme A dehydrogenase family, member 8 (ACAD8), mRNA
12086	24856	38554	3.65	3.0E-88	4557502	NT	Homo sapiens cubilin (infralysic factor-cobalamin receptor) (CUBN), mRNA
12421	25191		7.12	3.0E-88	11417974	NT	Homo sapiens transcobalamin II; macrocytic anemia (TCN2), mRNA
1037	14083	27033	61.67	2.0E-88	7305198	NT	Homo sapiens Calsenilin, presenilin-binding protein, EF hand transcription factor (CSEN), mRNA
1628	14681	27637	1.68	2.0E-88	AF246219.1	NT	Homo sapiens SNARE protein kinase SNAK mRNA, complete cds
1765	14794	27779	4.07	2.0E-88	AF246219.1	NT	Homo sapiens SNARE protein kinase SNAK mRNA, complete cds
4455	17481	30369	1.86	2.0E-88	5031666	NT	Homo sapiens dynein, axonemal, light polypeptide 4 (DNAL4), mRNA
6016	19099	32300	5.17	1.0E-88	AW139565.1	EST_HUMAN	UI-H-B11-aea-d-04-0-UJ.s1 NCI_OGAP_Sub3 Homo sapiens cDNA clone IMAGE:2718750 3'
6016	19099	32301	5.17	1.0E-88	AW139565.1	EST_HUMAN	UI-H-B11-aea-d-04-0-UJ.s1 NCI_OGAP_Sub3 Homo sapiens cDNA clone IMAGE:2718750 3'
6802	19856	33141	23.82	1.0E-88	AB007877.1	NT	Homo sapiens KIAA0417 mRNA, complete cds
6802	19856	33142	23.82	1.0E-88	AB007877.1	NT	Homo sapiens KIAA0417 mRNA, complete cds

Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7328	20300	33644	1.29	1.0E-88	AI969034.1	EST_HUMAN	wq70a12.x1 NCI_CGAP_GC6 Homo sapiens cDNA clone IMAGE:2476806 3'
7390	20359	33711	3.91	1.0E-88	AA488981.1	EST_HUMAN	aa54a11.s1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:824732 3' similar to WP.B0272.2
8476	21445	34862	0.47	1.0E-88	AF135183.1	NT	CE00851; Homo sapiens Recq Helicase 5 (RECQ5) gene, alternative splice products, complete cds
9597	22801	36050	1.09	1.0E-88	AA190368.1	EST_HUMAN	zp87c02.r1 Stratagene HeLa cell s3 937216 Homo sapiens cDNA clone IMAGE:827170 5' similar to
9838	22865	36327	2.73	1.0E-88	AL043314.2	EST_HUMAN	SW:POL1_HUMAN P10266 RETROVIRUS-RELATED POL POLYPROTEIN; DKFZp434N0323_r1 434 (synonym: hies3) Homo sapiens cDNA clone DKFZp434N0323 5'
11773	23928	37449	3.86	1.0E-88	AA991479.1	EST_HUMAN	os91g03.s1 NCI_CGAP_GC3 Homo sapiens cDNA clone IMAGE:1612756 3' similar to gb:M16342
12640	25324	37774	1.91	1.0E-88	AL163246.2	NT	HETEROGENEOUS NUCLEAR RIBONUCLEOPROTEINS C1/C2 (HUMAN); Homo sapiens chromosome 21 segment HS21C046
11298	24248	37774	3.68	9.0E-89	11421238	NT	Homo sapiens transgelin 2 (TAGLN2), mRNA
2745	15738	28765	1.74	8.0E-89	BE311557.1	EST_HUMAN	601142409F1 NIH_MGC_14 Homo sapiens cDNA clone IMAGE:3506186 5'
7118	20052	33356	1.21	8.0E-89	11421514	NT	Homo sapiens similar to sema domain, immunoglobulin domain (Ig), short basic domain, secreted, (semaphorin) 3A (H. sapiens) (LOC63232), mRNA
433	13507	26440	1.21	7.0E-89	7657213	NT	Homo sapiens hormonally upregulated neu tumor-associated kinase (HUNK), mRNA
433	13507	26441	1.21	7.0E-89	7657213	NT	Homo sapiens hormonally upregulated neu tumor-associated kinase (HUNK), mRNA
4919	17836	30828	2.95	7.0E-89	4557390	NT	Homo sapiens complement component 8, beta polypeptide (C8B), mRNA
4987	17982	30872	4.02	7.0E-89	AL045748.1	EST_HUMAN	DKFZp434E246_r1 434 (synonym: hies3) Homo sapiens cDNA clone DKFZp434E246 5'
5505	18605	31534	1.22	7.0E-89	X98832.1	NT	H. sapiens CLN3 gene, complete CDS
5505	18605	31535	1.22	7.0E-89	X98832.1	NT	H. sapiens CLN3 gene, complete CDS
6477	19542	32789	0.77	7.0E-89	7549808	NT	Homo sapiens plasmin 3 (T isoform) (PLS3), mRNA
6477	19542	32790	0.77	7.0E-89	7549808	NT	Homo sapiens plasmin 3 (T isoform) (PLS3), mRNA
7741	20695	34060	1.42	7.0E-89	11420754	NT	Homo sapiens actin related protein 2/3 complex, subunit 1A (41 kD) (ARPC1A), mRNA
8211	21180	34589	0.57	7.0E-89	11417118	NT	Homo sapiens KIAA0433 protein (KIAA0433), mRNA
8211	21180	34590	0.57	7.0E-89	11417118	NT	Homo sapiens KIAA0433 protein (KIAA0433), mRNA
8823	21790	35212	3.88	7.0E-89	J02923.1	NT	Human 65-kilodalton phosphoprotein (p65) mRNA, complete cds
10897	23817	37324	1.25	7.0E-89	X62048.1	NT	H. sapiens Wee1 hu gene
10897	23817	37325	1.25	7.0E-89	X62048.1	NT	H. sapiens Wee1 hu gene
10913	23833	37347	1.11	7.0E-89	AB020830.1	NT	Homo sapiens mRNA for KIAA0823 protein, partial cds
10913	23833	37348	1.11	7.0E-89	AB020830.1	NT	Homo sapiens mRNA for KIAA0823 protein, partial cds
1025	14071	27022	1.23	6.0E-89	5803114	NT	Homo sapiens inner membrane protein, mitochondrial (mitofilin) (IMMT), mRNA
2223	15237	28261	1.17	6.0E-89	4506124	NT	Homo sapiens serine/threonine-protein kinase PRP4 homolog (PRP4) mRNA
2440	15447	28464	0.99	6.0E-89	4507788	NT	Homo sapiens ubiquitin-conjugating enzyme E2L 3 (UBE2L3) mRNA
2440	15447	28465	0.99	6.0E-89	4507788	NT	Homo sapiens ubiquitin-conjugating enzyme E2L 3 (UBE2L3) mRNA

Page 407 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4667	17688	30573	4.04	6.0E-89	AB007866.2	NT	Homo sapiens mRNA for KIAA0406 protein, partial cds
4667	17688	30574	4.04	6.0E-89	AB007866.2	NT	Homo sapiens mRNA for KIAA0406 protein, partial cds
5111	18121	30995	3.41	5.0E-89	BE244323.1	EST_HUMAN	TCBAP2E0383 Pediatric pre-B cell acute lymphoblastic leukemia Baylor-HGSC project=TCBA Homo sapiens cDNA clone TCBAP0383
5111	18121	30996	3.41	5.0E-89	BE244323.1	EST_HUMAN	TCBAP2E0383 Pediatric pre-B cell acute lymphoblastic leukemia Baylor-HGSC project=TCBA Homo sapiens cDNA clone TCBAP0383
7842	20789	34164	0.84	4.0E-89	BE762749.1	EST_HUMAN	QV3-NT0022-080800-219-g03 NT0022 Homo sapiens cDNA
2888	15947	28863	1.1	3.0E-89	AW976181.1	EST_HUMAN	EST388290 MAGE resequences, MAGN Homo sapiens cDNA
7347	20317	33663	1.25	3.0E-89	AI217359.1	EST_HUMAN	qh17b06.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1844915 3'
11151	24111	37636	1.79	3.0E-89	N57357.1	EST_HUMAN	yw86e11.r1 Soares_placenta_8tc9weeks_2NbHP8tc9W Homo sapiens cDNA clone IMAGE:259148 5' similar to SW:P14K_HUMAN P42356 PHOSPHATIDYLINOSITOL 4-KINASE ALPHA ;
127	13481	26416	0.68	2.0E-89	7706670	NT	Homo sapiens PXR2b protein (PXR2b), mRNA
127	13481	26417	0.68	2.0E-89	7706670	NT	Homo sapiens PXR2b protein (PXR2b), mRNA
408	13481	26416	0.64	2.0E-89	7706670	NT	Homo sapiens PXR2b protein (PXR2b), mRNA
408	13481	26417	0.64	2.0E-89	7706670	NT	Homo sapiens PXR2b protein (PXR2b), mRNA
531	13602	26520	0.93	2.0E-89	AB037763.1	NT	Homo sapiens mRNA for KIAA1342 protein, partial cds
2892	15951	28867	1.71	2.0E-89	AJ222096.1	EST_HUMAN	qg96c08.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1843022 3' similar to gb:J04131 GAMMA-GLUTAMYLTRANSPEPTIDASE 1 PRECURSOR (HUMAN);contains Alu repetitive element;
3565	16611	29532	0.65	2.0E-89	AA759149.1	EST_HUMAN	ah70e03.s1 Soares_testis_NHT Homo sapiens cDNA clone 1320988 3'
3565	16611	29533	0.65	2.0E-89	AA759149.1	EST_HUMAN	ah70e03.s1 Soares_testis_NHT Homo sapiens cDNA clone 1320988 3'
4169	17200	30086	1.41	2.0E-89	AF089897.1	NT	Homo sapiens topoisomerase-related function protein (TRF4-2) mRNA, partial cds
4180	17211	30088	4.98	2.0E-89	X58742.1	NT	H. sapiens HCK gene for tyrosine kinase (PTK), exons 10-11
4180	17211	30089	4.98	2.0E-89	X58742.1	NT	H. sapiens HCK gene for tyrosine kinase (PTK), exons 10-11
4376	17404	30284	0.83	2.0E-89	AL163203.2	NT	Homo sapiens chromosome 21 segment HS21C003
4524	17549	30437	1.1	2.0E-89	AJ007378.1	NT	Homo sapiens GGT gene, exon 5
5416	18519		1.39	2.0E-89	BE541744.1	EST_HUMAN	601065996FT NIH_MGC_10 Homo sapiens cDNA clone IMAGE:3452423 5'
5558	18655	31600	2.77	2.0E-89	AB007546.1	NT	Homo sapiens gene for LECT2, complete cds
5886	18975	32187	1.69	2.0E-89	U03995.1	NT	Human N-ethylmaleimide-sensitive factor mRNA, partial cds
6335	19404	32644	0.87	2.0E-89	AL163285.2	NT	Homo sapiens chromosome 21 segment HS21C085
7931	20874	34263	4.07	2.0E-89	U81004.1	NT	Human GT24 (GT24) mRNA, partial cds
8266	21235	34646	2.9	2.0E-89	1142580.1	NT	Homo sapiens solute carrier family 24 (sodium/potassium/calcium exchanger), member 2 (SLC24A2), mRNA

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8760	21727	35149	0.94	2.0E-89	AJ245503.1	NT	Homo sapiens partial mRNA for PEX5 related protein
9608	22612	36065	0.67	2.0E-89	AB037754.1	NT	Homo sapiens mRNA for KIAA1333 protein, partial cds
10169	23094	36572	1.11	2.0E-89	AF170814.1	NT	Homo sapiens CABP5 (CABP5) gene, exon 5
10169	23094	36573	1.11	2.0E-89	AF170814.1	NT	Homo sapiens CABP5 (CABP5) gene, exon 5
11701	24666	38243	2.63	2.0E-89	114344411	NT	Homo sapiens Integrin, alpha 3 (antigen CD49C, alpha 3 subunit of VLA-3 receptor) (ITGA3), mRNA
11896	24777	38363	3.64	2.0E-89	11433673	NT	Homo sapiens cell adhesion molecule with homology to L1CAM (close homologue of L1) (CHL1), mRNA
12028	24902	38497	1.63	2.0E-89	U10692.1	NT	Human MAGE-7 antigen (MAGE7) pseudogene, complete cds
11803	24784	38372	5.65	1.0E-89	BF196052.1	EST_HUMAN	h81d08.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:3134897 3' similar to TR:054778 O54778
11803	24784	38373	5.65	1.0E-89	BF196052.1	EST_HUMAN	h81d08.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:3134897 3' similar to TR:054778 O54778
8369	21537	34957	1.77	9.0E-90	AL163246.2	NT	SOLUTE CARRIER FAMILY 22_LIKE 2 PROTEIN ;
8569	21537	34958	1.77	9.0E-90	AL163246.2	NT	Homo sapiens chromosome 21 segment HS21C046
1064	14110	27059	1.93	8.0E-90	AL163246.2	NT	Homo sapiens chromosome 21 segment HS21C046
1065	14110	27059	2.43	8.0E-90	AL163246.2	NT	Homo sapiens chromosome 21 segment HS21C046
1333	15864	27338	4.85	8.0E-90	BE670561.1	EST_HUMAN	7e36f08.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3284583 3'
1333	15864	27339	4.85	8.0E-90	BE670561.1	EST_HUMAN	7e36f08.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3284583 3'
8906	21872	35298	0.78	8.0E-90	BE177830.1	EST_HUMAN	RC1-HT0598-120400-022-b08 HT0598 Homo sapiens cDNA
11374	24321	37848	1.68	8.0E-90	AA705222.1	EST_HUMAN	z82g10.s1 Soares_fetal_liver_spleen_INFLS_S1 Homo sapiens cDNA clone IMAGE:461442 3'
11374	24321	37849	1.68	8.0E-90	AA705222.1	EST_HUMAN	z82g10.s1 Soares_fetal_liver_spleen_INFLS_S1 Homo sapiens cDNA clone IMAGE:461442 3'
837	13594		3.74	7.0E-90	AF223391.1	NT	Homo sapiens calcium channel alpha1E subunit (CACNA1E) gene, exons 7-49, and partial cds, alternatively spliced
8767	21734		2.07	7.0E-90	AA782977.1	EST_HUMAN	ai63d08.s1 Soares_testis_NHT Homo sapiens cDNA clone 1375503 3'
9317	22282	35712	1.82	7.0E-90	BE962525.2	EST_HUMAN	601655837R1 NIH_MGC_68 Homo sapiens cDNA clone IMAGE:3855824 3'
9317	22282	35713	1.82	7.0E-90	BE962525.2	EST_HUMAN	601655837R1 NIH_MGC_68 Homo sapiens cDNA clone IMAGE:3855824 3'
10495	23417	36915	2.08	7.0E-90	H68849.1	EST_HUMAN	yr86e04.s1 Soares_fetal_liver_spleen_INFLS Homo sapiens cDNA clone IMAGE:212190 3' similar to SP:CITC_HUMAN P11586 C-1-TETRAHYDROFOLATE SYNTHASE, CYTOPLASMIC ;
10495	23417	36916	2.08	7.0E-90	H68849.1	EST_HUMAN	yr86e04.s1 Soares_fetal_liver_spleen_INFLS Homo sapiens cDNA clone IMAGE:212190 3' similar to SP:CITC_HUMAN P11586 C-1-TETRAHYDROFOLATE SYNTHASE, CYTOPLASMIC ;
10821	23742	37243	0.98	7.0E-90	BF526089.1	EST_HUMAN	602071208F1 NCI_CGAP_Bm64 Homo sapiens cDNA clone IMAGE:4214257 5'
3081	16138	29049	0.98	6.0E-90	X91926.1	NT	H sapiens ECE-1 gene (exon 6)
3081	16138	29050	0.98	6.0E-90	X91926.1	NT	H sapiens ECE-1 gene (exon 6)

Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4254	17283	30164	9.77	6.0E-90	8922398	NT	Homo sapiens hypothetical protein FLJ10388 (FLJ10388), mRNA
4254	17283	30165	9.77	6.0E-90	8922398	NT	Homo sapiens hypothetical protein FLJ10388 (FLJ10388), mRNA
6097	19178	32393	3.07	6.0E-90	U77700.1	NT	Homo sapiens HsGON1 mRNA, partial cds
6097	19178	32394	3.07	6.0E-90	U77700.1	NT	Homo sapiens HsGON1 mRNA, partial cds
8670	21638	35061	3.16	6.0E-90	4504794	NT	Homo sapiens Inositol 1,4,5-triphosphate receptor, type 3 (ITPR3) mRNA
8670	21638	35062	3.16	6.0E-90	4504794	NT	Homo sapiens Inositol 1,4,5-triphosphate receptor, type 3 (ITPR3) mRNA
156	13259		25.81	5.0E-90	AB035344.1	NT	Homo sapiens TCE6 gene, exon 1-10b
1197	14237	27192	1.94	5.0E-90	U80226.1	NT	Human gamma-aminobutyric acid transaminase mRNA, partial cds
1836	14863	27860	1.33	5.0E-90	A1222095.1	EST_HUMAN	qg96c08.x1 Scores_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1843022 3' similar to gb:J04131 GAMMA-GLUTAMYLTRANSPEPTIDASE 1 PRECURSOR (HUMAN);contains Alu repetitive element
1836	14863	27861	1.33	5.0E-90	A1222095.1	EST_HUMAN	qg96c08.x1 Scores_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1843022 3' similar to gb:J04131 GAMMA-GLUTAMYLTRANSPEPTIDASE 1 PRECURSOR (HUMAN);contains Alu repetitive element
2562	15563	28582	2.8	5.0E-90	AF114487.1	NT	Homo sapiens intersectin long isoform (ITSN) mRNA, complete cds
4571	17593	30487	1.32	5.0E-90	4508354	NT	Homo sapiens pregnancy-zone protein (PZP) mRNA
4593	17614	30508	0.7	5.0E-90	AL163201.2	NT	Homo sapiens chromosome 21 segment HS21C001
5672	18767	31939	2.68	5.0E-90	Z16411.1	NT	H.sapiens mRNA encoding phospholipase c
5690	18785		0.61	5.0E-90	AF008915.1	NT	Homo sapiens EVI5 homolog mRNA, complete cds
5777	18869	32052	1.34	6.0E-90	AB015617.1	NT	Homo sapiens ELKS mRNA, complete cds
5860	18767	31939	2.22	5.0E-90	Z16411.1	NT	H.sapiens mRNA encoding phospholipase c
6894	19946	33242	0.73	5.0E-90	9910365	NT	Homo sapiens Carbonic anhydrase-related protein 10 (LOC56834), mRNA
6894	19946	33243	0.73	5.0E-90	9910365	NT	Homo sapiens Carbonic anhydrase-related protein 10 (LOC56834), mRNA
7423	20390	33741	2.09	5.0E-90	AF113708.1	NT	Homo sapiens angiotensin 4 (ANG4) mRNA, partial cds
7423	20390	33742	2.09	5.0E-90	AF113708.1	NT	Homo sapiens angiotensin 4 (ANG4) mRNA, partial cds
7813	20782	34138	8.82	5.0E-90	4557258	NT	Homo sapiens adenylate cyclase 9 (ADCY9) mRNA
8636	21604	35028	4.98	5.0E-90	11345483	NT	Homo sapiens hypothetical protein FLJ13222 (FLJ13222), mRNA
10039	22966	36433	1.13	5.0E-90	11419429	NT	Homo sapiens similar to ectonucleotide pyrophosphatase/phosphodiesterase 3 (H. sapiens) (LOC63214), mRNA
10644	23566	37063	0.74	5.0E-90	AF123303.1	NT	Homo sapiens calcium-binding transporter mRNA, partial cds
10777	23698	37196	0.53	5.0E-90	11417118	NT	Homo sapiens KIAA0433 protein (KIAA0433), mRNA
10777	23698	37197	0.53	5.0E-90	11417118	NT	Homo sapiens KIAA0433 protein (KIAA0433), mRNA
10813	23734	37236	5.86	5.0E-90	11433721	NT	Homo sapiens ATPase, aminophospholipid transporter-like, Class I, type 8A, member 2 (ATP8A2), mRNA

Page 410 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
10871	23791	37291	0.67	5.0E-90	7662051	NT	Homo sapiens KIAA0317 gene product (KIAA0317), mRNA
10871	23791	37292	0.67	5.0E-90	7662051	NT	Homo sapiens KIAA0317 gene product (KIAA0317), mRNA
12872	25506		2.89	5.0E-90	AB011399.1	NT	Homo sapiens gene for AF-6, complete cds
12920	25496		4.66	5.0E-90	A1523386.1	EST_HUMAN	ar78h05.x1 Barstead aorta HPLRB6 Homo sapiens cDNA clone IMAGE:2128761 3'
302	13398	26323	2.82	4.0E-90	AF231920.1	NT	Homo sapiens chromosome 21 unknown mRNA
302	13398	26324	2.82	4.0E-90	AF231920.1	NT	Homo sapiens chromosome 21 unknown mRNA
1088	14132	27084	4.74	4.0E-90	4505316	NT	Homo sapiens myosin phosphatase, target subunit 1 (MYPT1), mRNA
1688	14728	27711	8.84	4.0E-90	X99033.1	NT	H.sapiens gene encoding discoidin receptor tyrosine kinase, exon 16
4686	17707	30600	6.15	4.0E-90	D87675.1	NT	Homo sapiens DNA for amyloid precursor protein, complete cds
4835	17852	30761	2.4	4.0E-90	AB033070.1	NT	Homo sapiens mRNA for KIAA1244 protein, partial cds
4856	17873	30761	1.96	4.0E-90	M95937.1	NT	Human prohormone converting enzyme (NEC2) gene, exon 8
12134	25003	38610	1.75	4.0E-90	D31124.1	EST_HUMAN	HUM12582 Human fetal lung Homo sapiens cDNA 5'
8185	21155	34563	1.72	3.0E-90	BF516168.1	EST_HUMAN	UIH-BW1-amy-b-04-Q-U1.s1 NCI_CGAP_Sub7 Homo sapiens cDNA clone IMAGE:3083839 3'
8185	21155	34564	1.72	3.0E-90	BF516168.1	EST_HUMAN	UIH-BW1-amy-b-04-Q-U1.s1 NCI_CGAP_Sub7 Homo sapiens cDNA clone IMAGE:3083839 3'
11951	24830	38426	67.56	3.0E-90	BE663833.1	EST_HUMAN	601335244F1 NIH_MGC_39 Homo sapiens cDNA clone IMAGE:3689147 5'
215	13315	26243	5.41	2.0E-90	BE537913.1	EST_HUMAN	601067378F1 NIH_MGC_10 Homo sapiens cDNA clone IMAGE:3453834 5'
1177	14218	27173	46.4	2.0E-90	5031748	NT	Homo sapiens high-mobility group (nonhistone chromosomal) protein 17 (HMG17), mRNA
1177	14218	27174	46.4	2.0E-90	5031748	NT	Homo sapiens high-mobility group (nonhistone chromosomal) protein 17 (HMG17), mRNA
3859	16998	29801	2.03	2.0E-90	A1138213.1	EST_HUMAN	qc54c02.x1 Soares placenta_86cweeks_2NbhP8to9W Homo sapiens cDNA clone IMAGE:1713410 3'
4714	17734	30627	1.17	2.0E-90	AB006627.1	NT	similar to SW:OLF3_MOUSE P23275 OLFACTORY RECEPTOR OR3.1
4947	17963	30853	9.22	2.0E-90	5729855	NT	Homo sapiens mRNA for KIAA0289 gene, partial cds
5870	18959	32147	0.57	2.0E-90	1152590.1	NT	Homo sapiens GRB2-related adaptor protein (GRAP) mRNA
5870	18959	32148	0.57	2.0E-90	1152590.1	NT	Homo sapiens Rap2 interacting protein 8 (RPIP8), mRNA
5879	18998	32159	4.7	2.0E-90	AW672686.1	EST_HUMAN	Homo sapiens Rap2 interacting protein 8 (RPIP8), mRNA
10149	23075	36550	8.23	2.0E-90	11427320	NT	ba49d05.y3 NIH_MGC_10 Homo sapiens cDNA clone IMAGE:2899881 5' similar to TR:O75208 O75208 HYPOTHETICAL 35.5 KD PROTEIN.1
10149	23075	36550	8.23	2.0E-90	11427320	NT	HYPOTHETICAL 35.5 KD PROTEIN.1
10149	23075	36550	8.23	2.0E-90	11427320	NT	Homo sapiens similar to laminin receptor 1 (67kD, ribosomal protein SA) (H. sapiens) (LOC63484), mRNA
10149	23075	36551	8.23	2.0E-90	11427320	NT	Homo sapiens similar to laminin receptor 1 (67kD, ribosomal protein SA) (H. sapiens) (LOC63484), mRNA
10319	23243	36722	1.27	2.0E-90	AU118985.1	EST_HUMAN	Homo sapiens similar to laminin receptor 1 (67kD, ribosomal protein SA) (H. sapiens) (LOC63484), mRNA
10319	23243	36723	1.27	2.0E-90	AU118985.1	EST_HUMAN	AU118985 HEMBA1 Homo sapiens cDNA clone HEMBA1004795 5'
11798	23953	37476	5.5	2.0E-90	11024711	NT	AU118985 HEMBA1 Homo sapiens cDNA clone HEMBA1004795 5'
11798	23953	37476	5.5	2.0E-90	11024711	NT	AU118985 HEMBA1 Homo sapiens cDNA clone HEMBA1004795 5'
11798	23953	37476	5.5	2.0E-90	11024711	NT	Homo sapiens myosin, heavy polypeptide 4, skeletal muscle (MYH4), mRNA

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
276	13372	26300	3.98	1.0E-90	4502166	NT	Homo sapiens amyloid beta (A4) precursor protein (protease nexin-II, Alzheimer disease) (APP), mRNA
374	15812	26389	1.13	1.0E-90	AF231820.1	NT	Homo sapiens chromosome 21 unknown mRNA
375	15812	26389	2.04	1.0E-90	AF231820.1	NT	Homo sapiens chromosome 21 unknown mRNA
696	13758	26689	2.55	1.0E-90	AJ237589.1	NT	Homo sapiens mRNA for T-box transcription factor (TBX20 gene), partial
698	13758	26690	2.55	1.0E-90	AJ237589.1	NT	Homo sapiens mRNA for T-box transcription factor (TBX20 gene), partial
731	13792	26728	17.02	1.0E-90	AF264750.1	NT	Homo sapiens ALR-like protein mRNA, partial cds
731	13792	26728	17.02	1.0E-90	AF264750.1	NT	Homo sapiens ALR-like protein mRNA, partial cds
1112	14158		2.23	1.0E-90	4507828	NT	Homo sapiens Kruppel-like factor 7 (ubiquitous) (KLF7), mRNA
1309	14345	27310	2.99	1.0E-90	AF098154.1	NT	Homo sapiens protein phosphatase 2A BR gamma subunit gene, exon 3
1309	14345	27311	2.99	1.0E-90	AF098154.1	NT	Homo sapiens protein phosphatase 2A BR gamma subunit gene, exon 3
1876	14708		1.76	1.0E-90	BE379884.1	EST_HUMAN	60115953F2 NIH_MGC_53 Homo sapiens cDNA clone IMAGE:351118 5'
1878	14942	27638	2.77	1.0E-90	11420514	NT	Homo sapiens similar to SALL1 (eal (Drosophila)-like (LOC57167), mRNA
2868	15826	28846	7.85	1.0E-90	6005720	NT	Homo sapiens chromosome 8 open reading frame 2 (C8ORF2), mRNA
3865	16904	29810	0.72	1.0E-90	AB020710.1	NT	Homo sapiens mRNA for KIAA0903 protein, partial cds
3865	16904	29811	0.72	1.0E-90	AB020710.1	NT	Homo sapiens mRNA for KIAA0903 protein, partial cds
4453	17478	30387	1.17	1.0E-90	AF167340.1	NT	Homo sapiens soluble interleukin 1 receptor accessory protein (IL1RAP) gene, exon 8, alternative exons 9 and complete cds, alternatively spliced
5270	18277	31140	1.7	1.0E-90	AB037820.1	NT	Homo sapiens mRNA for KIAA1399 protein, partial cds
5270	18277	31141	1.7	1.0E-90	AB037820.1	NT	Homo sapiens mRNA for KIAA1399 protein, partial cds
5758	18851	32031	1.76	1.0E-90	AB014533.1	NT	Homo sapiens mRNA for KIAA0633 protein, partial cds
5936	19022	32216	0.99	1.0E-90	11426910	NT	Homo sapiens KIAA0623 gene product (KIAA0623), mRNA
7278	20011	33313	0.67	1.0E-90	U91934.1	NT	Human retina-derived POU-domain factor-1 mRNA, complete cds
7525	20489	33851	0.6	1.0E-90	6006002	NT	Homo sapiens glutamate receptor, ionotropic, N-methyl D-aspartate 2A (GRIN2A) mRNA
7934	20876	34266	2.63	1.0E-90	11426758	NT	Homo sapiens solute carrier family 1 (high affinity aspartate/glutamate transporter), member 6 (SLC1A6), mRNA
9173	22139	35565	3.96	1.0E-90	11422086	NT	Homo sapiens brefeldin A-inhibited guanine nucleotide-exchange protein 2 (BIG2), mRNA
9848	22692		1.08	1.0E-90	AF163864.1	NT	Homo sapiens SNCA isoform (SNCA) gene, complete cds, alternatively spliced
9870	22623	36076	1.38	1.0E-90	11422109	NT	Homo sapiens CGI-15 protein (LOC51006), mRNA
9870	22623	36076	1.38	1.0E-90	11422109	NT	Homo sapiens CGI-15 protein (LOC51006), mRNA
10990	23910	37424	0.53	1.0E-90	X55545.1	NT	H. sapiens cDNA for CREB protein
10990	23910	37425	0.53	1.0E-90	X55545.1	NT	H. sapiens cDNA for CREB protein
11021	23886	37513	2.13	1.0E-90	R25886.1	EST_HUMAN	y944d11.2 Soares infant brain IN1B Homo sapiens cDNA clone IMAGE:35477 5'
4224	17253	30140	6.09	8.0E-91	D12234.1	EST_HUMAN	HJUM0005381 Liver HepG2 cell line. Homo sapiens cDNA clone s381 3'

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8649	21617	35039	4.36	7.0E-91	11419234	NT	Homo sapiens makorin, ring finger protein, 1 (MKRN1), mRNA
10683	23585	37083	0.97	7.0E-91	AI904151.1	EST_HUMAN	CM-BT043-090289-075 BT043 Homo sapiens cDNA
3488	18534	29459	1.71	5.0E-91	AA702794.1	EST_HUMAN	280b04.s1 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:448015 3'
4544	17567	30454	1.05	5.0E-91	AU143539.1	EST_HUMAN	AU143539 Y79AA1 Homo sapiens cDNA clone Y79AA1002087 5'
4544	17567	30455	1.05	5.0E-91	AU143539.1	EST_HUMAN	AU143539 Y79AA1 Homo sapiens cDNA clone Y79AA1002087 5'
6770	19825	33108	1.19	5.0E-91	AI879695.1	EST_HUMAN	au49f09.x1 Schneider fetal brain 00004 Homo sapiens cDNA clone IMAGE:2518121 3' similar to SW-ASPG_FLAME Q47808 N4-(BETA-N-ACETYLGLUCOSAMINYL)-L-ASPARAGINASE PRECURSOR ;
8547	21515	34933	1.65	5.0E-91	BF314882.1	EST_HUMAN	601901624F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:4130933 5'
9113	22079	35506	1.28	5.0E-91	AV649878.1	EST_HUMAN	AV649878 GLC Homo sapiens cDNA clone GLOBYF08 3'
9113	22079	35507	1.28	5.0E-91	AV649878.1	EST_HUMAN	AV649878 GLC Homo sapiens cDNA clone GLOBYF08 3'
12892	25479		2.26	5.0E-91	AI193566.1	EST_HUMAN	qe70f11.x1 Soares_fetal_lung_NbHL19W Homo sapiens cDNA clone IMAGE:1744365 3' similar to contains MIR.b2 MIR MIR repetitive element ;
3215	16270	29192	1.41	4.0E-91	AF156776.1	NT	Homo sapiens lysophosphatidic acid acyltransferase-delta (LPAAT-delta) mRNA, complete cds
3215	16270	29193	1.41	4.0E-91	AF156776.1	NT	Homo sapiens lysophosphatidic acid acyltransferase-delta (LPAAT-delta) mRNA, complete cds
11278	24228	37755	3.24	4.0E-91	AL163284.2	NT	Homo sapiens chromosome 21 segment HS21C084
12377	25159	31811	1.55	4.0E-91	M77994.1	EST_HUMAN	EST01579 Hippocampus, Stratagene (cat. #936205) Homo sapiens cDNA clone HHCMC60 similar to Retrovirus-related gag polyprotein
12377	25159	31858	1.55	4.0E-91	M77994.1	EST_HUMAN	EST01579 Hippocampus, Stratagene (cat. #936205) Homo sapiens cDNA clone HHCMC60 similar to Retrovirus-related gag polyprotein
1621	14654	27630	5.97	3.0E-91	11430193	NT	Homo sapiens solute carrier family 4, anion exchanger, member 3 (SLC4A3), mRNA
1621	14654	27631	5.97	3.0E-91	11430193	NT	Homo sapiens solute carrier family 4, anion exchanger, member 3 (SLC4A3), mRNA
3350	16401	29323	1.76	3.0E-91	AL163283.2	NT	Homo sapiens chromosome 21 segment HS21C083
3476	16522	29445	3.84	3.0E-91	AB033104.1	NT	Homo sapiens mRNA for KIAA1278 protein, partial cds
3476	16522	29446	3.84	3.0E-91	AB033104.1	NT	Homo sapiens mRNA for KIAA1278 protein, partial cds
3802	16942	29750	1.47	3.0E-91	AF084530.1	NT	Homo sapiens cyclin-D binding Myb-like protein mRNA, complete cds
4821	17642	30530	4.36	3.0E-91	M30938.1	NT	Human Ku (p70/p80) subunit mRNA, complete cds
5016	18030	30915	1.3	3.0E-91	AL163285.2	NT	Homo sapiens chromosome 21 segment HS21C085
5016	18030	30916	1.3	3.0E-91	AL163285.2	NT	Homo sapiens chromosome 21 segment HS21C085
5770	18862	32041	1.43	3.0E-91	11434964	NT	Homo sapiens epididymal secretory protein (19.6kD) (HE1), mRNA
6437	19503		2.97	3.0E-91	4502740	NT	Homo sapiens cyclin-dependent kinase 6 (CDK6) mRNA
6735	19791	33071	3.34	3.0E-91	11497811	NT	Homo sapiens gamma-aminobutyric acid (GABA) B receptor, 1 (GABBR1), transcript variant 2, mRNA

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6735	19791	33072	3.34	3.0E-91	11497811	NT	Homo sapiens gamma-aminobutyric acid (GABA) B receptor, 1 (GABBR1), transcript variant 2, mRNA
7800	20843	34228	4.07	3.0E-91	U86959.1	NT	Human L-type calcium channel beta-1 subunit (CACNLB1) gene, exons 10 and 11
7900	20843	34227	4.07	3.0E-91	U86959.1	NT	Human L-type calcium channel beta-1 subunit (CACNLB1) gene, exons 10 and 11
8278	21247	34659	0.44	3.0E-91	6601589	NT	Homo sapiens ankyrin-like with transmembrane domains 1 (ANKTM1), mRNA
8123	22089	35517	2.51	3.0E-91	D16494.1	NT	Human mRNA for very low density lipoprotein receptor, complete cds
9643	22587	36036	0.8	3.0E-91	AB011166.1	NT	Homo sapiens mRNA for KIAA0594 protein, partial cds
11235	24188	37707	2.53	3.0E-91	AB032178.2	NT	Homo sapiens EHM2 mRNA, complete cds
11538	24477	38028	2.3	3.0E-91	AB029003.1	NT	Homo sapiens mRNA for KIAA1080 protein, partial cds
11536	24477	38027	2.3	3.0E-91	AB029003.1	NT	Homo sapiens mRNA for KIAA1080 protein, partial cds
12620	25314	31784	1.48	3.0E-91	AF240786.1	NT	Homo sapiens glutathione S-transferase theta 2 (GSTT2) and glutathione S-transferase theta 1 (GSTT1) genes, complete cds
12950	18335	31174	3.88	3.0E-91	AF169555.1	NT	Homo sapiens beta-ureidopropionase (BUP1) gene, exon 6
12950	18335	31175	3.88	3.0E-91	AF169555.1	NT	Homo sapiens beta-ureidopropionase (BUP1) gene, exon 6
60	13170	26078	2.39	1.0E-91	AL163284.2	NT	Homo sapiens chromosome 21 segment HS21C084
1250	14286	27252	7.11	1.0E-91	AW449746.1	EST_HUMAN	UHH-B13-eks-d-01-O-UJ.s1 NCI_CGAP_Sub5 Homo sapiens cDNA clone IMAGE:2735280 3'
5487	18587	31498	0.73	1.0E-91	11434402	NT	Homo sapiens hypothetical protein PRO1855 (PRO1855), mRNA
7020	20146	33484	1.9	1.0E-91	BF348182.1	EST_HUMAN	602022088F1 NCI_CGAP_Brm87 Homo sapiens cDNA clone IMAGE:4157804 5'
7020	20146	33465	1.9	1.0E-91	BF348182.1	EST_HUMAN	602022088F1 NCI_CGAP_Brm87 Homo sapiens cDNA clone IMAGE:4157804 5'
8161	21089	34498	0.59	1.0E-91	M20453.1	NT	Human nucleus-encoded mitochondrial aldehyde dehydrogenase 2 (ALDH2) gene, exon 10
1246	14283	27246	6.04	9.0E-92	AJ001689.1	NT	Homo sapiens NKG2D gene, exon 10
1246	14283	27247	6.04	9.0E-92	AJ001689.1	NT	Homo sapiens NKG2D gene, exon 10
5538	18635	31576	2.94	9.0E-92	J03007.1	NT	Human Na ⁺ /K ⁺ ATPase alpha-subunit mRNA, partial cds
5686	18781	31953	2.18	9.0E-92	11427149	NT	Homo sapiens hypothetical protein FLJ20260 (FLJ20260), mRNA
6596	19656	32928	3.98	9.0E-92	AF310105.1	NT	Homo sapiens NALP1 mRNA, complete cds
8190	21180	34569	0.47	9.0E-92	AJ250566.1	NT	Homo sapiens partial TM4SF2 gene for tetraspanin protein, exon 5
8190	21180	34570	0.47	9.0E-92	AJ250566.1	NT	Homo sapiens partial TM4SF2 gene for tetraspanin protein, exon 5
8717	21685	35112	1.73	9.0E-92	AB040945.1	NT	Homo sapiens mRNA for KIAA1512 protein, partial cds
8717	21685	35113	1.73	9.0E-92	AB040945.1	NT	Homo sapiens mRNA for KIAA1512 protein, partial cds
9629	22573	36023	1.69	9.0E-92	11422088	NT	Homo sapiens brefeldin A-inhibited guanine nucleotide-exchange protein 2 (BIG2), mRNA
92	13208	26132	3.76	8.0E-92	W26367.1	EST_HUMAN	263 Human retina cDNA, randomly primed sublibrary Homo sapiens cDNA
285	13380	26308	4.52	8.0E-92	BE386363.1	EST_HUMAN	601273513F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3614887 5'
1838	14865	27863	1.06	8.0E-92	11434722	NT	Homo sapiens diacylglycerol kinase, gamma (90kD) (DGKG), mRNA
1838	14865	27864	1.06	8.0E-92	11434722	NT	Homo sapiens diacylglycerol kinase, gamma (90kD) (DGKG), mRNA

Page 414 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5140	18149	31028	0.7	8.0E-92	AW157571.1	EST_HUMAN	au83108.x1 Schneider fetal brain 00004 Homo sapiens cDNA clone IMAGE:2782911 3' similar to
5466	18568	31478	0.84	8.0E-92	AB048820.1	NT	TR:060302 O60302 KIAA0555 PROTEIN ; contains element MER22 repetitive element ;
5576	18672	31635	0.81	8.0E-92	AF264717.1	NT	Homo sapiens mRNA for KIAA1600 protein, partial cds
6697	19754	33031	1.19	8.0E-92	AJ000979.1	NT	Homo sapiens FVE domain-containing dual specificity protein phosphatase FYVE-DSP2 mRNA, complete cds
6701	19758	33036	0.79	8.0E-92	AF179428.1	NT	Homo sapiens MCP-4 gene
8154	21092	34491	1.16	8.0E-92	AF251025.2	NT	Homo sapiens DNA polymerase zeta catalytic subunit variant 1 (REV3L) mRNA, complete cds
8428	21397		0.56	8.0E-92	11416961	NT	Homo sapiens double FYVE-containing protein 1 mRNA, complete cds
8768	21735	35155	3.52	8.0E-92	L04193.1	NT	Homo sapiens AIM-1 protein (LOC51151), mRNA
8768	21735	35156	3.52	8.0E-92	L04193.1	NT	Human lens membrane protein (mp19) gene, exon 11
8869	21838	35258	0.66	8.0E-92	11426569	NT	Human lens membrane protein (mp19) gene, exon 11
9417	22382	35820	2.48	8.0E-92	AB014511.1	NT	Homo sapiens transcription termination factor, RNA polymerase II (TTF2), mRNA
10386	23308	36786	1.86	8.0E-92	Y13829.1	NT	Homo sapiens mRNA for KIAA0811 protein, partial cds
11155	24114	37640	3.34	8.0E-92	AF074393.1	NT	Homo sapiens mRNA for MBNL protein
11688	24654	38233	1.72	8.0E-92		NT	Homo sapiens nuclear mitogen- and stress-activated protein kinase-1 (MSK1) mRNA, complete cds
27	13147	26046	1.69	7.0E-92	AB031007.1	NT	Homo sapiens dihydrolipoamide S-succinyltransferase (E2 component of 2-oxo-glutarate complex) (DLST) mRNA
238	15836	26262	0.89	7.0E-92	AB018301.1	NT	Homo sapiens DNA, MHC class I region, 7.1 ancestral haplotype
238	15836	26263	0.89	7.0E-92	AB018301.1	NT	Homo sapiens mRNA for KIAA0758 protein, partial cds
593	13660		1.22	7.0E-92	AF007822.1	NT	Homo sapiens mRNA for KIAA0758 protein, partial cds
1285	14320	27283	1.14	7.0E-92	4502384	NT	Homo sapiens cytoplasmic Sepsinase truncated isoform mRNA, complete cds
2197	15212	28230	3.62	7.0E-92	5031570	NT	Homo sapiens B-cell CLL/lymphoma 7b (BCL7B) mRNA
2197	15212	28231	3.62	7.0E-92	5031570	NT	Homo sapiens ARP2 (actin-related protein 2, yeast) homolog (ACTR2), mRNA
2570	15671	28591	1.27	7.0E-92	AF167706.1	NT	Homo sapiens ARP2 (actin-related protein 2, yeast) homolog (ACTR2), mRNA
2735	15729	28743	2.96	7.0E-92	6005738	NT	Homo sapiens cysteine-rich repeat-containing protein S52 precursor, mRNA, complete cds
2735	15729	28743	2.96	7.0E-92	6005738	NT	Homo sapiens NRAS-related gene (D1S155E), mRNA
2763	15755	28776	1.31	7.0E-92	AB031007.1	NT	Homo sapiens DNA, MHC class I region, 7.1 ancestral haplotype
3356	18314	29327	0.97	7.0E-92	4507500	NT	Homo sapiens T-cell lymphoma invasion and metastasis 1 (TIAM1) mRNA
3356	18314	29328	0.97	7.0E-92	4507500	NT	Homo sapiens T-cell lymphoma invasion and metastasis 1 (TIAM1) mRNA
4617	17638	30528	1.44	7.0E-92	S71824.1	NT	N-CAM=145 kda neural cell adhesion molecule [human, small cell lung cancer cell line OS2-R, mRNA, 2960 nt]
4617	17638	30529	1.44	7.0E-92	S71824.1	NT	N-CAM=145 kda neural cell adhesion molecule [human, small cell lung cancer cell line OS2-R, mRNA, 2960 nt]

Page 415 of 546
Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5040	18053	30932	0.91	7.0E-92	AL163281.2	NT	Homo sapiens chromosome 21 segment HS21C081
5333	18439	31191	5.57	7.0E-92	AA446206.1	EST_HUMAN	zw66d12.r1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:781175 5'
1591	14623		1.08	5.0E-92	BE390882.1	EST_HUMAN	601283012F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3605018 5'
9847	22783		0.42	5.0E-92	W27668.1	EST_HUMAN	36a7 Human retina cDNA randomly primed sublibrary Homo sapiens cDNA
2776	15768	28788	2.03	3.0E-92	BE909714.1	EST_HUMAN	601501242F1 NIH_MGC_70 Homo sapiens cDNA clone IMAGE:3902839 5'
5976	19081	32262	4.55	3.0E-92	AA378336.1	EST_HUMAN	EST T91020 Synovial sarcoma Homo sapiens cDNA 5' end similar to ribosomal protein S13
11116	24076	37699	5.32	3.0E-92	X15804.1	NT	Human mRNA for alpha-actinin
11116	24076	37600	5.32	3.0E-92	X15904.1	NT	Human mRNA for alpha-actinin
28	13148	28047	1.09	2.0E-92	4501898	NT	Homo sapiens activin A receptor, type IIB (ACVR2B) mRNA
180	13280	26205	3.9	2.0E-92	11422946	NT	Homo sapiens hypothetical protein dJ462O23.2 (DJ462O23.2), mRNA
180	13280	26206	3.9	2.0E-92	11422946	NT	Homo sapiens hypothetical protein dJ462O23.2 (DJ462O23.2), mRNA
760	13811	26753	1.25	2.0E-92	BE299190.1	EST_HUMAN	601118337F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3028304 5'
760	13811	26754	1.25	2.0E-92	BE299190.1	EST_HUMAN	601118337F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3028304 5'
1727	14767		1.4	2.0E-92	S78653.1	NT	mrg-mae-related [human, Genomic, 2418 nt]
1953	14976	27976	1.73	2.0E-92	AI818119.1	EST_HUMAN	wk27d07.x1 NCL_CGAP_Bm25 Homo sapiens cDNA clone IMAGE:2413549 3' similar to TR:Q12844
1953	14976	27977	1.73	2.0E-92	AI818119.1	EST_HUMAN	Q12844 BREAKPOINT: CLUSTER REGION PROTEIN ;
2084	16082	28101	6.36	2.0E-92	4506860	NT	Q12844 BREAKPOINT: CLUSTER REGION PROTEIN ;
2668	15665	26684	21.32	2.0E-92	6912457	NT	Homo sapiens syndecan 4 (amphiglycan, ryudocan) (SDC4) mRNA
3627	16670	29582	1.17	2.0E-92	AF231919.1	NT	Homo sapiens calcineurin binding protein 1 (KIAA0330), mRNA
3627	16670	29583	1.17	2.0E-92	AF231919.1	NT	Homo sapiens chromosome 21 unknown mRNA
3698	16741	29664	5.32	2.0E-92	5803180	NT	Homo sapiens stress-induced-phosphoprotein 1 (Hsp70/Hsp90-organizing protein) (STIP1), mRNA
4318	17347	30231	1.4	2.0E-92	M10976.1	NT	Human endogenous retroviral DNA (4-1), complete proviral segment
5029	18043		2.37	2.0E-92	AL040437.1	EST_HUMAN	DKFZp434C0414.r1 434 (synonym: htes3) Homo sapiens cDNA clone DKFZp434C0414 5'
5853	18944	32129	0.53	2.0E-92	AF016535.1	NT	Homo sapiens P-glycoprotein (mdr1) mRNA, complete cds
8434	19500		13.83	2.0E-92	4504758	NT	Homo sapiens integrin, alpha L (antigen CD11A (p180), lymphocyte function-associated antigen 1; alpha polypeptide) (ITGAL) mRNA
6768	19822	33104	2.24	2.0E-92	AB028991.1	NT	Homo sapiens mRNA for KIAA1068 protein, partial cds
7701	20659		0.81	2.0E-92	U67780.1	NT	Human NPY Y1-like receptor pseudogene mRNA, complete cds
7730	20659		0.71	2.0E-92	U67780.1	NT	Human NPY Y1-like receptor pseudogene mRNA, complete cds
9207	22173	35604	1.91	2.0E-92	AW340174.1	EST_HUMAN	hd02h02.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2808371 3' similar to TR:O02711
							O02711 PRO-POL-DUTPASE POLYPROTEIN ;

Page 416 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
11112	24072	37584	4.68	2.0E-92	11434900	NT	Homo sapiens thyroid stimulating hormone receptor (TSHR), mRNA
11389	24335	37884	4.54	2.0E-92	5803103	NT	Homo sapiens male-specific lethal-3 (Drosophila)-like 1 (MSL3L1), mRNA
12716	25370	31773	3.76	2.0E-92	AB029016.1	NT	Homo sapiens mRNA for KIAA1093 protein, partial cds
12983	15665	28684	2.95	2.0E-92	6912457	NT	Homo sapiens calcineurin binding protein 1 (KIAA0330), mRNA
1887	14892	27890	1.77	1.0E-92	R78078.1	EST_HUMAN	y80a08.r1 Soares placenta Nb2HP Homo sapiens cDNA clone IMAGE:145574 5'
1887	14892	27891	1.77	1.0E-92	R78078.1	EST_HUMAN	y80a08.r1 Soares placenta Nb2HP Homo sapiens cDNA clone IMAGE:145574 5'
2087	15104	28122	34.86	1.0E-92	4506668	NT	Homo sapiens ribosomal protein, large, P1 (RPLP1), mRNA
8590	21558	34974	0.77	1.0E-92	BE439625.1	EST_HUMAN	HTM1-288F HTM1 Homo sapiens cDNA
9519	22482	35927	3.43	1.0E-92	AI380356.1	EST_HUMAN	tg01b02.x1 NCI CGAP CLL1 Homo sapiens cDNA clone IMAGE:2107467 3' similar to SW:PTNF_HUMAN Q16825 PROTEIN-TYROSINE PHOSPHATASE D1, contains Alu repetitive element; contains element MER17 repetitive element
9519	22482	35928	3.43	1.0E-92	AI380356.1	EST_HUMAN	tg01b02.x1 NCI CGAP CLL1 Homo sapiens cDNA clone IMAGE:2107467 3' similar to SW:PTNF_HUMAN Q16825 PROTEIN-TYROSINE PHOSPHATASE D1, contains Alu repetitive element; contains element MER17 repetitive element
2044	15063	28083	2.77	9.0E-93	AU121681.1	EST_HUMAN	AU121681 MAMMA1 Homo sapiens cDNA clone MAMMA1000738 5'
2058	15077		11.43	9.0E-93	AA316723.1	EST_HUMAN	EST188414 HCC cell line (metastasis to liver in mouse) Homo sapiens cDNA 5' end similar to ribosomal protein L29
2655	15652		1.44	9.0E-93	AF223391.1	NT	Homo sapiens calcium channel alpha1E subunit (CACNA1E) gene, exons 7-49, and partial cds, alternatively spliced
3628	16671	29584	1.44	9.0E-93	BE386571.1	EST_HUMAN	601281867F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3603832 5'
11959	24838		35.01	9.0E-93	11418526	NT	Homo sapiens ribosomal protein L10a (RPL10A), mRNA
6585	19645	32913	0.52	8.0E-93	AW014042.1	EST_HUMAN	UIH-B10-aah-h-06-0-UJ.st NCI CGAP Sub1 Homo sapiens cDNA clone IMAGE:2709371 3'
6585	19645	32914	0.52	8.0E-93	AW014042.1	EST_HUMAN	UIH-B10-aah-h-06-0-UJ.st NCI CGAP Sub1 Homo sapiens cDNA clone IMAGE:2709371 3'
6744	19799	33079	3.82	8.0E-93	BF036364.1	EST_HUMAN	601460521F1 NIH_MGC_66 Homo sapiens cDNA clone IMAGE:3863908 5'
246	13343	28268	9.15	7.0E-93	AF231919.1	NT	Homo sapiens chromosome 21 unknown mRNA
3091	16149	29063	1.56	6.0E-93	11526176	NT	Homo sapiens T-cell lymphoma invasion and metastasis 1 (TIAM1), mRNA
6096	19175	32391	0.59	6.0E-93	11450204	NT	Homo sapiens hypothetical protein FLJ10897 (FLJ10897), mRNA
6096	19175	32392	0.59	6.0E-93	11450204	NT	Homo sapiens hypothetical protein FLJ10897 (FLJ10897), mRNA
6838	19891	33186	0.99	6.0E-93	AB033093.1	NT	Homo sapiens mRNA for KIAA1267 protein, partial cds
7101	20035	33338	1.14	6.0E-93	AF095771.1	NT	Homo sapiens PTH-responsive osteosarcoma B1 protein (B1) mRNA, complete cds
1381	14415	27385	3.77	6.0E-93	AB014511.1	NT	Homo sapiens mRNA for KIAA0611 protein, partial cds
1406	14439	27408	4.78	5.0E-93	AI674184.1	EST_HUMAN	wc09c08.x1 NCI CGAP Pr28 Homo sapiens cDNA clone IMAGE:2314670 3'
1406	14439	27409	4.78	5.0E-93	AI674184.1	EST_HUMAN	wc09c08.x1 NCI CGAP Pr28 Homo sapiens cDNA clone IMAGE:2314670 3'
1471	14504		1.02	5.0E-93	AL163201.2	NT	Homo sapiens chromosome 21 segment HS21C001

Page 417 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3247	16302	28226	3.91	5.0E-93	X04201.1	NT	Human skeletal muscle 1.3 kb mRNA for tropomyosin
5697	18984	32175	0.9	5.0E-93	M22878.1	NT	Human somatic cytochrome c (HC1) processed pseudogene, complete cds
6230	19304		1.22	5.0E-93	AF045555.1	NT	Homo sapiens wbcrl (WBCSR1) and wbcrl5 (WBCSR5) genes, complete cds, alternatively spliced and replication factor C subunit 2 (RFC2) gene, complete cds
7982	20921	34312	3.32	5.0E-93	AF067136.1	NT	Homo sapiens protein phosphatase-1 regulatory subunit 7 (PPP1R7) gene, exon 11, complete cds and alternatively spliced product
8952	21918	35343	0.56	5.0E-93	4557528	NT	Homo sapiens discs, large (Drosophila) homolog 2 (chapsyn-110) (DLG2) mRNA
8952	21918	35344	0.56	5.0E-93	4557528	NT	Homo sapiens discs, large (Drosophila) homolog 2 (chapsyn-110) (DLG2) mRNA
9881	22808	36373	2.06	5.0E-93	AF274963.1	NT	Homo sapiens secretory pathway component Sec31B-1 mRNA, alternatively spliced, complete cds
10166	23091	36569	1.33	5.0E-93	5032156	NT	Homo sapiens TAR (HIV) RNA-binding protein 1 (TARBP1) mRNA
10430	23352	36836	1.59	5.0E-93	AF069313.2	NT	Homo sapiens WSB1 protein (WSB1) mRNA, complete cds
11174	24131	37661	2.48	5.0E-93	11439599	NT	Homo sapiens nucleobindin 2 (NUCB2) mRNA
12627	25622	31677	2.55	5.0E-93	11417677	NT	Homo sapiens gamma-glutamyltransferase 1 (GGT1), mRNA
13096	25622	31677	1.32	5.0E-93	11417677	NT	Homo sapiens gamma-glutamyltransferase 1 (GGT1), mRNA
88	13204		7.06	4.0E-93	AA459933.1	EST_HUMAN	2650e09.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:7956888 3' similar to SW:OLPA_RAT P37397 CALPONIN, ACIDIC ISOFORM:
445	13518	26450	1.25	4.0E-93	4557879	NT	Homo sapiens interferon gamma receptor 1 (IFNGR1) mRNA
445	13518	26451	1.25	4.0E-93	4557879	NT	Homo sapiens interferon gamma receptor 1 (IFNGR1) mRNA
773	13832	26777	1.38	4.0E-93	7657454	NT	Homo sapiens pascadillo (zabrafish) homolog 1, containing BRCT domain (PES1), mRNA
773	13832	26778	1.38	4.0E-93	7657454	NT	Homo sapiens pascadillo (zabrafish) homolog 1, containing BRCT domain (PES1), mRNA
1187	14227	27183	1.62	4.0E-93	8923658	NT	Homo sapiens hypothetical protein FLJ20731 (FLJ20731), mRNA
1894	15015	28022	4.21	4.0E-93	AF047677.1	NT	Homo sapiens dystrophin (DMD) gene, deletion breakpoints 1-3 in intron 5
2615	15613	28638	1.08	4.0E-93	7656972	NT	Homo sapiens TNF-inducible protein CG12-1 (CG12-1), mRNA
3580	16625	29546	0.94	4.0E-93	7705396	NT	Homo sapiens tumor antigen SLP-3p (HCC8), mRNA
4078	17113	30009	2.01	4.0E-93	4504654	NT	Homo sapiens interleukin 18 receptor 1 (IL18R1) mRNA
5058	18826	29546	0.93	4.0E-93	7705396	NT	Homo sapiens tumor antigen SLP-3p (HCC8), mRNA
5727	18821	32001	4.28	4.0E-93	T46864.1	EST_HUMAN	Y694c12.1 Stratagene liver (#637224) Homo sapiens cDNA clone IMAGE:78838 5' similar to similar to SP:A44391 A44391 SERUM RESPONSE ELEMENT-BINDING PROTEIN SRE-ZBP - HUMAN ,
11468	24411	37660	13.22	4.0E-93	AV692051.1	EST_HUMAN	AV692051 GK Hom sapiens cDNA clone GKODRF07 5'
3665	18708	28622	9.21	3.0E-93	BF690630.1	EST_HUMAN	602246554F1 NIH_MGC 62 Homo sapiens cDNA clone IMAGE:4332036 5'
3665	18708	28623	9.21	3.0E-93	BF690630.1	EST_HUMAN	602246554F1 NIH_MGC 62 Homo sapiens cDNA clone IMAGE:4332036 5'
4263	17292		1.23	3.0E-93	AF225896.1	NT	Homo sapiens tensin mRNA, complete cds

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5881	18970	32161	0.56	3.0E-93	AI553853.1	EST_HUMAN	In29g03.x1 NCI_CGAP_Bm25 Homo sapiens cDNA clone IMAGE:2169076 3'
5881	18970	32162	0.56	3.0E-93	AI553853.1	EST_HUMAN	In29g03.x1 NCI_CGAP_Bm25 Homo sapiens cDNA clone IMAGE:2169076 3'
6715	19771	33051	1.55	3.0E-93	11426182	NT	Homo sapiens GCN5 (general control of amino-acid synthesis, yeast, homolog)-like 2 (GCN5L2), mRNA
11152	24112	37637	3.04	3.0E-93	AB24829.1	EST_HUMAN	wb02d05.x1 NCI_CGAP_GC6 Homo sapiens cDNA clone IMAGE:2304489 3'
192	13293	26219	8.05	2.0E-93	AB015610.1	NT	Chlorocephus aethiops mRNA for ribosomal protein S4X, complete cds
192	13293	26220	8.05	2.0E-93	AB015610.1	NT	Chlorocephus aethiops mRNA for ribosomal protein S4X, complete cds
323	13415	26340	12.88	2.0E-93	AL163285.2	NT	Homo sapiens chromosome 21 segment HS21C085
324	13415	26340	8.91	2.0E-93	AL163285.2	NT	Homo sapiens chromosome 21 segment HS21C085
2140	15157	28173	1.15	2.0E-93	U40763.1	NT	Human Cdk-associated RS cyclophilin CAR5-Cyp mRNA, complete cds
2494	15497	28523	2.03	2.0E-93	BE252882.1	EST_HUMAN	60117566F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3358220 5'
5491	18591	31502	5.04	2.0E-93	AW964385.1	EST_HUMAN	EST376458 IMAGE resequences, MAGH Homo sapiens cDNA
5502	18602	31531	0.78	2.0E-93	4758153	NT	Homo sapiens deafness, autosomal dominant 5 (DFNA5), mRNA
5621	18717		0.63	2.0E-93	BF351459.1	EST_HUMAN	QV3-HT0513-290305-126-104 HT0513 Homo sapiens cDNA
5720	18814	31993	1.08	2.0E-93	11430039	NT	Homo sapiens hypothetical protein (LOC51318), mRNA
5734	18828	32006	0.7	2.0E-93	U74313.1	EST_HUMAN	HSU74313 Human chromosome 14 Homo sapiens cDNA clone 1-86
6841	19894		1.06	2.0E-93	AW502002.1	EST_HUMAN	UI-HF-BN0-aks-g-09-0-UI.r1 NIH_MGC_50 Homo sapiens cDNA clone IMAGE:3078329 5'
12520	25251		3.14	2.0E-93	AA126735.1	EST_HUMAN	Z28c10.s1 Soares_pregnant_uterus_NHHPU Homo sapiens cDNA clone IMAGE:503346 3'
12601	25303		2.69	2.0E-93	L41825.1	NT	Homo sapiens CYP17 gene, 5' end
12853	25461		3.49	2.0E-93	BF035327.1	EST_HUMAN	601498531F1 NIH_MGC_66 Homo sapiens cDNA clone IMAGE:3882086 5'
103	13219	26143	1.82	1.0E-93	AF238997.1	NT	Homo sapiens CTR1 pseudogene
103	13219	26144	1.82	1.0E-93	AF238997.1	NT	Homo sapiens CTR1 pseudogene
519	13590	26510	16.6	1.0E-93	7657016	NT	Homo sapiens hypothetical protein (DJ328E19.C1.1), mRNA
602	13669	26583	5.09	1.0E-93	AI146755.1	EST_HUMAN	cy64b08.x1 NCI_CGAP_CLL1 Homo sapiens cDNA clone IMAGE:1672503 3' similar to TR:Q62384 Q62384
873	13928	26887	4.11	1.0E-93	D87675.1	NT	ZINC FINGER PROTEIN.1
1241	14277	27237	8.85	1.0E-93	8923270	NT	Homo sapiens DNA for amyloid precursor protein, complete cds
1241	14277	27238	8.85	1.0E-93	8923270	NT	Homo sapiens hypothetical protein FLJ20291 (FLJ20291), mRNA
2344	15354	28375	1.27	1.0E-93	AF231981.1	NT	Homo sapiens long chain polynsaturated fatty acid elongation enzyme (HELO1) mRNA, complete cds
2471	15475	28499	9.52	1.0E-93	AF050686.1	NT	Homo sapiens MHC class 1 region
2833	14334	27206	2.05	1.0E-93	BE297369.1	EST_HUMAN	60117768F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3532965 5'
2833	14334	27297	2.05	1.0E-93	BE297369.1	EST_HUMAN	60117768F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3532965 5'
2945	16003	28928	2.18	1.0E-93	D87675.1	NT	Homo sapiens DNA for amyloid precursor protein, complete cds

Page 419 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3229	16284		1.3	1.0E-93	AF231981.1	NT	Homo sapiens long chain polyunsaturated fatty acid elongation enzyme (HELO1) mRNA, complete cds
4460	17486	30373	1.99	1.0E-93	AL163284.2	NT	Homo sapiens chromosome 21 segment HS21C084
5646	18742	31907	1.98	1.0E-93	U78509.1	NT	Homo sapiens glucocorticoid receptor (GRL) gene, intron D, exon 5, and intron E
5646	18742	31908	1.66	1.0E-93	U78509.1	NT	Homo sapiens glucocorticoid receptor (GRL) gene, intron D, exon 5, and intron E
5859	18949	32135	1.02	1.0E-93	AF227138.1	NT	Homo sapiens candidate taste receptor T2R14 gene, complete cds
6022	19105	32308	10.63	1.0E-93	4557792	NT	Homo sapiens neurofibromin 1 (neurofibromatosis, von Recklinghausen disease, Watson disease) (NF1) mRNA
8321	19392	32633	0.91	1.0E-93	7682241	NT	Homo sapiens KIAA0672 gene product (KIAA0672), mRNA
6959	20184	33507	2.08	1.0E-93	11431690	NT	Homo sapiens protein kinase C, beta 1 (PRKCB1), mRNA
7462	20428	33785	3.07	1.0E-93	D42072.1	NT	Human mRNA for NF1 N-isoform-exon11, complete cds
8603	21571	34987	1.97	1.0E-93	AB037832.1	NT	Homo sapiens mRNA for KIAA1411 protein, partial cds
8888	21854	35274	1.12	1.0E-93	Y10183.1	NT	H. sapiens mRNA for MEVD protein
8996	21962	35387	1.29	1.0E-93	AF182032.1	NT	Homo sapiens protein kinase inhibitor gamma (PKIG) mRNA, complete cds
9379	22344	35776	0.47	1.0E-93	AB023228.1	NT	Homo sapiens mRNA for KIAA1011 protein, partial cds
9379	22344	35776	0.47	1.0E-93	AB023228.1	NT	Homo sapiens mRNA for KIAA1011 protein, partial cds
9807	21130	34533	1.85	1.0E-93	AB040918.1	NT	Homo sapiens mRNA for KIAA1485 protein, partial cds
9811	21134	34537	1.04	1.0E-93	AF091395.1	NT	Homo sapiens Trio isoform mRNA, complete cds
9946	22873	36333	4.08	1.0E-93	X13474.1	NT	Human PteA4 gene for Alzheimer's disease A4 amyloid protein precursor (exon 9)
9946	22873	36334	4.08	1.0E-93	X13474.1	NT	Human PteA4 gene for Alzheimer's disease A4 amyloid protein precursor (exon 9)
10083	23010	36482	0.71	1.0E-93	AL049801.1	NT	Novel human gene mapping to chromosome 13, similar to rat RhoGAP
10504	23426	36924	0.63	1.0E-93	11433646	NT	Homo sapiens tyrosine receptor 3 (RYR3), mRNA
12763	25405		2.11	1.0E-93	AJ230125.1	NT	Homo sapiens GGT1 gene, exon 1
12847	26457		3.14	1.0E-93	11417856	NT	Homo sapiens glutathione S-transferase theta 2 (GSTT2), mRNA
10956	23876		1.25	8.0E-94	AL163209.2	NT	Homo sapiens chromosome 21 segment HS21C009
3988	17026	29937	2.15	6.0E-94	AF142482.1	NT	Homo sapiens transcription enhancer factor-5 mRNA, complete cds
5441	18543	31454	3.23	5.0E-94	AB014512.1	NT	Homo sapiens mRNA for KIAA0612 protein, partial cds
5441	18543	31455	3.23	5.0E-94	AB014512.1	NT	Homo sapiens mRNA for KIAA0612 protein, partial cds
8166	18241	32472	3.06	5.0E-94	AA722434.1	EST_HUMAN	z987g06.s1 Soares fetal heart N62HF8_9w Homo sapiens cDNA clone IMAGE:409594 3'
7206	20230	33562	1.34	5.0E-94	AI015800.1	EST_HUMAN	083005.s1 Soares fetal heart N62HF8_9w Homo sapiens cDNA clone IMAGE:1623369 3'
8986	21952	36376	0.82	5.0E-94	BF529115.1	EST_HUMAN	602042163F1 NC1 CGAP_Bm67 Homo sapiens cDNA clone IMAGE:4180023 5'
11318	24268	37795	2.81	5.0E-94	11423962	NT	Homo sapiens adenylate kinase 2 (AK2), mRNA
11318	24268	37796	2.81	5.0E-94	11423962	NT	Homo sapiens adenylate kinase 2 (AK2), mRNA
12497	25965	31318	6.07	5.0E-94	T89398.1	EST_HUMAN	y488p04.s1 Soares fetal liver spleen 1NFUS Homo sapiens cDNA clone IMAGE:116239 3'

Page 420 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
13048	25588		1.9	5.0E-94	9558724	NT	Homo sapiens cleavage and polyadenylation specific factor 1, 160kD subunit (CPSF1), mRNA
1859	14885		9.09	4.0E-94	L05094.1	NT	Homo sapiens ribosomal protein L27 mRNA, complete cds
2666	15663	28682	1	4.0E-94	4506008	NT	Homo sapiens protein phosphatase 1, regulatory subunit 10 (PPP1R10) mRNA
4748	17768	30664	2.95	4.0E-94	AI591312.1	EST_HUMAN	hw11110.x1 NCL CGAP_Bn52 Homo sapiens cDNA clone IMAGE:2259403 3' similar to TR:Q15265 Q15265 PROTEIN TYROSINE PHOSPHATASE :
6612	19670	32947	1.96	4.0E-94	11440670	NT	Homo sapiens solute carrier family 22 (organic cation transporter), member 1-like (SLC22A1L), mRNA
6612	19670	32948	1.96	4.0E-94	11440670	NT	Homo sapiens solute carrier family 22 (organic cation transporter), member 1-like (SLC22A1L), mRNA
7097	20031		0.99	4.0E-94	L27386.1	NT	Homo sapiens huntingtin (HD) gene, exon 37
11782	23937	37458	1.83	4.0E-94	11545792	NT	Homo sapiens hypothetical protein FLJ12455 (FLJ12455), mRNA
613	13678	26594	2.23	3.0E-94	AB022785.1	NT	Homo sapiens ASH2L gene, complete cds, similar to Drosophila ash2 gene
722	13784	26718	1.02	3.0E-94	4502508	NT	Homo sapiens complement component 5 (C5) mRNA
1754	14783	27767	1.12	3.0E-94	AF167706.1	NT	Homo sapiens cysteine-rich repeat-containing protein S52 precursor, mRNA, complete cds
1754	14783	27768	1.12	3.0E-94	AF167706.1	NT	Homo sapiens E1A binding protein p300 (EP300) mRNA
1787	14816	27801	4.2	3.0E-94	4557556	NT	Homo sapiens zinc finger protein 277 (ZNF277), mRNA
5784	18856	32037	3.32	3.0E-94	11496268	NT	Homo sapiens mRNA for MEGF2, partial cds
6274	19347	32679	0.99	3.0E-94	AB011536.1	NT	Homo sapiens chromosome 21 open reading frame 18 (C21ORF18), mRNA
6594	19654	32926	4.91	3.0E-94	11526228	NT	Homo sapiens neuronal cell adhesion molecule (NRCAM) mRNA
8088	21024	34423	0.52	3.0E-94	4826863	NT	Homo sapiens protocadherin alpha 13 (PCDH-alpha13) mRNA, complete cds
8540	21608	34925	1.03	3.0E-94	AF152309.1	NT	Homo sapiens mRNA for KIAA0679 protein, partial cds
8934	21900	35327	4.93	3.0E-94	AB014578.1	NT	Homo sapiens glycogenin-1L mRNA, complete cds
9950	22877	36340	4.37	3.0E-94	AF087942.1	NT	Homo sapiens axonal transport of synaptic vesicles (ATSV) mRNA
11436	24379	37919	3.78	3.0E-94	4757821	NT	Human cbl-b truncated form 1 lacking leucine zipper mRNA, complete cds
11987	24864	38460	2.17	3.0E-94	U26711.1	NT	Human cbl-b truncated form 1 lacking leucine zipper mRNA, complete cds
10110	23036	36514	0.66	2.0E-94	AI910393.1	EST_HUMAN	w30h11.x1 NCL CGAP_Co16 Homo sapiens cDNA clone IMAGE:2391813 3'
10110	23036	36515	0.66	2.0E-94	AI910393.1	EST_HUMAN	w30h11.x1 NCL CGAP_Co16 Homo sapiens cDNA clone IMAGE:2391813 3'
150	13253	28182	2.81	1.0E-94	BE295714.1	EST_HUMAN	601175762F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3531038 5'
3105	16162	29073	2.24	1.0E-94	BE253433.1	EST_HUMAN	601111696F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3352569 5'
3105	16162	29074	2.24	1.0E-94	BE253433.1	EST_HUMAN	601111696F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3352569 5'
4386	17414	30299	1.18	1.0E-94	9506692	NT	Homo sapiens hypothetical protein (FLJ20746), mRNA
6191	19265	32501	0.65	1.0E-94	AE000269.1	NT	Escherichia coli K-12 MG1655 section 159 of 400 of the complete genome
6397	19465	32711	0.81	1.0E-94	AL040518.1	EST_HUMAN	DKFZp434G0314_r1 434 (synonym: hte63) Homo sapiens cDNA clone DKFZp434G0314 5'
6405	19474	32722	0.77	1.0E-94	H08270.1	EST_HUMAN	y8702.r1 Scores infant brain 1NIB Homo sapiens cDNA clone IMAGE:45053 5'

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6688	19725	33000	0.56	1.0E-94	AV725992.1	EST_HUMAN	AV725992 HTC Homo sapiens cDNA clone HTCBEF05 5'
8450	21419	34833	0.56	1.0E-94	AL163204.2	NT	Homo sapiens chromosome 21 segment HS21C004
8450	21419	34834	0.56	1.0E-94	AL163204.2	NT	Homo sapiens chromosome 21 segment HS21C004
9611	22615	36067	2.57	1.0E-94	11428710	NT	Homo sapiens paired box gene 5 (B-cell lineage specific activator protein) (PAX5), mRNA
10146	23072	36547	1.93	1.0E-94	BE780478.1	EST_HUMAN	601468748F1 NIH_MGC_67 Homo sapiens cDNA clone IMAGE:3872089 5'
11405	24349	37881	2.77	1.0E-94	U65590.1	NT	Homo sapiens IL-1 receptor antagonist IL-1Ra (IL-1RN) gene, alternatively spliced form, complete cds
11646	24583	38151	1.94	1.0E-94	AI272244.1	EST_HUMAN	ap22602.x1 Schiller oligodendroglioma Homo sapiens cDNA clone IMAGE:1958122 3' similar to TR:Q62845
12050	24923	38520	3.39	1.0E-94	11418871	NT	Q62845 NEURAL CELL ADHESION PROTEIN BIG-2 PRECURSOR. ;
12616	13253	26182	1.43	1.0E-94	BE295714.1	EST_HUMAN	Homo sapiens KIAA0164 gene product (KIAA0164), mRNA
12867	13253	26182	1.31	1.0E-94	BE295714.1	EST_HUMAN	601175762F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3531038 5'
1473	14506	27480	1.3	9.0E-95	AF027302.1	NT	601175762F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3531038 5'
3170	16226	29140	1.19	9.0E-95	7662027	NT	Homo sapiens TNF-alpha stimulated ABC protein (ABC50) mRNA, complete cds
3170	16226	29141	1.19	9.0E-95	7662027	NT	Homo sapiens KIAA0255 gene product (KIAA0255), mRNA
5479	18579	31489	1.38	9.0E-95	X82569.1	NT	Homo sapiens KIAA0255 gene product (KIAA0255), mRNA
5479	18579	31490	1.38	9.0E-95	X82569.1	NT	M.musculus glyT1 gene (exons 1c and 2)
8595	21563	34977	1.61	9.0E-95	AF274753.1	NT	M.musculus glyT1 gene (exons 1c and 2)
4587	17590	30482	1.82	8.0E-95	AI700998.1	EST_HUMAN	Homo sapiens progressive ankylosis-like protein (ANK) mRNA, complete cds
4587	17590	30483	1.82	8.0E-95	AI700998.1	EST_HUMAN	we09e04.x1 NCL_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:2340608 3' similar to gb:K00558
7136	20112	33425	0.83	8.0E-95	11419378	NT	TUBULIN ALPHA-1 CHAIN (HUMAN);
7462	20418	33773	1.55	8.0E-95	11426529	NT	we09e04.x1 NCL_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:2340608 3' similar to gb:K00558
7462	20418	33774	1.55	8.0E-95	11426529	NT	TUBULIN ALPHA-1 CHAIN (HUMAN);
8539	21607	34924	2.02	8.0E-95	AF032897.1	NT	Homo sapiens KIAA0193 gene product (KIAA0193), mRNA
9320	22748	36189	1.97	8.0E-95	11420944	NT	Homo sapiens proteasome (prosome, macropain) 26S subunit, non-ATPase, 11 (PSMD11), mRNA
9720	22748	36200	1.97	8.0E-95	11420944	NT	Homo sapiens proteasome (prosome, macropain) 26S subunit, non-ATPase, 11 (PSMD11), mRNA
10207	23132	36619	2.67	8.0E-95	6174644	NT	Homo sapiens potassium channel subunit (HERG-3) mRNA, complete cds
10238	23163		3.08	8.0E-95	AB037816.1	NT	Homo sapiens KIAA0255 gene product (KIAA0255), mRNA
10595	23517	37008	0.8	8.0E-95	9845523	NT	Homo sapiens KIAA0255 gene product (KIAA0255), mRNA
11813	24698	38279	2.21	8.0E-95	10864024	NT	Homo sapiens prolins dehydrogenase (proline oxidase) (PRODH) mRNA
12820	26442		29.02	8.0E-95	AA629056.1	EST_HUMAN	Homo sapiens early growth response 2 (Krox-20 (Drosophila) homolog) (EGR2), mRNA
							Homo sapiens HCF-binding transcription factor Zhengfai (ZF), mRNA
							zu84b01.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:744949 3' similar to contains L1.11 L1 repetitive element;

Page 422 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
275	13371	26298	6.59	7.0E-95	D87675.1	NT	Homo sapiens DNA for amyloid precursor protein, complete cds
275	13371	26299	6.59	7.0E-95	D87675.1	NT	Homo sapiens DNA for amyloid precursor protein, complete cds
4394	17422	30307	4.55	7.0E-95	M95708.1	NT	Homo sapiens Ly-6-like protein (CD59) mRNA, complete cds
4443	17469		1.26	7.0E-95	AL163246.2	NT	Homo sapiens chromosome 21 segment HS21C046
5090	18100	30976	1	7.0E-95	M95929.1	NT	Human homeobox protein (PHOX1) mRNA, 3' end
9572	22534	35885	0.82	4.0E-95	BE439625.1	EST_HUMAN	HTM1-288F HTM1 Homo sapiens cDNA
12013	24890	38487	1.93	4.0E-95	AW950634.1	EST_HUMAN	EST362704 IMAGE resequences, MAGA Homo sapiens cDNA
12013	24890	38488	1.93	4.0E-95	AW950634.1	EST_HUMAN	EST362704 IMAGE resequences, MAGA Homo sapiens cDNA
12065	24938	38534	1.79	4.0E-95	BF71302.1	EST_HUMAN	RC8-FN014-090800-011-B07 FN0114 Homo sapiens cDNA
5517	18617	31550	1.81	3.0E-95	BF526041.1	EST_HUMAN	602071146F1 NCJ_CGAP_Brn64 Homo sapiens cDNA clone IMAGE:4214147 5'
5757	25844	32030	0.54	3.0E-95	4503354	NT	Homo sapiens dedicator of cyto-kinesis 1 (DOCK1) mRNA
7593	20554	33913	1	3.0E-95	AW958121.1	EST_HUMAN	EST370191 IMAGE resequences, IMAGE Homo sapiens cDNA
7593	20554	33914	1	3.0E-95	AW958121.1	EST_HUMAN	EST370191 IMAGE resequences, IMAGE Homo sapiens cDNA
9710	22663	36119	1.75	3.0E-95	7662289	NT	Homo sapiens KIAA0763 gene product (KIAA0763), mRNA
9710	22663	36120	1.75	3.0E-95	7662289	NT	Homo sapiens KIAA0763 gene product (KIAA0763), mRNA
10104	23030	36508	0.69	3.0E-95	BF213446.1	EST_HUMAN	601845212F1 NIH_MGC_55 Homo sapiens cDNA clone IMAGE:4070451 5'
1651	14683	27656	2.18	2.0E-95	7662027	NT	Homo sapiens KIAA0255 gene product (KIAA0255), mRNA
1651	14683	27657	2.18	2.0E-95	7662027	NT	Homo sapiens KIAA0255 gene product (KIAA0255), mRNA
1958	14980	27962	2.13	2.0E-95	4507512	NT	Homo sapiens tissue inhibitor of metalloproteinase 3 (Sorsby fundus dystrophy, pseudoinflammatory) (TIMP3) mRNA
1961	14983	27966	1.36	2.0E-95	BE393873.1	EST_HUMAN	601312161F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3659862 5'
2433	15440	28457	1.43	2.0E-95	5453665	NT	Homo sapiens G protein-coupled receptor 19 (GPR19) mRNA
2433	15440	28458	1.43	2.0E-95	5453665	NT	Homo sapiens G protein-coupled receptor 19 (GPR19) mRNA
2473	15477	28500	3.35	2.0E-95	AF240786.1	NT	Homo sapiens glutathione S-transferase theta 2 (GSTT2) and glutathione S-transferase theta 1 (GSTT1) genes, complete cds
2520	15523	28545	1.2	2.0E-95	4758423	NT	Homo sapiens glycine cleavage system protein H (aminomethyl carrier) (GCSH) mRNA
3171	16226	29142	2.48	2.0E-95	AF015452.1	NT	Homo sapiens Usurpin-gamma mRNA, complete cds
3577	16622	29542	2.93	2.0E-95	7705900	NT	Homo sapiens unconventional myosin-15 (LOC51168), mRNA
3577	16622	29543	2.93	2.0E-95	7705900	NT	Homo sapiens unconventional myosin-15 (LOC51168), mRNA
3631	16674	29587	0.93	2.0E-95	AB037807.1	NT	Homo sapiens mRNA for KIAA1386 protein, partial cds
3763	16805	29716	1.09	2.0E-95	AI290264.1	EST_HUMAN	qno1c02.x1 Soares_NHIMPu_S1 Homo sapiens cDNA clone IMAGE:1880546 3' similar to WP:123G7.4
4388	17416	30300	1.69	2.0E-95	7657185	NT	CE03705 ; Homo sapiens hypothetical protein (HS3222B1A), mRNA
5077	18087	30967	2.92	2.0E-95	7661978	NT	Homo sapiens KIAA0187 gene product (KIAA0187), mRNA

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5557	18654	31598	4.36	2.0E-95	7705764	NT	Homo sapiens CGI-48 protein (LOC51098), mRNA
5557	18654	31599	4.36	2.0E-95	7705764	NT	Homo sapiens CGI-48 protein (LOC51098), mRNA
5782	18874	32055	1.22	2.0E-95	11225608	NT	Homo sapiens angiotensin I converting enzyme (peptidyl-dipeptidase A) 2 (ACE2), mRNA
5782	18874	32056	1.22	2.0E-95	11225608	NT	Homo sapiens angiotensin I converting enzyme (peptidyl-dipeptidase A) 2 (ACE2), mRNA
5827	18917	32101	0.67	2.0E-95	11525983	NT	Homo sapiens membrane protein, palmitoylated 3 (MAGUK p55 subfamily member 3) (MPP3), mRNA
6285	19338	32571	3.71	2.0E-95	M59724.1	NT	Human muscle-type phosphofructokinase (PFK-M) gene, exon 7
6592	19652	32923	1.01	2.0E-95	11427182	NT	Homo sapiens transcription factor 2, hepatic; LF-B3; variant hepatic nuclear factor (TCF2), mRNA
6592	19652	32924	1.01	2.0E-95	11427182	NT	Homo sapiens transcription factor 2, hepatic; LF-B3; variant hepatic nuclear factor (TCF2), mRNA
6722	18776	33057	2.39	2.0E-95	AF257737.1	NT	Homo sapiens ciliary dynein heavy chain 9 (DNAH9) mRNA, complete cds
6928	20152	33471	1.37	2.0E-95	11435773	NT	Homo sapiens huntingtin (Huntington disease) (HD), mRNA
9498	22462	35603	2.51	2.0E-95	11421795	NT	Homo sapiens ribophorin II (RPN2), mRNA
10747	23669	37166	0.54	2.0E-95	11434330	NT	Homo sapiens KIAA1065 protein (KIAA1065), mRNA
11078	24040	37564	1.72	2.0E-95	4757853	NT	Homo sapiens bone morphogenetic protein receptor, type IA (BMPRI1A) mRNA
12011	24888	38484	2.35	2.0E-95	7662289	NT	Homo sapiens KIAA0763 gene product (KIAA0763), mRNA
12011	24888	38485	2.35	2.0E-95	7662289	NT	Homo sapiens KIAA0763 gene product (KIAA0763), mRNA
12587	25291	31782	2.69	2.0E-95	AF240786.1	NT	Homo sapiens glutathione S-transferase theta 2 (GSTT2) and glutathione S-transferase theta 1 (GSTT1) genes, complete cds
12884	25546	31718	6.81	2.0E-95	11418164	NT	Homo sapiens adenylosuccinate lyase (ADSL), mRNA
5698	18791	31962	7.21	1.0E-95	AA284651.1	EST_HUMAN	TR:G1067084 G1067084 F55H2.6 ; x23h04.r1 Soares ovary tumor NbHOT Homo sapiens cDNA clone IMAGE:714007 5' similar to
5698	18791	31963	7.21	1.0E-95	AA284651.1	EST_HUMAN	x23h04.r1 Soares ovary tumor NbHOT Homo sapiens cDNA clone IMAGE:714007 5' similar to
7757	20710	34079	4.21	1.0E-95	BF370000.1	EST_HUMAN	TR:G1067084 G1067084 F55H2.6 ; x23h04.r1 Soares ovary tumor NbHOT Homo sapiens cDNA clone IMAGE:714007 5' similar to
7757	20710	34080	4.21	1.0E-95	BF370000.1	EST_HUMAN	TR:G1067084 G1067084 F55H2.6 ; x23h04.r1 Soares ovary tumor NbHOT Homo sapiens cDNA clone IMAGE:714007 5' similar to
8536	21504	34922	1.58	9.0E-96	BE897259.1	EST_HUMAN	RC6-FN0019-290600-011-G11 FN0019 Homo sapiens cDNA
442	15840	26447	1.38	8.0E-96	BE907607.1	EST_HUMAN	RC6-FN0019-290600-011-G11 FN0019 Homo sapiens cDNA
442	15840	26448	1.38	8.0E-96	BE907607.1	EST_HUMAN	RC6-FN0019-290600-011-G11 FN0019 Homo sapiens cDNA
5699	18685		2.28	8.0E-96	AW836047.1	EST_HUMAN	601437232F1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3922423 5'
3929	18689	29882	1.06	7.0E-96	AF231920.1	NT	601497608F1 NIH_MGC_70 Homo sapiens cDNA clone IMAGE:3899781 5'
3329	16380	29301	0.64	6.0E-96	AL163201.2	NT	601497608F1 NIH_MGC_70 Homo sapiens cDNA clone IMAGE:3899781 5'
3494	16541	29465	15.12	6.0E-96	M26873.1	NT	PM04LT0019-090300-002-d08 LT0019 Homo sapiens cDNA
5722	18816	31985	0.82	6.0E-96	11422642	NT	Homo sapiens chromosome 21 unknown mRNA Homo sapiens chromosome 21 segment HS21C001 Human glyceraldehyde-3-phosphate dehydrogenase pseudogene 3'end Homo sapiens sialyltransferase 6 (N-acetylglucosaminide alpha 2,3-sialyltransferase) (SIAT6), mRNA

Page 424 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
11872	24754	38335	2.59	6.0E-96	7662289	NT	Homo sapiens KIAA0763 gene product (KIAA0763), mRNA
11872	24754	38336	2.59	6.0E-96	7662289	NT	Homo sapiens KIAA0763 gene product (KIAA0763), mRNA
11918	24799	38390	2.78	6.0E-96	8923939	NT	Homo sapiens myosin, heavy polypeptide 2, skeletal muscle, adult (MYH2), mRNA
320	13412	26336	3.08	5.0E-96	AB032998.1	NT	Homo sapiens mRNA for KIAA1172 protein, partial cds
843	13899	26855	3.47	5.0E-96	AB032998.1	NT	Homo sapiens mRNA for KIAA1172 protein, partial cds
843	13899	26856	3.47	5.0E-96	AB032998.1	NT	Homo sapiens mRNA for KIAA1172 protein, partial cds
2626	15625		1.23	5.0E-96	11416767	NT	Homo sapiens phosphodiesterase 6A, cGMP-specific, rod, alpha (PDE6A), mRNA
3039	16097	28013	0.71	5.0E-96	6912735	NT	Homo sapiens transient receptor potential channel 5 (TRPC5), mRNA
4940	17956		0.93	6.0E-96	X60812.1	NT	H. sapiens DNA for monomaline oxidase type A (7) (partial)
5233	18241	31113	0.93	5.0E-96	AF264750.1	NT	Homo sapiens ALR-like protein mRNA, partial cds
6807	19861	33148	1.15	5.0E-96	AF149773.1	NT	Homo sapiens NOD1 protein (NOD1) gene, exons 1, 2, and 3
6870	19923	33219	0.5	5.0E-96	AJ277557.1	NT	Homo sapiens dNT-2 gene for mitochondrial 5'(3')-deoxyribonucleotidase (dNT-2 gene), exons 1-5
6949	20173	33496	4.02	5.0E-96	11424399	NT	Homo sapiens A kinase (PRKA) anchor protein 1 (AKAP1), mRNA
6949	20173	33497	4.02	5.0E-96	11424399	NT	Homo sapiens A kinase (PRKA) anchor protein 1 (AKAP1), mRNA
7219	20241	33576	0.78	5.0E-96	AB023177.1	NT	Homo sapiens mRNA for KIAA0960 protein, partial cds
7758	20711	34081	0.7	5.0E-96	AB024334.1	NT	Homo sapiens mRNA for 14-3-3gamma, complete cds
8443	21412	34825	6.11	5.0E-96	M68347.1	NT	Human type IV collagenase (CLG4B) gene, exon 5
8443	21412	34826	6.11	5.0E-96	M68347.1	NT	Human type IV collagenase (CLG4B) gene, exon 5
12076	24948	38543	1.51	5.0E-96	7661973	NT	Homo sapiens KIAA0175 gene product (KIAA0175), mRNA
4219	17248		7.1	3.0E-96	H69656.1	EST_HUMAN	yr87H12.1 Soares fetal liver spleen 1NLS Homo sapiens cDNA clone IMAGE:212927 5'
415	13488		4.65	2.0E-96	4503098	NT	Homo sapiens chondroitin sulfatase proteoglycan 4 (melanoma-associated) (CSPG4), mRNA
748	13809	28750	1.12	2.0E-96	AL163248.2	NT	Homo sapiens chromosome 21 segment HS21C048
4790	17808	30700	1.39	2.0E-96	BE148074.1	EST_HUMAN	RC3-HT0230-040500-110-g02 HT0230 Homo sapiens cDNA
7696	20654	34017	0.58	2.0E-96	BF369731.1	EST_HUMAN	QV4-GN0120-250900-427-b12 GN0120 Homo sapiens cDNA
7696	20654	34018	0.58	2.0E-96	BF369731.1	EST_HUMAN	QV4-GN0120-250900-427-b12 GN0120 Homo sapiens cDNA
8332	22297		5.83	2.0E-96	AV689461.1	EST_HUMAN	AV689461 GKC Homo sapiens cDNA clone GKCFMD07 5'
12285	25102		3.08	2.0E-96	AW240440.1	EST_HUMAN	2819351.5p1me NIH_MGC 7 Homo sapiens cDNA clone IMAGE:2819351 5'
672	13736	26663	2.47	1.0E-96	Y18690.1	NT	Human endogenous retrovirus type K (HERV-K), gag, pol and env genes
1796	14825	27809	2.35	1.0E-96	AW955054.1	EST_HUMAN	EST367124 MAGC resequences, MAGC Homo sapiens cDNA
1796	14825	27810	2.35	1.0E-96	AW955054.1	EST_HUMAN	EST367124 MAGC resequences, MAGC Homo sapiens cDNA
2237	15251	28274	1.04	1.0E-96	M75967.1	NT	Human hepatocyte growth factor gene, exon 1
2237	15251	28275	1.04	1.0E-96	M75967.1	NT	Human hepatocyte growth factor gene, exon 1
7158	18390	31234	1.15	1.0E-96	6912735	NT	Homo sapiens transient receptor potential channel 5 (TRPC5), mRNA

Page 425 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7250	19985	33283	0.55	1.0E-98	6912458	NT	Homo sapiens guanine nucleotide exchange factor for Rap1 (KIAA0277), mRNA
8555	21523	34941	1.35	1.0E-98	7661803	NT	Homo sapiens HSPC144 protein (HSPC144), mRNA
8555	21523	34942	1.35	1.0E-98	7661803	NT	Homo sapiens HSPC144 protein (HSPC144), mRNA
9086	22032	35455	24.51	1.0E-96	11419429	NT	Homo sapiens similar to ectonucleotide pyrophosphatase/phosphodiesterase 3 (H. sapiens) (LOC63214), mRNA
9202	22168	35598	2.21	1.0E-96	AF274863.1	NT	Homo sapiens secretory pathway component Sec31B-1 mRNA, alternatively spliced, complete cds
10520	23442	36938	0.91	1.0E-96	AB033116.1	NT	Homo sapiens mRNA for KIAA1290 protein, partial cds
10520	23442	36940	0.91	1.0E-96	AB033116.1	NT	Homo sapiens mRNA for KIAA1290 protein, partial cds
12272	18332	31169	1.59	1.0E-96	4828863	NT	Homo sapiens neuronal cell adhesion molecule (NRCAM) mRNA
12272	18332	31170	1.59	1.0E-96	4828863	NT	Homo sapiens neuronal cell adhesion molecule (NRCAM) mRNA
3338	16389	28310	0.65	6.0E-97	BF245240.1	EST_HUMAN	Homo sapiens cDNA clone IMAGE:4081202 5'
7806	20756	35682	3.82	6.0E-97	BE141849.1	EST_HUMAN	IL5-HT0117-011099-004-D07 HT0117 Homo sapiens cDNA
9286	22252	35682	0.85	6.0E-97	BE988012.1	EST_HUMAN	601440317F1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3925133 5'
9286	22252	35683	0.85	6.0E-97	BE988012.1	EST_HUMAN	601440317F1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3925133 5'
10959	23879	37391	0.71	6.0E-97	AA320332.1	EST_HUMAN	EST22672 Adipose tissue, white II Homo sapiens cDNA 5' end
10959	23879	37392	0.71	6.0E-97	AA320332.1	EST_HUMAN	EST22672 Adipose tissue, white II Homo sapiens cDNA 5' end
11734	24620	38198	3.43	6.0E-97	X15804.1	NT	Human mRNA for alpha-actinin
8348	21317	34732	2.27	5.0E-97	AL043314.2	EST_HUMAN	DKFZ434N0323_r1 434 (synonym: hies3) Homo sapiens cDNA clone DKFZp434N0323 5'
8482	21450	34868	13.95	5.0E-97	AA418026.1	EST_HUMAN	z07e12.s1 Scores_NHMPu_S1 Homo sapiens cDNA clone IMAGE:787768 3' similar to TR:G1304125
10034	22961	38429	2.61	5.0E-97	BF154912.1	EST_HUMAN	G1304125 PMS4 MRNA ;
11873	24755	38337	1.75	5.0E-97	BE148597.1	EST_HUMAN	RCO-BT0812-250900-032-a09 BT0812 Homo sapiens cDNA
11873	24755	38338	1.75	5.0E-97	BE148597.1	EST_HUMAN	MRO-HT0241-150500-010-b02 HT0241 Homo sapiens cDNA
938	13991	28943	2.4	4.0E-97	BE004436.1	EST_HUMAN	MRO-HT0241-150500-010-b02 HT0241 Homo sapiens cDNA
948	14001	28953	1.87	4.0E-97	AB030176.1	NT	CMD-BN0106-170300-283-a06 BN0106 Homo sapiens cDNA
948	14001	28954	1.87	4.0E-97	AB030176.1	NT	Homo sapiens PAD-H19 mRNA for peptidylarginine deiminase type II, complete cds
1925	14949	27945	0.99	4.0E-97	4543572	NT	Homo sapiens PAD-H19 mRNA for peptidylarginine deiminase type II, complete cds
5645	18741	31908	0.66	4.0E-97	4567326	NT	Homo sapiens brefeldin A-inhibited guanine nucleotide-exchange protein 2 (BIG2), mRNA
5856	19041	32239	0.52	4.0E-97	U09002.1	NT	Homo sapiens apolipoprotein H (beta-2-glycoprotein I) (APOH) mRNA
5856	19041	32240	0.52	4.0E-97	U09002.1	NT	Human N-methyl-D-aspartate receptor modulatory subunit 2A (hNR2A) mRNA, complete cds
6997	20123	33437	5.9	4.0E-97	Y11339.2	NT	Human N-methyl-D-aspartate receptor modulatory subunit 2A (hNR2A) mRNA, complete cds
6997	20123	33438	5.9	4.0E-97	Y11339.2	NT	Homo sapiens mRNA for GainAc alpha-2, 6-sialyltransferase I, long form
7217	20239	33573	1.35	4.0E-97	7710125	NT	Homo sapiens mRNA for GainAc alpha-2, 6-sialyltransferase I, long form
7217	20239	33573	1.35	4.0E-97	7710125	NT	Homo sapiens ligase III, DNA, ATP-dependent (LIC3), transcript variant alpha, mRNA

Page 426 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7270	20005	33305	0.94	4.0E-97	11422156	NT	Homo sapiens cystic fibrosis transmembrane conductance regulator, ATP-binding cassette (sub-family C, member 7) (CFTR), mRNA
8474	21443	34890	0.68	4.0E-97	4557708	NT	Homo sapiens laminin, alpha 2 (merosin, congenital muscular dystrophy) (LAMA2) mRNA
8701	21669	35092	1.62	4.0E-97	11421783	NT	Homo sapiens v-src avian sarcoma (Schmidt-Ruppin A-2) viral oncogene homolog (SRC), mRNA
8926	21892	35320	0.49	4.0E-97	11431060	NT	Homo sapiens N-myc (and STAT) interactor (NMI), mRNA
8967	21933	35358	0.78	4.0E-97	11423233	NT	Homo sapiens cytochrome P450, subfamily IVB, polypeptide 1 (CYP4B1), mRNA
9603	22607	36056	1.36	4.0E-97	AB011166.1	NT	Homo sapiens mRNA for KIAA0594 protein, partial cds
9603	22607	36057	1.36	4.0E-97	AB011166.1	NT	Homo sapiens mRNA for KIAA0594 protein, partial cds
9603	22607	36058	1.36	4.0E-97	AB011166.1	NT	Homo sapiens N-myc (and STAT) interactor (NMI), mRNA
10803	23724	37226	0.79	4.0E-97	11431060	NT	Homo sapiens AXL receptor tyrosine kinase (AXL), transcript variant 1, mRNA
11498	24441	37991	2.15	4.0E-97	11863122	NT	Homo sapiens AXL receptor tyrosine kinase (AXL), transcript variant 1, mRNA
11498	24441	37992	2.15	4.0E-97	11863122	NT	Homo sapiens G-2 and S-phase expressed 1 (GTSE1), mRNA
12467	25216		7.99	4.0E-97	11418318	NT	Homo sapiens mRNA for KIAA1172 protein, partial cds
243	13341	26266	1.01	3.0E-97	AB032988.1	NT	Homo sapiens amyloid beta (A4) precursor protein (protease nexin-II, Alzheimer disease) (APP), mRNA
875	13931	26889	2.71	3.0E-97	4502166	NT	Homo sapiens amyloid beta (A4) precursor protein (protease nexin-II, Alzheimer disease) (APP), mRNA
875	13931	26890	2.71	3.0E-97	4502166	NT	Homo sapiens N-myc (and STAT) interactor (NMI), mRNA
1435	15868	27446	1.72	3.0E-97	4758813	NT	Human beta-prime-adaptin (BAM22) gene, exon 7
2445	15825	28470	1.57	3.0E-97	U36255.1	NT	Human alpha-1-antitrypsin gene (S variant), complete cds
3185	16240	29158	2.22	3.0E-97	K02212.1	NT	Homo sapiens pericentrioh (PCNT) mRNA
3274	16328	29249	1.01	3.0E-97	5174478	NT	Homo sapiens eukaryotic translation elongation factor 1 alpha 1 (EEF1A1) mRNA
4815	17832	30730	18.15	1.0E-97	4503470	NT	Homo sapiens eukaryotic translation elongation factor 1 alpha 1 (EEF1A1) mRNA
5567	19827	32892	2.5	1.0E-97	BE566486.1	EST_HUMAN	601339520F1 NIH_MGC 53 Homo sapiens cDNA clone IMAGE:3681821 5'
9799	21122	34525	0.51	1.0E-97	AW379976.1	EST_HUMAN	RCO-HT0258-211199-011-g05 HT0258 Homo sapiens cDNA
9799	21122	34526	0.51	1.0E-97	AW379976.1	EST_HUMAN	RCO-HT0258-211199-011-g05 HT0258 Homo sapiens cDNA
10122	23048	36527	1.46	1.0E-97	R10887.1	EST_HUMAN	y98c08 s1 Soares fetal liver spleen INFLS Homo sapiens cDNA clone IMAGE:129134 3'
11062	24025	37549	3.07	1.0E-97	11427757	NT	Homo sapiens KIAA0649 gene product (KIAA0649), mRNA
11062	24025	37550	3.07	1.0E-97	11427757	NT	Homo sapiens KIAA0649 gene product (KIAA0649), mRNA
11639	24576	38142	1.97	1.0E-97	AA553761.1	EST_HUMAN	nk29g02.s1 NCL CGAP_Co11 Homo sapiens cDNA clone IMAGE:1014962 3'
11796	23951	37472	35.59	1.0E-97	11426272	NT	Homo sapiens ribosomal protein S15 (RPS15), mRNA
11796	23951	37473	35.59	1.0E-97	11426272	NT	Homo sapiens ribosomal protein S15 (RPS15), mRNA
902	13957	26914	1.43	9.0E-98	BE080973.1	EST_HUMAN	PM4-BT0724-010400-008-e12 BT0724 Homo sapiens cDNA
1281	14316	27278	2.02	9.0E-98	8393092	NT	Homo sapiens cat eye syndrome critical region gene 1 (CECR1), mRNA
6435	19501		0.63	9.0E-98	AJ250713.1	NT	Homo sapiens CLDN12 gene for claudin-12

Page 427 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7507	20472	33832	0.55	9.0E-98	7681871	NT	Homo sapiens leucyl-RNA synthetase, mitochondrial (KIAA0028), mRNA
7617	20577	33940	0.56	9.0E-98	11419408	NT	Homo sapiens A kinase (PRKA) anchor protein (yotiao) 9 (AKAP9), mRNA
8257	21226	34836	5.5	9.0E-98	4758119	NT	Homo sapiens death-associated protein (DAP), mRNA
8257	21228	34837	5.5	9.0E-98	4758119	NT	Homo sapiens death-associated protein (DAP), mRNA
9471	22435	35873	2.01	9.0E-98	XG6989.1	NT	Human mRNA for amyloid A4(751) protein
9579	22541	35991	1.44	9.0E-98	11321560	NT	Homo sapiens succinate-CoA ligase, GDP-forming, alpha subunit (SUCLG1), mRNA
9647	22591	36040	1.49	9.0E-98	AB037786.1	NT	Homo sapiens mRNA for KIAA1365 protein, partial cds
9694	22647		0.83	9.0E-98	AF057726.1	NT	Homo sapiens 17-beta-hydroxysteroid dehydrogenase IV (HSD17B4) gene, exon 8
9722	22750	36202	1.16	9.0E-98	4507070	NT	Homo sapiens SWI/SNF related, matrix associated, actin dependent regulator of chromatin, subfamily a, member 3 (SMARCA3) mRNA
9722	22750	36203	1.16	9.0E-98	4507070	NT	Homo sapiens SWI/SNF related, matrix associated, actin dependent regulator of chromatin, subfamily a, member 3 (SMARCA3) mRNA
10623	23545	37045	0.5	9.0E-98	AF141325.2	NT	Homo sapiens inositol polyphosphate 1-phosphatase (INPP1) gene, complete cds
11346	24286	37823	2.06	9.0E-98	AB023222.1	NT	Homo sapiens mRNA for KIAA1005 protein, partial cds
11346	24286	37824	2.06	9.0E-98	AB023222.1	NT	Homo sapiens mRNA for KIAA1005 protein, partial cds
11407	24351	37883	1.75	9.0E-98	11418982	NT	Homo sapiens mitogen-activated protein kinase kinase 7 (MAP3K7), mRNA
26	13146		2.24	8.0E-98	AJ251158.1	NT	Homo sapiens partial MICB gene for MHC class I chain-related protein B, exons 2-3 and joined CDS
1562	14594	27668	1.49	8.0E-98	5031810	NT	Homo sapiens IL2-inducible T-cell kinase (ITK), mRNA
1562	14594	27669	1.49	8.0E-98	5031810	NT	Homo sapiens IL2-inducible T-cell kinase (ITK), mRNA
1739	14769	27754	2.73	8.0E-98	AB017007.1	NT	Homo sapiens PMS2L16 mRNA, partial cds
1739	14769	27755	2.73	8.0E-98	AB017007.1	NT	Homo sapiens PMS2L16 mRNA, partial cds
3607	16652	29569	0.97	8.0E-98	AJ229041.1	NT	Homo sapiens 959 kb contig between AML1 and CBR1 on chromosome 21q22; segment 1/3
3607	16652	29570	0.97	8.0E-98	AJ229041.1	NT	Homo sapiens 959 kb contig between AML1 and CBR1 on chromosome 21q22; segment 1/3
3609	16849	29757	8.45	8.0E-98	J04469.1	NT	Human mitochondrial creatine kinase (CKMT) gene, complete cds
8201	19275	32509	2.74	5.0E-98	BE885873.1	EST_HUMAN	601507503F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3909097 5'
2188	15203	28223	1.23	3.0E-98	AJ403124.1	EST_HUMAN	AJ403124.3.4 (downregulated in larynx carcinoma) Homo sapiens cDNA clone IMAGE:3909097 5'
2616	15614	28639	1.19	3.0E-98	AB014607.1	NT	Homo sapiens mRNA for KIAA0707 protein, partial cds
2759	15761		3.63	3.0E-98	AA077498.1	EST_HUMAN	7B18H01 Chromosome 7 Fetal Brain cDNA Library Homo sapiens cDNA clone 7B18H01
7131	20107	33418	0.7	3.0E-98	9956846	NT	Homo sapiens chromosome 12 open reading frame 4 (C12ORF4), mRNA
7134	20110	33422	1.63	3.0E-98	11419210	NT	Homo sapiens activator of S phase kinase (ASK), mRNA
7134	20110	33423	1.63	3.0E-98	11419210	NT	Homo sapiens activator of S phase kinase (ASK), mRNA
9104	22070	35496	3.59	3.0E-98	H46698.1	EST_HUMAN	yo17g09.1 Soares adult brain N26bHB56Y Homo sapiens cDNA clone IMAGE:178240 5'
9652	22595	36043	0.65	3.0E-98	8922096	NT	Homo sapiens uncharacterized bone marrow protein BM039 (BM039), mRNA

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
10243	23168	36655	1.51	3.0E-98	AJ403124.1	EST_HUMAN	AJ403124.3.4 (downregulated in larynx carcinoma) Homo sapiens cDNA clone l8
10243	23168	36656	1.51	3.0E-98	AJ403124.1	EST_HUMAN	AJ403124.3.4 (downregulated in larynx carcinoma) Homo sapiens cDNA clone l8
10839	23759	37259	0.89	3.0E-98	BE900454.1	EST_HUMAN	601673686F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3956517 5'
11289	24249	37775	2.09	3.0E-98	U59309.1	NT	Human fumarate precursor (FH) mRNA, nuclear gene encoding mitochondrial protein, complete cds
12951	25835		1.4	3.0E-98	BE382519.1	EST_HUMAN	601297955F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:3828213 5'
13039	25581		2.4	3.0E-98	11418177	NT	Homo sapiens Ran GTPase activating protein 1 (RANGAP1), mRNA
737	13798	26737	0.94	2.0E-98	BE261694.1	EST_HUMAN	601149486F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:3502245 5'
2092	15109	28128	3.36	2.0E-98	BE294281.1	EST_HUMAN	601172688F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3528134 5'
2247	15261	28288	1.49	2.0E-98	AL163202.2	NT	Homo sapiens chromosome 21 segment HS21C002
4325	17354	30240	0.75	2.0E-98	AF032897.1	NT	Homo sapiens potassium channel subunit (HERG-3) mRNA, complete cds
4368	17395	30274	2.9	2.0E-98	4758331	NT	Homo sapiens fatty-acid-Coenzyme A ligase, long-chain 4 (FACL4) mRNA
4864	17881	30767	1.22	2.0E-98	AF218902.1	NT	Homo sapiens attractin precursor (ATRIN) gene, exon 18
4864	17881	30768	1.22	2.0E-98	AF218902.1	NT	Homo sapiens attractin precursor (ATRIN) gene, exon 16
5450	18552	31464	4.26	2.0E-98	7706512	NT	Homo sapiens PDZ domain-containing guanine nucleotide exchange factor 1 (LOC51735), mRNA
6811	18865	33153	1.09	2.0E-98	4505798	NT	Homo sapiens phosphatidylinositol 3-kinase, class 2, alpha polypeptide (PIK3C2A) mRNA
7885	20829	34208	1.08	2.0E-98	11431271	NT	Homo sapiens hypothetical protein FLJ10488 (FLJ10488), mRNA
7885	20829	34207	1.08	2.0E-98	11431271	NT	Homo sapiens hypothetical protein FLJ10488 (FLJ10488), mRNA
8955	21921	35347	3.8	2.0E-98	11428813	NT	Homo sapiens SH3-domain GRB2-like 2 (SH3GL2), mRNA
8955	21921	35348	3.8	2.0E-98	11428813	NT	Homo sapiens SH3-domain GRB2-like 2 (SH3GL2), mRNA
9039	22005	35425	0.57	2.0E-98	L76666.1	NT	Homo sapiens NKAT4b mRNA, complete cds
9039	22005	35426	0.57	2.0E-98	L76666.1	NT	Homo sapiens NKAT4b mRNA, complete cds
9895	22848	36305	2.7	2.0E-98	X12664.1	NT	H. sapiens arginase gene exon 3 (EC 3.5.3.1)
10778	23699		1.25	2.0E-98	7705968	NT	Homo sapiens AIM-1 protein (LOC51151), mRNA
11942	24822	38418	1.58	2.0E-98	AF273048.1	NT	Homo sapiens CTCL tumor antigen ssa20-9 mRNA, complete cds
405	13478	26413	23.04	1.0E-98	AI862007.1	EST_HUMAN	U36604.X1 NCI_CGAP_UH1 Homo sapiens cDNA clone IMAGE:2261743 3' similar to SW:RL2B_HUMAN
455	13528	26458	2.12	1.0E-98	AV998611.1	EST_HUMAN	PMO-BN0065-100300-001-c06 BN0065 Homo sapiens cDNA
1813	14840	27831	13.58	1.0E-98	N49818.1	EST_HUMAN	W23705.r1 Soares fetal liver spleen 1N1FLS Homo sapiens cDNA clone IMAGE:243585 5' similar to PIR:S54204 S54204 ribosomal protein L29 - human ;
5390	18493	31370	3.54	1.0E-98	AA195854.1	EST_HUMAN	z998c09.r1 Stratagene muscle 937209 Homo sapiens cDNA clone IMAGE:628240 5' similar to TR:G806562
5649	18745	31912	1.07	1.0E-98	BE390827.1	EST_HUMAN	G806562 NEBULIN ;
5649	18745	31913	1.07	1.0E-98	BE390627.1	EST_HUMAN	601284986F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3606692 5'

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
9350	22315	35740	5.26	1.0E-08	AF141349.1	NT	Homo sapiens beta-tubulin mRNA, complete cds
9350	22315	35741	5.26	1.0E-08	AF141349.1	NT	Homo sapiens beta-tubulin mRNA, complete cds
5917	19003	32195	0.84	9.0E-09	AI905004.1	EST_HUMAN	QV-BT073-191298-012 BT073 Homo sapiens cDNA
5917	19003	32196	0.84	9.0E-09	AI905004.1	EST_HUMAN	QV-BT073-191298-012 BT073 Homo sapiens cDNA
6158	19233	32465	3.77	9.0E-09	AW598635.1	EST_HUMAN	EST380711 IMAGE resequences, MAGJ Homo sapiens cDNA
11458	24389	37946	3.71	9.0E-09	AI478929.1	EST_HUMAN	tm69h07.x1 NCI_CGAP_Bn25 Homo sapiens cDNA clone IMAGE:2163421 3' similar to SW:BIID_HUMAN
11458	24399	37947	3.71	9.0E-09	AI478929.1	EST_HUMAN	tm69h07.x1 NCI_CGAP_Bn25 Homo sapiens cDNA clone IMAGE:2163421 3' similar to SW:BIID_HUMAN
11460	24403	37951	2.19	9.0E-09	BF359879.1	EST_HUMAN	P59957 BH3 INTERACTING DOMAIN DEATH AGONIST
11743	24528	38207	1.84	9.0E-09	AA134604.1	EST_HUMAN	PM2-MT0037-250700-003-G04 MT0037 Homo sapiens cDNA
9078	22044	35467	1.18	8.0E-08	9635487	NT	zn90d02.r1 Stralagene lung carcinoma 937218 Homo sapiens cDNA clone IMAGE:565443 5' similar to
5933	19019	32214	9.72	7.0E-09	AF035808.1	NT	TR:G662994 G662994 GPI-ANCHORED PROTEIN P137. ;
11933	24814	38410	1.99	7.0E-09	AF001896.1	NT	Human endogenous retrovirus, complete genome
472	13544	26473	0.84	6.0E-09	U10991.1	NT	Homo sapiens oscillin (hLn) gene, exon 5
4779	17799	30690	0.97	6.0E-09	4502660	NT	Homo sapiens NK-receptor (KIR-G2) gene, linker region exon
8762	19808	33087	0.96	6.0E-09	7706136	NT	Human G2 protein mRNA, partial cds
8835	19888	33182	0.81	6.0E-09	L43910.1	NT	Homo sapiens CD34 antigen (CD34) mRNA
8835	19888	33183	0.81	6.0E-09	L43910.1	NT	Homo sapiens GAP-like protein (LOC51306), mRNA
8441	21410	34823	1.06	6.0E-09	X99101.1	NT	Homo sapiens GAP-like protein (LOC51306), mRNA
8460	21429	34846	0.52	6.0E-09	6601569	NT	Homo sapiens polycystic kidney disease (PKD1) gene, exons 27-30
9117	22083	35511	2.24	6.0E-09	AB036428.1	NT	Homo sapiens polycystic kidney disease (PKD1) gene, exons 27-30
9215	22181	35612	3.79	6.0E-09	AF080255.1	NT	Homo sapiens mRNA for estrogen receptor
9215	22181	35613	3.79	6.0E-09	AF080255.1	NT	Homo sapiens enkyrin-like with transmembrane domains 1 (ANKTM1), mRNA
9275	22241	35669	0.84	6.0E-09	11431994	NT	Homo sapiens NDS14 mRNA for N-deacetylase/N-sulfotransferase 4, complete cds
9275	22241	35670	0.84	6.0E-09	11431994	NT	Homo sapiens lodestar protein mRNA, complete cds
11074	24036	37560	3.32	6.0E-09	11526299	NT	Homo sapiens lodestar protein mRNA, complete cds
11783	23938	37459	1.98	6.0E-09	9910279	NT	Homo sapiens Inositol 1,4,5-triphosphate receptor, type 1 (ITPR1), mRNA
11783	23938	37460	1.98	6.0E-09	9910279	NT	Homo sapiens Inositol 1,4,5-triphosphate receptor, type 1 (ITPR1), mRNA
1982	15003	28006	1.37	5.0E-08	Y11365.1	NT	Homo sapiens BH3 interacting domain death agonist (BID), mRNA
4596	17617	30511	1.46	5.0E-09	AF009660.1	NT	Homo sapiens UDP-glucose:glycoprotein glucosyltransferase 1 (HUGT1), mRNA
12496	25238		5.2	5.0E-09	BE880177.1	EST_HUMAN	Homo sapiens UDP-glucose:glycoprotein glucosyltransferase 1 (HUGT1), mRNA
8664	21632		6.74	3.0E-09	M95586.1	NT	Homo sapiens IMPA gene, exon 8
							Homo sapiens T cell receptor beta locus, TCRBV7S3A2 to TCRBV12S2 region
							601813157F1.NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3914391 5'
							Human E2A/HLA fusion protein (E2A/HLF) mRNA, complete cds

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1244	14281		16.34	2.0E-99	AW274792.1	EST_HUMAN	xp00906.x1 NC1_CGAP_HN9 Homo sapiens cDNA clone IMAGE:2739874 3' similar to gb:M31212 MYOSIN LIGHT CHAIN ALKALI, NON-MUSCLE ISOFORM (HUMAN);
3272	16326	29248	1.19	2.0E-99	M30938.1	NT	Human Ku (p70/p80) subunit mRNA, complete cds
4574	17596	30490	1.95	2.0E-99	AF095703.1	NT	Homo sapiens short chain L-3-hydroxyacyl-CoA dehydrogenase precursor (HADHSC) gene, nuclear gene encoding mitochondrial protein, complete cds
7636	20878	34268	0.87	2.0E-99	AF257737.1	NT	Homo sapiens ciliary dynein heavy chain 9 (DNAH9) mRNA, complete cds
9055	22021	35448	12.17	2.0E-99	W23507.1	EST_HUMAN	zb46806.r1 Soares_fetal_lung_NBHL19W Homo sapiens cDNA clone IMAGE:306635 5' similar to gb:M15182 BETA-GLUCURONIDASE PRECURSOR (HUMAN);
9507	22470	35914	0.65	2.0E-99	R78254.1	EST_HUMAN	yf81b09.r1 Soares placenta Nb2HP Homo sapiens cDNA clone IMAGE:145625 5'
11440	24383	37923	2.56	2.0E-99	AF247457.2	NT	Homo sapiens myosin X (MYO10) mRNA, complete cds
315	13407	26333	1.5	1.0E-99	AF114487.1	NT	Homo sapiens interseitin long isoform (ITSN) mRNA, complete cds
379	13463	26393	1.04	1.0E-99	11526150	NT	Homo sapiens GA-binding protein transcription factor, alpha subunit (60kD) (GABPA), mRNA
1419	14452	27426	1.98	1.0E-99	M30938.1	NT	Human Ku (p70/p80) subunit mRNA, complete cds
1559	14591	27563	1.52	1.0E-99	AF192523.1	NT	Homo sapiens truncated Niemann-Pick C3 protein (NPC3) mRNA, complete cds
1559	14591	27564	1.52	1.0E-99	AF192523.1	NT	Homo sapiens truncated Niemann-Pick C3 protein (NPC3) mRNA, complete cds
1944	14968	27965	1.18	1.0E-99	4503730	NT	Homo sapiens FK506-binding protein 6 (36kD) (FKBP6) mRNA, and translated products
1944	14968	27966	1.18	1.0E-99	4503730	NT	Homo sapiens FK506-binding protein 6 (36kD) (FKBP6) mRNA, and translated products
3101	16158	28070	1.6	1.0E-99	J03171.1	NT	Human interferon-alpha receptor (HuIFN-alpha-Rec) mRNA, complete cds
4407	17435	30320	2.26	1.0E-99	AF098018.1	NT	Homo sapiens fatty acid amide hydrolase (FAAH) gene, exon 14
4407	17435	30321	2.26	1.0E-99	AF098018.1	NT	Homo sapiens fatty acid amide hydrolase (FAAH) gene, exon 14
5836	18926	32110	0.59	1.0E-99	7662349	NT	Homo sapiens cell recognition molecule Caspr2 (KIAA0868), mRNA
6976	20199	33528	1.77	1.0E-99	11421007	NT	Homo sapiens glycine receptor, alpha 2 (GLRA2), mRNA
6976	20199	33529	1.77	1.0E-99	11421007	NT	Homo sapiens glycine receptor, alpha 2 (GLRA2), mRNA
7346	25680	33662	0.61	1.0E-99	X98022.1	NT	H sapiens EG-AP gene exon 2
9554	22516		0.86	1.0E-99	11419721	NT	Homo sapiens ALEX1 protein (LOC51309), mRNA
9878	22831	36285	1.99	1.0E-99	AW340174.1	EST_HUMAN	h002h02.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2906371 3' similar to TR:002711 O02711 PRO-POL-DUTPASE POLYPEPTIDE;
11473	24416	37965	1.89	1.0E-99	7427514	NT	Homo sapiens huntingtin interacting protein 1 (HIP1), mRNA
11473	24416	37966	1.89	1.0E-99	7427514	NT	Homo sapiens huntingtin interacting protein 1 (HIP1), mRNA
11705	24670	38247	2.17	1.0E-99	AB023222.1	NT	Homo sapiens mRNA for KIAA1005 protein, partial cds
12253	25079		9.09	1.0E-99	AF240786.1	NT	Homo sapiens glutathione S-transferase theta 2 (GSTT2) and glutathione S-transferase theta 1 (GSTT1) genes, complete cds
1	13123	26021	1.83	1.0E-100	AL163247.2	NT	Homo sapiens chromosome 21 segment HS21C047
2	13123	26021	1.19	1.0E-100	AL163247.2	NT	Homo sapiens chromosome 21 segment HS21C047

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
69	13187	26105	1.3	1.0E-100	11418230	NT	Homo sapiens Testis-specific XK-related protein on Y (XKRY), mRNA
69	13187	26106	1.3	1.0E-100	11418230	NT	Homo sapiens Testis-specific XK-related protein on Y (XKRY), mRNA
87	13203	26128	0.67	1.0E-100	AW275237.1	EST_HUMAN	xr78b11x1 NCL CGAP_Brm53 Homo sapiens cDNA clone IMAGE:2824605 3'
170	13272	26197	2.62	1.0E-100	AL163206.2	NT	Homo sapiens chromosome 21 segment HS21C006
317	13409	26336	0.98	1.0E-100	AL163249.2	NT	Homo sapiens chromosome 21 segment HS21C049
343	13432	26354	2.53	1.0E-100	T05087.1	EST_HUMAN	EST02975 Fetal brain, Stratagene (cat#836206) Homo sapiens cDNA clone HFCOR32
437	13511		2.36	1.0E-100	AF003528.1	NT	Homo sapiens X-linked anhidrotic ectodermal dysplasia protein gene (EDA), exon 2 and flanking repeat regions
490	13563		4.8	1.0E-100	X89631.1	NT	G.gorilla DNA for ZNF80 gene homolog
510	13581	26502	1.4	1.0E-100	BE180609.1	EST_HUMAN	RC3-PT0625-040500-022-508 HT0925 Homo sapiens cDNA
1021	14067	27017	4.33	1.0E-100	7661685	NT	Homo sapiens DKFZP586M0122 protein (DKFZP586M0122), mRNA
1021	14067	27018	4.33	1.0E-100	7661685	NT	Homo sapiens DKFZP586M0122 protein (DKFZP586M0122), mRNA
1549	14582		1.23	1.0E-100	AW207555.1	EST_HUMAN	U1-HB11-alk-c-07-0-J1.s1 NCL CGAP_Sub3 Homo sapiens cDNA clone IMAGE:2722164 3'
1554	14588	27558	1.49	1.0E-100	AI200857.1	EST_HUMAN	qf6209.x1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1754633 3' similar to SW:CYT_COTJA
1881	14906	27606	0.98	1.0E-100	AB032994.1	NT	Homo sapiens mRNA for KIAA1168 protein, partial cds
2254	15288		1.25	1.0E-100	D83349.1	NT	Rat mRNA for short type PB-cadherin, complete cds
2717	15711	28728	1.98	1.0E-100	11418976	NT	Homo sapiens KIAA0957 protein (KIAA0957), mRNA
3031	16089		3.1	1.0E-100	D11078.1	NT	Homo sapiens RGH2 gene, retrovirus-like element
4238	17287	30154	1.46	1.0E-100	AF057354.1	NT	Homo sapiens myotubularin-related protein 1a mRNA, partial cds
4264	17283	30172	1.94	1.0E-100	4503792	NT	Homo sapiens follicle stimulating hormone receptor (FSHR) mRNA
5127	18136	31012	3.58	1.0E-100	5032104	NT	Homo sapiens small optic lobes (Drosophila) homolog (SOLH) mRNA
5127	18136	31013	3.58	1.0E-100	5032104	NT	Homo sapiens small optic lobes (Drosophila) homolog (SOLH) mRNA
5362	18467	31338	1.71	1.0E-100	BF244218.1	EST_HUMAN	601863164F1 NIH_MGC_57 Homo sapiens cDNA clone IMAGE:4080989 5'
5596	18662	31650	0.66	1.0E-100	AW075983.1	EST_HUMAN	xa8201.x1 NCL CGAP_CML1 Homo sapiens cDNA clone IMAGE:2573305 3' similar to gb:X12433
5785	18877	32056	1.5	1.0E-100	AU118182	EST_HUMAN	PROTEIN PHPS1-2 (HUMAN);
5839	18929	32113	1.29	1.0E-100	AF135116.1	NT	AU118182 HEMBA1 Homo sapiens cDNA clone HEMBA1003046 5'
5937	19023	32217	0.9	1.0E-100	X14690.1	NT	Homo sapiens NF-E2-related factor 3 gene, complete cds
6287	19359	32595	0.89	1.0E-100	4557568	NT	Human mRNA for plasma inter-alpha-trypsin inhibitor heavy chain H(3)
6287	19359	32596	0.89	1.0E-100	4557568	NT	Homo sapiens ER to nucleus signalling 1 (ERN1) mRNA
6576	19636		1.1	1.0E-100	5729867	NT	Homo sapiens ER to nucleus signalling 1 (ERN1) mRNA
6845	19703	32979	4.85	1.0E-100	AU140214.1	EST_HUMAN	Homo sapiens hct domain and RLD 2 (HERC2), mRNA
6704	19760	33039	0.61	1.0E-100	AU136800.1	EST_HUMAN	AU140214 PLACE2 Homo sapiens cDNA clone PLACE2000137 5'
							AU136800 PLACE1 Homo sapiens cDNA clone PLACE1005089 5'

Page 432 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6843	19896	33190	1.35	1.0E-100	R10887.1	EST_HUMAN	yf38c08.s1 Soares fetal liver spleen 1NLS Homo sapiens cDNA clone IMAGE:129134 3'
6834	20158	33478	1.08	1.0E-100	7382479	NT	Homo sapiens Rho GTPase activating protein 6 (ARHGAP6), transcript variant 4, mRNA
7019	20145	33462	0.96	1.0E-100	AA496841.1	EST_HUMAN	ae33b06.r1 Gessler Wilms tumor Homo sapiens cDNA clone IMAGE:897587 5' similar to TR:G487418
7019	20145	33463	0.96	1.0E-100	AA496841.1	EST_HUMAN	ae33b06.r1 Gessler Wilms tumor Homo sapiens cDNA clone IMAGE:897587 5' similar to TR:G487418
7070	20092	33401	1.12	1.0E-100	BF376478.1	EST_HUMAN	MR1-TN0046-060900-004-505 TN0046 Homo sapiens cDNA
7070	20092	33402	1.12	1.0E-100	BF376478.1	EST_HUMAN	MR1-TN0046-060900-004-505 TN0046 Homo sapiens cDNA
7078	20099	33410	6.82	1.0E-100	X04571.1	NT	Human mRNA for kidney epidermal growth factor (EGF) precursor
7990	20929	34323	0.52	1.0E-100	U63139.1	NT	Homo sapiens Rad50 (Rad50) mRNA, complete cds
7990	20929	34324	0.52	1.0E-100	U63139.1	NT	Homo sapiens Rad50 (Rad50) mRNA, complete cds
8877	21844	35266	11.86	1.0E-100	BF103853.1	EST_HUMAN	601647357F1 NIH_MGC_61 Homo sapiens cDNA clone IMAGE:3931310 5'
8914	21880		5.3	1.0E-100	AL163203.2	NT	Homo sapiens chromosome 21 segment HS21C003
9368	22333	35763	0.59	1.0E-100	AU116951.1	EST_HUMAN	AU116951 HEMBA1 Homo sapiens cDNA clone HEMBA1000343 5'
9368	22333	35764	0.59	1.0E-100	AU116951.1	EST_HUMAN	AU116951 HEMBA1 Homo sapiens cDNA clone HEMBA1000343 5'
9588	22550	36001	3.34	1.0E-100	AB040918.1	NT	Homo sapiens mRNA for KIAA1485 protein, partial cds
9665	22822		2.44	1.0E-100	AI972388.1	EST_HUMAN	wr37g09.x1 NCI_CGAP_P128 Homo sapiens cDNA clone IMAGE:2488920 3' similar to contains element
9788	21111	34511	2.04	1.0E-100	AW998611.1	EST_HUMAN	MER22 repetitive element;
9842	22778		1.06	1.0E-100	AU127720.1	EST_HUMAN	PMO-BN0065-100300-001-c06 BN0065 Homo sapiens cDNA
9942	22869	36331	2.29	1.0E-100	AB046846.1	NT	AU127720 NT2RP2 Homo sapiens cDNA clone NT2RP2001918 5'
9942	22869	36332	2.29	1.0E-100	AB046846.1	NT	Homo sapiens mRNA for KIAA1626 protein, partial cds
10203	23128	36614	1.47	1.0E-100	AW630487.1	EST_HUMAN	Homo sapiens mRNA for KIAA1626 protein, partial cds
10203	23128	36615	1.47	1.0E-100	AW630487.1	EST_HUMAN	hh83c11.y1 NCI_CGAP_GU1 Homo sapiens cDNA clone IMAGE:29693396 5'
10364	23287	36764	0.48	1.0E-100	AV732101.1	EST_HUMAN	hh83c11.y1 NCI_CGAP_GU1 Homo sapiens cDNA clone IMAGE:29693396 5'
10366	23756	37256	1.94	1.0E-100	BF347519.1	EST_HUMAN	AV732101 HTF Homo sapiens cDNA clone HTFBIG01 5'
10924	23844		1.56	1.0E-100	Y10391.1	NT	602020554F1 NCI_CGAP_Bm67 Homo sapiens cDNA clone IMAGE:4156165 5'
11111	24071	37593	7.51	1.0E-100	BF327292.1	EST_HUMAN	Human endogenous retrovirus HERV-K, pol gene
11618	24556	38118	1.78	1.0E-100	X94633.1	NT	MRO-BN0070-270300-008-h11 BN0070 Homo sapiens cDNA
11618	24556	38119	1.78	1.0E-100	X94633.1	NT	H.sapiens CD97 gene exon 4
11681	24647	38223	3.57	1.0E-100	AF111170.3	NT	H.sapiens CD97 gene exon 4
11681	24647	38224	3.57	1.0E-100	AF111170.3	NT	Homo sapiens 14q32 Jagged2 gene, complete cds; and unknown gene
11712	13123	26021	1.96	1.0E-100	AL163247.2	NT	Homo sapiens 14q32 Jagged2 gene, complete cds; and unknown gene
11989	24866		2	1.0E-100	AF266285.1	NT	Homo sapiens chromosome 21 segment HS21C047
							Homo sapiens gldgh-like protein (GLP) gene, complete cds

Page 433 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
12127	24996	38600	3.03	1.0E-100	AJ131034.1	NT	Homo sapiens class gene, exon 12
12128	24997	38601	1.85	1.0E-100	BE791491.1	EST_HUMAN	601586031F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3940423 5'
12177	25025	38622	15.03	1.0E-100	AF240786.1	NT	Homo sapiens glutathione S-transferase theta 2 (GSTT2) and glutathione S-transferase theta 1 (GSTT1) genes, complete cds
12307	25851		2.32	1.0E-100	BF446549.1	EST_HUMAN	7488h03.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE: 3' similar to TR:Q9UAB08 ;
12488	25233	31799	2.98	1.0E-100	11545732	NT	Homo sapiens SH3-domain binding protein 1 (SH3BP1), mRNA
13084	26615	31691	8.6	1.0E-100	11417974	NT	Homo sapiens transcobalamin II; macrocytic anemia (TCN2), mRNA
78	13195	26118	1.19	1.0E-101	7110714	NT	Homo sapiens SEC14 (S. cerevisiae)-like 2 (SEC14L2), mRNA
78	13195	26119	1.19	1.0E-101	7110714	NT	Homo sapiens SEC14 (S. cerevisiae)-like 2 (SEC14L2), mRNA
687	13750	26676	2.53	1.0E-101	AB007915.2	NT	Homo sapiens mRNA for KIAA0446 protein, partial cds
705	13767	26702	6.95	1.0E-101	7110734	NT	Homo sapiens ventral anterior homeobox 2 (VAX2), mRNA
705	13767	26703	6.95	1.0E-101	7110734	NT	Homo sapiens ventral anterior homeobox 2 (VAX2), mRNA
772	13831	26776	1.48	1.0E-101	7657454	NT	Homo sapiens pascadillo (zebrafish) homolog 1, containing BRCT domain (PES1), mRNA
854	13910	26868	2.88	1.0E-101	4503914	NT	Homo sapiens phosphoribosylglycinamide formyltransferase, phosphoribosylglycinamide synthetase, mRNA
924	13977	26929	1.22	1.0E-101	Z20656.1	NT	Homo sapiens of cardiac alpha-myosin heavy chain gene
987	14038	26994	7.23	1.0E-101	BF681218.1	EST_HUMAN	602156474F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:4297291 5'
1055	14101	27051	0.78	1.0E-101	A1221878.1	EST_HUMAN	gg99e09.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1843336 3'
1586	14619	27594	1.34	1.0E-101	5921460	NT	Homo sapiens butyrophilin, subfamily 2, member A1 (BTN2A1), mRNA
1586	14619	27595	1.34	1.0E-101	5921460	NT	Homo sapiens butyrophilin, subfamily 2, member A1 (BTN2A1), mRNA
1761	14790	27776	1.12	1.0E-101	7662183	NT	Homo sapiens KIAA0569 gene product (KIAA0569), mRNA
1761	14790	27777	1.12	1.0E-101	7662183	NT	Homo sapiens KIAA0569 gene product (KIAA0569), mRNA
1962	14934	27987	1.68	1.0E-101	4502998	NT	Homo sapiens carboxypeptidase A1 (pancreatic) (CPA1) mRNA
2072	15089	28107	1.07	1.0E-101	BE843070.1	EST_HUMAN	RC3-ST0281-160600-016-h09 ST0281 Homo sapiens cDNA
2357	15891	28387	1.17	1.0E-101	5729892	NT	Homo sapiens A kinase (PRKA) anchor protein 6 (AKAP6), mRNA
2622	15821	28646	5.3	1.0E-101	X72893.1	NT	H sapiens EWS gene, exon 5
2753	15745	28763	2.07	1.0E-101	AJ237744.1	NT	Homo sapiens RIBLIR gene (partial), exon 12
2753	15745	28764	2.07	1.0E-101	AJ237744.1	NT	Homo sapiens RIBLIR gene (partial), exon 12
2967	16025		13.42	1.0E-101	AJ252312.1	NT	Homo sapiens genomic downstream Rhesus box
3216	16271	29194	1.69	1.0E-101	4885270	NT	Homo sapiens gamma-glutamyltransferase 1 (GGT1) mRNA
3255	16309		2.49	1.0E-101	BF035327.1	EST_HUMAN	601458531F1 NIH_MGC_86 Homo sapiens cDNA clone IMAGE:3862086 5'
3392	16441	29367	1.73	1.0E-101	AW965556.1	EST_HUMAN	EST377629 MAGe resequences, MAGI Homo sapiens cDNA
3411	15745	28763	2.03	1.0E-101	AJ237744.1	NT	Homo sapiens RIBLIR gene (partial), exon 12

Page 434 of 546
Table 4
Single Exon Probes Expressed In Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3411	15745	28764	2.03	1.0E-101	AJ237744.1	NT	Homo sapiens RIBIR gene (partial), exon 12
3890	16930	29839	4.58	1.0E-101	AB022795.1	NT	Homo sapiens ASH2L gene, complete cds, similar to Drosophila ash2 gene
5072	18082	30963	1.54	1.0E-101	5921460	NT	Homo sapiens butyrophilin, subfamily 2, member A1 (BTN2A1), mRNA
5072	18082	30964	1.54	1.0E-101	5921460	NT	Homo sapiens butyrophilin, subfamily 2, member A1 (BTN2A1), mRNA
5391	18494	31371	2.08	1.0E-101	AW965139.1	EST_HUMAN	EST377212 IMAGE resequences, MAGI Homo sapiens cDNA
6118	19196	32420	3.59	1.0E-101	7427512	NT	Homo sapiens cytoplasmic linker 2 (CYLN2), mRNA
6118	19196	32421	3.59	1.0E-101	7427512	NT	Homo sapiens cytoplasmic linker 2 (CYLN2), mRNA
6853	19906	33202	1.16	1.0E-101	11430734	NT	Homo sapiens carbonic anhydrase VII (CA7), mRNA
7488	20453		1.16	1.0E-101	11545780	NT	Homo sapiens hypothetical protein FLJ22087 (FLJ22087), mRNA
7542	20505	33863	4.82	1.0E-101	AF208970.1	NT	Homo sapiens Kruppel-type zinc finger protein (PEG3) mRNA, alternative splice form 4, partial cds
7542	20505	33864	4.82	1.0E-101	AF208970.1	NT	Homo sapiens Kruppel-type zinc finger protein (PEG3) mRNA, alternative splice form 4, partial cds
7717	20674	34040	7.39	1.0E-101	AW008475.1	EST_HUMAN	ww55112x1 NCI_CGAP_Gas4 Homo sapiens cDNA clone IMAGE:2533487 3'
7826	20774		1.76	1.0E-101	BE257384.1	EST_HUMAN	601109217F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3348901 5'
7993	20932	34327	6.3	1.0E-101	BF330759.1	EST_HUMAN	RC1-B7013-220700-018-f12 BT0313 Homo sapiens cDNA
8245	21214	34821	1.07	1.0E-101	BE275821.1	EST_HUMAN	601121621F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3348969 5'
8245	21214	34822	1.07	1.0E-101	BE275821.1	EST_HUMAN	601121621F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3348969 5'
8390	21359	34766	5.11	1.0E-101	BF029174.1	EST_HUMAN	601764886F1 NIH_MGC_53 Homo sapiens cDNA clone IMAGE:3998837 5'
8665	21633	35053	0.83	1.0E-101	AW630070.1	EST_HUMAN	ht74g10.y1 NCI_CGAP_GU1 Homo sapiens cDNA clone IMAGE:2968578 5' similar to gb:J03143
8665	21633	35054	0.83	1.0E-101	AW630070.1	EST_HUMAN	INTERFERON-GAMMA RECEPTOR ALPHA CHAIN PRECURSOR (HUMAN);
9364	22329	35758	0.93	1.0E-101	AA036800.1	EST_HUMAN	ht74g10.y1 NCI_CGAP_GU1 Homo sapiens cDNA clone IMAGE:2968578 5' similar to gb:J03143
9685	22638	36094	0.82	1.0E-101	AB037772.1	NT	INTERFERON-GAMMA RECEPTOR ALPHA CHAIN PRECURSOR (HUMAN);
9685	22638	36095	0.82	1.0E-101	AB037772.1	NT	zk29g08.r1 Soares_pregnant_uterus_NbHPU Homo sapiens cDNA clone IMAGE:471898 5' similar to
9817	21139	34544	19.42	1.0E-101	X60069.1	NT	PIR:S54640 S54640 YD9335.03c protein - yeast ;
9817	21139	34545	19.42	1.0E-101	X60069.1	NT	Homo sapiens mRNA for KIAA1351 protein, partial cds
9830	22679	36135	18.13	1.0E-101	9845492	NT	Homo sapiens mRNA for KIAA1351 protein, partial cds
10115	23041	36520	13.91	1.0E-101	BE619667.1	EST_HUMAN	Human mRNA for pancreatic gamma-glutamyltransferase
10115	23041	36521	13.91	1.0E-101	BE619667.1	EST_HUMAN	Human mRNA for pancreatic gamma-glutamyltransferase
10115	23041	36521	13.91	1.0E-101	BE619667.1	EST_HUMAN	Homo sapiens gamma-glutamyltransferase 1 (GGT1), transcript variant 3, mRNA
10254	23179	36668	0.61	1.0E-101	10863960	NT	601472808T1 NIH_MGC_68 Homo sapiens cDNA clone IMAGE:3875953 3'
10773	23694	37192	1.96	1.0E-101	11429127	NT	601472808T1 NIH_MGC_68 Homo sapiens cDNA clone IMAGE:3875953 3'
10807	23728	37229	0.56	1.0E-101	AI570293.1	EST_HUMAN	Homo sapiens poliovirus channel, subfamily K, member 10 (KCNK10), mRNA
							Homo sapiens Janus kinase 2 (a protein tyrosine kinase) (JAK2), mRNA
							tc77d11.x1 NCI_CGAP_Gas4 Homo sapiens cDNA clone IMAGE:2184309 3' similar to gb:M26326
							KERATIN, TYPE I CYTOSKELETAL 18 (HUMAN);

Page 435 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
10807	23728	37230	0.56	1.0E-101	AI570293.1	EST_HUMAN	to77d11.x1 NCI_CGAP_Gas4 Homo sapiens cDNA clone IMAGE:2184309 3' similar to gb:M28328 KERATIN, TYPE I CYTOSKELETAL 18 (HUMAN);
10914	23834	37349	0.64	1.0E-101	BE973648.1	EST_HUMAN	601680825F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:3950887 5'
10914	23834	37350	0.64	1.0E-101	BE973648.1	EST_HUMAN	601680825F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:3950887 5'
11225	24178	37705	2.38	1.0E-101	S38327.1	NT	branched-chain alpha-keto acid dehydrogenase complex E1 alpha subunit [human, Genomic, 195 nt, segment 8 of 9]
12083	24955	38550	162.1	1.0E-101	AA321316.1	EST_HUMAN	EST23783 Bone marrow Homo sapiens cDNA 5' end similar to defensin 1
12735	25387		7.64	1.0E-101	AW939051.1	EST_HUMAN	QV1-DT0068-240200-085-a01 DT0068 Homo sapiens cDNA
41	13161	28064	0.73	1.0E-102	AF012872.1	NT	Homo sapiens phosphatidylinositol 4-kinase 230 (p4K230) mRNA, complete cds
341	13430	26351	5.2	1.0E-102	AL163303.2	NT	Homo sapiens chromosome 21 segment HS21C103
778	13835	26781	1.07	1.0E-102	4557534	NT	Homo sapiens down-regulated in adenoma (DRA) mRNA
1119	14163	27114	1.9	1.0E-102	M10976.1	NT	Human endogenous retroviral DNA (4-1), complete retroviral segment
1273	14308	27288	2.27	1.0E-102	11437146	NT	Homo sapiens solute carrier family 2 (facilitated glucose transporter), member 9 (SLC2A9), mRNA
1273	14308	27269	2.27	1.0E-102	11437146	NT	Homo sapiens solute carrier family 2 (facilitated glucose transporter), member 9 (SLC2A9), mRNA
1417	14450	27423	200.41	1.0E-102	BE408447.1	EST_HUMAN	601289982F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3628901 5'
2318	15329	28352	1.36	1.0E-102	AI124689.1	EST_HUMAN	am60c10.x1 Johnston frontal cortex Homo sapiens cDNA clone IMAGE:1539954 3' similar to SW:GG96_HUMAN Q08379 GOLGIN-95. ;
2318	15329	28353	1.36	1.0E-102	AI124689.1	EST_HUMAN	am60c10.x1 Johnston frontal cortex Homo sapiens cDNA clone IMAGE:1539954 3' similar to SW:GG95_HUMAN Q08379 GOLGIN-95. ;
3037	16095		0.73	1.0E-102	Y13932.1	NT	Homo sapiens PRKY exon 7
3078	16135	29047	1.48	1.0E-102	7661979	NT	Homo sapiens KIAA0187 gene product (KIAA0187), mRNA
3150	16207	29120	3.24	1.0E-102	AU141005.1	EST_HUMAN	AU141005 PLACE4 Homo sapiens cDNA clone PLACE4000650 5'
3150	16207	29121	3.24	1.0E-102	AU141005.1	EST_HUMAN	AU141005 PLACE4 Homo sapiens cDNA clone PLACE4000650 5'
4260	17289	30170	1.83	1.0E-102	AL163207.2	NT	Homo sapiens chromosome 21 segment HS21C007
4441	17487	30366	1.95	1.0E-102	BE251310.1	EST_HUMAN	601107843F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3343882 5'
5157	18187	31045	1	1.0E-102	R66488.1	EST_HUMAN	Y32c04.1 Soares placenta Nb2HP Homo sapiens cDNA clone IMAGE:140834 5'
5445	18647	31460	1.52	1.0E-102	AF067133.1	NT	Homo sapiens protein phosphatase-1 regulatory subunit 7 (PPP1R7) gene, exon 7
5842	18932		3.3	1.0E-102	AB034951.1	NT	Homo sapiens HSC54 mRNA for heat shock cognate protein 54, complete cds
5882	18971	32163	3.45	1.0E-102	7705398	NT	Homo sapiens histone deacetylase 7 (HDAC7), mRNA
5882	18971	32164	3.45	1.0E-102	7705398	NT	Homo sapiens histone deacetylase 7 (HDAC7), mRNA
5889	18977	32169	0.88	1.0E-102	11433046	NT	Homo sapiens hct domain and RLD 2 (HERC2), mRNA
6425	19492	32744	2.74	1.0E-102	AI458825.1	EST_HUMAN	ar82f09.x1 Barstead colon HPLRB7 Homo sapiens cDNA clone IMAGE:2151785 3' similar to TR:Q13137
7283	20016	33319	0.5	1.0E-102	AW451643.1	EST_HUMAN	Q13137 NDP52. ;
							UI-H-B13-aj-d-10-0-J1.NCI_CGAP_Sub5 Homo sapiens cDNA clone IMAGE:2736835 3'

Page 436 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLASTE Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7343	20314	33658	0.75	1.0E-102	BE728323.1	EST_HUMAN	601561505F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3831241 5'
7371	20341	33693	0.77	1.0E-102	BE386108.1	EST_HUMAN	60127215F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3618243 5'
7484	20459	33818	0.54	1.0E-102	AB023177.1	NT	Homo sapiens mRNA for KIAA0960 protein, partial cds
7578	20540	33898	8.85	1.0E-102	AJ238994.1	NT	Homo sapiens mRNA for Centaurin-alpha2 protein
7886	20830	34208	2.64	1.0E-102	AV710738.1	EST_HUMAN	AV710738 Cu Homo sapiens cDNA clone CUAAKD03 5'
8168	21106	34505	0.58	1.0E-102	10947063	NT	Homo sapiens ankyrin 2, neuronal (ANK2), transcript variant 2, mRNA
8565	21533	34953	3.61	1.0E-102	BE763051.1	EST_HUMAN	QV3-NT0025-210600-236-108 NT0025 Homo sapiens cDNA
8645	21613	35035	0.91	1.0E-102	BE910555.1	EST_HUMAN	601501107F1 NIH_MGC_70 Homo sapiens cDNA clone IMAGE:3903145 5'
8839	21806	35223	1.22	1.0E-102	AV694817.1	EST_HUMAN	AV694817 GKC Homo sapiens cDNA clone GKOE11 5'
8839	21806	35224	1.22	1.0E-102	AV694817.1	EST_HUMAN	AV694817 GKC Homo sapiens cDNA clone GKOE11 5'
8950	21916	35340	0.74	1.0E-102	AB007923.1	NT	Homo sapiens mRNA for KIAA0454 protein, partial cds
9283	22249	35678	0.73	1.0E-102	BE388063.1	EST_HUMAN	601283770F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3605536 5'
9283	22249	35680	0.73	1.0E-102	BE388063.1	EST_HUMAN	601283770F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3605536 5'
9806	22810	36062	0.56	1.0E-102	AV762859.1	EST_HUMAN	w63b06.x1 NCI_CGAP_Kid12 Homo sapiens cDNA clone IMAGE:2397971 3' similar to contains MER4.1
9838	22580	36030	0.89	1.0E-102	AV755842.1	EST_HUMAN	MER4 MER4 repetitive element;
9876	22829	36082	2.15	1.0E-102	T70393.1	EST_HUMAN	AV755842 BM Homo sapiens cDNA clone BMFAUD06 5'
9876	22829	36083	2.15	1.0E-102	T70393.1	EST_HUMAN	yd13d07.11 Scores fetal liver spleen 1NLS Homo sapiens cDNA clone IMAGE:67021 5'
9766	22707	36163	3.86	1.0E-102	AU124629.1	EST_HUMAN	yd13d07.11 Scores fetal liver spleen 1NLS Homo sapiens cDNA clone IMAGE:67021 5'
10748	23670	37221	0.71	1.0E-102	AF163715.1	NT	AU124629 NT2RM4 Homo sapiens cDNA clone NT2RM400309 5'
10798	23719	37222	0.43	1.0E-102	11425430	NT	Homo sapiens phospholipid scramblase 1 gene, exon 1 and 5' flanking region
10798	23719	37222	0.43	1.0E-102	11425430	NT	Homo sapiens myomesin (M-protein) 2 (165kD) (MYOM2), mRNA
10835	23755	37254	3	1.0E-102	A1905037.1	EST_HUMAN	Homo sapiens myomesin (M-protein) 2 (165kD) (MYOM2), mRNA
10835	23755	37255	3	1.0E-102	A1905037.1	EST_HUMAN	RC-BT074-260499-014 BT074 Homo sapiens cDNA
10896	23816	37323	1.15	1.0E-102	AA90786.1	EST_HUMAN	RC-BT074-260499-014 BT074 Homo sapiens cDNA
11410	24354	37887	2.36	1.0E-102	4507822	NT	on57h04.s1 Scores_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1560823 3' similar to
11410	24354	37888	2.36	1.0E-102	4507822	NT	SW:CAV2_HUMAN P51636 CAVEOLIN-2 [1];
11732	24618	38195	2.7	1.0E-102	BF359243.1	EST_HUMAN	Homo sapiens UDP glycosyltransferase 2 family, polypeptide B11 (UGT2B11) mRNA
12019	24896	38494	4.74	1.0E-102	U41302.1	NT	Homo sapiens UDP glycosyltransferase 2 family, polypeptide B11 (UGT2B11) mRNA
12079	24951	38546	5.67	1.0E-102	U57053.1	NT	RC6-ET0072-150600-011-F01 ET0072 Homo sapiens cDNA
12182	25030		2.49	1.0E-102	AL163280.2	NT	Human chromosome 16 creatine transporter (SLC6A8) and (CDM) paralogous genes, complete cds
12727	25380	31746	4.15	1.0E-102	AW300862.1	EST_HUMAN	Human unconventional myosin-ID (MYO1F) gene, partial cds
							Human sapiens chromosome 21 segment HS21C080
							xk07c12.x1 NCI_CGAP_Co20 Homo sapiens cDNA clone IMAGE:2666038 3'

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
13028	25576		1.59	1.0E-102	J05235.1	NT	Human gamma-glutamyl transpeptidase mRNA, complete cds
70	13188	26107	1.14	1.0E-103	BE008158.1	EST_HUMAN	601500405F1 NIH_MGC_70 Homo sapiens cDNA clone IMAGE:3902305 5'
70	13188	26108	1.14	1.0E-103	BE008158.1	EST_HUMAN	601500405F1 NIH_MGC_70 Homo sapiens cDNA clone IMAGE:3902305 5'
100	13216	26140	9.55	1.0E-103	D87078.2	NT	Homo sapiens mRNA for KIAA0235 protein, partial cds
209	13310	26237	4.18	1.0E-103	5453793	NT	Homo sapiens nuclear protein (KKE/D repeat) (NOP56) mRNA
982	14033	26885	1.02	1.0E-103	AJ278348.1	NT	Homo sapiens mRNA for pregnancy-associated plasma protein-E (PAPPE) gene
1248	14284	27250	16.75	1.0E-103	BE87541.1	EST_HUMAN	601485388F1 NIH_MGC_69 Homo sapiens cDNA clone IMAGE:3887878 5'
1600	14632	27608	2.39	1.0E-103	AF012872.1	NT	Homo sapiens phosphatidylinositol 4-kinase 230 (p14K230) mRNA, complete cds
1892	15013	28018	1.4	1.0E-103	4502428	NT	Homo sapiens bone morphogenetic protein 8 (osteogenic protein 2) (BMP8) mRNA
1892	15013	28019	1.4	1.0E-103	4502428	NT	Homo sapiens bone morphogenetic protein 8 (osteogenic protein 2) (BMP8) mRNA
2313	15325	28348	0.93	1.0E-103	AU134991.1	EST_HUMAN	AU134991 PLACE1 Homo sapiens cDNA clone PLACE1000865 5'
2457	15481	28484	1.66	1.0E-103	AF060568.1	NT	Homo sapiens promyelocytic leukemia zinc finger protein (PLZF) gene, complete cds
2601	15601	28622	1.07	1.0E-103	BFS29379.1	EST_HUMAN	602041882F1 NCI_CGAP_Bm87 Homo sapiens cDNA clone IMAGE:4178428 5'
2601	15601	28623	1.07	1.0E-103	BFS29379.1	EST_HUMAN	602041882F1 NCI_CGAP_Bm87 Homo sapiens cDNA clone IMAGE:4178428 5'
2627	15628	28650	1.01	1.0E-103	N32770.1	EST_HUMAN	yw91d08.s1 Soares_placenta_8to9weeks_2NbpHP8to9W Homo sapiens cDNA clone IMAGE:259599 3'
3082	16139		2.5	1.0E-103	BE744722.1	EST_HUMAN	601573113F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3834315 5'
3391	16440	29366	4.42	1.0E-103	AW298245.1	EST_HUMAN	UI-H-BW0-ajl-h-11-o-UI.st NCI_CGAP_Sub6 Homo sapiens cDNA clone IMAGE:2733165 3'
3453	16499	29416	1.29	1.0E-103	AB040892.1	NT	Homo sapiens mRNA for KIAA1450 protein, partial cds
3767	16809		5.31	1.0E-103	AF023861.1	NT	Macaca mulatta cyclophilin A mRNA, complete cds
3808	16848	29756	1.28	1.0E-103	AA485663.1	EST_HUMAN	ab10d12.s1 Strategene lung (#937210) Homo sapiens cDNA clone IMAGE:840407 3' similar to contains element LTR10 repetitive element:
3841	16881	29785	3.16	1.0E-103	11430876	NT	Homo sapiens neuropilin 1 (NRP1), mRNA
4029	17087	29888	2.9	1.0E-103	T23683.1	EST_HUMAN	seq340 b4HB3MA-Cof109*10-Bio Homo sapiens cDNA clone b4HB3MA-Cof109*10-Bio-7 3'
4858	17875	30763	0.83	1.0E-103	BE900203.1	EST_HUMAN	601679135F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3955953 5'
6044	19126	32332	0.96	1.0E-103	BF69527.1	EST_HUMAN	602180023F1 NIH_MGC_45 Homo sapiens cDNA clone IMAGE:4310573 5'
6052	19133	32342	1.67	1.0E-103	AF175995.1	NT	Homo sapiens septin 2 (SEP2) mRNA, partial cds
6398	19466	32712	0.73	1.0E-103	11435053	NT	Homo sapiens KIAA0440 protein (KIAA0440), mRNA
6398	19466	32713	0.73	1.0E-103	11435053	NT	Homo sapiens KIAA0440 protein (KIAA0440), mRNA
6602	19661	32933	0.79	1.0E-103	AW954586.1	EST_HUMAN	EST366636 MAGC resequences, MAGC Homo sapiens cDNA
6602	19661	32934	0.79	1.0E-103	AW954586.1	EST_HUMAN	EST366636 MAGC resequences, MAGC Homo sapiens cDNA
6647	19705	32981	0.53	1.0E-103	10947051	NT	Homo sapiens ankyrin 2, neuronal (ANK2), transcript variant 1, mRNA
6748	25667	33081	1.28	1.0E-103	AA781442.1	EST_HUMAN	aj26603.s1 Soares_testis_NHT Homo sapiens cDNA clone 1391452 3'
6787	19842	33125	0.98	1.0E-103	AF053460.1	NT	Homo sapiens glycine receptor alpha 2 subunit (GLRA2) gene, exon 4

Page 438 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6879	19931	33229	1.47	1.0E-103	AI690071.1	EST_HUMAN	tm58b05.x1 NCI_CGAP_Bm25 Homo sapiens cDNA clone IMAGE:2162289 3' similar to TR:Q13769 Q13769 ANONYMOUS.;
6879	19931	33230	1.47	1.0E-103	AI690071.1	EST_HUMAN	tm58b05.x1 NCI_CGAP_Bm25 Homo sapiens cDNA clone IMAGE:2162289 3' similar to TR:Q13769 Q13769 ANONYMOUS.;
7024	18356	31276	1.73	1.0E-103	5032282	NT	Homo sapiens dystrophin (muscular dystrophy, Duchenne and Becker types), includes DXS164, DXS206, DXS230, DXS239, DXS268, DXS269, DXS270, DXS272 (DMD), transcript variant Dp427m, mRNA
7024	18356	31276	1.73	1.0E-103	5032282	NT	Homo sapiens dystrophin (muscular dystrophy, Duchenne and Becker types), includes DXS164, DXS206, DXS230, DXS239, DXS268, DXS269, DXS270, DXS272 (DMD), transcript variant Dp427m, mRNA
7161	18393	31237	1.62	1.0E-103	11431100	NT	Homo sapiens ribosomal protein L3-like (RPL3L), mRNA
7234	20255	33869	1.06	1.0E-103	AJ298880.1	NT	Homo sapiens KIAA0861 gene (partial), X73 gene and LZTFL1 gene
7437	20404	33758	2.58	1.0E-103	AW965776.1	EST_HUMAN	EST377849 IMAGE resequences, MAGI Homo sapiens cDNA
7556	20519	33874	3.47	1.0E-103	BE748158.1	EST_HUMAN	601571637F1 NIH_MGC_55 Homo sapiens cDNA clone IMAGE:3838845 5'
8051	20988	34384	3.69	1.0E-103	AI690071.1	EST_HUMAN	tm58b05.x1 NCI_CGAP_Bm25 Homo sapiens cDNA clone IMAGE:2162289 3' similar to TR:Q13769 Q13769 ANONYMOUS.;
8051	20988	34385	3.69	1.0E-103	AI690071.1	EST_HUMAN	tm58b05.x1 NCI_CGAP_Bm25 Homo sapiens cDNA clone IMAGE:2162289 3' similar to TR:Q13769 Q13769 ANONYMOUS.;
8632	21600	35022	0.43	1.0E-103	T31080.1	EST_HUMAN	EST27193 Human Brain Homo sapiens cDNA 5' end similar to None
8968	21934	35359	0.92	1.0E-103	AU140344.1	EST_HUMAN	AU140344 PLACE2 Homo sapiens cDNA clone PLACE2000374 5'
8968	21934	35360	0.92	1.0E-103	AU140344.1	EST_HUMAN	AU140344 PLACE2 Homo sapiens cDNA clone PLACE2000374 5'
9051	22017	35441	1.06	1.0E-103	BF109244.1	EST_HUMAN	7160e03.x1 Soares_NSF_F8_9W_OT_PA_P_S1 Homo sapiens cDNA clone IMAGE:3525984 3' similar to SW:P7TNF_HUMAN_Q16825 PROTEIN-TYROSINE PHOSPHATASE D1;
9463	22427	35865	2.86	1.0E-103	6005921	NT	Homo sapiens triple functional domain (PTPRF interacting) (TRIO), mRNA
9463	22427	35866	2.86	1.0E-103	6005921	NT	Homo sapiens triple functional domain (PTPRF interacting) (TRIO), mRNA
9503	22467	35908	1.13	1.0E-103	AA581086.1	EST_HUMAN	nd13c02 s1 NCI_CGAP_Ov1 Homo sapiens cDNA clone IMAGE:800162 3' similar to gb:L02426 26S PROTEASE SUBUNIT 4 (HUMAN);
9544	22507	35956	0.48	1.0E-103	AA774980.1	EST_HUMAN	aa84412 s1 Strategene schizo brain S11 Homo sapiens cDNA clone IMAGE:970871 3' similar to gb:X03747_cds1 SODIUMPOTASSIUM-TRANSPORTING ATPASE BETA-1 (HUMAN);
10418	23340	36826	1.28	1.0E-103	Z37076.1	NT	H.sapiens mRNA for latent transforming growth factor-beta binding protein (LTBP-2)
10459	23381	36874	1.81	1.0E-103	AW963676.1	EST_HUMAN	EST375749 IMAGE resequences, MAGH Homo sapiens cDNA
10598	23520	37012	10.03	1.0E-103	AI878956.1	EST_HUMAN	au61904.y1 Schneider fetal brain 00004 Homo sapiens cDNA clone IMAGE:2518326 5' similar to TR:O15046 KIAA0338;

Page 439 of 546
Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
11004	23970	37494	1.64	1.0E-103	BE649706.1	EST_HUMAN	7b41f03.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3230813 3' similar to gb:M69043 MAJOR HISTOCOMPATIBILITY COMPLEX ENHANCER-BINDING PROTEIN (HUMAN);
11085	24048	37568	3.99	1.0E-103	A1792759.1	EST_HUMAN	0102d06.y6 NCI_CGAP_Lu5 Homo sapiens cDNA clone IMAGE:1522283 5' similar to TR:Q62084 Q62084 PHOSPHOLIPASE C NEIGHBORING;
11183	24139	37672	1.89	1.0E-103	11424061	NT	Homo sapiens AXL receptor tyrosine kinase (AXL), mRNA
11183	24139	37673	1.89	1.0E-103	11424061	NT	Homo sapiens AXL receptor tyrosine kinase (AXL), mRNA
11341	24291		1.48	1.0E-103	BE671418.1	EST_HUMAN	7e50f08.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3285927 3' similar to gb:J05272 INOSINE-5'-MONOPHOSPHATE DEHYDROGENASE 1 (HUMAN);
11570	24509	38066	6	1.0E-103	BE885279.1	EST_HUMAN	601508347F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3908147 5'
11702	24697	38244	2.59	1.0E-103	AU136283.1	EST_HUMAN	AU136283 PLACE1 Homo sapiens cDNA clone PLACE1003923 5'
11774	23929	37450	7.57	1.0E-103	L43810.1	NT	Homo sapiens polycystic kidney disease (PKD1) gene, exons 27-30
11880	24857		1.47	1.0E-103	AB024759.1	NT	Homo sapiens TSA305 gene, exon 16
12047	24920	38516	2.25	1.0E-103	BE644811.1	EST_HUMAN	7e68a10.x1 Scores_NSF_F8_9W_OT_PA_P_S1 Homo sapiens cDNA clone IMAGE:3287610 3' similar to contains MER29.13 MER29 repetitive element;
12178	25028		1.88	1.0E-103	AF224669.1	NT	Homo sapiens mannosidase, beta A, lysosomal (MANBA) gene, and ubiquitin-conjugating enzyme E2D 3 (UBE2D3) genes, complete cds
12208	25049		1.95	1.0E-103	11526281	NT	Homo sapiens hypothetical protein FLJ20454 (FLJ20454), mRNA
12410	25183	31820	4.32	1.0E-103	AB011399.1	NT	Homo sapiens gene for AF-6, complete cds
236	13336	26260	1.65	1.0E-104	AL037549.3	EST_HUMAN	DKFZp564H1072_j1 564 (synonym: hibr2) Homo sapiens cDNA clone DKFZp564H1072 5'
236	13336	26261	1.65	1.0E-104	AL037549.3	EST_HUMAN	DKFZp564H1072_j1 564 (synonym: hibr2) Homo sapiens cDNA clone DKFZp564H1072 5'
1905	14929	27925	1.88	1.0E-104	4502428	NT	Homo sapiens bone morphogenetic protein 8 (osteogenic protein 2) (BMP8) mRNA
2203	16218	28238	2.52	1.0E-104	AA132975.1	EST_HUMAN	za22c06.s1 Stages gene colon (#837204) Homo sapiens cDNA clone IMAGE:587626 3' similar to gb:Z14116_rna1 CD59 GLYCOPROTEIN PRECURSOR (HUMAN);
2214	15228	28231	2.87	1.0E-104	BE744628.1	EST_HUMAN	601577460F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3926438 5'
2377	15385	28408	1.02	1.0E-104	BF334221.1	EST_HUMAN	RC1-C10249-110900-214-f12 C10249 Homo sapiens cDNA
2377	15385	28409	1.02	1.0E-104	BF334221.1	EST_HUMAN	RC1-C10249-110900-214-f12 C10249 Homo sapiens cDNA
2444	15450	28469	2.43	1.0E-104		NT	Homo sapiens ARP2 (actin-related protein 2, yeast) homolog (ACTR2), mRNA
2882	15941	28858	7.18	1.0E-104	M34871.1	NT	Human lymphocytic antigen CD59/MEM43 mRNA, complete cds
2927	15985		2.84	1.0E-104	Y11151.1	NT	H. sapiens gene encoding phenylpyruvate tautomerase II
3277	16331	29252	0.94	1.0E-104	AU133926.1	EST_HUMAN	AU133926 OVARC1 Homo sapiens cDNA clone OVARC1000936 5'
3402	16451		1.88	1.0E-104	AA319436.1	EST_HUMAN	EST21658 Adrenal gland tumor Homo sapiens cDNA 5' end
3615	16659	29577	0.6	1.0E-104	AB033102.1	NT	Homo sapiens mRNA for KIAA1276 protein, partial cds
3615	16659	29578	0.9	1.0E-104	AB033102.1	NT	Homo sapiens mRNA for KIAA1276 protein, partial cds
3983	17003	29917	0.94	1.0E-104	AB032998.1	NT	Homo sapiens mRNA for KIAA1172 protein, partial cds

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4156	17187	30075	0.98	1.0E-104	F11745.1	EST_HUMAN	HSC31A071 normalized infant brain cDNA Homo sapiens cDNA clone c-31a07
4404	17432	30317	4.11	1.0E-104	X02761.1	NT	Human mRNA for fibronectin (FN precursor)
4639	17660	30547	1.44	1.0E-104	AF231920.1	NT	Homo sapiens chromosome 21 unknown mRNA
4639	17660	30548	1.44	1.0E-104	AF231920.1	NT	Homo sapiens chromosome 21 unknown mRNA
5255	18263	31132	1.02	1.0E-104	4885570	NT	Homo sapiens novel centromeric protein RenBPM (RANBPM), mRNA
5282	18287	31158	0.93	1.0E-104	AF202314.1	NT	Homo sapiens erythropoietin (EPO) gene, exons 4 and 5 and complete cds
5282	18287	31159	0.93	1.0E-104	AF202314.1	NT	Homo sapiens erythropoietin (EPO) gene, exons 4 and 5 and complete cds
6050	19131	32338	1.44	1.0E-104	U43379.1	NT	Human Down Syndrome region of chromosome 21 DNA
6050	19131	32339	1.44	1.0E-104	U43379.1	NT	Human Down Syndrome region of chromosome 21 DNA
6100	19179	32398	0.99	1.0E-104	AB017332.1	NT	Homo sapiens alk3 mRNA for Aurora/ipl1-related kinase 3, complete cds
6611	19669	32945	24.48	1.0E-104	A1768797.1	EST_HUMAN	wf03b12.x1 NCJ CGAP_Kid12 Homo sapiens cDNA clone IMAGE:2401727 3' similar to TR:Q14145 Q14145
6611	19669	32946	24.48	1.0E-104	A1768797.1	EST_HUMAN	KIAA0132 PROTEIN. :contains element L TR7 repetitive element ;
6805	19859	33146	0.92	1.0E-104	7706812	NT	wf03b12.x1 NCJ CGAP_Kid12 Homo sapiens cDNA clone IMAGE:2401727 3' similar to TR:Q14145 Q14145
6973	20186	33523	1.53	1.0E-104	BE314182.1	EST_HUMAN	KIAA0132 PROTEIN. :contains element L TR7 repetitive element ;
6973	20186	33524	1.53	1.0E-104	BE314182.1	EST_HUMAN	Homo sapiens PDZ domain-containing guanine nucleotide exchange factor 1 (LOC51735), mRNA
7435	20402	33756	2.14	1.0E-104	11425572	NT	601150451F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:3503220 5'
8944	21910	35335	0.74	1.0E-104	BF509244.1	EST_HUMAN	601150451F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:3503220 5'
8944	21910	35335	0.74	1.0E-104	BF509244.1	EST_HUMAN	Homo sapiens adaptor-related protein complex 2, beta 1 subunit (AP2B1), mRNA
9522	22485	35832	3.56	1.0E-104	BF448230.1	EST_HUMAN	U1-H-B14-aow-b-09-0-UJ1.st NCJ CGAP_Sub8 Homo sapiens cDNA clone IMAGE:3086176 3'
9618	22562	36010	0.63	1.0E-104	AA682308.1	EST_HUMAN	nad16g11.x1 NCJ CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3365948 3'
9639	22583		1.21	1.0E-104	T74219.1	EST_HUMAN	z98805.st Soares_fetal_liver_spleen_TNFSL S1 Homo sapiens cDNA clone IMAGE:462897 3'
9669	22622	36073	4.58	1.0E-104	AF091395.1	NT	yc83f02.r1 Soares infant brain 1NIB Homo sapiens cDNA clone IMAGE:22440 5'
9669	22622	36074	4.58	1.0E-104	AF091395.1	NT	Homo sapiens Trio isoform mRNA, complete cds
9796	21119	34520	4.97	1.0E-104	BF352841.1	EST_HUMAN	Homo sapiens Trio isoform mRNA, complete cds
9796	21119	34521	4.97	1.0E-104	BF352841.1	EST_HUMAN	IL3-HT0619-080900-249-F07 HT0619 Homo sapiens cDNA
10111	23037	36516	0.68	1.0E-104	AW103848.1	EST_HUMAN	IL3-HT0619-080900-249-F07 HT0619 Homo sapiens cDNA
10111	23037	36517	0.68	1.0E-104	AW103848.1	EST_HUMAN	xd76d02.x1 Soares_NFL_T_GBC S1 Homo sapiens cDNA clone IMAGE:2603523 3' similar to TR:Q24116
10307	23231	36714	0.62	1.0E-104	AF113514.1	NT	Q24116 HYPOTHETICAL 29.4 KD PROTEIN. ;
10453	23376	36867	3.35	1.0E-104	BE791713.1	EST_HUMAN	xd76d02.x1 Soares_NFL_T_GBC S1 Homo sapiens cDNA clone IMAGE:2603523 3' similar to TR:Q24116
10453	23376	36868	3.35	1.0E-104	BE791713.1	EST_HUMAN	Q24116 HYPOTHETICAL 29.4 KD PROTEIN. ;
10765	23686	37182	1.36	1.0E-104	AV728070.1	EST_HUMAN	Homo sapiens histone acetyltransferase MORF mRNA, complete cds

Page 441 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
10808	23728	37231	5.11	1.0E-104	AU130765.1	EST_HUMAN	AU130765 NT2RP3 Homo sapiens cDNA clone NT2RP3001398 5'
10917	23837	37363	4.5	1.0E-104	U66535.1	NT	Human beta4-Integrin (ITGB4) gene, exons 19,20,21,22,23,24 and 25
10931	23851		0.82	1.0E-104	11427757	NT	Homo sapiens KIAA0849 gene product (KIAA0849), mRNA
11629	24567	38128	3.09	1.0E-104	BE720191.1	EST_HUMAN	RCO-HT0885-310700-021-b09 HT0885 Homo sapiens cDNA
11629	24567	38130	3.09	1.0E-104	BE720191.1	EST_HUMAN	RCO-HT0885-310700-021-b08 HT0885 Homo sapiens cDNA
11656	24592	38165	3.48	1.0E-104	BF684288.1	EST_HUMAN	602141216F1 NIH_MGC_46 Homo sapiens cDNA clone IMAGE:4302507 5'
12888	25548		1.43	1.0E-104	BE383892.1	EST_HUMAN	601312181F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3658676 5'
278	15810	26302	1.61	1.0E-105	4502166	NT	Homo sapiens amyloid beta (A4) precursor protein (protease nexin-II, Alzheimer disease) (APP), mRNA
425	13120	26018	9.28	1.0E-105	4505160	NT	Homo sapiens Meis1 (mouse) homolog (MEIS1) mRNA
596	13663	26576	3.89	1.0E-105	AF032897.1	NT	Homo sapiens potassium channel subunit (HERG-3) mRNA, complete cds
596	13663	26577	3.89	1.0E-105	AF032897.1	NT	Homo sapiens potassium channel subunit (HERG-3) mRNA, complete cds
1689	14720		2.33	1.0E-105	AB020981.1	NT	Homo sapiens mRNA for cyclin B2, complete cds
1837	14864	27862	1.47	1.0E-105	AL163280.2	NT	Homo sapiens chromosome 21 segment HS21C080
1943	14967	27964	2.09	1.0E-105	D60918.1	NT	Human mRNA for KIAA0128 gene, partial cds
2199	15214	28234	2	1.0E-105	AA318369.1	EST_HUMAN	EST20609 Spleen 1 Homo sapiens cDNA 5' end similar to autoimmunity antigen Ku, p70/p80 subunit
2731	15725		1.07	1.0E-105	AA584808.1	EST_HUMAN	no10405.s1 NCI CGAP_Phe1 Homo sapiens cDNA clone IMAGE:1100285 3'
3018	16076		3.14	1.0E-105	AJ229041.1	NT	Homo sapiens 959 kb contig between AML1 and CBR1 on chromosome 21q22; segment 1/3
3362	16412	29338	1.11	1.0E-105	7304922	NT	Homo sapiens bromodomain adjacent to zinc finger domain, 2B (BAZ2B), mRNA
4125	17158	30046	3.14	1.0E-105	AW961888.1	EST_HUMAN	Homo sapiens bromodomain adjacent to zinc finger domain, 2B (BAZ2B), mRNA
4773	17793	30684	0.69	1.0E-105	BE868881.1	EST_HUMAN	EST373761 IMAGE resequences, MAGG Homo sapiens cDNA
4773	17793	30685	0.69	1.0E-105	BE868881.1	EST_HUMAN	601445823F1 NIH_MGC_65 Homo sapiens cDNA clone IMAGE:3850166 5'
4793	17810	30702	1.85	1.0E-105	AA699335.1	EST_HUMAN	601445823F1 NIH_MGC_65 Homo sapiens cDNA clone IMAGE:3850166 5'
4976	17961		4.04	1.0E-105	AL163208.2	NT	z144g02.s1 Soares fetal_liver_spleen_1INFLS_S1 Homo sapiens cDNA clone IMAGE:433682 3'
5147	18166	31036	1.21	1.0E-105	AB018339.1	NT	Homo sapiens chromosome 21 segment HS21C008
5403	18506	31383	0.7	1.0E-105	AF016704.1	NT	Homo sapiens mRNA for KIAA0766 protein, partial cds
5471	18572		1.02	1.0E-105	11420134	NT	Homo sapiens E6-AP ubiquitin-protein ligase (UBE3A) gene, exon 2
7089	20023	33324	1.57	1.0E-105	BF314302.1	EST_HUMAN	Homo sapiens Retina-derived POU-domain factor-1 (RPF-1), mRNA
7089	20023	33325	1.57	1.0E-105	BF314302.1	EST_HUMAN	601901028F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:4130334 5'
7174	18405	31203	3.49	1.0E-105	11419196	NT	601901028F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:4130334 5'
7174	18405	31204	3.49	1.0E-105	11419196	NT	Homo sapiens GTPase activating protein-like (GAPL), mRNA
7223	20245	33579	0.56	1.0E-105	AW961634.1	EST_HUMAN	Homo sapiens GTPase activating protein-like (GAPL), mRNA
7501	20468	33827	0.69	1.0E-105	BE902816.1	EST_HUMAN	EST363689 IMAGE resequences, MAGB Homo sapiens cDNA
							601677279F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3980019 5'

Page 442 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8192	21162	34572	1.09	1.0E-105	X12556.1	NT	Human mRNA for dcl proto-oncogene
8362	21331	34743	6.09	1.0E-105	T05087.1	EST_HUMAN	EST02875 Fetal brain, Stratagene (cat#936206) Homo sapiens cDNA clone HFBOR32
8741	21709	35132	1.52	1.0E-105	AW007194.1	EST_HUMAN	ws50c10.x1 NCI CGAP_Bin25 Homo sapiens cDNA clone IMAGE:2500626 3' similar to SW-ACSA_PENCH P36333 ACETYL-COENZYME A SYNTHETASE
9280	22246	35675	0.75	1.0E-105	AW840817.1	EST_HUMAN	RC1-CH0008-070100-011-e05 CN0008 Homo sapiens cDNA
9405	22370	35805	3.19	1.0E-105	AW016879.1	EST_HUMAN	UIH-B10p-ab1-b-12-Q-UI.s1 NCI CGAP_Sub2 Homo sapiens cDNA clone IMAGE:2711782 3'
9558	22520	35968	0.91	1.0E-105	AW882372.1	EST_HUMAN	QV2-OT0062-140300-083-009 OT0062 Homo sapiens cDNA
9558	22520	35969	0.91	1.0E-105	AW882372.1	EST_HUMAN	QV2-OT0062-140300-083-009 OT0062 Homo sapiens cDNA
9926	22810	36262	0.76	1.0E-105	BE867793.1	EST_HUMAN	601443755F1 NIH_MGC_65 Homo sapiens cDNA clone IMAGE:3847684 5'
9926	22810	36263	0.76	1.0E-105	BE867793.1	EST_HUMAN	601443755F1 NIH_MGC_65 Homo sapiens cDNA clone IMAGE:3847684 5'
11278	24229	37756	4.59	1.0E-105	AF254822.1	NT	Homo sapiens SMARCA4 isoform (SMARCA4) gene, complete cds, alternatively spliced
11564	24504	38061	1.61	1.0E-105	D63548.1	NT	Homo sapiens COL4A6 gene for ad(V) collagen, exon 31
11611	24549	38109	2.93	1.0E-105	7705936	NT	Homo sapiens Ran binding protein 11 (LOC51194), mRNA
11914	24795	38386	2.81	1.0E-105	AW027554.1	EST_HUMAN	w7407.x1 Soares_thymus_NHFTh Homo sapiens cDNA clone IMAGE:2535301 3' similar to TR:P87892
11984	24861	38457	2.56	1.0E-105	BF430921.1	EST_HUMAN	P87892 PROTEASE ;
12104	24975	38572	1.5	1.0E-105	AB004924.1	NT	7c18c10.x1 NCI CGAP_Kid11 Homo sapiens cDNA clone IMAGE:3574291 3' similar to TR:P97680 P97680
12104	24975	38573	1.5	1.0E-105	AB004924.1	NT	RIN1. ;
152	13255	26235	1.76	1.0E-106	AW503208.1	EST_HUMAN	Homo sapiens gene for Smad 3, exon 2 and 3
206	13307	26235	1.59	1.0E-106	AI565065.1	EST_HUMAN	Homo sapiens gene for Smad 3, exon 2 and 3
543	13614	26334	2.23	1.0E-106	AW965556.1	EST_HUMAN	UI-HF-BN0-akt-g-07-Q-UI.r1 NIH_MGC_50 Homo sapiens cDNA clone IMAGE:3078348 5'
607	13674	26589	3.07	1.0E-106	J00146.1	NT	UI-HF-BN0-akt-g-07-Q-UI.r1 NIH_MGC_50 Homo sapiens cDNA clone IMAGE:3078348 5'
608	13674	26589	1.71	1.0E-106	J00146.1	NT	Human dihydrofolate reductase pseudogene (psi-hdr1)
1712	14742	27726	4.9	1.0E-106	U48724.1	NT	Human dihydrofolate reductase pseudogene (psi-hdr1)
1732	14762	27746	1.01	1.0E-106	U04510.1	NT	Human epidermal growth factor receptor (EGFR) precursor-mRNA, exon 4, partial cds
1820	14847	27839	4.27	1.0E-106	AA527446.1	EST_HUMAN	Homo sapiens type IV collagen alpha 5 chain (COL4A5) gene, exon 41
1820	14847	27840	4.27	1.0E-106	AA527446.1	EST_HUMAN	ng41c05.s1 NCI CGAP_C03 Homo sapiens cDNA clone IMAGE:937352 3' similar to contains element L TR3 repetitive element ;
2132	15149	28164	1.52	1.0E-106	BE144286.1	EST_HUMAN	ng41c05.s1 NCI CGAP_C03 Homo sapiens cDNA clone IMAGE:937352 3' similar to contains element
2325	15338	28359	3.89	1.0E-106	4504184	NT	L TR3 repetitive element ;
2512	15515	28539	1.07	1.0E-106	AF003528.1	NT	ng41c05.s1 NCI CGAP_C03 Homo sapiens cDNA clone IMAGE:937352 3' similar to contains element

Page 443 of 546
Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2610	15609	28633	1.79	1.0E-106	BE260201.1	EST_HUMAN	601149783F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:3502461 5'
2768	15760	28782	4.05	1.0E-106	A1276528.1	EST_HUMAN	q178r10.x1 Soares_NhrIMPu_S1 Homo sapiens cDNA clone IMAGE:1878307 3'
2836	14461	27437	1.13	1.0E-106	4504184	NT	Homo sapiens glutathione S-transferase theta 1 (GSTT1), mRNA
2838	14461	27438	1.13	1.0E-106	4504184	NT	Homo sapiens glutathione S-transferase theta 1 (GSTT1), mRNA
2886	15945	28860	0.99	1.0E-106	BE384286.1	EST_HUMAN	601272675F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3613818 5'
2952	16009	28934	4.42	1.0E-106	AB037747.1	NT	Homo sapiens mRNA for KIAA1328 protein, partial cds
2952	16009	28935	4.42	1.0E-106	AB037747.1	NT	Homo sapiens mRNA for KIAA1328 protein, partial cds
3195	16250	29168	1.72	1.0E-106	8922965	NT	Homo sapiens hypothetical protein FLJ11273 (FLJ11273), mRNA
3195	16250	29169	1.72	1.0E-106	8922965	NT	Homo sapiens hypothetical protein FLJ11273 (FLJ11273), mRNA
3454	16500	29417	1	1.0E-106	AB033104.1	NT	Homo sapiens mRNA for KIAA1278 protein, partial cds
3454	16500	29418	1	1.0E-106	AB033104.1	NT	Homo sapiens mRNA for KIAA1278 protein, partial cds
4068	17104	28968	7.68	1.0E-106	AW974650.1	EST_HUMAN	EST386875 MAGC resequences, MAGN Homo sapiens cDNA
4068	17104	28967	7.68	1.0E-106	AW974650.1	EST_HUMAN	EST386875 MAGC resequences, MAGN Homo sapiens cDNA
4631	17652	30539	0.73	1.0E-106	BE144286.1	EST_HUMAN	MRO-HT0185-140200-008-d10 HT0185 Homo sapiens cDNA
4834	17950	30841	0.92	1.0E-106	U31520.1	NT	Human alpha mannosidase II mRNA, complete cds
5289	18284		0.96	1.0E-106	L41644.1	NT	Homo sapiens dystrophin gene, exon 41
5443	18545	31457	2.52	1.0E-106	AA781155.1	EST_HUMAN	aj24b09.s1 Soares_testis_NHT Homo sapiens cDNA clone 1391225 3' similar to gb:X12433 PROTEIN
5954	19039	32238	0.82	1.0E-106	AU130113.1	EST_HUMAN	PHPS1-2 (HUMAN);
5954	19039	32237	0.82	1.0E-106	AU130113.1	EST_HUMAN	AU130113 NT2RP3 Homo sapiens cDNA clone NT2RP3000274 5'
6009	19082	32292	0.56	1.0E-106	AA434188.1	EST_HUMAN	AU130113 NT2RP3 Homo sapiens cDNA clone NT2RP3000274 5'
6108	19187	32406	0.78	1.0E-106	AU143428.1	EST_HUMAN	zw28d12.s1 Soares_ovary_tumor NBHOT Homo sapiens cDNA clone IMAGE:770615 3'
6108	19187	32407	0.78	1.0E-106	AU143428.1	EST_HUMAN	AU143428 Y79AA1 Homo sapiens cDNA clone Y79AA1001912 5'
6221	19285	32529	19	1.0E-106	BF679574.1	EST_HUMAN	AU143428 Y79AA1 Homo sapiens cDNA clone Y79AA1001912 5'
6332	19402	32643	0.68	1.0E-106	BE897112.1	EST_HUMAN	AU143428 Y79AA1 Homo sapiens cDNA clone Y79AA1001912 5'
6536	19402	32643	0.62	1.0E-106	BE897112.1	EST_HUMAN	601439970F1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3924641 5'
6559	19619	32884	17.32	1.0E-106	11545913	NT	601439970F1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3924641 5'
6559	19619	32885	17.32	1.0E-106	11545913	NT	Homo sapiens xylosyltransferase II (XT2), mRNA
7596	20557	33917	5.25	1.0E-106	AA663779.1	EST_HUMAN	Homo sapiens xylosyltransferase II (XT2), mRNA
7655	20615	33979	5.04	1.0E-106	11429617	NT	ae72e07.s1 Stratagene_schizo_brain S11 Homo sapiens cDNA clone IMAGE:968732 3' similar to gb:X66873
7746	20700	34066	1.17	1.0E-106	BE292722.1	EST_HUMAN	KINESIN HEAVY CHAIN (HUMAN);
7869	20813	34180	8.48	1.0E-106	11425503	NT	Homo sapiens XPMC2 protein (LOC57109), mRNA
7869	20813	34181	8.48	1.0E-106	11425503	NT	601105736F1 NIH_MGC_15 Homo sapiens cDNA clone IMAGE:2888345 5'
							Homo sapiens sorting nexin 11 (SNX11), mRNA
							Homo sapiens sorting nexin 11 (SNX11), mRNA

Page 444 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8119	21066	34453	0.63	1.0E-106	AU116850.1	EST_HUMAN	AU116850 HEMBA1 Homo sapiens cDNA clone HEMBA1000129 5'
8317	21286	34699	5.05	1.0E-106	BE741408.1	EST_HUMAN	601594331F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3948463 5'
8317	21286	34700	5.05	1.0E-106	BE741408.1	EST_HUMAN	601594331F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3948463 5'
8515	21483	34897	108.87	1.0E-106	AI523066.1	EST_HUMAN	ar69a07.x1 Barstead aorta HPLRB6 Homo sapiens cDNA clone IMAGE:2127732 3' similar to gb:X06233
8976	21942	35366	0.76	1.0E-106	BE397850.1	EST_HUMAN	CALGRANULIN B (HUMAN);
8976	21942	35367	0.76	1.0E-106	BE397850.1	EST_HUMAN	601282717F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3604493 5'
9054	22020	35445	3.3	1.0E-106	AI654123.1	EST_HUMAN	601282717F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3604493 5'
9060	22026	35449	0.53	1.0E-106	AI991109.1	EST_HUMAN	601282717F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3604493 5'
9407	22372	35807	0.87	1.0E-106	AW838831.1	EST_HUMAN	601282717F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3604493 5'
9502	22466	35906	2.47	1.0E-106	AA825307.1	EST_HUMAN	601282717F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3604493 5'
9502	22466	35907	2.47	1.0E-106	AA825307.1	EST_HUMAN	601282717F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3604493 5'
9641	22585	36034	1.55	1.0E-106	AI750447.1	EST_HUMAN	601282717F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3604493 5'
9784	22725	36181	1.81	1.0E-106	AI479569.1	EST_HUMAN	601282717F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3604493 5'
9784	22725	36182	1.81	1.0E-106	AI479569.1	EST_HUMAN	601282717F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3604493 5'
10361	23284	36761	1.22	1.0E-106	BE399234.1	EST_HUMAN	601282717F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3604493 5'
10444	23366	36856	0.92	1.0E-106	BF027310.1	EST_HUMAN	601282717F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3604493 5'
10444	23366	36857	0.92	1.0E-106	BF027310.1	EST_HUMAN	601282717F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3604493 5'
10601	23523	37017	5.48	1.0E-106	AA604417.1	EST_HUMAN	601282717F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3604493 5'
10601	23523	37018	5.48	1.0E-106	AA604417.1	EST_HUMAN	601282717F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3604493 5'
10648	23570	37068	1.58	1.0E-106	AW363299.1	EST_HUMAN	601282717F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3604493 5'
10653	23575	37071	0.5	1.0E-106	11436432	NT	601282717F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3604493 5'
10653	23575	37072	0.5	1.0E-106	11436432	NT	601282717F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3604493 5'
10827	23748	37249	0.49	1.0E-106	AL039886.1	EST_HUMAN	601282717F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3604493 5'
10944	23864	37379	3.52	1.0E-106	AL183202.2	NT	601282717F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3604493 5'
11242	24195	37713	4.84	1.0E-106	BF032755.1	EST_HUMAN	601282717F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3604493 5'
11242	24195	37714	4.84	1.0E-106	BF032755.1	EST_HUMAN	601282717F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3604493 5'
11402	24348	37879	2.76	1.0E-106	J05200.1	NT	601282717F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3604493 5'
11402	24348	37880	2.76	1.0E-106	J05200.1	NT	601282717F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3604493 5'

Page 445 of 546

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
11736	24622	38200	3.21	1.0E-106	BE257385.1	EST_HUMAN	601109219F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3349997 5'
12250	28763		8.02	1.0E-106	AW410405.1	EST_HUMAN	605111.XT NIH_MGC_17 Homo sapiens cDNA clone IMAGE:2981644 5'
12481	28229	31796	3.58	1.0E-106	BE894488.1	EST_HUMAN	601433087F1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3918524 5'
12481	28229	31797	3.58	1.0E-106	BE894488.1	EST_HUMAN	601433087F1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3918524 5'
12687	28354		4.46	1.0E-106	BE895905.1	EST_HUMAN	RC1-CT0249-090800-024-d05 CT0249 Homo sapiens cDNA
237	13337		4.26	1.0E-107	AJ271735.1	NT	Homo sapiens Xq pseudautosomal region; segment 1/2
264	13360		1.85	1.0E-107	X60459.1	NT	Human IFNAR gene for interferon alpha/beta receptor
631	13696	26616	3.38	1.0E-107	AF155103.1	NT	Homo sapiens NY-REN-25 antigen mRNA, partial cds
814	13872	26820	2.77	1.0E-107	X60459.1	NT	Human IFNAR gene for interferon alpha/beta receptor
887	13942	26900	1.31	1.0E-107	X60459.1	NT	Human IFNAR gene for interferon alpha/beta receptor
970	14022	26975	12.86	1.0E-107	AF154121.1	NT	Homo sapiens sodium-dependent high-affinity dicarboxylate transporter (NADC3) mRNA, complete cds
1283	14318	27281	1.8	1.0E-107	AB032263.1	NT	Homo sapiens BAZ1B mRNA for bromodomain adjacent to zinc finger domain 1B, complete cds
1573	14608	27579	3.93	1.0E-107	BF087405.1	EST_HUMAN	QV2-HT0540-120900-368-ad5 HT0540 Homo sapiens cDNA
1767	14796	27781	2.54	1.0E-107	AF136275.1	NT	Homo sapiens cathepsin Z precursor (CTS2) gene, exon 3
1857	14883	27879	0.86	1.0E-107	AB007622.2	NT	Homo sapiens mRNA for KIAA0453 protein, partial cds
1857	14883	27880	0.96	1.0E-107	AB007922.2	NT	Homo sapiens mRNA for KIAA0453 protein, partial cds
2218	15232	28256	1.11	1.0E-107	U13729.1	NT	Human dipeptidyl peptidase IV (CD26) gene, exon 20
2370	15378	28401	1.02	1.0E-107	AW842451.1	EST_HUMAN	PM1-CN0031-190100-001-d03 CN0031 Homo sapiens cDNA
2370	15378	28402	1.02	1.0E-107	AW842451.1	EST_HUMAN	PM1-CN0031-190100-001-d03 CN0031 Homo sapiens cDNA
2540	15542	28566	1.12	1.0E-107	BE732460.1	EST_HUMAN	601567619F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3842309 5'
2540	15542	28567	1.12	1.0E-107	BE732460.1	EST_HUMAN	601567619F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3842309 5'
3019	16077	28997	3.8	1.0E-107	AW842451.1	EST_HUMAN	PM1-CN0031-190100-001-d03 CN0031 Homo sapiens cDNA
3019	16077	28998	3.8	1.0E-107	AW842451.1	EST_HUMAN	PM1-CN0031-190100-001-d03 CN0031 Homo sapiens cDNA
3116	16173	29083	3.16	1.0E-107	5902097	NT	Homo sapiens SMT3 (suppressor of mit two 3, yeast) homolog 2 (SMT3H2), mRNA
3839	16879	29782	4.78	1.0E-107	AF020671.1	NT	Homo sapiens myotubularin (MTM1) gene, exon 9
5706	18801	31978	0.56	1.0E-107	AW869038.1	EST_HUMAN	EST1381115 MAGC resequences, MAGK Homo sapiens cDNA
5965	19050	32251	3.4	1.0E-107	BE867469.1	EST_HUMAN	601442568F1 NIH_MGC_65 Homo sapiens cDNA clone IMAGE:3846494 5'
6975	20198	33527	0.56	1.0E-107	6005706	NT	Homo sapiens A kinase (PRKA) anchor protein 10 (AKAP10), mRNA
7107	20041	33343	0.63	1.0E-107	11431469	NT	Homo sapiens general transcription factor IIIC, polypeptide 1 (alpha subunit, 220kD) (GTF3C1), mRNA
7107	20041	33344	0.63	1.0E-107	11431469	NT	Homo sapiens general transcription factor IIIC, polypeptide 1 (alpha subunit, 220kD) (GTF3C1), mRNA
7588	20549	33909	1.16	1.0E-107	AW503913.1	EST_HUMAN	UI-HF-BN0-alf-c-08-o-UJ.r1 NIH_MGC_50 Homo sapiens cDNA clone IMAGE:3078310 5'

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7588	20549	33910	1.16	1.0E-107	AW503913.1	EST_HUMAN	UI-HF-BND-elf-c-08-0-U1.1 NIH_MGC_50 Homo sapiens cDNA clone IMAGE:3079310 5'
7773	20726	34098	1.54	1.0E-107	AI765078.1	EST_HUMAN	wh56h04.x1 NCL CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2384791 3'
8004	20843	34336	0.81	1.0E-107	AJ404468.1	NT	Homo sapiens mRNA for dynein heavy chain (DNAH9 gene)
8004	20943	34337	0.81	1.0E-107	AJ404468.1	NT	Homo sapiens mRNA for dynein heavy chain (DNAH9 gene)
8078	21015	34415	0.59	1.0E-107	AW410961.1	EST_HUMAN	h09411.x2 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:2984524 5'
9742	22770	36225	1	1.0E-107	AU122469.1	EST_HUMAN	AU122469 MAMMA1 Homo sapiens cDNA clone MAMMA1002433 5'
11081	24024	37548	2.92	1.0E-107	AI392850.1	EST_HUMAN	tg10d06.x1 NCL CGAP_GLI1 Homo sapiens cDNA clone IMAGE:2108363 3' similar to SW:AACT_DICD1
11293	24243	37770	1.52	1.0E-107	L49141.1	NT	P05095 ALPHA-ACTININ 3, NON MUSCULAR;
11308	24288	37784	2.09	1.0E-107	BF686511.1	EST_HUMAN	Homo sapiens neuroendocrine-specific protein (NSP) gene, exon 4
11651	24588	38198	4.76	1.0E-107	BE540550.1	EST_HUMAN	602123963F1 NIH_MGC_56 Homo sapiens cDNA clone IMAGE:4281039 5'
11721	23918	37435	2.44	1.0E-107	11419701	NT	601066681F1 NIH_MGC_10 Homo sapiens cDNA clone IMAGE:3452829 5'
11721	23918	37436	2.44	1.0E-107	11419701	NT	Homo sapiens HSPC049 protein (HSPC049), mRNA
12321	25902		5.18	1.0E-107	AA001415.1	EST_HUMAN	Homo sapiens HSPC049 protein (HSPC049), mRNA
12345	25759		1.48	1.0E-107	11418318	NT	z946601.st Soares retina N2b4HR Homo sapiens cDNA clone IMAGE:361944 3' similar to contains THR.b1
966	14009	26982	1.66	1.0E-108	BE296042.1	EST_HUMAN	THR repetitive element;
1270	14305	27265	4.89	1.0E-108	Y18000.1	NT	Homo sapiens G-2 and S-phase expressed 1 (GTSE1), mRNA
2091	15108	28127	1.24	1.0E-108	BF028728.1	EST_HUMAN	601177018F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3532348 5'
							Homo sapiens NF2 gene
							601671914F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3954839 5'
2435	15442	28460	9.44	1.0E-108	BE206694.1	EST_HUMAN	bb25b10.x1 NIH_MGC_14 Homo sapiens cDNA clone IMAGE:2963899 3' similar to gb:X53777 60S
3360	16410	28332	0.79	1.0E-108	AF032897.1	NT	RIBOSOMAL PROTEIN L23 (HUMAN); gb:J05277 Mouse hexokinase mRNA, complete cds (MOUSE);
3360	16410	28333	0.79	1.0E-108	AF032897.1	NT	Homo sapiens potassium channel subunit (HERG-3) mRNA, complete cds
4184	17215	30102	1.13	1.0E-108	AW664438.1	EST_HUMAN	Homo sapiens potassium channel subunit (HERG-3) mRNA, complete cds
4555	17578	30488	1.73	1.0E-108	U72961.1	NT	h12a11.x1 NCL CGAP_GU1 Homo sapiens cDNA clone IMAGE:2972060 3' similar to SW:3BP1_MOUSE
4555	17578	30469	1.73	1.0E-108	U72961.1	NT	P55194 SH3-BINDING PROTEIN 3BP-1;
4842	17869	30764	1.39	1.0E-108	7661979	NT	Human hepatocyte nuclear factor 4-alpha gene, exon 2
4956	17971	30882	0.98	1.0E-108	AW504799.1	EST_HUMAN	Human hepatocyte nuclear factor 4-alpha gene, exon 2
4986	18001	30890	2.59	1.0E-108	AJ008005.1	NT	Homo sapiens KIAA0187 gene product (KIAA0187), mRNA
5184	18193	31068	0.71	1.0E-108	5031624	NT	UI-HF-BND-ah-e-04-0-U1.1 NIH_MGC_50 Homo sapiens cDNA clone IMAGE:3080166 5'
5556	18653	31597	1.1	1.0E-108	AW394094.1	EST_HUMAN	Homo sapiens PSN1 gene, alternative transcript
5605	18701	31673	2.27	1.0E-108	BER69016.1	EST_HUMAN	Homo sapiens CCAAT-box-binding transcription factor (CBF2) mRNA
							RC0-HT0372-241199-031-q03 HT0372 Homo sapiens cDNA
							601444922F1 NIH_MGC_85 Homo sapiens cDNA clone IMAGE:3848980 5'

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5605	18701	31674	2.27	1.0E-108	BE869016.1	EST_HUMAN	601444922F1 NIH_MGC_65 Homo sapiens cDNA clone IMAGE:3848980 5'
6036	19119		0.8	1.0E-108	AF012623.1	NT	Homo sapiens familial mental retardation protein 2 (FMR2) gene, exon 20
6117	19195	32419	0.92	1.0E-108	BF334851.1	EST_HUMAN	PM4-CT0403-240700-001-c10 CT0403 Homo sapiens cDNA
6262	19335	32567	6.27	1.0E-108	AF264717.1	NT	Homo sapiens FYVE domain-containing dual specificity protein phosphatase FYVE-DSP2 mRNA, complete cds
6262	19335	32568	6.27	1.0E-108	AF264717.1	NT	Homo sapiens FYVE domain-containing dual specificity protein phosphatase FYVE-DSP2 mRNA, complete cds
6392	19460	32706	1.22	1.0E-108	AJ133289.1	NT	Homo sapiens caveolin-1/2 locus, Centig1, D7S622, genes CAV2 (exons 1, 2a, and 2b), CAV1 (exons 1 and 2)
6494	19195	32419	0.99	1.0E-108	BF334851.1	EST_HUMAN	PM4-CT0403-240700-001-c10 CT0403 Homo sapiens cDNA
6773	19828	33110	0.87	1.0E-108	AF016706.1	NT	Homo sapiens E6-AP ubiquitin-protein ligase (UBE3A) gene, exon 4
6773	19828	33111	0.67	1.0E-108	AF016706.1	NT	Homo sapiens E6-AP ubiquitin-protein ligase (UBE3A) gene, exon 4
7363	20335	33665	5.42	1.0E-108	11431857	NT	Homo sapiens G protein-coupled receptor, family C, group 5, member B (GPCR5B), mRNA
7673	20631	33995	1.98	1.0E-108	4758333	NT	Homo sapiens delta-6 fatty acid desaturase (FADS6) mRNA
7748	20675	34041	1.13	1.0E-108	BE252607.1	EST_HUMAN	601113471F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3354064 5'
7749	20702	34069	0.68	1.0E-108	BF528912.1	EST_HUMAN	602043384F1 NCI_CGAP_Brn67 Homo sapiens cDNA clone IMAGE:4181037 5'
7749	20702	34070	0.68	1.0E-108	BF528912.1	EST_HUMAN	602043384F1 NCI_CGAP_Brn67 Homo sapiens cDNA clone IMAGE:4181037 5'
8149	21086	34485	0.57	1.0E-108	11422155	NT	Homo sapiens cyclic fibrosis transmembrane conductance regulator, ATP-binding cassette (sub-family C, member 7) (CFTR), mRNA
8398	21368		1.8	1.0E-108	AF083500.1	NT	Homo sapiens connective tissue growth factor-like protein precursor, mRNA, complete cds
8452	21421	34835	5.44	1.0E-108	AW408694.1	EST_HUMAN	U1-HF-BM0-ads-e-12-Q-U1.r1 NIH_MGC_38 Homo sapiens cDNA clone IMAGE:3082878 5'
8452	21421	34836	5.44	1.0E-108	AW408694.1	EST_HUMAN	U1-HF-BM0-ads-e-12-Q-U1.r1 NIH_MGC_38 Homo sapiens cDNA clone IMAGE:3082878 5'
9402	22367	35800	0.93	1.0E-108	AF203977.1	NT	Homo sapiens ETS-family transcription factor EHF (EHF) mRNA, complete cds
9441	22405	35842	0.48	1.0E-108	N44974.1	EST_HUMAN	y955h10.r1 Soares melanocyte 2NbhM Homo sapiens cDNA clone IMAGE:273283 5' similar to PIR:A43773 A45773 kelch protein, long form - fruit fly
10983	23903	37417	2.67	1.0E-108	11428155	NT	Homo sapiens similar to high-mobility group (nonhistone chromosomal) protein 4 (H. sapiens) (LOC63446), mRNA
11027	21040	34439	2.14	1.0E-108	BE55227.1	EST_HUMAN	601058769F1 NIH_MGC_10 Homo sapiens cDNA clone IMAGE:3446361 5'
11177	18363	31298	1.64	1.0E-108	Y12490.1	NT	Homo sapiens mRNA for Golgi-associated microtubule-binding protein (GMAP-210)
11602	24540	38099	3.33	1.0E-108	AW966185.1	EST_HUMAN	EST378258 MAGE resequences, MAG1 Homo sapiens cDNA
11653	24590	38160	1.75	1.0E-108	AV708790.1	EST_HUMAN	AV708790 ADC Homo sapiens cDNA clone ADCAE03 5'
11653	24590	38161	1.75	1.0E-108	AV708790.1	EST_HUMAN	AV708790 ADC Homo sapiens cDNA clone ADCAE03 5'
11698	24663		2.05	1.0E-108	11441465	NT	Homo sapiens G protein-coupled receptor 48 (GPR48), mRNA
11757	24685	38265	1.6	1.0E-108	D63539.1	NT	Homo sapiens COL4A8 gene for $\alpha 1(V)$ collagen, exon 23

Page 448 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
12493	25236	31800	5.14	1.0E-108	AK024447.1	NT	Homo sapiens mRNA for FLJ00037 protein, partial cds
12864	25467		11.97	1.0E-108	BF346356.1	EST_HUMAN	602018571F1 NCL_CGAP_Bn67 Homo sapiens cDNA clone IMAGE:4154297 5'
44	13164	26067	2.17	1.0E-109	AW803116.1	EST_HUMAN	IL2-UM0077-260400-079-D06 UM0077 Homo sapiens cDNA
67	13185	26104	6.88	1.0E-109	D86974.1	NT	Human mRNA for KIAA0220 gene, partial cds
220	13320	26245	1.51	1.0E-109	11422486	NT	Homo sapiens hypothetical protein FLJ11316 (FLJ11316), mRNA
229	13328	26251	1.97	1.0E-109	11438391	NT	Homo sapiens reticulocalbin 1, EF-hand calcium binding domain (RCN1), mRNA
487	13540	26465	2.2	1.0E-109	4507712	NT	Homo sapiens tetrahydropteridine repeat domain 2 (TTC2), mRNA
600	13667	26581	13.45	1.0E-109	AB023216.1	NT	Homo sapiens mRNA for KIAA0999 protein, partial cds
600	13667	26582	13.45	1.0E-109	AB023216.1	NT	Homo sapiens mRNA for KIAA0999 protein, partial cds
1014	14062	27013	0.98	1.0E-109	AL163249.2	NT	Homo sapiens chromosome 21 segment HS21C049
1207	14246	27204	23.68	1.0E-109	M28699.1	NT	Homo sapiens nucleolar phosphoprotein B23 (NPM1) mRNA, complete cds
1208	14246	27204	21.33	1.0E-109	M28699.1	NT	Homo sapiens nucleolar phosphoprotein B23 (NPM1) mRNA, complete cds
1544	14577	27549	1.2	1.0E-109	BE293673.1	EST_HUMAN	601186922F2 NIH_MGC_15 Homo sapiens cDNA clone IMAGE:2959636 5'
1544	14577	27550	1.2	1.0E-109	BE293673.1	EST_HUMAN	601186922F2 NIH_MGC_15 Homo sapiens cDNA clone IMAGE:2959636 5'
1891	14916	27911	1.63	1.0E-109	D13643.2	NT	Homo sapiens mRNA for KIAA0018 protein, partial cds
2253	15267	28294	2.68	1.0E-109	AL163284.2	NT	Homo sapiens chromosome 21 segment HS21C084
2262	15276	28300	2.59	1.0E-109	Y17123.1	NT	Homo sapiens SNF5/INI1 gene, exon 6
2630	15629	28654	3.42	1.0E-109	AI022328.1	EST_HUMAN	ow95a01.x1 Soares_fetal_liver_spleen_INFLS_S1 Homo sapiens cDNA clone IMAGE:1654536 3' similar to TR:O02197 O02197 CIRCULATING CATHODIC ANTIGEN. ;
2630	15629	28655	3.42	1.0E-109	AI022328.1	EST_HUMAN	ow95a01.x1 Soares_fetal_liver_spleen_INFLS_S1 Homo sapiens cDNA clone IMAGE:1654536 3' similar to TR:O02197 O02197 CIRCULATING CATHODIC ANTIGEN. ;
2631	15630	28656	1.84	1.0E-109	4504206	NT	Homo sapiens guanylate cyclase activator 1A (retina) (GUCY1A) mRNA
3071	16128	29040	1.81	1.0E-109	N85190.1	EST_HUMAN	J2816F Human fetal heart, Lambda ZAP Express Homo sapiens cDNA clone J2816 5' similar to ZINC FINGER PROTEIN ZNF43
3399	16448	29374	1.33	1.0E-109	AW893192.1	EST_HUMAN	CM3-NN0009-190400-150-f10 NN0009 Homo sapiens cDNA
3399	16448	29375	1.33	1.0E-109	AW893192.1	EST_HUMAN	CM3-NN0009-190400-150-f10 NN0009 Homo sapiens cDNA
3530	16576	29499	1.66	1.0E-109	AF240698.1	NT	Homo sapiens retinol dehydrogenase homolog isoform-1 (RDH) mRNA, complete cds
3572	16617	29538	0.92	1.0E-109	M37928.1	NT	Homo sapiens adenosine monophosphate deaminase 1 (AMPD1) gene, exons 8-10
3572	16617	29539	0.92	1.0E-109	M37928.1	NT	Homo sapiens adenosine monophosphate deaminase 1 (AMPD1) gene, exons 8-10
3856	16896		2.3	1.0E-109	BE146144.1	EST_HUMAN	MRO-HT0209-110400-108-a04 HT0209 Homo sapiens cDNA
4171	17202	30089	4.97	1.0E-109	AI655417.1	EST_HUMAN	ts98e06.x1 NCL_CGAP_GC6 Homo sapiens cDNA clone IMAGE:2239330 3' similar to WP:F53A2.8 CE16100 ;
4189	17220	30107	1.33	1.0E-109	AA662274.1	EST_HUMAN	nu93c12.s1 NCL_CGAP_P22 Homo sapiens cDNA clone IMAGE:1218262 3' similar to SW:GTT2_HUMAN P30712 GLUTATHIONE S-TRANSFERASE THETA 2 ;

Page 449 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4189	17220	30108	1.33	1.0E-109	AA662274.1	EST_HUMAN	nu93c12.st NCI_CGAP_P22 Homo sapiens cDNA clone IMAGE:1218262 3' similar to SW:GTT2_HUMAN
4432	17459	30350	2.38	1.0E-109	4504208	NT	P30712 GLUTHATHIONE S-TRANSFERASE THETA 2;
4630	17651	30538	1.42	1.0E-109	7682083	NT	Homo sapiens guanylate cyclase activator 1A (retina) (GUCY1A) mRNA
4688	17973	30884	0.94	1.0E-109	R15400.1	EST_HUMAN	Homo sapiens KIAA0377 gene product (KIAA0377) mRNA
5318	18424	31227	0.5	1.0E-109	AU137282.1	EST_HUMAN	ye48c06.r1 Soares infant brain 1NIB Homo sapiens cDNA clone IMAGE:53057 5'
5332	18438	31190	0.86	1.0E-109	BF673718.1	EST_HUMAN	AU137282 PLACE1 Homo sapiens cDNA clone PLACE1006159 5'
5386	18489	31364	2.28	1.0E-109	5174622	NT	602136448F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:4272922 5'
5688	18783		1.49	1.0E-109	BE179356.1	EST_HUMAN	Homo sapiens placental protein 11 (serine protease) (P11) mRNA
6037	25651	32323	0.83	1.0E-109	BF379698.1	EST_HUMAN	RC1-H70615-200400-022-404 HT0615 Homo sapiens cDNA
6111	18783		1.29	1.0E-109	BE179356.1	EST_HUMAN	CM1-UT0038-060900-399-h07 UT0038 Homo sapiens cDNA
6485	19550	32769	0.57	1.0E-109	M23442.1	NT	RC1-H70615-200400-022-404 HT0615 Homo sapiens cDNA
6485	19550	32800	0.57	1.0E-109	M23442.1	NT	Human interleukin 4 (IL-4) gene, complete cds
6742	19797	33077	8.68	1.0E-109	A1221385.1	EST_HUMAN	Human interleukin 4 (IL-4) gene, complete cds
6833	20157	33478	0.52	1.0E-109	11024711	NT	qg86h08.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1842111 3'
6933	20157	33477	0.52	1.0E-109	11024711	NT	Homo sapiens myosin, heavy polypeptide 4, skeletal muscle (MYH4) mRNA
7145	18377	31265	0.49	1.0E-109	BE074888.1	EST_HUMAN	Homo sapiens myosin, heavy polypeptide 4, skeletal muscle (MYH4) mRNA
7451	20417	33772	0.93	1.0E-109	AB046811.1	NT	RC5-B70580-170300-021-F08 BT0580 Homo sapiens cDNA
7815	20764	34140	3.31	1.0E-109	11432574	NT	Homo sapiens mRNA for KIAA1591 protein, partial cds
7817	20768	34142	5.45	1.0E-109	BF182707.1	EST_HUMAN	Homo sapiens AT-binding transcription factor 1 (ATBF1) mRNA
8513	21481	34895	1.37	1.0E-109	AL049784.1	NT	601809495F1 NIH_MGC_18 Homo sapiens cDNA clone IMAGE:4040279 5'
8628	21598	35017	1.08	1.0E-109	AW749130.1	EST_HUMAN	601809495F1 NIH_MGC_18 Homo sapiens cDNA clone IMAGE:4040279 5'
9004	21970		3.59	1.0E-109	AA077498.1	EST_HUMAN	Novel human gene mapping to chromosome 13
9086	22052	35474	17.25	1.0E-109	BE787540.1	EST_HUMAN	PMO-BT0340-091299-002-e05 BT0340 Homo sapiens cDNA
9086	22052	35475	17.25	1.0E-109	BE787540.1	EST_HUMAN	7B18H01 Chromosome 7 Fetal Brain cDNA Library Homo sapiens cDNA clone 7B18H01
9593	22555	36005	1.78	1.0E-109	H84860.1	EST_HUMAN	601479417F1 NIH_MGC_68 Homo sapiens cDNA clone IMAGE:3882124 5'
9705	22658	36113	0.65	1.0E-109	BE397068.1	EST_HUMAN	ys90q08.r1 Soares retina N2b5HR Homo sapiens cDNA clone IMAGE:222110 5' similar to SP-A53491
9705	22658	36114	0.65	1.0E-109	BE397068.1	EST_HUMAN	A53491 BUMETANIDE-SENSITIVE NAK-K1 COTRANSPORTER - SPINNY;
9839	22775	36230	2.5	1.0E-109	F06604.1	EST_HUMAN	601289780F1 NIH_MGC_8 Homo sapiens cDNA clone IMAGE:3620030 5'
11128	24088	37616	2.42	1.0E-109	BE540909.1	EST_HUMAN	HSC1EC121 normalized infant brain cDNA Homo sapiens cDNA clone IMAGE:3620030 5'
11128	24088	37617	2.42	1.0E-109	BE540909.1	EST_HUMAN	601063030F1 NIH_MGC_10 Homo sapiens cDNA clone IMAGE:3448569 5'
11159	24116	37642	31.85	1.0E-109	BF694831.1	EST_HUMAN	601063030F1 NIH_MGC_10 Homo sapiens cDNA clone IMAGE:3448569 5'
							602080724F2 NIH_MGC_81 Homo sapiens cDNA clone IMAGE:4245341 5'

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
11459	24402	37950	1.65	1.0E-109	AU121370.1	EST_HUMAN	AU121370 HEMBB1 Homo sapiens cDNA clone HEMBB1002690 5'
11697	24662	38240	2.82	1.0E-109	4502838	NT	Homo sapiens Chediak-Higashi syndrome 1 (CHS1) mRNA
11735	24621	38199	5.45	1.0E-109	W16510.1	EST_HUMAN	zb08b12.1 Soares_fetal_lung_NbHL19W Homo sapiens cDNA clone IMAGE:301439 5' similar to PIR:S43969 S43969 p54-beta stress-activated protein kinases - rat ;
11910	24791	38380	1.59	1.0E-109	BE045560.1	EST_HUMAN	ht23f05.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:2955969 3' similar to TR:Q9Z124 Q9Z124 YGR163W MRNA HOMOLOGUE, COMPLETE CDS. ;
12126	24984	38597	2.03	1.0E-109	BF339540.1	EST_HUMAN	602039003F1 NCI_CGAP_Bm64 Homo sapiens cDNA clone IMAGE:4186753 5'
12125	24984	38598	2.03	1.0E-109	BF339540.1	EST_HUMAN	602039003F1 NCI_CGAP_Bm64 Homo sapiens cDNA clone IMAGE:4186753 5'
12132	25001	38607	1.65	1.0E-109	AA490558.1	EST_HUMAN	aa42f07.1 Soares_NHMPu_S1 Homo sapiens cDNA clone IMAGE:823621 5'
12385	15276	28300	2.1	1.0E-109	Y17123.1	NT	Homo sapiens SNF5/INI1 gene, exon 6
12613	15278	28300	2.24	1.0E-109	Y17123.1	NT	Homo sapiens SNF5/INI1 gene, exon 6
12720	25374	31774	1.85	1.0E-109	AB011399.1	NT	Homo sapiens gene for AF-6, complete cds
3	13124	26022	0.89	1.0E-110	7549804	NT	Homo sapiens deiodinase, lodothyronine, type II (DIO2), transcript variant 2, mRNA
39	13159	26061	4.69	1.0E-110	5803073	NT	Homo sapiens leucine-zipper-like transcriptional regulator, 1 (LZTR1), mRNA
39	13159	26062	4.69	1.0E-110	5803073	NT	Homo sapiens leucine-zipper-like transcriptional regulator, 1 (LZTR1), mRNA
109	13124	26022	1.73	1.0E-110	7549804	NT	Homo sapiens deiodinase, lodothyronine, type II (DIO2), transcript variant 2, mRNA
294	13388	26316	1.6	1.0E-110	D87291.1	NT	Human mRNA for inward rectifier potassium channel, complete cds
528	13599	26517	13.41	1.0E-110	U84650.1	NT	Human dystrobrevin (DTN) gene, exon 20
1184	14225	27181	1	1.0E-110	5031620	NT	Homo sapiens calcitonin receptor-like (CALCRL) mRNA
1284	14319	27282	0.72	1.0E-110	AB032253.1	NT	Homo sapiens BAZ1B mRNA for bromodomain adjacent to zinc finger domain 1B, complete cds
1937	14961	27958	1.35	1.0E-110	BE370477.1	EST_HUMAN	601237545F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3609683 5'
2073	15090		1.85	1.0E-110	BF508896.1	EST_HUMAN	UI-H-B14-aos-b-05-0-UI.s1 NCI_CGAP_Sub8 Homo sapiens cDNA clone IMAGE:3085784 3'
2853	15913		1.05	1.0E-110	4503098	NT	Homo sapiens chondroitin sulfate proteoglycan 4 (melanoma-associated) (CSPG4), mRNA
3043	14319	27282	0.88	1.0E-110	AB032253.1	NT	Homo sapiens BAZ1B mRNA for bromodomain adjacent to zinc finger domain 1B, complete cds
3103	16160		1.01	1.0E-110	U78027.1	NT	Homo sapiens Bruton's tyrosine kinase (BTK), alpha-D-galactosidase A (GLA), L44-like ribosomal protein (L44L) and FTP3 (FTP3) genes, complete cds
3209	16264	29185	1.55	1.0E-110	11436041	NT	Homo sapiens pregnancy-zone protein (PZP), mRNA
3209	16264	29186	1.55	1.0E-110	11436041	NT	Homo sapiens pregnancy-zone protein (PZP), mRNA
4231	17260	30145	0.93	1.0E-110	M15918.1	NT	Human autocrine antigen small nuclear ribonucleoprotein E pseudogene
4665	17686	30570	2.11	1.0E-110	A017213.1	EST_HUMAN	ou32b10.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1627963 3' similar to SW:NI21_RAT_P52591 NUCLEAR ENVELOPE PORE MEMBRANE PROTEIN POM 121 ;
4684	17705	30597	4.29	1.0E-110	AU117812.1	EST_HUMAN	AU117812 HEMBA1 Homo sapiens cDNA clone HEMBA1002241 5'
5009	18023		1.94	1.0E-110	7662441	NT	Homo sapiens KIAA1002 protein (KIAA1002), mRNA
5367	18472	31343	2.23	1.0E-110	BE289406.1	EST_HUMAN	601118710F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3028538 5'

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5814	18904	32087	0.78	1.0E-110	BE621069.1	EST_HUMAN	601493677F1 NIH_MGC_70 Homo sapiens cDNA clone IMAGE:3895785 5'
5834	18924	32106	7.66	1.0E-110	11419323	NT	Homo sapiens hypothetical protein FLJ10300 (FLJ10300), mRNA
5834	18924	32108	7.66	1.0E-110	11419323	NT	Homo sapiens hypothetical protein FLJ10300 (FLJ10300), mRNA
6878	26870	33228	3.64	1.0E-110	M55112.1	NT	Human cystic fibrosis transmembrane conductance regulator (CFTR) gene, exon 7
7235	20256	33590	0.59	1.0E-110	BE251496.1	EST_HUMAN	601108388F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3350277 5'
7309	20280	33619	0.71	1.0E-110	U08888.1	NT	Human GS2 gene, exon 2
7309	20280	33620	0.71	1.0E-110	U08888.1	NT	Human GS2 gene, exon 2
7545	20508	33867	0.69	1.0E-110	AI560289.1	EST_HUMAN	hm12408.x1 NCI_CGAP_Bn25 Homo sapiens cDNA clone IMAGE:2167407 3' similar to SW:ETV1_HUMAN
7656	20616	33880	10.78	1.0E-110	AV714276.1	EST_HUMAN	P50649 ETS TRANSLOCATION VARIANT 1;
7656	20616	33881	10.78	1.0E-110	AV714276.1	EST_HUMAN	AV714276 DCB Homo sapiens cDNA clone DCBCCGE01 5'
7688	20846	34010	2.64	1.0E-110	AB020675.1	NT	AV714276 DCB Homo sapiens cDNA clone DCBCCGE01 5'
7820	20769	34145	1.01	1.0E-110	AU137923.1	EST_HUMAN	Homo sapiens mRNA for KIAA0868 protein, partial cds
9690	22643	36101	0.79	1.0E-110	BE302594.1	EST_HUMAN	AU137923 PLACE1 Homo sapiens cDNA clone PLACE1007611 5'
9836	22863	36324	3.25	1.0E-110	AW838394.1	EST_HUMAN	ba68701.y1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:2905561 5' similar to TR:O77258 O77258
10688	23608	37102	3.4	1.0E-110	11432732	NT	EG:114D9.2 PROTEIN.;
11098	24059	37583	2.78	1.0E-110	Y12337.1	NT	QV2-L T0053-020400-119-a04 L T0053 Homo sapiens cDNA
11314	24264	37791	3.18	1.0E-110	BE734357.1	EST_HUMAN	Homo sapiens galactokinase 2 (GALK2), mRNA
11314	24264	37792	3.18	1.0E-110	BE734357.1	EST_HUMAN	H. sapiens mRNA for myotonic dystrophy protein kinase like protein
11770	23925	37445	2.49	1.0E-110	AA446529.1	EST_HUMAN	601565604F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3840433 5'
12210	25051		5.81	1.0E-110	BE697218.1	EST_HUMAN	601565604F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3840433 5'
12339	25137		9.66	1.0E-110	AW062258.1	EST_HUMAN	zw67g02.r1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:781298 5' similar to TR:G1145816
12579	25288		1.72	1.0E-110	AB011398.1	NT	G1145816 FKBP54;
12706	25913		2.95	1.0E-110	BF364546.1	EST_HUMAN	601439784F1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3924548 5'
12987	15090		1.34	1.0E-110	BF508898.1	EST_HUMAN	IL0-BT0163-040899-094-g10 BT0163 Homo sapiens cDNA
176	13277		12.39	1.0E-111	U43701.1	NT	Homo sapiens gene for AF-6, complete cds
736	13797		3.39	1.0E-111	BF036327.1	EST_HUMAN	Homo sapiens gene for AF-6, complete cds
745	13806	26746	5.88	1.0E-111	8389092	NT	PM3-NIN1082-140900-006-f12 NN1082 Homo sapiens cDNA
927	13980	26934	3.63	1.0E-111	M25142.1	NT	UI-H-B14-ec5-b-05-0-UI.s1 NCI_CGAP_Sub8 Homo sapiens cDNA clone IMAGE:3085784 3'
2260	15264	28290	1.53	1.0E-111	AF036126.1	NT	Human ribosomal protein L23a mRNA, complete cds
4357	17384	30266	4.65	1.0E-111	K02268.1	NT	601458631F1 NIH_MGC_68 Homo sapiens cDNA clone IMAGE:3862086 5'
5293	18298	31160	0.72	1.0E-111	AB033366.1	NT	Homo sapiens cat eye syndrome critical region gene 1 (CECR1), mRNA
							Human cardiac alpha-myosin heavy chain (MYH6) gene, exons 32 to 34
							Homo sapiens collagen type IX alpha 1 chain (COL9A1) gene, exons 29, 30, 31, and 32
							Human enkephalin B (enkeB) gene, exon 4 and 3' flank and complete cds
							Homo sapiens mRNA for neurexin I-alpha protein, complete cds

Page 452 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5553	18650	31593	0.66	1.0E-111	AA151017.1	EST_HUMAN	z147b07.r1 Soares_pregnant_uterus_NbHPU Homo sapiens cDNA clone IMAGE:505045 5' similar to gb:M23575 PREGNANCY-SPECIFIC BETA-1 GLYCOPROTEIN C PRECURSOR (HUMAN);
5553	18650	31594	0.66	1.0E-111	AA151017.1	EST_HUMAN	z147b07.r1 Soares_pregnant_uterus_NbHPU Homo sapiens cDNA clone IMAGE:505045 5' similar to gb:M23575 PREGNANCY-SPECIFIC BETA-1 GLYCOPROTEIN C PRECURSOR (HUMAN);
5714	18608	31986	0.89	1.0E-111	BE867809.1	EST_HUMAN	601443680.F1 NIH_MGC_65 Homo sapiens cDNA clone IMAGE:3847655 5'
5837	18927	32111	0.49	1.0E-111	U19989.1	NT	Human two-handed zinc finger protein ZEB mRNA, partial cds
6148	19223	32453	1.5	1.0E-111	A1344679.1	EST_HUMAN	qp09g12.x1 NCI_CGAP_Kid5 Homo sapiens cDNA clone IMAGE:1917574 3' similar to gb:M29893 RAS-RELATED PROTEIN RAL-A (HUMAN);
6837	18890	33186	0.95	1.0E-111	AL040762.1	EST_HUMAN	DKFZp434C1815_r1 434 (synonym: htes3) Homo sapiens cDNA clone DKFZp434C1815 5'
6978	20201	33631	1.3	1.0E-111	AW294948.1	EST_HUMAN	UI-H-BW0-ail-d-03-0-UI.s1 NCI_CGAP_Sub6 Homo sapiens cDNA clone IMAGE:2729525 3'
7405	20373	33724	0.52	1.0E-111	AW993165.1	EST_HUMAN	RC2-BN0033-160200-013-b05 BN0033 Homo sapiens cDNA
7680	20638	34000	2.57	1.0E-111	BF366228.1	EST_HUMAN	IL2-NT0101-280700-114-E03 NT0101 Homo sapiens cDNA
7772	20725	34097	0.51	1.0E-111	8961253	NT	Homo sapiens ATP-binding cassette, sub-family B (MDR/TAP), member 4 (ABCB4), transcript variant A, mRNA
7779	20732	34104	0.58	1.0E-111	A1761228.1	EST_HUMAN	w168d01.x1 NCI_CGAP_Kid12 Homo sapiens cDNA clone IMAGE:2398465 3' similar to gb:J04813 CYTOCHROME P450 IIIA5 (HUMAN);
7873	20817	34195	0.8	1.0E-111	U80017.1	NT	Homo sapiens basic transcription factor 2 p44 (btf2p44) gene, partial cds, neuronal apoptosis inhibitory protein (nailp) and survival motor neuron protein (smn) genes, complete cds
8067	21004	34402	1.52	1.0E-111	AA133914.1	EST_HUMAN	zn62c12.r1 Stratagene muscle 937209 Homo sapiens cDNA clone IMAGE:562774 5' similar to gb:X03740 MYOSIN HEAVY CHAIN, SKELETAL MUSCLE (HUMAN);
8431	21400	34812	0.82	1.0E-111	AA278868.1	EST_HUMAN	zs79g03.r1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:703732 5' similar to TR:G1256410 G1256410 11-ZINC-FINGER TRANSCRIPTION FACTOR.;
8431	21400	34813	0.82	1.0E-111	AA278868.1	EST_HUMAN	zs79g03.r1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:703732 5' similar to TR:G1256410 G1256410 11-ZINC-FINGER TRANSCRIPTION FACTOR.;
8530	21498	34914	0.55	1.0E-111	11431896	NT	Homo sapiens protein x.0001 (LOC51185), mRNA
8583	21551	34989	3.24	1.0E-111	U66533.1	NT	Human beta4-integrin (ITGB4) gene, exon 13
8927	21993	35413	0.77	1.0E-111	11420516	NT	Homo sapiens nuclear factor of activated T-cells, cytoplasmic 2 (NFATC2), mRNA
9128	22094	35522	0.83	1.0E-111	AK024463.1	NT	Homo sapiens mRNA for FLJ00045 protein, partial cds
9160	22126		26.95	1.0E-111	BF214902.1	EST_HUMAN	601847132.F1 NIH_MGC_55 Homo sapiens cDNA clone IMAGE:4078303 5'
9236	22202	35632	15.22	1.0E-111	X17033.1	NT	Human mRNA for integrin alpha-2 subunit
9236	22202	35633	15.22	1.0E-111	X17033.1	NT	Human mRNA for integrin alpha-2 subunit
9443	22407	35844	2.88	1.0E-111	AF091395.1	NT	Homo sapiens Trio isoform mRNA, complete cds
9672	22625	36079	0.46	1.0E-111	BF333210.1	EST_HUMAN	QV2-BT0817-270900-398-e06 BT0817 Homo sapiens cDNA

Page 453 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
10512	23434	36932	1.96	1.0E-111	AA504160.1	EST_HUMAN	aa58g02.s1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:826170 3' similar to gb.L08235
10540	23462		1.69	1.0E-111	D10083.1	NT	VACUOLAR ATP SYNTHASE CATALYTIC SUBUNIT A, UBIQUITOUS (HUMAN);
10635	23567	37057	6.39	1.0E-111	AA131248.1	EST_HUMAN	Homo sapiens RGH1 gene, retrovirus-like element
11110	24070	37592	3.4	1.0E-111	AW298467.1	EST_HUMAN	z31610.1 Scores, pregnant uterus_NbHPU Homo sapiens cDNA clone IMAGE:503546 5'
11288	24238		2.64	1.0E-111	AW374340.1	EST_HUMAN	UI-H-BW0-aiq-d-07-0-UI.s1 NCI_CGAP_Sub6 Homo sapiens cDNA clone IMAGE:2730276 3'
11383	24330	37859	2.98	1.0E-111	U68159.1	NT	IL0-CT0031-221089-113-406 CT0031 Homo sapiens cDNA
12168	25018	38818	4.77	1.0E-111	11417901	NT	Human thrombopoietin receptor (MPL) gene, exons 1,2,3,4,5 and 6
12955	18298	31160	1.75	1.0E-111	AB035356.1	NT	Homo sapiens meningioma (disrupted in balanced translocation) 1 (MNT), mRNA
610	13875	26590	0.9	1.0E-112	4501854	NT	Homo sapiens mRNA for neurexin 1 alpha protein, complete cds
612	13877	26592	5.51	1.0E-112	U29103.1	NT	Homo sapiens acetyl-Coenzyme A carboxylase beta (ACACB), mRNA
633	13998	26618	1.91	1.0E-112	BF508039.1	EST_HUMAN	Human steroidogenic acute regulatory protein (STAR) gene, exon 5
633	13998	26619	1.91	1.0E-112	BF508039.1	EST_HUMAN	Human steroidogenic acute regulatory protein (STAR) gene, exon 5
1003	14054	27008	1.21	1.0E-112	AF157623.1	NT	UI-H-B14-eot-g-04-0-UI.s1 NCI_CGAP_Sub8 Homo sapiens cDNA clone IMAGE:3086023 3'
1063	14109	27058	1.85	1.0E-112	P82742	SWISSPROT	UI-H-B14-eot-g-04-0-UI.s1 NCI_CGAP_Sub8 Homo sapiens cDNA clone IMAGE:3086023 3'
1692	14722	27703	3.1	1.0E-112	7662125	NT	Homo sapiens HTRA serine protease (PRSS11) gene, complete cds
1692	14722	27704	3.1	1.0E-112	7662125	NT	ZINC FINGER PROTEIN 135
2207	15222	28242	1.08	1.0E-112	A1766925.1	EST_HUMAN	Homo sapiens KIAA0440 protein (KIAA0440), mRNA
2515	15518	28541	1.34	1.0E-112	BE866899.1	EST_HUMAN	Homo sapiens KIAA0440 protein (KIAA0440), mRNA
3094	16152		3.53	1.0E-112	4504116	NT	Homo sapiens KIAA0440 protein (KIAA0440), mRNA
3371	16421	29346	1.07	1.0E-112	A182651.1	EST_HUMAN	Homo sapiens KIAA0440 protein (KIAA0440), mRNA
3998	16938	29849	0.69	1.0E-112	BE076073.1	EST_HUMAN	w90f06.x1 NCI_CGAP_Kid12 Homo sapiens cDNA clone IMAGE:2400611 3'
4634	17655	30542	0.79	1.0E-112	4504116	NT	601442674FT NIH_MGC_65 Homo sapiens cDNA clone IMAGE:3848698 5'
4784	17803	30684	5.01	1.0E-112	AB037832.1	NT	Homo sapiens glutamate receptor, ionotropic, kainate 1 (GRIK1), mRNA
4784	17803	30695	5.01	1.0E-112	AB037832.1	NT	wk45b12.x1 NCI_CGAP_P122 Homo sapiens cDNA clone IMAGE:2418335 3' similar to gb.M81650_mai
5750	18844	32027	38.43	1.0E-112	A46046.1	EST_HUMAN	SEMNOCGELIN 1 PROTEIN PRECURSOR (HUMAN);
6195	19269	32504	1.28	1.0E-112	AF149773.1	NT	MR2-BT0590-090300-113-409 BT0590 Homo sapiens cDNA
6268	19341	32573	0.89	1.0E-112	AW502437.1	EST_HUMAN	Homo sapiens glutamate receptor, ionotropic, kainate 1 (GRIK1), mRNA
6268	19341	32574	0.89	1.0E-112	AW502437.1	EST_HUMAN	Homo sapiens mRNA for KIAA1411 protein, partial cds
6378	19448	32887	0.9	1.0E-112	BE741696.1	EST_HUMAN	Homo sapiens mRNA for KIAA1411 protein, partial cds
6803	19682	32935	0.83	1.0E-112	BF672815.1	EST_HUMAN	y35607.r1 Scores melanocyte 2NblHM Homo sapiens cDNA clone IMAGE:273229 5'
6792	19846	33130	0.74	1.0E-112	BE273103.1	EST_HUMAN	UI-HF-BR0p-als-g-06-0-UI.r1 NIH_MGC_52 Homo sapiens cDNA clone IMAGE:3075658 5'
							UI-HF-BR0p-als-g-06-0-UI.r1 NIH_MGC_52 Homo sapiens cDNA clone IMAGE:3075658 5'
							601594717F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3948657 5'
							602152649F1 NIH_MGC_81 Homo sapiens cDNA clone IMAGE:4289420 5'
							601142755F1 NIH_MGC_14 Homo sapiens cDNA clone IMAGE:3508608 5'

Page 454 of 546
Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6792	19846	33131	0.74	1.0E-112	BE273103.1	EST_HUMAN	601142755F1 NIH_MGC_14 Homo sapiens cDNA clone IMAGE:3506508 5'
7018	20144	33461	1.23	1.0E-112	BF574235.1	EST_HUMAN	602131405F1 NIH_MGC_81 Homo sapiens cDNA clone IMAGE:4270921 5'
7362	20332	33682	0.66	1.0E-112	AL043289.1	EST_HUMAN	DKFZp434M0523_r1 434 (synonym: htes3) Homo sapiens cDNA clone DKFZp434M0523 5'
7559	20522	33879	1.62	1.0E-112	11416777	NT	Homo sapiens solute carrier family 6 (neurotransmitter transporter, L-proline), member 7 (SLC6A7), mRNA
7559	20522	33880	1.62	1.0E-112	11416777	NT	Homo sapiens solute carrier family 6 (neurotransmitter transporter, L-proline), member 7 (SLC6A7), mRNA
8535	21503	34921	1.83	1.0E-112	AU118051.1	EST_HUMAN	AU118051 HEMBA1 Homo sapiens cDNA clone HEMBA1002773 5'
9309	22274	33705	2.56	1.0E-112	BE867635.1	EST_HUMAN	601443151F1 NIH_MGC_65 Homo sapiens cDNA clone IMAGE:3847285 5'
9309	22274	33706	2.56	1.0E-112	BE867635.1	EST_HUMAN	601443151F1 NIH_MGC_65 Homo sapiens cDNA clone IMAGE:3847285 5'
10253	23178	36865	2.18	1.0E-112	BF111413.1	EST_HUMAN	7130g07.x1 Soares NSF_F8_9W_OT_PA_P_S1 Homo sapiens cDNA clone IMAGE:3523020 3' similar to TR:Q9VWV35 Q9VWV35 CG8743 PROTEIN.;
11132	24092	37621	2.93	1.0E-112	AW863327.1	EST_HUMAN	MR3-SN0009-100400-106-b12 SN0009 Homo sapiens cDNA
11295	24245	37772	2.35	1.0E-112	AJ249900.1	NT	Homo sapiens mRNA for secreted modular calcium-binding protein (smoc1 gene)
11433	24377	37917	1.7	1.0E-112	BE280479.1	EST_HUMAN	601155323F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3138989 5'
11518	24459	38009	3.58	1.0E-112	AW377670.1	EST_HUMAN	PMO-CT0237-141099-001-h02 CT0237 Homo sapiens cDNA
12095	24966	38563	6.59	1.0E-112	M20707.1	NT	Human kappa-immunoglobulin germline pseudogene (Chr22.4) variable region (subgroup V kappa II)
744	13805	26744	5.37	1.0E-113	AI365586.1	EST_HUMAN	ac95f01.x1 Schiller meningioma Homo sapiens cDNA clone IMAGE:1953625 3'
744	13805	26745	5.37	1.0E-113	AI365586.1	EST_HUMAN	ac95f01.x1 Schiller meningioma Homo sapiens cDNA clone IMAGE:1953625 3'
941	13994	26946	5.76	1.0E-113	M11965.1	NT	Human X-linked phosphoglycerate kinase gene, exon 8
1543	14576	27548	3.01	1.0E-113	AI365586.1	EST_HUMAN	ac95f01.x1 Schiller meningioma Homo sapiens cDNA clone IMAGE:1953625 3'
1956	15821	27980	1.29	1.0E-113	AF240775.1	NT	Homo sapiens eIF4E-transporter mRNA, complete cds
2106	15123	28143	0.99	1.0E-113	BF515218.1	EST_HUMAN	UIH-BW1-ant-f-03-0-U1.s1 NCL CGAP_Sub7 Homo sapiens cDNA clone IMAGE:3082876 3'
3147	16204	29118	1.16	1.0E-113	AJ223948.1	NT	Homo sapiens mRNA for putative RNA helicase, 3' end
5316	25748	31626	1.54	1.0E-113	BE780858.1	EST_HUMAN	601469465F1 NIH_MGC_67 Homo sapiens cDNA clone IMAGE:3872536 5'
5570	18667	31626	6.68	1.0E-113	AU127214.1	EST_HUMAN	AU127214 NT2RP2 Homo sapiens cDNA clone NT2RP2000807 5'
5916	19002	32193	0.54	1.0E-113	BE789172.1	EST_HUMAN	601476296F1 NIH_MGC_68 Homo sapiens cDNA clone IMAGE:3879406 5'
5916	19002	32194	0.54	1.0E-113	BE789172.1	EST_HUMAN	601476296F1 NIH_MGC_68 Homo sapiens cDNA clone IMAGE:3879406 5'
6031	19114	32317	4.18	1.0E-113	AU140291.1	EST_HUMAN	AU140291 PLACE2 Homo sapiens cDNA clone PLACE2000274 5'
6061	19142	32354	0.97	1.0E-113	AF016535.1	NT	Homo sapiens P-glycoprotein (mdr1) mRNA, complete cds
6188	19263	32499	2.42	1.0E-113	11525737	NT	Homo sapiens UDP-N-acetyl-alpha-D-galactosamine:polypeptide N-acetylgalactosaminyltransferase 8 (GalNAc-T8) (GALNT8), mRNA

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6280	19352	32587	0.82	1.0E-113	9961249	NT	Homo sapiens ATP-binding cassette, sub-family B (MDR/TAP), member 4 (ABCB4), transcript variant B, mRNA
6280	19352	32588	0.62	1.0E-113	9961249	NT	Homo sapiens ATP-binding cassette, sub-family B (MDR/TAP), member 4 (ABCB4), transcript variant B, mRNA
6449	19614	32764	0.89	1.0E-113	6006002	NT	Homo sapiens glutamate receptor, ionotropic, N-methyl D-aspartate 2A (GRIN2A) mRNA
6449	19514	32765	0.89	1.0E-113	6006002	NT	Homo sapiens glutamate receptor, ionotropic, N-methyl D-aspartate 2A (GRIN2A) mRNA
7543	20508	33865	0.72	1.0E-113	BE262161.1	EST_HUMAN	601162078F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:3508362 5'
7543	20506	33866	0.72	1.0E-113	BE262161.1	EST_HUMAN	601162078F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:3508362 5'
9450	22414	35850	2.93	1.0E-113	BE382842.1	EST_HUMAN	601287709F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:3627654 5'
9450	22414	35851	2.93	1.0E-113	BE382842.1	EST_HUMAN	601287709F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:3627654 5'
9758	22897		0.7	1.0E-113	BE772867.1	EST_HUMAN	RC1-F10734-280600-021-002 FT0134 Homo sapiens cDNA
10190	23116	36589	1.3	1.0E-113	11429387	NT	Homo sapiens transmembrane protein 2 (TMEM2), mRNA
10230	23216	36589	0.73	1.0E-113	M21535.1	NT	Human erg protein (ets-related gene) mRNA, complete cds
10410	23332	36817	0.77	1.0E-113	5463997	NT	Homo sapiens RAN binding protein 7 (RANBP7), mRNA
10410	23332	36818	0.77	1.0E-113	5463997	NT	Homo sapiens RAN binding protein 7 (RANBP7), mRNA
11467	24400	37948	1.51	1.0E-113	AW500519.1	EST_HUMAN	U1-HF-BN0-ak-b-12-U1r1 NIH_MGC_50 Homo sapiens cDNA clone IMAGE:3077326 5'
11468	24409	37956	3	1.0E-113	AW630291.1	EST_HUMAN	hh81a09.y1 NCI_CGAP_GU1 Homo sapiens cDNA clone IMAGE:2969178 5' similar to TR:O60327 O60327 KIAA0584 PROTEIN;
11468	24409	37957	3	1.0E-113	AW630291.1	EST_HUMAN	hh81a09.y1 NCI_CGAP_GU1 Homo sapiens cDNA clone IMAGE:2969178 5' similar to TR:O60327 O60327 KIAA0584 PROTEIN;
11592	24530	38087	2.94	1.0E-113	BE292968.1	EST_HUMAN	601105529F1 NIH_MGC_15 Homo sapiens cDNA clone IMAGE:2988366 5'
11828	24709	38292	3.1	1.0E-113	AA680720.1	EST_HUMAN	nc80b03.r1 NCI_CGAP_GU1 Homo sapiens cDNA clone IMAGE:797069 5' similar to SW:FEN1_HUMAN P39748 FLAP ENDONUCLEASE-1;
11828	24709	38293	3.1	1.0E-113	AA680720.1	EST_HUMAN	nc80b03.r1 NCI_CGAP_GU1 Homo sapiens cDNA clone IMAGE:797069 5' similar to SW:FEN1_HUMAN P39748 FLAP ENDONUCLEASE-1;
60	13179	26092	0.65	1.0E-114	Y17151.2	NT	Homo sapiens mRNA for multidrug resistance protein 3 (ABCC3)
60	13179	26093	0.65	1.0E-114	Y17151.2	NT	Homo sapiens mRNA for multidrug resistance protein 3 (ABCC3)
60	13179	26094	0.65	1.0E-114	Y17151.2	NT	Homo sapiens mRNA for multidrug resistance protein 3 (ABCC3)
945	13712	26634	5.97	1.0E-114	T70551.1	EST_HUMAN	yt15c01.s1 Sceres fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:108288 3' similar to gb:A21187 ALPHA-2-MACROGLOBULIN PRECURSOR (HUMAN); contains Alu repetitive element;
1072	14117	27088	1.78	1.0E-114	8923087	NT	Homo sapiens hypothetical protein FLJ20080 (FLJ20080), mRNA
1316	14351	27319	5	1.0E-114	7657629	NT	Homo sapiens rhabdoid tumor deletion region protein 1 (RTDR1), mRNA
1948	14680	27653	1.79	1.0E-114	6631094	NT	Homo sapiens minichromosome maintenance deficient (S. cerevisiae) 3 (MCM3), mRNA

Page 456 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1681	14713	27691	5.92	1.0E-114	6879073	NT	Homo sapiens nucleoporin-like protein 1 (NLP_1), mRNA
3148	16205	29119	2.91	1.0E-114	X04086.1	NT	Human gene for catalase (EC 1.1.1.1.6) exon 2 mapping to chromosome 11, band p13
3187	16242	29160	1.26	1.0E-114	BF206374.1	EST_HUMAN	601869932F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:4700214 5'
4044	17082	29980	1.26	1.0E-114	AF149773.1	NT	Homo sapiens NOD1 protein (NOD1) gene, exons 1, 2, and 3
4417	17444	30335	0.78	1.0E-114	J03171.1	NT	Human interferon-alpha receptor (HIFN-alpha-Rec) mRNA, complete cds
5228	18236	31110	0.99	1.0E-114	AA194468.1	EST_HUMAN	zq05605.r1 Stratagene muscle 937209 Homo sapiens cDNA clone IMAGE:628832 5' similar to contains
5474	18575	31483	1.47	1.0E-114	4506880	NT	MER22.13 MER22 repetitive element ; Homo sapiens sema domain, seven thrombospondin repeats (type 1 and type 1-like), transmembrane domain (TM) and short cytoplasmic domain, (semaphorin) 5A (SEMA5A) mRNA
5474	18575	31484	1.47	1.0E-114	4506880	NT	Homo sapiens sema domain, seven thrombospondin repeats (type 1 and type 1-like), transmembrane domain (TM) and short cytoplasmic domain, (semaphorin) 5A (SEMA5A) mRNA
5976	18771	31943	1	1.0E-114	9257201	NT	Homo sapiens clathrin, heavy polypeptide-like 1 (CLTCL1), transcript variant 2, mRNA
6354	19423	32665	0.51	1.0E-114	Z26298.1	NT	H. sapiens isoform 1 gene for L-type calcium channel, exon 20
7191	18422	31224	0.54	1.0E-114	4759163	NT	Homo sapiens sparco/osteonectin, cwcw and kazal-like domains proteoglycan (testican) (SPOCK) mRNA
7280	20014		1.01	1.0E-114	AB041533.1	NT	Homo sapiens HOMOGT-1 mRNA for sperm antigen, complete cds
7450	20416	33770	1.08	1.0E-114	AU134187.1	EST_HUMAN	AU134187 OVARC1 Homo sapiens cDNA clone OVARC1001444 5'
7450	20416	33771	1.08	1.0E-114	AU134187.1	EST_HUMAN	AU134187 OVARC1 Homo sapiens cDNA clone OVARC1001444 5'
7499	20464	33824	5.66	1.0E-114	Y18000.1	NT	Homo sapiens NF2 gene
7499	20464	33825	5.66	1.0E-114	Y18000.1	NT	Homo sapiens NF2 gene
8223	21192	34900	1.87	1.0E-114	4557600	NT	Homo sapiens gamma-aminobutyric acid (GABA) A receptor, alpha 2 (GABRA2) mRNA
8507	21475	34888	1.65	1.0E-114	AI363139.1	EST_HUMAN	qy68406.x1 NCI_CGAP_Bm25 Homo sapiens cDNA clone IMAGE:2017163 3'
8607	21475	34889	1.65	1.0E-114	AI363139.1	EST_HUMAN	qy68406.x1 NCI_CGAP_Bm25 Homo sapiens cDNA clone IMAGE:2017163 3'
9049	22015	36439	3.38	1.0E-114	U63041.1	NT	Human neural cell adhesion molecule CD56 mRNA, complete cds
9119	22085	35514	5.81	1.0E-114	AB011133.1	NT	Homo sapiens mRNA for KIAA0561 protein, partial cds
9119	22085	35515	5.81	1.0E-114	AB011133.1	NT	Homo sapiens mRNA for KIAA0561 protein, partial cds
9353	22318	35744	0.42	1.0E-114	AB046784.1	NT	Homo sapiens mRNA for KIAA1584 protein, partial cds
9537	22500	35948	0.61	1.0E-114	BF109832.1	EST_HUMAN	7169g12.x1 Soares_NSF_F8_9W_OT_PA_P_S1 Homo sapiens cDNA clone IMAGE:3526847 3' similar to
9769	22710		14.09	1.0E-114	AW327455.1	EST_HUMAN	TR:Q9UJH6 Q9UJH6 TRANSMEMBRANE PROTEIN 2 ;
9818	21140	34546	3.34	1.0E-114	AF077754.1	NT	dq0305.x1 NIH_MGC_2 Homo sapiens cDNA clone IMAGE:2846744 5'
9906	22858		1.15	1.0E-114	M13536.1	NT	Homo sapiens tyrosine kinase pp60c-src (SRC) gene, exon 12 and partial cds
10498	23420	36319	0.95	1.0E-114	BE870004.1	EST_HUMAN	Human carboxypeptidase mRNA
10522	23444	36942	1.42	1.0E-114	AL163272.2	NT	601449752F1 NIH_MGC_65 Homo sapiens cDNA clone IMAGE:3863500 5'
							Homo sapiens chromosome 21 segment HS21C027

Page 457 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
10907	23827	37340	0.87	1.0E-114	BE171984.1	EST_HUMAN	MR0-HT0559-250200-002-007 HT0559 Homo sapiens cDNA
11140	24100						ba73g12.y1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:290808 5' similar to gb:X17208 40S RIBOSOMAL PROTEIN S4 (HUMAN); gb:M20832 Mouse LLRep3 protein mRNA from a repetitive element, complete (MOUSE);
11524	24465	38018	15.04	1.0E-114	BE302888.1	EST_HUMAN	
11524	24465	38019	3.01	1.0E-114	AV733454.1	EST_HUMAN	AV733454 cdA Homo sapiens cDNA clone cdABA08 5'
12819	28974		3.01	1.0E-114	AV733454.1	EST_HUMAN	AV733454 cdA Homo sapiens cDNA clone cdABA08 5'
12859	25484	31725	2.9	1.0E-114	11478041	NT	Homo sapiens TNF-inducible protein CG12-1 (CG12-1), mRNA
12859	25484	31728	3.55	1.0E-114	11034850	NT	Homo sapiens hypothetical protein (DJ1042K10.2), mRNA
24	13144	26044	3.55	1.0E-114	11034850	NT	Homo sapiens hypothetical protein (DJ1042K10.2), mRNA
130	13235	26165	2.83	1.0E-115	4758111	NT	Homo sapiens HLA-B associated transcript-1 (D6S81E) mRNA
134	13239	26313	2.37	1.0E-115	4505938	NT	Homo sapiens polymerase (RNA) II (DNA directed) polypeptide A (220kD) (POLR2A) mRNA
292	13386	26528	3.38	1.0E-115	4557887	NT	Homo sapiens keratin 18 (KRT18) mRNA
537	13608	26527	5.22	1.0E-115	AW804759.1	EST_HUMAN	QV4-UM0094-300300-156-508 UM0094 Homo sapiens cDNA
537	13608	26527	1.12	1.0E-115	AI339208.1	EST_HUMAN	qib6f01.x1 NCL CGAP GC4 Homo sapiens cDNA clone IMAGE:1948809 3' similar to TR:O00538 O00538
787	13846	26782	1.12	1.0E-115	AI339208.1	EST_HUMAN	TTF-I INTERACTING PEPTIDE 5;
787	13846	26793	0.78	1.0E-115	5174702	NT	TTF-I INTERACTING PEPTIDE 5;
788	13848	26795	0.78	1.0E-115	5174702	NT	Homo sapiens transforming growth factor beta-activated kinase-binding protein 1 (TAB1), mRNA
1561	14593	27567	0.69	1.0E-115	4503794	NT	Homo sapiens transforming growth factor beta-activated kinase-binding protein 1 (TAB1), mRNA
1561	14593	27567	1.48	1.0E-115	AF228180.1	NT	Homo sapiens ferritin, heavy polypeptide 1 (FTH1) mRNA
1858	14884	27881	1.48	1.0E-115	AF228180.1	NT	Homo sapiens alpha-aminoadipate semialdehyde synthase mRNA, complete cds
2853	15923	28089	1.24	1.0E-115	U79027.1	NT	Homo sapiens alpha-aminoadipate semialdehyde synthase mRNA, complete cds
3132	16188	29100	1.7	1.0E-115	AW804759.1	EST_HUMAN	Homo sapiens Bruton's tyrosine kinase (BTK), alpha-D-galactosidase A (GLA), L44-like ribosomal protein (L44L) and FTP3 (FTP3) genes, complete cds
3132	16188	29100	2.74	1.0E-115	AJ245922.1	NT	QV4-UM0094-300300-156-508 UM0094 Homo sapiens cDNA
3486	16532	29457	2.74	1.0E-115	AJ245922.1	NT	Homo sapiens mRNA for alpha-tubulin 8 (TUBA8 gene)
4072	17108	30002	2.07	1.0E-115	AJ277892.1	NT	Homo sapiens mRNA for alpha-tubulin 8 (TUBA8 gene)
4295	17324	30204	4.75	1.0E-115	AB002348.2	NT	Homo sapiens partial TTN gene for titin
4428	17456	30347	0.86	1.0E-115	AL137163.1	NT	Homo sapiens mRNA for KIAA0350 protein, partial cds
4455	17491	30378	3.89	1.0E-115	6912659	NT	Novel human gene mapping to chromosome X
4702	17723	30616	3.73	1.0E-115	4759279	NT	Homo sapiens sir2-like 3 (SIRT3), mRNA
4702	17723	30617	2.53	1.0E-115	AL098857.1	NT	Homo sapiens EphA4 (EPHA4) mRNA
			2.53	1.0E-115	AL098857.1	NT	Novel human mRNA from chromosome 1, which has similarities to BAT2 genes
						NT	Novel human mRNA from chromosome 1, which has similarities to BAT2 genes

Page 458 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4943	17959	30849	2.57	1.0E-115	AL163268.2	NT	Homo sapiens chromosome 21 segment HS21C068
4943	17959	30850	2.57	1.0E-115	AL163268.2	NT	Homo sapiens chromosome 21 segment HS21C068
5420	18523	31401	9.81	1.0E-115	AW970335.1	EST_HUMAN	EST382416 IMAGE resequences, MAGK Homo sapiens cDNA
5488	18598	31510	1.06	1.0E-115	BF065387.1	EST_HUMAN	602119349F1 NIH_MGC_56 Homo sapiens cDNA clone IMAGE:4276738 5'
5620	18716	31875	1.68	1.0E-115	11425128	NT	Homo sapiens similar to ER to nucleus signalling 1 (H. sapiens) (LOC63433), mRNA
5620	18716	31876	1.68	1.0E-115	11425128	NT	Homo sapiens similar to ER to nucleus signalling 1 (H. sapiens) (LOC63433), mRNA
5775	18867	32049	1.1	1.0E-115	AI928799.1	EST_HUMAN	au64g01.x1 Schneider fetal brain 00004 Homo sapiens cDNA clone IMAGE:2519568 3' similar to gb107807
5775	18867	32050	1.1	1.0E-115	AI928799.1	EST_HUMAN	au64g01.x1 Schneider fetal brain 00004 Homo sapiens cDNA clone IMAGE:2519568 3' similar to gb107807
6391	19459	32704	0.68	1.0E-115	11426786	NT	Homo sapiens sperm surface protein (HSS), mRNA
6391	19459	32705	0.68	1.0E-115	11426786	NT	Homo sapiens sperm surface protein (HSS), mRNA
6535	19598	32861	19.47	1.0E-115	11426038	NT	Homo sapiens similar to ribosomal protein S26 (H. sapiens) (LOC83436), mRNA
6678	19735	33010	1.82	1.0E-115	7661883	NT	Homo sapiens KIAA0054 gene product: Helicase (KIAA0054), mRNA
6678	19735	33011	1.82	1.0E-115	7661883	NT	Homo sapiens KIAA0054 gene product: Helicase (KIAA0054), mRNA
7120	20054	33358	0.57	1.0E-115	T86774.1	EST_HUMAN	yd86b08.r1 Scores fetal liver spleen 1NFSL Homo sapiens cDNA clone IMAGE:115095 5' similar to SP'DPOG_YEAST P15801 DNA POLYMERASE GAMMA ;
7493	20458	33816	1.22	1.0E-115	AI076598.1	EST_HUMAN	oz31a06.x1 Scores_total_fetus_Nb2HF8_9w Homo sapiens cDNA clone IMAGE:1676914 3'
7493	20458	33817	1.22	1.0E-115	AI076598.1	EST_HUMAN	oz31a06.x1 Scores_total_fetus_Nb2HF8_9w Homo sapiens cDNA clone IMAGE:1676914 3'
7638	20598	33962	7.12	1.0E-115	AB023212.1	NT	Homo sapiens mRNA for KIAA0995 protein, partial cds
8500	21468	34884	11.55	1.0E-115	BE830187.1	EST_HUMAN	RC8-ET0081-130700-011-G01 ET0081 Homo sapiens cDNA
8500	21468	34885	11.55	1.0E-115	BE830187.1	EST_HUMAN	RC8-ET0081-130700-011-G01 ET0081 Homo sapiens cDNA
9164	22130	35557	4.68	1.0E-115	11434772	NT	Homo sapiens eukaryotic translation initiation factor 4B (EIF4B), mRNA
10133	23059	36536	0.64	1.0E-115	BF382029.1	EST_HUMAN	601816352F1 NIH_MGC_56 Homo sapiens cDNA clone IMAGE:4050108 5'
10358	23282	36758	1.74	1.0E-115	AB002336.1	NT	Human mRNA for KIAA0338 gene, partial cds
10358	23282	36759	1.74	1.0E-115	AB002336.1	NT	Human mRNA for KIAA0338 gene, partial cds
10887	23807	37312	1.02	1.0E-115	AI221878.1	EST_HUMAN	cg98e09.x1 Scores_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1843336 3'
10887	23807	37313	1.02	1.0E-115	AI221878.1	EST_HUMAN	cg98e09.x1 Scores_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1843336 3'
10894	23814	37321	0.7	1.0E-115	AI524687.1	EST_HUMAN	h12a07.x1 NCI CGAP CLL1 Homo sapiens cDNA clone IMAGE:1843336 3'
10920	23840	37356	0.73	1.0E-115	BE886285.1	EST_HUMAN	PHENYLALANINE TRNA SYNTHETASE ;
11072	24034	37558	3.4	1.0E-115	AW571544.1	EST_HUMAN	60150879F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:2118036 3' similar to TR:O16129 O16129
							xx32F08.x1 NCI CGAP_UH1 Homo sapiens cDNA clone IMAGE:3911610 5'
							xx32F08.x1 NCI CGAP_UH1 Homo sapiens cDNA clone IMAGE:2839239 3' similar to SW:CAYP_CANFA
							P10463 CALCIOPHOSINE ;

Page 459 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
11589	24527	38083	2.1	1.0E-115	BE045890.1	EST_HUMAN	h954c10.x1 NCI_CGAP_Pan3 Homo sapiens cDNA clone IMAGE:3123186 3' similar to TR:O88378 O88378 PRP4 PROTEIN KINASE HOMOLOG ;
11589	24527	38084	2.1	1.0E-115	BE045890.1	EST_HUMAN	h954c10.x1 NCI_CGAP_Pan3 Homo sapiens cDNA clone IMAGE:3123186 3' similar to TR:O88378 O88378 PRP4 PROTEIN KINASE HOMOLOG ;
11726	24812	38189	2.06	1.0E-115	4502528	NT	Homo sapiens calcium channel, voltage-dependent, alpha 1E subunit (CACNA1E) mRNA
12191	25036		1.52	1.0E-115	AF240786.1	NT	Homo sapiens glutathione S-transferase theta 2 (GSTT2) and glutathione S-transferase theta 1 (GSTT1) genes, complete cds
574	13643	26557	1.02	1.0E-116	BE275502.1	EST_HUMAN	601121347F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:2888878 5'
801	13860	26807	2.44	1.0E-116	4507334	NT	Homo sapiens synaptobrevin 1 (SYNJ1), mRNA
860	13916		0.66	1.0E-116	4507334	NT	Homo sapiens synaptobrevin 1 (SYNJ1), mRNA
2013	15034	28044	2.89	1.0E-116	5174478	NT	Homo sapiens pericentrin (PCNT) mRNA
2013	15034	28045	2.89	1.0E-116	5174478	NT	Homo sapiens pericentrin (PCNT) mRNA
2316	15327	28350	1.86	1.0E-116	5453941	NT	Homo sapiens protein phosphatase, EF hand calcium-binding domain 1 (PPEFT) mRNA
2348	15357		1.68	1.0E-116	U78308.1	NT	Human olfactory receptor olfr17-201-1 (OR17-201-1) gene, olfactory receptor olfr17-32 (OR17-32) gene and olfactory receptor pseudo_olfr17-01 (OR17-01) pseudogene, complete cds
2462	15466	28489	2.99	1.0E-116	AB018333.1	NT	Homo sapiens mRNA for KIAA0790 protein, partial cds
2744	15629	28754	3.32	1.0E-116	BE889256.1	EST_HUMAN	601613337F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3914600 5'
3180	16235		0.95	1.0E-116	T07615.1	EST_HUMAN	EST08405 Fetal brain, Stratagene (cat#936206) Homo sapiens cDNA clone HFBK28 similar to EST containing L1 repeat
3189	16244	29161	5.44	1.0E-116	L77570.1	NT	Homo sapiens DiGeorge syndrome critical region, centromeric end
3189	16244	29162	5.44	1.0E-116	L77570.1	NT	Homo sapiens DiGeorge syndrome critical region, centromeric end
4405	17433	30318	2.36	1.0E-116	5031954	NT	Homo sapiens sodium phosphate transporter 3 (NPT3) mRNA
4892	17809	30798	2.03	1.0E-116	AB07096.1	EST_HUMAN	PM-BT135-070499-016 BT135 Homo sapiens cDNA
5230	18238	31111	0.92	1.0E-116	AJ243213.1	NT	Homo sapiens partial 5-HT4 receptor gene, exons 2 to 5
5351	18456	31328	0.92	1.0E-116	AB02062.1	EST_HUMAN	qh19d04.x1 NCI_CGAP_Lv6 Homo sapiens cDNA clone IMAGE:1898695 3' similar to contains element MER25 repetitive element ;
6090	19169	32384	2.18	1.0E-116	W42822.1	EST_HUMAN	zxc24d07.r1 Soares_senescent_fibroblasts_NH9SF Homo sapiens cDNA clone IMAGE:323245 5' similar to SW:MDHM_MOUSE P08249 MALATE DEHYDROGENASE, MITOCHONDRIAL PRECURSOR ;
6336	19405	32845	1.8	1.0E-116	AB046856.1	NT	Homo sapiens mRNA for KIAA1636 protein, partial cds
6336	19405	32846	1.8	1.0E-116	AB046856.1	NT	Homo sapiens mRNA for KIAA1636 protein, partial cds
6408	19476	32723	0.95	1.0E-116	BE408097.1	EST_HUMAN	601302281F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3636764 5'
6649	19707	32982	0.73	1.0E-116	5729867	NT	Homo sapiens hect domain and RLD 2 (HERC2), mRNA
6649	19707	32983	0.73	1.0E-116	5729867	NT	Homo sapiens hect domain and RLD 2 (HERC2), mRNA

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6663	19720		2.06	1.0E-116	BE198133.1	EST_HUMAN	MR2-HT0379-210200-102-b04 HT0379 Homo sapiens cDNA
7130	20106	33417	1.59	1.0E-116	C02944.1	EST_HUMAN	C02944 Human heart cDNA (Ynakamura) Homo sapiens cDNA clone 3NHCO567
7410	20377	33728	7.19	1.0E-116	AV716314.1	EST_HUMAN	AV716314 DCB Homo sapiens cDNA clone DCBCCG06 5'
8712	21680	35108	1.32	1.0E-116	AA354256.1	EST_HUMAN	EST62885 Jurkat T-cells V Homo sapiens cDNA 5' end similar to similar to keratin 2
8712	21680	35107	1.32	1.0E-116	AA354256.1	EST_HUMAN	EST62885 Jurkat T-cells V Homo sapiens cDNA 5' end similar to similar to keratin 2
8824	21781	35213	1.04	1.0E-116	AB04151.1	EST_HUMAN	CM-BT043-090289-075 BT043 Homo sapiens cDNA
9290	22258	35886	1.39	1.0E-116	BE565507.1	EST_HUMAN	601338288F1 NIH_MGC_53 Homo sapiens cDNA clone IMAGE:3880680 5'
9455	22419	35857	2.9	1.0E-116	AI216352.1	EST_HUMAN	q09c05.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1844188 3' similar to gb:X53741.1 Jma1 FIBULIN-1, ISOFORM A PRECURSOR (HUMAN);
10033	22960	36428	1.49	1.0E-116	11418646	NT	Homo sapiens laminin, alpha 2 (merosin, congenital muscular dystrophy) (LAMA2), mRNA
10633	23555	37055	0.71	1.0E-116	AJ277441.1	NT	Homo sapiens partial mRNA for xylosyltransferase I (XT-I gene)
10633	23555	37056	0.71	1.0E-116	AJ277441.1	NT	Homo sapiens partial mRNA for xylosyltransferase I (XT-I gene)
10713	23635	37128	0.91	1.0E-116	BE168913.1	EST_HUMAN	QV4-HT0401-281299-063-c09 HT0401 Homo sapiens cDNA
11046	24010	37538	2.44	1.0E-116	BF335849.1	EST_HUMAN	CM2-CT0482-300800-349-e06 CT0482 Homo sapiens cDNA
11470	24413	37962	2.83	1.0E-116	AI367140.1	EST_HUMAN	qq41e04.x1 Soares_NhlhPpu_S1 Homo sapiens cDNA clone IMAGE:1935102 3' similar to WP:B0495.7 CE01765 ;
12804	25840		1.66	1.0E-116	AL134889.1	EST_HUMAN	DKFZp762L1110.1 762 (synonym: hmel2) Homo sapiens cDNA clone DKFZp762L1110 5'
560	13630	26547	1.04	1.0E-117	4826636	NT	Homo sapiens acetyl-Coenzyme A carboxylase alpha (ACACA), mRNA
1079	15858	27076	0.86	1.0E-117	AF124393.1	NT	Mus musculus fragile-X-related protein 1 (Fxr1h) gene, exons 13a through 15
1229	14267	27224	2.2	1.0E-117	AF284750.1	NT	Homo sapiens ALR-like protein mRNA, partial cds
1848	14874	27870	2.04	1.0E-117	M19816.1	NT	Human apolipoprotein B-100 (apoB) gene, exon 10
2221	15235	28259	1.26	1.0E-117	AW957699.1	EST_HUMAN	EST369769 MAGE resequences, MAGE Homo sapiens cDNA
3281	16335	28255	1.51	1.0E-117	AA978114.1	EST_HUMAN	op32c11.s1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1578548 3'
4016	17055	29958	5.89	1.0E-117	AA316723.1	EST_HUMAN	EST188414 HCC cell line (metastasis to liver in mouse) II Homo sapiens cDNA 5' end similar to ribosomal protein L29
4371	17398	30278	2.1	1.0E-117	8659564	NT	Homo sapiens collagen, type IV, alpha 5 (Alport syndrome) (COL4A5), mRNA
4608	17629	30521	1.95	1.0E-117	AL042120.1	EST_HUMAN	DKFZp434C1120.1 434 (synonym: htes3) Homo sapiens cDNA clone DKFZp434C1120 5'
4755	17775	30870	1.19	1.0E-117	X89870.1	NT	H. sapiens mRNA for TPCR16 protein
4755	17775	30871	1.19	1.0E-117	X89870.1	NT	H. sapiens mRNA for TPCR16 protein
4847	17864	30757	10.31	1.0E-117	AF134304.2	NT	Homo sapiens Scar2 (SCAR2) gene, partial cds
4847	17864	30758	10.31	1.0E-117	AF134304.2	NT	Homo sapiens Scar2 (SCAR2) gene, partial cds
4977	17992	30881	4.01	1.0E-117	AB020673.1	NT	Homo sapiens mRNA for KIAA0866 protein, complete cds
5421	18524	31402	3.29	1.0E-117	BE730508.1	EST_HUMAN	601562657F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3832214 5'
7148	18380	31269	0.53	1.0E-117	AA323348.1	EST_HUMAN	EST126111 Cerebellum II Homo sapiens cDNA 5' end similar to similar to zinc finger domain

Page 461 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7683	20641	34004	4.55	1.0E-117	L76571.1	NT	Homo sapiens nuclear hormone receptor (shp) gene, 3' end of cds
7683	20641	34005	4.55	1.0E-117	L76571.1	NT	Homo sapiens nuclear hormone receptor (shp) gene, 3' end of cds
7795	20747	34121	3.71	1.0E-117	AV717788.1	EST_HUMAN	AV717788 DGB Homo sapiens cDNA clone DCBBAE01 5'
7795	20747	34122	3.71	1.0E-117	AV717788.1	EST_HUMAN	AV717788 DGB Homo sapiens cDNA clone DCBBAE01 5'
8311	21280	34691	3.79	1.0E-117	AI950145.1	EST_HUMAN	wp86507.x1 NCI_CGAP_Brn25 Homo sapiens cDNA clone IMAGE:2468629 3' similar to TR:O76065
8654	21622	35042	1.01	1.0E-117	10834989	NT	O75065 KIAA0477 PROTEIN.;
8654	21622	35043	1.01	1.0E-117	10834989	NT	Homo sapiens neural cell adhesion molecule 1 (NCAM1), mRNA
8754	21722	35144	0.63	1.0E-117	AI904151.1	EST_HUMAN	Homo sapiens neural cell adhesion molecule 1 (NCAM1), mRNA
8754	21722	35145	0.63	1.0E-117	AI904151.1	EST_HUMAN	CM-BT043-090299-075 BT043 Homo sapiens cDNA
9654	22597	36046	1.61	1.0E-117	D16524.1	NT	GM-BT043-090299-075 BT043 Homo sapiens cDNA
10145	23071	36546	1.71	1.0E-117	BE733922.1	EST_HUMAN	Human gene for very low density lipoprotein receptor, exon 11
10306	23701	36713	0.84	1.0E-117	AF099033.1	NT	601568317F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3843748 5'
10934	23854	37370	1.96	1.0E-117	11420222	NT	Homo sapiens gamma-aminobutyric acid type B receptor 2 (GABABR2) mRNA, complete cds
11207	24161	37691	2.17	1.0E-117	D83776.1	NT	Homo sapiens Drosophila Kelch like protein (DKELCHL), mRNA
11375	24322	37851	1.96	1.0E-117	11424835	NT	Human mRNA for KIAA0191 gene, partial cds
11604	24542	38101	2.72	1.0E-117	AB011541.1	NT	Homo sapiens protein (peptidyl-prolyl dis/transferase) NIMA-interacting 1 (PIN1), mRNA
11722	24608	38102	2.72	1.0E-117	AB011541.1	NT	Homo sapiens protein (peptidyl-prolyl dis/transferase) NIMA-interacting 1 (PIN1), mRNA
11821	24802	38393	1.76	1.0E-117	4501848	NT	Homo sapiens mRNA for MEGF8, partial cds
11921	24802	38394	1.76	1.0E-117	4501848	NT	Homo sapiens mRNA for MEGF8, partial cds
12429	25911		1.39	1.0E-117	AF224669.1	NT	601186203F1 NIH_MGC_8 Homo sapiens cDNA clone IMAGE:3544298 5'
71	13189	26109	2.9	1.0E-118	AF161500.1	NT	Homo sapiens ATP-binding cassette, sub-family A (ABC1), member 3 (ABCA3), mRNA
95	13211	26135	1.27	1.0E-118	AL045854.1	EST_HUMAN	Homo sapiens ATP-binding cassette, sub-family A (ABC1), member 3 (ABCA3), mRNA
518	13589	26509	4.46	1.0E-118	7657016	NT	Homo sapiens marnosidase, beta A, lysosomal (MANBA) gene, and ubiquitin-conjugating enzyme E2D 3 (UBE2D3) genes, complete cds
915	15854	26923	1.66	1.0E-118	5174680	NT	Homo sapiens HSPC151 mRNA, complete cds
2242	15256	28280	1.93	1.0E-118	BE389705.1	EST_HUMAN	DKFZp434l056_j1 434 (synonym: hies3) Homo sapiens cDNA clone DKFZp434l056 5'
2242	15256	28281	1.93	1.0E-118	BE389705.1	EST_HUMAN	Homo sapiens hypothetical protein (D1328E19.C1.1), mRNA
2242	15256	28282	1.93	1.0E-118	BE389705.1	EST_HUMAN	Homo sapiens sine oculis homeobox (Drosophila) homolog 1 (SIX1) mRNA
2337	15348		1.55	1.0E-118	AW951729.1	EST_HUMAN	601281947F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3604019 5'
2750	15743	28760	2.48	1.0E-118	U07000.1	NT	601281947F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3604019 5'
2750	15743	28761	2.48	1.0E-118	U07000.1	NT	EST363799 MAGE resequences, MAGE Homo sapiens cDNA
							Human breakpoint cluster region (BCR) gene, complete cds
							Human breakpoint cluster region (BCR) gene, complete cds

Page 462 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3121	16178		3.87	1.0E-118	Y13832.1	NT	Homo sapiens PRKY exon 7
3210	16265	29187	4.61	1.0E-118	A1347694.1	EST_HUMAN	qp01105.x1 NCJ_CGAP_Kid5 Homo sapiens cDNA clone IMAGE:1916769 3'
3210	16265	29188	4.61	1.0E-118	A1347694.1	EST_HUMAN	qp01105.x1 NCJ_CGAP_Kid5 Homo sapiens cDNA clone IMAGE:1916769 3'
3970	17010	29924	0.98	1.0E-118	AB024469.1	NT	Pongo pygmaeus DNA, similar to pol gene of HERV-W and MSRV isolate ORW3-3
4116	17149	30041	5.07	1.0E-118	D23660.1	NT	Human mRNA for ribosomal protein, complete cds
5497	18597	31508	1.86	1.0E-118	AF142624.1	NT	Homo sapiens calcium channel gamma 4 subunit (CACNG4) gene, exon 3
5497	18597	31509	1.86	1.0E-118	AF142624.1	NT	Homo sapiens calcium channel gamma 4 subunit (CACNG4) gene, exon 3
5713	18807	31984	0.66	1.0E-118	11422054	NT	Homo sapiens reelin (RELN), mRNA
5713	18807	31985	0.66	1.0E-118	11422054	NT	Homo sapiens reelin (RELN), mRNA
5800	18892	32074	0.58	1.0E-118	U08892.1	NT	Homo sapiens reelin (RELN), mRNA
5800	18892	32075	0.58	1.0E-118	U08892.1	NT	Human GS2 gene, exon 6
5865	18954	32141	1.44	1.0E-118	M55109.1	NT	Human cystic fibrosis transmembrane conductance regulator (CFTR) gene, exon 4
5962	19047	32247	0.95	1.0E-118	11425900	NT	Homo sapiens T-box 4 (TBX4), mRNA
5962	19047	32248	0.95	1.0E-118	11425900	NT	Homo sapiens T-box 4 (TBX4), mRNA
6053	19134	32343	1.81	1.0E-118	11420764	NT	Homo sapiens transient receptor potential channel 5 (TRPC5), mRNA
6849	19902	33196	1.79	1.0E-118	4557732	NT	Homo sapiens latent transforming growth factor beta binding protein 2 (LTBP2) mRNA
6849	19902	33197	1.79	1.0E-118	4557732	NT	Homo sapiens latent transforming growth factor beta binding protein 2 (LTBP2) mRNA
7304	20275	33611	1.07	1.0E-118	AL043761.1	EST_HUMAN	DKFZp434O0127_r1 434 (synonym: htes3) Homo sapiens cDNA clone DKFZp434O0127 5'
7304	20275	33612	1.07	1.0E-118	AL043761.1	EST_HUMAN	DKFZp434O0127_r1 434 (synonym: htes3) Homo sapiens cDNA clone DKFZp434O0127 5'
7858	20803	34179	5.13	1.0E-118	11431050	NT	Homo sapiens chromosome 2 open reading frame 3 (C2ORF3), mRNA
7872	20816	34194	0.72	1.0E-118	L46590.1	NT	Homo sapiens very long chain acyl-CoA dehydrogenase gene, exons 1-20, complete cds
8305	21274	34685	2.41	1.0E-118	BE781223.1	EST_HUMAN	601469159F1 NIH_MGC_67 Homo sapiens cDNA clone IMAGE:3872247 5'
8726	21694	35119	7.01	1.0E-118	BE062855.1	EST_HUMAN	QV0-BT0263-090200-097-h03 BT0263 Homo sapiens cDNA
8726	21694	35120	7.01	1.0E-118	BE062855.1	EST_HUMAN	QV0-BT0263-090200-097-h03 BT0263 Homo sapiens cDNA
8732	21700	35125	1.39	1.0E-118	AA443024.1	EST_HUMAN	z698407.r1 Soares_NHMPu_S1 Homo sapiens cDNA clone IMAGE:811789 5'
8732	21700	35126	1.39	1.0E-118	AA443024.1	EST_HUMAN	z698407.r1 Soares_NHMPu_S1 Homo sapiens cDNA clone IMAGE:811789 5'
9021	21987	35408	1.02	1.0E-118	AB002381.1	NT	Human mRNA for KIAA0383 gene, partial cds
9021	21987	35409	1.02	1.0E-118	AB002381.1	NT	Human mRNA for KIAA0383 gene, partial cds
9071	22037	35460	1.32	1.0E-118	4557732	NT	Homo sapiens latent transforming growth factor beta binding protein 2 (LTBP2) mRNA
9071	22037	35461	1.32	1.0E-118	4557732	NT	Homo sapiens latent transforming growth factor beta binding protein 2 (LTBP2) mRNA
9390	22355	35786	5.12	1.0E-118	BE263134.1	EST_HUMAN	601144863F2 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:3160502 5'
9421	22386	35925	0.53	1.0E-118	AL048474.2	EST_HUMAN	DKFZp566K1824_r1 586 (synonym: hute1) Homo sapiens cDNA clone DKFZp566K1824
9951	22878	36341	2.29	1.0E-118	7657016	NT	Homo sapiens hypothetical protein (D328E19.C1.1), mRNA
10598	23620	37115	0.46	1.0E-118	BE736213.1	EST_HUMAN	601307146F1 NIH_MGC_39 Homo sapiens cDNA clone IMAGE:3641603 5'

Page 463 of 546
Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
10698	23620	37116	0.46	1.0E-118	BE736213.1	EST_HUMAN	601307146F1 NIH_MGC_39 Homo sapiens cDNA clone IMAGE:3841603 5'
10741	23663	37158	2.31	1.0E-118	BF185407.1	EST_HUMAN	7n17e09.x1 NCI_CGAP_Brn23 Homo sapiens cDNA clone IMAGE:3564785 3' similar to SW_ZP3A_HUMAN
10899	23819	37328	0.54	1.0E-118	AW296351.1	EST_HUMAN	P21754 ZONA PELLUCIDA SPERM-BINDING PROTEIN 3A PRECURSOR ;
11607	24545	38106	6.48	1.0E-118	AA315007.1	EST_HUMAN	U-H-BW0-alo-a-07-0-U1.s1 NCI_CGAP_Sub6 Homo sapiens cDNA clone IMAGE:2729772 3'
11884	24765	38351	1.9	1.0E-118	BE908676.1	EST_HUMAN	EST186814 HCC cell line (metastasis to liver in mouse) II Homo sapiens cDNA 5' end similar to dynein, light chain 1, cytoplasmic
11884	24765	38352	1.9	1.0E-118	BE908676.1	EST_HUMAN	601499514F1 NIH_MGC_70 Homo sapiens cDNA clone IMAGE:3901563 5'
11887	24788	38355	1.51	1.0E-118	BF093887.1	EST_HUMAN	601499514F1 NIH_MGC_70 Homo sapiens cDNA clone IMAGE:3901563 5'
11887	24788	38356	1.51	1.0E-118	BF093887.1	EST_HUMAN	QV0-JM0091-120900-385-b12 UM0091 Homo sapiens cDNA
12036	24911		1.58	1.0E-118	6325465	NT	QV0-JM0091-120900-385-b12 UM0091 Homo sapiens cDNA
1038	15857	27034	1.75	1.0E-119	7705607	NT	Homo sapiens flag structure-specific endonuclease 1 (FEN1), mRNA
1950	14973	27672	2.88	1.0E-119	AB023147.1	NT	Homo sapiens CGI-105 protein (LOC51011), mRNA
3119	16176	28087	0.98	1.0E-119	8922205	NT	Homo sapiens mRNA for KIAA0930 protein, partial cds
3254	16308		0.68	1.0E-119	AA916760.1	EST_HUMAN	Homo sapiens hypothetical protein FLJ10052 (FLJ10052), mRNA
3975	17015	28929	1.12	1.0E-119	4504118	NT	on10b05.s1 NCI_CGAP_Lu5 Homo sapiens cDNA clone IMAGE:1556241 3' similar to WP:E04F6.2 CE01214 ;
5410	18513	31391	2.79	1.0E-119	AU133399.1	EST_HUMAN	Homo sapiens glutamate receptor, ionotropic, kainate 1 (GRIK1) mRNA
5423	18526	31404	14.66	1.0E-119	M89914.1	NT	AU133399 NT2RP4 Homo sapiens cDNA clone NT2RP4001991 5'
5428	18531	31411	2.88	1.0E-119	BE936121.1	EST_HUMAN	Human neurofibromin (NF1) gene, complete cds
5508	18608	31538	1.55	1.0E-119	AV693731.1	EST_HUMAN	RC1-NN0073-250800-018-g06 NN0073 Homo sapiens cDNA
5671	18766	31937	0.68	1.0E-119	AL134903.1	EST_HUMAN	AV693731 GK Homo sapiens cDNA clone GKCDHB03 5'
5671	18766	31938	0.68	1.0E-119	AL134903.1	EST_HUMAN	DKFZp762M0710_1 762 (synonym: hmel2) Homo sapiens cDNA clone DKFZp762M0710 5'
6250	19323	32553	7.38	1.0E-119	AI150703.1	EST_HUMAN	DKFZp762M0710_1 762 (synonym: hmel2) Homo sapiens cDNA clone DKFZp762M0710 5'
6415	19483	32730	0.69	1.0E-119	AF315683.1	NT	qb77c08.x1 Soares_fetal_heart NBHH19W Homo sapiens cDNA clone IMAGE:1708128 3' similar to
6415	19483	32731	0.69	1.0E-119	AF315683.1	NT	SW:K1CJ_MOUSE P02535 KERATIN, TYPE I CYTOSKELETAL 10 ;
6485	19530	32778	1	1.0E-119	AI476732.1	EST_HUMAN	Homo sapiens matrix metalloproteinase 28 (MMP28) mRNA, complete cds
6604	19663	32836	2.67	1.0E-119	X06292.1	NT	Homo sapiens matrix metalloproteinase 28 (MMP28) mRNA, complete cds
6816	19874	32852	4.98	1.0E-119	AW974193.1	EST_HUMAN	im23f10.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2157451 3'
7640	20600	33864	1.3	1.0E-119	BE796814.1	EST_HUMAN	Human c-fos/fos proto-oncogene
9009	21975	35395	1.15	1.0E-119	BE15150.1	EST_HUMAN	EST386296 IMAGE resequences, MAGM Homo sapiens cDNA
10113	23039	36519	0.5	1.0E-119	11545621	NT	601592005F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3946081 5'
10267	23192	36679	1.1	1.0E-119	11036643	NT	601280564F1 NIH_MGC_39 Homo sapiens cDNA clone IMAGE:3622526 5'
							Homo sapiens melanoma differentiation associated protein-5 (MDA5), mRNA

Page 464 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
10608	23530	37025	5.31	1.0E-119	AA465124.1	EST_HUMAN	aa32f05.r1 NCL CGAP_GOB1 Homo sapiens cDNA clone IMAGE:814977 5'
10870	23790	37290	1.12	1.0E-119	AJ297701.1	NT	Homo sapiens partial IL-12RB1 gene for IL-12 receptor beta1 chain, exons 16-17
10911	23831	37344	0.73	1.0E-119	11425837	NT	Homo sapiens hypothetical protein FLJ10206 (FLJ10206), mRNA
10911	23831	37345	0.73	1.0E-119	11425837	NT	Homo sapiens hypothetical protein FLJ10206 (FLJ10206), mRNA
10985	23805	37419	0.79	1.0E-119	AB032281.1	NT	Homo sapiens Scd mRNA for stearoyl-CoA desaturase, complete cds
11394	24340	37870	1.86	1.0E-119	AJ297701.1	NT	Homo sapiens partial IL-12RB1 gene for IL-12 receptor beta1 chain, exons 16-17
11394	24340	37871	1.86	1.0E-119	AJ297701.1	NT	Homo sapiens partial IL-12RB1 gene for IL-12 receptor beta1 chain, exons 16-17
11535	24476		13.43	1.0E-119	BF589571.1	EST_HUMAN	602186072F1 NIH_MGC_45 Homo sapiens cDNA clone IMAGE:4310633 5'
12486	25901		3.21	1.0E-119	AW847519.1	EST_HUMAN	RC3-CT0212-240899-011-703 CT0212 Homo sapiens cDNA
301	13395	26322	0.89	1.0E-120	4507334	NT	Homo sapiens synaptobrevin 1 (SYNJ1), mRNA
1042	14088	27040	1.6	1.0E-120	AF248540.1	NT	Homo sapiens intersectin 2 (SH3D1B) mRNA, complete cds
1042	14088	27041	1.6	1.0E-120	AF248540.1	NT	Homo sapiens intersectin 2 (SH3D1B) mRNA, complete cds
1422	14455	27429	2.56	1.0E-120	NA4873.1	EST_HUMAN	Y40g12.r1 Soares melanocyte 2N1bHM Homo sapiens cDNA clone IMAGE:273768 5'
1605	14637	27614	2.5	1.0E-120	AF167706.1	NT	Homo sapiens cysteine-rich repeat-containing protein S52 precursor, mRNA, complete cds
1823	14850	27844	1.4	1.0E-120	4557250	NT	Homo sapiens disintegrin and metalloprotease domain 10 (ADAM10) mRNA
2534	15537	28558	1.08	1.0E-120	4755124	NT	Homo sapiens aquaporin 4 (AQP4), splice variant b, mRNA
3318	13395	26322	1.34	1.0E-120	4507334	NT	Homo sapiens synaptobrevin 1 (SYNJ1), mRNA
4385	17413	30297	1.81	1.0E-120	AF056490.1	NT	Homo sapiens cAMP-specific phosphodiesterase 8A (PDE8A) mRNA, partial cds
4385	17413	30298	1.81	1.0E-120	AF056490.1	NT	Homo sapiens cAMP-specific phosphodiesterase 8A (PDE8A) mRNA, partial cds
4691	17712	30806	2.67	1.0E-120	AF098463.1	NT	Homo sapiens stanniocalcin (STC) gene, partial cds
4691	17712	30807	2.67	1.0E-120	AF098463.1	NT	Homo sapiens stanniocalcin (STC) gene, partial cds
5825	18915	32098	13.85	1.0E-120	BF568222.1	EST_HUMAN	602183994F1 NIH_MGC_42 Homo sapiens cDNA clone IMAGE:4300174 5'
5825	18915	32099	13.85	1.0E-120	BF568222.1	EST_HUMAN	602183994F1 NIH_MGC_42 Homo sapiens cDNA clone IMAGE:4300174 5'
6583	19643	32910	0.53	1.0E-120	M29428.1	NT	Human P-glycoprotein (MDR1) gene, exons 6 and 7
6583	19643	32911	0.53	1.0E-120	M29428.1	NT	Human P-glycoprotein (MDR1) gene, exons 6 and 7
7823	20771	34147	1.84	1.0E-120	D34619.1	NT	Human TBXAS1 gene for thromboxane synthase, exon 7
8226	21195	34602	1.76	1.0E-120	Y00067.1	NT	Human gene for neurofilament subunit M (NF-M)
8226	21195	34603	1.76	1.0E-120	Y00067.1	NT	Human gene for neurofilament subunit M (NF-M)
8675	21643	35068	2.82	1.0E-120	BF337599.1	EST_HUMAN	602035352F1 NCL CGAP_Bm64 Homo sapiens cDNA clone IMAGE:4183333 5'
8747	21715	35138	0.75	1.0E-120	AB033057.1	NT	Homo sapiens mRNA for KIAA1231 protein, partial cds
8747	21715	35139	0.75	1.0E-120	AB033057.1	NT	Homo sapiens mRNA for KIAA1231 protein, partial cds
8751	21719	35141	2.5	1.0E-120	AB007984.1	NT	Homo sapiens mRNA, chromosome 1 specific transcript KIAA0495
8751	21719	35142	2.5	1.0E-120	AB007984.1	NT	Homo sapiens mRNA, chromosome 1 specific transcript KIAA0495
8798	21763	35185	1.13	1.0E-120	AB007934.1	NT	Homo sapiens mRNA for KIAA0465 protein, partial cds

Page 465 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
9859	22795	36247	4.14	1.0E-120	BE392102.1	EST_HUMAN	601307739F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3625544 5'
9859	22795	36248	4.14	1.0E-120	BE392102.1	EST_HUMAN	601307739F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3625544 5'
10102	23028	36505	3.98	1.0E-120	BF305541.1	EST_HUMAN	601888956F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:4122876 5'
10118	23044	36524	7.33	1.0E-120	AU133205.1	EST_HUMAN	AU133205 NT2RP4 Homo sapiens cDNA clone NT2RP4001541 5'
10135	23081	36539	0.87	1.0E-120	AL049801.1	NT	Novel human gene mapping to chromosome 13, similar to rat RhoGAP
10252	23177		0.51	1.0E-120	AB04151.1	EST_HUMAN	GM-BT043-090289-075 BT043 Homo sapiens cDNA
10438	23358	36846	3.02	1.0E-120	AB026000.1	NT	Homo sapiens mRNA for KIAA1077 protein, partial cds
11461	24404	37952	19.45	1.0E-120	BE296387.1	EST_HUMAN	601176727F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3532015 5'
11672	24638	38216	2.5	1.0E-120	BE867619.1	EST_HUMAN	601443135F1 NIH_MGC_65 Homo sapiens cDNA clone IMAGE:3847281 5'
11672	24638	38217	2.5	1.0E-120	BE867619.1	EST_HUMAN	601443135F1 NIH_MGC_65 Homo sapiens cDNA clone IMAGE:3847281 5'
11963	24842	38436	2.23	1.0E-120	U94774.1	NT	Human muscle glycogen phosphorylase (PYGM) gene, 5'UTR and exon 1
12632	25318	31785	1.45	1.0E-120	11417862	NT	Homo sapiens calcineurin binding protein 1 (KIAA0330), mRNA
74	13191	26113	0.97	1.0E-121	Y18000.1	NT	Homo sapiens NF2 gene
378	13462	26392	1.92	1.0E-121	AU134963.1	EST_HUMAN	AU134963 PLAGE1 Homo sapiens cDNA clone PLAGE1000899 5'
725	15848	28721	1.83	1.0E-121	5032192	NT	Homo sapiens TNF receptor-associated factor 1 (TRAF1) mRNA
1983	15004	28007	1.17	1.0E-121	4755139	NT	Homo sapiens inositol polyphosphate-4-phosphatase, type I, 107kD (INPP4A), splice variant a, mRNA
1983	15004	28008	1.17	1.0E-121	4755139	NT	Homo sapiens inositol polyphosphate-4-phosphatase, type I, 107kD (INPP4A), splice variant a, mRNA
2112	15129	28149	1.36	1.0E-121	L76631.1	NT	Homo sapiens metabotropic glutamate receptor 1 beta (mGluR1beta) mRNA, complete cds
2980	16038	28961	1.69	1.0E-121	AF111168.2	NT	Homo sapiens serine palmitoyl transferase, subunit II gene, complete cds; and unknown genes
3097	16154	29067	3.41	1.0E-121	Y19208.1	NT	Homo sapiens HBB3 gene for hair keratin, exons 1 to 9
3097	16154	29068	3.41	1.0E-121	Y19208.1	NT	Homo sapiens HBB3 gene for hair keratin, exons 1 to 9
3547	16593	29518	0.84	1.0E-121	AB037788.1	NT	Homo sapiens mRNA for KIAA1337 protein, partial cds
3547	16593	29519	0.84	1.0E-121	AB037788.1	NT	Homo sapiens mRNA for KIAA1337 protein, partial cds
3690	16733	29646	8.63	1.0E-121	AF155156.2	NT	Homo sapiens adaptor-related protein complex AP-4 epsilon subunit mRNA, complete cds
4358	17385	30267	1.39	1.0E-121	AI263284.1	EST_HUMAN	qx57501.x1 NCI CGAP_Pan1 Homo sapiens cDNA clone IMAGE:2005417 3'
5012	18026	30911	3.4	1.0E-121	X91937.1	NT	H. sapiens ECE-1 gene (exon 17)
5182	18191	31067	0.93	1.0E-121	4507334	NT	Homo sapiens synaptobrevin 1 (SYNJ1), mRNA
5340	18445	31198	0.86	1.0E-121	BE222250.1	EST_HUMAN	hu0608.x1 NCI CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3168119 3'
5641	18737	31901	0.58	1.0E-121	BE271424.1	EST_HUMAN	601140485F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3049820 5'
7072	20094		0.7	1.0E-121	AJ271736.1	NT	Homo sapiens Xq pseudautosomal region; segment 2/2
7155	18387	31230	0.82	1.0E-121	AW898086.1	EST_HUMAN	RC3-NN0066-270400-011-02 NN0066 Homo sapiens cDNA
7155	18387	31231	0.82	1.0E-121	AW898086.1	EST_HUMAN	RC3-NN0066-270400-011-02 NN0066 Homo sapiens cDNA

Page 466 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8269	21238	34849	1.57	1.0E-121	11436217	NT	Homo sapiens gamma-aminobutyric acid (GABA) A receptor, alpha 2 (GABRA2), mRNA
8273	21242	34853	2.22	1.0E-121	D84122.1	NT	Homo sapiens DNA for prostacyclin synthase, exon 8
8273	21242	34854	2.22	1.0E-121	D84122.1	NT	Homo sapiens DNA for prostacyclin synthase, exon 8
10217	23142	36630	0.79	1.0E-121	AW583858.1	EST_HUMAN	la05g05.y1 Human Pancreatic Islets Homo sapiens cDNA 5' similar to TR:075457 075457 CYTOSOLIC PHOSPHOLIPASE A2-GAMMA. ;
10217	23142	36631	0.79	1.0E-121	AW583858.1	EST_HUMAN	la05g05.y1 Human Pancreatic Islets Homo sapiens cDNA 5' similar to TR:075457 075457 CYTOSOLIC PHOSPHOLIPASE A2-GAMMA. ;
11130	24080	37619	1.87	1.0E-121	11427788	NT	Homo sapiens COX11 (yeast) homolog, cytochrome c oxidase assembly protein (COX11), mRNA
11136	24096	37625	1.52	1.0E-121	AF064200.1	NT	Homo sapiens UDP-glucuronosyltransferase 2B4 precursor (UGT2B4) mRNA, UGT2B4*E458 allele, complete cds
11315	24265	37793	3.61	1.0E-121	7330334	NT	Homo sapiens chloride intracellular channel 4 like (CLIC4L), mRNA
11340	24290	37815	3.42	1.0E-121	N59624.1	EST_HUMAN	y74001.s1 Scores fetal liver spleen 1NLS Homo sapiens cDNA clone IMAGE:248448 3'
11664	24600	38175	4.22	1.0E-121	AU119320.1	EST_HUMAN	AU119320 HEMBA1 Homo sapiens cDNA clone HEMBA1005536 5'
267	13363	26287	2.23	1.0E-122	11526176	NT	Homo sapiens T-cell lymphoma invasion and metastasis 1 (TIAM1), mRNA
336	13425	26347	3.36	1.0E-122	AF114488.1	NT	Homo sapiens intersectin short isoform (ITSN) mRNA, complete cds
358	13445	26372	2.1	1.0E-122	11526176	NT	Homo sapiens T-cell lymphoma invasion and metastasis 1 (TIAM1), mRNA
883	13938	26897	3.29	1.0E-122	AF114488.1	NT	Homo sapiens intersectin short isoform (ITSN) mRNA, complete cds
1224	14262	27219	16.66	1.0E-122	M20707.1	NT	Human kappe-immunoglobulin germline pseudogene (Chr22.4) variable region (subgroup V kappa II)
1702	14732	27714	1.02	1.0E-122	AF167706.1	NT	Homo sapiens cysteine-rich repeat-containing protein S62 precursor, mRNA, complete cds
1725	14755	27741	1.67	1.0E-122	11418424	NT	Homo sapiens collagen, type XII, alpha 1 (COL12A1), mRNA
1725	14755	27742	1.67	1.0E-122	11418424	NT	Homo sapiens collagen, type XII, alpha 1 (COL12A1), mRNA
1831	14858	27856	5.11	1.0E-122	BE906024.1	EST_HUMAN	601497032F1 NIH_MGC_70 Homo sapiens cDNA clone IMAGE:3899358 5'
2499	15502	28528	8.15	1.0E-122	BF316170.1	EST_HUMAN	601896173F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:4125234 5'
2499	15502	28529	8.15	1.0E-122	BF316170.1	EST_HUMAN	601896173F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:4125234 5'
2851	15911	28634	0.91	1.0E-122	AF284717.1	NT	Homo sapiens FYVE domain-containing dual specificity protein phosphatase FYVE-DSP2 mRNA, complete cds
4883	17900	30789	1.03	1.0E-122	4502166	NT	Homo sapiens amyloid beta (A4) precursor protein (protease nexin-II, Alzheimer disease) (APP), mRNA
5025	18039	31904	1.4	1.0E-122	AW504645.1	EST_HUMAN	UI-HF-BN0-all-e-03-0-JU.1 NIH_MGC_50 Homo sapiens cDNA clone IMAGE:3079948 5'
5643	18739	31904	1.31	1.0E-122	BE256039.1	EST_HUMAN	601113567F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3354232 5'
6920	18739	31904	7.59	1.0E-122	BE256039.1	EST_HUMAN	601113567F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3354232 5'
7422	20389	33740	0.6	1.0E-122	AA888671.1	EST_HUMAN	ak49h06.s1 Scores_testis_NHT Homo sapiens cDNA clone IMAGE:1409339 3'

Page 467 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8135	21072	34471	0.51	1.0E-122	AA224259.1	EST_HUMAN	zr15d03.r1 Stratagene NT2 neuronal precursor 937230 Homo sapiens cDNA clone IMAGE:683436 5' similar to TR:G940370 G940370 1-AMINOCYCLOPROPANE-1-CARBOXYLATE SYNTHASE;
8135	21072	34472	0.51	1.0E-122	AA224259.1	EST_HUMAN	zr15d03.r1 Stratagene NT2 neuronal precursor 937230 Homo sapiens cDNA clone IMAGE:683436 5' similar to TR:G940370 G940370 1-AMINOCYCLOPROPANE-1-CARBOXYLATE SYNTHASE;
9148	22114	35539	0.56	1.0E-122	AJ276801.1	NT	Homo sapiens mRNA for doublesex and mab-3 related transcription factor 1 (DMRT1)
9383	22348	35780	1.17	1.0E-122	11424216	NT	Homo sapiens lethal giant larvae (Drosophila) homolog 2 (LLGL2), mRNA
9678	22831	36086	0.78	1.0E-122	AJ359618.1	EST_HUMAN	qy32h07.x1 NCI_CGAP_Bm23 Homo sapiens cDNA clone IMAGE:2013757 3' similar to SW:MTA1_HUMAN Q13330 METASTASIS-ASSOCIATED PROTEIN MTA1;
9678	22831	36087	0.78	1.0E-122	AJ359618.1	EST_HUMAN	qy32h07.x1 NCI_CGAP_Bm23 Homo sapiens cDNA clone IMAGE:2013757 3' similar to SW:MTA1_HUMAN Q13330 METASTASIS-ASSOCIATED PROTEIN MTA1;
10493	23415	36913	0.77	1.0E-122	AL117234.1	NT	Novel human gene mapping to chromosome X, isoform of dbi (prob-oncogene)
11714	24677	38255	6.11	1.0E-122	AB024088.1	NT	Homo sapiens gene for B120, exon 10
12102	24973	38570	1.5	1.0E-122	11434816	NT	Homo sapiens thyroid hormone receptor interactor 11 (TRIP11), mRNA
12228	25063		5.83	1.0E-122	11418187	NT	Homo sapiens phosphomannomutase 1 (PMM1), mRNA
13107	14262	27219	3.03	1.0E-122	M20707.1	NT	Human kappa-immunoglobulin germline pseudogene (Chr22.4) variable region (subgroup V kappa II)
769	13828	26772	1.18	1.0E-123	BF345274.1	EST_HUMAN	602018058F1 NCI_CGAP_Bm67 Homo sapiens cDNA clone IMAGE:4153670 5'
769	13828	26773	1.18	1.0E-123	BF345274.1	EST_HUMAN	602018058F1 NCI_CGAP_Bm67 Homo sapiens cDNA clone IMAGE:4153670 5'
1015	14063	27014	5.55	1.0E-123	AL163249.2	NT	Homo sapiens chromosome 21 segment HS21C049
1024	14070	27021	2.2	1.0E-123	58031114	NT	Homo sapiens inner membrane protein, mitochondrial (mitofilin) (IMMT), mRNA
1243	14279	27241	5.25	1.0E-123	4505818	NT	Homo sapiens phosphatidylinositol-4-phosphate 5-kinase, type II, beta (PIP5K2B) mRNA, and translated products
1243	14279	27242	5.25	1.0E-123	4505818	NT	Homo sapiens phosphatidylinositol-4-phosphate 5-kinase, type II, beta (PIP5K2B) mRNA, and translated products
1449	14482	27459	83.95	1.0E-123	AJ388641.1	NT	Homo sapiens partial mRNA for immunoglobulin kappa chain variable region (IGVK gene), sample GN02
2109	15126	28145	2.75	1.0E-123	M55419.1	NT	Human amelogenin (AMELY) gene, 3' end of cds
2109	15126	28146	2.75	1.0E-123	M55419.1	NT	Human amelogenin (AMELY) gene, 3' end of cds
2109	15126	28147	2.75	1.0E-123	M55419.1	NT	Human amelogenin (AMELY) gene, 3' end of cds
2323	15334		3.14	1.0E-123	7705962	NT	Homo sapiens RAB9-like protein (LOC51209), mRNA
3284	16318	29239	1.52	1.0E-123	6912617	NT	Homo sapiens glutamyl-peptide cyclotransferase (glutamyl cyclase) (QPCT), mRNA
5522	18621	31555	1.58	1.0E-123	L34219.1	NT	Homo sapiens retinaldehyde-binding protein (CRALBP) gene, complete cds
5522	18621	31556	1.58	1.0E-123	L34219.1	NT	Homo sapiens retinaldehyde-binding protein (CRALBP) gene, complete cds
5661	18757	31925	1.31	1.0E-123	BE798746.1	EST_HUMAN	601591108F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3945433 5'

Page 468 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6613	19671	32949	1.97	1.0E-123	AU118435.1	EST_HUMAN	AU118435 HEMBA1 Homo sapiens cDNA clone HEMBA1003591 5'
7199	20223	33554	0.83	1.0E-123	H53198.1	EST_HUMAN	yq84e03.r1 Soares fetal liver spleen INFLS Homo sapiens cDNA clone IMAGE:202444 5' similar to SP:YAK1_YEAST P14680 PROTEIN KINASE YAK1;
7212	20236	33569	1.24	1.0E-123	U42224.1	NT	Human growth hormone releasing hormone gene, exon 7
7400	20368	33721	0.57	1.0E-123	U55258.1	NT	Human hBRAVO/Nr-CAM precursor (hBRAVO/Nr-CAM) gene, complete cds
7632	20592	33955	0.9	1.0E-123	11525833	NT	Homo sapiens heparan sulfate (glucosamine) 3-O-sulfotransferase 2 (HS3ST2), mRNA
7804	20847	34232	1.29	1.0E-123	11436439	NT	Homo sapiens 2'-5'-oligoadenylate synthetase 2 (OAS2), mRNA
7913	20856	34244	1.87	1.0E-123	BE263001.1	EST_HUMAN	601152815F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:3508182 5'
8083	21020	34419	0.71	1.0E-123	N35841.1	EST_HUMAN	yx89d11.r1 Soares melanocyte 2NbrHM Homo sapiens cDNA clone IMAGE:268917 5' similar to PIR:S49611
8083	21020	34420	0.71	1.0E-123	N35841.1	EST_HUMAN	yx89d11.r1 Soares melanocyte 2NbrHM Homo sapiens cDNA clone IMAGE:268917 5' similar to PIR:S49611
8248	21217	34628	0.5	1.0E-123	AU131881.1	EST_HUMAN	S49611 protein kinase Pkpa - Phycomyces blakesleeanus;
8248	21217	34627	0.5	1.0E-123	AU131881.1	EST_HUMAN	AU131881 NT2RP3 Homo sapiens cDNA clone NT2RP3003409 5'
8880	21847	36205	1.43	1.0E-123	AW371924.1	EST_HUMAN	AU131881 NT2RP3 Homo sapiens cDNA clone NT2RP3003409 5'
8724	22762	36205	2.03	1.0E-123	AB007823.1	NT	RC4-BT0311-251189-012-a07 BT0311 Homo sapiens cDNA
9863	22789	36253	31.72	1.0E-123	U09823.1	NT	Homo sapiens mRNA for KIAA0454 protein, partial cds
10370	23293		0.44	1.0E-123	4504806	NT	Oryctolagus cuniculus New Zealand white elongation factor 1 alpha (Rabefla2) mRNA, complete cds
12029	24905	38499	5.3	1.0E-123	BF677292.1	EST_HUMAN	Homo sapiens jerky (mouse) homolog-like (JRL), mRNA
12029	24905	38500	5.3	1.0E-123	BF677292.1	EST_HUMAN	602086791F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:4250879 5'
268	13364	26288	1.18	1.0E-124	4507500	NT	602086791F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:4250879 5'
268	13364	26289	1.18	1.0E-124	4507500	NT	Homo sapiens T-cell lymphoma invasion and metastasis 1 (TIAM1) mRNA
274	13370		0.79	1.0E-124	DB7675.1	NT	Homo sapiens T-cell lymphoma invasion and metastasis 1 (TIAM1) mRNA
486	13559	26485	2.11	1.0E-124	AL163246.2	NT	Homo sapiens DNA for amyloid precursor protein, complete cds
692	13754	26883	8.04	1.0E-124	AA397551.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C046
692	13754	26884	8.04	1.0E-124	AA397551.1	EST_HUMAN	z81b04.r1 Stralagene schizo brain S11 Homo sapiens cDNA clone IMAGE:728719 5' similar to TR:G300482
758	13818	26783	6.06	1.0E-124	AF155654.1	NT	G300482 POL=REVERSE TRANSCRIPTASE HOMOLOG [RETROVIRAL ELEMENT];
809	13867	26816	1.34	1.0E-124	4507500	NT	z81b04.r1 Stralagene schizo brain S11 Homo sapiens cDNA clone IMAGE:728719 5' similar to TR:G300482
905	13960	26916	4.34	1.0E-124	7705446	NT	G300482 POL=REVERSE TRANSCRIPTASE HOMOLOG [RETROVIRAL ELEMENT];
1349	14384	27352	12.68	1.0E-124	AF274892.1	NT	Human putative ribosomal protein S1 mRNA
1349	14384	27353	12.68	1.0E-124	AF274892.1	NT	Homo sapiens T-cell lymphoma invasion and metastasis 1 (TIAM1) mRNA
							Homo sapiens hypothetical protein (HSPC068), mRNA
							Homo sapiens glucose transporter 3 gene, exons 9, 10, and complete cds
							Homo sapiens glucose transporter 3 gene, exons 9, 10, and complete cds

Page 469 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1832	14859	27857	2.84	1.0E-124	AJ131712.1	NT	Homo sapiens mRNA for nuclear RNA-helicase (nch61 gene)
2078	15093	28110	1.59	1.0E-124	BE879524.1	EST_HUMAN	601491715F1 NIH_MGC_69 Homo sapiens cDNA clone IMAGE:3893954 5'
2463	15467	28490	1.29	1.0E-124	AB024069.1	NT	Homo sapiens gene for B120, exon 11
3502	16549	29476	0.81	1.0E-124	S78884.1	NT	Homo sapiens ATP-sensitive inwardly rectifying K-channel subunit (KCNJ6/BIR1) gene, exon
3502	16549	29476	0.81	1.0E-124	S78884.1	NT	Homo sapiens ATP-sensitive inwardly rectifying K-channel subunit (KCNJ6/BIR1) gene, exon
3915	16955	29897	0.84	1.0E-124	4507500	NT	Homo sapiens T-cell lymphoma invasion and metastasis 1 (TIAM1) mRNA
4102	17138	30031	0.95	1.0E-124	4504116	NT	Homo sapiens glutamate receptor, ionotropic, kainate 1 (GRIK1) mRNA
4772	17792	30883	0.81	1.0E-124	BE220437.1	EST_HUMAN	h38c07.x1 NCL_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3175788 3'
4776	17795	30987	1.87	1.0E-124	AB024069.1	NT	Homo sapiens gene for B120, exon 11
5370	18475	31348	10.25	1.0E-124	8922337	NT	Homo sapiens hypothetical protein FLJ10300 (FLJ10300), mRNA
5755	18549	32029	1.03	1.0E-124	4506786	NT	Homo sapiens IQ motif containing GTPase activating protein 1 (IQGAP1) mRNA
5889	18074	32272	6.55	1.0E-124	BF696135.1	EST_HUMAN	602124944F1 NIH_MGC_56 Homo sapiens cDNA clone IMAGE:4281635 5'
6293	19365	32804	0.87	1.0E-124	AV711263.1	EST_HUMAN	AV711263 Cu Homo sapiens cDNA clone CuAADF07 5'
6572	19632	32899	0.78	1.0E-124	11420854	NT	Homo sapiens ubiquitin specific protease 9, X chromosome (Drosophila fat facets related) (USP9X), mRNA
7208	20231	33564	2.95	1.0E-124	Y11717.1	NT	M.musculus mRNA for hoxa3 gene
7344	20315	33859	1.04	1.0E-124	BE271295.1	EST_HUMAN	600943771F1 NIH_MGC_8 Homo sapiens cDNA clone IMAGE:2866585 5'
7344	20315	33860	1.04	1.0E-124	BE271295.1	EST_HUMAN	600943771F1 NIH_MGC_8 Homo sapiens cDNA clone IMAGE:2866585 5'
7801	20763	34129	2.59	1.0E-124	AA630331.1	EST_HUMAN	ac08105.s1 Stratagene HeLa cell s3 837216 Homo sapiens cDNA clone IMAGE:855897 3'
8128	21085	34484	1.78	1.0E-124	M37277.1	NT	Human Ig germline H-chain D-region genes, partial cds
8128	21065	34465	1.78	1.0E-124	M37277.1	NT	Human Ig germline H-chain D-region genes, partial cds
8601	21569	34985	13.39	1.0E-124	4506854	NT	Homo sapiens ribosomal protein L5 (RPL5) mRNA
8806	21773	35198	1.25	1.0E-124	AW612106.1	EST_HUMAN	hg94a09.x1 NCL_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2953240 3' similar to TR:O95162
8806	21773	35199	1.25	1.0E-124	AW612106.1	EST_HUMAN	O95162 PEROXISOMAL SHORT-CHAIN ALCOHOL DEHYDROGENASE. ;
9517	22480	35924	0.92	1.0E-124	A1799864.1	EST_HUMAN	hg94a09.x1 NCL_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2953240 3' similar to TR:O95162
9517	22480	35925	0.92	1.0E-124	A1799864.1	EST_HUMAN	O95162 PEROXISOMAL SHORT-CHAIN ALCOHOL DEHYDROGENASE. ;
9846	22782	36236	1.85	1.0E-124	AV645633.1	EST_HUMAN	wa43g03.x1 NCL_CGAP_Pr28 Homo sapiens cDNA clone IMAGE:2321428 3'
9846	22782	36237	1.85	1.0E-124	AV645633.1	EST_HUMAN	wa43g03.x1 NCL_CGAP_Pr28 Homo sapiens cDNA clone IMAGE:2321428 3'
9837	22864	36325	0.66	1.0E-124	AF022655.1	NT	AV645633 GLC Homo sapiens cDNA clone GLCAGE04 3'
9837	22864	36326	0.66	1.0E-124	AF022655.1	NT	AV645633 GLC Homo sapiens cDNA clone GLCAGE04 3'
9837	22864	36328	0.66	1.0E-124	AF022655.1	NT	Homo sapiens cep250 centrosome associated protein mRNA, complete cds
9837	22864	36328	0.66	1.0E-124	AF022655.1	NT	Homo sapiens cep250 centrosome associated protein mRNA, complete cds
9867	22894	36358	8.08	1.0E-124	A1767133.1	EST_HUMAN	w63f02.x1 NCL_CGAP_Kid12 Homo sapiens cDNA clone IMAGE:2400891 3'
9867	22894	36357	8.08	1.0E-124	A1767133.1	EST_HUMAN	w63f02.x1 NCL_CGAP_Kid12 Homo sapiens cDNA clone IMAGE:2400891 3'

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
10230	23155	36945	1.75	1.0E-124	AW503755.1	EST_HUMAN	UI-HF-BN0-akz-b-04-0-UI-1 NIH_MGC_50 Homo sapiens cDNA clone IMAGE:3078848 5'
11386	24333	37862	1.53	1.0E-124	U94776.1	NT	Human muscle glycogen phosphorylase (PYGM) gene, exons 6 through 17
11660	24596	38169	5.95	1.0E-124	AW665663.1	EST_HUMAN	h105c06.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2980908 3'
11801	23956	37479	2.06	1.0E-124	AI446455.1	EST_HUMAN	Y19603.x1 NCI_CGAP_Gas4 Homo sapiens cDNA clone IMAGE:2141980 3' similar to TR:O31662 O31662 YKRS PROTEIN.;
11801	23956	37480	2.06	1.0E-124	AI446455.1	EST_HUMAN	Y19603.x1 NCI_CGAP_Gas4 Homo sapiens cDNA clone IMAGE:2141980 3' similar to TR:O31662 O31662 YKRS PROTEIN.;
12305	13754	26983	4.06	1.0E-124	AA397551.1	EST_HUMAN	z181b04.r1 Stratagene schizo brain S11 Homo sapiens cDNA clone IMAGE:728719 5' similar to TR:G300482 G300482 POL-REVERSE TRANSCRIPTASE HOMOLOG (RETROVIRAL ELEMENT);
12305	13754	26984	4.06	1.0E-124	AA397551.1	EST_HUMAN	z181b04.r1 Stratagene schizo brain S11 Homo sapiens cDNA clone IMAGE:728719 5' similar to TR:G300482 G300482 POL-REVERSE TRANSCRIPTASE HOMOLOG (RETROVIRAL ELEMENT);
12730	25383	31749	1.36	1.0E-124	AB029016.1	NT	Homo sapiens mRNA for KIAA1093 protein, partial cds
12993	25852	31436	1.67	1.0E-124	11417862	NT	Homo sapiens calcineurin binding protein 1 (KIAA0330), mRNA
12993	25852	31437	1.67	1.0E-124	11417862	NT	Homo sapiens calcineurin binding protein 1 (KIAA0330), mRNA
319	13411	26019	10.43	1.0E-125	AB032998.1	NT	Homo sapiens mRNA for KIAA1172 protein, partial cds
426	13121	26019	5.43	1.0E-125	BE743922.1	EST_HUMAN	601577981F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3926885 6'
645	13711	26632	1.26	1.0E-125	AI110656.1	EST_HUMAN	HA0086 Human fetal liver cDNA library Homo sapiens cDNA
645	13711	26633	1.26	1.0E-125	AI110656.1	EST_HUMAN	HA0086 Human fetal liver cDNA library Homo sapiens cDNA
729	13790	26725	2.34	1.0E-125	AF264750.1	NT	Homo sapiens ALR-like protein mRNA, partial cds
861	13917	26875	1.61	1.0E-125	AA042813.1	EST_HUMAN	z153c07.s1 Soares_pregnant_uterus_NbhPU Homo sapiens cDNA clone IMAGE:486540 3' similar to gb:X65857 cds1 OLFACTORY RECEPTOR-LIKE PROTEIN HGMPO7E (HUMAN);
1000	14051	27003	1.16	1.0E-125	AL163210.2	NT	Homo sapiens chromosome 21 segment HS21C010
1156	14198	27148	2.2	1.0E-125	7662279	NT	Homo sapiens KIAA0744 gene product; histone deacetylase 7 (KIAA0744), mRNA
1682	16874	27692	1.99	1.0E-125	7661867	NT	Homo sapiens KIAA0022 gene product (KIAA0022), mRNA
1817	14844	27836	1.65	1.0E-125	U78027.1	NT	Homo sapiens Bruton's tyrosine kinase (BTK), alpha-D-galactosidase A (GLA), L44-like ribosomal protein (L44L) and FTP3 (FTP3) genes, complete cds
1828	14855	27852	2.84	1.0E-125	AF015450.1	NT	Homo sapiens Usurin-alpha mRNA, complete cds
1828	14855	27853	2.84	1.0E-125	AF015450.1	NT	Homo sapiens Usurin-alpha mRNA, complete cds
2366	15374	28395	1.78	1.0E-125	AA011278.1	EST_HUMAN	z101g08.r1 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:429588 5'
2604	15604	28626	1.19	1.0E-125	4504698	NT	Homo sapiens inhibin, alpha (INH) mRNA
2604	15604	28627	1.19	1.0E-125	4504696	NT	Homo sapiens inhibin, alpha (INH) mRNA
3022	18311	29001	1.19	1.0E-125	BE018009.1	EST_HUMAN	bb7406.y1 NIH_MGC_12 Homo sapiens cDNA clone IMAGE:3048131 5' similar to TR:O95604 O95604 ZINC FINGER PROTEIN.;

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3872	16911	29821	1.11	1.0E-125	AA042813.1	EST_HUMAN	z163c07.s1 Soares_pregnant_uterus_NbHPU Homo sapiens cDNA clone IMAGE:486540 3' similar to gb:X65857_cds1 OLFACTORY RECEPTOR-LIKE PROTEIN HGMP07E (HUMAN);
4580	17602	30498	1.86	1.0E-125	11425114	NT	Homo sapiens zinc finger protein ZNF287 (ZNF287), mRNA
4580	17602	30499	1.86	1.0E-125	11425114	NT	Homo sapiens zinc finger protein ZNF287 (ZNF287), mRNA
4648	17669	30556	1.66	1.0E-125	BE315412.1	EST_HUMAN	Homo sapiens zinc finger protein ZNF287 (ZNF287), mRNA
5973	19058	32259	1.47	1.0E-125	11436448	NT	Homo sapiens KIAA0985 protein (KIAA0985), mRNA
5994	19078	32275	1.01	1.0E-125	BE175169.1	EST_HUMAN	QV2-HT0577-010500-166-608 HT0577 Homo sapiens cDNA
6041	19123	32328	3.59	1.0E-125	BE592660.1	EST_HUMAN	601433472F1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3918952 5'
6086	19166	32378	0.6	1.0E-125	AI679904.1	EST_HUMAN	tu67c07.x1 NCL CGAP_Gas4 Homo sapiens cDNA clone IMAGE:2256108 3' similar to WP:C45G9.2
8413	19481	32728	0.68	1.0E-125	BE736055.1	EST_HUMAN	CE01854;
6733	19789	33068	1.29	1.0E-125	BE562526.1	EST_HUMAN	601305670F1 NIH_MGC_39 Homo sapiens cDNA clone IMAGE:3640097 5'
6733	19789	33069	1.29	1.0E-125	BE562526.1	EST_HUMAN	601335828F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3688780 5'
7263	19988	33296	5.05	1.0E-125	X03427.1	NT	601335828F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3688780 5'
7263	19988	33297	5.05	1.0E-125	X03427.1	NT	Homo sapiens IGF-II gene, exon 5
7775	20728	34100	1.04	1.0E-125	BE276823.1	EST_HUMAN	Homo sapiens IGF-II gene, exon 5
8032	20969	34363	0.54	1.0E-125	11425572	NT	Homo sapiens adaptor-related protein complex 2, beta 1 subunit (AP2B1), mRNA
8891	21857	35278	0.99	1.0E-125	U90288.1	NT	Human chromosome 10 duplicated adrenoleukodystrophy (ALD) gene segment containing exons 8-10
8891	21857	35279	0.99	1.0E-125	U90288.1	NT	Human chromosome 10 duplicated adrenoleukodystrophy (ALD) gene segment containing exons 8-10
9473	22437	35875	12.5	1.0E-125	BE181640.1	EST_HUMAN	QV1-HT0638-070500-191-d12 HT0638 Homo sapiens cDNA
9473	22437	35876	12.5	1.0E-125	BE181640.1	EST_HUMAN	QV1-HT0638-070500-191-d12 HT0638 Homo sapiens cDNA
9736	22764	36219	0.93	1.0E-125	AI565996.1	EST_HUMAN	tr62b03.x1 NCL CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2171981 3' similar to TR:Q14089 Q14089
10819	23740	37242	0.85	1.0E-125	BE794576.1	EST_HUMAN	HYPOTHETICAL PROTEIN ;
10860	23780	37280	0.74	1.0E-125	AB002298.1	NT	Homo sapiens KIAA0300 gene, partial cds
11042	24006	37533	2.54	1.0E-125	AF043488.1	NT	Homo sapiens I-REL gene, exon 5
11124	24084	37610	1.97	1.0E-125	AW131202.1	EST_HUMAN	x559102.x1 NCL CGAP_Gas4 Homo sapiens cDNA clone IMAGE:2622363 3' similar to TR:Q13284 Q13284
11124	24084	37611	1.97	1.0E-125	AW131202.1	EST_HUMAN	LAMBDA/IOTA PROTEIN KINASE C-INTERACTING PROTEIN. [1];
11471	24414	37963	2.99	1.0E-125	AB014567.1	NT	x559102.x1 NCL CGAP_Gas4 Homo sapiens cDNA clone IMAGE:2622363 3' similar to TR:Q13284 Q13284
11621	24559	38121	2.06	1.0E-125	7669505	NT	LAMBDA/IOTA PROTEIN KINASE C-INTERACTING PROTEIN. [1];
							Homo sapiens mRNA for KIAA0667 protein, partial cds
							Homo sapiens myosin, heavy polypeptide 1, skeletal muscle, adult (MYH1), mRNA

Page 472 of 546
Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
11626	24584	38128	5	1.0E-125	AF026029.1	NT	Homo sapiens poly(A) binding protein II (PABP2) gene, complete cds
11729	24615	38192	1.68	1.0E-125	AW812899.1	EST_HUMAN	RC3-ST0186-250200-018-c11 ST0186 Homo sapiens cDNA
11830	24713	38296	4.32	1.0E-125	BE074287.1	EST_HUMAN	QV3-BT0569-020200-075-g09 BT0569 Homo sapiens cDNA
11830	24713	38297	4.32	1.0E-125	BE074287.1	EST_HUMAN	QV3-BT0569-020200-075-g09 BT0569 Homo sapiens cDNA
12106	18942	32127	1.48	1.0E-125	BF683645.1	EST_HUMAN	602139874F1 NIH_MGC_46 Homo sapiens cDNA clone IMAGE:4300770 5'
775	13834	26780	6.16	1.0E-126	4789007	NT	Homo sapiens CDC-like kinase (CLK) mRNA
920	13974	26926	0.8	1.0E-126	X68735.1	NT	H.sapiens gene for alpha1-antichymotrypsin, exon 3
2352	15361	28383	0.91	1.0E-126	8923056	NT	Homo sapiens hypothetical protein FLJ20048 (FLJ20048), mRNA
2352	15361	28384	0.91	1.0E-126	8923056	NT	Homo sapiens hypothetical protein FLJ20048 (FLJ20048), mRNA
2605	15605	28628	1.41	1.0E-126	6382078	NT	Homo sapiens RAN binding protein 2 (RANBP2), mRNA
3087	16145	29058	7.58	1.0E-126	AA160709.1	EST_HUMAN	zo72c03.r1 Stralagene pancreas (#837208) Homo sapiens cDNA clone IMAGE:592420 5'
3087	16145	29059	7.58	1.0E-126	AA160709.1	EST_HUMAN	zo72c03.r1 Stralagene pancreas (#837208) Homo sapiens cDNA clone IMAGE:592420 5'
3088	16146	29060	1.02	1.0E-126	BF510408.1	EST_HUMAN	UI-H-B14-ae-b-05-0-UI.s1 NCL CGAP_Sub8 Homo sapiens cDNA clone IMAGE:3084608 3'
3088	16146	29061	1.02	1.0E-126	BF510408.1	EST_HUMAN	UI-H-B14-ae-b-05-0-UI.s1 NCL CGAP_Sub8 Homo sapiens cDNA clone IMAGE:3084608 3'
3645	16688	29603	0.75	1.0E-126	X53941.1	NT	H.sapiens DNA for liver cytochrome b5 pseudogene
3668	16711	29626	2.09	1.0E-126	7657038	NT	Homo sapiens death receptor 6 (DR6), mRNA
4826	17843	30741	1.15	1.0E-126	AF101108.1	NT	Homo sapiens collagen type XI alpha-1 (COL11A1) gene, exon 63
4826	17843	30742	1.15	1.0E-126	AF101108.1	NT	Homo sapiens collagen type XI alpha-1 (COL11A1) gene, exon 63
4872	17889	30777	1.38	1.0E-126	N34078.1	EST_HUMAN	y78c06.r1 Soares melanocyte 2NbHM Homo sapiens cDNA clone IMAGE:287850 5'
5787	18879	32061	0.71	1.0E-126	T66998.1	EST_HUMAN	ya52b12.s1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:66627 3'
6360	19429	32872	3.23	1.0E-126	AA460075.1	EST_HUMAN	z66603.r1 Soares total fetus Nb2HF8_9w Homo sapiens cDNA clone IMAGE:796444 5' similar to
6422	19489	32739	3.5	1.0E-126	AB040958.1	NT	Homo sapiens mRNA for KIAA1525 protein, partial cds
6422	19489	32740	3.5	1.0E-126	AB040958.1	NT	Homo sapiens mRNA for KIAA1525 protein, partial cds
7742	20896	34061	0.98	1.0E-126	AF257737.1	NT	Homo sapiens ciliary dynein heavy chain 9 (DNAH9) mRNA, complete cds
7742	20896	34062	0.98	1.0E-126	AF257737.1	NT	Homo sapiens ciliary dynein heavy chain 9 (DNAH9) mRNA, complete cds
7969	20908	34289	0.84	1.0E-126	AF136463.1	EST_HUMAN	AU136463 PLACE1 Homo sapiens cDNA clone PLACE1004325 5'
8031	20968	34362	0.66	1.0E-126	AB06483.1	EST_HUMAN	wf0801.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2350009 3' similar to
8210	21179	34587	0.92	1.0E-126	AB037715.1	NT	SW:MPP2_HUMAN Q14168 MAGUK P55 SUBFAMILY MEMBER 2 ;
8210	21179	34588	0.92	1.0E-126	AB037715.1	NT	Homo sapiens mRNA for KIAA1294 protein, partial cds
8320	21289	34703	4.9	1.0E-126	X16609.1	NT	Human mRNA for ankryrin (variant 2.1)

Page 473 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8524	21492	34907	1.02	1.0E-126	AA483368.1	EST_HUMAN	ne74b12.e1 NCI_CGAP_Ew1 Homo sapiens cDNA clone IMAGE:909983 similar to SW:TSG6_HUMAN
10156	23080	36566	0.44	1.0E-126	4605424	NT	P98066 TUMOR NECROSIS FACTOR-INDUCIBLE PROTEIN TSG-6 PRECURSOR ;
11208	24182	37692	4.45	1.0E-126	BF683175.1	EST_HUMAN	Homo sapiens neuro-oncological ventral antigen 1 (NOVA1), splice variant 1, mRNA
11848	24728	38315	2.96	1.0E-126	BE261660.1	EST_HUMAN	602139138F1 NIH_MGC_48 Homo sapiens cDNA clone IMAGE:4298240 5'
12766	18382	31297	7.78	1.0E-126	BE743922.1	EST_HUMAN	601149404F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:3502128 5'
173	13275	26201	1.37	1.0E-127	AB024597.1	NT	601877981F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3928685 5'
173	13275	26202	1.37	1.0E-127	AB024597.1	NT	Homo sapiens mRNA for casein kinase I epsilon, complete cds
174	13275	26201	1.7	1.0E-127	AB024597.1	NT	Homo sapiens mRNA for casein kinase I epsilon, complete cds
174	13275	26202	1.7	1.0E-127	AB024597.1	NT	Homo sapiens mRNA for casein kinase I epsilon, complete cds
273	13369	26296	0.9	1.0E-127	D87675.1	NT	Homo sapiens DNA for amyloid precursor protein, complete cds
273	13369	26297	0.9	1.0E-127	D87675.1	NT	Homo sapiens DNA for amyloid precursor protein, complete cds
862	13937	26896	0.98	1.0E-127	AF114488.1	NT	Homo sapiens Intersectin short isoform (ITSN) mRNA, complete cds
917	13971	26925	2.54	1.0E-127	U72621.2	NT	Homo sapiens lost on transformation LOT1 mRNA, complete cds
1700	14730	27712	1.18	1.0E-127	4827063	NT	Homo sapiens ubiquitin specific protease 8 (USP8) mRNA
2080	15097	28113	4.83	1.0E-127	5803065	NT	Homo sapiens leukocyte immunoglobulin-like receptor, subfamily A (with TM domain), member 1 (LILRA1), mRNA
2080	15097	28114	4.83	1.0E-127	5803065	NT	Homo sapiens leukocyte immunoglobulin-like receptor, subfamily A (with TM domain), member 1 (LILRA1), mRNA
2210	15225	28246	10.89	1.0E-127	4506620	NT	Homo sapiens ribosomal protein L26 (RPL26) mRNA
2349	15358	28380	3.28	1.0E-127	AF246505.1	NT	Homo sapiens adiclin mRNA, complete cds
2617	15615	28640	2.23	1.0E-127	X12881.1	NT	Human mRNA for cytokeratin 18
2628	15627	28651	1.15	1.0E-127	AA450131.1	EST_HUMAN	zx42a02.r1 Soares_total_fetus_Nb2HF8_9w Homo sapiens cDNA clone IMAGE:789098 5'
2628	15627	28652	1.15	1.0E-127	AA450131.1	EST_HUMAN	zx42a02.r1 Soares_total_fetus_Nb2HF8_9w Homo sapiens cDNA clone IMAGE:789098 5'
3702	16745	29658	0.98	1.0E-127	AF114488.1	NT	Homo sapiens Intersectin short isoform (ITSN) mRNA, complete cds
3824	16864	29798	0.81	1.0E-127	AW161297.1	EST_HUMAN	au80e06.y1 Schneider fetal brain 00004 Homo sapiens cDNA clone IMAGE:2782594 5' similar to TR:Q15170 Q15170 TRANSCRIPTION FACTOR S-II-RELATED PROTEIN ;contains element MER22 repetitive element ;
4249	17278	30159	0.64	1.0E-127	AL163247.2	NT	Homo sapiens chromosome 21 segment HS21C047
4282	17311	30189	20.15	1.0E-127	7708239	NT	Homo sapiens neuroblastoma-amplified protein (LOC51594), mRNA
4282	17311	30190	20.15	1.0E-127	7708239	NT	Homo sapiens neuroblastoma-amplified protein (LOC51594), mRNA
4523	17648	30436	1.42	1.0E-127	AF252297.1	NT	Homo sapiens cytochrome P450 retinoid metabolizing protein P450RA1-2 mRNA, complete cds
4633	17654	30541	5.27	1.0E-127	4506384	NT	Homo sapiens RAD1 (S. pombe) homolog (RAD1) mRNA, and translated products

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4663	17684		2.42	1.0E-127	AL163268.2	NT	Homo sapiens chromosome 21 segment HS21C068
4700	17721	30614	1.32	1.0E-127	6912639	NT	Homo sapiens Ring1 and YY1 binding protein (RYBP), mRNA
5791	18883	32065	1.46	1.0E-127	W03547.1	EST_HUMAN	za01a10.1 Scars melanocyte 2NbhM Homo sapiens cDNA clone IMAGE:291258 5' similar to SW:PIP6_RAT P10688 1-PHOSPHATIDYLINOSITOL-4,5-BISPHOSPHATE PHOSPHODIESTERASE DELTA 1 ;
5826	18916	32100	2.07	1.0E-127	4826863	NT	Homo sapiens neuronal cell adhesion molecule (NRCAM), mRNA
5900	18987	32178	4.51	1.0E-127	X85764.1	NT	H. sapiens NOS2 gene, exon 6
6286	19358	32594	1.95	1.0E-127	X84060.1	NT	H. sapiens TCF11 gene, exon 3-6
6454	19519	32769	5.46	1.0E-127	4504778	NT	Homo sapiens Integrin, beta 8 (ITGB8), mRNA
6815	19669	33158	0.91	1.0E-127	11421695	NT	Homo sapiens immunoglobulin superfamily, member 3 (IGSF3), mRNA
7264	19999	33298	1.05	1.0E-127	4826977	NT	Homo sapiens reelin (RELN), mRNA
8066	21003	34400	1.34	1.0E-127	11421914	NT	Homo sapiens Pendred syndrome (PDS), mRNA
8066	21003	34401	1.34	1.0E-127	11421914	NT	Homo sapiens Pendred syndrome (PDS), mRNA
8076	21013	34413	0.58	1.0E-127	BF671355.1	EST_HUMAN	602151232F1 NIH_MGC_81 Homo sapiens cDNA clone IMAGE:4292575 5'
8079	21018	34416	0.6	1.0E-127	AW996292.1	EST_HUMAN	QV3-BN0046-150300-121-h11 BN0046 Homo sapiens cDNA
9239	22205	35637	1.12	1.0E-127	11427235	NT	Homo sapiens Chediak-Higashi syndrome 1 (CHS1), mRNA
9239	22205	35638	1.12	1.0E-127	11427235	NT	Homo sapiens Chediak-Higashi syndrome 1 (CHS1), mRNA
9998	22925	36390	4.63	1.0E-127	AF274863.1	NT	Homo sapiens secretory pathway component Sec31B-1 mRNA, alternatively spliced, complete cds
9998	22925	36391	4.63	1.0E-127	AF274863.1	NT	Homo sapiens secretory pathway component Sec31B-1 mRNA, alternatively spliced, complete cds
10232	23157	36646	0.76	1.0E-127	AI288932.1	EST_HUMAN	qm94h09.x1 NCI_CGAP_Lu5 Homo sapiens cDNA clone IMAGE:1896449 3'
10708	23630	37126	1.86	1.0E-127	11427235	NT	Homo sapiens Chediak-Higashi syndrome 1 (CHS1), mRNA
11492	24435	37983	5.12	1.0E-127	11417339	NT	Homo sapiens similar to heat shock 70kD protein 9B (mortalin-2) (H. sapiens) (LOC63184), mRNA
11492	24435	37984	5.12	1.0E-127	11417339	NT	Homo sapiens similar to heat shock 70kD protein 9B (mortalin-2) (H. sapiens) (LOC63184), mRNA
11949	24828	38423	2.78	1.0E-127	BE895415.1	EST_HUMAN	601434784F1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3919917 5'
11949	24828	38424	2.78	1.0E-127	BE895415.1	EST_HUMAN	601434784F1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3919917 5'
12089	21003	34400	2.11	1.0E-127	11421914	NT	Homo sapiens Pendred syndrome (PDS), mRNA
12089	21003	34401	2.11	1.0E-127	11421914	NT	Homo sapiens Pendred syndrome (PDS), mRNA
12532	13275	26201	1.39	1.0E-127	AB024597.1	NT	Homo sapiens mRNA for casein kinase I epsilon, complete cds
12532	13275	26202	1.39	1.0E-127	AB024597.1	NT	Homo sapiens mRNA for casein kinase I epsilon, complete cds
12721	25375	31776	2.4	1.0E-127	AB011399.1	NT	Homo sapiens gene for AF-6, complete cds
13062	25856		1.47	1.0E-127	AB011399.1	NT	Homo sapiens gene for AF-6, complete cds
460	13533	26460	3.35	1.0E-128	BE385617.1	EST_HUMAN	601278127F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3619822 5'

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1158	14200	27150	2.18	1.0E-128	4758081	NT	Homo sapiens chondroin sulfate proteoglycan 2 (versican) (CSPG2) mRNA
1158	14200	27151	2.18	1.0E-128	4758081	NT	Homo sapiens chondroin sulfate proteoglycan 2 (versican) (CSPG2) mRNA
2084	15101	28117	9.34	1.0E-128	U02523.1	NT	Human FAU1P pseudogene, trinucleotide repeat regions
2084	15101	28118	9.34	1.0E-128	U02523.1	NT	Human FAU1P pseudogene, trinucleotide repeat regions
2219	15233	28257	31.4	1.0E-128	4506718	NT	Homo sapiens ribosomal protein S2 (RPS2) mRNA
2451	15456		1.49	1.0E-128	11437455	NT	Homo sapiens chromatin-specific transcription elongation factor, 140 kDa subunit (FACTP140), mRNA
3405	16454	29377	1.23	1.0E-128	AB033073.1	NT	Homo sapiens mRNA for KIAA1247 protein, partial cds
4693	17714	30609	5.95	1.0E-128	11426673	NT	Homo sapiens prospero-related homeobox 1 (PROX1), mRNA
5624	18720	31879	0.84	1.0E-128	X69639.1	NT	H. sapiens gene for inter-alpha-trypsin inhibitor heavy chain H1, exon 12
6558	19818	32883	1.94	1.0E-128	11420965	NT	Homo sapiens phosphodiesterase 1C, calmodulin-dependent (70kD) (PDE1C), mRNA
7116	20050	33363	6.42	1.0E-128	BF224345.1	EST_HUMAN	7q86b10.x1 NCL CGAP Lu24 Homo sapiens cDNA clone IMAGE:3'
7661	20821	33986	0.69	1.0E-128	BE614105.1	EST_HUMAN	601503846F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3905794 5'
7983	20922	34313	0.53	1.0E-128	BF529931.1	EST_HUMAN	602042322F1 NCL CGAP_Bm67 Homo sapiens cDNA clone IMAGE:4178988 5'
7983	20922	34314	0.53	1.0E-128	BF529931.1	EST_HUMAN	602042322F1 NCL CGAP_Bm67 Homo sapiens cDNA clone IMAGE:4178988 5'
7983	20922	34315	0.53	1.0E-128	BF529931.1	EST_HUMAN	602042322F1 NCL CGAP_Bm67 Homo sapiens cDNA clone IMAGE:4178988 5'
8080	21017	34417	0.62	1.0E-128	11545923	NT	Homo sapiens putative ABC transporter (WHITE2), mRNA
8139	21076	34476	0.49	1.0E-128	AB046856.1	NT	Homo sapiens mRNA for KIAA1636 protein, partial cds
8139	21076	34477	0.49	1.0E-128	AB046856.1	NT	Homo sapiens mRNA for KIAA1636 protein, partial cds
8893	21859	35281	0.5	1.0E-128	AB007823.1	NT	Homo sapiens mRNA for KIAA0454 protein, partial cds
8893	21859	35282	0.5	1.0E-128	AB007823.1	NT	Homo sapiens mRNA for KIAA0454 protein, partial cds
10486	23418	36917	1.73	1.0E-128	AA639198.1	EST_HUMAN	ns04a11.r1 NCL CGAP_Ew1 Homo sapiens cDNA clone IMAGE:1182620 similar to TR:G951338 G951338 CHROMOSOME SEGREGATION GENE HOMOLOG CAS. ;
11065	24028	37552	3.42	1.0E-128	11425254	NT	Homo sapiens glutamate receptor, ionotropic, N-methyl D-aspartate 2D (GRIN2D), mRNA
11073	24035	37559	3.94	1.0E-128	AA926959.1	EST_HUMAN	om88h08.st1 NCL CGAP_GC4 Homo sapiens cDNA clone IMAGE:1552383 3' similar to gb:X64941 CYCLIN-DEPENDENT KINASES REGULATORY SUBUNIT 1 (HUMAN);
11149	24109	37635	1.48	1.0E-128	AJ252060.1	NT	Homo sapiens mRNA for TRABID protein (TRABID gene)
11202	24156	37687	2.69	1.0E-128	BE384475.1	EST_HUMAN	601277826F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3618750 5'
12400	25174		8.88	1.0E-128	AW955290.1	EST_HUMAN	EST367360 MAGE resequences, MAGC Homo sapiens cDNA
122	13486	26423	0.89	1.0E-129	S37722.1	NT	Insulin-like growth factor binding protein-2 [human, placenta, Genomic, 1019 nt, segment 2 of 4]
413	13486	26423	1	1.0E-129	S37722.1	NT	Insulin-like growth factor binding protein-2 [human, placenta, Genomic, 1019 nt, segment 2 of 4]
1731	14761	27745	3.06	1.0E-129	AL096880.1	NT	Novel human mRNA containing Zinc finger C2H2 type domains
1736	14766	27750	2.5	1.0E-129	AF240786.1	NT	Homo sapiens glutathione S-transferase theta 2 (GSTT2) and glutathione S-transferase theta 1 (GSTT1) genes, complete cds

Page 476 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1736	14766	27751	2.5	1.0E-129	AF240786.1	NT	Homo sapiens glutathione S-transferase theta 2 (GSTT2) and glutathione S-transferase theta 1 (GSTT1) genes, complete cds
1863	14988	27885	2.86	1.0E-129	11418522	NT	Homo sapiens zinc finger protein 76 (expressed in testis) (ZNF76), mRNA
3145	16202	29113	1.33	1.0E-129	Q14585	SWISSPROT	ZINC FINGER PROTEIN HZF10
3145	16202	29114	1.33	1.0E-129	Q14585	SWISSPROT	ZINC FINGER PROTEIN HZF10
3145	16202	29115	1.33	1.0E-129	Q14585	SWISSPROT	ZINC FINGER PROTEIN HZF10
4192	17223	30112	1.87	1.0E-129	AB040892.1	NT	Homo sapiens mRNA for KIAA1459 protein, partial cds
4309	17338	30216	1.86	1.0E-129	AW755254.1	EST_HUMAN	CMYA5 Human cardiac muscle expression library Homo sapiens cDNA clone 4151935 similar to CMYA5
4309	17338	30217	1.86	1.0E-129	AW755254.1	EST_HUMAN	CMYA5 Human cardiac muscle expression library Homo sapiens cDNA clone 4151935 similar to CMYA5
6210	19284	32516	4.28	1.0E-129	AJ006345.1	NT	Homo sapiens KVLQ11 gene
6674	19731	33007	0.54	1.0E-129	BE88934.1	EST_HUMAN	601513861F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3915350 5'
7334	20305	33649	4.07	1.0E-129	AJ006345.1	NT	Homo sapiens KVLQ11 gene
7396	20364	33716	6.8	1.0E-129	11420850	NT	Homo sapiens similar to ribosomal protein S26 (H. sapiens) (LOC63694), mRNA
7771	20724	34095	0.78	1.0E-129	AF041056.1	NT	Homo sapiens WSCR4 gene, exons 3 and 4
7771	20724	34096	0.78	1.0E-129	AF041056.1	NT	Homo sapiens WSCR4 gene, exons 3 and 4
8661	21629		4.37	1.0E-129	AB014534.1	NT	Homo sapiens mRNA for KIAA0634 protein, partial cds
10439	23361	36850	0.79	1.0E-129	11437282	NT	Homo sapiens solute carrier family 21 (organic anion transporter), member 9 (SLC21A9), mRNA
10439	23361	36851	0.79	1.0E-129	11437282	NT	Homo sapiens solute carrier family 21 (organic anion transporter), member 9 (SLC21A9), mRNA
10878	23798	37299	0.48	1.0E-129	AI199117.1	EST_HUMAN	q40d08.x1 NCI_CGAP_Brm25 Homo sapiens cDNA clone IMAGE:1858959 3' similar to TR:Q14840 Q14840
10878	23798	37300	0.48	1.0E-129	AI199117.1	EST_HUMAN	MITOGEN INDUCIBLE GENE MIG-2;
11557	24497	38053	2.69	1.0E-129	AA625526.1	EST_HUMAN	q40d08.x1 NCI_CGAP_Brm25 Homo sapiens cDNA clone IMAGE:1858959 3' similar to TR:Q14840 Q14840
11630	20364	33716	6.2	1.0E-129	11420850	NT	MITOGEN INDUCIBLE GENE MIG-2;
12386	25164		4.21	1.0E-129	H83155.1	EST_HUMAN	q40d08.x1 NCI_CGAP_Brm25 Homo sapiens cDNA clone IMAGE:1858959 3' similar to TR:Q14840 Q14840
12758	25401		2.63	1.0E-129	AL120739.1	EST_HUMAN	MITOGEN INDUCIBLE GENE MIG-2;
1174	14215	27170	5.95	1.0E-130	AB037835.1	NT	af7207.r1 Soares_NHMPu_S1 Homo sapiens cDNA clone IMAGE:1047589 5'
1675	14707	27985	13.33	1.0E-130	BE275192.1	EST_HUMAN	Homo sapiens similar to ribosomal protein S28 (H. sapiens) (LOC63694), mRNA
1675	14707	27986	13.33	1.0E-130	BE275192.1	EST_HUMAN	y49d05.r1 Soares fetal liver spleen 1NLS Homo sapiens cDNA clone IMAGE:199112 5' similar to SP:B48150 B48150 HP-25=HIBERNATION-RELATED PROTEIN - TAMIAS ASIATICUS=ASIAN;
2000	15021		3.15	1.0E-130	X04092.1	NT	DKFZp762K171_r1 762 (synonym: hme12) Homo sapiens cDNA clone DKFZp762K171 5'
							Homo sapiens hypothetical protein (HSPC242), mRNA
							Homo sapiens mRNA for KIAA1414 protein, partial cds
							601121995F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3346366 5'
							601121995F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3346366 5'
							Human gene for catalase (EC 1.11.1.6) exon 9 mapping to chromosome 11, band p13

Page 477 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2781	15773		8.37	1.0E-130	AJ010230.1	NT	Homo sapiens RET finger protein-like 1 antisense transcript, partial
2890	15949	28864	1.3	1.0E-130	BE564219.1	EST_HUMAN	601343016F1 NIH_MGC_53 Homo sapiens cDNA clone IMAGE:3685466 5'
2890	15949	28865	1.3	1.0E-130	BE564219.1	EST_HUMAN	601343016F1 NIH_MGC_53 Homo sapiens cDNA clone IMAGE:3685466 5'
3591	16636	28556	1.27	1.0E-130	AF240698.1	NT	Homo sapiens retinol dehydrogenase homolog isoform-1 (RDH) mRNA, complete cds
3779	15949	28864	4.55	1.0E-130	BE564219.1	EST_HUMAN	601343016F1 NIH_MGC_53 Homo sapiens cDNA clone IMAGE:3685466 5'
3779	15949	28865	4.55	1.0E-130	BE564219.1	EST_HUMAN	601343016F1 NIH_MGC_53 Homo sapiens cDNA clone IMAGE:3685466 5'
3957	16997	28912	1.41	1.0E-130	AW503580.1	EST_HUMAN	UI-HF-BNO-aky-g-06-Q-U1r1 NIH_MGC_50 Homo sapiens cDNA clone IMAGE:3078731 5'
4099	17133	30027	1	1.0E-130	M97710.1	NT	Human T-cell receptor (V alpha 23.1, J alpha RPM14265-variant, C alpha 1) mRNA
4569	17592	30485	8.22	1.0E-130	AW843989.1	EST_HUMAN	CM4-CN0045-180200-511-102 CN0045 Homo sapiens cDNA
5133	18142	31021	1.53	1.0E-130	AW363299.1	EST_HUMAN	RC0-CT0318-201199-031-e11 CT0318 Homo sapiens cDNA
5133	18142	31022	1.53	1.0E-130	AW363299.1	EST_HUMAN	RC0-CT0318-201199-031-e11 CT0318 Homo sapiens cDNA
6891	18943	33239	0.63	1.0E-130	X57825.1	NT	Human gameline immunoglobulin lambda light chain pseudogene (VL1)
6894	20120	33433	0.89	1.0E-130	AW843875.1	EST_HUMAN	CM0-CN0045-170200-225-g03 CN0045 Homo sapiens cDNA
6894	20120	33434	0.89	1.0E-130	AW843875.1	EST_HUMAN	CM0-CN0045-170200-225-g03 CN0045 Homo sapiens cDNA
7010	20136	33452	0.88	1.0E-130	11425446	NT	Homo sapiens estrogen-responsive B box protein (EBBP) mRNA
7466	20432	33788	2.06	1.0E-130	11416777	NT	Homo sapiens solute carrier family 6 (neurotransmitter transporter, L-proline), member 7 (SLC6A7), mRNA
7574	20536	33894	0.55	1.0E-130	AF257737.1	NT	Homo sapiens ciliary dynein heavy chain 8 (DNAH8) mRNA, complete cds
7574	20536	33895	0.55	1.0E-130	AF257737.1	NT	Homo sapiens ciliary dynein heavy chain 9 (DNAH9) mRNA, complete cds
9030	21996		0.9	1.0E-130	AF008551.1	NT	Homo sapiens aurora-related kinase 1 (ARK1) mRNA, complete cds
9171	22137	35563	2.91	1.0E-130	AW959242.1	EST_HUMAN	EST368312 MAGE resequences, MAGD Homo sapiens cDNA
9569	22531	35981	1.74	1.0E-130	AB037756.1	NT	Homo sapiens mRNA for KIAA1335 protein, partial cds
10293	23218		1.29	1.0E-130	AW103454.1	EST_HUMAN	xd36e06.x1 NCI_CGAP_Ov23 Homo sapiens cDNA clone IMAGE:2566874 3'
12015	24892	38489	1.71	1.0E-130	4504142	NT	Homo sapiens glutamate receptor, metabotropic 5 (GRM5) mRNA
13046	13773		1.44	1.0E-130	AJ010230.1	NT	Homo sapiens RET finger protein-like 1 antisense transcript, partial
4	13125	26023	2.64	0.0E+00	AA228126.1	EST_HUMAN	zf58c04.r1 Scores_NHMPu_S1 Homo sapiens cDNA clone IMAGE:667590 5' similar to TR:G222811
4	13125	26024	2.64	0.0E+00	AA228126.1	EST_HUMAN	G222811 ALPHA 1 CHAIN OF TYPE XII COLLAGEN ;
8	13126	26028	2.59	0.0E+00	4885136	NT	zf58c04.r1 Scores_NHMPu_S1 Homo sapiens cDNA clone IMAGE:667590 5' similar to TR:G222811
16	13136	26034	0.66	0.0E+00	8923349	NT	G222811 ALPHA 1 CHAIN OF TYPE XII COLLAGEN ;
16	13136	26035	0.66	0.0E+00	8923349	NT	Homo sapiens checkpoint suppressor 1 (CHEST) mRNA
23	13143	26042	1.8	0.0E+00	D83327.1	NT	Homo sapiens hypothetical protein FLJ20371 (FLJ20371), mRNA
23	13143	26043	1.8	0.0E+00	D83327.1	NT	Homo sapiens DCRR1 mRNA, partial cds

Page 478 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
29	13149	26048	51.1	0.0E+00	AF141349.1	NT	Homo sapiens beta-tubulin mRNA, complete cds
38	13198	26060	0.87	0.0E+00	M59600.1	NT	Human heparin cofactor II (HCF2) gene, exons 1 through 5
42	13162	26085	4.86	0.0E+00	6857825	NT	Homo sapiens RNA-binding protein S1, serine-rich domain (RNPS1), mRNA
59	13178	26090	2.13	0.0E+00	Y17151.2	NT	Homo sapiens mRNA for multidrug resistance protein 3 (ABCC3)
59	13178	26091	2.13	0.0E+00	Y17151.2	NT	Homo sapiens mRNA for multidrug resistance protein 3 (ABCC3)
61	13180	26095	1.27	0.0E+00	D78804.1	EST_HUMAN	HUM516H08B Human placenta polyA+ (TFujwara) Homo sapiens cDNA clone GEN-516H08 5'
61	13180	26096	1.27	0.0E+00	D78804.1	EST_HUMAN	HUM516H08B Human placenta polyA+ (TFujwara) Homo sapiens cDNA clone GEN-516H08 5'
62	13181	26097	25.34	0.0E+00	L16588.1	NT	Human ribosomal protein L7 (RPL7) mRNA, complete cds
64	13183	26100	11.49	0.0E+00	AW069534.1	EST_HUMAN	cr48e07 x1 Jla bone marrow stroma Homo sapiens cDNA clone HBMSC_cr48e07 3'
64	13183	26101	11.49	0.0E+00	AW069534.1	EST_HUMAN	cr48e07 x1 Jla bone marrow stroma Homo sapiens cDNA clone HBMSC_cr48e07 3'
68	13186	26115	1.16	0.0E+00	M60676.1	NT	Human von Willebrand factor pseudogene corresponding to exons 23 through 34
76	13193	26115	4.06	0.0E+00	4758977	NT	Homo sapiens protein tyrosine phosphatase, non-receptor type substrate 1 (PTPNS1) mRNA
76	13193	26116	4.06	0.0E+00	4758977	NT	Homo sapiens protein tyrosine phosphatase, non-receptor type substrate 1 (PTPNS1) mRNA
79	13193	26115	2.97	0.0E+00	4758977	NT	Homo sapiens protein tyrosine phosphatase, non-receptor type substrate 1 (PTPNS1) mRNA
79	13193	26116	2.97	0.0E+00	4758977	NT	Homo sapiens protein tyrosine phosphatase, non-receptor type substrate 1 (PTPNS1) mRNA
82	13198	26122	0.79	0.0E+00	4501850	NT	Homo sapiens amiloride binding protein 1 (amine oxidase (copper-containing) (ABP1), nuclear gene encoding mitochondrial protein, mRNA
83	13199	26131	16.85	0.0E+00	4504444	NT	Homo sapiens heterogeneous nuclear ribonucleoprotein A1 (HNRPA1) mRNA
91	13207	26131	80.76	0.0E+00	5016088	NT	Homo sapiens actin, beta (ACTB) mRNA
94	13210	26134	16.95	0.0E+00	U89277.1	NT	Human polyhomeotic 1 homolog (HPH1) mRNA, partial cds
101	13217	26141	2.55	0.0E+00	A1114743.1	EST_HUMAN	HA1347 Human fetal liver cDNA library Homo sapiens cDNA
102	13218	26142	1.19	0.0E+00	AB037784.1	NT	Homo sapiens mRNA for KIAA1363 protein, partial cds
116	13227	26151	0.63	0.0E+00	A1623701.1	EST_HUMAN	ts38b05.x1 NCI CGAP_U4 Homo sapiens cDNA clone IMAGE:230883 3' similar to TR:Q99551 Q99551 MITOCHONDRIAL TRANSCRIPTION TERMINATION FACTOR PRECURSOR.
117	13227	26151	0.78	0.0E+00	A1623701.1	EST_HUMAN	ts38b05.x1 NCI CGAP_U4 Homo sapiens cDNA clone IMAGE:230883 3' similar to TR:Q99551 Q99551 MITOCHONDRIAL TRANSCRIPTION TERMINATION FACTOR PRECURSOR.
118	15809	26152	0.64	0.0E+00	N36040.1	EST_HUMAN	yy01h09.r1 Soares melanocyte 2NbHM Homo sapiens cDNA clone IMAGE:270017 5'
118	15809	26153	0.64	0.0E+00	N36040.1	EST_HUMAN	yy01h09.r1 Soares melanocyte 2NbHM Homo sapiens cDNA clone IMAGE:270017 5'
121	13230	26158	0.65	0.0E+00	4505458	NT	Homo sapiens neuropilin 2 (NRP2) mRNA
131	13236	26168	5.49	0.0E+00	4505838	NT	Homo sapiens polymerase (RNA) II (DNA directed) polypeptide A (220KD) (POLR2A) mRNA
131	13236	26167	5.49	0.0E+00	4505838	NT	Homo sapiens polymerase (RNA) II (DNA directed) polypeptide A (220KD) (POLR2A) mRNA
139	13474	26407	0.65	0.0E+00	4503680	NT	Homo sapiens IgG Fc binding protein (FC(GAMMA)BP) mRNA
141	13244	26174	0.85	0.0E+00	T56945.1	EST_HUMAN	ya83g04.r2 Stratagene fetal spleen (#837205) Homo sapiens cDNA clone IMAGE:68310 5'
141	13244	26175	0.85	0.0E+00	T56945.1	EST_HUMAN	ya83g04.r2 Stratagene fetal spleen (#837205) Homo sapiens cDNA clone IMAGE:68310 5'

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
154	13267		54.2	0.0E+00	4504444	NT	Homo sapiens heterogeneous nuclear ribonucleoprotein A1 (HNRPA1) mRNA
158	13261	26188	4.4	0.0E+00	BF036881.1	EST_HUMAN	601460375F1 NIH_MGC_66 Homo sapiens cDNA clone IMAGE:3863803 5'
160	13263		39.14	0.0E+00	4504444	NT	Homo sapiens heterogeneous nuclear ribonucleoprotein A1 (HNRPA1) mRNA
163	13266	26191	0.92	0.0E+00	AF111168.2	NT	Homo sapiens serine palmitoyl transferase, subunit II gene, complete cds; and unknown genes
165	13268	26192	0.74	0.0E+00	BE295973.1	EST_HUMAN	601174270F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3529884 5'
168	13268	26192	1.17	0.0E+00	BE295973.1	EST_HUMAN	601174270F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3529884 5'
167	13269	26193	2.37	0.0E+00	W73973.1	EST_HUMAN	zid62b05.r1 Soares_fetal_heart_Nb1H19W Homo sapiens cDNA clone IMAGE:346201 5' similar to
168	13270	26194	0.85	0.0E+00	BE162832.1	EST_HUMAN	gbX16282_cds1 ZINC FINGER PROTEIN CLONE 647 (HUMAN);
168	13270	26195	0.85	0.0E+00	BE162832.1	EST_HUMAN	QV3-HT0457-140200-088-d04 HT0457 Homo sapiens cDNA
169	13271	26196	1.59	0.0E+00	AF244088.1	NT	Homo sapiens zinc finger protein mRNA, complete cds
172	13274	26199	14.16	0.0E+00	AL163202.2	NT	Homo sapiens chromosome 21 segment HS21C002
172	13274	26200	14.16	0.0E+00	AL163202.2	NT	Homo sapiens chromosome 21 segment HS21C002
182	13282	26207	4.87	0.0E+00	BE018970.1	EST_HUMAN	bb24e12.y1 NIH_MGC_14 Homo sapiens cDNA clone IMAGE:2863854 6' similar to WP:Y67A10A.Z
182	13282	26208	4.87	0.0E+00	BE018970.1	EST_HUMAN	bb24e12.y1 NIH_MGC_14 Homo sapiens cDNA clone IMAGE:2863854 6' similar to WP:Y67A10A.Z
187	13287	26211	4.35	0.0E+00	AB018327.1	NT	Homo sapiens mRNA for KIAA0784 protein, partial cds
187	13287	26212	4.35	0.0E+00	AB018327.1	NT	Homo sapiens mRNA for KIAA0784 protein, partial cds
188	13288	26213	3.06	0.0E+00	AB018327.1	NT	Homo sapiens mRNA for KIAA0784 protein, partial cds
188	13288	26214	3.06	0.0E+00	AB018327.1	NT	Homo sapiens mRNA for KIAA0784 protein, partial cds
196	13287	26225	286.4	0.0E+00	D50659.1	NT	Human gamma-cytoplasmic actin (ACTGPF) pseudogene
200	13301	26229	4.35	0.0E+00	AF273045.1	NT	Homo sapiens GTCL tumor antigen set14-3 mRNA, complete cds
200	13301	26230	4.35	0.0E+00	AF273045.1	NT	Homo sapiens GTCL tumor antigen set14-3 mRNA, complete cds
202	13303	26232	3.93	0.0E+00	AF167174.1	NT	Homo sapiens chromosome X MSL3-2 protein mRNA, complete cds
202	13303	26233	3.93	0.0E+00	AF167174.1	NT	Homo sapiens chromosome X MSL3-2 protein mRNA, complete cds
211	16835	26239	51.32	0.0E+00	AI587308.1	EST_HUMAN	iq04f08.x1 NCLCGAP_U13 Homo sapiens cDNA clone IMAGE:2207847 3' similar to gb:J03191 PROFILIN 1 (HUMAN);
211	16835	26240	51.32	0.0E+00	AI587308.1	EST_HUMAN	iq04f08.x1 NCLCGAP_U13 Homo sapiens cDNA clone IMAGE:2207847 3' similar to gb:J03191 PROFILIN 1 (HUMAN);
213	13313	26242	1.57	0.0E+00	AF196658.1	NT	Homo sapiens DNA mismatch repair protein (MLH3) gene, complete cds
216	13316		43.74	0.0E+00	4506632	NT	Homo sapiens ribosomal protein L31 (RPL31) mRNA
217	13317		6.46	0.0E+00	AF132000.1	NT	Homo sapiens TADA1 protein mRNA, complete cds
223	13323	26248	1.5	0.0E+00	AB018284.1	NT	Homo sapiens mRNA for KIAA0721 protein, partial cds

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
224	13323	26248	1.81	0.0E+00	AB018284.1	NT	Homo sapiens mRNA for KIAA0721 protein, partial cds
225	13324	26249	3.11	0.0E+00	6678444	NT	Mus musculus testis-specific protein, Y-encoded-like (Tspyl), mRNA
239	13338	26284	3.14	0.0E+00	5453805	NT	Homo sapiens NS1-associated protein 1 (NSAP1) mRNA
240	13339		6.19	0.0E+00	AL163201.2	NT	Homo sapiens chromosome 21 segment HS21C001
247	13344	26289	3.48	0.0E+00	AF231919.1	NT	Homo sapiens chromosome 21 unknown mRNA
249	13346	26272	2.06	0.0E+00	X99772.1	NT	H. sapiens mRNA for interferon alpha/beta receptor (long form)
257	13354		9.67	0.0E+00	AF231919.1	NT	Homo sapiens chromosome 21 unknown mRNA
269	13365	26290	1.2	0.0E+00	4507500	NT	Homo sapiens T-cell lymphoma invasion and metastasis 1 (TIAM1) mRNA
269	13365	26291	1.2	0.0E+00	4507500	NT	Homo sapiens T-cell lymphoma invasion and metastasis 1 (TIAM1) mRNA
271	13367	26293	3.56	0.0E+00	7706028	NT	Homo sapiens hypothetical protein (LOC51250), mRNA
282	13377		1.55	0.0E+00	D83327.1	NT	Homo sapiens DCRR1 mRNA, partial cds
283	13378	26306	1.75	0.0E+00	D83327.1	NT	Homo sapiens DCRR1 mRNA, partial cds
283	13378	26307	1.75	0.0E+00	D83327.1	NT	Homo sapiens DCRR1 mRNA, partial cds
284	13379		0.98	0.0E+00	AW845293.1	EST_HUMAN	IL2-CT0031-181199-020-B03 CT0031 Homo sapiens cDNA
293	13387	26314	7.75	0.0E+00	4557029	NT	Homo sapiens potassium inwardly-rectifying channel, subfamily J, member 15 (KCNJ15) mRNA
293	13387	26315	7.75	0.0E+00	4557029	NT	Homo sapiens potassium inwardly-rectifying channel, subfamily J, member 15 (KCNJ15) mRNA
304	13398	26325	3.68	0.0E+00	AB028942.1	NT	Homo sapiens mRNA for KIAA1019 protein, partial cds
305	13399	26326	15.06	0.0E+00	AB028942.1	NT	Homo sapiens mRNA for KIAA1019 protein, partial cds
306	15838		12.15	0.0E+00	4506728	NT	Homo sapiens ribosomal protein S5 (RPS5) mRNA
307	13400	26327	0.8	0.0E+00	4503914	NT	Homo sapiens phosphoribosylglycinamide formyltransferase, phosphoribosylglycinamide synthetase, zvl8c06.r1 Scares_NhlMPu_S1 Homo sapiens cDNA clone IMAGE:753994 5'
308	13401		1.85	0.0E+00	AA480002.1	EST_HUMAN	
309	13402	26328	23.16	0.0E+00	4507152	NT	Homo sapiens SON DNA binding protein (SON) mRNA
310	13402	26328	22.55	0.0E+00	4507152	NT	Homo sapiens SON DNA binding protein (SON) mRNA
314	13408	26332	1.76	0.0E+00	AF114488.1	NT	Homo sapiens interseclin short isoform (ITSN) mRNA, complete cds
327	13418	26341	2.84	0.0E+00	O14867	SWISSPROT	TRANSCRIPTION REGULATOR PROTEIN BACH1 (BTB AND CNC HOMOLOG 1) (HA2303)
327	13418	26342	2.84	0.0E+00	O14867	SWISSPROT	TRANSCRIPTION REGULATOR PROTEIN BACH1 (BTB AND CNC HOMOLOG 1) (HA2303)
328	13419	26343	4.94	0.0E+00	7657213	NT	Homo sapiens hormonally upregulated neu tumor-associated kinase (HUNK), mRNA
329	13419	26343	1.14	0.0E+00	7657213	NT	Homo sapiens hormonally upregulated neu tumor-associated kinase (HUNK), mRNA
344	13433	26355	0.86	0.0E+00	5174574	NT	Homo sapiens myeloid/lymphoid or mixed-lineage leukemia (t(11q24) translocated to, 4 (MLLT4) mRNA
345	13434	26356	2.48	0.0E+00	4505256	NT	Homo sapiens moesin (MSN), mRNA
348	13437	26360	3.07	0.0E+00	4827057	NT	Homo sapiens X-box binding protein 1 (XBP1) mRNA
351	13440	26365	1.24	0.0E+00	U71600.1	NT	Human zinc finger protein zfp31 (zfp31) mRNA, partial cds

Page 481 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
356	13444	26369	2.54	0.0E+00	AF231919.1	NT	Homo sapiens chromosome 21 unknown mRNA
356	13444	26370	2.54	0.0E+00	AF231919.1	NT	Homo sapiens chromosome 21 unknown mRNA
357	15838	26371	2.87	0.0E+00	AF231919.1	NT	Homo sapiens chromosome 21 unknown mRNA
359	13446	26373	0.87	0.0E+00	4507500	NT	Homo sapiens T-cell lymphoma invasion and metastasis 1 (TIAM1) mRNA
361	13448	26376	0.9	0.0E+00	4503854	NT	Homo sapiens GA-binding protein transcription factor, alpha subunit (GABPA), mRNA
362	13449	26377	1.91	0.0E+00	D80006.1	NT	Human mRNA for KIAA0184 gene, partial cds
363	13449	26377	1.41	0.0E+00	D80006.1	NT	Human mRNA for KIAA0184 gene, partial cds
365	13451	26379	0.63	0.0E+00	4507500	NT	Homo sapiens T-cell lymphoma invasion and metastasis 1 (TIAM1) mRNA
376	13460	26390	2.41	0.0E+00	AU134963.1	EST_HUMAN	AU134963 PLACE1 Homo sapiens cDNA clone PLACE1000899 5'
387	13500	26433	7.69	0.0E+00	AB028942.1	NT	Homo sapiens mRNA for KIAA1019 protein, partial cds
388	13501	26434	2.78	0.0E+00	AI363014.1	EST_HUMAN	qy81h05.x1 NCL_CGAP_Bm25 Homo sapiens cDNA clone IMAGE:2018457 3' similar to gb:54199 PHOSPHORIBOSYLAMINE--GLYCINE LIGASE (HUMAN);
392	13467	26397	2.89	0.0E+00	AW754180.1	EST_HUMAN	RC2-CT0320-300100-016-a09 CT0320 Homo sapiens cDNA
395	13469	26400	1.3	0.0E+00	4503680	NT	Homo sapiens IgG Fc binding protein (FC(GAMMA)BP) mRNA
396	13470	26401	2.24	0.0E+00	4503680	NT	Homo sapiens IgG Fc binding protein (FC(GAMMA)BP) mRNA
396	13470	26402	2.24	0.0E+00	4503680	NT	Homo sapiens IgG Fc binding protein (FC(GAMMA)BP) mRNA
397	13471	26403	1.22	0.0E+00	4503680	NT	Homo sapiens IgG Fc binding protein (FC(GAMMA)BP) mRNA
398	13472	26404	1.27	0.0E+00	4503680	NT	Homo sapiens IgG Fc binding protein (FC(GAMMA)BP) mRNA
398	13472	26405	1.27	0.0E+00	4503680	NT	Homo sapiens IgG Fc binding protein (FC(GAMMA)BP) mRNA
399	13473	26406	3.08	0.0E+00	4503680	NT	Homo sapiens IgG Fc binding protein (FC(GAMMA)BP) mRNA
400	13474	26407	0.67	0.0E+00	4503680	NT	Homo sapiens IgG Fc binding protein (FC(GAMMA)BP) mRNA
401	13475	26408	2.69	0.0E+00	X74870.1	NT	H. sapiens gene for RNA pol II largest subunit, exons 23-29
401	13475	26409	2.69	0.0E+00	X74870.1	NT	H. sapiens gene for RNA pol II largest subunit, exons 23-29
402	13475	26408	2.37	0.0E+00	X74870.1	NT	H. sapiens gene for RNA pol II largest subunit, exons 23-29
402	13475	26409	2.37	0.0E+00	X74870.1	NT	H. sapiens gene for RNA pol II largest subunit, exons 23-29
406	13479		25.89	0.0E+00	4506608	NT	Homo sapiens ribosomal protein L19 (RPL19) mRNA
420	13115	26013	1.44	0.0E+00	R17795.1	EST_HUMAN	yg09a02.r1 Scores infant brain 1N1B Homo sapiens cDNA clone IMAGE:31652 5'
428	13502	26435	2.15	0.0E+00	4503914	NT	Homo sapiens phosphoribosylglycylamide formyltransferase, phosphoribosylglycylamide synthetase, phosphoribosylimidazole synthetase (GART) mRNA
429	13503	26436	15.71	0.0E+00	4506728	NT	Homo sapiens ribosomal protein S5 (RPS5) mRNA
430	13504	26436	1.89	0.0E+00	AB028942.1	NT	Homo sapiens mRNA for KIAA1019 protein, partial cds
431	13505	26437	3.68	0.0E+00	4507152	NT	Homo sapiens SON DNA binding protein (SON) mRNA
431	13505	26438	3.68	0.0E+00	4507152	NT	Homo sapiens SON DNA binding protein (SON) mRNA
432	13506	26438	4.53	0.0E+00	AF193607.1	NT	Mus musculus truncated SON protein (Son) mRNA, complete cds

Page 482 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
444	13517		1.27	0.0E+00	AL163201.2	NT	Homo sapiens chromosome 21 segment HS21C001
446	13519	26452	6.45	0.0E+00	4557879	NT	Homo sapiens interferon gamma receptor 1 (IFNGR1) mRNA
451	13524		0.75	0.0E+00	AA324262.1	EST_HUMAN	EST27054 Cerebellum II Homo sapiens cDNA 5' end
452	13525		1.25	0.0E+00	BE254447.1	EST_HUMAN	601111520F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3352348 5'
468	13541	26466	3.47	0.0E+00	4504532	NT	Homo sapiens 5-hydroxytryptamine (serotonin) receptor 1B (HTR1B) mRNA
468	13541	26467	3.47	0.0E+00	4504532	NT	Homo sapiens 5-hydroxytryptamine (serotonin) receptor 1B (HTR1B) mRNA
474	13546	26475	2.84	0.0E+00	4557887	NT	Homo sapiens keratin 18 (KRT18) mRNA
474	13546	26478	2.84	0.0E+00	4557887	NT	Homo sapiens keratin 18 (KRT18) mRNA
484	13557	26482	2.68	0.0E+00	AL163246.2	NT	Homo sapiens chromosome 21 segment HS21C046
485	13558	26483	6.81	0.0E+00	AL163246.2	NT	Homo sapiens chromosome 21 segment HS21C046
485	13558	26484	6.81	0.0E+00	AL163246.2	NT	Homo sapiens chromosome 21 segment HS21C046
484	13566	26489	3.92	0.0E+00	AB033035.1	NT	Homo sapiens mRNA for KIAA1209 protein, partial cds
498	13568	26491	1.83	0.0E+00	AU132898.1	EST_HUMAN	AU132898 NT26P4 Homo sapiens cDNA clone NT2RP400837 5'
504	13576	26497	1.68	0.0E+00	BE385144.1	EST_HUMAN	601274951F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3615756 5'
505	15942	26498	1.88	0.0E+00	AW938825.1	EST_HUMAN	PMO-DT0065-130400-002-c06 DT0065 Homo sapiens cDNA
508	13579	26500	1.47	0.0E+00	AL117233.1	NT	Novel human gene mapping to chromosome 1
509	13580	26501	0.9	0.0E+00	8923955	NT	Homo sapiens PC328 protein (PC328), mRNA
513	13584		0.82	0.0E+00	BF373403.1	EST_HUMAN	IL2-FT0159-070800-120-F07 FT0159 Homo sapiens cDNA
520	13591	26511	5.32	0.0E+00	AL163210.2	NT	Homo sapiens chromosome 21 segment HS21C010
527	15843	26515	1.15	0.0E+00	BE081527.1	EST_HUMAN	QV2-BT0635-160400-142-h05 BT0635 Homo sapiens cDNA
532	13603	26521	1.61	0.0E+00	BF028005.1	EST_HUMAN	601764858F1 NIH_MGC_53 Homo sapiens cDNA clone IMAGE:3995698 5'
538	13609	26528	2.23	0.0E+00	AB040909.1	NT	Homo sapiens mRNA for KIAA1478 protein, partial cds
541	13612	26531	10.84	0.0E+00	6006030	NT	Homo sapiens transcription elongation factor B (SII), polypeptide 1-like (TCEB1L) mRNA
542	13613	26532	4.46	0.0E+00	4504036	NT	Homo sapiens guanine nucleotide binding protein (G protein), alpha 11 (Gq class) (GNA11) mRNA
542	13613	26533	4.46	0.0E+00	4504036	NT	Homo sapiens guanine nucleotide binding protein (G protein), alpha 11 (Gq class) (GNA11) mRNA
544	13615	26535	0.99	0.0E+00	8923831	NT	Homo sapiens anillin (LOC54443), mRNA
545	13616	26536	1.2	0.0E+00	8923831	NT	Homo sapiens anillin (LOC54443), mRNA
545	13616	26537	1.2	0.0E+00	8923831	NT	Homo sapiens anillin (LOC54443), mRNA
							Homo sapiens X-linked anhidrotic ectodermal dysplasia protein gene (EDA), exon 2 and flanking repeat regions
550	13620		5.14	0.0E+00	AF003528.1	NT	U1-H-B11-ach-h-04-0-J1.s1 NCL_CGAP_Sub3 Homo sapiens cDNA clone IMAGE:2713951 3'
558	13628	26546	1.55	0.0E+00	AW135324.1	EST_HUMAN	Homo sapiens RGH1 gene, retrovirus-like element
568	13638		2.54	0.0E+00	D10083.1	NT	Homo sapiens ubiquinol-cytochrome c reductase, Rieske iron-sulfur polypeptide 1 (UQCRCF1), nuclear gene encoding mitochondrial protein, mRNA
588	13656	26571	2.72	0.0E+00	5174742	NT	

Page 483 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
601	13668		15.19	0.0E+00	J04056.1	NT	Human apolipoprotein A-I (ApoA-I) gene, exon 1
604	13671	26585	1.83	0.0E+00	BF104898.1	EST_HUMAN	601822627F1 NIH_MGC_75 Homo sapiens cDNA clone IMAGE:4045447 5'
606	13673	26587	0.77	0.0E+00	8923631	NT	Homo sapiens hypothetical protein FLJ20701 (FLJ20701), mRNA
606	13673	26588	0.77	0.0E+00	8923631	NT	Homo sapiens hypothetical protein FLJ20701 (FLJ20701), mRNA
611	13676	26591	0.99	0.0E+00	4501854	NT	Homo sapiens acetyl-Coenzyme A carboxylase beta (ACACB), mRNA
616	13681	26597	1.6	0.0E+00	AF221712.1	NT	Homo sapiens Smad- and Olf-interacting zinc finger protein mRNA, partial cds
616	13681	26598	1.6	0.0E+00	AF221712.1	NT	Homo sapiens Smad- and Olf-interacting zinc finger protein mRNA, partial cds
623	13688	26605	1.86	0.0E+00	AF149773.1	NT	Homo sapiens NOD1 protein (NOD1) gene, exons 1, 2, and 3
625	13690	26608	1.53	0.0E+00	AB037807.1	NT	Homo sapiens mRNA for KIAA1386 protein, partial cds
627	13692	26609	0.85	0.0E+00	6809918	NT	Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA
628	13693	26610	1.55	0.0E+00	6809918	NT	Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA
628	13693	26611	1.55	0.0E+00	6809918	NT	Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA
629	13694	26612	1.34	0.0E+00	6809918	NT	Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA
629	13694	26613	1.34	0.0E+00	6809918	NT	Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA
636	13702	26623	1.35	0.0E+00	AA399486.1	EST_HUMAN	z60c07.r1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:728732 5'
640	13706	26627	4.61	0.0E+00	D11078.1	NT	Homo sapiens RGH2 gene, retrovirus-like element
644	13710	26630	1.86	0.0E+00	W78811.1	EST_HUMAN	zh51b04.r1 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:415587 5' similar to gb:A21187 ALPHA-2-MACROGLOBULIN PRECURSOR (HUMAN);
644	13710	26631	1.86	0.0E+00	W78811.1	EST_HUMAN	zh51b04.r1 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:415587 5' similar to gb:A21187 ALPHA-2-MACROGLOBULIN PRECURSOR (HUMAN);
647	13713		5.61	0.0E+00	4885526	NT	Homo sapiens novel SH2-containing protein 3 (NSP3) mRNA
654	13720	26643	2.78	0.0E+00	6006003	NT	Homo sapiens glutamate receptor, ionotropic, N-methyl D-aspartate 2B (GRIN2B) mRNA
656	13722	26646	2.3	0.0E+00	5031624	NT	Homo sapiens CCAAT-box-binding transcription factor (CBF2) mRNA
659	13726	26650	3.11	0.0E+00	U05235.1	NT	Human neutral amino acid transporter (ASCT1) gene, exon 8
663	13729	26653	0.99	0.0E+00	AF103389.1	NT	Homo sapiens sodium/calcium exchanger isoform NaCa3 (NCX1) mRNA, complete cds
663	13729	26654	0.99	0.0E+00	AF103389.1	NT	Homo sapiens sodium/calcium exchanger isoform NaCa3 (NCX1) mRNA, complete cds
669	13734	26659	4.94	0.0E+00	4826847	NT	Homo sapiens protein kinase, X-linked (PRKX) mRNA
669	13734	26660	4.94	0.0E+00	4826847	NT	Homo sapiens protein kinase, X-linked (PRKX) mRNA
675	15846		3.3	0.0E+00	X57147.1	NT	Human endogenous retrovirus pHE 1 (ERV9)
683	13746	26673	8.58	0.0E+00	4504424	NT	Homo sapiens high-mobility group (nonhistone chromosomal) protein 1 (HMG1) mRNA
688	13761	26677	4.8	0.0E+00	AB029012.1	NT	Homo sapiens mRNA for KIAA1089 protein, partial cds
698	13760	26682	17.63	0.0E+00	7657468	NT	Homo sapiens similar to rat integral membrane glycoprotein POM121 (POM121L1), mRNA
710	13772	26706	15.52	0.0E+00	AA614537.1	EST_HUMAN	np49d01.st NCI_CGAP_Br1.1 Homo sapiens cDNA clone IMAGE:1126633 3' similar to gb:X67362 INTERFERON-INDUCIBLE PROTEIN 1-8U (HUMAN);

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
714	13776	26710	4.91	0.0E+00	M60675.1	NT	Human von Willebrand factor gene, exons 23 through 34
714	13776	26711	4.91	0.0E+00	M60675.1	NT	Human von Willebrand factor gene, exons 23 through 34
724	13786	26720	2.21	0.0E+00	5032192	NT	Homo sapiens TNF receptor-associated factor 1 (TRAF1) mRNA
730	13791	26726	4.69	0.0E+00	AF264750.1	NT	Homo sapiens ALR-like protein mRNA, partial cds
730	13791	26727	4.69	0.0E+00	AF264750.1	NT	Homo sapiens ALR-like protein mRNA, partial cds
732	13783	26730	11.38	0.0E+00	11545800	NT	Homo sapiens hypothetical protein FLJ21634 (FLJ21634), mRNA
738	13799	26738	2.31	0.0E+00	BE241577.1	EST_HUMAN	TCAP-1D0779 Pediatric acute myelogenous leukemia cell (FAB M1) Bayor-HGSC project=TCAP-1D0779
757	13817	26761	2.09	0.0E+00	AF226990.2	NT	Homo sapiens MHC class I antigen (HLA-G) mRNA, HLA-G1 allele, complete cds
757	13817	26762	2.09	0.0E+00	AF226990.2	NT	Homo sapiens MHC class I antigen (HLA-G) mRNA, HLA-G1 allele, complete cds
759	13819	26764	0.88	0.0E+00	J03764.1	NT	Human, plasminogen activator inhibitor-1 gene, exons 2 to 9
759	13819	26765	0.88	0.0E+00	J03764.1	NT	Human, plasminogen activator inhibitor-1 gene, exons 2 to 9
762	13822	26766	2.01	0.0E+00	AB037760.1	NT	Homo sapiens mRNA for KIAA1339 protein, partial cds
763	13823	26767	0.86	0.0E+00	6912749	NT	Homo sapiens zinc finger protein 212 (ZNF212), mRNA
765	13850	26769	3.03	0.0E+00	D30612.1	NT	Homo sapiens mRNA for repressor protein, partial cds
766	13825	26770	1.78	0.0E+00	BE969735.1	EST_HUMAN	601446647F1 NIH_MGC_65 Homo sapiens cDNA clone IMAGE:3849803 5'
770	13829	26774	3.68	0.0E+00	R48915.1	EST_HUMAN	y69g08.1 Soares breast 2NbhBst Homo sapiens cDNA clone IMAGE:154046 5'
771	13830	26775	2.14	0.0E+00	5032086	NT	Homo sapiens splicing factor 3a, subunit 1, 120KD (SF3A1), mRNA
779	13838	26783	1.88	0.0E+00	AB011398.1	NT	Homo sapiens gene for AF-6, complete cds
782	13842	26787	2.77	0.0E+00	7661965	NT	Homo sapiens KIAA0170 gene product (KIAA0170), mRNA
793	13852	26799	2.38	0.0E+00	D80006.1	NT	Human mRNA for KIAA0184 gene, partial cds
793	13852	26800	2.38	0.0E+00	D80006.1	NT	Human mRNA for KIAA0184 gene, partial cds
798	13857	26804	2.72	0.0E+00	X89772.1	NT	H. sapiens mRNA for interferon alpha/beta receptor (long form)
802	13861	26808	3.38	0.0E+00	AB020717.1	NT	Homo sapiens mRNA for KIAA0910 protein, partial cds
802	13861	26809	3.38	0.0E+00	AB020717.1	NT	Homo sapiens mRNA for KIAA0910 protein, partial cds
807	13865	26815	10.76	0.0E+00	5174478	NT	Homo sapiens perlecanin (PCNT) mRNA
808	13868	26816	9.93	0.0E+00	4507500	NT	Homo sapiens T-cell lymphoma invasion and metastasis 1 (TIAM1) mRNA
825	13883	26836	1.58	0.0E+00	7657213	NT	Homo sapiens hormonally upregulated neu tumor-associated kinase (HUNK), mRNA
826	13884	26837	2.57	0.0E+00	7657213	NT	Homo sapiens hormonally upregulated neu tumor-associated kinase (HUNK), mRNA
828	13886	26839	1.82	0.0E+00	4557686	NT	Homo sapiens potassium voltage-gated channel, Isk-related family, member 1 (KCNE1) mRNA
834	13891	26845	3.12	0.0E+00	AF108830.1	NT	Homo sapiens serine-threonine protein kinase (MNBH) mRNA, complete cds
834	13891	26846	3.12	0.0E+00	AF108830.1	NT	Homo sapiens serine-threonine protein kinase (MNBH) mRNA, complete cds
835	13892	26847	1.34	0.0E+00	AF108830.1	NT	Homo sapiens serine-threonine protein kinase (MNBH) mRNA, complete cds
840	13897	26852	2.16	0.0E+00	4503854	NT	Homo sapiens GA-binding protein transcription factor, alpha subunit (60KD) (GABPA), mRNA

Page 485 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
844	13900	26857	1.23	0.0E+00	4507500	NT	Homo sapiens T-cell lymphoma invasion and metastasis 1 (TIAM1) mRNA
844	13900	26858	1.23	0.0E+00	4507500	NT	Homo sapiens T-cell lymphoma invasion and metastasis 1 (TIAM1) mRNA
851	13907		1.78	0.0E+00	AF027153.1	NT	Homo sapiens sodium/myo-inositol cotransporter (SLC5A3) gene, complete cds
855	13911	26869	4.48	0.0E+00	AB028942.1	NT	Homo sapiens mRNA for KIAA1019 protein, partial cds
855	13911	26870	4.48	0.0E+00	AB028942.1	NT	Homo sapiens mRNA for KIAA1019 protein, partial cds
856	13912	26871	10.69	0.0E+00	4507152	NT	Homo sapiens SON DNA binding protein (SON) mRNA
857	13913	26872	4.54	0.0E+00	AB028942.1	NT	Homo sapiens mRNA for KIAA1019 protein, partial cds
858	13914	26873	14.11	0.0E+00	4506728	NT	Homo sapiens ribosomal protein S6 (RPS6) mRNA
862	13918	26876	1.18	0.0E+00	AB020717.1	NT	Homo sapiens mRNA for KIAA0910 protein, partial cds
863	13918	26877	1.18	0.0E+00	AB020717.1	NT	Homo sapiens mRNA for KIAA0910 protein, partial cds
863	13918	26878	1.8	0.0E+00	AA533272.1	EST_HUMAN	h96807.s1 NCL CGAP_P10 Homo sapiens cDNA clone IMAGE:987453
863	13919	26879	1.8	0.0E+00	AA533272.1	EST_HUMAN	h96807.s1 NCL CGAP_P10 Homo sapiens cDNA clone IMAGE:987453
864	13920		10.06	0.0E+00	BF677694.1	EST_HUMAN	602085579F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:4248915 5'
868	13924	26880	1.57	0.0E+00	7657213	NT	Homo sapiens hormonally upregulated neu tumor-associated kinase (HUNK), mRNA
868	13924	26881	1.57	0.0E+00	7657213	NT	Homo sapiens hormonally upregulated neu tumor-associated kinase (HUNK), mRNA
869	13925	26882	1.95	0.0E+00	7657213	NT	Homo sapiens hormonally upregulated neu tumor-associated kinase (HUNK), mRNA
869	13925	26883	1.95	0.0E+00	7657213	NT	Homo sapiens hormonally upregulated neu tumor-associated kinase (HUNK), mRNA
892	13947	26906	0.86	0.0E+00	AL163203.2	NT	Homo sapiens chromosome 21 segment HS21C003
899	13954	26911	1.72	0.0E+00	BE089592.1	EST_HUMAN	QV0-BT0703-280400-211-g11 BT0703 Homo sapiens cDNA
899	13954	26912	1.72	0.0E+00	BE089592.1	EST_HUMAN	QV0-BT0703-280400-211-g11 BT0703 Homo sapiens cDNA
909	13964	26921	1.69	0.0E+00	AL163203.2	NT	Homo sapiens chromosome 21 segment HS21C003
919	13973		63.74	0.0E+00	4504958	NT	Homo sapiens laminin receptor 1 (67kD, ribosomal protein SA) (LAMR1), mRNA
921	13973		24.73	0.0E+00	4504958	NT	Homo sapiens laminin receptor 1 (67kD, ribosomal protein SA) (LAMR1), mRNA
922	13975	26927	0.71	0.0E+00	AF089747.1	NT	Homo sapiens alpha-1-antichymotrypsin precursor, mRNA, partial cds
923	13976	26928	2.39	0.0E+00	L28101.1	NT	Homo sapiens kallistatin (P14) gene, exons 1-4, complete cds
925	13978	26930	0.64	0.0E+00	Z20656.1	NT	Homo sapiens of cardiac alpha-myosin heavy chain gene
925	13978	26931	0.64	0.0E+00	Z20656.1	NT	Homo sapiens of cardiac alpha-myosin heavy chain gene
926	13979	26932	0.63	0.0E+00	Z20656.1	NT	Homo sapiens of cardiac alpha-myosin heavy chain gene
926	13979	26933	0.63	0.0E+00	Z20656.1	NT	Homo sapiens of cardiac alpha-myosin heavy chain gene
926	13998	26950	2.66	0.0E+00	AB023211.1	NT	Homo sapiens mRNA for KIAA0984 protein, partial cds
946	13998	26951	2.66	0.0E+00	AB023211.1	NT	Homo sapiens mRNA for KIAA0984 protein, partial cds
952	14005	26957	0.68	0.0E+00	M37190.1	NT	Human ras inhibitor mRNA, 3' end
953	14006	26958	8.74	0.0E+00	M37190.1	NT	Human ras inhibitor mRNA, 3' end
954	14007	26959	0.72	0.0E+00	M37190.1	NT	Human ras inhibitor mRNA, 3' end

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLASTE Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
955	14008	26960	0.83	0.0E+00	4507430	NT	Homo sapiens thymotropic embryonic factor (TEF), mRNA
955	14008	26961	0.83	0.0E+00	4507430	NT	Homo sapiens thymotropic embryonic factor (TEF), mRNA
963	15855	26968	2.24	0.0E+00	A1001948.1	EST_HUMAN	os98e03.s1 NCI_CGAP_GC3 Homo sapiens cDNA clone IMAGE:1613404 3'
963	15855	26969	2.24	0.0E+00	A1001948.1	EST_HUMAN	os98e03.s1 NCI_CGAP_GC3 Homo sapiens cDNA clone IMAGE:1613404 3'
965	14017	26971	10.17	0.0E+00	7657266	NT	Homo sapiens KIAA0929 protein Mx2 Interacting nuclear target (MINT) homolog (KIAA0929), mRNA
976	14027	26981	2.04	0.0E+00	AB030566.1	NT	Homo sapiens mRNA for PSP24, complete cds
984	14035	26987	1.86	0.0E+00	BF366974.1	EST_HUMAN	PM2-GN0014-050900-001-f02 GN0014 Homo sapiens cDNA
984	14035	26988	1.86	0.0E+00	BF366974.1	EST_HUMAN	PM2-GN0014-050900-001-f02 GN0014 Homo sapiens cDNA
984	14035	26989	1.86	0.0E+00	BF366974.1	EST_HUMAN	PM2-GN0014-050900-001-f02 GN0014 Homo sapiens cDNA
985	14037	26992	3.55	0.0E+00	X52207.1	NT	Homo sapiens partial c-fgr gene, exons 2 and 3
986	14037	26993	3.55	0.0E+00	X52207.1	NT	Homo sapiens partial c-fgr gene, exons 2 and 3
995	14046	27000	2.25	0.0E+00	4757969	NT	Homo sapiens chromodomain protein, Y chromosome-like (CDYL) mRNA
1006	14056	27008	1.17	0.0E+00	U83668.1	NT	Human beta-tubulin (TUBA4q) gene, complete cds
1007	14057	27009	13.38	0.0E+00	U83668.1	NT	Human beta-tubulin (TUBA4q) gene, complete cds
1008	14057	27009	10.52	0.0E+00	U83668.1	NT	Human beta-tubulin (TUBA4q) gene, complete cds
1011	14060		2.58	0.0E+00	AF198490.1	NT	Homo sapiens 8q22.1 region and MTG8 (CBFA2T1) gene, partial cds
1012	14060		5.29	0.0E+00	AF198490.1	NT	Homo sapiens 8q22.1 region and MTG8 (CBFA2T1) gene, partial cds
1016	14064	27015	1.28	0.0E+00	AF111170.3	NT	Homo sapiens 14q32 Jagged2 gene, complete cds; and unknown gene
1017	14064	27015	1.82	0.0E+00	AF111170.3	NT	Homo sapiens 14q32 Jagged2 gene, complete cds; and unknown gene
1018	14064	27015	1.71	0.0E+00	AF111170.3	NT	Homo sapiens 14q32 Jagged2 gene, complete cds; and unknown gene
1019	14065	27016	1.65	0.0E+00	AF111170.3	NT	Homo sapiens 14q32 Jagged2 gene, complete cds; and unknown gene
1022	14068	27019	2.42	0.0E+00	7661685	NT	Homo sapiens DKFZP586M0122 protein (DKFZP586M0122), mRNA
1026	14072	27023	1.21	0.0E+00	5803114	NT	Homo sapiens inner membrane protein, mitochondrial (mitofilin) (IMMT), mRNA
1027	14073		1.58	0.0E+00	AA458680.1	EST_HUMAN	aa86g07.s1 Stralagene fetal retina 937202 Homo sapiens cDNA clone IMAGE:838236 3' similar to SW:PRS8_HUMAN P47210 26S PROTEASE REGULATORY SUBUNIT 8;
1030	14076	27027	0.76	0.0E+00	N43182.1	EST_HUMAN	EST5124 WATM1 Homo sapiens cDNA clone 51124 similar to DNA-DIRECTED RNA POLYMERASE II (alignment Ser and Pro with BLASTx or p)
1030	14076	27028	0.76	0.0E+00	N43182.1	EST_HUMAN	EST5124 WATM1 Homo sapiens cDNA clone 51124 similar to DNA-DIRECTED RNA POLYMERASE II (alignment Ser and Pro with BLASTx or p)
1031	14077	27029	1.2	0.0E+00	4759249	NT	Homo sapiens TRAF family member-associated NFKB activator (TANK) mRNA
1031	14077	27030	1.2	0.0E+00	4759249	NT	Homo sapiens TRAF family member-associated NFKB activator (TANK) mRNA
1034	14080		3.19	0.0E+00	8822933	NT	Homo sapiens hypothetical protein FLJ11196 (FLJ11196), mRNA
1049	14095	27046	2.4	0.0E+00	4758569	NT	Homo sapiens heat shock 70kD protein 98 (mortalin-2) (HSPA9B) mRNA

Page 487 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1068	14111	27060	2.13	0.0E+00	4826672	NT	Homo sapiens cadherin 6, K-cadherin (fetal kidney) (CDH6) mRNA
1068	14111	27061	2.13	0.0E+00	4826672	NT	Homo sapiens cadherin 6, K-cadherin (fetal kidney) (CDH6) mRNA
1070	14115	27065	3.18	0.0E+00	8923624	NT	Homo sapiens hypothetical protein FLJ20695 (FLJ20695), mRNA
1070	14115	27066	3.18	0.0E+00	8923624	NT	Homo sapiens hypothetical protein FLJ20695 (FLJ20695), mRNA
1071	14116	27067	28.45	0.0E+00	AJ245922.1	NT	Homo sapiens mRNA for alpha-tubulin 8 (TUBA8 gene)
1073	14118		0.82	0.0E+00	8923087	NT	Homo sapiens hypothetical protein FLJ20080 (FLJ20080), mRNA
1075	14120	27071	3.85	0.0E+00	5174384	NT	Homo sapiens alkylation repair, alkB homolog (ABH), mRNA
1084	14128	27082	1.91	0.0E+00	4758117	NT	Homo sapiens Death associated protein 3 (DAP3) mRNA
1098	14142	27092	2.82	0.0E+00	BE005208.1	EST_HUMAN	MRO-BN0115-200300-003-H08 BN0115 Homo sapiens cDNA
1121	14165	27116	5.84	0.0E+00	7706134	NT	Homo sapiens potassium channel, subfamily K, member 9 (KCNK9), mRNA
1121	14165	27117	5.84	0.0E+00	7706134	NT	Homo sapiens potassium channel, subfamily K, member 9 (KCNK9), mRNA
1134	14177	27127	0.96	0.0E+00	4826947	NT	Homo sapiens protein kinase, X-linked (PRKX) mRNA
1134	14177	27128	0.96	0.0E+00	4826947	NT	Homo sapiens protein kinase, X-linked (PRKX) mRNA
1135	14178	27129	33.64	0.0E+00	4506712	NT	Homo sapiens ribosomal protein S27a (RPS27A) mRNA
1137	14180	27131	2.34	0.0E+00	8923290	NT	Homo sapiens hypothetical protein FLJ20309 (FLJ20309), mRNA
1140	14183	27134	8.07	0.0E+00	AB002059.1	NT	Homo sapiens DNA for Human P2XM, complete cds
1142	14185	27135	20.89	0.0E+00	AB002059.1	NT	Homo sapiens DNA for Human P2XM, complete cds
1143	14186	27136	5.23	0.0E+00	7657468	NT	Homo sapiens similar to rat integral membrane glycoprotein POM121 (POM121L1), mRNA
1143	14186	27137	5.23	0.0E+00	7657468	NT	Homo sapiens similar to rat integral membrane glycoprotein POM121 (POM121L1), mRNA
1147	14189	27140	1.84	0.0E+00	7706500	NT	Homo sapiens Npw38-binding protein NpwBP (LOC51728), mRNA
1148	14190	27141	0.76	0.0E+00	X95826.1	NT	H. sapiens ART4 gene
1148	14190	27142	0.76	0.0E+00	X95826.1	NT	H. sapiens ART4 gene
1149	14191	27143	1.25	0.0E+00	AI147650.1	EST_HUMAN	qb22d10.x1 Soares_pregnant_uterus_NHPU Homo sapiens cDNA clone IMAGE:1697011 3'
1151	14193	27145	1.68	0.0E+00	AB020710.1	NT	Homo sapiens mRNA for KIAA0903 protein, partial cds
1160	14202	27154	3.19	0.0E+00	4758081	NT	Homo sapiens chondroitin sulfate proteoglycan 2 (versican) (CSPG2) mRNA
1160	14202	27155	3.19	0.0E+00	4758081	NT	Homo sapiens chondroitin sulfate proteoglycan 2 (versican) (CSPG2) mRNA
1161	14203	27156	0.99	0.0E+00	9966944	NT	Homo sapiens chromosome 12 open reading frame 3 (C12ORF3), mRNA
1172	14213	27167	8.26	0.0E+00	7305076	NT	Homo sapiens glutamate decarboxylase 1 (brain, 67kD) (GAD1), transcript variant GAD25, mRNA
1172	14213	27168	8.26	0.0E+00	7305076	NT	Homo sapiens glutamate decarboxylase 1 (brain, 67kD) (GAD1), transcript variant GAD25, mRNA
1175	14216	27171	1.08	0.0E+00	AB037835.1	NT	Homo sapiens mRNA for KIAA1414 protein, partial cds
1182	14223	27180	1.21	0.0E+00	4557887	NT	Homo sapiens keratin 18 (KRT18) mRNA
1196	14236	27191	0.84	0.0E+00	AF073299.1	NT	Homo sapiens Nav1.4+ exchanger isoform 2 (NHE2) mRNA, complete cds
1214	14252		1.24	0.0E+00	7657336	NT	Homo sapiens null (E. coli) homolog 3 (MLH3), mRNA
1230	14268	27225	1.18	0.0E+00	AF264750.1	NT	Homo sapiens ALR-like protein mRNA, partial cds

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E- Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1230	14268	27226	1.18	0.0E+00	AF264750.1	NT	Homo sapiens ALR-like protein mRNA, partial cds
1231	14269	27227	1.6	0.0E+00	AF264750.1	NT	Homo sapiens ALR-like protein mRNA, partial cds
1232	15861	27228	1.7	0.0E+00	AF264750.1	NT	Homo sapiens ALR-like protein mRNA, partial cds
1251	14287	27253	8.18	0.0E+00	AF109718.1	NT	Homo sapiens chromosome 3 subtelomeric region
1252	14288	27254	0.98	0.0E+00	4503098	NT	Homo sapiens chondroitin sulfate proteoglycan 4 (melanoma-associated) (CSPG4), mRNA
1262	14297	27260	0.73	0.0E+00	4505740	NT	Homo sapiens prefolin 4 (PFDN4) mRNA
1271	14308		2.04	0.0E+00	Y18000.1	NT	Homo sapiens NF2 gene
1279	14314	27275	48.44	0.0E+00	4506718	NT	Homo sapiens ribosomal protein S2 (RPS2) mRNA
1286	14321	27284	4.02	0.0E+00	AF084479.1	NT	Homo sapiens Williams-Beuren syndrome deletion transcript 9 (WBSCR9) mRNA, complete cds
1292	14327	27288	1.08	0.0E+00	AB040940.1	NT	Homo sapiens mRNA for KIAA1507 protein, partial cds
1292	14327	27289	1.08	0.0E+00	AB040940.1	NT	Homo sapiens mRNA for KIAA1507 protein, partial cds
1303	14339	27302	2	0.0E+00	5174748	NT	Homo sapiens Wolfram syndrome (WFS) mRNA
1303	14339	27303	2	0.0E+00	5174748	NT	Homo sapiens Wolfram syndrome (WFS) mRNA
1303	14339	27304	2	0.0E+00	5174748	NT	Homo sapiens Wolfram syndrome (WFS) mRNA
1304	14340		3.48	0.0E+00	AF098156.1	NT	Homo sapiens protein phosphatase 2A BR gamma subunit gene, exon 5
1314	15863	27316	1.26	0.0E+00	7657529	NT	Homo sapiens rhabdoid tumor deletion region protein 1 (RTDR1), mRNA
1314	15863	27317	1.26	0.0E+00	7657529	NT	Homo sapiens rhabdoid tumor deletion region protein 1 (RTDR1), mRNA
1319	14354	27322	6.23	0.0E+00	5803146	NT	Homo sapiens ring finger protein 9 (RNF9), mRNA
1320	14355	27323	0.81	0.0E+00	4508004	NT	Homo sapiens zinc finger protein 173 (ZNF173) mRNA
1322	14357	27324	6.58	0.0E+00	5803146	NT	Homo sapiens ring finger protein 9 (RNF9), mRNA
1323	14358	27325	33.1	0.0E+00	4508004	NT	Homo sapiens zinc finger protein 173 (ZNF173) mRNA
1325	14360	27327	4.74	0.0E+00	AB011149.1	NT	Homo sapiens mRNA for KIAA0577 protein, complete cds
1326	14361	27328	5.7	0.0E+00	7661965	NT	Homo sapiens KIAA0170 gene product (KIAA0170), mRNA
1327	14362	27329	9.47	0.0E+00	7661965	NT	Homo sapiens KIAA0170 gene product (KIAA0170), mRNA
1328	14363	27330	5.14	0.0E+00	8567387	NT	Homo sapiens period (Drosophila) homolog 3 (PER3), mRNA
1328	14363	27331	5.14	0.0E+00	8567387	NT	Homo sapiens period (Drosophila) homolog 3 (PER3), mRNA
1340	14374	27344	2.17	0.0E+00	U14123.1	NT	Human endogenous retrovirus HERV-K10
1407	14440	27410	1.34	0.0E+00	AJ250014.1	NT	Homo sapiens mRNA for Familial Cylindromatosis cyd gene
1415	14448	27421	1.79	0.0E+00	AJ208756.1	EST_HUMAN	qg38b06.x1 Scores_testis_NHT Homo sapiens cDNA clone IMAGE:1837427 3' similar to WP:127A1.5 CE14213 ;
1416	14449	27422	32.54	0.0E+00	6042206	NT	RAN, member RAS oncogene family/Homo sapiens RAN, member RAS oncogene family (RAN), mRNA
1423	14456	27430	1.31	0.0E+00	4505648	NT	Homo sapiens proprotein convertase subtilisin/kexin type 2 (PCSK2) mRNA
1423	14456	27431	1.31	0.0E+00	4505648	NT	Homo sapiens proprotein convertase subtilisin/kexin type 2 (PCSK2) mRNA

Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1425	14458	27434	2.28	0.0E+00	7705565	NT	Homo sapiens KIAA1114 protein (KIAA1114), mRNA
1425	14458	27435	2.28	0.0E+00	7705565	NT	Homo sapiens KIAA1114 protein (KIAA1114), mRNA
1427	14480	27436	6.81	0.0E+00	AJ238093.1	NT	Homo sapiens partial AF-4 gene, exons 2 to 7 and Alu repeat elements
1434	14468	27445	2.81	0.0E+00	AF038280.1	NT	Homo sapiens alpha1-fucosyltransferase (alpha1-fucT) gene, exon 7
1447	14480	27458	1.01	0.0E+00	U35637.1	NT	Human nebulin mRNA, partial cds
1447	14480	27457	1.01	0.0E+00	U35637.1	NT	Human nebulin mRNA, partial cds
1457	14490	27464	3.14	0.0E+00	AL132989.1	NT	Novel human gene on chromosome 20
1459	14482	27465	2.5	0.0E+00	AL137764.1	NT	Novel human gene mapping to chromosome 1
1463	14486	27470	1.59	0.0E+00	D87077.1	NT	Human mRNA for KIAA0240 gene, partial cds
1466	14499	27473	5.36	0.0E+00	6912457	NT	Homo sapiens calcineurin binding protein 1 (KIAA0330), mRNA
1468	14501	27475	1.7	0.0E+00	7661965	NT	Homo sapiens KIAA0170 gene product (KIAA0170), mRNA
1468	14501	27476	1.7	0.0E+00	7661965	NT	Homo sapiens KIAA0170 gene product (KIAA0170), mRNA
1469	14502		1.04	0.0E+00	Y07829.2	NT	Homo sapiens RFB30 gene for RING finger protein
1513	14545	27516	2.11	0.0E+00	7706434	NT	Homo sapiens hHDC for homolog of Drosophila headcase (LOC51698), mRNA
1528	14561	27532	1.94	0.0E+00	AA481172.1	EST_HUMAN	sa34603.1 NCJ CGAP GC81 Homo sapiens cDNA clone IMAGE:815118 5'
1534	14567	27538	29.54	0.0E+00	AF023860.1	NT	Cercopithecus aethiops cyclophilin A mRNA, complete cds
1534	14567	27537	29.54	0.0E+00	AF023860.1	NT	Cercopithecus aethiops cyclophilin A mRNA, complete cds
1536	14569	27540	1.37	0.0E+00	AW876097.1	EST_HUMAN	EST388208 MAGE resequences, MAGN Homo sapiens cDNA
1536	14569	27541	1.37	0.0E+00	AW876097.1	EST_HUMAN	EST388208 MAGE resequences, MAGN Homo sapiens cDNA
1538	14571		2.22	0.0E+00	U78027.1	NT	Homo sapiens Bruton's tyrosine kinase (BTK), alpha-D-galactosidase A (GLA), L44-like ribosomal protein (L44L) and FTP3 (FTP3) genes, complete cds
1539	14572	27544	2.25	0.0E+00	M16768.1	NT	Human T-cell receptor gamma chain VJCI-CII-CIII region mRNA, complete cds
1540	14573	27545	2.04	0.0E+00	4505404	NT	Homo sapiens transmembrane glycoprotein (GPNMB) mRNA
1540	14573	27546	2.04	0.0E+00	4505404	NT	Homo sapiens transmembrane glycoprotein (GPNMB) mRNA
1541	14574	27547	3.31	0.0E+00	7662405	NT	Homo sapiens KIAA0957 protein (KIAA0957), mRNA
1542	14575		7.04	0.0E+00	7660972	NT	Homo sapiens TNF-inducible protein CG12-1 (CG12-1), mRNA
1548	14581	27553	2.45	0.0E+00	M98478.1	NT	Human transglutaminase mRNA, complete cds
1551	14584	27555	1.24	0.0E+00	4507720	NT	Homo sapiens titin (TTN) mRNA
1551	14584	27556	1.24	0.0E+00	4507720	NT	Homo sapiens titin (TTN) mRNA
1552	15871		19.78	0.0E+00	4506654	NT	Homo sapiens ribosomal protein L5 (RPL5) mRNA
1553	14585	27557	26.31	0.0E+00	M14198.1	NT	Human laminin receptor (2H5 epitope) mRNA, 5' end
1553	14586	27571	0.94	0.0E+00	4507720	NT	Homo sapiens titin (TTN) mRNA
1563	14596	27572	0.94	0.0E+00	4507720	NT	Homo sapiens titin (TTN) mRNA
1565	14598	27573	10.15	0.0E+00	4503098	NT	Homo sapiens chondroitin sulfate proteoglycan 4 (melanoma-associated) (CSPG4), mRNA

Page 490 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1583	14616	27589	9.8	0.0E+00	283738.1	NT	H.sapiens HH2B/ε gene
1584	14617	27590	1.81	0.0E+00	5921460	NT	Homo sapiens butyrophilin, subfamily 2, member A1 (BTN2A1), mRNA
1584	14617	27591	1.81	0.0E+00	5921460	NT	Homo sapiens butyrophilin, subfamily 2, member A1 (BTN2A1), mRNA
1585	14618	27592	12.62	0.0E+00	AV690831.1	EST_HUMAN	AV690831 GKC Homo sapiens cDNA clone GKCB0F02 5'
1585	14618	27593	12.62	0.0E+00	AV690831.1	EST_HUMAN	AV690831 GKC Homo sapiens cDNA clone GKCB0F02 5'
1588	15672	27596	2.54	0.0E+00	AB040905.1	NT	Homo sapiens mRNA for KIAA1472 protein, partial cds
1592	14624	27597	1.24	0.0E+00	AF157476.1	NT	Homo sapiens DNA polymerase zeta catalytic subunit (REV3) mRNA, complete cds
1594	14626	27600	4.83	0.0E+00	7662183	NT	Homo sapiens KIAA0569 gene product (KIAA0569), mRNA
1594	14626	27601	4.83	0.0E+00	7662183	NT	Homo sapiens KIAA0569 gene product (KIAA0569), mRNA
1596	14628	27602	26.26	0.0E+00	5729876	NT	Homo sapiens heat shock 70kD protein 10 (HSC71) (HSPA10), mRNA
1596	14628	27603	26.26	0.0E+00	5729876	NT	Homo sapiens heat shock 70kD protein 10 (HSC71) (HSPA10), mRNA
1598	14630	27605	1.56	0.0E+00	M91803.1	NT	Human sodium channel mRNA
1613	14645	27621	7.01	0.0E+00	H26873.1	EST_HUMAN	yo76c05.s1 Soares adult brain N2b4HB55Y Homo sapiens cDNA clone IMAGE:183848 3'
1622	14655	27632	2.31	0.0E+00	AB046829.1	NT	Homo sapiens mRNA for KIAA1609 protein, partial cds
1622	14655	27633	2.31	0.0E+00	AB046829.1	NT	Homo sapiens mRNA for KIAA1609 protein, partial cds
1644	14676	27649	1.04	0.0E+00	AW444637.1	EST_HUMAN	UI-H-B13-ajw-c-04-Q-UJ.s1 NCJ_CGAP_Sub5 Homo sapiens cDNA clone IMAGE:2733294 3'
1673	14705	27682	1.19	0.0E+00	BE144384.1	EST_HUMAN	MRO-HT0166-191199-004-b11 HTO166 Homo sapiens cDNA
1673	14705	27683	1.19	0.0E+00	BE144384.1	EST_HUMAN	MRO-HT0166-191199-004-b11 HTO166 Homo sapiens cDNA
1677	14709	27687	1.84	0.0E+00	AI768104.1	EST_HUMAN	wg81507.x1 Soares NSF_F8_9W_OT_PA_P_S1 Homo sapiens cDNA clone IMAGE:2371477 3' similar to TR:Q62788 Q62788 CYS2HIS2 ZINC FINGER PROTEIN ;
1678	14710	27688	1.44	0.0E+00	4758513	NT	TR:Q62788 Q62788 CYS2HIS2 ZINC FINGER PROTEIN ;
1678	14711	27689	3.61	0.0E+00	AF057177.1	NT	Homo sapiens hematopoietic-derived zinc finger protein (HD-ZNF1) mRNA
1683	14714	27693	1.72	0.0E+00	M29580.1	NT	Homo sapiens T-cell receptor gamma V1 gene region
1683	14714	27694	1.72	0.0E+00	M29580.1	NT	Human zinc-finger protein 7 (ZFP7) mRNA, complete cds
1685	14716	27696	1.53	0.0E+00		NT	Human zinc-finger protein 7 (ZFP7) mRNA, complete cds
1686	14717	27697	2.12	0.0E+00	4557887	NT	Homo sapiens keratin 18 (KRT18) mRNA
1690	14721	27700	1.27	0.0E+00	BE222374.1	EST_HUMAN	Homo sapiens v-ets avian erythroblastosis virus E26 oncogene related (ERG), mRNA
1690	14721	27701	1.27	0.0E+00	BE222374.1	EST_HUMAN	hu11005.x1 NCL_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3166281 3' similar to TR:O85147 O85147 MKP-1 LIKE PROTEIN TYROSINE PHOSPHATASE ;
1693	14723	27705	5.17	0.0E+00	H30132.1	EST_HUMAN	hu11005.x1 NCL_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3166281 3' similar to TR:O85147 O85147 MKP-1 LIKE PROTEIN TYROSINE PHOSPHATASE ;
1693	14723	27705	5.17	0.0E+00	H30132.1	EST_HUMAN	y59e08.r1 Soares breast 3NHBst Homo sapiens cDNA clone IMAGE:182246 5' similar to gb:M64099 GAMMA-GLUTAMYL TRANSPEPTIDASE 5 PRECURSOR (HUMAN);
1693	14723	27706	5.17	0.0E+00	H30132.1	EST_HUMAN	y59e08.r1 Soares breast 3NHBst Homo sapiens cDNA clone IMAGE:182246 5' similar to gb:M64099 GAMMA-GLUTAMYL TRANSPEPTIDASE 5 PRECURSOR (HUMAN);

Page 491 of 546
Table 4
Single Exon Probes Expressed In Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1695	14725		0.94	0.0E+00	AI149880.1	EST_HUMAN	q143f09.x1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1752809 3'
1696	14726	27708	7.26	0.0E+00	Z80780.1	NT	H. sapiens H2B/h gene
1698	14726	27709	7.28	0.0E+00	Z80780.1	NT	H. sapiens H2B/h gene
1699	14729		28.3	0.0E+00	5031748	NT	Homo sapiens high-mobility group (nonhistone chromosomal) protein 17 (HMG17), mRNA
1708	14739	27721	0.91	0.0E+00	AF169963.1	NT	Homo sapiens WNT16 protein (WNT16) mRNA, complete cds
1710	14740	27724	5.35	0.0E+00	8923841	NT	Homo sapiens FOXJ2 forkhead factor (LOC55810), mRNA
1713	14743	27727	1.03	0.0E+00	8453855	NT	Homo sapiens pericentriolar material 1 (PCM1) mRNA
1716	14748	27731	0.96	0.0E+00	M75980.1	NT	Human hepatocyte growth factor gene, exon 16
1716	14748	27732	0.96	0.0E+00	M75980.1	NT	Human hepatocyte growth factor gene, exon 15
1720	14750	27736	1.37	0.0E+00	4826973	NT	Homo sapiens RNA binding motif protein, Y chromosome, family 1, member A1 (RBM1A1) mRNA
1728	14756	27743	20.03	0.0E+00	AB026642.1	NT	Homo sapiens WAVE2 mRNA for WASP-family protein, complete cds
1728	14758		2.59	0.0E+00	S94400.1	NT	TCR zeta [human, Genomic/mRNA, 365 nt, segment 1 of 8]
1737	14767	27752	0.97	0.0E+00	4557538	NT	Homo sapiens solute carrier family 26 (sulfate transporter), member 2 (SLC26A2) mRNA
1744	15876	27759	1.21	0.0E+00	11545911	NT	Homo sapiens NOD2 protein (NOD2), mRNA
1760	14769	27775	2.63	0.0E+00	AF273841.1	NT	Homo sapiens SMCY (SMCY) gene, complete cds
1800	15877		35.79	0.0E+00	4506718	NT	Homo sapiens ribosomal protein S2 (RPS2) mRNA
1805	14833	27821	2.42	0.0E+00	4557556	NT	Homo sapiens E1A binding protein p300 (EP300) mRNA
1806	14833	27822	2.42	0.0E+00	4557556	NT	Homo sapiens E1A binding protein p300 (EP300) mRNA
1807	14835	27825	2.05	0.0E+00	U63963.1	NT	Human CSF-1 receptor (FMS) gene, complete cds, and (SMF) gene, partial cds
1810	14838		1.32	0.0E+00	W76571.1	EST_HUMAN	zid66g09.r1 Soares_fetal_heart_Nb1h19W Homo sapiens cDNA clone IMAGE:345684 5'
1811	15878	27829	3.9	0.0E+00	4505332	NT	Homo sapiens nuclear autoantigenic sperm protein (histone-binding) (NASP) mRNA
1812	14838	27830	1.13	0.0E+00	AA113030.1	EST_HUMAN	zn66c09.s1 Stratagene HeLa cell s3 937216 Homo sapiens cDNA clone IMAGE:563056 3'
1824	14851	27845	14.86	0.0E+00	U14967.1	NT	Human ribosomal protein L21 mRNA, complete cds
1826	14853	27848	5.94	0.0E+00	AB002331.1	NT	Human mRNA for KIAA0333 gene, partial cds
1827	14854	27849	6.64	0.0E+00	4502264	NT	Homo sapiens activating transcription factor 4 (tax-responsive enhancer element B67) (ATF4) mRNA
1827	14854	27850	6.64	0.0E+00	4502264	NT	Homo sapiens activating transcription factor 4 (tax-responsive enhancer element B67) (ATF4) mRNA
1827	14854	27851	6.64	0.0E+00	4502264	NT	Homo sapiens activating transcription factor 4 (tax-responsive enhancer element B67) (ATF4) mRNA
1851	14877	27872	6.56	0.0E+00	6005855	NT	Homo sapiens Retina-derived POU-domain factor-1 (RPF-1), mRNA
1851	14877	27873	6.56	0.0E+00	6005855	NT	Homo sapiens Retina-derived POU-domain factor-1 (RPF-1), mRNA
1861	14887	27883	1.34	0.0E+00	AB032978.1	NT	Homo sapiens mRNA for KIAA1152 protein, partial cds
1861	14887	27884	1.34	0.0E+00	AB032978.1	NT	Homo sapiens mRNA for KIAA1152 protein, partial cds

Page 492 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1865	14890	27888	3.28	0.0E+00	4826783	NT	Homo sapiens potassium voltage-gated channel, Shab-related subfamily, member 1 (KCNB1) mRNA
1865	14890	27887	3.28	0.0E+00	4826783	NT	Homo sapiens potassium voltage-gated channel, Shab-related subfamily, member 1 (KCNB1) mRNA
1866	14891	27888	6.86	0.0E+00	U07147.1	NT	Human retinal degeneration slow (RDS) gene, exon 1
1866	14891	27889	6.86	0.0E+00	U07147.1	NT	Human retinal degeneration slow (RDS) gene, exon 1
1869	14894	27892	1.48	0.0E+00	AW207280.1	EST_HUMAN	UI-H-B11-afn-f-07-0-UI.s1 NCI_CGAP_Sub3 Homo sapiens cDNA clone IMAGE:2722333 3'
1869	14894	27893	1.48	0.0E+00	AW207280.1	EST_HUMAN	UI-H-B11-afn-f-07-0-UI.s1 NCI_CGAP_Sub3 Homo sapiens cDNA clone IMAGE:2722333 3'
1892	14917	27912	3.48	0.0E+00	BE277485.1	EST_HUMAN	601178164F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3547239 5'
1892	14917	27913	3.46	0.0E+00	BE277485.1	EST_HUMAN	601178164F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3547239 5'
1936	14960	27956	0.93	0.0E+00	7657390	NT	Homo sapiens nuclear protein (NP220), mRNA
1936	14960	27957	0.93	0.0E+00	7657390	NT	Homo sapiens nuclear protein (NP220), mRNA
1939	14963	27959	2.02	0.0E+00	4506384	NT	Homo sapiens RAD1 (S. pombe) homolog (RAD1) mRNA, and translated products
1939	14963	27960	2.02	0.0E+00	4506384	NT	Homo sapiens RAD1 (S. pombe) homolog (RAD1) mRNA, and translated products
1948	14972	27970	1.13	0.0E+00	AF157476.1	NT	Homo sapiens DNA polymerase zeta catalytic subunit (REV3) mRNA, complete cds
1949	15881	27970	1.41	0.0E+00	M98478.1	NT	Human transglutaminase mRNA, complete cds
1949	15881	27971	1.41	0.0E+00	M98478.1	NT	Human transglutaminase mRNA, complete cds
1954	14977	27978	2.02	0.0E+00	4507464	NT	Homo sapiens transforming growth factor, beta 3 (TGFB3), mRNA
1954	14977	27979	2.02	0.0E+00	4507464	NT	Homo sapiens transforming growth factor, beta 3 (TGFB3), mRNA
1957	14979	27981	1.06	0.0E+00	7657038	NT	Homo sapiens death receptor 6 (DR6), mRNA
1959	14981		5.63	0.0E+00	AF240786.1	NT	Homo sapiens glutathione S-transferase theta 2 (GSTT2) and glutathione S-transferase theta 1 (GSTT1) genes, complete cds
1964	14986		2.93	0.0E+00	M55632.1	NT	Human topoisomerase I pseudogene 1
1965	15882	27988	1.46	0.0E+00	5901905	NT	Homo sapiens butyrophilin, subfamily 3, member A2 (BTN3A2), mRNA
1973	14994	27995	1.88	0.0E+00	4809282	NT	Homo sapiens histidine ammonia-lyase (HAL) mRNA
1973	14994	27996	1.88	0.0E+00	4809282	NT	Homo sapiens histidine ammonia-lyase (HAL) mRNA
1984	15005	28010	0.9	0.0E+00	AL163252.2	NT	Homo sapiens chromosome 21 segment HS21C062
1986	15007	28011	1.81	0.0E+00	8400716	NT	Homo sapiens nebulin (NEB), mRNA
1986	15007	28011	1.81	0.0E+00	8400716	NT	Homo sapiens nebulin (NEB), mRNA
1987	15008	28012	2.97	0.0E+00	4826638	NT	Homo sapiens actinin, alpha 4 (ACTN4) mRNA
1987	15008	28013	2.97	0.0E+00	4826638	NT	Homo sapiens actinin, alpha 4 (ACTN4) mRNA
1997	15018	28025	1.05	0.0E+00	AB018333.1	NT	Homo sapiens mRNA for KIAA0790 protein, partial cds
1997	15018	28026	1.05	0.0E+00	AB018333.1	NT	Homo sapiens mRNA for KIAA0790 protein, partial cds
2003	15024	28030	1.59	0.0E+00	M33782.1	NT	Human TFE3 protein mRNA, partial cds

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2003	15024	28031	1.59	0.0E+00	M33782.1	NT	Human TFEB protein mRNA, partial cds
2005	15026	28032	1.29	0.0E+00	AW193024.1	EST_HUMAN	x69b01.x1 NCI_CGAP_Pan1 Homo sapiens cDNA clone IMAGE:2678913 3'
2005	15028	28033	1.29	0.0E+00	AW193024.1	EST_HUMAN	x69b01.x1 NCI_CGAP_Pan1 Homo sapiens cDNA clone IMAGE:2678913 3'
2006	15027	28034	8.19	0.0E+00	6912457	NT	Homo sapiens calcineurin binding protein 1 (KIAA0330), mRNA
2006	15027	28035	6.19	0.0E+00	6912457	NT	Homo sapiens calcineurin binding protein 1 (KIAA0330), mRNA
2008	15029	28037	1.33	0.0E+00	AB011149.1	NT	Homo sapiens mRNA for KIAA0577 protein, complete cds
2009	15030	28038	1.36	0.0E+00	Z47558.1	NT	H. sapiens genes for semenogelin I and semenogelin II
2009	15030	28039	1.36	0.0E+00	Z47558.1	NT	H. sapiens genes for semenogelin I and semenogelin II
2016	15037	28048	3.07	0.0E+00	AB040946.1	NT	Homo sapiens mRNA for KIAA1513 protein, partial cds
2038	15055	28072	1.16	0.0E+00	AF273841.1	NT	Homo sapiens SMCY (SMCY) gene, complete cds
2036	15055	28073	1.16	0.0E+00	AF273841.1	NT	Homo sapiens SMCY (SMCY) gene, complete cds
2069	15086	28104	1.04	0.0E+00	7706742	NT	Homo sapiens TP53TG3a (TP53TG3a), mRNA
2074	15091	28108	0.92	0.0E+00	4503648	NT	Homo sapiens coagulation factor IX (plasma thromboplastin component, Christmas disease, hemophilia B) (F9) mRNA
2075	15092	28109	4.79	0.0E+00	AU140831.1	EST_HUMAN	AU140831 PLACE4 Homo sapiens cDNA clone PLACE400321 5'
2077	15094	28111	1.69	0.0E+00	AA077589.1	EST_HUMAN	7B22E10 Chromosome 7 Fetal Brain cDNA Library Homo sapiens cDNA clone 7B22E10
2077	15094	28112	1.69	0.0E+00	AA077589.1	EST_HUMAN	7B22E10 Chromosome 7 Fetal Brain cDNA Library Homo sapiens cDNA clone 7B22E10
2079	15096		3.79	0.0E+00	7657468	NT	Homo sapiens similar to rat integral membrane glycoprotein POM121 (POM121L1), mRNA
2081	15098		1.84	0.0E+00	4585963	NT	Homo sapiens phosphodiesterase 6A, cGMP-specific, rod, alpha (PDE6A), mRNA
2083	15100		1.7	0.0E+00	AI244247.1	EST_HUMAN	q960f08.x1 NCI_CGAP_U12 Homo sapiens cDNA clone IMAGE:1988871 3' similar to contains Alu repetitive element
2088	15105	28123	3.3	0.0E+00	BE877225.1	EST_HUMAN	601485146F1 NIH_MGC_69 Homo sapiens cDNA clone IMAGE:3887747 5'
2089	15106	28124	1.88	0.0E+00	BF315325.1	EST_HUMAN	601802604F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:4135320 5'
2089	15106	28125	1.88	0.0E+00	BF315325.1	EST_HUMAN	601902804F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:4135320 5'
2093	15110	28129	2.38	0.0E+00	BE697125.1	EST_HUMAN	RC3-CT0413-270700-022-d10 CT0413 Homo sapiens cDNA
2093	15110	28130	2.38	0.0E+00	BE697125.1	EST_HUMAN	RC3-CT0413-270700-022-d10 CT0413 Homo sapiens cDNA
2098	15115	28136	2.35	0.0E+00	L00620.1	NT	Human plasma membrane calcium ATPase isoform 2 (APT2B2) mRNA, complete cds
2098	15115	28137	2.35	0.0E+00	L00620.1	NT	Human plasma membrane calcium ATPase isoform 2 (APT2B2) mRNA, complete cds
2103	15120	28141	2.29	0.0E+00	4758489	NT	Homo sapiens GTP binding protein 1 (GTPBP1) mRNA
2122	15139		3.16	0.0E+00	BE76964.1	EST_HUMAN	QV1-GN0085-140800-318-c10 GN0085 Homo sapiens cDNA
2123	15140		1.29	0.0E+00	AF018963.1	NT	Homo sapiens X-linked juvenile retinoschisis protein (XLR51) gene, exon 6 and complete cds
2125	15142	28159	3.87	0.0E+00	BF027562.1	EST_HUMAN	601672066F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3954785 5'
2126	15143	28160	1.42	0.0E+00	BE072624.1	EST_HUMAN	PMO-BT0547-210300-004-F04 BT0547 Homo sapiens cDNA

Page 494 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2128	15145	28161	1.26	0.0E+00	AF240786.1	NT	Homo sapiens glutathione S-transferase theta 2 (GSTT2) and glutathione S-transferase theta 1 (GSTT1) genes, complete cds
2131	15148	28163	2.85	0.0E+00	AW752708.1	EST_HUMAN	IL3-CT0219-271099-022-G10 CT0219 Homo sapiens cDNA
2133	15150	28165	4.92	0.0E+00	AI904640.1	EST_HUMAN	QV-BT065-020399-092 BT065 Homo sapiens cDNA
2133	15150	28166	4.92	0.0E+00	AI904640.1	EST_HUMAN	QV-BT065-020399-092 BT065 Homo sapiens cDNA
2191	15206		1.37	0.0E+00	L14787.1	NT	Human DNA-binding protein mRNA, 3' end
2196	15211	28229	0.93	0.0E+00	BE274696.1	EST_HUMAN	601122338F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3346688 5'
2198	15213	28232	16.22	0.0E+00	AV738288.1	EST_HUMAN	AV738288 CB Homo sapiens cDNA clone C8NBDE08 5'
2198	15213	28233	16.22	0.0E+00	AV738288.1	EST_HUMAN	AV738288 CB Homo sapiens cDNA clone C8NBDE08 5'
2200	15215	28235	1.16	0.0E+00	AA631691.1	EST_HUMAN	cc32a07.s1 NCI_CGAP_Lu5 Homo sapiens cDNA clone IMAGE:1567896 3'
2204	15219	28239	32.02	0.0E+00	BF344434.1	EST_HUMAN	602014829F1 NCI_CGAP_Brn64 Homo sapiens cDNA clone IMAGE:4150734 5'
2205	15220	28240	25.7	0.0E+00	BE748899.1	EST_HUMAN	601572186T1 NIH_MGC_55 Homo sapiens cDNA clone IMAGE:3839012 3'
2209	15224	28244	6.56	0.0E+00	BF377897.1	EST_HUMAN	CM1-TN0141-250900-439-508 TN0141 Homo sapiens cDNA
2209	15224	28245	6.56	0.0E+00	BF377897.1	EST_HUMAN	CM1-TN0141-250900-439-508 TN0141 Homo sapiens cDNA
2213	15887	28250	1.7	0.0E+00	BF313617.1	EST_HUMAN	601900261F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:4129622 5'
2216	15230	28253	1.26	0.0E+00	BE018750.1	EST_HUMAN	bb84602.y1 NIH_MGC_10 Homo sapiens cDNA clone IMAGE:3049082 5' similar to TR:Q15170 Q15170 TRANSCRIPTION FACTOR S-II-RELATED PROTEIN ;
2217	15231	28254	1.59	0.0E+00	AA042813.1	EST_HUMAN	z653c07.s1 Soares_pregnant_uterus_NbhPU Homo sapiens cDNA clone IMAGE:486540 3' similar to gb:X65857_cds1 OLFACTORY RECEPTOR-LIKE PROTEIN HGMP07E (HUMAN);
2217	15231	28255	1.59	0.0E+00	AA042813.1	EST_HUMAN	z653c07.s1 Soares_pregnant_uterus_NbhPU Homo sapiens cDNA clone IMAGE:486540 3' similar to gb:X65857_cds1 OLFACTORY RECEPTOR-LIKE PROTEIN HGMP07E (HUMAN);
2225	15239	28263	3.38	0.0E+00	AL163204.2	NT	Homo sapiens chromosome 21 segment HS21C004
2225	15239	28264	3.38	0.0E+00	AL163204.2	NT	Homo sapiens chromosome 21 segment HS21C004
2230	15244		1.57	0.0E+00	U36264.1	NT	Human beta-prime-adaptin (BAM22) gene, exon 16
2252	15266	28293	7.38	0.0E+00	4557556	NT	Homo sapiens E1A binding protein p300 (EP300) mRNA
2258	15272	28297	1.33	0.0E+00	7662401	NT	Homo sapiens KIAA0952 protein (KIAA0952), mRNA
2264	15278	28303	2.29	0.0E+00	BE895281.1	EST_HUMAN	601433525F1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3918607 5'
2266	15280	28305	1.56	0.0E+00	BE905563.1	EST_HUMAN	601495208F1 NIH_MGC_70 Homo sapiens cDNA clone IMAGE:3897457 5'
2266	15280	28306	1.56	0.0E+00	BE905563.1	EST_HUMAN	601495208F1 NIH_MGC_70 Homo sapiens cDNA clone IMAGE:3897457 5'
2269	15282	28308	1.54	0.0E+00	AB037784.1	NT	Homo sapiens mRNA for KIAA1363 protein, partial cds
2308	15320	28340	1.32	0.0E+00	BF344756.1	EST_HUMAN	602014009F1 NCI_CGAP_Brn64 Homo sapiens cDNA clone IMAGE:4149770 5'
2308	15320	28341	1.32	0.0E+00	BF344756.1	EST_HUMAN	602014009F1 NCI_CGAP_Brn64 Homo sapiens cDNA clone IMAGE:4149770 5'
2309	15321	28342	4.01	0.0E+00	11545748	NT	Homo sapiens differentially expressed in FDCP (mouse homolog) 6 (DEF6), mRNA
2309	15321	28343	4.01	0.0E+00	11545748	NT	Homo sapiens differentially expressed in FDCP (mouse homolog) 6 (DEF6), mRNA

Page 495 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2310	15322	28344	2.11	0.0E+00	A1076404.1	EST_HUMAN	oz09c07.x1 Soares_fetal_liver_spleen_INFLS_S1 Homo sapiens cDNA clone IMAGE:1674828 3'
2312	15324	28346	1.43	0.0E+00	AA429001.1	EST_HUMAN	z178a11.1 Soares_fetal_fetus_Nb2HF8_9w Homo sapiens cDNA clone IMAGE:759740 5'
2312	15324	28347	1.43	0.0E+00	AA429001.1	EST_HUMAN	z178a11.1 Soares_fetal_fetus_Nb2HF8_9w Homo sapiens cDNA clone IMAGE:759740 5'
2314	15326	28349	2.21	0.0E+00	BF347039.1	EST_HUMAN	602021846F1 NCI_CGAP_Brn87 Homo sapiens cDNA clone IMAGE:4157339 5'
2316	14572	27544	1.36	0.0E+00	M16768.1	NT	Human T-cell receptor gamma chain VJCI-CII region mRNA, complete cds
2320	15331	28355	1.09	0.0E+00	L02840.1	NT	Homo sapiens potassium channel Kv2.1 mRNA, complete cds
2321	15332	28356	1.57	0.0E+00	6325466	NT	Homo sapiens flavin containing monooxygenase 3 (FMO3), mRNA
2327	15338	28361	1.83	0.0E+00	BE676095.1	EST_HUMAN	7122a02.x1 NCI_CGAP_CLL1 Homo sapiens cDNA clone IMAGE:3296370 3' similar to TR:094939 094939 KIAA0957 PROTEIN ;
2330	15341	28363	5.18	0.0E+00	AF044571.1	NT	Homo sapiens phospholipase kinase alpha subunit (PHKA2) gene, exon 32
2331	15342	28364	2.11	0.0E+00	A1625542.1	EST_HUMAN	y67c08.x1 NCI_CGAP_U12 Homo sapiens cDNA clone IMAGE:2283182 3'
2336	15347	28368	1.76	0.0E+00	5803178	NT	Homo sapiens sperm specific antigen 2 (SSFA2), mRNA
2336	15347	28369	1.76	0.0E+00	5803178	NT	Homo sapiens sperm specific antigen 2 (SSFA2), mRNA
2342	15352	28372	1.44	0.0E+00	7662007	NT	Homo sapiens KIAA0218 gene product (KIAA0218), mRNA
2342	15352	28373	1.44	0.0E+00	7662007	NT	Homo sapiens KIAA0218 gene product (KIAA0218), mRNA
2346	15355	28377	0.97	0.0E+00	D83778.1	NT	Human mRNA for KIAA0194 gene, partial cds
2348	15355	28378	0.97	0.0E+00	D83778.1	NT	Human mRNA for KIAA0194 gene, partial cds
2356	15365	28386	3.77	0.0E+00	5174678	NT	Homo sapiens signal regulatory protein, beta, 1 (SIRP-BETA-1) mRNA
2360	15368	28390	1.86	0.0E+00	AU131142.1	EST_HUMAN	AU131142 NT2RP3 Homo sapiens cDNA clone NT2RP3002064 5'
2361	15369		8.67	0.0E+00	BE794026.1	EST_HUMAN	6015688-43F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3941003 5'
2362	15370	28391	1.23	0.0E+00	AW867076.1	EST_HUMAN	MR1-SN0033-120400-002-a04 SN0033 Homo sapiens cDNA
2363	15371	28392	3.7	0.0E+00	7662017	NT	Homo sapiens KIAA0244 protein (KIAA0244), mRNA
2364	15372	28393	2.27	0.0E+00	4758497	NT	Homo sapiens hexose-6-phosphate dehydrogenase (glucose 1-dehydrogenase) (H6PD), mRNA
2364	15372	28394	2.27	0.0E+00	4758497	NT	Homo sapiens hexose-6-phosphate dehydrogenase (glucose 1-dehydrogenase) (H6PD), mRNA
2365	15373						Homo sapiens cytochrome P450 polypeptide 43 (CYP3A43) gene, partial cds; cytochrome P450 polypeptide 4 (CYP3A4) and cytochrome P450 polypeptide 7 (CYP3A7) genes, complete cds; and cytochrome P450 polypeptide 5 (CYP3A5) gene, partial cds
2367	15375	28396	6.34	0.0E+00	AF280107.1	NT	
2367	15375	28396	13.47	0.0E+00	AU118082.1	EST_HUMAN	AU118082 HEMBA1 Homo sapiens cDNA clone HEMBA1002839 5'
2367	15375	28397	13.47	0.0E+00	AU118082.1	EST_HUMAN	AU118082 HEMBA1 Homo sapiens cDNA clone HEMBA1002839 5'
2367	15375	28398	13.47	0.0E+00	AU118082.1	EST_HUMAN	AU118082 HEMBA1 Homo sapiens cDNA clone HEMBA1002839 5'
2368	15376	28399	0.96	0.0E+00	8923089	NT	Homo sapiens hypothetical protein FLJ20081 (FLJ20081), mRNA
2424	15431	28453	1.11	0.0E+00	AU119592.1	EST_HUMAN	AU119592 HEMBA1 Homo sapiens cDNA clone HEMBA1006155 5'
2426	15433		4.37	0.0E+00	A1042035.1	EST_HUMAN	ox60b02.x1 Soares_NHMFpu_S1 Homo sapiens cDNA clone IMAGE:1660683 3' similar to TR:008662 008662 230KDA PHOSPHATIDYLINOSITOL 4-KINASE. ;

Page 496 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2429	15436		1.2	0.0E+00	BE85605.1	EST_HUMAN	601432608F1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3918168 5'
2439	15448		1.83	0.0E+00	AB005622.1	EST_HUMAN	AB005622 HeLa cDNA (T.Noma) Homo sapiens cDNA similar to adenylate kinase isozyme 2
2443	15449	28468	5.37	0.0E+00	6006002	NT	Homo sapiens glutamate receptor, ionotropic, N-methyl D-aspartate 2A (GRIN2A) mRNA
2446	15451	28471	2.23	0.0E+00	D85606.1	NT	Homo sapiens gene for cholecystokinin type-A receptor, complete cds
2446	15451	28472	2.23	0.0E+00	D85606.1	NT	Homo sapiens gene for cholecystokinin type-A receptor, complete cds
2454	15459	28481	3.38	0.0E+00	AF106275.1	NT	Homo sapiens immunoglobulin-like transcript 1c variant 4 (ILT1c) gene, exon 6
2459	15463	28486	1.08	0.0E+00	BF345274.1	EST_HUMAN	602018058F1 NCI_CGAP_Brn67 Homo sapiens cDNA clone IMAGE:4153670 5'
2466	15470	28494	3.44	0.0E+00	5729777	NT	Homo sapiens collagen, type XII, alpha 1 (COL12A1), mRNA
2470	15474	28497	1.27	0.0E+00	BE831003.1	EST_HUMAN	CMO-MT0033-150600-428-h11 MT0033 Homo sapiens cDNA
2470	15474	28498	1.27	0.0E+00	BE831003.1	EST_HUMAN	CMO-MT0033-150600-428-h11 MT0033 Homo sapiens cDNA
2475	15479	28502	1.03	0.0E+00	U13666.1	NT	Human G protein-coupled receptor (GPR1) gene, complete cds
2475	15479	28503	1.03	0.0E+00	U13666.1	NT	Human G protein-coupled receptor (GPR1) gene, complete cds
2476	15480	28504	3.72	0.0E+00	BF569144.1	EST_HUMAN	602184558F1 NIH_MGC_42 Homo sapiens cDNA clone IMAGE:4300383 3'
2486	15490	28514	2.12	0.0E+00	AW469922.1	EST_HUMAN	he04h04.x1 NCI_CGAP_Kid12 Homo sapiens cDNA clone IMAGE:2872759 3'
2488	15492	28515	3.03	0.0E+00	AW501010.1	EST_HUMAN	U1HF-BP0p-als-c-07-0-U1.1 NIH_MGC_51 Homo sapiens cDNA clone IMAGE:3072780 5'
2513	15516		2.54	0.0E+00	AW813853.1	EST_HUMAN	RC3-ST0197-300300-016-c04 ST0197 Homo sapiens cDNA
2517	15520	28543	11.9	0.0E+00	BE795542.1	EST_HUMAN	601992530F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3946518 5'
2518	15521	28544	1.43	0.0E+00	BF509482.1	EST_HUMAN	U1-H-B14-aoz-b-08-p-U1.s1 NCI_CGAP_Sub8 Homo sapiens cDNA clone IMAGE:3086535 3'
2521	15524	28546	2.26	0.0E+00	Z32684.2	NT	Homo sapiens mRNA for membrane transport protein (XK gene)
2523	15526		4.58	0.0E+00	5453871	NT	Homo sapiens platelet-derived growth factor receptor-like (PDGFRL) mRNA
2526	15529	28550	3.56	0.0E+00	7657468	NT	Homo sapiens similar to rat integral membrane glycoprotein POM121 (POM121L1), mRNA
2527	15530	28551	2.51	0.0E+00	U93239.1	NT	Human Sec62 (Sec62) mRNA, complete cds
2533	15536	28557	1.5	0.0E+00	BE868490.1	EST_HUMAN	60150821F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3908866 5'
2538	15540	28563	6.2	0.0E+00	BE875511.1	EST_HUMAN	60148924F1 NIH_MGC_69 Homo sapiens cDNA clone IMAGE:3891371 5'
2538	15540	28564	6.2	0.0E+00	BE875511.1	EST_HUMAN	60148924F1 NIH_MGC_69 Homo sapiens cDNA clone IMAGE:3891371 5'
2539	15541	28565	1.07	0.0E+00	AF114027.1	EST_HUMAN	AF114027 Homo sapiens lung fetus Homo sapiens cDNA clone ESF6
2541	15543	28568	1.11	0.0E+00	AF245505.1	NT	Homo sapiens adican mRNA, complete cds
2558	15560	28576	1.25	0.0E+00	BE536921.1	EST_HUMAN	601064738F1 NIH_MGC_10 Homo sapiens cDNA clone IMAGE:3451161 5'
2563	15564	28583	3.18	0.0E+00	AU143277.1	EST_HUMAN	AU143277 Y79AA1 Homo sapiens cDNA clone Y79AA1001673 5'
2563	15564	28584	3.18	0.0E+00	AU143277.1	EST_HUMAN	AU143277 Y79AA1 Homo sapiens cDNA clone Y79AA1001673 5'
2564	15565	28585	1.51	0.0E+00	BE262896.1	EST_HUMAN	601105312F1 NIH_MGC_15 Homo sapiens cDNA clone IMAGE:2987855 5'
2564	15565	28586	1.51	0.0E+00	BE262896.1	EST_HUMAN	601105312F1 NIH_MGC_15 Homo sapiens cDNA clone IMAGE:2987855 5'
2565	15566	28587	1.4	0.0E+00	BF223041.1	EST_HUMAN	7q27h12.x1 NCI_CGAP_GG6 Homo sapiens cDNA clone IMAGE: 3' similar to TR:000246 O00246 HYPOTHETICAL 9.3 KD PROTEIN ;

Page 497 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2568	15589	28589	8.58	0.0E+00	AF245505.1	NT	Homo sapiens adiccan mRNA, complete cds
2569	15590	28607	1.03	0.0E+00	BE28613.1	EST_HUMAN	601173631F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3529159 5'
2608	15827	28628	2.15	0.0E+00	AB037836.1	NT	Homo sapiens mRNA for KIAA1415 protein, partial cds
2608	15827	28630	2.15	0.0E+00	AB037836.1	NT	Homo sapiens mRNA for KIAA1415 protein, partial cds
2607	15606		2.35	0.0E+00	BF513835.1	EST_HUMAN	UI-HBW 1-amp-f-12-0-UJ.s1 NCI_CGAP_Sub7 Homo sapiens cDNA clone IMAGE:3070831 3'
2611	15810	28634	1.01	0.0E+00	BF672818.1	EST_HUMAN	602152653F1 NIH_MGC_81 Homo sapiens cDNA clone IMAGE:4283612 5'
2620	15618	28642	1.11	0.0E+00	AI571737.1	EST_HUMAN	In19b08.x1 NCI_CGAP_Bn25 Homo sapiens cDNA clone IMAGE:2168055 3' similar to gb:L20977 CALCIUM-TRANSPORTING ATPASE PLASMA MEMBRANE, BRAIN ISOFORM 2 (HUMAN);
2621	15619	28643	2.57	0.0E+00		NT	Homo sapiens TATA box binding protein (TBP)-associated factor, RNA polymerase II, 1, 28kD (TAF21) mRNA
2623	15622	28647	7.78	0.0E+00	AB037859.1	NT	Homo sapiens mRNA for KIAA1438 protein, partial cds
2624	15623	28648	1.25	0.0E+00	BE795445.1	EST_HUMAN	601590108F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3944304 5'
2624	15623	28649	1.25	0.0E+00	BE795446.1	EST_HUMAN	601590108F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3944304 5'
2634	15633		8.15	0.0E+00	BE792472.1	EST_HUMAN	601594930F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3939222 5'
2642	15640	28664	2.66	0.0E+00	4504698	NT	Homo sapiens IMP (inosine monophosphate) dehydrogenase 1 (IMPDH1) mRNA
2653	15650		1.32	0.0E+00	U78027.1	NT	Homo sapiens Bruton's tyrosine kinase (BTK), alpha-D-galactosidase A (GLA), L44-like ribosomal protein (L44L) and FTP3 (FTP3) genes, complete cds
2654	15651	28672	5.99	0.0E+00	AF173227.1	NT	Homo sapiens guanylate cyclase-activating protein 2 (GUCA1B) gene, exon 1
2658	15655	28673	110.09	0.0E+00	AB011108.1	NT	Homo sapiens mRNA for KIAA0536 protein, partial cds
2661	15658	28676	1.22	0.0E+00	AU133385.1	EST_HUMAN	AU133385 NT2RP4 Homo sapiens cDNA clone NT2RP4001964 5'
2662	15659	28677	0.92	0.0E+00	M69225.1	NT	Human bulbous pemphigoid antigen (BPAG1) mRNA, complete cds
2664	15661	28679	1.26	0.0E+00	AU130403.1	EST_HUMAN	AU130403 NT2RP3 Homo sapiens cDNA clone NT2RP3000779 5'
2664	15661	28680	1.26	0.0E+00	AU130403.1	EST_HUMAN	AU130403 NT2RP3 Homo sapiens cDNA clone NT2RP3000779 5'
2667	15664	28683	2.07	0.0E+00	AW887015.1	EST_HUMAN	RC1-OT0086-220300-011-407 OT0086 Homo sapiens cDNA
2670	15667	28686	1.12	0.0E+00	BF000018.1	EST_HUMAN	7h15h05.x1 NCI_CGAP_Co16 Homo sapiens cDNA clone IMAGE:3316089 3'
2671	15668	28687	5.39	0.0E+00	BE383165.1	EST_HUMAN	601298714F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:3628923 5'
2672	15669		3.03	0.0E+00	BE531263.1	EST_HUMAN	601278373F1 NIH_MGC_39 Homo sapiens cDNA clone IMAGE:3610267 5'
2709	15703	28719	0.92	0.0E+00	AB037732.1	NT	Homo sapiens mRNA for KIAA1311 protein, partial cds
2732	15728		11.44	0.0E+00	AA316723.1	EST_HUMAN	EST188414 HCC cell line (metastasis to liver in mouse) II Homo sapiens cDNA 5' end similar to ribosomal protein L29
2739	15727	28741	1.11	0.0E+00	BE794894.1	EST_HUMAN	601598625F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3943581 5'
2739	15733	28749	3.65	0.0E+00	U36253.1	NT	Human beta-prime-adaptin (BAM22) gene, exon 5
2740	15734	28750	1.05	0.0E+00	7699517	NT	Homo sapiens neurogranin 1 (NRG1), transcript variant SMDf, mRNA
2741	15735	28751	1.6	0.0E+00	AF110763.1	NT	Homo sapiens skeletal muscle LIM-protein 1 (FHL1) gene, complete cds

Page 498 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2748	15741	28798	9.77	0.0E+00	BE796376.1	EST_HUMAN	601591991F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3945983 5'
2751	15903	28762	13.57	0.0E+00	BE563433.1	EST_HUMAN	601335485F1 NIH_MGC_39 Homo sapiens cDNA clone IMAGE:368564 5'
2752	15744		1.22	0.0E+00	AV721647.1	EST_HUMAN	AV721647 HTB Homo sapiens cDNA clone HTB85E09 5'
2754	15746	28765	2.9	0.0E+00	5174486	NT	Homo sapiens spermatogenesis associated PD1 (KIAA0757) mRNA
2754	15746	28766	2.9	0.0E+00	5174486	NT	Homo sapiens spermatogenesis associated PD1 (KIAA0757) mRNA
2755	15747	28767	0.98	0.0E+00	8923441	NT	Homo sapiens hypothetical protein FLJ20477 (FLJ20477), mRNA
2755	15747	28768	0.98	0.0E+00	8923441	NT	Homo sapiens hypothetical protein FLJ20477 (FLJ20477), mRNA
2756	15748	28769	3.23	0.0E+00	AF290195.1	NT	Homo sapiens hypertension-related calcium-regulated gene mRNA, complete cds
2757	15749		48.84	0.0E+00	AV651066.1	EST_HUMAN	AV651066 GLC Homo sapiens cDNA clone GLCCLD07 3'
2758	15750	28770	6.5	0.0E+00	BF377897.1	EST_HUMAN	CM1-TN0141-250900-439-b08 TN0141 Homo sapiens cDNA
2758	15750	28771	6.5	0.0E+00	BF377897.1	EST_HUMAN	CM1-TN0141-250900-439-b08 TN0141 Homo sapiens cDNA
2762	15754	28774	0.94	0.0E+00	4757963	NT	Homo sapiens cerebellar degeneration-related protein (34KD) (CDR1) mRNA
2762	15754	28775	0.94	0.0E+00	4757963	NT	Homo sapiens cerebellar degeneration-related protein (34KD) (CDR1) mRNA
2766	15758	28780	2.96	0.0E+00	BE747193.1	EST_HUMAN	601580903F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3929472 5'
2778	15771		1.71	0.0E+00	AL163201.2	NT	Homo sapiens chromosome 21 segment HS21C001
2780	15772	28792	4.09	0.0E+00	BF514110.1	EST_HUMAN	UJ-H-BW1-armw-e-07-Q-UJ.s1 NCI_CGAP_Sub7 Homo sapiens cDNA clone IMAGE:3071340 3'
2786	15778		1.02	0.0E+00	4503068	NT	Homo sapiens chondroitin sulfate proteoglycan 4 (melanoma-associated) (CSPG4), mRNA
2792	15784	28800	1.56	0.0E+00	7705275	NT	Homo sapiens angiotensin-3 (ANG-3), mRNA
2792	15784	28801	1.56	0.0E+00	7705275	NT	Homo sapiens angiotensin-3 (ANG-3), mRNA
2793	15785	28802	4.03	0.0E+00	BF877694.1	EST_HUMAN	602085570F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:4248915 5'
2799	15791	28810	1.58	0.0E+00	7427522	NT	Homo sapiens protein tyrosine phosphatase, receptor type, T (PTPRT), mRNA
2803	15795	28813	15.3	0.0E+00	AV725534.1	EST_HUMAN	AV725534 HTC Homo sapiens cDNA clone HTCCCA03 5'
2803	15795	28814	15.3	0.0E+00	AV725534.1	EST_HUMAN	AV725534 HTC Homo sapiens cDNA clone HTCCCA03 5'
2805	15797		13.6	0.0E+00	A1879163.1	EST_HUMAN	au55d04.y1 Schneider fetal brain 00004 Homo sapiens cDNA clone IMAGE:2518663 5' similar to
2808	15800	28819	2.83	0.0E+00	BF530661.1	EST_HUMAN	SW-R13A_HUMAN P40429 60S RIBOSOMAL PROTEIN L13A ;
2809	15801	28820	3.53	0.0E+00	BE872768.1	EST_HUMAN	602071957F1 NCI_CGAP_Bn67 Homo sapiens cDNA clone IMAGE:4214679 5'
2811	15803	28821	1.98	0.0E+00	AU131494.1	EST_HUMAN	601450912F1 NIH_MGC_65 Homo sapiens cDNA clone IMAGE:3854642 5'
2811	15803	28822	1.98	0.0E+00	AU131494.1	EST_HUMAN	AU131494 NT2RP3 Homo sapiens cDNA clone NT2RP3002672 5'
2812	15804	28823	34.94	0.0E+00	BE300344.1	EST_HUMAN	AU131494 NT2RP3 Homo sapiens cDNA clone NT2RP3002672 5'
2812	15804	28824	34.94	0.0E+00	BE300344.1	EST_HUMAN	AU131494 NT2RP3 Homo sapiens cDNA clone NT2RP3002672 5'
2817	13290	28216	7.12	0.0E+00	S76830.1	NT	glycoprotein D=Durfy group antigen [human, blood, Genomic DNA, 3068 nt]
2820	15811		0.75	0.0E+00	AB033281.1	NT	Homo sapiens BTRCP2 mRNA for F-box and WD-repeats protein isoform C, complete cds
2826	13796	28735	1.6	0.0E+00	AF264750.1	NT	Homo sapiens ALR-like protein mRNA, partial cds

Page 499 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2828	13788	28736	1.6	0.0E+00	AF264750.1	NT	Homo sapiens ALR-like protein mRNA, partial cds
2830	14086	27037	3.41	0.0E+00	4503202	NT	Homo sapiens cytochrome P450, subfamily I (dioxin-inducible), polypeptide 1 (glaucoma 3, primary infantile) (CYP1B1) mRNA
2830	14086	27038	3.41	0.0E+00	4503202	NT	Homo sapiens cytochrome P450, subfamily I (dioxin-inducible), polypeptide 1 (glaucoma 3, primary infantile) (CYP1B1) mRNA
2847	15907	28832	2.28	0.0E+00	X85980.1	NT	H. sapiens serine hydroxymethyltransferase pseudogene
2848	15908		3.02	0.0E+00	AF068624.1	NT	Homo sapiens 5-aminolevulinic acid synthase 2 (ALAS2) gene, complete cds
2850	15910		1.9	0.0E+00	AB04080.1	NT	Homo sapiens mRNA for KIAA1527 protein, partial cds
2852	15912	28835	1.07	0.0E+00	4502568	NT	Homo sapiens caspase 10, apoptosis-related cysteine protease (CASP10) mRNA
2852	15912	28836	1.07	0.0E+00	4502568	NT	Homo sapiens caspase 10, apoptosis-related cysteine protease (CASP10) mRNA
2857	15917		0.98	0.0E+00	AJ238852.1	NT	Homo sapiens partial rpl3 gene for ribosomal protein L3, U82 snRNA, U83a snRNA and U83b snRNA genes
2858	15918	28839	3.25	0.0E+00	AL163201.2	NT	Homo sapiens chromosome 21 segment HS21C001
2862	15922	28842	1.6	0.0E+00	M80902.1	NT	Human AHNK nucleoprotein mRNA, 5' end
2865	15925	28844	0.96	0.0E+00	BE154504.1	EST_HUMAN	PMO-HT0343-281299-003-e02 HT0343 Homo sapiens cDNA
2865	15925	28845	0.96	0.0E+00	BE154504.1	EST_HUMAN	PMO-HT0343-281299-003-e02 HT0343 Homo sapiens cDNA
2867	15927		1.48	0.0E+00	X73428.1	NT	H. sapiens lds gene for HLH type transcription factor
2868	15928		3.61	0.0E+00	AL163268.2	NT	Homo sapiens chromosome 21 segment HS21C068
2870	15930	28847	1	0.0E+00	M88478.1	NT	Human transglutaminase mRNA, complete cds
2874	15933	28850	25.84	0.0E+00	D50657.1	NT	Homo sapiens gamma-cytoplasmic actin (ACTGP3) pseudogene
2874	15933	28851	25.84	0.0E+00	D50657.1	NT	Homo sapiens gamma-cytoplasmic actin (ACTGP3) pseudogene
2877	15936	28854	2.34	0.0E+00	AL098857.1	NT	Novel human mRNA from chromosome 1, which has similarities to BAT2 genes
2878	15937		5.17	0.0E+00	Y10658.1	NT	H. sapiens mRNA for nuclear DNA helicase II
2879	15938		1.17	0.0E+00	AF152303.1	NT	Homo sapiens protobactherin alpha C1 (PDDH-alpha-C1) mRNA, complete cds
2880	15939	28855	61.62	0.0E+00	4503470	NT	Homo sapiens eukaryotic translation elongation factor 1 alpha 1 (EEF1A1) mRNA
2880	15939	28856	61.62	0.0E+00	4503470	NT	Homo sapiens eukaryotic translation elongation factor 1 alpha 1 (EEF1A1) mRNA
2891	15950	28866	2.45	0.0E+00	4507280	NT	Homo sapiens serine/threonine kinase 9 (STK9) mRNA
2894	15953	28870	0.91	0.0E+00	AL047599.1	EST_HUMAN	DKFZp586G0621_r1 586 (synonym: hule1) Homo sapiens cDNA clone DKFZp586G0621
2895	15954	28871	1.07	0.0E+00	7661883	NT	Homo sapiens KIAA0054 gene product; Helicase (KIAA0054), mRNA
2895	15954	28872	1.07	0.0E+00	7661883	NT	Homo sapiens KIAA0054 gene product; Helicase (KIAA0054), mRNA
2896	15955		2.07	0.0E+00	4503098	NT	Homo sapiens chondroitin sulfate proteoglycan 4 (melanoma-associated) (CSFG4), mRNA
2898	15957	28874	5.43	0.0E+00	BE081896.1	EST_HUMAN	QV2-BT0636-130400-138-h03 BT0636 Homo sapiens cDNA
2898	15957	28875	5.43	0.0E+00	BE081896.1	EST_HUMAN	QV2-BT0636-130400-138-h03 BT0636 Homo sapiens cDNA
2803	15962	28883	0.63	0.0E+00	6806918	NT	Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA

Page 500 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2803	15982	28884	0.63	0.0E+00	6806918	NT	Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA
2806	15965	28888	2.52	0.0E+00	AL163206.2	NT	Homo sapiens chromosome 21 segment HS21C006
2808	15965	28889	2.52	0.0E+00	AL163206.2	NT	Homo sapiens chromosome 21 segment HS21C006
2807	15966	28890	0.94	0.0E+00	AA215579.1	EST_HUMAN	z98b11.s1 NCL_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:583517 3' similar to contains Alu repetitive element;
2815	15973		4.07	0.0E+00	Y19210.1	NT	Homo sapiens hHb5 gene for hair keratin, exons 1 to 9
2818	15976	28900	1.17	0.0E+00	4758279	NT	Homo sapiens EphA4 (EPHA4) mRNA
2819	15977	28901	23.04	0.0E+00	4503470	NT	Homo sapiens eukaryotic translation elongation factor 1 alpha 1 (EEF1A1) mRNA
2820	15978	28902	0.92	0.0E+00	AI561002.1	EST_HUMAN	tr18d07.x1 NCL_CGAP_Brr25 Homo sapiens cDNA clone IMAGE:2167981 3' similar to TR:O16247
2820	15978	28903	0.92	0.0E+00	AI561002.1	EST_HUMAN	tr18d07.x1 NCL_CGAP_Brr25 Homo sapiens cDNA clone IMAGE:2167981 3' similar to TR:O16247
2822	15980	28905	0.97	0.0E+00	AF152338.1	NT	O16247 F44E7.2 PROTEIN.;
2831	15989	28910	1.26	0.0E+00	AI209084.1	EST_HUMAN	Homo sapiens protocadherin gamma C4 (PCDH-gamma-C4) mRNA, complete cds
2839	15997	28918	2.92	0.0E+00	AB033093.1	NT	q94904.x1 Scores_testis_NHT Homo sapiens cDNA clone IMAGE:1838527 3' similar to SW:CB20_HUMAN P52298 20 KD NUCLEAR CAP BINDING PROTEIN.;
2839	15997	28919	2.92	0.0E+00	AB033093.1	NT	Homo sapiens mRNA for KIAA1267 protein, partial cds
2940	15998	28920	4.91	0.0E+00	AB040941.1	NT	Homo sapiens mRNA for KIAA1267 protein, partial cds
2940	15998	28921	4.91	0.0E+00	AB040941.1	NT	Homo sapiens mRNA for KIAA1508 protein, partial cds
2943	16001	28924	2.56	0.0E+00	7661903	NT	Homo sapiens KIAA0100 gene product (KIAA0100), mRNA
2943	16001	28925	2.56	0.0E+00	7661903	NT	Homo sapiens KIAA0100 gene product (KIAA0100), mRNA
2944	16002	28926	2.73	0.0E+00	5174574	NT	Homo sapiens myeloid/lymphoid or mixed-lineage leukemia (trithorax (Drosophila) homolog); translocated to, 4 (MLL14) mRNA
2944	16002	28927	2.73	0.0E+00	5174574	NT	Homo sapiens myeloid/lymphoid or mixed-lineage leukemia (trithorax (Drosophila) homolog); translocated to, 4 (MLL14) mRNA
2856	16014	28941	2.36	0.0E+00	4505084	NT	Homo sapiens melanoma antigen, family B, 4 (MAGEB4), mRNA
2856	16014	28942	2.36	0.0E+00	4505084	NT	Homo sapiens melanoma antigen, family B, 4 (MAGEB4), mRNA
2865	16023	28948	1.71	0.0E+00	4758827	NT	Homo sapiens neurxin III (NRXN3) mRNA
2866	16024		1.03	0.0E+00	X98494.1	NT	H. sapiens mRNA for M phase phosphoprotein 10
2871	16029	28952	7.63	0.0E+00	AF106275.1	NT	Homo sapiens immunoglobulin-like transcript 1c variant 4 (ILT1c) gene, exon 5
2885	16043		1.1	0.0E+00	AI149880.1	EST_HUMAN	qf43f09.x1 Scores_testis_NHT Homo sapiens cDNA clone IMAGE:1752809 3'
2884	16052	28973	0.97	0.0E+00	4508118	NT	Homo sapiens prospero-related homeobox 1 (PROX1) mRNA
2885	16053	28974	2.71	0.0E+00	AB004884.1	NT	Homo sapiens mRNA for PKU-alpha, partial cds
3007	16065	28984	1.51	0.0E+00	7662273	NT	Homo sapiens KIAA0737 gene product (KIAA0737), mRNA

Page 501 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3008	16068	28985	1.96	0.0E+00	5729755	NT	Homo sapiens calcium channel, voltage-dependent, gamma subunit 3 (CACNG3), mRNA
3008	16068	28986	1.96	0.0E+00	5729755	NT	Homo sapiens calcium channel, voltage-dependent, gamma subunit 3 (CACNG3), mRNA
3016	16074	28984	0.95	0.0E+00	AF114488.1	NT	Homo sapiens intersectin short isoform (ITSN), complete cds
3016	16074	28985	0.95	0.0E+00	AF114488.1	NT	Homo sapiens intersectin short isoform (ITSN), complete cds
3038	16098		0.74	0.0E+00	AL163246.2	NT	Homo sapiens chromosome 21 segment HS21C046
3040	16098	29014	1.28	0.0E+00	M74099.1	NT	Human displacement protein (CCAAT) mRNA
3050	16107	29021	0.88	0.0E+00	4508882	NT	Homo sapiens semenogelin I (SEMG1) mRNA
3052	16109	29023	0.76	0.0E+00	AW976266.1	EST_HUMAN	EST388375 MAGC resequences, MAGN Homo sapiens cDNA
3057	16114		4.37	0.0E+00	AF195953.1	NT	Homo sapiens membrane-bound aminopeptidase P (XNPEP2) gene, complete cds
3060	16117	29031	15.24	0.0E+00	5579469	NT	Homo sapiens heat shock 70kD protein 1 (HSPA1A), mRNA
3060	16117	29032	15.24	0.0E+00	5579469	NT	Homo sapiens heat shock 70kD protein 1 (HSPA1A), mRNA
3062	16119		6.14	0.0E+00	AL359403.1	NT	Isoform 2 of a novel human mRNA from chromosome 22
3066	16123	29036	2.48	0.0E+00	AF017433.1	NT	Homo sapiens putative transcription factor CR53 (CR53) mRNA, partial cds
							Homo sapiens transcription factor IGHM enhancer 3, JM11 protein, JM4 protein, T64 protein, JM10 protein, A4 differentiation-dependent protein, triple LIM domain protein 6, and synapophysin genes, complete cds; and L-type calcium channel α
3069	16126		1.86	0.0E+00	AF196779.1	NT	Homo sapiens chloride channel CLC4 (CLC4) mRNA, complete cds
3084	16141	29052	0.73	0.0E+00	AF170492.1	NT	Human gameline gene 16.1 for Ig lambda L-chain C region (Igl-C16.1)
3092	16150	29064	12.69	0.0E+00	X03529.1	NT	Homo sapiens F-box protein FBL5 (FBL5) mRNA, complete cds
3098	16155		1.77	0.0E+00	AF199355.1	NT	Homo sapiens melanoma-associated antigen (MAGE-C1) gene, complete cds
3102	16159	29071	1.71	0.0E+00	AF084589.1	NT	Homo sapiens SWI-SNF complex protein p270 mRNA, partial cds
3123	16180	29090	4.2	0.0E+00	AF265208.1	NT	Homo sapiens NOD1 protein (NOD1) gene, exons 1, 2, and 3
3124	16181	29091	4.88	0.0E+00	AF149773.1	NT	Homo sapiens KIAA0469 gene product (KIAA0469), mRNA
3129	16188	29095	2.83	0.0E+00	7662139	NT	Homo sapiens olfactory receptor-like protein (OLFR 42B) gene, OLFR 42B-0110 allele, partial cds
3130	16187	29098	1.56	0.0E+00	AF042075.1	NT	Homo sapiens olfactory receptor-like protein (OLFR 42B) gene, OLFR 42B-0110 allele, partial cds
3167	16213	29128	4.32	0.0E+00	4826783	NT	Homo sapiens potassium voltage-gated channel, Shab-related subfamily, member 1 (KCNB1) mRNA
3165	16220	29135	22.34	0.0E+00	L20841.1	NT	Human ferritin heavy chain mRNA, complete cds
3168	16223	29138	1.3	0.0E+00	AB011121.1	NT	Homo sapiens mRNA for KIAA0549 protein, partial cds
3168	16223	29139	1.3	0.0E+00	AB011121.1	NT	Homo sapiens mRNA for KIAA0549 protein, partial cds
3174	16229	29145	21.23	0.0E+00	T94870.1	EST_HUMAN	ye3203.s1 Stratagene lung (#937210) Homo sapiens cDNA clone IMAGE:119453 3' similar to SP:S29539
3190	16245	29163	1.13	0.0E+00	BF243336.1	EST_HUMAN	S29539 BASIC PROTEIN, 23K - ;
3192	16247	29164	1.11	0.0E+00	A1968086.1	EST_HUMAN	601878507F1 NIH_MGC 55 Homo sapiens cDNA clone IMAGE:4107433 5'
3197	16252	29171	4.28	0.0E+00	X98922.1	NT	wu12h10.x1 NCL_CGAP_G06 Homo sapiens cDNA clone IMAGE:2516803 3'
							H. sapiens mRNA for gamma-glutamyltransferase

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3197	16252	29172	4.28	0.0E+00	X98922.1	NT	H.sapiens mRNA for gamma-glutamyltransferase
3207	16262	29183	1.16	0.0E+00	4758827	NT	Homo sapiens neurodin III (NRXN3) mRNA
3207	16262	29184	1.16	0.0E+00	4758827	NT	Homo sapiens neurodin III (NRXN3) mRNA
3213	16268	29191	9.61	0.0E+00	4504658	NT	Homo sapiens interleukin 1 receptor, type I (IL1R1) mRNA
3230	16285	29208	3.9	0.0E+00	M28699.1	NT	Homo sapiens nuclear phosphoprotein B23 (NPM1) mRNA, complete cds
3234	16289	29211	1.55	0.0E+00	4502098	NT	Homo sapiens solute carrier family 25 (mitochondrial carrier, adenine nucleotide translocator), member 5 (SLC25A5), nuclear gene encoding mitochondrial protein, mRNA
3240	16295	29219	0.98	0.0E+00	4758055	NT	Homo sapiens CREB binding protein (Rubinstein-Taybi syndrome) (CREBBP) mRNA
3240	16295	29220	0.98	0.0E+00	4758055	NT	Homo sapiens CREB binding protein (Rubinstein-Taybi syndrome) (CREBBP) mRNA
3242	16297	29221	3.35	0.0E+00	AA774783.1	EST_HUMAN	aa87b11.s1 Stratagene schizo brain S11 Homo sapiens cDNA clone IMAGE:971133 3'
3250	16305	29229	3.58	0.0E+00	AF286598.1	NT	Homo sapiens angiotensin binding protein 1 mRNA, complete cds
3250	16305	29230	3.58	0.0E+00	AF286598.1	NT	Homo sapiens angiotensin binding protein 1 mRNA, complete cds
3261	16315	29235	1.15	0.0E+00	4557590	NT	Homo sapiens fibrillin 1 (Marfan syndrome) (FBN1) mRNA
3267	16321	29243	1.02	0.0E+00	4507720	NT	Homo sapiens titin (TTN) mRNA
3275	16329	29250	1.04	0.0E+00	AF019413.1	NT	Homo sapiens HLA class III region containing tenascin X (tenascin-X) gene, partial cds; cytochrome P450 21-hydroxylase (CYP21B), complement component C4 (C4B) G11, helicase (SKI2W), RD, complement factor B (Bf), and complement component C2 (C2) genes, >
3278	16332	29253	4.45	0.0E+00	AF055084.1	NT	Homo sapiens very large G-protein coupled receptor-1 (VLGR1) mRNA, complete cds
3288	16312	29261	2.4	0.0E+00	4502014	NT	Homo sapiens A kinase (PRKA) anchor protein 1 (AKAP1), mRNA
3288	16312	29262	2.4	0.0E+00	4502014	NT	Homo sapiens A kinase (PRKA) anchor protein 1 (AKAP1), mRNA
3303	16356	29275	2.99	0.0E+00	AF265208.1	NT	Homo sapiens SWI-SNF complex protein p270 mRNA, partial cds
3304	16357	29276	0.86	0.0E+00	8923624	NT	Homo sapiens hypothetical protein FLJ20695 (FLJ20695), mRNA
3335	16386	29307	2.87	0.0E+00	AI589294.1	EST_HUMAN	tr58f08.x2 NCL CGAP_Pan1 Homo sapiens cDNA clone IMAGE:222535 3' similar to SW:RL11_RAT P25121 60S RIBOSOMAL PROTEIN L11, contains Alu repetitive element
3343	16394	29315	2.44	0.0E+00	AF128893.1	NT	Homo sapiens telomerase reverse transcriptase (TERT) gene, exons 1-6
3343	16394	29316	2.44	0.0E+00	AF128893.1	NT	Homo sapiens telomerase reverse transcriptase (TERT) gene, exons 1-6
3344	16395	29317	0.85	0.0E+00	7667213	NT	Homo sapiens hormonally upregulated neu tumor-associated kinase (HUNK), mRNA
3344	16395	29318	0.85	0.0E+00	7667213	NT	Homo sapiens hormonally upregulated neu tumor-associated kinase (HUNK), mRNA
3346	16397	29319	1.11	0.0E+00	4502582	NT	Homo sapiens caspase 8, apoptosis-related cysteine protease (CASP8) mRNA
3346	16397	29320	1.11	0.0E+00	4502582	NT	Homo sapiens caspase 8, apoptosis-related cysteine protease (CASP8) mRNA
3349	16400	29322	10.77	0.0E+00	AF111163.1	NT	Homo sapiens pyrin (MEFV) gene, complete cds
3351	16402	29324	1.09	0.0E+00	AB040940.1	NT	Homo sapiens mRNA for KIAA1507 protein, partial cds
3358	16408	29330	0.85	0.0E+00	BE779039.1	EST_HUMAN	601464985F1 NIH_MGC_67 Homo sapiens cDNA clone IMAGE:3868246 5'

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3369	16419	29344	0.79	0.0E+00	A1632569.1	EST_HUMAN	wp10704.x1 NCL_CGAP_GC6 Homo sapiens cDNA clone IMAGE:2305279 3' similar to TR:Q91929 Q91929
3407	16456	29379	4.18	0.0E+00	AU123664.1	EST_HUMAN	ZINC FINGER PROTEIN ;
3414	16462	29382	1.15	0.0E+00	7363436	NT	AU123664 NT2RM2 Homo sapiens cDNA clone NT2RM2000735 5'
3414	16462	29383	1.15	0.0E+00	7363436	NT	Homo sapiens olfactory receptor, family 10, subfamily C, member 1 (OR10C1), mRNA
3417	16465	29385	6.29	0.0E+00	7706239	NT	Homo sapiens neuroblastoma-amplified protein (LOC51594), mRNA
3418	16466	29386	1.51	0.0E+00	AF211186.1	NT	Homo sapiens T-type calcium channel alpha1 subunit Alpha1-a isoform (CACNA1I) mRNA, complete cds
3436	16483	29401	1.13	0.0E+00	7662401	NT	Homo sapiens KIAA0952 protein (KIAA0952), mRNA
3436	16483	29402	1.13	0.0E+00	7662401	NT	Homo sapiens KIAA0952 protein (KIAA0952), mRNA
3437	16484	29403	1.05	0.0E+00	4502398	NT	Homo sapiens beaded filament structural protein 1, filensin (BFSP1) mRNA
3441	16488	29406	2.77	0.0E+00	5803067	NT	Homo sapiens leukocyte immunoglobulin-like receptor, subfamily A (with TM domain), member 2 (LILRA2), mRNA
3450	16501	29419	1.39	0.0E+00	AF110763.1	NT	Homo sapiens skeletal muscle LIM-protein 1 (FHL1) gene, complete cds
3455	16501	29419	2.15	0.0E+00	7657038	NT	Homo sapiens death receptor 6 (DR6), mRNA
3456	16502	29420	1.05	0.0E+00	5453965	NT	Homo sapiens protein kinase, AMP-activated, alpha 2 catalytic subunit (PRKAA2) mRNA
3456	16502	29421	1.05	0.0E+00	5453965	NT	Homo sapiens protein kinase, AMP-activated, alpha 2 catalytic subunit (PRKAA2) mRNA
3459	16505	29425	1	0.0E+00	AJ277276.1	NT	Homo sapiens mRNA for rapa-2 (rapa gene)
3459	16505	29428	1	0.0E+00	AJ277276.1	NT	Homo sapiens mRNA for rapa-2 (rapa gene)
3460	16506	29427	5.55	0.0E+00	K02380.1	NT	Bacteriophage P1 replication region including repA, parA, and parB genes and IncA, IncB, and IncC incompatibility determinants
3463	16509	29430	1.31	0.0E+00	7427522	NT	Homo sapiens protein tyrosine phosphatase, receptor type, T (PTPRT), mRNA
3469	16516	29435	5.12	0.0E+00	A1935159.1	EST_HUMAN	wp14410.x1 NCL_CGAP_Lu19 Homo sapiens cDNA clone IMAGE:2464819 3' similar to TR:O73634 O73634
3469	16516	29436	5.12	0.0E+00	A1935159.1	EST_HUMAN	NEURAL CELL ADHESION MOLECULE ;
3473	16519	29441	1.86	0.0E+00	AJ278120.1	NT	Homo sapiens mRNA for putative ankyrin-repeat containing protein (ORF-1)
3479	16525	29449	6.24	0.0E+00	6552332	NT	Homo sapiens v-fos FBJ murine osteosarcoma viral oncogene homolog (FOS), mRNA
3479	16525	29450	6.24	0.0E+00	6552332	NT	Homo sapiens v-fos FBJ murine osteosarcoma viral oncogene homolog (FOS), mRNA
3485	16531	29456	1.06	0.0E+00	M14123.1	NT	Human endogenous retrovirus HERV-K10
3490	16536	29461	6.79	0.0E+00	U43263.1	NT	Human MDS1A (AML1/MDS1 fusion) mRNA, partial cds
3497	16544	29469	1.85	0.0E+00	AF045452.1	NT	Homo sapiens cell-line KG1 transcriptional regulatory protein p54 mRNA, complete cds
3497	16544	29470	1.85	0.0E+00	AF045452.1	NT	Homo sapiens cell-line KG1 transcriptional regulatory protein p54 mRNA, complete cds
3504	16551	29478	0.99	0.0E+00	AF231922.1	NT	Homo sapiens chromosome 21 unknown mRNA

Page 504 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3516	16562	29486	2.28	0.0E+00	BE304791.1	EST_HUMAN	601143853F1 NIH_MGC_15 Homo sapiens cDNA clone IMAGE:3051373 5'
3518	16562	29487	2.29	0.0E+00	BE304791.1	EST_HUMAN	601143853F1 NIH_MGC_15 Homo sapiens cDNA clone IMAGE:3051373 5'
3519	16565	29490	1.07	0.0E+00	4826795	NT	Homo sapiens potassium voltage-gated channel, Isk-related family, member 2 (KCNK2) mRNA
3521	16567	29491	1.24	0.0E+00	O14867	SWISSPROT	TRANSCRIPTION REGULATOR PROTEIN BACH1 (BTB AND CNC HOMOLOG 1) (HA2303)
3526	16572	29495	0.88	0.0E+00	AI384007.1	EST_HUMAN	le35g12.x1 Soares_NHMPu_S1 Homo sapiens cDNA clone IMAGE:2088742 3' similar to TR:O00498
3529	16575	29498	1.08	0.0E+00	M10976.1	NT	Human endogenous retroviral DNA (4-1), complete retroviral segment
3543	16589	29513	0.92	0.0E+00	AB032979.1	NT	Homo sapiens mRNA for KIAA1153 protein, partial cds
3543	16589	29514	0.92	0.0E+00	AB032979.1	NT	Homo sapiens mRNA for KIAA1153 protein, partial cds
3551	16597	29522	1.38	0.0E+00	AV701869.1	EST_HUMAN	AV701869 ADB Homo sapiens cDNA clone ADBDAH06 5'
3552	16598	29523	0.92	0.0E+00	4506884	NT	Homo sapiens semenogelin II (SEMG2) mRNA
3554	16600		1.03	0.0E+00	AF078868.1	NT	Homo sapiens homologous yeast-44.2 protein mRNA, complete cds
3563	16609	29531	0.82	0.0E+00	AL133204.1	NT	Novel human gene mapping to chromosome X
3567	16612	29534	1.21	0.0E+00	AB040909.1	NT	Homo sapiens mRNA for KIAA1476 protein, partial cds
3578	16623	29544	1.33	0.0E+00	8923087	NT	Homo sapiens hypothetical protein FLJ20080 (FLJ20080), mRNA
3588	16633	29551	1.16	0.0E+00	6997248	NT	Homo sapiens sal (Drosophila)-like 1 (SALL1), mRNA
3588	16633	29552	1.16	0.0E+00	6997248	NT	Homo sapiens sal (Drosophila)-like 1 (SALL1), mRNA
3590	16635	29555	1.06	0.0E+00	6325463	NT	Homo sapiens butyrophilin, subfamily 3, member A3 (BTN3A3), mRNA
3595	16640		4.69	0.0E+00	AW852217.1	EST_HUMAN	QV0-CT0225-230300-169-ao1 CT0225 Homo sapiens cDNA
3602	16647		1.35	0.0E+00	AF118848.1	NT	Homo sapiens gamma-glutamylcysteine synthetase (GLCLC) gene, partial cds
3603	16648	29564	10.81	0.0E+00	BF676393.1	EST_HUMAN	602084583F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:4248596 5'
3617	16661	29579	1.04	0.0E+00	AW937977.1	EST_HUMAN	QV0-DT0047-170200-123-g01 DT0047 Homo sapiens cDNA
3629	16672	29585	1.46	0.0E+00	BF672054.1	EST_HUMAN	602152486F1 NIH_MGC_81 Homo sapiens cDNA clone IMAGE:4283645 5'
3629	16672	29586	1.46	0.0E+00	BF672054.1	EST_HUMAN	602152486F1 NIH_MGC_81 Homo sapiens cDNA clone IMAGE:4283645 5'
3630	16673		0.84	0.0E+00	4826967	NT	Homo sapiens retinoblastoma-binding protein 2 (RBBP2) mRNA
3632	16675	29588	0.84	0.0E+00	AW664693.1	EST_HUMAN	h84g01.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2979024 3'
3632	16675	29589	0.84	0.0E+00	AW664693.1	EST_HUMAN	h84g01.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2979024 3'
3636	16679	29593	0.83	0.0E+00	4826763	NT	Homo sapiens heparan sulfate (glucosamine) 3-O-sulfotransferase 1 (HS3ST1) mRNA
3638	16681	29596	1.03	0.0E+00	7662319	NT	Homo sapiens KIAA0806 gene product (KIAA0806), mRNA
3646	16689	29604	0.87	0.0E+00	4557752	NT	Homo sapiens midline 1 (Opitz/BBB syndrome) (MID1) mRNA
3646	16689	29605	0.87	0.0E+00	4557752	NT	Homo sapiens midline 1 (Opitz/BBB syndrome) (MID1) mRNA
3661	16704	29618	3.11	0.0E+00	D87327.1	NT	Homo sapiens mRNA for G protein-coupled inward rectifier potassium channel, complete cds
3664	16707		10.78	0.0E+00	7669491	NT	Homo sapiens glyceraldehyde-3-phosphate dehydrogenase (GAPD), mRNA
3681	16724	29637	16.15	0.0E+00	AB026542.1	NT	Homo sapiens WAVE2 mRNA for WASP-family protein, complete cds

Page 505 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3685	16728	29639	4.02	0.0E+00	AF124250.1	NT	Homo sapiens SH2-containing protein Nsp2 mRNA, complete cds
3685	16728	29640	4.02	0.0E+00	AF124250.1	NT	Homo sapiens SH2-containing protein Nsp2 mRNA, complete cds
3692	16735	29647	1.6	0.0E+00	AL163204.2	NT	Homo sapiens chromosome 21 segment HS21C004
3692	16735	29648	1.6	0.0E+00	AL163204.2	NT	Homo sapiens chromosome 21 segment HS21C004
3695	16738	29651	1.34	0.0E+00	AW651714.1	EST_HUMAN	MR2-CT0222-281099-005-e05 CT0222 Homo sapiens cDNA
3697	16740	29653	2.88	0.0E+00	5729928	NT	Homo sapiens matrix metalloproteinase 24 (membrane-inserted) (MMP24), mRNA
3699	16742	29655	1.37	0.0E+00	AB018339.1	NT	Homo sapiens mRNA for KIAA0766 protein, partial cds
3701	16744	29657	0.72	0.0E+00	Q14887	SWISSPROT	TRANSCRIPTION REGULATOR PROTEIN BACH1 (BTB AND CNC HOMOLOG 1) (HA2303)
3703	16746	29659	1.45	0.0E+00	AB020717.1	NT	Homo sapiens mRNA for KIAA0810 protein, partial cds
3703	16746	29660	1.45	0.0E+00	AB020717.1	NT	Homo sapiens mRNA for KIAA0910 protein, partial cds
3705	16748	29662	1	0.0E+00	7682237	NT	Homo sapiens KIAA0670 protein/achinus (KIAA0670), mRNA
3705	16748	29663	1	0.0E+00	7682237	NT	Homo sapiens KIAA0670 protein/achinus (KIAA0670), mRNA
3719	16762	29672	4.6	0.0E+00	AW298134.1	EST_HUMAN	UI-H-BW0-qj9-e-120-UJ.st NCI CGAP Sub6 Homo sapiens cDNA clone IMAGE:2733022 3'
3719	16762	29673	4.6	0.0E+00	AW298134.1	EST_HUMAN	UI-H-BW0-qj9-e-120-UJ.st NCI CGAP Sub6 Homo sapiens cDNA clone IMAGE:2733022 3'
3742	16784	29696	1.47	0.0E+00	AB004630.1	NT	Human gene for Type XIX collagen alpha 1 chain, exon 6
3743	16785	29697	1.06	0.0E+00	AA463659.1	EST_HUMAN	aa06g01.r1 Soares_NhhMPu_S1 Homo sapiens cDNA clone IMAGE:812496 5' similar to SW:KRB4_SHEEP P02445 KERATIN, HIGH-SULFUR MATRIX PROTEIN, IIIB4, [1];
3747	16789	29701	0.76	0.0E+00	AB020710.1	NT	Homo sapiens mRNA for KIAA0903 protein, partial cds
3750	16792	29703	3.92	0.0E+00	7657488	NT	Homo sapiens similar to rat integral membrane glycoprotein POM121 (POM121L1), mRNA
3760	16801	29713	0.77	0.0E+00	AB037835.1	NT	Homo sapiens mRNA for KIAA1414 protein, partial cds
3772	16814	29723	5.64	0.0E+00	7682183	NT	Homo sapiens KIAA0569 gene product (KIAA0569), mRNA
3775	16817	29726	19.76	0.0E+00	4506718	NT	Homo sapiens ribosomal protein S2 (RPS2), mRNA
3781	16822	29729	0.97	0.0E+00	7657085	NT	Homo sapiens v-ets avian erythroblastosis virus E26 oncogene related (ERG), mRNA
3781	16822	29730	0.97	0.0E+00	7657085	NT	Homo sapiens v-ets avian erythroblastosis virus E26 oncogene related (ERG), mRNA
3784	16825	29733	0.92	0.0E+00	4505594	NT	Homo sapiens plasminogen activator inhibitor, type II (arginine-serpin) (PAI2), mRNA
3834	16874	29775	3.15	0.0E+00	AF179733.1	NT	Pan troglodytes olfactory receptor (PTR208) gene, partial cds
3837	16877	29778	2.76	0.0E+00	7657488	NT	Homo sapiens similar to rat integral membrane glycoprotein POM121 (POM121L1), mRNA
3837	16877	29780	2.76	0.0E+00	7657488	NT	Homo sapiens similar to rat integral membrane glycoprotein POM121 (POM121L1), mRNA
3843	16883	29787	0.91	0.0E+00	AF127851.1	NT	Gorilla gorilla olfactory receptor (GGO71) gene, partial cds
3843	16883	29788	0.91	0.0E+00	AF127851.1	NT	Gorilla gorilla olfactory receptor (GGO71) gene, partial cds
3844	16884	29789	1.01	0.0E+00	AB377999.1	EST_HUMAN	ta6210.x1 Soares_NFL_T_GBC S1 Homo sapiens cDNA clone IMAGE:2091307 3'
3845	16885		1.81	0.0E+00	AF152496.1	NT	Homo sapiens probocadherin beta 3 (PCDH-beta3) mRNA, complete cds
3846	16886	29780	0.97	0.0E+00	4758189	NT	Homo sapiens desmoplakin (DPI, DPII) (DSP) mRNA

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3850	16890	29794	16.29	0.0E+00	S76885.1	NT	Homo sapiens ATP-sensitive inwardly rectifying K-channel subunit (KCNJ6/BIR1) gene, complete cds
3852	16892	29796	2.25	0.0E+00	7710148	NT	Homo sapiens methyl CpG binding protein 2 (MECP2), mRNA
3853	16893	29797	1.54	0.0E+00	7662183	NT	Homo sapiens KIAA0569 gene product (KIAA0569), mRNA
3857	16897	29800	1.1	0.0E+00	4504534	NT	Homo sapiens 5-hydroxytryptamine (serotonin) receptor 1D (HTR1D) mRNA
3862	16901	29805	1.15	0.0E+00	AB001523.1	NT	Homo sapiens gene for TMEM1 and PWP2, complete and partial cds
3862	16901	29806	1.15	0.0E+00	AB001523.1	NT	Homo sapiens gene for TMEM1 and PWP2, complete and partial cds
3863	16902	29807	0.77	0.0E+00	6912735	NT	Homo sapiens transient receptor potential channel 5 (TRPC5), mRNA
3868	16907	29815	7.17	0.0E+00	4503178	NT	Homo sapiens chromosome X open reading frame 5 (CXORF5) mRNA
3868	16907	29816	7.17	0.0E+00	4503178	NT	Homo sapiens chromosome X open reading frame 5 (CXORF5) mRNA
3870	16909	29819	4.34	0.0E+00	U09412.1	NT	Human zinc finger protein ZNF134 mRNA, complete cds
3871	16910	29820	1.13	0.0E+00	AF114488.1	NT	Homo sapiens interseclin short isoform (ITSN) mRNA, complete cds
3874	16913	29822	1.29	0.0E+00	4826783	NT	Homo sapiens potassium voltage-gated channel, Shab-related subfamily, member 1 (KCNB1) mRNA
3877	16916	29825	1.3	0.0E+00	AF012616.1	NT	Homo sapiens familial mental retardation protein 2 (FMR2) gene, exon 11
3878	16917	29826	2.38	0.0E+00	4759171	NT	Homo sapiens SC35-interacting protein 1 (SRRP129), mRNA
3880	16919	29828	0.73	0.0E+00	AF099117.1	NT	Homo sapiens amphiphysin gene, partial cds
3889	16929	29838	2.34	0.0E+00	AI864727.1	EST_HUMAN	wk01f01.x1 NCL CGAP_Lym12 Homo sapiens cDNA clone IMAGE:2411065 3' similar to TR:O43340
3892	16932	29842	13.72	0.0E+00	4506742	NT	O43340 R28830_2; contains element PTR7 repetitive element ;
3897	16937	29848	1.39	0.0E+00	AL040338.1	EST_HUMAN	Homo sapiens ribosomal protein S8 (RPS8), mRNA
3903	16943	29855	1.34	0.0E+00	6005887	NT	DKFZp434N0413_r1 434 (synonym: hess3) Homo sapiens cDNA clone DKFZp434N0413 5'
3903	16943	29856	1.34	0.0E+00	6005887	NT	Homo sapiens AP1 gamma subunit binding protein 1 (AP1GBP1), mRNA
3904	16944	29857	1.78	0.0E+00	4504136	NT	Homo sapiens AP1 gamma subunit binding protein 1 (AP1GBP1), mRNA
3906	16946		1.75	0.0E+00	4505078	NT	Homo sapiens glutamate receptor, metabotropic 3 (GRM3) mRNA
3910	16950	29861	1.08	0.0E+00	AF149412.1	NT	Homo sapiens melanoma antigen, family B, 1 (MAGEB1) mRNA
3924	16964	29877	1.17	0.0E+00	4506758	NT	Homo sapiens HBP17 heparin-binding and FGF-binding protein gene, complete cds
3928	16968	29881	1.3	0.0E+00	4585642	NT	Homo sapiens ryanodine receptor 3 (RYR3) mRNA
3936	16976	29890	1.64	0.0E+00	BF355295.1	EST_HUMAN	Homo sapiens zinc finger protein (KIAA0412) mRNA
3937	16977	29891	1.05	0.0E+00	AW888221.1	EST_HUMAN	RC3-HT0860-170800-011-at12 HT0860 Homo sapiens cDNA
3937	16977	29892	1.05	0.0E+00	AW888221.1	EST_HUMAN	MXRA5 Human matrix tissue expression library Homo sapiens cDNA clone Incyte 1996726 similar to MXRA5
3947	16987	29902	1.85	0.0E+00	AF129533.1	NT	Matrix remodeling associated gene 5
							MXRA5 Human matrix tissue expression library Homo sapiens cDNA clone Incyte 1996726 similar to MXRA5
							Matrix remodeling associated gene 5
							Homo sapiens F-box protein Fbl3b (FBL3B) mRNA, partial cds

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3952	16992	28908	3.36	0.0E+00	BE378602.1	EST_HUMAN	601236866F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3608800 5'
3961	17001	29916	1.06	0.0E+00	AW580740.1	EST_HUMAN	PM3-L T0031-100100-003-h09 L70031 Homo sapiens cDNA
4000	17039	28945	5.21	0.0E+00	AF116195.1	NT	Homo sapiens cancer-testis antigen CT10 (CT10) gene, complete cds
4000	17039	28946	5.21	0.0E+00	AF116195.1	NT	Homo sapiens cancer-testis antigen CT10 (CT10) gene, complete cds
4010	17049		3.56	0.0E+00	M23910.1	NT	Human MHC class II lymphocyte antigen DPw4-beta-2 pseudogene, exon 2
4013	17052		6.54	0.0E+00	AL163303.2	NT	Homo sapiens chromosome 21 segment HS21C103
4022	17060	29961	3.12	0.0E+00	AL163284.2	NT	Homo sapiens chromosome 21 segment HS21C084
4031	17069	29970	1.59	0.0E+00	AL163288.2	NT	Homo sapiens chromosome 21 segment HS21C068
4036	17074	29974	0.99	0.0E+00	S78663.1	NT	img-mas-related [human, Genomic, 2416 nt]
4047	17085		56.15	0.0E+00	4503470	NT	Homo sapiens eukaryotic translation elongation factor 1 alpha 1 (EEF1A1) mRNA
4054	17091		1.47	0.0E+00	AI657076.1	EST_HUMAN	tt56g08.x1 NCL_CGAP_GC6 Homo sapiens cDNA clone IMAGE:2244734 3' similar to TR:O60309 O60309
4057	17093	29988	1.13	0.0E+00	7662183	NT	KIAA0563 PROTEIN ;
4058	17094	29989	1.57	0.0E+00	U09366.1	NT	Homo sapiens KIAA0569 gene product (KIAA0569), mRNA
4076	17111	30007	5.87	0.0E+00	AB015610.1	NT	Human zinc finger protein ZNF133
4085	17119		3.81	0.0E+00	AJ238617.1	NT	Chlorobebus aethiops mRNA for ribosomal protein S4X, complete cds
4093	17127	30020	1.14	0.0E+00	AL163203.2	NT	Homo sapiens mRNA for UGA suppressor tRNA-associated antigenic protein (IRNA48 gene)
4094	17128	30021	2.87	0.0E+00	AJ277276.1	NT	Homo sapiens chromosome 21 segment HS21C003
4094	17128	30022	2.87	0.0E+00	AJ277276.1	NT	Homo sapiens mRNA for rape-2 (rape gene)
4100	17134	30028	7.81	0.0E+00	5032026	NT	Homo sapiens mRNA for rape-2 (rape gene)
4100	17134	30028	7.81	0.0E+00	5032026	NT	Homo sapiens retinoblastoma-binding protein 4 (RBBP4) mRNA
4111	17145	30039	1.27	0.0E+00	4503914	NT	Homo sapiens retinoblastoma-binding protein 4 (RBBP4) mRNA
4117	17150	30042	4.96	0.0E+00	4885306	NT	Homo sapiens phosphoribosylglycinamide formyltransferase, phosphoribosylglycinamide synthetase, phosphoribosylaminimidazole synthetase (GART) mRNA
4118	17151	30043	1.32	0.0E+00	AB006625.1	NT	Homo sapiens G protein-coupled receptor 21 (GPR21), mRNA
4121	17154	30044	7.49	0.0E+00	11419297	NT	Homo sapiens mRNA for KIAA0287 gene, partial cds
4122	17155	30045	2.95	0.0E+00	AL096857.1	NT	Homo sapiens IMP (inosine monophosphate) dehydrogenase 1 (IMPDH1), mRNA
4123	17156		1.21	0.0E+00	AA018975.1	EST_HUMAN	Novel human mRNA from chromosome 1, which has similarities to BAT2 genes
4129	17162	30051	3.26	0.0E+00	AF165527.1	NT	ze55e09.r1 Soares retina N2b4HR Homo sapiens cDNA clone IMAGE:362920 5' similar to contains Alu repetitive element
4138	14177	27127	1.82	0.0E+00	4828947	NT	Homo sapiens DGCR8 (DGCR8) mRNA, complete cds
4138	14177	27128	1.82	0.0E+00	4826947	NT	Homo sapiens protein kinase, X-linked (PRKX) mRNA
4143	17176	30063	1.26	0.0E+00	5901905	NT	Homo sapiens protein kinase, X-linked (PRKX) mRNA
4144	17176	30064	1.09	0.0E+00	4503854	NT	Homo sapiens butyrophilin, subfamily 3, member A2 (BTN3A2), mRNA

Page 508 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4144	17176	30065	1.09	0.0E+00	4503854	NT	Homo sapiens GA-binding protein transcription factor, alpha subunit (80kD) (GABPA), mRNA
4146	16598	29523	0.86	0.0E+00	4506884	NT	Homo sapiens semionogelin II (SEMIG2), mRNA
4148	17179	30067	0.8	0.0E+00	8922391	NT	Homo sapiens hypothetical protein FLJ10378 (FLJ10378), mRNA
4148	17179	30068	0.8	0.0E+00	8922391	NT	Homo sapiens hypothetical protein FLJ10378 (FLJ10378), mRNA
4153	17184	30071	0.66	0.0E+00	AB020702.1	NT	Homo sapiens mRNA for KIAA0895 protein, partial cds
4159	17190	30078	4.7	0.0E+00	AI982597.1	EST_HUMAN	wu04d04.x1 NCJ CGAP GC6 Homo sapiens cDNA clone IMAGE:2515975 3'
4159	17190	30079	4.7	0.0E+00	AI982597.1	EST_HUMAN	wu04d04.x1 NCJ CGAP GC6 Homo sapiens cDNA clone IMAGE:2515975 3'
4161	17192	30081	1.2	0.0E+00	BE184856.1	EST_HUMAN	MR1-H10707-100500-001-a02 HT0707 Homo sapiens cDNA
4161	17192	30082	1.2	0.0E+00	BE184856.1	EST_HUMAN	MR1-H10707-100500-001-a02 HT0707 Homo sapiens cDNA
4165	17196		3.98	0.0E+00	BE274217.1	EST_HUMAN	601120778F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:2867690 5'
4170	17201	30087	0.93	0.0E+00	AB032981.1	NT	Homo sapiens mRNA for KIAA1125 protein, partial cds
4170	17201	30088	0.93	0.0E+00	AB032981.1	NT	Homo sapiens mRNA for KIAA1125 protein, partial cds
							Homo sapiens transglutaminase 3 (E polypeptide, protein-glutamine-gamma-glutamyltransferase) (TGM3) mRNA
4172	17203	30090	1.02	0.0E+00	4507476	NT	Homo sapiens nuclear receptor coactivator 3 (NCOA3), mRNA
4173	17204	30091	2.84	0.0E+00	5729725	NT	Homo sapiens gene on chromosome 20
4174	17205		1.13	0.0E+00	AL132999.1	NT	Novel human gene on chromosome 20
4183	17214		5.1	0.0E+00	AW675599.1	EST_HUMAN	ba511f04.x1 NIH_MGC_10 Homo sapiens cDNA clone IMAGE:2800095 3' similar to SW:TH12_BOVIN
4188	17219	30106	1.12	0.0E+00	AW408788.1	EST_HUMAN	Q95108 MITOCHONDRIAL THIOREDOXIN PRECURSOR ;
4190	17221	30109	1.23	0.0E+00	8922466	NT	UJ-HF-BM0-adv-c-02-Q-UJ.1 NIH_MGC_38 Homo sapiens cDNA clone IMAGE:3063147 5'
4190	17221	30110	1.23	0.0E+00	8922466	NT	Homo sapiens hypothetical protein FLJ10498 (FLJ10498), mRNA
							Homo sapiens polycystic kidney disease (polycystin) and REJ (sperm receptor for egg jelly, sea urchin homolog)-like (PKDREJ) mRNA
4200	17231		4.37	0.0E+00	5174632	NT	zu68h07.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:743197 3' similar to contains Alu repetitive element; contains element MER35 repetitive element ;
4220	17249	30133	9.8	0.0E+00	AA401438.1	EST_HUMAN	zu68h07.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:743197 3' similar to contains Alu repetitive element; contains element MER35 repetitive element ;
4220	17249	30134	9.8	0.0E+00	AA401438.1	EST_HUMAN	zu68h07.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:743197 3' similar to contains Alu repetitive element; contains element MER35 repetitive element ;
4235	17284	30149	1.04	0.0E+00	4507720	NT	Homo sapiens titin (TTN) mRNA
4235	17284	30150	1.04	0.0E+00	4507720	NT	Homo sapiens titin (TTN) mRNA
4258	17287		0.87	0.0E+00	AL163303.2	NT	Homo sapiens chromosome 21 segment HS21C103
4286	17315	30194	1.26	0.0E+00	AJ003145.1	NT	Homo sapiens mRNA for olfactory receptor protein, pseudogene
4302	17331	30211	2.19	0.0E+00	J02610.1	NT	Human apolipoprotein B-100 mRNA, complete cds
4317	17346	30230	0.87	0.0E+00	AW936689.1	EST_HUMAN	PM2-DT0023-080300-004-a08 DT0023 Homo sapiens cDNA
4322	17351	30236	0.74	0.0E+00	4826827	NT	Homo sapiens myelodysplasia syndrome 1 (MDS1) mRNA

Page 509 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4322	17351	30237	0.74	0.0E+00	4826827	NT	Homo sapiens myelodysplasia syndrome 1 (MDS1) mRNA
4324	17353	30239	3.59	0.0E+00	AF174590.1	NT	Homo sapiens F-box protein Fbl4 (FBL4) mRNA, partial cds
4332	17360		2.53	0.0E+00	AI189844.1	EST_HUMAN	q23106.x1 Scars_placenta_8to9weeks_2NHP869W Homo sapiens cDNA clone IMAGE:1724679 3' similar to contains MER20.b2 MER20 repetitive element ;
4336	17363		5.62	0.0E+00	U14520.1	NT	Human CBFA3 (Cbfa3) gene, partial cds
4347	17374	30254	0.92	0.0E+00	4505846	NT	Homo sapiens proteinase convertase subtilisin/kexin type 2 (PCSK2) mRNA
4353	17380	30261	0.77	0.0E+00	6563384	NT	Homo sapiens protein kinase C, nu (PRKCN), mRNA
4353	17380	30262	0.77	0.0E+00	6563384	NT	Homo sapiens protein kinase C, nu (PRKCN), mRNA
4359	17386	30268	1.15	0.0E+00	U10991.1	NT	Human G2 protein mRNA, partial cds
4359	17386	30269	1.15	0.0E+00	U10991.1	NT	Human G2 protein mRNA, partial cds
4369	17396	30275	9.53	0.0E+00	6912281	NT	Homo sapiens COMPLEMENT COMPONENT C1q RECEPTOR (C1QR), mRNA
4387	17415		1.12	0.0E+00	AF163047.2	NT	Homo sapiens gap junction protein connexin-36 (CX36) gene, complete cds
4392	17420	30303	11.19	0.0E+00	U03901.1	NT	Human Ig light chain VL1 region germline (humlvic2c) gene, partial cds
4398	17426	30310	4.52	0.0E+00	L14561.1	NT	Homo sapiens plasma membrane calcium ATPase isoform 1 (ATP2B1) gene, alternative splice products, partial cds
4402	17430	30315	6.75	0.0E+00	Z80780.1	NT	H. sapiens H2B/h gene
4402	17430	30316	6.75	0.0E+00	Z80780.1	NT	H. sapiens H2B/h gene
4408	17436	30322	1.31	0.0E+00	X60483.1	NT	H. sapiens H4/d gene for H4 histone
4408	17436	30323	1.31	0.0E+00	X60483.1	NT	H. sapiens H4/d gene for H4 histone
4413	17440	30329	9.47	0.0E+00	7662091	NT	Homo sapiens KIAA0390 gene product (KIAA0390), mRNA
4413	17440	30330	9.47	0.0E+00	7662091	NT	Homo sapiens KIAA0390 gene product (KIAA0390), mRNA
4423	17450	30341	1.22	0.0E+00	X82338.1	NT	Homo sapiens Menkes disease gene, exon 4
4426	17453	30345	15	0.0E+00	4885128	NT	Homo sapiens caudal type homeo box transcription factor 4 (CDX4), mRNA
4427	17454	30346	1.23	0.0E+00	AJ271736.1	NT	Homo sapiens Xq pseudautosomal region; segment 2/2
4430	17457	30348	1.01	0.0E+00	AB037781.1	NT	Homo sapiens mRNA for KIAA1360 protein, partial cds
4463	17489	30376	1.2	0.0E+00	7019456	NT	Homo sapiens myosin regulatory light chain interacting protein (MIR), mRNA
4471	17497		5.71	0.0E+00	AF195953.1	NT	Homo sapiens membrane-bound aminopeptidase P (XNPEP2) gene, complete cds
4476	17502	30386	1.53	0.0E+00	AJ249765.1	NT	Homo sapiens ACTN2 gene for alpha-Actinin 2, exon 10
4476	17502	30387	1.53	0.0E+00	AJ249765.1	NT	Homo sapiens ACTN2 gene for alpha-Actinin 2, exon 10
4480	17505	30393	0.88	0.0E+00	W26179.1	EST_HUMAN	24g7 Human retina cDNA randomly primed sublibrary Homo sapiens cDNA
4480	17505	30394	0.88	0.0E+00	W26179.1	EST_HUMAN	24g7 Human retina cDNA randomly primed sublibrary Homo sapiens cDNA
4495	17520		2.47	0.0E+00	AF200628.1	NT	Homo sapiens HPS1 gene, intron 5
4514	17539	30424	0.63	0.0E+00	T10233.1	EST_HUMAN	seq1329 b4HB3MA Cc8-HAP-F1 Homo sapiens cDNA clone b4HB3MA-COT8-HAP-F1205 6'
4514	17539	30425	0.63	0.0E+00	T10233.1	EST_HUMAN	seq1329 b4HB3MA Cc8-HAP-F1 Homo sapiens cDNA clone b4HB3MA-COT8-HAP-F1205 6'

Page 510 of 546
Table 4
Single Exon Probes Expressed In Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4517	17542		0.9	0.0E+00	M14123.1	NT	Human endogenous retrovirus HERV-K10
4529	17553	30441	3.45	0.0E+00	AW084964.1	EST_HUMAN	xc68a08.x1 NCI_CGAP_Eso2 Homo sapiens cDNA clone IMAGE:2589446 3' similar to SW:AHNK_HUMAN
4531	18318		1.85	0.0E+00	8051619	NT	Q09666 NEUROBLAST DIFFERENTIATION ASSOCIATED PROTEIN AHNAK ;
4533	17556	30444	1.09	0.0E+00	AI696698.1	EST_HUMAN	Homo sapiens LIM domain kinase 2 (LMK2), transcript variant 2a, mRNA
4537	17560		8.59	0.0E+00	AL163207.2	NT	wc56b02.x1 NCI_CGAP_P128 Homo sapiens cDNA clone IMAGE:2322603 3' similar to contains MER22.b2
4539	17562	30449	1.96	0.0E+00	AW381570.1	EST_HUMAN	PTR5 repetitive element ;
4545	17568	30456	1.2	0.0E+00	AJ278120.1	NT	Homo sapiens chromosome 21 segment HS21C007
4545	17568	30457	1.2	0.0E+00	AJ278120.1	NT	PM1-HT0305-101199-002-d03 HT0305 Homo sapiens cDNA
4547	17570	30459	1.73	0.0E+00	4758467	NT	Homo sapiens mRNA for putative ankyrin-repeat containing protein (ORF1)
4548	17571	30460	2.8	0.0E+00	AF108830.1	NT	Homo sapiens mRNA for putative ankyrin-repeat containing protein (ORF1)
4553	17576	30466	0.94	0.0E+00	266526.1	NT	Homo sapiens G protein-coupled receptor 50 (GPR50) mRNA
4554	17577	30467	0.96	0.0E+00	4506992	NT	Homo sapiens serine-threonine protein kinase (MNBH) mRNA, complete cds
4559	17582	30473	0.93	0.0E+00	S78694.1	NT	H. sapiens pancreatic polypeptide receptor PP1 gene
4560	17583	30474	1.91	0.0E+00	AF111163.1	NT	Homo sapiens sialyltransferase 8 (alpha-N-acetylneuraminatase: alpha-2,6-sialyltransferase, GD3 synthase) (SIAT8) mRNA
4560	17583	30475	1.91	0.0E+00	AF111163.1	NT	Homo sapiens ATP-sensitive inwardly rectifying K-channel subunit (KCNJ6/BIR1) gene, exon
4570	18319	30486	2.31	0.0E+00	6005973	NT	Homo sapiens pyrin (MEFV) gene, complete cds
4575	17597	30491	6.31	0.0E+00	AF208161.1	NT	Homo sapiens pyrin (MEFV) gene, complete cds
4582	17604	30501	1.32	0.0E+00	5454175	NT	Homo sapiens zinc finger protein 195 (ZNF195), mRNA
4595	17616	30510	30.53	0.0E+00	4503470	NT	Homo sapiens zinc finger protein 211 (ZNF211), mRNA
4605	17626	30518	1.62	0.0E+00	4503098	NT	Homo sapiens eukaryotic translation elongation factor 1 alpha 1 (EEF1A1) mRNA
4610	17631	30524	1.4	0.0E+00	4502556	NT	Homo sapiens chondroitin sulfate proteoglycan 4 (melanoma-associated) (CSPG4), mRNA
4614	17635		2.89	0.0E+00	135485.1	NT	Homo sapiens calcium/calmodulin-dependent protein kinase IV (CAMK4) mRNA
4616	17637	30526	13.95	0.0E+00	7662091	NT	Homo sapiens iduronate sulphate sulphotase (IDS) gene, complete cds
4616	17637	30527	13.95	0.0E+00	7662091	NT	Homo sapiens KIAA0390 gene product (KIAA0390), mRNA
4632	17653	30540	1.97	0.0E+00	AF143314.1	NT	Homo sapiens KIAA0390 gene product (KIAA0390), mRNA
4635	17666	30543	10.93	0.0E+00	AJ245418.1	NT	Homo sapiens PTEN (PTEN) gene, exons 3 through 5
4635	17666	30544	10.93	0.0E+00	AJ245418.1	NT	Homo sapiens mRNA for G7c protein (G7c gene located in the class III region of the major histocompatibility complex)
4637	17658	30545	1.21	0.0E+00	AB018338.1	NT	Homo sapiens mRNA for G7c protein (G7c gene located in the class III region of the major histocompatibility complex)
4645	17666		46.99	0.0E+00	D87675.1	NT	Homo sapiens mRNA for KIAA0798 protein, partial cds
							Homo sapiens DNA for amyloid precursor protein, complete cds

Page 511 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptbr
4654	17676		1.51	0.0E+00	AA174072.1	EST_HUMAN	zp18g08.s1 Stratigene fetal retina 937202 Homo sapiens cDNA clone IMAGE:609854 3'
4658	17677		1.92	0.0E+00	7657410	NT	Homo sapiens cdz (odd Oz/ten-m, Drosophila) homolog 1 (ODZ1), mRNA
4658	17679		2.05	0.0E+00	AL163284.2	NT	Homo sapiens chromosome 21 segment HS21C084
4659	17680	30565	0.95	0.0E+00	H92741.1	EST_HUMAN	y92b01.s1 Soares_pituitary_gland_N3-HPG Homo sapiens cDNA clone IMAGE:231721 3'
4659	17680	30568	0.95	0.0E+00	H92741.1	EST_HUMAN	y92b01.s1 Soares_pituitary_gland_N3-HPG Homo sapiens cDNA clone IMAGE:231721 3'
4660	17681	30567	1.42	0.0E+00	AF184110.1	NT	Homo sapiens cyclophilin-related protein (NKTR) gene, complete cds
4661	17682	30568	5.53	0.0E+00	AL163300.2	NT	Homo sapiens chromosome 21 segment HS21C100
4662	17683		1.84	0.0E+00	AB037521.1	NT	Homo sapiens gene for netritic protein, partial cds
4664	17685	30569	0.66	0.0E+00	AF195638.1	NT	Homo sapiens DNA mismatch repair protein (MLH3) gene, complete cds
4669	17690	30576	1.04	0.0E+00	AL162331.1	NT	Novel human gene mapping to chromosome 1
4672	17693	30579	1.89	0.0E+00	4557887	NT	Homo sapiens keratin 18 (KRT18) mRNA
4673	17694	30581	1.26	0.0E+00	AF167441.1	NT	Homo sapiens keratin 18 (KRT18) mRNA
4682	17703	30582	1	0.0E+00	L78810.1	NT	Mus musculus E-cadherin binding protein E7 mRNA, complete cds
4682	17703	30593	1	0.0E+00	L78810.1	NT	Homo sapiens ADP/ATP carrier protein (ANT-2) gene, complete cds
4682	17703	30594	1	0.0E+00	L78810.1	NT	Homo sapiens ADP/ATP carrier protein (ANT-2) gene, complete cds
4683	17704	30595	2.03	0.0E+00	AB028970.1	NT	Homo sapiens ADP/ATP carrier protein (ANT-2) gene, complete cds
4683	17704	30596	2.03	0.0E+00	AB028970.1	NT	Homo sapiens mRNA for KIAA1047 protein, partial cds
4683	17709	30602	6.02	0.0E+00	Y18990.1	NT	Human endogenous retrovirus type K (HERV-K), gag, pol and env genes
4699	17720		2.24	0.0E+00	AF088641.1	NT	Homo sapiens truncated tenascin XB (TNXB) gene, partial cds and TNXA gene recombination breakpoint region
4704	17725	30619	2.92	0.0E+00	AB037820.1	NT	Homo sapiens mRNA for KIAA1399 protein, partial cds
4704	17725	30620	2.92	0.0E+00	AB037820.1	NT	Homo sapiens mRNA for KIAA1399 protein, partial cds
4705	17726	30621	3.31	0.0E+00	M74099.1	NT	Human displacement protein (CCAAT) mRNA
4709	17730	30624	2.42	0.0E+00	6453812	NT	Homo sapiens butyrophilin, subfamily 2, member A2 (BTN2A2), mRNA
4709	17730	30626	2.42	0.0E+00	6453812	NT	Homo sapiens butyrophilin, subfamily 2, member A2 (BTN2A2), mRNA
4711	13244	26174	2.02	0.0E+00	T56945.1	EST_HUMAN	ye83g04.r2 Stratigene fetal spleen (#937205) Homo sapiens cDNA clone IMAGE:68310 5'
4711	13244	26175	2.02	0.0E+00	T56945.1	EST_HUMAN	ye83g04.r2 Stratigene fetal spleen (#937205) Homo sapiens cDNA clone IMAGE:68310 5'
4713	17733		1.22	0.0E+00	BE278730.1	EST_HUMAN	601158935F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3505521 5'
4737	17757	30651	4.85	0.0E+00	5728817	NT	Homo sapiens ecotropic viral integration site 2B (EVI2B), mRNA
4737	17757	30652	4.85	0.0E+00	5728817	NT	Homo sapiens ecotropic viral integration site 2B (EVI2B), mRNA
4743	17763	30657	5.55	0.0E+00	M80902.1	NT	Human AHNK nucleoprotein mRNA, 5' end
4746	17766	30660	6.92	0.0E+00	M69197.1	NT	Human haptoglobin and haptoglobin-related protein (HP and HPR) genes, complete cds
4746	17766	30661	6.92	0.0E+00	M69197.1	NT	Human haptoglobin and haptoglobin-related protein (HP and HPR) genes, complete cds

Page 512 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4750	17770	30666	2.21	0.0E+00	AF184110.1	NT	Homo sapiens cyclophilin-related protein (NKTR) gene, complete cds
4752	17772	30668	24.63	0.0E+00	7662479	NT	Homo sapiens KIAA1084 protein (KIAA1084), mRNA
4754	17774	30669	2.9	0.0E+00	7662181	NT	Homo sapiens KIAA0563 gene product (KIAA0563), mRNA
4760	17780	30675	0.96	0.0E+00	S71446.1	NT	SCN1A=brain type I sodium channel alpha-subunit (IIIS5 transmembrane region) [human, placenta, Genomic, 1556 nt]
4760	17780	30676	0.96	0.0E+00	S71446.1	NT	SCN1A=brain type I sodium channel alpha-subunit (IIIS5 transmembrane region) [human, placenta, Genomic, 1556 nt]
4765	17785	30681	0.96	0.0E+00	AL096857.1	NT	Novel human mRNA from chromosome 1, which has similarities to BAT2 genes
4770	17790	30691	1.25	0.0E+00	X58467.1	NT	Human CYP2D7AP pseudogene for cytochrome P450 2D6
4781	17801	30692	0.81	0.0E+00	7304922	NT	Homo sapiens bromodomain adjacent to zinc finger domain, 2B (BAZ2B), mRNA
4792	17809	30701	1.56	0.0E+00	AF026801.1	NT	Homo sapiens alpha-3 type IX collagen (COL9A3) gene, promoter region, and exons 1-28
4795	17812	30704	1.12	0.0E+00	6677700	NT	Homo sapiens G-protein coupled receptor (RE2), mRNA
4795	17812	30705	1.12	0.0E+00	6677700	NT	Homo sapiens G-protein coupled receptor (RE2), mRNA
4797	17814	30707	1.12	0.0E+00	7019320	NT	Homo sapiens proteinX0008 (AD013), mRNA
4797	17814	30708	1.12	0.0E+00	7019320	NT	Homo sapiens proteinX0008 (AD013), mRNA
4825	17842	30740	1.49	0.0E+00	AW444637.1	EST_HUMAN	UI-H-B3-ajw-c-04-Q-UI.s1 NCL CGAP_Sub5 Homo sapiens cDNA clone IMAGE:2733284 3'
4831	17848	30749	0.99	0.0E+00	AF303134.1	NT	Homo sapiens aldehyde dehydrogenase 12 (ALDH12) mRNA, complete cds
4832	17849	30778	1.83	0.0E+00	AF083242.1	NT	Homo sapiens HSPC024-Iso mRNA, complete cds
4873	17890	30778	0.68	0.0E+00	J00191.1	NT	Human MHC class I transplantation antigen (Hla) gene
4873	17890	30779	0.68	0.0E+00	J00191.1	NT	Human MHC class I transplantation antigen (Hla) gene
4879	17896		4.64	0.0E+00	AF240786.1	NT	Homo sapiens glutathione S-transferase theta 2 (GSTT2) and glutathione S-transferase theta 1 (GSTT1) genes, complete cds
4882	17899	30788	1.6	0.0E+00	X87205.1	NT	M.fascicularis mRNA for metalloprotease-like, disintegrin-like protein, IVa
4884	17901	30790	0.93	0.0E+00	AF084479.1	NT	Homo sapiens Williams-Beuren syndrome deletion transcript 9 (WBSCH9) mRNA, complete cds
4885	17902	30791	1.29	0.0E+00	AF097416.1	NT	Mus musculus zinc finger transcription factor Kaiso mRNA, complete cds
4888	17903	30792	3.04	0.0E+00	4503768	NT	Homo sapiens fragile X mental retardation 2 (FMR2) mRNA
4888	17905	30784	13.14	0.0E+00	4885048	NT	Homo sapiens actin, alpha, cardiac muscle (ACTC), mRNA
4889	17906	30795	1.37	0.0E+00	P52740	SWISSPROT	ZINC FINGER PROTEIN 132
4891	17908	30797	1.65	0.0E+00	8922180	NT	Homo sapiens hypothetical protein DKFZp762E1312 (DKFZp762E1312), mRNA
4894	17911	30801	4.6	0.0E+00	8923080	NT	Homo sapiens hypothetical protein FLJ20073 (FLJ20073), mRNA
4898	17915	30805	1.75	0.0E+00	M94081.1	NT	Human Tcr-C-delta gene, exons 1-4; Tcr-V-delta gene, exons 1-2; T-cell receptor alpha (Tcr-alpha) gene, J1-J61 segments; and Tcr-C-alpha gene, exons 1-4

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4898	17915	30806	1.75	0.0E+00	M94081.1	NT	Human Tcr-C-delta gene, exons 1-4; Tcr-V-delta gene, exons 1-2; T-cell receptor alpha (Tcr-alpha) gene, J1-
4900	17917	30808	1.49	0.0E+00	X94628.1	NT	J61 segments; and Tcr-C-alpha gene, exons 1-4
4900	17917	30809	1.49	0.0E+00	X94628.1	NT	H.sapiens MeCP-2 gene
4903	17920	30812	2.38	0.0E+00	AL163280.2	NT	H.sapiens MeCP-2 gene
4912	17929	30820	1.16	0.0E+00	5032150	NT	Homo sapiens chromosome 21 segment HS21C080
4921	17938	30830	1.59	0.0E+00	X92841.1	NT	Homo sapiens TATA box binding protein (TBP)-associated factor, RNA polymerase II, 1, 28KD (TAF21)
4923	17940	30832	1.34	0.0E+00	4585842	NT	H.sapiens MICA gene
4924	17941	30833	0.69	0.0E+00	AB037884.1	NT	Homo sapiens zinc finger protein (KIAA0412) mRNA
4925	17942	30834	1.25	0.0E+00	Y09232.1	NT	Homo sapiens mRNA for KIAA17443 protein, partial cds
4928	17943	30835	1.17	0.0E+00	AB014633.1	NT	H.sapiens fertilin alpha pseudogene
4927	17944	30838	2.3	0.0E+00	8677848	NT	Homo sapiens mRNA for KIAA0633 protein, partial cds
4929	17946	30838	1.49	0.0E+00	4758199	NT	Mus musculus zinc finger protein interacting with K protein 1 (Zik1), mRNA
4930	17947	30839	0.97	0.0E+00	Y16723.1	NT	Homo sapiens desmoplakin (DPI, DPLI) (DSP) mRNA
4931	17948	30840	1.15	0.0E+00	7705548	NT	Homo sapiens gene encoding filensin, exon 8
4932	17949		25.08	0.0E+00	AJ010442.1	NT	Homo sapiens zinc-finger DNA-binding protein (HUMHOX1), mRNA
4938	17952	30844	25.15	0.0E+00	AF055066.1	NT	Homo sapiens mRNA for Immunoglobulin kappa light chain, anti-RhD, therad 7
4938	17954		1.97	0.0E+00	4505508	NT	Homo sapiens MHC class 1 region
4939	17955	30847	2.01	0.0E+00	AF091711.1	NT	Homo sapiens oploid receptor, delta 1 (OPRD1) mRNA
4941	17957		0.91	0.0E+00	U39885.1	NT	Homo sapiens splice variant AKAP350 mRNA, partial cds
4962	17967	30857	0.99	0.0E+00	D63562.1	NT	Homo sapiens flavin containing monooxygenase 3 (FMO3) gene, exon 7
4954	17969	30859	1.62	0.0E+00	4503884	NT	Homo sapiens COL4A6 gene for a6(IV) collagen, exon 44 and partial cds
4961	17976		0.96	0.0E+00	AI291129.1	EST_HUMAN	Homo sapiens farnesyl diphosphate synthase (farnesyl pyrophosphate synthetase, dimethylallyltransferase, geranyltransferase) (FDPs) mRNA
4972	17987	30878	0.93	0.0E+00	4504082	NT	qm15105.x1 NCI CGAP Lu5 Homo sapiens cDNA clone IMAGE:1881921 3' similar to TR:Q61632 Q61632
4972	17987	30878	0.93	0.0E+00	4504082	NT	EN-2/LACZ FUSION PROTEIN ;
4990	18005	30893	1.88	0.0E+00	AL163284.2	NT	Homo sapiens glycican 4 (GPC4) mRNA
4995	18010	30897	1.24	0.0E+00	7862319	NT	Homo sapiens glycican 4 (GPC4) mRNA
5008	18022		6.04	0.0E+00	U14967.1	NT	Homo sapiens chromosome 21 segment HS21C084
5018	18032	30918	1.06	0.0E+00	M10976.1	NT	Homo sapiens KIAA0806 gene product (KIAA0806), mRNA
5020	18034		2.79	0.0E+00	BE408863.1	EST_HUMAN	Human ribosomal protein L21 mRNA, complete cds
5023	18037	30922	3.2	0.0E+00	4758199	NT	Human endogenous retroviral DNA (4-1), complete retroviral segment
							601303729F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3638118 5'
							Homo sapiens desmoplakin (DPI, DPLI) (DSP) mRNA

Page 514 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5030	18044	30926	1.24	0.0E+00	AB028996.1	NT	Homo sapiens mRNA for KIAA1043 protein, partial cds
5044	18057	30935	1.87	0.0E+00	8923441	NT	Homo sapiens hypothetical protein FLJ20477 (FLJ20477), mRNA
5044	18057	30936	1.97	0.0E+00	8923441	NT	Homo sapiens hypothetical protein FLJ20477 (FLJ20477), mRNA
5057	18068	30947	0.75	0.0E+00	AA601246.1	EST_HUMAN	no14g09.s1 NCL_CGAP_Phe1 Homo sapiens cDNA clone IMAGE:1100704 3' similar to TR:E239140
5057	18068	30948	0.75	0.0E+00	AA601246.1	EST_HUMAN	E239140 SPALT PROTEIN ;
5057	18068	30949	0.75	0.0E+00	AA601246.1	EST_HUMAN	no14g09.s1 NCL_CGAP_Phe1 Homo sapiens cDNA clone IMAGE:1100704 3' similar to TR:E239140
5074	18084	30974	1.34	0.0E+00	4758225	NT	E239140 SPALT PROTEIN ;
5088	18098	30974	0.8	0.0E+00	U53988.1	NT	Homo sapiens E2F transcription factor 2 (E2F2) mRNA
5094	18104		1.27	0.0E+00	AL163209.2	NT	Homo sapiens MHC class 1 region
5097	18107		24.84	0.0E+00	D50857.1	NT	Homo sapiens chromosome 21 segment HS21C009
5122	18132	31009	3.45	0.0E+00	X62988.1	NT	Homo sapiens gamma-cytoplasmic actin (ACTG3) pseudogene
5141	18150	31029	0.98	0.0E+00	AF240635.1	NT	Bacillus amylobacteriens sacB gene for levansucrase (EC 2.4.1.10)
5142	18151	31031	0.95	0.0E+00	5454153	NT	Homo sapiens vascular endothelial cadherin 2 mRNA, complete cds
5171	18180	31057	1.07	0.0E+00	Y12477.1	NT	Homo sapiens vascular endothelial cadherin 2 mRNA, complete cds
5171	18180	31058	1.07	0.0E+00	Y12477.1	NT	Homo sapiens cyclophilin (USA-CYP) mRNA
5176	18185	31062	1.31	0.0E+00	4507720	NT	Homo sapiens putative GPR37 gene, exon 2
5208	18217	31092	0.84	0.0E+00	7706245	NT	Homo sapiens titin (TTN) mRNA
5208	18217	31093	0.84	0.0E+00	7706245	NT	Homo sapiens 4F2 light chain (LOC51597), mRNA
5218	18227	31101	1.13	0.0E+00	U26555.1	NT	Homo sapiens 4F2 light chain (LOC51597), mRNA
5221	18228	31103	1.01	0.0E+00	AF108830.1	NT	Human versican V2 core protein precursor splice-variant mRNA, complete cds
5221	18228	31104	1.01	0.0E+00	AF108830.1	NT	Homo sapiens serine-threonine protein kinase (MNBH) mRNA, complete cds
5236	18244	31116	1.11	0.0E+00	4826777	NT	Homo sapiens serine-threonine protein kinase (MNBH) mRNA, complete cds
5257	18265		1.35	0.0E+00	L05367.1	NT	Homo sapiens jumonji (mouse) homolog (JMJ) mRNA
5264	18272		1.06	0.0E+00	AF057177.1	NT	Human oligodendrocyte myelin glycoprotein (OMG) exons 1-2; neurofibromatosis 1 (NF1) exons 28-49; ecotropic viral integration site 2B (EVI2B) exons 1-2; ecotropic viral integration site 2A (EVI2A) exons 1-2; adenylate kinase (AK3) exons 1-2
5296	18301	31161	0.63	0.0E+00	AB035356.1	NT	Homo sapiens T-cell receptor gamma V1 gene region
5305	18308		2.09	0.0E+00	AL040249.1	EST_HUMAN	Homo sapiens mRNA for neuroxin I-alpha protein, complete cds
5313	18329		3.2	0.0E+00	AF093093.1	NT	DKFZp434I0713_r1 434 (synonym: hies3) Homo sapiens cDNA clone DKFZp434I0713 5'
5324	18430	31181	2.03	0.0E+00	AF137286.1	NT	Homo sapiens aconitase (ACO2) gene, nuclear gene encoding mitochondrial protein, exon 15
							Homo sapiens keratin 12 (KRT12) gene, complete cds

Page 515 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5324	18430	31182	2.03	0.0E+00	AF137286.1	NT	Homo sapiens keratin 12 (KRT12) gene, complete cds
5348	18451	31322	1.19	0.0E+00	AB934954.1	EST_HUMAN	wp06g08.x1 NCL_CGAP_Kid12 Homo sapiens cDNA clone IMAGE:2484094 3'
5349	18454	31326	1.2	0.0E+00	8256579	NT	Homo sapiens protodactherin alpha 13 (PCDHA13), mRNA
5364	18469	31340	4.04	0.0E+00	BE931080.1	EST_HUMAN	RC3-GN0076-310800-013-b03 GN0076 Homo sapiens cDNA
5368	18473	31344	2.93	0.0E+00	AF182034.1	NT	Homo sapiens polycystic kidney disease-like 2 protein (PKDL2) mRNA, complete cds
5368	18473	31345	2.93	0.0E+00	AF182034.1	NT	Homo sapiens polycystic kidney disease-like 2 protein (PKDL2) mRNA, complete cds
5376	18480	31354	32.34	0.0E+00	X56163.1	NT	H.sapiens immunoglobulin heavy chain gene, variable region
5376	18480	31355	32.34	0.0E+00	X56163.1	NT	H.sapiens immunoglobulin heavy chain gene, variable region
5457	18569	31470	6.37	0.0E+00	BE675498.1	EST_HUMAN	711008.x1 NCL_CGAP_CLL1 Homo sapiens cDNA clone IMAGE:3294260 3'
5458	18560	31471	1.72	0.0E+00	BE220753.1	EST_HUMAN	h99a02.x1 NCL_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3165194 3' similar to SW:Y054_HUMAN
5459	18561	31472	1.69	0.0E+00	BE794412.1	EST_HUMAN	P42694 HYPOTHETICAL PROTEIN KIAA0054.
5459	18561	31473	1.69	0.0E+00	BE794412.1	EST_HUMAN	601589422F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3943804 5'
							601589422F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3943804 5'
5460	18562	31474	0.63	0.0E+00	AI189142.1	EST_HUMAN	q04a04.x1 Soares, placenta_8to8weeks_2NHP808W Homo sapiens cDNA clone IMAGE:1722702 3' similar to SW:T2D3_DROME P49846 TRANSCRIPTION INITIATION FACTOR TFID 85 KD SUBUNIT ;
5464	18568	31477	18.78	0.0E+00	M29908.1	NT	Homo sapiens eosinophil peroxidase (EPP) gene, exon 7
5468	18570	31480	0.56	0.0E+00	AI791363.1	EST_HUMAN	HEAVY CHAIN PRECURSOR V-J REGION (HUMAN);
5478	26639	31488	4.25	0.0E+00	11421038	NT	Homo sapiens Sp4 transcription factor (SP4), mRNA
5488	18588		1.72	0.0E+00	BF665992.1	EST_HUMAN	602118928F1 NIH_MGC_56 Homo sapiens cDNA clone IMAGE:4276254 5'
5489	18589	31499	0.77	0.0E+00	AU134406.1	EST_HUMAN	AU134406 OVARC1 Homo sapiens cDNA clone OVARC1001894 5'
5489	18589	31500	0.77	0.0E+00	AU134406.1	EST_HUMAN	AU134406 OVARC1 Homo sapiens cDNA clone OVARC1001894 5'
5495	18595	31507	0.84	0.0E+00	BE538857.1	EST_HUMAN	601081489F1 NIH_MGC_10 Homo sapiens cDNA clone IMAGE:3447839 5'
5504	18604	31533	1.22	0.0E+00	BE292784.1	EST_HUMAN	601105891F1 NIH_MGC_15 Homo sapiens cDNA clone IMAGE:2988310 5'
5509	18609	31539	2.05	0.0E+00	BF526328.1	EST_HUMAN	602071372F1 NCL_CGAP_Bm54 Homo sapiens cDNA clone IMAGE:4214272 5'
5509	18609	31540	2.05	0.0E+00	BF526328.1	EST_HUMAN	602071372F1 NCL_CGAP_Bm54 Homo sapiens cDNA clone IMAGE:4214272 5'
5529	20048	33550	2.31	0.0E+00	4557364	NT	Homo sapiens Bloom syndrome (BLM) mRNA
5532	18630	31567	1.03	0.0E+00	AB007935.1	NT	Homo sapiens mRNA for KIAA0466 protein, partial cds
5532	18630	31568	1.03	0.0E+00	AB007935.1	NT	Homo sapiens mRNA for KIAA0466 protein, partial cds
5536	18633	31572	4.25	0.0E+00	AF257737.1	NT	Homo sapiens ciliary dynein heavy chain 9 (DNAH9) mRNA, complete cds
5536	18633	31573	4.25	0.0E+00	AF257737.1	NT	Homo sapiens ciliary dynein heavy chain 9 (DNAH9) mRNA, complete cds
5550	18647	31589	1.18	0.0E+00	D26335.1	NT	Human gene for dihydropyrimidinase, complete cds (exon 1-15)
5550	18647	31590	1.18	0.0E+00	D26335.1	NT	Human gene for dihydropyrimidinase, complete cds (exon 1-15)

Page 516 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5568	18663	31623	1.8	0.0E+00	11420819	NT	Homo sapiens difactory receptor, family 2, subfamily F, member 1 (OR2F1), mRNA
5572	18668	31629	1.55	0.0E+00	Z38133.1	NT	H. sapiens mRNA for myosin
5591	18687	31655	0.87	0.0E+00	D61564.1	EST_HUMAN	HUM418D05B Clontech human fetal brain polyA+ mRNA (#6535) Homo sapiens cDNA clone GEN-418D05
5591	18687	31656	0.87	0.0E+00	D61564.1	EST_HUMAN	HUM418D05B Clontech human fetal brain polyA+ mRNA (#6535) Homo sapiens cDNA clone GEN-418D05
5594	18690	31660	3.21	0.0E+00	BF529631.1	EST_HUMAN	602042322F1 NCI_CGAP_Brn67 Homo sapiens cDNA clone IMAGE:4179988 5'
5594	18690	31661	3.21	0.0E+00	BF529631.1	EST_HUMAN	602042322F1 NCI_CGAP_Brn67 Homo sapiens cDNA clone IMAGE:4179988 5'
5599	18695	31665	2.24	0.0E+00	BF313139.1	EST_HUMAN	601897658F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:4128815 5'
5610	18706	31863	3.88	0.0E+00	11434392	NT	Homo sapiens calcium channel, voltage-dependent, alpha 1G subunit (CACNA1G), mRNA
5626	18722	31881	0.57	0.0E+00	A1928181.1	EST_HUMAN	wc95b02.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2463051 3' similar to TR:O75054
5626	18722	31882	0.57	0.0E+00	A1928181.1	EST_HUMAN	wc95b02.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2463051 3' similar to TR:O75054
5644	18740	31905	1.24	0.0E+00	BE260777.1	EST_HUMAN	O75054 KIAA0468 PROTEIN;
5653	18749		7.42	0.0E+00	AW867316.1	EST_HUMAN	601150252F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:3602909 5'
5668	18763	31932	2.41	0.0E+00	BE262889.1	EST_HUMAN	MRO-SN0037-030400-001-h07 SN0037 Homo sapiens cDNA
5668	18763	31933	2.41	0.0E+00	BE262889.1	EST_HUMAN	601105291F1 NIH_MGC_15 Homo sapiens cDNA clone IMAGE:2987903 5'
5689	18784	31955	1.79	0.0E+00		NT	601105291F1 NIH_MGC_15 Homo sapiens cDNA clone IMAGE:2987903 5'
5689	18784	31956	1.79	0.0E+00	11420819	NT	Homo sapiens difactory receptor, family 2, subfamily F, member 1 (OR2F1), mRNA
5697	18792	31964	4.3	0.0E+00	AF064254.1	NT	Homo sapiens very long-chain acyl-CoA synthetase homolog 1 mRNA, complete cds
5697	18792	31965	4.3	0.0E+00	AF064254.1	NT	Homo sapiens very long-chain acyl-CoA synthetase homolog 1 mRNA, complete cds
5704	18799	31976	2.98	0.0E+00	AJ224639.1	NT	Homo sapiens Surf-5 and Surf-6 genes
5704	18799	31978	2.98	0.0E+00	AJ224639.1	NT	Homo sapiens Surf-5 and Surf-6 genes
5735	18829	32007	0.7	0.0E+00	A198515.1	EST_HUMAN	qf84g10.x1 Soares_placenta_8108weeks_2NBHP8to9W Homo sapiens cDNA clone IMAGE:1757730 3' similar to SW:CADC_HUMAN P55289 BRAIN-CADHERIN PRECURSOR;
5739	18833	32013	7.46	0.0E+00	M85719.1	EST_HUMAN	EST02238 Fetal brain, Stratagene (cat#036206) Homo sapiens cDNA clone HFBCN48
5746	18840	32022	5.85	0.0E+00	AW405472.1	EST_HUMAN	UI-HF-BLO-ach-d-02-q-UJr1 NIH_MGC_37 Homo sapiens cDNA clone IMAGE:3061658 5'
5759	18852	32032	1.19	0.0E+00	Z26269.1	NT	H. sapiens isoform 1 gene for L-type calcium channel, exon 14 adhd 15
5771	18863	32042	1.87	0.0E+00	AW361877.1	EST_HUMAN	PM3-CT0263-091299-007-h05 CT0263 Homo sapiens cDNA
5771	18863	32043	1.87	0.0E+00	AW361877.1	EST_HUMAN	PM3-CT0263-091299-007-h05 CT0263 Homo sapiens cDNA
5771	18863	32044	1.87	0.0E+00	AW361877.1	EST_HUMAN	PM3-CT0263-091299-007-h05 CT0263 Homo sapiens cDNA
5774	18866	32047	0.64	0.0E+00	AB035266.1	NT	Homo sapiens mRNA for neuexin II, complete cds
5774	18866	32048	0.64	0.0E+00	AB035266.1	NT	Homo sapiens mRNA for neuexin II, complete cds

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5776	18868	32051	2.24	0.0E+00	U36261.1	NT	Human beta-prime-adaptin (BAM22) gene, exon 13
5811	18901	32084	1.13	0.0E+00	A8049861.1	NT	Homo sapiens mRNA for KIAA1641 protein, partial cds
5833	18923	32107	0.53	0.0E+00	A1114826.1	EST_HUMAN	HA1435 Human fetal liver cDNA library Homo sapiens cDNA
5873	18962	32151	2.4	0.0E+00	AA195905.1	EST_HUMAN	z995b11.11 Stragene muscle 937209 Homo sapiens cDNA clone IMAGE:627933 5' similar to gb:X03740
5874	18963	32152	1.22	0.0E+00	AJ005345.1	NT	MYOSIN HEAVY CHAIN, SKELETAL MUSCLE (HUMAN);
5874	18963	32153	1.22	0.0E+00	AJ006345.1	NT	Homo sapiens KVLQT1 gene
5883	18972	32165	1.32	0.0E+00	AJ207616.1	EST_HUMAN	Homo sapiens KVLQT1 gene
5905	18991	32182	5.12	0.0E+00	11416801	NT	HA2981 Human fetal liver cDNA library Homo sapiens cDNA
5910	18998	32185	1.25	0.0E+00	BE781173.1	EST_HUMAN	Homo sapiens protocadherin beta 2 (PODHB2), mRNA
5920	19006	32198	1.09	0.0E+00	9898943	NT	601584032F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3938551 5'
5921	19007	32199	7.69	0.0E+00	BE560082.1	EST_HUMAN	Homo sapiens amiloride-sensitive cation channel 1, neuronal (degenerin) (ACCN1), mRNA
5922	19008	32200	1.33	0.0E+00	10048478	NT	601345141F1 NIH_MGC_8 Homo sapiens cDNA clone IMAGE:3877843 5'
5923	19009	32201	3.06	0.0E+00	U86961.1	NT	Mus musculus aczonin (Ac2), mRNA
5923	19009	32202	3.06	0.0E+00	U86961.1	NT	Human L-type calcium channel beta-1 subunit (CACNLB1) gene, exon 13B and isoform beta-1B, complete cds
5942	19028	32222	1.81	0.0E+00	BF338835.1	EST_HUMAN	Human L-type calcium channel beta-1 subunit (CACNLB1) gene, exon 13B and isoform beta-1B, complete cds
5946	19032	32225	0.97	0.0E+00	AF142621.1	NT	602036272F1 NCI_CGAP_Bm64 Homo sapiens cDNA clone IMAGE:4184321 5'
5947	19033	32226	2.82	0.0E+00	BE273983.1	EST_HUMAN	Homo sapiens calcium channel gamma 5 subunit (CACNG5) gene, exon 4 and complete cds
5959	19044	32243	1.14	0.0E+00	BE503096.1	EST_HUMAN	601104462F1 NIH_MGC_14 Homo sapiens cDNA clone IMAGE:3347463 5'
5963	19048	32249	1.79	0.0E+00	BF569905.1	EST_HUMAN	60283411.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3214581 3' similar to TR:Q62084 Q62084 PHOSPHOLIPASE C NEIGHBORING
5968	19053	32253	1.11	0.0E+00	AA454642.1	EST_HUMAN	602185552F1 NIH_MGC_45 Homo sapiens cDNA clone IMAGE:4310076 5'
6004	19087	32287	2.27	0.0E+00	AF217288.1	NT	z989406.81 Soares NihHMP_u_S1 Homo sapiens cDNA clone IMAGE:811893 3'
6008	19089	32289	2.43	0.0E+00	BE828144.1	EST_HUMAN	Homo sapiens cedherin 20 (CDH20) mRNA, complete cds
6011	19094	32294	0.91	0.0E+00	BE595636.1	EST_HUMAN	RC6-E10027-210600-022-G10 E10027 Homo sapiens cDNA
6017	19100	32302	0.53	0.0E+00	AJ289880.1	NT	601846287F1 NIH_MGC_56 Homo sapiens cDNA clone IMAGE:3930453 5'
6030	19113	32315	0.61	0.0E+00	BE673986.1	EST_HUMAN	Homo sapiens KIAA0851 gene (partial), X13 gene and LZTFL1 gene
6030	19113	32316	0.61	0.0E+00	BE673986.1	EST_HUMAN	7d72e11.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3278540 3' similar to SW:DAX1_HUMAN
6035	19118	32322	0.8	0.0E+00	AW276760.1	EST_HUMAN	7d72e11.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3278540 3' similar to SW:DAX1_HUMAN
							P51843 ORPHAN NUCLEAR RECEPTOR DAX-1.[1];
							7d72e11.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3278540 3' similar to SW:DAX1_HUMAN
							P51843 ORPHAN NUCLEAR RECEPTOR DAX-1.[1];
							xp65503.x1 NCI_CGAP_Ov89 Homo sapiens cDNA clone IMAGE:2745245 3' similar to TR:P78335 P78335 GUANYLATE KINASE ASSOCIATED PROTEIN.;

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6047	19128	32336	0.67	0.0E+00	BF031742.1	EST_HUMAN	601568060F1 NIH_MGC_58 Homo sapiens cDNA clone IMAGE:3827775 5'
6047	19128	32337	0.67	0.0E+00	BF031742.1	EST_HUMAN	601568060F1 NIH_MGC_58 Homo sapiens cDNA clone IMAGE:3827775 5'
6059	19140	32352	1.27	0.0E+00	AW470846.1	EST_HUMAN	he34d06.x1 NCL CGAP_Kid12 Homo sapiens cDNA clone IMAGE:2875595 3' similar to TR:Q921N3
6072	19153	32364	0.95	0.0E+00	BF155670.1	EST_HUMAN	Q921N3 MYOSIN-RHO GAP PROTEIN, MYR 7. ;
6072	19153	32365	0.95	0.0E+00	BF155670.1	EST_HUMAN	Q921N3 MYOSIN-RHO GAP PROTEIN, MYR 7. ;
6080	19160	32371	1.38	0.0E+00	W33069.1	EST_HUMAN	QV4-HT0894-280900-398-e10 HT0894 Homo sapiens cDNA
6080	19160	32372	1.38	0.0E+00	W33069.1	EST_HUMAN	QV4-HT0894-280900-398-e10 HT0894 Homo sapiens cDNA
6081	19161	32372	2.28	0.0E+00	AF012618.1	NT	z08h06.r1 Soares parathyroid_tumor_NbHPA Homo sapiens cDNA clone IMAGE:321755 5'
6084	19164	32376	2.82	0.0E+00	BE280197.1	EST_HUMAN	z08h06.r1 Soares parathyroid_tumor_NbHPA Homo sapiens cDNA clone IMAGE:321755 5'
6081	19170	32385	2.31	0.0E+00	BE889610.1	EST_HUMAN	Homo sapiens familial mental retardation protein 2 (FMR2) gene, exon 14
6093	19172	32388	0.53	0.0E+00	BE388673.1	EST_HUMAN	601158515F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3505323 5'
6109	19188	32408	0.63	0.0E+00	AW752848.1	EST_HUMAN	6011512630F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3914238 5'
6112	19190	32410	1.46	0.0E+00	11433071	NT	601286320F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3613085 5'
6112	19190	32411	1.46	0.0E+00	11433071	NT	IL3-CT0220-111193-028-E04 CT0220 Homo sapiens cDNA
6113	19191	32412	1.12	0.0E+00	BE901608.1	EST_HUMAN	Homo sapiens KIAA0735 gene product; synaptic vesicle protein 2B homolog (KIAA0735), mRNA
6113	19191	32413	1.12	0.0E+00	BE901608.1	EST_HUMAN	Homo sapiens KIAA0735 gene product; synaptic vesicle protein 2B homolog (KIAA0735), mRNA
6113	19191	32414	1.12	0.0E+00	BE901608.1	EST_HUMAN	601677735F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3960200 5'
6129	25654	32431	9.98	0.0E+00	9789886	NT	601677735F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3960200 5'
6132	19209	32434	1.43	0.0E+00	AA193506.1	EST_HUMAN	Homo sapiens potassium voltage-gated channel, Shal-related subfamily, member 2 (KCND2), mRNA
6132	19209	32435	1.43	0.0E+00	AA193506.1	EST_HUMAN	zr40h01.r1 Soares NIHMPu_S1 Homo sapiens cDNA clone IMAGE:665905 5' similar to
6155	19230	32460	11.54	0.0E+00	U34625.1	NT	SW:YY05_HUMAN P42694 HYPOTHETICAL MYELOID CELL LINE PROTEIN 5. ;
6155	19230	32461	11.54	0.0E+00	U34625.1	NT	zr40h01.r1 Soares NIHMPu_S1 Homo sapiens cDNA clone IMAGE:665905 5' similar to
6157	19232	32463	0.54	0.0E+00	AW853983.1	EST_HUMAN	SW:YY05_HUMAN P42694 HYPOTHETICAL MYELOID CELL LINE PROTEIN 5. ;
6157	19232	32464	0.54	0.0E+00	AW853983.1	EST_HUMAN	Human T cell surface glycoprotein CD-6 mRNA, complete cds
6197	19271	32506	1.14	0.0E+00	BE258330.1	EST_HUMAN	Human T cell surface glycoprotein CD-6 mRNA, complete cds
6207	19281	32514	1.24	0.0E+00	BE156561.1	EST_HUMAN	RC3-CT0254-110300-027-a09 CT0254 Homo sapiens cDNA
6217	19291	32524	0.53	0.0E+00	M38107.1	NT	RC3-CT0254-110300-027-a09 CT0254 Homo sapiens cDNA
6254	19327	32558	1.71	0.0E+00	BE378007.1	EST_HUMAN	RC3-CT0254-110300-027-a09 CT0254 Homo sapiens cDNA
6260	19333	32564	1.19	0.0E+00	AU137772.1	EST_HUMAN	60114823F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3355565 5'
6282	19354	32590	3.66	0.0E+00	U45982.1	NT	QV0-HT0368-090200-098-e09 HT0368 Homo sapiens cDNA
							Human neurofibromatosis type 1 (NF-1) mRNA, 3' end of cds
							601236276F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3608490 5'
							AU137772 PLACE1 Homo sapiens cDNA clone IMAGE:1007201 5'
							Human G protein-coupled receptor GPR-9-6 gene, complete cds

Table 4

Single Exon Probes Expressed In Bone Marrow

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6311	19382	32622	4.53	0.0E+00	AA204740.1	EST_HUMAN	zq81d03.r1 Stralagene hNT neuron (#937233) Homo sapiens cDNA clone IMAGE:648005 5' similar to
6312	19383	32623	4.05	0.0E+00	11545913	NT	TR:G864195 G864195 LEUKOCYTE SURFACE PROTEIN ;
6312	19383	32624	4.05	0.0E+00	11545913	NT	Homo sapiens xylosyltransferase II (XT2), mRNA
6331	19401	32642	0.56	0.0E+00	U07223.1	NT	Homo sapiens xylosyltransferase II (XT2), mRNA
6349	19418	32659	8.33	0.0E+00	11426367	NT	Human beta2-chimerin mRNA, complete cds
6353	19422	32664	3.68	0.0E+00	BE257173.1	EST_HUMAN	Homo sapiens cardioembryonic antigen-related cell adhesion molecule 8 (CEACAM8), mRNA
6369	19437		0.97	0.0E+00	A1866048.1	EST_HUMAN	601109532F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3350622 5'
6373	19441	32683	1.29	0.0E+00	L35930.1	NT	601109532F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3350622 5'
6382	19450	32691	1.29	0.0E+00	BE797385.1	EST_HUMAN	601109532F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3350622 5'
6382	19450	32692	1.29	0.0E+00	BE797385.1	EST_HUMAN	601109532F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3350622 5'
6393	19461	32707	0.85	0.0E+00	A1198025.1	EST_HUMAN	601109532F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3350622 5'
6393	19461	32708	0.85	0.0E+00	A1198025.1	EST_HUMAN	601109532F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3350622 5'
6398	19464	32710	1	0.0E+00	BF357123.1	EST_HUMAN	601109532F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3350622 5'
6404	19472	32720	1.77	0.0E+00	11435630	NT	601109532F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3350622 5'
6414	19482	32729	0.79	0.0E+00	D55849.1	NT	601109532F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3350622 5'
6432	19498	32751	1	0.0E+00	AW178142.1	EST_HUMAN	601109532F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3350622 5'
6453	19518	32768	0.74	0.0E+00	BE674544.1	EST_HUMAN	601109532F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3350622 5'
6458	19523	32774	0.88	0.0E+00	7662039	NT	601109532F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3350622 5'
6472	19537		8.48	0.0E+00	AV650020.1	EST_HUMAN	601109532F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3350622 5'
6481	19546	32795	3.68	0.0E+00	AW575598.1	EST_HUMAN	601109532F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3350622 5'
6484	19549	32798	5.02	0.0E+00	H01255.1	EST_HUMAN	601109532F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3350622 5'
6493	19558	32809	1.16	0.0E+00	11426293	NT	601109532F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3350622 5'
6498	19562	32814	8.09	0.0E+00	X15377.1	NT	601109532F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3350622 5'
6500	19564	32816	0.72	0.0E+00	AA456375.1	EST_HUMAN	601109532F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3350622 5'
6501	19565	32817	1.23	0.0E+00	AI612841.1	EST_HUMAN	601109532F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3350622 5'
6507	19571	32823	3.93	0.0E+00	BE759899.1	EST_HUMAN	601109532F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3350622 5'
6507	19571	32824	3.93	0.0E+00	BE759899.1	EST_HUMAN	601109532F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3350622 5'
6511	19575	32830	0.78	0.0E+00	AW748598.1	EST_HUMAN	601109532F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3350622 5'

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6511	19575	32831	0.78	0.0E+00	AW748596.1	EST_HUMAN	MRO-BT0264-221199-002-f11 BT0264 Homo sapiens cDNA
6512	19576		0.67	0.0E+00	U77629.1	NT	Homo sapiens Achaete-Scute homologue 2 (ASCL2) gene, complete cds
6514	19578	32833	28.27	0.0E+00	AU119245.1	EST_HUMAN	AU119245 HEMBA1 Homo sapiens cDNA clone HEMBA1005360 5'
6514	19578	32834	28.27	0.0E+00	AU119245.1	EST_HUMAN	AU119245 HEMBA1 Homo sapiens cDNA clone HEMBA1005360 5'
6519	19582	32840	0.86	0.0E+00	BE780453.1	EST_HUMAN	601468712F1 NIH_MGC_67 Homo sapiens cDNA clone IMAGE:3871899 5'
6520	19583	32841	1.02	0.0E+00	X92217.1	NT	H. sapiens germline immunoglobulin heavy chain, variable region, (13-2)
6537	19599	32862	1.64	0.0E+00	A1989483.1	EST_HUMAN	ws25c07.x1 NC1 CGAP_G06 Homo sapiens cDNA clone IMAGE:2498220 3'
6551	19612	32873	1.76	0.0E+00	BE293153.1	EST_HUMAN	601105344F1 NIH_MGC_15 Homo sapiens cDNA clone IMAGE:2987963 5'
6551	19612	32874	1.76	0.0E+00	BE293153.1	EST_HUMAN	601105344F1 NIH_MGC_15 Homo sapiens cDNA clone IMAGE:2987963 5'
6584	19644	32912	0.71	0.0E+00	BE867657.1	EST_HUMAN	601443175F1 NIH_MGC_65 Homo sapiens cDNA clone IMAGE:3847291 5'
6626	19684	32962	1.2	0.0E+00	AW406348.1	EST_HUMAN	UI-HF-BL0-aco-h-02-o-UJ.r1 NIH_MGC_37 Homo sapiens cDNA clone IMAGE:3059931 5'
6626	19684	32963	1.2	0.0E+00	AW406348.1	EST_HUMAN	UI-HF-BL0-aco-h-02-o-UJ.r1 NIH_MGC_37 Homo sapiens cDNA clone IMAGE:3059931 5'
6660	19717	32994	0.89	0.0E+00	AV719444.1	EST_HUMAN	AV719444 GLC Homo sapiens cDNA clone GLCEHC06 5'
6669	19726	33001	1.27	0.0E+00	BE898340.1	EST_HUMAN	601681150F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3951301 5'
6669	19726	33002	1.27	0.0E+00	BE898340.1	EST_HUMAN	601681150F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3951301 5'
6672	19729	33005	2.18	0.0E+00	AF190860.1	NT	Homo sapiens low voltage-activated T-type calcium channel alpha 1G splice variant CavT.1a (CACNA1G) mRNA, complete cds
6675	19732	33008	0.64	0.0E+00	L48548.1	NT	Homo sapiens tuberin (TSC2) gene, exons 38, 39, 40 and 41
6677	19734	33009	1.11	0.0E+00	11420658	NT	Homo sapiens transformation/transcription domain-associated protein (TTRAP), mRNA
6684	19741	33018	3.24	0.0E+00	AW163640.1	EST_HUMAN	au86h08.y1 Schneider fetal brain 00004 Homo sapiens cDNA clone IMAGE:2784159 5' similar to TR:O15390 O15390 GT24. [3] TR:O43940 TR:O43206;
6684	19741	33017	3.24	0.0E+00	AW163640.1	EST_HUMAN	au86h08.y1 Schneider fetal brain 00004 Homo sapiens cDNA clone IMAGE:2784159 5' similar to TR:O15390 O15390 GT24. [3] TR:O43940 TR:O43206;
6688	19745	33020	0.85	0.0E+00	W37163.1	EST_HUMAN	zb20e06.r1 Soares_fetal_lung_NbHL19W Homo sapiens cDNA clone IMAGE:302626 5' similar to SW:ZN45_HUMAN Q02386 ZINC FINGER PROTEIN 45;
6688	19745	33021	0.85	0.0E+00	W37163.1	EST_HUMAN	zb20e06.r1 Soares_fetal_lung_NbHL19W Homo sapiens cDNA clone IMAGE:302626 5' similar to SW:ZN45_HUMAN Q02386 ZINC FINGER PROTEIN 45;
6706	19762	33041	1.19	0.0E+00	BE794853.1	EST_HUMAN	601586871F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3943504 5'
6713	19769	33048	4.81	0.0E+00	BE79873.1	EST_HUMAN	601587561F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3941847 5'
6714	19770	33049	3.07	0.0E+00	BE767955.1	EST_HUMAN	QV1-GN0065-140800-318-h02 GN0065 Homo sapiens cDNA
6714	19770	33050	3.07	0.0E+00	BE767955.1	EST_HUMAN	QV1-GN0065-140800-318-h02 GN0065 Homo sapiens cDNA
6718	19774	33054	7.15	0.0E+00	BE89813.1	EST_HUMAN	601312058F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3913311 5'
6718	19774	33054	7.15	0.0E+00	BE89813.1	EST_HUMAN	601312058F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3913311 5'
6727	19783	33062	5.42	0.0E+00	L24493.1	NT	Human antigen CD27 gene, exons 1-2

Page 521 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
6732	19788	33066	2	0.0E+00	AL163204.2	NT	Homo sapiens chromosome 21 segment HS21C004
6732	19788	33067	2	0.0E+00	AL163204.2	NT	Homo sapiens chromosome 21 segment HS21C004
6738	19794	33074	3.67	0.0E+00	6005983	NT	Homo sapiens zona pellucida glycoprotein 3A (sperm receptor) (ZP3A), mRNA
6741	19796	33076	3.87	0.0E+00	AI638412.1	EST_HUMAN	h31f11.x1 NCI_CGAP_G08 Homo sapiens cDNA clone IMAGE:2242413 3' similar to SW:WNT3_MOUSE
6743	19798	33078	1.41	0.0E+00	L32832.1	NT	Homo sapiens zinc finger homeodomain protein (ATBF1-A), mRNA, complete cds
6755	19809	33090	0.79	0.0E+00	AW505430.1	EST_HUMAN	UHF-BN0-ama-o-01-0-JL.r1 NIH_MGC 50 Homo sapiens cDNA clone IMAGE:3081217 5'
6757	19811	33091	3.98	0.0E+00	AA434584.1	EST_HUMAN	zw52c03.r1 Soares_total_fetus_Nb2HF8_9w Homo sapiens cDNA clone IMAGE:773668 5'
6771	19826	33113	1.13	0.0E+00	BF217200.1	EST_HUMAN	601885317F1 NIH_MGC 57 Homo sapiens cDNA clone IMAGE:4103693 5'
6775	19830	33113	1.68	0.0E+00	BE925875.1	EST_HUMAN	QV3-BN0047-300800-278-c06 BN0047 Homo sapiens cDNA
6808	19862	33149	0.75	0.0E+00	11426758	NT	Homo sapiens solute carrier family 1 (high affinity aspartate/glutamate transporter), member 8 (SLC1A6), mRNA
6808	19862	33150	0.75	0.0E+00	11426758	NT	Homo sapiens solute carrier family 1 (high affinity aspartate/glutamate transporter), member 8 (SLC1A6), mRNA
6826	19880	33171	2.04	0.0E+00	AU125928.1	EST_HUMAN	AU125928 NT2RM4 Homo sapiens cDNA clone NT2RM4002430 5'
6828	19882	33173	0.84	0.0E+00	BE701434.1	EST_HUMAN	PM2-NN0174-260700-001-h10 NN0174 Homo sapiens cDNA
6828	19882	33174	0.84	0.0E+00	BE701434.1	EST_HUMAN	PM2-NN0174-260700-001-h10 NN0174 Homo sapiens cDNA
6851	19904	33189	1.46	0.0E+00	BE142363.1	EST_HUMAN	CMO-HT0143-270999-062-c08 HT0143 Homo sapiens cDNA
6873	19926	33222	1.01	0.0E+00	BE06012.1	EST_HUMAN	RCO-BN0121-280300-032-e04 BN0121 Homo sapiens cDNA
6873	19926	33223	1.01	0.0E+00	BE06012.1	EST_HUMAN	RCO-BN0121-280300-032-e04 BN0121 Homo sapiens cDNA
6901	19953	33250	7.7	0.0E+00	BE169131.1	EST_HUMAN	PM3-HT0520-230200-002-c08 HT0520 Homo sapiens cDNA
6903	19959	33252	3.49	0.0E+00	BF085667.1	EST_HUMAN	IL5-GN0032-180900-145-d07 GN0032 Homo sapiens cDNA
6943	20167	33490	3.27	0.0E+00	AA190755.1	EST_HUMAN	zp88e03.r1 StrataGene HeLa cell s3 937216 Homo sapiens cDNA clone IMAGE:627282 5'
6954	20179	33504	1.04	0.0E+00	U39573.1	NT	Human salivary peroxidase mRNA, complete cds
6958	20183	33506	0.7	0.0E+00	BE671987.1	EST_HUMAN	7a49b07.x1 NCI_CGAP_G08 Homo sapiens cDNA clone IMAGE:3222037 3' similar to TR:Q8Z285 Q8Z285
6970	20193	33520	6.96	0.0E+00	AI940621.1	EST_HUMAN	TEKTN1 ;
6970	20193	33521	6.96	0.0E+00	AI940621.1	EST_HUMAN	IL3-ST0024-230799-001-B01 ST0024 Homo sapiens cDNA
6984	20207	33537	1.98	0.0E+00	11435628	NT	IL3-ST0024-230799-001-B01 ST0024 Homo sapiens cDNA
6988	20124	33439	1.01	0.0E+00	AL042443.1	EST_HUMAN	Homo sapiens CD6 antigen (CD6), mRNA
6999	20125	33440	47.69	0.0E+00	X56163.1	NT	DKFZp434D2021_r1_434 (synonym: htes3) Homo sapiens cDNA clone DKFZp434D2021 5'
7002	20128	33443	0.84	0.0E+00	AI168270.1	EST_HUMAN	H. sapiens immunoglobulin heavy chain gene, variable region
7007	20133	33448	0.92	0.0E+00	BE734087.1	EST_HUMAN	co10d01.x1 Soares_NSF_F8_9w_OT_PA_P_S1 Homo sapiens cDNA clone IMAGE:1565781 3' similar to TR:Q26623 TEKTN1 C1. ;
							901567370F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3842080 5'

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7030	18362	31249	1.17	0.0E+00	BE566381.1	EST_HUMAN	601339977F1 NIH_MGC_53 Homo sapiens cDNA clone IMAGE:3682287 5'
7040	18372	31259	12.91	0.0E+00	BE867889.1	EST_HUMAN	601443667F1 NIH_MGC_65 Homo sapiens cDNA clone IMAGE:3847697 5'
7040	18372	31260	12.91	0.0E+00	BE867889.1	EST_HUMAN	601443667F1 NIH_MGC_65 Homo sapiens cDNA clone IMAGE:3847697 5'
7048	20070	33376	1.94	0.0E+00	BE550162.1	EST_HUMAN	7b49f03.x1 NCI_CGAP_L424 Homo sapiens cDNA clone IMAGE:3231581 3' similar to SW:GG95_HUMAN Q08379 GOLGIN-95. ;
7048	20070	33377	1.94	0.0E+00	BE550162.1	EST_HUMAN	7b49f03.x1 NCI_CGAP_L424 Homo sapiens cDNA clone IMAGE:3231581 3' similar to SW:GG95_HUMAN Q08379 GOLGIN-96. ;
7074	20096	33406	2.29	0.0E+00	BF088376.1	EST_HUMAN	GM1-HT0877-060900-397-g11 HT0877 Homo sapiens cDNA
7081	20102	33413	1.41	0.0E+00	AA195106.1	EST_HUMAN	zr34g03.r Soares_NIHMPu_S1 Homo sapiens cDNA clone IMAGE:665332 5'
7088	20022		11.47	0.0E+00	11034810	NT	Homo sapiens catenin (cadherin-associated protein), delta 2 (neural plakophilin-related arm-repeat protein) (CTNND2), mRNA
7090	20024	33328	0.91	0.0E+00	11431474	NT	Homo sapiens sodium channel, nonvoltage-gated 1, beta (Liddle syndrome) (SCNN1B), mRNA
7092	20026	33329	0.76	0.0E+00	BE313075.1	EST_HUMAN	601150662F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:3503391 5'
7092	20026	33330	0.76	0.0E+00	BE313075.1	EST_HUMAN	601150662F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:3503391 5'
7106	20048	33342	3.08	0.0E+00	BF569905.1	EST_HUMAN	602185552F1 NIH_MGC_45 Homo sapiens cDNA clone IMAGE:4310078 5'
7114	20048	33350	0.61	0.0E+00	4557364	NT	Homo sapiens Bloom syndrome (BLM) mRNA
7122	20056		2.02	0.0E+00	J03069.1	NT	Human MYCL2 gene, complete cds
7132	20108	33419	3.33	0.0E+00	AF217289.1	NT	Homo sapiens cadherin 20 (GDH20) mRNA, complete cds
7132	20108	33420	3.33	0.0E+00	AF217289.1	NT	Homo sapiens cadherin 20 (GDH20) mRNA, complete cds
7133	20109	33421	1.77	0.0E+00	M38113.1	NT	Human neurofibromatosis type 1 gene, exon x6
7146	18378	31266	3.02	0.0E+00	11420775	NT	Homo sapiens melanoma antigen, family B, 2 (MAGEB2), mRNA
7147	18379	31267	0.57	0.0E+00	A1419969.1	EST_HUMAN	tg53c06.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2112490 3' similar to SW:OXYB_HUMAN P22059 OXYSTEROL-BINDING PROTEIN. ;
7147	18379	31268	0.57	0.0E+00	A1419969.1	EST_HUMAN	tg53c06.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2112490 3' similar to SW:OXYB_HUMAN P22059 OXYSTEROL-BINDING PROTEIN. ;
7152	18384	31272	0.66	0.0E+00	BE256708.1	EST_HUMAN	601115515F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3356330 5'
7173	18404	31202	1.21	0.0E+00	AU118478.1	EST_HUMAN	AU118478 HEMBA1 Homo sapiens cDNA clone HEMBA1003679 5'
7176	18407	31206	5.02	0.0E+00	BE262941.1	EST_HUMAN	601148954F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:3501829 5'
7177	18408	31207	2.25	0.0E+00	Z37976.1	NT	H.sapiens mRNA for latent transforming growth factor-beta binding protein (LTBP-2)
7177	18408	31208	2.25	0.0E+00	Z37976.1	NT	H.sapiens mRNA for latent transforming growth factor-beta binding protein (LTBP-2)
7178	18409	31209	3.32	0.0E+00	AF257737.1	NT	Homo sapiens ciliary dynein heavy chain 9 (DNAH9) mRNA, complete cds
7178	18409	31210	3.32	0.0E+00	AF257737.1	NT	Homo sapiens ciliary dynein heavy chain 9 (DNAH9) mRNA, complete cds
7185	18416	31217	1.33	0.0E+00	AF310105.1	NT	Homo sapiens NALP1 mRNA, complete cds
7187	18418	31219	0.59	0.0E+00	BF130916.1	EST_HUMAN	601818722F1 NIH_MGC_58 Homo sapiens cDNA clone IMAGE:4051709 5'

Page 523 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7192	20216	33546	0.57	0.0E+00	BE762770.1	EST_HUMAN	QV3-NT0022-140600-223-01 NT0022 Homo sapiens cDNA
7198	20222	33553	2.39	0.0E+00	BF569905.1	EST_HUMAN	602185862F1 NIH_MGC_45 Homo sapiens cDNA clone IMAGE:4310076 5'
7200	20224	33555	0.68	0.0E+00	AJ404488.1	NT	Homo sapiens mRNA for dynein heavy chain (DNAH9 gene)
7200	20224	33556	0.68	0.0E+00	AJ404488.1	NT	Homo sapiens mRNA for dynein heavy chain (DNAH9 gene)
7204	20228	33561	4.32	0.0E+00	L01978.1	NT	Human type IV sodium channel alpha polypeptide (SCN4A) gene, exon 18
7209	20232	33565	1.49	0.0E+00	AW502362.1	EST_HUMAN	UHF-BR0p-aka-d-10-0-UJ.r1 NIH_MGC_52 Homo sapiens cDNA clone IMAGE:3076290 5'
7209	20232	33568	1.49	0.0E+00	AW502362.1	EST_HUMAN	UHF-BR0p-aka-d-10-0-UJ.r1 NIH_MGC_52 Homo sapiens cDNA clone IMAGE:3076290 5'
7218	20240	33574	0.93	0.0E+00	AL039581.1	EST_HUMAN	DKFZp434D2211_1 434 (synonym: hies3) Homo sapiens cDNA clone DKFZp434D2211 5'
7218	20240	33576	0.93	0.0E+00	AL039581.1	EST_HUMAN	DKFZp434D2211_1 434 (synonym: hies3) Homo sapiens cDNA clone DKFZp434D2211 5'
7227	20248	33583	5.15	0.0E+00	BF306986.1	EST_HUMAN	601889823F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:4123948 5'
7233	20254	33588	2.16	0.0E+00	U41302.1	NT	Human chromosome 16 creatine transporter (SLC6A8) and (CDM) paralogous genes, complete cds
7275	20010	33312	1.21	0.0E+00	AL049784.1	NT	Novel human gene mapping to chromosome 13
7315	20286	33627	0.69	0.0E+00	AB0726893.1	NT	Homo sapiens mRNA for vascular cadherin-2, complete cds
7315	20286	33628	0.69	0.0E+00	AB0726893.1	NT	Homo sapiens mRNA for vascular cadherin-2, complete cds
7320	20291	33634	0.68	0.0E+00	AU137738.1	EST_HUMAN	AU137738 PLACE1 Homo sapiens cDNA clone PLACE1007120 5'
7320	20291	33635	0.68	0.0E+00	AU137738.1	EST_HUMAN	AU137738 PLACE1 Homo sapiens cDNA clone PLACE1007120 5'
7326	20297	33641	1.23	0.0E+00	AW954806.1	EST_HUMAN	EST366876 MAGC resequences, MAGC Homo sapiens cDNA
7327	20298	33642	1.14	0.0E+00	BE284103.1	EST_HUMAN	601113958F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3354568 5'
7340	20311	33654	1.23	0.0E+00	L01973.1	NT	Human type VI sodium channel alpha polypeptide (SCN4A) gene, exon 14
7348	20318	33664	0.68	0.0E+00	AB007935.1	NT	Homo sapiens mRNA for KIAA0466 protein, partial cds
7348	20318	33665	0.68	0.0E+00	AB007935.1	NT	Homo sapiens mRNA for KIAA0466 protein, partial cds
7354	20324	33672	1.38	0.0E+00	AU133213.1	EST_HUMAN	AU133213 NT2RP4 Homo sapiens cDNA clone NT2RP4001568 5'
7370	20340	33692	1	0.0E+00	11428081	NT	Homo sapiens membrane protein CH1 (CH1), mRNA
7375	20345		2.24	0.0E+00	AU143706.1	EST_HUMAN	AU143706 Y79AA1 Homo sapiens cDNA clone Y79AA1002385 5'
7376	20346	33697	0.96	0.0E+00	4758839	NT	Homo sapiens netin 1 (NTN1), mRNA
7385	20355	33706	1.34	0.0E+00	BE891286.1	EST_HUMAN	601431819F1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3917184 5'
7385	20355	33707	1.34	0.0E+00	BE891286.1	EST_HUMAN	601431819F1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3917184 5'
7407	19430	31181	2.28	0.0E+00	AF137286.1	NT	Homo sapiens keratin 12 (KRT12) gene, complete cds
7407	19430	31182	2.28	0.0E+00	AF137286.1	NT	Homo sapiens keratin 12 (KRT12) gene, complete cds
7419	20386	33736	0.7	0.0E+00	BE747231.1	EST_HUMAN	601580948F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3929722 5'
7419	20386	33737	0.7	0.0E+00	BE747231.1	EST_HUMAN	601580948F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3929722 5'
7432	20389	33751	4.41	0.0E+00	11436699	NT	Homo sapiens vitamin D (1,25-dihydroxyvitamin D3) receptor (VDR), mRNA
7432	20389	33752	4.41	0.0E+00	11436699	NT	Homo sapiens vitamin D (1,25-dihydroxyvitamin D3) receptor (VDR), mRNA

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7447	20413	33768	0.65	0.0E+00	AF227744.1	NT	Homo sapiens voltage-dependent calcium channel alpha 1G subunit isoform aa (CACNA1G) mRNA, complete cds
7469	20435	33791	36.24	0.0E+00	AI128344.1	EST_HUMAN	qc67a07.x1 Soares_placenta_8to9weeks_2NbHP8to9W Homo sapiens cDNA clone IMAGE:1714644 3' similar to SW:ARSD_HUMAN P51689 ARYL SULFATASE D PRECURSOR ; contains element HGR repetitive element ;
7469	20435	33792	36.24	0.0E+00	AI128344.1	EST_HUMAN	qc67a07.x1 Soares_placenta_8to9weeks_2NbHP8to9W Homo sapiens cDNA clone IMAGE:1714644 3' similar to SW:ARSD_HUMAN P51689 ARYL SULFATASE D PRECURSOR ; contains element HGR repetitive element ;
7472	20438	33795	0.82	0.0E+00	AF227135.1	NT	Homo sapiens candidate taste receptor T2R9 gene, complete cds
7472	20438	33796	0.82	0.0E+00	AF227135.1	NT	Homo sapiens candidate taste receptor T2R9 gene, complete cds
7475	20441	33799	5.42	0.0E+00	11426392	NT	Homo sapiens myosin, heavy polypeptide 8, skeletal muscle, perinatal (MYH8), mRNA
7475	20441	33800	5.42	0.0E+00	11426392	NT	Homo sapiens myosin, heavy polypeptide 8, skeletal muscle, perinatal (MYH8), mRNA
7478	20444		13.74	0.0E+00	BF337375.1	EST_HUMAN	602035089F1 NCI_CGAP_Brn64 Homo sapiens cDNA clone IMAGE:4182839 5'
7480	20446	33802	2.75	0.0E+00	AA128453.1	EST_HUMAN	zn60f09.1 Stratagene muscle 937209 Homo sapiens cDNA clone IMAGE:562601 5' similar to TR:3806562 G806562 NEBULIN ;
7485	20450	33808	0.75	0.0E+00	AL079497.1	EST_HUMAN	DKFZp434B0226_r1 434 (synonym: htes3) Homo sapiens cDNA clone DKFZp434B0226 5'
7485	20450	33809	0.75	0.0E+00	AL079497.1	EST_HUMAN	DKFZp434B0226_r1 434 (synonym: htes3) Homo sapiens cDNA clone DKFZp434B0226 5'
7486	20461	33821	0.57	0.0E+00	AJ270996.1	NT	Homo sapiens partial mRNA for LTRPC5 protein (LTRPC5 gene)
7530	20493	33855	1.12	0.0E+00	BE295499.1	EST_HUMAN	601174576F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3529794 5'
7532	20495	33858	0.9	0.0E+00	11427965	NT	Homo sapiens hypothetical protein (FLJ20261), mRNA
7535	20498		1.46	0.0E+00	AU118607.1	EST_HUMAN	AU118607 HEMBA1 Homo sapiens cDNA clone HEMBA1003969 5'
7536	20499	33859	2.02	0.0E+00	AF005213.1	NT	Homo sapiens ankyrin 1 (ANK1) mRNA, complete cds
7536	20499	33860	2.02	0.0E+00	AF005213.1	NT	Homo sapiens ankyrin 1 (ANK1) mRNA, complete cds
7547	20510	33868	0.85	0.0E+00	AF245505.1	NT	Homo sapiens adican mRNA, complete cds
7555	20518	33873	7.23	0.0E+00	X70172.1	NT	H. sapiens DNA for ZNGP2 pseudogene, exon 4
7557	20520	33875	6.84	0.0E+00	U45448.1	NT	Human P2x1 receptor mRNA, complete cds
7557	20520	33876	6.84	0.0E+00	U45448.1	NT	Human P2x1 receptor mRNA, complete cds
7570	20533	33891	0.81	0.0E+00	AW956503.1	EST_HUMAN	EST368573 MAGC resequences, MAGD Homo sapiens cDNA
7572	20535	33893	2.85	0.0E+00	AW950516.1	EST_HUMAN	EST362586 MAGC resequences, MAGA Homo sapiens cDNA
7599	20560	33920	0.79	0.0E+00	AF001543.1	EST_HUMAN	AF001543 Human cDNA (Chandrasekharappa,S.C.) Homo sapiens cDNA clone kappa_200
7599	20560	33921	0.79	0.0E+00	AF001543.1	EST_HUMAN	AF001543 Human cDNA (Chandrasekharappa,S.C.) Homo sapiens cDNA clone kappa_200
7599	20560	33922	0.79	0.0E+00	AF001543.1	EST_HUMAN	AF001543 Human cDNA (Chandrasekharappa,S.C.) Homo sapiens cDNA clone kappa_200
7623	20583		0.62	0.0E+00	M9354.1	NT	Human BTF3 protein homologue gene, complete cds
7624	20584	33947	0.72	0.0E+00	BE408293.1	EST_HUMAN	601302679F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3637434 5'

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7635	20595	33958	0.5	0.0E+00	AW42542.1	EST_HUMAN	UI-HF-BK0-aas-g-07-0-UI.1 NIH_MGC_36 Homo sapiens cDNA clone IMAGE:3054924 5'
7663	20613		1.3	0.0E+00	R87430.1	EST_HUMAN	ym88h10.1 Soares adult brain N2b4HB55Y Homo sapiens cDNA clone IMAGE:166051 5'
7654	20614	33978	2.42	0.0E+00	AW239328.1	EST_HUMAN	x39a05.y1 NCL_CGAP_Lu31 Homo sapiens cDNA clone IMAGE:2578640 5' similar to TR:Q08050 Q08050
7676	20634		1.21	0.0E+00	AU117553.1	EST_HUMAN	HNF3/IFH TRANSCRIPTION FACTOR GENESIS:
7678	20636	33998	3.92	0.0E+00	11427135	NT	Homo sapiens glucagon-like peptide 2 receptor (GLP2R), mRNA
7697	20655	34019	1.76	0.0E+00	AA211663.1	EST_HUMAN	zn56f02.1 Stralagene muscle 937208 Homo sapiens cDNA clone IMAGE:562203 5' similar to gb:X03740
7703	20660	34024	0.66	0.0E+00	BF229235.1	EST_HUMAN	MYOSIN HEAVY CHAIN, SKELETAL MUSCLE (HUMAN);
7710	20667	34034	0.62	0.0E+00	AW998499.1	EST_HUMAN	MR0-AN0083-270900-004-107 AN0083 Homo sapiens cDNA
7713	20670	34037	0.81	0.0E+00	L32832.1	NT	QV3-BN0046-220300-129-e04 BN0046 Homo sapiens cDNA
7740	20684	34058	1.17	0.0E+00	BF306996.1	EST_HUMAN	Homo sapiens zinc finger homeodomain protein (ATBF1-A) mRNA, complete cds
7740	20684	34059	1.17	0.0E+00	BF306996.1	EST_HUMAN	601899823F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:4123948 5'
7750	20703	34071	1.24	0.0E+00	AU118767.1	EST_HUMAN	601899823F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:4123948 5'
7782	20735	34107	0.49	0.0E+00	AW499551.1	EST_HUMAN	AU118767 HEMBA1 Homo sapiens cDNA clone HEMBA1004314 6'
7809	20758	34132	0.64	0.0E+00	AB002355.1	NT	UI-HF-BR0P-gli-e-10-0-UI.1 NIH_MGC_52 Homo sapiens cDNA clone IMAGE:3074778 5'
7810	20759	34133					Human mRNA for KIAA0357 gene, partial cds
7810	20759	34133	4.06	0.0E+00	AI752561.1	EST_HUMAN	cn17d05.x1 Normal Human Trabecular Bone Cells Homo sapiens cDNA clone NHTBC.cn17d05 random
7810	20759	34134	4.06	0.0E+00	AI752561.1	EST_HUMAN	cn17d05.x1 Normal Human Trabecular Bone Cells Homo sapiens cDNA clone NHTBC.cn17d05 random
7879	20823	34200	0.53	0.0E+00	AA399959.1	EST_HUMAN	zu68b07.r1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:743125 5'
7879	20823	34201	0.53	0.0E+00	AA399959.1	EST_HUMAN	zu68b07.r1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:743125 5'
7880	20824	34202	0.53	0.0E+00	AL046347.2	EST_HUMAN	DKFZp434J087_r1 434 (synonym: hsa3) Homo sapiens cDNA clone DKFZp434J087 5'
7897	20840	34221	1.22	0.0E+00	AF084205.1	NT	Homo sapiens dynactin 1 (DCTN1) gene, alternatively spliced products, exons 7 through 32 and complete cds
7897	20840	34222	1.22	0.0E+00	AF084205.1	NT	Homo sapiens dynactin 1 (DCTN1) gene, alternatively spliced products, exons 7 through 32 and complete cds
7905	20848	34253	1.06	0.0E+00	U74315.1	EST_HUMAN	HSU74315 Human chromosome 14 Homo sapiens cDNA clone 1-4
7919	20862	34250	0.59	0.0E+00	BE439545.1	EST_HUMAN	HTM1-183F1 HTM1 Homo sapiens cDNA
7920	20863	34251	1.03	0.0E+00	11417342	NT	Homo sapiens sema domain, seven thrombospondin repeats (type 1 and type 1-like), transmembrane domain (TM) and short cytoplasmic domain, (semaproin) 5A (SEMA5A), mRNA
7939	20881	34271	0.5	0.0E+00	BF569905.1	EST_HUMAN	602185952F1 NIH_MGC_45 Homo sapiens cDNA clone IMAGE:4310076 5'
7950	20891	34282	0.73	0.0E+00	AI825504.1	EST_HUMAN	wb17g05.x1 NCL_CGAP_GC6 Homo sapiens cDNA clone IMAGE:2305978 3' similar to TR:O76363 O76363 AIBC1.;

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
7950	20891	34283	0.73	0.0E+00	AI82504.1	EST_HUMAN	wb17g05.x1 NCI_CGAP_GC6 Homo sapiens cDNA clone IMAGE:2305976 3' similar to TR:O75363 O75363
7958	20899	34292	3.09	0.0E+00	6912735	NT	ABC1.1
7965	20904	34296	0.96	0.0E+00	N76126.1	EST_HUMAN	Homo sapiens transient receptor potential channel 5 (TRPC5), mRNA
7971	20910	34300	5.4	0.0E+00	BF217905.1	EST_HUMAN	za86e05.s1 Soares_fetal_lung_NbHL19W Homo sapiens cDNA clone IMAGE:299456 3'
7976	20915	34306	0.53	0.0E+00	BF569862.1	EST_HUMAN	601885465F1 NIH_MGC_57 Homo sapiens cDNA clone IMAGE:4103729 5'
7981	20920	34311	3.8	0.0E+00	AU129622.1	EST_HUMAN	602185808F1 NIH_MGC_45 Homo sapiens cDNA clone IMAGE:4310266 5'
8006	25693	34338	0.97	0.0E+00	AW069274.1	EST_HUMAN	AU129622 NT2RP2 Homo sapiens cDNA clone NT2RP2005913 5'
8006	25693	34339	0.97	0.0E+00	AW069274.1	EST_HUMAN	cr42e09.x1 Jia bone marrow stroma Homo sapiens cDNA clone HBMSC_cr42e09 3'
8010	20948	34343	6.56	0.0E+00	4501848	NT	cr42e09.x1 Jia bone marrow stroma Homo sapiens cDNA clone HBMSC_cr42e09 3'
8017	20955	34348	1.05	0.0E+00	AV758467.1	EST_HUMAN	Homo sapiens ATP-binding cassette, sub-family A (ABC1), member 3 (ABCA3), mRNA
8020	20957	34350	5.84	0.0E+00	BE739870.1	EST_HUMAN	AV758467 BM Homo sapiens cDNA clone BMFBGG06 5'
8020	20957	34351	5.84	0.0E+00	BE739870.1	EST_HUMAN	601593156F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3947365 5'
8021	20958	34352	0.88	0.0E+00	6912461	NT	601593156F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3947365 5'
8021	20958	34353	0.88	0.0E+00	6912461	NT	Homo sapiens atrophin-1 interacting protein 1; activin receptor interacting protein 1 (KIAA0705), mRNA
8022	20959	34354	3.3	0.0E+00	AU120424.1	EST_HUMAN	Homo sapiens atrophin-1 interacting protein 1; activin receptor interacting protein 1 (KIAA0705), mRNA
8022	20959	34355	3.3	0.0E+00	AU120424.1	EST_HUMAN	AU120424 HEMBB1 Homo sapiens cDNA clone HEMBB1000655 5'
8048	20985	34381	2.13	0.0E+00	BF50267.1	EST_HUMAN	AU120424 HEMBB1 Homo sapiens cDNA clone HEMBB1000655 5'
8060	20997	34393	1.52	0.0E+00	BE787610.1	EST_HUMAN	nab22c04.x1 Soares_NSF_F8_9W_OT_PA_P_S1 Homo sapiens cDNA clone IMAGE:3263214 3' similar to contains element TAR1 repetitive element ;
8060	20997	34394	1.52	0.0E+00	BE787610.1	EST_HUMAN	601481713F1 NIH_MGC_68 Homo sapiens cDNA clone IMAGE:3884288 5'
8101	21037	34437	0.54	0.0E+00	AW956307.1	EST_HUMAN	601481713F1 NIH_MGC_68 Homo sapiens cDNA clone IMAGE:3884288 5'
8123	21050	34458	0.52	0.0E+00	Y16795.1	NT	EST3683777 MAGE resequences, MAGE Homo sapiens cDNA
8129	21066	34466	0.49	0.0E+00	11425128	NT	Homo sapiens psliHaa pseudogene
8130	21067	34467	0.69	0.0E+00	AU117333.1	EST_HUMAN	Homo sapiens similar to ER to nucleus signalling 1 (H. sapiens) (LOC63433), mRNA
8131	21068	34468	0.52	0.0E+00	BE613963.1	EST_HUMAN	AU117333 HEMBA1 Homo sapiens cDNA clone HEMBA1001175 5'
8146	21083	34482	4.38	0.0E+00	AW968044.1	EST_HUMAN	601504084F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3905733 5'
8147	21084	34483	0.75	0.0E+00	AH133435.1	EST_HUMAN	EST3901119 MAGE resequences, MAGE Homo sapiens cDNA
8186	21156	34565	0.64	0.0E+00	AU133187.1	EST_HUMAN	HA2043 Human fetal liver cDNA library Homo sapiens cDNA
8231	21200	34620	0.55	0.0E+00	BF217200.1	EST_HUMAN	AU133187 NT2RP2 Homo sapiens cDNA clone NT2RP4001507 5'
8244	21213	34620	0.87	0.0E+00	BE313013.1	EST_HUMAN	601885317F1 NIH_MGC_57 Homo sapiens cDNA clone IMAGE:4103693 5'
8256	21225	34635	1.09	0.0E+00	AA149791.1	EST_HUMAN	601150347F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:3503050 5'
							z001c06.r1 Stratiogene colon (#937204) Homo sapiens cDNA clone IMAGE:566410 5'

Page 527 of 546
Table 4
Single Exon Probes Expressed In Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8268	21237	34648	0.88	0.0E+00	BF026628.1	EST_HUMAN	601672310F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3955131 5'
8281	21250	34662	0.52	0.0E+00	AA017021.1	EST_HUMAN	ze33h08.r1 Soares retina N2b4HR Homo sapiens cDNA clone IMAGE:380831 5'
8299	21268	34680	2.26	0.0E+00	BE736046.1	EST_HUMAN	601305658F1 NIH_MGC_39 Homo sapiens cDNA clone IMAGE:3839903 5'
8314	21283	34695	2.42	0.0E+00	M34872.1	NT	Human amyloid-beta protein (APP) gene, exon 11
8314	21283	34696	2.42	0.0E+00	M34872.1	NT	Human amyloid-beta protein (APP) gene, exon 11
8344	21313	34727	0.74	0.0E+00	AW674581.1	EST_HUMAN	b534402.y1 NIH_MGC_10 Homo sapiens cDNA clone IMAGE:2985123 5' similar to TR:084652 O84652 F17K2.26 PROTEIN.;
8344	21313	34728	0.74	0.0E+00	AW674581.1	EST_HUMAN	b534402.y1 NIH_MGC_10 Homo sapiens cDNA clone IMAGE:2985123 5' similar to TR:084652 O84652 F17K2.26 PROTEIN.;
8351	21320	34734	2.47	0.0E+00	AA397551.1	EST_HUMAN	z81b04.r1 Stratagene schizo brain S11 Homo sapiens cDNA clone IMAGE:728719 5' similar to TR:G300482 G300482 POL=REVERSE TRANSCRIPTASE HOMOLOG (RETROVIRAL ELEMENT) ;
8353	21322	34735	0.92	0.0E+00	AW387131.1	EST_HUMAN	MRO-ST0031-061098-003-at11 ST0031 Homo sapiens cDNA
8358	21325		0.62	0.0E+00	AB020691.1	NT	Homo sapiens mRNA for KIA0884 protein, partial cds
8357	21326	34737	7.99	0.0E+00	AU142402.1	EST_HUMAN	AU142402 Y78AA1 Homo sapiens cDNA clone Y78AA1000277 5'
8361	21330	34741	1.12	0.0E+00	BE388421.1	EST_HUMAN	601285550F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3607237 5'
8361	21330	34742	1.12	0.0E+00	BE388421.1	EST_HUMAN	601285550F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3607237 5'
8376	21345	34756	0.49	0.0E+00	7657276	NT	Homo sapiens killer cell immunoglobulin-like receptor, two domains, short cytoplasmic tail, 1 (KIR2DS1), mRNA
8378	21347	34758	0.92	0.0E+00	W95278.1	EST_HUMAN	ze05601.r1 Soares fetal heart NbHH19W Homo sapiens cDNA clone IMAGE:358081 5'
8378	21347	34759	0.92	0.0E+00	W95278.1	EST_HUMAN	ze05601.r1 Soares fetal heart NbHH19W Homo sapiens cDNA clone IMAGE:358081 5'
8380	21349		17.98	0.0E+00	BF673096.1	EST_HUMAN	602153008F1 NIH_MGC_81 Homo sapiens cDNA clone IMAGE:4294128 5'
8384	21353		0.95	0.0E+00	AU134114.1	EST_HUMAN	AU134114 OVARC1 Homo sapiens cDNA clone OVARC1001266 5'
8398	21367	34776	1.71	0.0E+00	BF525534.1	EST_HUMAN	602069632F1 NCI_CGAP_Bn64 Homo sapiens cDNA clone IMAGE:4212727 5'
8398	21367	34777	1.71	0.0E+00	BF525534.1	EST_HUMAN	602069632F1 NCI_CGAP_Bn64 Homo sapiens cDNA clone IMAGE:4212727 5'
8430	21398	34810	1.65	0.0E+00	AL120124.1	EST_HUMAN	DKFZp761P092_r1 761 (synonym: hamy2) Homo sapiens cDNA clone DKFZp761P092 5'
8430	21398	34811	1.65	0.0E+00	AL120124.1	EST_HUMAN	DKFZp761P092_r1 761 (synonym: hamy2) Homo sapiens cDNA clone DKFZp761P092 5'
8473	21442		1.24	0.0E+00	BE877693.1	EST_HUMAN	601485254F1 NIH_MGC_69 Homo sapiens cDNA clone IMAGE:3887773 5'
8497	21465	34981	1.91	0.0E+00	AW500549.1	EST_HUMAN	U1HF-BN0-ak-f-01-Q.U1.r1 NIH_MGC_50 Homo sapiens cDNA clone IMAGE:3077496 5'
8505	21473	34987	10.07	0.0E+00	AW157233.1	EST_HUMAN	au93b08.x1 Schneider fetal brain 00004 Homo sapiens cDNA clone IMAGE:2783799 3' similar to TR:O60463 O60463 TYPE-2 PHOSPHATIDIC ACID PHOSPHOHYDROLASE. [1];
8523	21491	34906	0.67	0.0E+00	AW072395.1	EST_HUMAN	xe07d12.x1 Soares NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2667639 3' similar to contains element OFR repetitive element ;
8541	21509	34926	1.06	0.0E+00	11421722	NT	Homo sapiens centrosomal protein 2 (CEP2), mRNA
8544	21512	34929	0.83	0.0E+00	W01616.1	EST_HUMAN	ze36605.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:294633 5'

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8546	21514	34931	1.26	0.0E+00	BE745597.1	EST_HUMAN	601578195F1 NIH_MGC 9 Homo sapiens cDNA clone IMAGE:3926998 5'
8546	21514	34932	1.28	0.0E+00	BE745597.1	EST_HUMAN	601578195F1 NIH_MGC 9 Homo sapiens cDNA clone IMAGE:3926998 5'
8559	21527	34946	1.2	0.0E+00	AJ271735.1	NT	Homo sapiens Xq pseudautosomal region; segment 1/2
8578	21546	34965	0.44	0.0E+00	D45032.1	NT	Human DNA for ceruloplasmin, exon 5
8598	21567	34983	1.08	0.0E+00	AI367350.1	EST_HUMAN	q195c12.x1 NCLCGAP_U12 Homo sapiens cDNA clone IMAGE:1989334 3' similar to TR:Q14673 Q14673 KIAA0164 PROTEIN.
8610	21578	34994	2.6	0.0E+00	BE674157.1	EST_HUMAN	7d78a04.x1 NCLCGAP_Lu24 Homo sapiens cDNA clone IMAGE:3278862 3' similar to TR:Q95783 Q95783 STAU70 PROTEIN.
8612	21580	34996	1.22	0.0E+00	AI885671.1	EST_HUMAN	wf60b10.x1 NCLCGAP_Bm25 Homo sapiens cDNA clone IMAGE:2429275 3' similar to SW:COGT_HUMAN P50281 MATRIX METALLOPROTEINASE-14 PRECURSOR ;
8625	21593	35012	1.29	0.0E+00	BE563650.1	EST_HUMAN	601334790F1 NIH_MGC 39 Homo sapiens cDNA clone IMAGE:3688655 5'
8625	21593	35013	1.29	0.0E+00	BE563650.1	EST_HUMAN	601334790F1 NIH_MGC 39 Homo sapiens cDNA clone IMAGE:3688655 5'
8633	21601	35023	1.83	0.0E+00	11427235	NT	Homo sapiens Chediak-Higashi syndrome 1 (CHS1), mRNA
8633	21601	35024	1.83	0.0E+00	11427235	NT	Homo sapiens Chediak-Higashi syndrome 1 (CHS1), mRNA
8635	21603	35026	1.35	0.0E+00	AA403192.1	EST_HUMAN	z166f02.11 Soares_total_fetus_Nb2HF8_9w Homo sapiens cDNA clone IMAGE:758619 5' similar to TR:G1304132 G1304132 TPRD.
8635	21603	35027	1.35	0.0E+00	AA403192.1	EST_HUMAN	z166f02.11 Soares_total_fetus_Nb2HF8_9w Homo sapiens cDNA clone IMAGE:758619 5' similar to TR:G1304132 G1304132 TPRD.
8676	21644		3.69	0.0E+00	AA398511.1	EST_HUMAN	z173a08.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:727958 3' similar to gb:S85655 PROHIBITIN (HUMAN);
8685	21653	35076	0.53	0.0E+00	BE837593.1	EST_HUMAN	RC2-FN0094-120600-013-h07 FN0094 Homo sapiens cDNA
8686	21654	35077	1.25	0.0E+00	AW364874.1	EST_HUMAN	QV3-DT0045-221289-046-c07 DT0045 Homo sapiens cDNA
8686	21654	35078	1.25	0.0E+00	AW364874.1	EST_HUMAN	QV3-DT0045-221289-046-c07 DT0045 Homo sapiens cDNA
8705	21673	35097	1.26	0.0E+00	BE612586.1	EST_HUMAN	601452412F1 NIH_MGC 66 Homo sapiens cDNA clone IMAGE:3856179 5'
8705	21673	35098	1.26	0.0E+00	BE612586.1	EST_HUMAN	601452412F1 NIH_MGC 66 Homo sapiens cDNA clone IMAGE:3856179 5'
8720	21688	35116	1.65	0.0E+00	AL163209.2	NT	Homo sapiens chromosome 21 segment HS21C009
8720	21688	35116	1.65	0.0E+00	AL163209.2	NT	Homo sapiens chromosome 21 segment HS21C009
8730	21698	35123	0.7	0.0E+00	AI884477.1	EST_HUMAN	vm33a11.x1 NCLCGAP_U14 Homo sapiens cDNA clone IMAGE:2437724 3' similar to TR:O75457 O75457 CYTOSOLIC PHOSPHOLIPASE A2-GAMMA ;
8737	21705	35129	0.85	0.0E+00	AA502294.1	EST_HUMAN	ne25d10.s1 NCLCGAP_Co3 Homo sapiens cDNA clone IMAGE:882259 3' similar to TR:G1136434 G1136434 KIAA0187 PROTEIN ;
8742	21710		0.57	0.0E+00	11416789	NT	Homo sapiens protocadherin beta 3 (PCDH3), mRNA
8749	21717	35140	0.89	0.0E+00	AI580780.1	EST_HUMAN	tb04f11.x1 Soares_pregnant_uterus_NbHPU Homo sapiens cDNA clone IMAGE:2043117 3'
8752	21720		1.97	0.0E+00	BE890797.1	EST_HUMAN	601431238F1 NIH_MGC 72 Homo sapiens cDNA clone IMAGE:3916569 5'

Page 529 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
8778	21745	35168	0.55	0.0E+00	AW245765.1	EST_HUMAN	2822701.5prime NIH_MGC_7 Homo sapiens cDNA clone IMAGE:2822701 5'
8778	21745	35167	0.55	0.0E+00	AW245765.1	EST_HUMAN	2822701.5prime NIH_MGC_7 Homo sapiens cDNA clone IMAGE:2822701 5'
8779	21746	35168	2.82	0.0E+00	4758695	NT	Homo sapiens mitogen-activated protein kinase kinase 13 (MAP3K13), mRNA
8779	21746	35169	2.62	0.0E+00	4758695	NT	Homo sapiens mitogen-activated protein kinase kinase 13 (MAP3K13), mRNA
8783	21750	35172	0.52	0.0E+00	U88084.1	NT	Human zinc finger protein (ZNF165), gene, exons 2 and 3
8783	21750	35173	0.52	0.0E+00	U88084.1	NT	Human zinc finger protein (ZNF165), gene, exons 2 and 3
8851	21818	35238	1.02	0.0E+00	AJ251760.1	NT	Homo sapiens NESP55, GNAS1 antisense (partial) and Xlaphas (partial) genes
8856	21823	35244	3	0.0E+00	X98922.1	NT	H. sapiens mRNA for gamma-glutamyltransferase
8856	21823	35245	3	0.0E+00	X98922.1	NT	H. sapiens mRNA for gamma-glutamyltransferase
8856	21823	35246	3	0.0E+00	X98922.1	NT	H. sapiens mRNA for gamma-glutamyltransferase
8871	21838	35260	1.82	0.0E+00	U82979.1	NT	Human immunoglobulin-like transcript-3 mRNA, complete cds
8913	21879	35305	1.16	0.0E+00	AF022665.1	NT	Homo sapiens cep250 centrosome associated protein mRNA, complete cds
8913	21879	35306	1.16	0.0E+00	AF022665.1	NT	Homo sapiens cep250 centrosome associated protein mRNA, complete cds
8916	21892	35308	0.68	0.0E+00	AU131671.1	EST_HUMAN	AU131671 NT2RP3 Homo sapiens cDNA clone NT2RP3003016 5'
8931	21897	35325	0.81	0.0E+00	11428572	NT	Homo sapiens immunoglobulin superfamily, member 2 (IGSF2), mRNA
8935	21901		1.53	0.0E+00	AW513513.1	EST_HUMAN	yo46a01.x1 NCI_CGAP_U11 Homo sapiens cDNA clone IMAGE:2707032 3' similar to gb:MH4123_cd64
8937	21903		0.55	0.0E+00	BE763232.1	EST_HUMAN	RETROVIRUS-RELATED POL POLYPROTEIN (HUMAN);
8938	21904	35328	11.32	0.0E+00	D52650.1	EST_HUMAN	601472166F1 NIH_MGC_67 Homo sapiens cDNA clone IMAGE:3874912 5'
8969	21935	35361	3.89	0.0E+00	BE378495.1	EST_HUMAN	HUM084C02B Clontech human fetal brain polyA+ mRNA (#8535) Homo sapiens cDNA clone GEN-084C02 5'
8975	21941	35365	3.98	0.0E+00	AA410545.1	EST_HUMAN	601236488F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3608709 5'
8977	21943		3.27	0.0E+00	BF313946.1	EST_HUMAN	z32e04.r1 Soares ovary tumor NbHOT Homo sapiens cDNA clone IMAGE:724062 5'
8984	21950	35374	1.37	0.0E+00	11424387	NT	601900571F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:4129744 5'
8989	21955	35379	1.38	0.0E+00	AW139673.1	EST_HUMAN	Homo sapiens leukocyte immunoglobulin-like receptor, subfamily B (with TM and ITIM domains), member 3 (LILRB3), mRNA
8989	21955	35380	1.38	0.0E+00	AW139673.1	EST_HUMAN	U1-H-B11-adr-e-12-0-U1.s1 NCI_CGAP_Sub3 Homo sapiens cDNA clone IMAGE:2717687 3'
8994	21960		0.91	0.0E+00	AI640180.1	EST_HUMAN	U1-H-B11-adr-e-12-0-U1.s1 NCI_CGAP_Sub3 Homo sapiens cDNA clone IMAGE:2717687 3'
9013	21979	35398	3.23	0.0E+00	BF377897.1	EST_HUMAN	ws30b10.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2289579 3' similar to TR:O15044
9022	21988	35410	0.45	0.0E+00	AL163301.2	NT	O15044 KIAA0336.1
9028	21994	35414	2.33	0.0E+00	BE260272.1	EST_HUMAN	CMT-TN0141-250900-439-b08 TN0141 Homo sapiens cDNA
9033	21999	35418	2.98	0.0E+00	BF700165.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C101
9033	21999	35419	2.98	0.0E+00	BF700165.1	EST_HUMAN	601150051F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:3502836 5'
							602127664F1 NIH_MGC_56 Homo sapiens cDNA clone IMAGE:4284542 5'
							602127664F1 NIH_MGC_56 Homo sapiens cDNA clone IMAGE:4284542 5'

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
9033	21989	35420	2.98	0.0E+00	BF700165.1	EST_HUMAN	602127664F1 NIH_MGC_58 Homo sapiens cDNA clone IMAGE:4284542 5'
9047	22013	35436	0.63	0.0E+00	AI458722.1	EST_HUMAN	ik13h11.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:2150949 3'
9076	22042	35465	0.7	0.0E+00	AL449770.1	EST_HUMAN	AL449770 Homo sapiens fetal brain (Stavrides GS) Homo sapiens cDNA
9084	22050	35472	12.98	0.0E+00	AA962527.1	EST_HUMAN	gr80g02.s1 NCI_CGAP_Lu5 Homo sapiens cDNA clone IMAGE:1602194 3' similar to gb:M36072 60S
9090	22056	35480	4.79	0.0E+00	10947037	NT	RIBOSOMAL PROTEIN L7A (HUMAN);
9090	22056	35481	4.79	0.0E+00	10947037	NT	Homo sapiens ankyrin 1, erythrocytic (ANK1), transcript variant 1, mRNA
9114	22080	35508	1.23	0.0E+00	Y11107.3	NT	Homo sapiens ankyrin 1, erythrocytic (ANK1), transcript variant 1, mRNA
9116	22082	35510	2.41	0.0E+00	BE278917.1	EST_HUMAN	Homo sapiens ITGB4 gene for integrin beta 4 subunit, exons 3-41
9126	22092		3.32	0.0E+00	AV718377.1	EST_HUMAN	601156330F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3139734 5'
9132	22098	35525	3.36	0.0E+00	AW337277.1	EST_HUMAN	AV718377 FHTB Homo sapiens cDNA clone FHTBAAF11 5'
9138	22104	35530	1.58	0.0E+00	AU124051.1	EST_HUMAN	xw73c07.x1 NCI_CGAP_Pan1 Homo sapiens cDNA clone IMAGE:2833644 3' similar to gb:X53587
9214	22180	35611	0.86	0.0E+00	AU140704.1	EST_HUMAN	INTEGRIN BETA-4 SUBUNIT PRECURSOR (HUMAN);
9224	22190	35620	0.55	0.0E+00	AB007923.1	NT	AU124051 NT2RM2 Homo sapiens cDNA clone NT2RM2001575 5'
9229	22195	35624	0.61	0.0E+00	R17132.1	EST_HUMAN	AU140704 PLACE4 Homo sapiens cDNA clone PLACE4000089 5'
9229	22195	35625	0.61	0.0E+00	R17132.1	EST_HUMAN	Homo sapiens mRNA for KIAA0454 protein, partial cds
9233	22199	35627	5.11	0.0E+00	AW592233.1	EST_HUMAN	yg09e09.r1 Soares infant brain 1N1B Homo sapiens cDNA clone IMAGE:31674 5'
9233	22199	35628	5.11	0.0E+00	AW592233.1	EST_HUMAN	yg09e09.r1 Soares infant brain 1N1B Homo sapiens cDNA clone IMAGE:31674 5'
9269	22235	35684	0.46	0.0E+00	AU128804.1	EST_HUMAN	hf48a09.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2835096 3'
9281	22247	35676	0.89	0.0E+00	AV714764.1	EST_HUMAN	hf48a09.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2835096 3'
9296	22282	35690	3.01	0.0E+00	AL040428.1	EST_HUMAN	AU128804 NT2RP2 Homo sapiens cDNA clone NT2RP2004245 5'
9296	22282	35691	3.01	0.0E+00	AL040428.1	EST_HUMAN	AV714764 DCB Homo sapiens cDNA clone DCBAUA06 5'
9302	22267	35697	1.27	0.0E+00	AF133901.1	NT	DKFZp434C1814_s1 434 (synonym: htes3) Homo sapiens cDNA clone DKFZp434C1814 3'
9304	22269	35700	1.89	0.0E+00	AB040945.1	NT	DKFZp434C1814_s1 434 (synonym: htes3) Homo sapiens cDNA clone DKFZp434C1814 3'
9310	22275	35707	2.24	0.0E+00	BF675505.1	EST_HUMAN	Homo sapiens killer inhibitory receptor 2-2-1 (KIR221) and killer inhibitory receptor 2-2-2 (KIR222) genes, partial cds
9312	22277		0.92	0.0E+00	BF058289.1	EST_HUMAN	Homo sapiens mRNA for KIAA1512 protein, partial cds
9342	22307	35733	4.84	0.0E+00	11422857	NT	Homo sapiens mRNA for KIAA1512 protein, partial cds
9352	22317	35743	1.44	0.0E+00	K01241.1	NT	602138483F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:4274708 5'
9361	22326	35754	4.23	0.0E+00	AB020630.1	NT	7k29b03.x1 NCI_CGAP_Ov18 Homo sapiens cDNA clone IMAGE:3476692 3' similar to TR:O36448 O36448
9361	22326	35755	4.23	0.0E+00	AB020630.1	NT	S GAG ;
9366	22331	35761	1.71	0.0E+00	AV660739.1	EST_HUMAN	Homo sapiens tumor protein p73 (TP73), mRNA
							Human Ig rearranged H-chain epsilon-3 pseudogene, constant region
							Homo sapiens mRNA for KIAA0823 protein, partial cds
							Homo sapiens mRNA for KIAA0823 protein, partial cds
							Homo sapiens mRNA for KIAA0823 protein, partial cds
							AV660739 GLC Homo sapiens cDNA clone GLCGK12 3'

Page 531 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
9372	22337	35767	3.07	0.0E+00	7706838	NT	Homo sapiens polycystin-L (PKDL), mRNA
9377	22342	35772	2.22	0.0E+00	BE793326.1	EST_HUMAN	601588304F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3942553 5'
9378	22343	35773	0.46	0.0E+00	AB033077.1	NT	Homo sapiens mRNA for KIAA1251 protein, partial cds
9378	22343	35774	0.46	0.0E+00	AB033077.1	NT	Homo sapiens mRNA for KIAA1251 protein, partial cds
9391	22358		0.98	0.0E+00	H73937.1	EST_HUMAN	yu03h08.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:232767 5'
9401	22368	35788	4.19	0.0E+00	BE315402.1	EST_HUMAN	601141119F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3140740 5'
9401	22368	35799	4.19	0.0E+00	BE315402.1	EST_HUMAN	601141119F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3140740 5'
9411	22376	35814	0.59	0.0E+00	BE612721.1	EST_HUMAN	601452582F1 NIH_MGC_66 Homo sapiens cDNA clone IMAGE:3859100 5'
9411	22376	35815	0.59	0.0E+00	BE612721.1	EST_HUMAN	601452582F1 NIH_MGC_66 Homo sapiens cDNA clone IMAGE:3859100 5'
9414	22379		0.52	0.0E+00	M89886.1	NT	Human polymorphic loci in Xq28
9416	22381	35819	1.74	0.0E+00	X14766.1	NT	Human mRNA for GABA-A receptor, alpha 1 subunit
9433	22397	35835	0.5	0.0E+00	AU127096.1	EST_HUMAN	AU127096 NT2RP2 Homo sapiens cDNA clone NT2RP2000379 5'
9437	22401	35839	1.29	0.0E+00	AJ061395.1	EST_HUMAN	an29a04.x1 Gessler Wilms tumor Homo sapiens cDNA clone IMAGE:1700094 3'
9442	22406	35843	1.96	0.0E+00	AI954807.1	EST_HUMAN	wg34812.x1 NCI_CGAP_G08 Homo sapiens cDNA clone IMAGE:2473150 3' similar to SW:MGB3_HUMAN
9447	22411	35848	4.1	0.0E+00	9256595	NT	Homo sapiens protocadherin alpha 8 (PCDHA8), mRNA
9458	22422	35860	1.18	0.0E+00	AW958311.1	EST_HUMAN	EST370381 MAGe resequences, MAGe Homo sapiens cDNA
9468	22432	35870	4.72	0.0E+00	9635487	NT	Human endogenous retrovirus, complete genome
9484	22448	35888	1.44	0.0E+00	AU142662.1	EST_HUMAN	AU142662 Y79AA1 Homo sapiens cDNA clone Y79AA1000878 5'
9499	22463	35904	1.46	0.0E+00	11436895	NT	Homo sapiens MAP-kinase activating death domain (MADD), mRNA
9500	22464		0.8	0.0E+00	BE410768.1	EST_HUMAN	601301676F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3638163 5'
9513	22476	35921	1.29	0.0E+00	BF002024.1	EST_HUMAN	7997h12.x1 NCI_CGAP_C018 Homo sapiens cDNA clone IMAGE:3314471 3' similar to TR:O8UH62
9527	22490	35937	1.25	0.0E+00	AB011150.1	NT	Q8UH62 HYPOTHETICAL 42.5 KD PROTEIN ;
9528	22491	35938	4.85	0.0E+00	BE794823.1	EST_HUMAN	Homo sapiens mRNA for KIAA0578 protein, partial cds
9534	22497	35945	1.04	0.0E+00	AU136229.1	EST_HUMAN	601589294F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3943463 5'
9539	22502	35950	1.36	0.0E+00	BE883843.1	EST_HUMAN	AU136229 PLACE1 Homo sapiens cDNA clone PLACE1003804 5'
9539	22502	35951	1.36	0.0E+00	BE883843.1	EST_HUMAN	601510247F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3911986 5'
9557	22519	35967	0.77	0.0E+00	AB011158.1	NT	601510247F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3911986 5'
9561	22523	35971	3.53	0.0E+00	AA344601.1	EST_HUMAN	Homo sapiens mRNA for KIAA0594 protein, partial cds
9561	22523	35972	3.53	0.0E+00	AA344601.1	EST_HUMAN	EST50505 Gall bladder Homo sapiens cDNA 5' end
9619	22563	36011	1.02	0.0E+00	AW673469.1	EST_HUMAN	EST50505 Gall bladder Homo sapiens cDNA 5' end ba54d08.y3 NIH_MGC_10 Homo sapiens cDNA clone IMAGE:2900367 5' similar to TR:O60276 O60276 KIAA0522 PROTEIN ;

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
9619	22563	36012	1.02	0.0E+00	AW673469.1	EST_HUMAN	ba54408.y3 NIH_MGC_10 Homo sapiens cDNA clone IMAGE:2800367 5' similar to TR:060275 O60275 KIAA0522 PROTEIN ;
9653	22596	36044	4.71	0.0E+00	BE207063.1	EST_HUMAN	ba0905.y1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:2823873 5' similar to gb:L35049 Mus musculus Bcl-xL mRNA, complete cds (MOUSE);
9653	22596	36045	4.71	0.0E+00	BE207063.1	EST_HUMAN	ba0905.y1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:2823873 5' similar to gb:L35049 Mus musculus Bcl-xL mRNA, complete cds (MOUSE);
9664	22821	36275	1.77	0.0E+00	BF348013.1	EST_HUMAN	602023150F1 NCI_CGAP_Brm67 Homo sapiens cDNA clone IMAGE:4158300 5'
9700	22853	36107	2.9	0.0E+00	BE712515.1	EST_HUMAN	QV2-HT0698-250700-282-508 HT0698 Homo sapiens cDNA
9732	22760	36213	0.86	0.0E+00	BF034377.1	EST_HUMAN	601455116F1 NIH_MGC_66 Homo sapiens cDNA clone IMAGE:3859035 5'
9732	22760	36214	0.86	0.0E+00	BF034377.1	EST_HUMAN	601455116F1 NIH_MGC_66 Homo sapiens cDNA clone IMAGE:3859035 5'
9738	22766	36221	0.53	0.0E+00	AI806351.1	EST_HUMAN	RC-BT108-040399-032 BT108 Homo sapiens cDNA
9741	22769	36223	3.69	0.0E+00	5803069	NT	Homo sapiens leukocyte immunoglobulin-like receptor, subfamily B (with TM and ITIM domains), member 5 (LILRB5), mRNA
9741	22769	36224	3.69	0.0E+00	5803069	NT	Homo sapiens leukocyte immunoglobulin-like receptor, subfamily B (with TM and ITIM domains), member 5 (LILRB5), mRNA
9751	22692	36149	2.54	0.0E+00	AL042278.1	EST_HUMAN	DKFZp434L0120.j1 434 (synonym: hies3) Homo sapiens cDNA clone DKFZp434L0120 5'
9786	22727	36183	2.35	0.0E+00	AI088043.1	EST_HUMAN	ow60h01.x1 Soares_NSF_F8_9W_OT_PA_P_S1 Homo sapiens cDNA clone IMAGE:1651249 3' similar to TR:Q14677 KIAA0171 PROTEIN ;
9783	21116	34515	0.85	0.0E+00	BF309962.1	EST_HUMAN	601892245F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:4138066 5'
9795	21118	34518	2.64	0.0E+00	11560151	NT	Homo sapiens hypothetical C2H2 zinc finger protein FLJ22504 (FLJ22504), mRNA
9795	21118	34519	2.64	0.0E+00	11560151	NT	Homo sapiens hypothetical C2H2 zinc finger protein FLJ22504 (FLJ22504), mRNA
9797	21120	34522	20.82	0.0E+00	AI290909.1	EST_HUMAN	qm08a06.x1 NCI_CGAP_Lu5 Homo sapiens cDNA clone IMAGE:1881298 3' similar to SW:RL2B_HUMAN P29316 60S RIBOSOMAL PROTEIN L23A ;
9797	21120	34523	20.82	0.0E+00	AI290909.1	EST_HUMAN	qm08a06.x1 NCI_CGAP_Lu5 Homo sapiens cDNA clone IMAGE:1881298 3' similar to SW:RL2B_HUMAN P29316 60S RIBOSOMAL PROTEIN L23A ;
9798	21121	34524	3.57	0.0E+00	AW953836.1	EST_HUMAN	EST366028 MAGC resequences, MAGC Homo sapiens cDNA
9825	22874	36129	3.43	0.0E+00	AF153468.1	NT	Homo sapiens polycystic kidney disease 2-like protein (PKD2L) gene, exon 8
9828	22677	36133	0.66	0.0E+00	BE885128.1	EST_HUMAN	601510882F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3912165 5'
9828	22677	36134	0.66	0.0E+00	BE885128.1	EST_HUMAN	601510882F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3912165 5'
9837	22773	36221	22.2	0.0E+00	BE255829.1	EST_HUMAN	601109942F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3350722 5'
9840	22776	36231	1.35	0.0E+00	BE781382.1	EST_HUMAN	601466828F1 NIH_MGC_67 Homo sapiens cDNA clone IMAGE:3870007 5'
9840	22776	36232	1.35	0.0E+00	BE781382.1	EST_HUMAN	601466828F1 NIH_MGC_67 Homo sapiens cDNA clone IMAGE:3870007 5'
9843	22779	36234	30.94	0.0E+00	AW163779.1	EST_HUMAN	au86c04.y1 Schneider fetal brain 00004 Homo sapiens cDNA clone IMAGE:2783142 5' similar to gb:M36072 60S RIBOSOMAL PROTEIN L7A (HUMAN);

Page 533 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
9854	22790	36242	0.44	0.0E+00	D87675.1	NT	Homo sapiens DNA for amyloid precursor protein, complete cds
9867	22803	36267	3.12	0.0E+00	BE263191.1	EST_HUMAN	601145054F2 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:3160477 5'
9885	22838	36283	4.11	0.0E+00	C06158.1	EST_HUMAN	C06158 Human pancreatic islet Homo sapiens cDNA clone hbc5605
9885	22838	36284	4.11	0.0E+00	C06158.1	EST_HUMAN	C06158 Human pancreatic islet Homo sapiens cDNA clone hbc5605
9887	22840	36297	2.92	0.0E+00	BE746215.1	EST_HUMAN	601578683F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3927548 5'
9897	22850	36307	1.81	0.0E+00	11437282	NT	Homo sapiens solute carrier family 21 (organic anion transporter), member 9 (SLC21A9), mRNA
9897	22850	36308	1.81	0.0E+00	11437282	NT	Homo sapiens solute carrier family 21 (organic anion transporter), member 9 (SLC21A9), mRNA
9897	22850	36309	1.81	0.0E+00	11437282	NT	Homo sapiens solute carrier family 21 (organic anion transporter), member 9 (SLC21A9), mRNA
9917	22738	36191	1.49	0.0E+00	BE900549.1	EST_HUMAN	601673425F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3956238 5'
9935	22862	36323	0.81	0.0E+00	AV701829.1	EST_HUMAN	AV701829 ADB Homo sapiens cDNA clone ADBBYH01 5'
9947	22874	36335	2.59	0.0E+00	AF019084.1	NT	Homo sapiens keratin 2a (KRT2E) gene, complete cds
9947	22874	36336	2.59	0.0E+00	AF019084.1	NT	Homo sapiens keratin 2a (KRT2E) gene, complete cds
9980	22907	36372	1.86	0.0E+00	BE082877.1	EST_HUMAN	RC2-B70642-130300-017-g01 B70642 Homo sapiens cDNA
9989	22926	36392	2.65	0.0E+00	AW500293.1	EST_HUMAN	U1-HF-BN0-akg-b-12-0-U1.r1 NIH_MGC_50 Homo sapiens cDNA clone IMAGE:3078943 5'
9999	22928	36393	2.65	0.0E+00	AW500293.1	EST_HUMAN	U1-HF-BN0-akg-b-12-0-U1.r1 NIH_MGC_50 Homo sapiens cDNA clone IMAGE:3078943 5'
10008	22935	36399	1.45	0.0E+00	AF029308.1	NT	Homo sapiens chromosome 9 duplication of the T cell receptor beta locus and tyrosinogen gene families
10008	22935	36400	1.45	0.0E+00	AF029308.1	NT	Homo sapiens chromosome 9 duplication of the T cell receptor beta locus and tyrosinogen gene families
10010	22937	36401	0.76	0.0E+00	BE783272.1	EST_HUMAN	601470824F1 NIH_MGC_67 Homo sapiens cDNA clone IMAGE:3874037 5'
10010	22937	36402	0.76	0.0E+00	BE783272.1	EST_HUMAN	601470824F1 NIH_MGC_67 Homo sapiens cDNA clone IMAGE:3874037 5'
10019	22946	36413	0.52	0.0E+00	W56528.1	EST_HUMAN	z016e11.r1 Soares fetal heart NBHH19W Homo sapiens cDNA clone IMAGE:340844 5'
10019	22946	36414	0.52	0.0E+00	W56528.1	EST_HUMAN	z016e11.r1 Soares fetal heart NBHH19W Homo sapiens cDNA clone IMAGE:340844 5'
10032	22959	36427	1.05	0.0E+00	AB035356.1	NT	Homo sapiens mRNA for neurixin I-alpha protein, complete cds
10036	22963	36427	0.56	0.0E+00	AI124780.1	EST_HUMAN	am56a11.x1 Johnston frontal cortex Homo sapiens cDNA clone IMAGE:1539548 3'
10038	22965	36432	2.73	0.0E+00	AW500526.1	EST_HUMAN	U1-HF-BN0-akg-c-07-0-U1.r1 NIH_MGC_50 Homo sapiens cDNA clone IMAGE:3077364 5'
10082	23009	36481	1.51	0.0E+00	AF009668.1	NT	Multiple sclerosis associated retrovirus polyprotein (p01) mRNA, partial cds
10109	23035	36512	2.37	0.0E+00	S78466.1	NT	AIGF=androgen-induced growth factor AIGF [human, placenta, Genomic/mRNA, 498 nt, segment 5 of 5]
10109	23035	36513	2.37	0.0E+00	S78466.1	NT	AIGF=androgen-induced growth factor AIGF [human, placenta, Genomic/mRNA, 498 nt, segment 5 of 5]
10112	23038	36518	3.13	0.0E+00	BE563320.1	EST_HUMAN	601334603F1 NIH_MGC_39 Homo sapiens cDNA clone IMAGE:3688680 5'
10132	23058	36535	1.42	0.0E+00	AW363136.1	EST_HUMAN	CM2-CT0311-301199-043-H11 CT0311 Homo sapiens cDNA
10162	23077	36553	0.61	0.0E+00	11436432	NT	Homo sapiens mullerian (MMRN), mRNA

Page 534 of 546
Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
10153	23078	36554	1.71	0.0E+00	11424387	NT	Homo sapiens leukocyte immunoglobulin-like receptor, subfamily B (with TM and ITIM domains), member 3 (LILRB3), mRNA
10162	23087	36564	0.82	0.0E+00	BE208710.1	EST_HUMAN	b526c01.x1 NIH_MGC_5 Homo sapiens cDNA clone IMAGE:2864000 3'
10178	23103	36583	2.6	0.0E+00	AU132349.1	EST_HUMAN	AU132349 NT2RP3 Homo sapiens cDNA clone NT2RP3004260 5'
10178	23103	36584	2.6	0.0E+00	AU132349.1	EST_HUMAN	AU132349 NT2RP3 Homo sapiens cDNA clone NT2RP3004260 5'
10187	23112	36596	1.82	0.0E+00	AW500936.1	EST_HUMAN	UI-HF-BP0p-ar-7-08-Q-UIr1 NIH_MGC_51 Homo sapiens cDNA clone IMAGE:3072897 5'
10193	23118	36602	16.11	0.0E+00	BE740490.1	EST_HUMAN	601595558F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3949383 5'
10193	23118	36603	16.11	0.0E+00	BE740490.1	EST_HUMAN	601595558F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3949383 5'
10194	23119	36604	0.45	0.0E+00	AB033057.1	NT	Homo sapiens mRNA for KIAA1231 protein, partial cds
10194	23119	36605	0.45	0.0E+00	AB033057.1	NT	Homo sapiens mRNA for KIAA1231 protein, partial cds
10206	23131	36618	1.76	0.0E+00	7862087	NT	Homo sapiens KIAA0345 gene product (KIAA0345), mRNA
10224	23149	36638	3.6	0.0E+00	AL042278.1	EST_HUMAN	DKFZp434L0120_r1 434 (synonym: hies3) Homo sapiens cDNA clone DKFZp434L0120 5'
10229	23154	36644	0.71	0.0E+00	AL041084.2	EST_HUMAN	DKFZp434B2416_r1 434 (synonym: hies3) Homo sapiens cDNA clone DKFZp434B2416 5'
10239	23164	36651	2.57	0.0E+00	AU132349.1	EST_HUMAN	AU132349 NT2RP3 Homo sapiens cDNA clone NT2RP3004260 5'
10240	23165	36652	2.44	0.0E+00	AF152308.1	NT	Homo sapiens probocadherin alpha 12 (PCDH-alpha12) mRNA, complete cds
10268	23193	36680	5.52	0.0E+00	AF009220.1	NT	Homo sapiens leukocyte immunoglobulin-like receptor-1 mRNA, complete cds
10268	23193	36681	5.52	0.0E+00	AF009220.1	NT	Homo sapiens leukocyte immunoglobulin-like receptor-1 mRNA, complete cds
10284	23209	36694	2.6	0.0E+00	BF092898.1	EST_HUMAN	MR4-TN0114-110800-101-e04 TN0114 Homo sapiens cDNA
10314	23238	36720	2.73	0.0E+00	BE280793.1	EST_HUMAN	601155227F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3138798 5'
10323	23247	36726	1.2	0.0E+00	BE388700.1	EST_HUMAN	601286351F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3613045 5'
10323	23247	36727	1.2	0.0E+00	BE388700.1	EST_HUMAN	601286351F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3613045 5'
10332	23256	36733	3.64	0.0E+00	AW236269.1	EST_HUMAN	xn72b01.x1 NCL_CGAP_CML1 Homo sapiens cDNA clone IMAGE:2699977 3' similar to gb:X02152_cds1 L-LACTATE DEHYDROGENASE M CHAIN (HUMAN);
10333	23257	36734	0.76	0.0E+00	AA341305.1	EST_HUMAN	EST46740 Fetal kidney II Homo sapiens cDNA 5' end
10342	23266	36745	0.63	0.0E+00	11427235	NT	Homo sapiens Chediak-Higashi syndrome 1 (CHS1), mRNA
10363	23286	36763	0.76	0.0E+00	AW964113.1	EST_HUMAN	EST376186 MAGE resequences, MAGH Homo sapiens cDNA
10376	23299	36774	7.08	0.0E+00	AU143673.1	EST_HUMAN	AU143673 Y79AA1 Homo sapiens cDNA clone Y79AA1002307 5'
10376	23299	36775	7.08	0.0E+00	AU143673.1	EST_HUMAN	AU143673 Y79AA1 Homo sapiens cDNA clone Y79AA1002307 5'
10378	23302	36778	13.11	0.0E+00	AF072408.1	NT	Homo sapiens killer cell inhibitory receptor KIRCI gene, exons 2, 3, and 4
10382	23304	36780	2.8	0.0E+00	11421001	NT	Homo sapiens HEF like Protein (HEFL), mRNA
10382	23304	36781	2.8	0.0E+00	11421001	NT	Homo sapiens HEF like Protein (HEFL), mRNA
10416	23338	36824	3.43	0.0E+00	AU136637.1	EST_HUMAN	AU136637 PLACE1 Homo sapiens cDNA clone PLACE1004737 5'
10416	23338	36825	3.43	0.0E+00	AU136637.1	EST_HUMAN	AU136637 PLACE1 Homo sapiens cDNA clone PLACE1004737 5'
10432	23354	36839	2.24	0.0E+00	AJ295844.1	NT	Homo sapiens partial RANBP7 gene for RanBP7/Importin7 and partial ZNF143 gene

Page 535 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
10432	23354	36840	2.24	0.0E+00	AJ295844.1	NT	Homo sapiens partial RANBP7 gene for RANBP7/importin7 and partial ZNF143 gene
10437	23359	36847	0.75	0.0E+00	AV895712.1	EST_HUMAN	AV895712 GKC Homo sapiens cDNA clone GKCDXA07 5'
10437	23359	36848	0.75	0.0E+00	AV895712.1	EST_HUMAN	AV895712 GKC Homo sapiens cDNA clone GKCDXA07 5'
10443	23365	36855	0.76	0.0E+00	AF072408.1	NT	Homo sapiens killer cell inhibitory receptor KIR2C1 gene, exons 2, 3, and 4
10445	23367	36858	2.84	0.0E+00	AA196387.1	EST_HUMAN	zp97h11.1r1 Stragene muscle 937209 Homo sapiens cDNA clone IMAGE:628187 5'
10470	23392	36887	1.78	0.0E+00	AA131248.1	EST_HUMAN	Z31101.1r1 Soares_pregnant_uterus_NbHPU Homo sapiens cDNA clone IMAGE:503545 5'
10470	23392	36888	1.78	0.0E+00	AA131248.1	EST_HUMAN	Z31101.1r1 Soares_pregnant_uterus_NbHPU Homo sapiens cDNA clone IMAGE:503545 5'
10517	23439	36937	1.79	0.0E+00	AF179308.1	NT	Homo sapiens KIF4 (KIF4) mRNA, complete cds
10561	23493	36978	0.88	0.0E+00	BE880658.1	EST_HUMAN	601491665F1 NIH_MGC_69 Homo sapiens cDNA clone IMAGE:3893667 5'
10573	23495	36987	11.49	0.0E+00	BE730772.1	EST_HUMAN	601570712F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3845403 5'
10578	23500	36992	0.62	0.0E+00	AU127403.1	EST_HUMAN	601570712F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3845403 5'
10588	23510	37003	0.86	0.0E+00	BE958511.1	EST_HUMAN	AU127403 NT2RP2 Homo sapiens cDNA clone NT2RP2001212 5'
10598	23510	37004	0.86	0.0E+00	BE958511.1	EST_HUMAN	601845134F1 NIH_MGC_58 Homo sapiens cDNA clone IMAGE:3930177 5'
10605	23527	37023	0.98	0.0E+00	BE897487.1	EST_HUMAN	601845134F1 NIH_MGC_58 Homo sapiens cDNA clone IMAGE:3930177 5'
10616	23538	37037	0.68	0.0E+00	AA311624.1	EST_HUMAN	601432317F1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3917453 5'
10617	23539	37038	0.56	0.0E+00	4758827	NT	EST182353 Jurkat T-cells V1 Homo sapiens cDNA 5' end Homo sapiens neuraxin III (NRXN3) mRNA
10628	23551	37051	0.78	0.0E+00	BE891113.1	EST_HUMAN	601432228F1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3917598 5'
10632	23554	37054	1.19	0.0E+00	11580161	NT	Homo sapiens hypothetical C2H2 zinc finger protein FLJ22504 (FLJ22504), mRNA
10642	23554	37060	1.39	0.0E+00	AB029290.1	NT	Homo sapiens mRNA for actin binding protein ABP620, complete cds
10643	23565	37081	0.6	0.0E+00	BE304522.1	EST_HUMAN	601105459F1 NIH_MGC_15 Homo sapiens cDNA clone IMAGE:2987918 5'
10643	23565	37082	0.6	0.0E+00	BE304522.1	EST_HUMAN	601105459F1 NIH_MGC_15 Homo sapiens cDNA clone IMAGE:2987918 5'
10650	23572	37087	4.13	0.0E+00	AB006590.1	NT	Homo sapiens mRNA for estrogen receptor beta, complete cds
10650	23572	37088	4.13	0.0E+00	AB006590.1	NT	Homo sapiens mRNA for estrogen receptor beta, complete cds
10658	23580	37077	1.27	0.0E+00	AA704457.1	EST_HUMAN	Z19606.s1 Soares_fetal_liver_spleen_1NFUS_S1 Homo sapiens cDNA clone IMAGE:450707 3' similar to gb:MI14123_cds1 RETROVIRUS-RELATED GAG POLYPROTEIN (HUMAN); Human beta 1,4-galactosyl-transferase mRNA, complete cds
10660	23582	37078	1.19	0.0E+00	M22921.1	NT	
10662	23584	37081	4.52	0.0E+00	BF340331.1	EST_HUMAN	602037045F1 NCI_CGAP_Bn64 Homo sapiens cDNA clone IMAGE:4184839 5'
10662	23584	37082	4.52	0.0E+00	BF340331.1	EST_HUMAN	602037045F1 NCI_CGAP_Bn64 Homo sapiens cDNA clone IMAGE:4184839 5'
10687	23609	37103	5.24	0.0E+00	BE697149.1	EST_HUMAN	601439713F1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3924578 5'
10687	23609	37104	5.24	0.0E+00	BE697149.1	EST_HUMAN	601439713F1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3924578 5'
10719	23641	37134	0.48	0.0E+00	AV716271.1	EST_HUMAN	AV716271 DC8 Homo sapiens cDNA clone DCBDDC09 5'
10719	23641	37135	0.48	0.0E+00	AV716271.1	EST_HUMAN	AV716271 DC8 Homo sapiens cDNA clone DCBDDC09 5'

Page 536 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
10750	23672	37167	1.13	0.0E+00	AI631818.1	EST_HUMAN	wa36e03.x1 NCL CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2300188 3' similar to TR:Q61204
10750	23672	37168	1.13	0.0E+00	AI631818.1	EST_HUMAN	Q61204 NOTCH2-LIKE;
10764	23685	37181	2	0.0E+00	T03078.1	EST_HUMAN	wa36e03.x1 NCL CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2300188 3' similar to TR:Q61204
10789	23710	37212	0.67	0.0E+00	AU122429	EST_HUMAN	FB23A4 Fetal brain, Stratagene Homo sapiens cDNA clone FB23A4 3'end
10795	23716	37218	0.43	0.0E+00	6005921	NT	AU122429 MAMMA1 Homo sapiens cDNA clone MAMMA1002368 5'
10817	23738	37241	2.63	0.0E+00	BF436218.1	EST_HUMAN	Homo sapiens triple functional domain (PTPRF Interacting) (TRIO), mRNA
10818	23739		1.3	0.0E+00	AV654765.1	EST_HUMAN	nab45e12.x1 Soares_NSF_FB_9W_OT_PA_P_S1 Homo sapiens cDNA clone IMAGE:3285271 3'
10837	23757	37257	5.03	0.0E+00	AW517960.1	EST_HUMAN	AV654765 GLC Homo sapiens cDNA clone GLCDZC07 3'
10841	23761	37261	18.38	0.0E+00	BE549213.1	EST_HUMAN	xu74b01.x1 NCL CGAP_Kid8 Homo sapiens cDNA clone IMAGE:2807401 3' similar to gb:M69086 MOESIN (HUMAN);
10858	23778	37278	0.84	0.0E+00	11436005	NT	601078764F1 NIH_MGC_12 Homo sapiens cDNA clone IMAGE:3464703 5'
10883	23803	37307	0.44	0.0E+00	X89893.1	NT	Homo sapiens hypothetical protein DKFZp761P1010 (DKFzP761P1010), mRNA
10884	23804	37308	4.15	0.0E+00	BE781742.1	EST_HUMAN	H1 sapiens mRNA for NK receptor (183 Act)
10903	23823	37334	3.07	0.0E+00	BE082720.1	EST_HUMAN	601467419F1 NIH_MGC_67 Homo sapiens cDNA clone IMAGE:3870700 5'
10903	23823	37335	3.07	0.0E+00	BE082720.1	EST_HUMAN	RC2-BT0642-150200-012-403 BT0642 Homo sapiens cDNA
10910	23830	37343	0.56	0.0E+00	Y08032.1	NT	RC2-BT0642-150200-012-403 BT0642 Homo sapiens cDNA
10915	23835	37351	0.7	0.0E+00	AI656890.1	EST_HUMAN	Human endogenous retrovirus-K, LTR U5 and gag gene
10922	23842	37358	1.8	0.0E+00	BE743215.1	EST_HUMAN	tt54e07.x1 NCL CGAP_GC6 Homo sapiens cDNA clone IMAGE:2244612 3'
10922	23845	37359	1.8	0.0E+00	BE743215.1	EST_HUMAN	601573895F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3835198 5'
10925	23845	37361	0.97	0.0E+00	BE617655.1	EST_HUMAN	601573895F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3835198 5'
10946	23866	37380	0.55	0.0E+00	H39805.1	EST_HUMAN	601441723T1 NIH_MGC_65 Homo sapiens cDNA clone IMAGE:3845956 3'
10960	23880	37383	0.48	0.0E+00	AW748117.1	EST_HUMAN	601441723T1 NIH_MGC_65 Homo sapiens cDNA clone IMAGE:3845956 3'
10972	23892	37408	1.16	0.0E+00	D87675.1	NT	601441723T1 NIH_MGC_65 Homo sapiens cDNA clone IMAGE:3845956 3'
10973	23893	37407	0.48	0.0E+00	AF081394.1	NT	601441723T1 NIH_MGC_65 Homo sapiens cDNA clone IMAGE:3845956 3'
10994	23914	37430	0.46	0.0E+00	AW342141.1	EST_HUMAN	QV0-BT0107-230799-007-c06 BT0107 Homo sapiens cDNA
10994	23914	37431	0.46	0.0E+00	AW342141.1	EST_HUMAN	Homo sapiens DNA for amyloid precursor protein, complete cds
10999	23965	37489	1.72	0.0E+00	AV711075.1	EST_HUMAN	Synthetic construct CD30 ligand-exon3 A fusion protein (CD30L-ETA fusion) mRNA, partial cds
10999	23965	37490	1.72	0.0E+00	AV711075.1	EST_HUMAN	EST 00007 Human differential display products Homo sapiens cDNA clone UNCCD7
11001	23967		3.29	0.0E+00	AW813783.1	EST_HUMAN	EST 00007 Human differential display products Homo sapiens cDNA clone UNCCD7
11007	23972	37498	6.07	0.0E+00	AW963563.1	EST_HUMAN	AV711075 Cu Homo sapiens cDNA clone CuAAKG05 5'
11019	23984	37510	1.81	0.0E+00	11431124	NT	AV711075 Cu Homo sapiens cDNA clone CuAAKG05 5'
							RC3-ST0197-120200-015-403 ST0197 Homo sapiens cDNA
							EST1376636 IMAGE resequences, MAGH Homo sapiens cDNA
							Homo sapiens ATP-binding cassette, sub-family A (ABCT1), member 3 (ABCA3), mRNA

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
11019	23984	37511	1.81	0.0E+00	11431124	NT	Homo sapiens ATP-binding cassette, sub-family A (ABC1), member 3 (ABCA3), mRNA
11023	23988	37515	1.76	0.0E+00	AW057621.1	EST_HUMAN	wy61f09.x1 Soares_NSF_F8_9W_OT_PA_P_S1 Homo sapiens cDNA clone IMAGE:2563065 3' similar to TR:Q60566 Q60566 VDX;
11029	23993	37520	1.96	0.0E+00	BE243270.1	EST_HUMAN	TCAAP3D0917 Pediatric acute myelogenous leukemia cell (FAB M1) BAYLOR-HQSC project=TCAA Homo sapiens cDNA clone TCAAP0917
11030	23994	37521	2.54	0.0E+00	AI652239.1	EST_HUMAN	wb28a12.x1 NCL_CGAP_GC6 Homo sapiens cDNA clone IMAGE:2306974 3' similar to contains element MSR1 MSR1 repetitive element;
11030	23994	37522	2.54	0.0E+00	AI652239.1	EST_HUMAN	wb28a12.x1 NCL_CGAP_GC6 Homo sapiens cDNA clone IMAGE:2306974 3' similar to contains element MSR1 MSR1 repetitive element;
11034	23998	37525	2.13	0.0E+00	BF306642.1	EST_HUMAN	601888704F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:4122649 5'
11041	24005	37531	3.83	0.0E+00	11545911	NT	Homo sapiens NOD2 protein (NOD2), mRNA
11041	24005	37532	3.83	0.0E+00	11545911	NT	Homo sapiens NOD2 protein (NOD2), mRNA
11055	24018	37541	5.31	0.0E+00	AW404795.1	EST_HUMAN	U1-HF-BL0-ecm-d-04-0-J1.1 NIH_MGC_37 Homo sapiens cDNA clone IMAGE:3059383 5'
11058	24021	37544	2.69	0.0E+00	11424829	NT	Homo sapiens hypodermal protein FLJ20079 (FLJ20079), mRNA
11059	24022	37545	7.34	0.0E+00	4504536	NT	Homo sapiens 5-hydroxytryptamine (serotonin) receptor 1E (HTR1E), mRNA
11059	24022	37546	7.34	0.0E+00	4504536	NT	Homo sapiens 5-hydroxytryptamine (serotonin) receptor 1E (HTR1E), mRNA
11060	24023	37547	2.71	0.0E+00	AI891827.1	EST_HUMAN	wu32b06.x1 Soares_Dickgraefe_colon_NHOD Homo sapiens cDNA clone IMAGE:2621715 3'
11063	24026	37551	1.64	0.0E+00	BE882109.1	EST_HUMAN	601505204F2 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3900865 5'
11066	24029	37553	21.37	0.0E+00	BE891630.1	EST_HUMAN	601434522F1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3919636 5'
11068	24031	37554	4.59	0.0E+00	8923939	NT	Homo sapiens myosin, heavy polypeptide 2, skeletal muscle, adult (MYH2), mRNA
11068	24031	37555	4.59	0.0E+00	8923939	NT	Homo sapiens myosin, heavy polypeptide 2, skeletal muscle, adult (MYH2), mRNA
11083	18962	32151	5.57	0.0E+00	AA185905.1	EST_HUMAN	zp95b11.1 Stralagene muscle 637209 Homo sapiens cDNA clone IMAGE:627833 5' similar to gb:X03740 MYOSIN HEAVY CHAIN, SKELETAL MUSCLE (HUMAN);
11103	24063	37586	100.2	0.0E+00	AA809080.1	EST_HUMAN	nm17c08.s1 NCL_CGAP_GC60 Homo sapiens cDNA clone IMAGE:1240718 3' similar to gb:X67809 IG LAMBDA CHAIN C REGIONS (HUMAN);
11104	24064	37587	4.22	0.0E+00	BE793498.1	EST_HUMAN	601598828F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3943015 5'
11113	24073	37595	15.77	0.0E+00	AV727362.1	EST_HUMAN	AV727362 HTC Homo sapiens cDNA clone HTCAQH06 5'
11113	24073	37596	15.77	0.0E+00	AV727362.1	EST_HUMAN	AV727362 HTC Homo sapiens cDNA clone HTCAQH06 5'
11126	24086	37613	14.2	0.0E+00	AA464313.1	EST_HUMAN	zx78c12.1 Soares ovary tumor NBHOT Homo sapiens cDNA clone IMAGE:809878 5' similar to gb:X72467 IG KAPPA CHAIN PRECURSOR V-J REGION (HUMAN);
11129	24089	37618	24.26	0.0E+00	AW516055.1	EST_HUMAN	xy04g10.x1 NCL_CGAP_Lym12 Homo sapiens cDNA clone IMAGE:2852226 3' similar to gb:M60854 40S RIBOSOMAL PROTEIN S16 (HUMAN);
11134	24094	37623	1.88	0.0E+00	AU135741.1	EST_HUMAN	AU135741 PLACE1 Homo sapiens cDNA clone PLACE1002784 5'

Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
11139	24099	37626	3.36	0.0E+00	AW593333.1	EST_HUMAN	hg13d02.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2945475 3' similar to contains element MSR1 repetitive element;
11139	24099	37627	3.36	0.0E+00	AW593333.1	EST_HUMAN	hg13d02.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2945475 3' similar to contains element MSR1 repetitive element;
11139	24099	37628	3.36	0.0E+00	AW593333.1	EST_HUMAN	hg13d02.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2945475 3' similar to contains element MSR1 repetitive element;
11141	24101	37629	1.68	0.0E+00	Z34897.1	NT	H.sapiens mRNA for H1 histamine receptor
11142	24102	37630	2.54	0.0E+00	F13069.1	EST_HUMAN	HSC3IC031 normalized infant brain cDNA Homo sapiens cDNA clone c-3ic03
11159	24117	37643	2.4	0.0E+00	M27751.1	NT	Homo sapiens immunoglobulin kappa-chain A14 V-region precursor (IGKV) gene, partial cds
11159	24117	37644	2.4	0.0E+00	M27751.1	NT	Homo sapiens immunoglobulin kappa-chain A14 V-region precursor (IGKV) gene, partial cds
11167	24125	37654	40.1	0.0E+00	AW338094.1	EST_HUMAN	xv66f01.x1 NCI_CGAP_Pan1 Homo sapiens cDNA clone IMAGE:2832985 3' similar to gb:X17115 (G MU CHAIN C REGION (HUMAN);
11168	24128	37655	3.54	0.0E+00	AW451230.1	EST_HUMAN	U1H-B13-ah-a-01-0-U1.s1 NCI_CGAP_Sub5 Homo sapiens cDNA clone IMAGE:2736649 3'
11168	24128	37656	3.54	0.0E+00	AW451230.1	EST_HUMAN	U1H-B13-ah-e-01-0-U1.s1 NCI_CGAP_Sub5 Homo sapiens cDNA clone IMAGE:2736649 3'
11170	13316		8.04	0.0E+00	4506632	NT	Homo sapiens ribosomal protein L31 (RPL31) mRNA
11184	24140	37674	2.07	0.0E+00	BE298449.1	EST_HUMAN	601119248F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3029219 5'
11186	24151	37682	2.13	0.0E+00	AB011117.1	NT	Homo sapiens mRNA for KIAA0545 protein, partial cds
11189	24154	37688	1.69	0.0E+00	Z20656.1	NT	Homo sapiens of cardiac alpha-myosin heavy chain gene
11206	24160	37690	1.68	0.0E+00	BE264985.1	EST_HUMAN	601193824F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3538012 5'
11214	24167	37696	1.62	0.0E+00	BE792155.1	EST_HUMAN	601582046F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3936539 5'
11215	24168		70.33	0.0E+00	BF684061.1	EST_HUMAN	602141405F1 NIH_MGC_46 Homo sapiens cDNA clone IMAGE:4302432 5'
11217	24170	37698	7.66	0.0E+00	AU118386.1	EST_HUMAN	AU118386 HEMBA1 Homo sapiens cDNA clone HEMBA1003486 5'
11218	24171		2.51	0.0E+00	AW236269.1	EST_HUMAN	xn72b01.x1 NCI_CGAP_CML1 Homo sapiens cDNA clone IMAGE:2699977 3' similar to gb:X02152_cds1 L-LACTATE DEHYDROGENASE M CHAIN (HUMAN);
11223	24176	37702	4.92	0.0E+00	A1149809.1	EST_HUMAN	qf43c03.x1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1752772 3'
11223	24176	37703	4.92	0.0E+00	A1149809.1	EST_HUMAN	qf43c03.x1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1752772 3'
11224	24177	37704	2.09	0.0E+00	AW391937.1	EST_HUMAN	QV4-ST0234-121189-032-b06 ST0234 Homo sapiens cDNA
11234	24187		1.54	0.0E+00	AU116908.1	EST_HUMAN	AU116908 HEMBA1 Homo sapiens cDNA clone HEMBA1000255 5'
11238	24191	37710	9.23	0.0E+00	11424726	NT	Homo sapiens insulin receptor (INSR), mRNA
11244	24197	37716	145.89	0.0E+00	AW804516.1	EST_HUMAN	QV0-UM0093-170400-191-d06 UM0093 Homo sapiens cDNA
11244	24197	37717	145.89	0.0E+00	AW804516.1	EST_HUMAN	QV0-UM0093-170400-191-d06 UM0093 Homo sapiens cDNA
11245	24198	37718	3.26	0.0E+00	BF340308.1	EST_HUMAN	602037014F1 NCI_CGAP_Bme4 Homo sapiens cDNA clone IMAGE:4184979 5'
11247	24200	37721	49.67	0.0E+00	BE261209.1	EST_HUMAN	601148357F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:3163310 5'
11251	24204	37726	1.74	0.0E+00	AB028040.1	NT	Homo sapiens mRNA for KIAA1117 protein, partial cds

Page 539 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
11256	24208	37731	6.12	0.0E+00	U50326.1	NT	Human protein kinase C substrate 60K-H (PRKCSH) gene, exon 15-17
11257	24209	37732	1.72	0.0E+00	Z20696.1	NT	Homo sapiens of cardiac alpha-myosin heavy chain gene
11260	24212	37735	6	0.0E+00	BE773036.1	EST_HUMAN	RC1-F10134-170700-012-07 F10134 Homo sapiens cDNA
11260	24212	37736	6	0.0E+00	BE773036.1	EST_HUMAN	RC1-F10134-170700-012-07 F10134 Homo sapiens cDNA
11263	24233	37759	89.91	0.0E+00	AA740782.1	EST_HUMAN	ob32607.s1 NCI CGAP_Kid5 Homo sapiens cDNA clone IMAGE:1325412 3' similar to contains element
11265	24235	37762	38.54	0.0E+00	AW466922.1	EST_HUMAN	MSR1 repetitive element
11291	24241	37768	2.85	0.0E+00	AF252303.1	NT	ha04h04.x1 NCI CGAP_Kid12 Homo sapiens cDNA clone IMAGE:2872759 3'
11304	24254	37780	1.84	0.0E+00	BE266478.1	EST_HUMAN	Homo sapiens signaling lymphocytic activation molecule (SLAM) gene, exon 2
11304	24254	37781	1.84	0.0E+00	BE266478.1	EST_HUMAN	601192748F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3536887 5'
11307	24257	37783	7.6	0.0E+00	C05089.1	EST_HUMAN	601192748F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3536887 5'
11313	24263	37789	1.91	0.0E+00	AA746375.1	EST_HUMAN	C05089 Human heart cDNA (Ynakamura) Homo sapiens cDNA clone 3NHC4817
11313	24263	37790	1.91	0.0E+00	AA746375.1	EST_HUMAN	oe56h01.r1 NCI CGAP_GCB1 Homo sapiens cDNA clone IMAGE:1309009 5'
11321	24271	37798	1.66	0.0E+00	BF355625.1	EST_HUMAN	oe56h01.r1 NCI CGAP_GCB1 Homo sapiens cDNA clone IMAGE:1309009 5'
11322	24272	37799	5.79	0.0E+00	AL157608.1	EST_HUMAN	QV2-HT0698-020800-295-07 HT0698 Homo sapiens cDNA
11333	24283	37807	6.83	0.0E+00	AU116988.1	EST_HUMAN	DKFZp761J2116.r1 761 (synonym: hamy2) Homo sapiens cDNA clone DKFZp761J2116 5'
11347	24297	37825	1.54	0.0E+00	AU132437.1	EST_HUMAN	AU116988 HEMBA1 Homo sapiens cDNA clone HEMBA1000424 5'
11367	18866	32047	2.84	0.0E+00	AB035266.1	NT	AU132437 NT2RP3 Homo sapiens cDNA clone NT2RP3004422 5'
11367	18866	32048	2.84	0.0E+00	AB035266.1	NT	Homo sapiens mRNA for neurexin II, complete cds
11371	24318	37846	2.4	0.0E+00	BE182360.1	EST_HUMAN	Homo sapiens mRNA for neurexin II, complete cds
11371	24318	37847	2.4	0.0E+00	BE182360.1	EST_HUMAN	PMO-HT0645-060500-002-E05 HT0645 Homo sapiens cDNA
11372	24319		1.48	0.0E+00	AV701152.1	EST_HUMAN	PMO-HT0645-060500-002-E05 HT0645 Homo sapiens cDNA
11387	24334	37863	75.44	0.0E+00	AW406380.1	EST_HUMAN	UI-HF-BL0-acc-c-09-0-UI.r1 NIH_MGC_37 Homo sapiens cDNA clone IMAGE:3060089 5'
11390	24336	37865	2.81	0.0E+00	BE989423.1	EST_HUMAN	UI-HF-BL0-acc-c-09-0-UI.r1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3924142 5'
11397	24342	37874	2.26	0.0E+00	AW500307.1	EST_HUMAN	UI-HF-BN0-akg-d-02-0-UI.r1 NIH_MGC_50 Homo sapiens cDNA clone IMAGE:3077019 5'
11397	24342	37875	2.26	0.0E+00	AW500307.1	EST_HUMAN	UI-HF-BN0-akg-d-02-0-UI.r1 NIH_MGC_50 Homo sapiens cDNA clone IMAGE:3077019 5'
							bb78c04.y1 NIH_MGC_10 Homo sapiens cDNA clone IMAGE:3048486 5' similar to gb:Y00345_cde1
11398	24343	37876	7.11	0.0E+00	BE018298.1	EST_HUMAN	POLYADENYLATE-BINDING PROTEIN (HUMAN); gb:X65553 M.musculus mRNA for poly(A) binding protein (MOUSE);
11417	24361	37896	14.52	0.0E+00	X39314.1	NT	protein (MOUSE);
11421	24365	37900	2.3	0.0E+00	AU121677.1	EST_HUMAN	H.sapiens gene for Ig kappa light chain variable region "011"
11430	24374	37913	4.14	0.0E+00	BE899795.1	EST_HUMAN	AU121677 MAMMA1 Homo sapiens cDNA clone MAMMA1000731 5'
11431	24375	37914	1.58	0.0E+00	AI459545.1	EST_HUMAN	601440446F1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3925403 5'
11431	24375	37915	1.58	0.0E+00	AI459545.1	EST_HUMAN	ac86g11.x1 Schiller meningioma Homo sapiens cDNA clone IMAGE:1952804 3'
							ac86g11.x1 Schiller meningioma Homo sapiens cDNA clone IMAGE:1952804 3'

Page 540 of 546
Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLASTE Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
11441	24384	37924	4.83	0.0E+00	AL042278.1	EST_HUMAN	DKFZp434L0120_1 434 (synonym: htes3) Homo sapiens cDNA clone DKFZp434L0120 5'
11446	24389	37931	4.18	0.0E+00	F00884.1	EST_HUMAN	HSB77E122 STRATAGENE Human skeletal muscle cDNA library, cat. #836215. Homo sapiens cDNA clone 77E12
11446	24389	37932	4.18	0.0E+00	F00884.1	EST_HUMAN	HSB77E122 STRATAGENE Human skeletal muscle cDNA library, cat. #836215. Homo sapiens cDNA clone 77E12
11474	24417	37967	2.85	0.0E+00	4756827	NT	Homo sapiens neurexin III (NRXN3) mRNA
11475	24418	37968	3.38	0.0E+00	BF206561.1	EST_HUMAN	601870802F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:4101433 5'
11478	24421	37970	12.88	0.0E+00	AW207734.1	EST_HUMAN	UI-H-B12-agg-h-01-Q-U1.s1 NCI CGAP_Sub4 Homo sapiens cDNA clone IMAGE:2724312 3'
11478	24422	37971	5.09	0.0E+00	AW604975.1	EST_HUMAN	RC0-CT0380-210100-032-c10 CT0380 Homo sapiens cDNA
11479	24422	37972	5.09	0.0E+00	AW604975.1	EST_HUMAN	RC0-CT0380-210100-032-c10 CT0380 Homo sapiens cDNA
11483	24426	37975	2.91	0.0E+00	AB018280.1	NT	Homo sapiens mRNA for KIAA0717 protein, partial cds
11483	24426	37976	2.91	0.0E+00	AB018280.1	NT	Homo sapiens mRNA for KIAA0717 protein, partial cds
11484	24427	37977	3.54	0.0E+00	BE208846.1	EST_HUMAN	ba04407.y1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:2823373 5' similar to TR:O76022 O76022 E1B
11484	24427	37978	3.54	0.0E+00	BE208846.1	EST_HUMAN	ba04407.y1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:2823373 5' similar to TR:O76022 O76022 E1B
11508	24448	37998	2.13	0.0E+00	11024711	NT	Homo sapiens myosin, heavy polypeptide 4, skeletal muscle (MYH4), mRNA
11509	20670	34037	1.92	0.0E+00	L32832.1	NT	Homo sapiens zinc finger homeodomain protein (ATBF1-A) mRNA, complete cds
11513	24454	38003	3.74	0.0E+00	BE148076.1	EST_HUMAN	RC3-HT0230-040500-110-h04 HT0230 Homo sapiens cDNA
11513	24454	38004	3.74	0.0E+00	BE148076.1	EST_HUMAN	RC3-HT0230-040500-110-h04 HT0230 Homo sapiens cDNA
11523	24464	38017	7.64	0.0E+00	AA195905.1	EST_HUMAN	zp95b11.r1 Stratagene muscle 837209 Homo sapiens cDNA clone IMAGE:627933 5' similar to gb:X03740
11531	24472	38023	1.51	0.0E+00	AW673469.1	EST_HUMAN	MYOSIN HEAVY CHAIN, SKELETAL MUSCLE (HUMAN); ba54408.y3 NIH_MGC_10 Homo sapiens cDNA clone IMAGE:2900367 5' similar to TR:O60275 O60275
11531	24472	38024	1.51	0.0E+00	AW673469.1	EST_HUMAN	ba54408.y3 NIH_MGC_10 Homo sapiens cDNA clone IMAGE:2900367 5' similar to TR:O60275 O60275
11549	24490	38046	5.23	0.0E+00	BF507876.1	EST_HUMAN	KIAA0522 PROTEIN ;
11549	24490	38047	5.23	0.0E+00	BF507876.1	EST_HUMAN	UI-H-B14-ack-b-10-Q-U1.s1 NCI CGAP_Sub8 Homo sapiens cDNA clone IMAGE:3085026 3'
11558	24496	38052	3.54	0.0E+00	AU135170.1	EST_HUMAN	UI-H-B14-ack-b-10-Q-U1.s1 NCI CGAP_Sub8 Homo sapiens cDNA clone IMAGE:3085026 3'
11560	24500	38056	1.84	0.0E+00	BF576138.1	EST_HUMAN	AU135170 PLACE1 Homo sapiens cDNA clone PLACE1001381 5'
11560	24500	38057	1.84	0.0E+00	BF576138.1	EST_HUMAN	602132459F1 NIH_MGC_81 Homo sapiens cDNA clone IMAGE:4271630 5'
11561	24501	38058	17.24	0.0E+00	BE876401.1	EST_HUMAN	602132459F1 NIH_MGC_81 Homo sapiens cDNA clone IMAGE:4271630 5'
11561	24501	38059	17.24	0.0E+00	BE876401.1	EST_HUMAN	601486828F1 NIH_MGC_69 Homo sapiens cDNA clone IMAGE:3889207 5'
11567	24507	38084	2.9	0.0E+00	D87682.1	NT	601486828F1 NIH_MGC_69 Homo sapiens cDNA clone IMAGE:3889207 5'
							Human mRNA for KIAA0241 gene, partial cds

Page 541 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
11571	24510		5.42	0.0E+00	BF240536.1	EST_HUMAN	501875630F1 NIH_MGC_55 Homo sapiens cDNA clone IMAGE:4099710 5'
11582	24520	38075	1.68	0.0E+00	AB037737.1	NT	Homo sapiens mRNA for KIAA1316 protein, partial cds
11582	24520	38076	1.68	0.0E+00	AB037737.1	NT	Homo sapiens mRNA for KIAA1316 protein, partial cds
11588	24524	38079	3.41	0.0E+00	11430868	NT	Homo sapiens retinoblastoma-like 2 (p130) (RBL2), mRNA
11588	24524	38080	3.41	0.0E+00	11430868	NT	Homo sapiens retinoblastoma-like 2 (p130) (RBL2), mRNA
11590	24528	38085	2.06	0.0E+00	BE122764.1	EST_HUMAN	23_08 Human Epidermal Keratinocyte Subtraction Library- Upregulated Transcripts Homo sapiens cDNA clone 23_08 5' similar to Homo sapiens cyclin B2 (CCNB2)
11591	24529	38086	3.23	0.0E+00	BE017960.1	EST_HUMAN	bb73h05.y1 NIH_MGC_12 Homo sapiens cDNA clone IMAGE:3048067 5' similar to SW:CD97_HUMAN
11595	24533	38089	2.89	0.0E+00	AA72837.1	EST_HUMAN	P48960 LEUCOCYTE ANTIGEN CD97 PRECURSOR, [1]:
11605	24543	38103	6.4	0.0E+00	4503544	NT	ae74g04.s1 Strategene schizo brain S11 Homo sapiens cDNA clone IMAGE:969942 3'
11612	24550	38110	2.25	0.0E+00	BF576267.1	EST_HUMAN	Homo sapiens eukaryotic translation initiation factor 5A (EIF5A) mRNA
11615	24553	38114	5.5	0.0E+00	AW326173.1	EST_HUMAN	802134132F1 NIH_MGC_31 Homo sapiens cDNA clone IMAGE:4289602 5'
11620	24558		83.29	0.0E+00	M65083.1	NT	dr04g05.x1 NIH_MGC_3 Homo sapiens cDNA clone IMAGE:2847177 5'
11624	24562	38123	159.29	0.0E+00	AI680968.1	EST_HUMAN	Human gamma actin-like pseudogene, complete cds
11625	24563	38124	2.3	0.0E+00	BF306996.1	EST_HUMAN	wf20e11.x1 Soares Dieckgrafe_colon_NHUC Homo sapiens cDNA clone IMAGE:2351180 3' similar to gb:M87789 IG GAMMA-1 CHAIN C REGION (HUMAN);
11625	24563	38125	2.3	0.0E+00	BF306996.1	EST_HUMAN	601889823F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:4123948 5'
11632	24569	38133	59.51	0.0E+00	BF382462.1	EST_HUMAN	601889823F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:4123948 5'
11648	24585	38154	2.42	0.0E+00	U36264.1	NT	QV2-NN0054-230800-333-604 NN0054 Homo sapiens cDNA
11648	24585	38155	2.42	0.0E+00	U36264.1	NT	Human beta-prime-adaptin (BAM22) gene, exon 16
11654	24591		4.74	0.0E+00	BE897051.1	EST_HUMAN	Human beta-prime-adaptin (BAM22) gene, exon 16
11665	24601	38177	1.54	0.0E+00	8823698	NT	601439608F1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3824577 5'
11668	24604		2.24	0.0E+00	BF207662.1	EST_HUMAN	Homo sapiens gaiglin-like protein (GLP), mRNA
11669	24605		4.82	0.0E+00	BE257744.1	EST_HUMAN	601861947F1 NIH_MGC_53 Homo sapiens cDNA clone IMAGE:4081716 5'
11682	24648	38225	4.13	0.0E+00	BE206846.1	EST_HUMAN	601118705F1 NIH_MGC_18 Homo sapiens cDNA clone IMAGE:3357384 5'
11682	24648	38226	4.13	0.0E+00	BE206846.1	EST_HUMAN	ba04d07.y1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:2823373 5' similar to TR:O76022 O76022 E1B
11684	24650	38228	3.8	0.0E+00	AW753028.1	EST_HUMAN	55KDA-ASSOCIATED PROTEIN. ;
11689	24655		4.96	0.0E+00	AA588707.1	EST_HUMAN	ba04d07.y1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:2823373 5' similar to TR:O76022 O76022 E1B
11690	18451	31322	3.12	0.0E+00	AI934954.1	EST_HUMAN	35KDA-ASSOCIATED PROTEIN. ;
11691	24656	38234	9.26	0.0E+00	AW327895.1	EST_HUMAN	QV0-CT0225-101299-071-408 CT0225 Homo sapiens cDNA
							ni42c08.s1 NCI_CGAP_P14 Homo sapiens cDNA clone IMAGE:1043342 similar to gb:MB5178 ALPHA-ACTININ 1, CYTOSKELETAL ISOFORM (HUMAN);
							wp06g08.x1 NCI_CGAP_K1d12 Homo sapiens cDNA clone IMAGE:2464094 3'
							dr02b08.x1 NIH_MGC_3 Homo sapiens cDNA clone IMAGE:2846919 5'

Page 542 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
11711	25706	38254	1.63	0.0E+00	AW292776.1	EST_HUMAN	U1H-BW0-aj1-d07-QJ1.s1 NCL CGAP_Sub6 Homo sapiens cDNA clone IMAGE:2729509 3'
11718	23915	37432	2.09	0.0E+00	4758827	NT	Homo sapiens neuroxin III (NRXN3) mRNA
11724	24610	38186	2.43	0.0E+00	BE965909.2	EST_HUMAN	60169088R1 NIH_MGC_70 Homo sapiens cDNA clone IMAGE:3895916 3'
11724	24610	38187	2.43	0.0E+00	BE965909.2	EST_HUMAN	60169088R1 NIH_MGC_70 Homo sapiens cDNA clone IMAGE:3895916 3'
11725	24611	38188	3.67	0.0E+00	BE185656.1	EST_HUMAN	IL5-H10731-020500-077-f05 H10731 Homo sapiens cDNA
11739	24624	38202	5.4	0.0E+00	AL046540.1	EST_HUMAN	DKFZp434G178_r1 434 (synonym: htes3) Homo sapiens cDNA clone DKFZp434G178 5'
11739	24624	38203	5.4	0.0E+00	AL046540.1	EST_HUMAN	DKFZp434G178_r1 434 (synonym: htes3) Homo sapiens cDNA clone DKFZp434G178 5'
11746	24631	38211	2.29	0.0E+00	BF082504.1	EST_HUMAN	MR4-B10358-130800-016-a04 BT0358 Homo sapiens cDNA
11750	24635	38214	19.22	0.0E+00	AI923116.1	EST_HUMAN	wn83903.x1 NCL CGAP_U1 Homo sapiens cDNA clone IMAGE:2452468 3' similar to gb:S37431 LAMININ RECEPTOR (HUMAN);
11753	24681	38259	8.71	0.0E+00	AA760913.1	EST_HUMAN	nz11c07.s1 NCL CGAP_GCB1 Homo sapiens cDNA clone IMAGE:1287468 3' similar to TR:Q13686
11753	24681	38260	8.71	0.0E+00	AA760913.1	EST_HUMAN	Q13686 ALKB HOMOLOG PROTEIN.;
11758	24686	38266	3.51	0.0E+00	BE910546.1	EST_HUMAN	nz11c07.s1 NCL CGAP_GCB1 Homo sapiens cDNA clone IMAGE:1287468 3' similar to TR:Q13686
11758	24686	38266	3.51	0.0E+00	BE910546.1	EST_HUMAN	Q13686 ALKB HOMOLOG PROTEIN.;
11766	23921	37440	5.45	0.0E+00	BE676347.1	EST_HUMAN	601501090F1 NIH_MGC_70 Homo sapiens cDNA clone IMAGE:3902926 5'
11769	23924	37443	2.02	0.0E+00	BE615666.1	EST_HUMAN	7127112.x1 NCL CGAP_GLL1 Homo sapiens cDNA clone IMAGE:3295919 3' similar to TR:O00409 O00409 CHECKPOINT SUPPRESSOR 1.;
11769	23924	37444	2.02	0.0E+00	BE615666.1	EST_HUMAN	601279335F1 NIH_MGC_39 Homo sapiens cDNA clone IMAGE:3611144 5'
11777	23932	37453	2.13	0.0E+00	AV757420.1	EST_HUMAN	601279335F1 NIH_MGC_39 Homo sapiens cDNA clone IMAGE:3611144 5'
11808	24693	38273	5.01	0.0E+00	L39891.1	NT	AV757420 BM Homo sapiens cDNA clone BMFAGH03 5'
11808	24693	38274	5.01	0.0E+00	L39891.1	NT	Homo sapiens polycystic kidney disease-associated protein (PKD1) gene, complete cds
11822	24705	38287	3.67	0.0E+00	AU138211.1	EST_HUMAN	Homo sapiens polycystic kidney disease-associated protein (PKD1) gene, complete cds
11835	24718	38304	5.81	0.0E+00	BE622317.1	EST_HUMAN	AU138211 PLACE1 Homo sapiens cDNA clone PLACE1008077 5'
11860	24742	38326	2.22	0.0E+00	AI939634.1	EST_HUMAN	601441096F1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3916270 5'
11868	24750	38332	14.23	0.0E+00	BE748999.1	EST_HUMAN	trn94c10.x5 NCL CGAP_Bm25 Homo sapiens cDNA clone IMAGE:2165778 3'
11868	24750	38333	14.23	0.0E+00	BE748999.1	EST_HUMAN	601572186T1 NIH_MGC_55 Homo sapiens cDNA clone IMAGE:3839012 3'
11877	24759	38343	2.54	0.0E+00	AU141892.1	EST_HUMAN	601572186T1 NIH_MGC_55 Homo sapiens cDNA clone IMAGE:3839012 3'
11877	24759	38344	2.54	0.0E+00	AU141892.1	EST_HUMAN	AU141892 THYR01 Homo sapiens cDNA clone THYR01001398 5'
11880	24762	38347	1.97	0.0E+00	AW006022.1	EST_HUMAN	AU141882 THYR01 Homo sapiens cDNA clone THYR01001398 5'
11882	25707	38349	2.38	0.0E+00	BF002333.1	EST_HUMAN	w2b1h01.x1 NCL CGAP_Bm25 Homo sapiens cDNA clone IMAGE:2566225 3' similar to WP:F63H10.2
11899	24780	38366	1.48	0.0E+00	AL043705.1	EST_HUMAN	CE11040 ZINC FINGER, C2H2 TYPE ;
							7h22b10.x1 NCL CGAP_Co16 Homo sapiens cDNA clone IMAGE:3316699 3' similar to TR:Q13458 Q13458 TRIO.;
							DKFZp434L1227_r1 434 (synonym: htes3) Homo sapiens cDNA clone DKFZp434L1227 5'

Page 543 of 546
Table 4

Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
11899	24780	38367	1.48	0.0E+00	AL043705.1	EST_HUMAN	DKFZp434L1227_1 434 (synonym: hies3) Homo sapiens cDNA clone DKFZp434L1227 5'
11904	24785	38374	3.36	0.0E+00	AW387776.1	EST_HUMAN	MR4-ST0118-261099-012-503 ST0118 Homo sapiens cDNA
11904	24785	38375	3.36	0.0E+00	AW387776.1	EST_HUMAN	MR4-ST0118-261099-012-503 ST0118 Homo sapiens cDNA
11916	24797		2.43	0.0E+00	AW863777.1	EST_HUMAN	MR3-SN0010-310300-107-h03 SN0010 Homo sapiens cDNA
11927	24808	38402	4.22	0.0E+00	11435244	NT	Homo sapiens KIAA0247 gene product (KIAA0247), mRNA
11927	24808	38403	4.22	0.0E+00	11435244	NT	Homo sapiens KIAA0247 gene product (KIAA0247), mRNA
11932	24813	38408	5.01	0.0E+00	U93253.1	NT	Human beta-prime-actinin (BAM22) gene, exon 5
11934	24815	38411	2.03	0.0E+00	BE379254.1	EST_HUMAN	601237691F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3609623 5'
11934	24815	38412	2.03	0.0E+00	BE379254.1	EST_HUMAN	601237691F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3609623 5'
11946	20655	34019	2.41	0.0E+00	AA211663.1	EST_HUMAN	z66602.1 Strategene muscle 937209 Homo sapiens cDNA clone IMAGE:562203 5' similar to gb:X03740 MYOSIN HEAVY CHAIN, SKELETAL MUSCLE (HUMAN);
11947	24826	38421	2.36	0.0E+00	AA488894.1	EST_HUMAN	aa55g11.1 NCI CGAP GC81 Homo sapiens cDNA clone IMAGE:824900 3' similar to gb:M37766 B-LYMPHOCYTE ACTIVATION MARKER BLAST-1 PRECURSOR (HUMAN);
11952	24831	38427	2.35	0.0E+00	BE794758.1	EST_HUMAN	601590588F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3944708 5'
11953	24832	38428	160.92	0.0E+00	BE879633.1	EST_HUMAN	601491821F1 NIH_MGC_69 Homo sapiens cDNA clone IMAGE:3894220 5'
11955	24844	38439	12.55	0.0E+00	BE409963.1	EST_HUMAN	601299403F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3628644 5'
11966	24845	38440	2.25	0.0E+00	AF223391.1	NT	Homo sapiens calcium channel alpha1E subunit (CACNA1E) gene, exons 7-49, and partial cds, alternatively spliced
11966	24845	38441	2.25	0.0E+00	AF223391.1	NT	Homo sapiens calcium channel alpha1E subunit (CACNA1E) gene, exons 7-49, and partial cds, alternatively spliced
11967	18647	31589	2.21	0.0E+00	D26335.1	NT	Human gene for dihydropyrimidine succinyltransferase, complete cds (exon 1-15)
11967	18647	31590	2.21	0.0E+00	D26335.1	NT	Human gene for dihydropyrimidine succinyltransferase, complete cds (exon 1-15)
11968	24846	38442	4.01	0.0E+00	BF681641.1	EST_HUMAN	602155722F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:4298725 5'
11968	24846	38443	4.01	0.0E+00	BF681641.1	EST_HUMAN	602155722F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:4298725 5'
11974	18348	31294	1.51	0.0E+00	AF272663.1	NT	Homo sapiens gephyrin mRNA, complete cds
11976	24853	38451	1.57	0.0E+00	AU132940.1	EST_HUMAN	AU132940 NT2RP4 Homo sapiens cDNA clone NT2RP400929 5'
11978	24856	38453	4.83	0.0E+00	BE903372.1	EST_HUMAN	601676357F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3958935 5'
11982	24869	38464	3.47	0.0E+00	BF312552.1	EST_HUMAN	601897624F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:4127069 5'
11982	24869	38465	3.47	0.0E+00	BF312552.1	EST_HUMAN	601897624F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:4127069 5'
11994	24871	38467	34.13	0.0E+00	X51755.1	NT	Human lambda-immunoglobulin constant region complex (germline)
11994	24871	38468	34.13	0.0E+00	X51755.1	NT	Human lambda-immunoglobulin constant region complex (germline)
12006	24883		3.04	0.0E+00	BE909402.1	EST_HUMAN	601498553F1 NIH_MGC_70 Homo sapiens cDNA clone IMAGE:3900396 5'
12007	24884	38479	1.52	0.0E+00	BE892690.1	EST_HUMAN	601433908F1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3918321 5'
12035	25708		56.85	0.0E+00	BF309120.1	EST_HUMAN	601890534F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:4131416 5'

Page 544 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
12037	24912	38505	2.38	0.0E+00	BE698861.1	EST_HUMAN	RC4-NN0025-120600-016-507 NN0025 Homo sapiens cDNA
12037	24912	38506	2.38	0.0E+00	BE698861.1	EST_HUMAN	RC4-NN0025-120600-016-507 NN0025 Homo sapiens cDNA
12040	24915	38509	60.15	0.0E+00	BE297175.1	EST_HUMAN	601177407F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3532968 5'
12048	24921	38517	1.81	0.0E+00	BE744311.1	EST_HUMAN	601576525F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3837222 5'
12048	24921	38518	1.81	0.0E+00	BE744311.1	EST_HUMAN	601576525F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3837222 5'
12062	24935	38531	1.81	0.0E+00	7689505	NT	Homo sapiens myosin, heavy polypeptide 1, skeletal muscle, adult (MYH1), mRNA
12062	24935	38532	1.81	0.0E+00	7689505	NT	Homo sapiens myosin, heavy polypeptide 1, skeletal muscle, adult (MYH1), mRNA
12067	24940	38535	1.66	0.0E+00	11024711	NT	Homo sapiens myosin, heavy polypeptide 4, skeletal muscle (MYH4), mRNA
12071	24944	38537	2.41	0.0E+00	F00884.1	EST_HUMAN	HSB77E122 STRATAGENE Human skeletal muscle cDNA library, cat. #336215. Homo sapiens cDNA clone 77E12
12071	24944	38538	2.41	0.0E+00	F00884.1	EST_HUMAN	HSB77E122 STRATAGENE Human skeletal muscle cDNA library, cat. #336215. Homo sapiens cDNA clone 77E12
12077	24949	38544	6.46	0.0E+00	BE545535.1	EST_HUMAN	601070391F1 NIH_MGC_12 Homo sapiens cDNA clone IMAGE:3456407 5'
12080	24952	38547	3.24	0.0E+00	AU117974.1	EST_HUMAN	AU117974 HEMBA1 Homo sapiens cDNA clone HEMBA1002612 5'
12080	24952	38548	3.24	0.0E+00	AU117974.1	EST_HUMAN	AU117974 HEMBA1 Homo sapiens cDNA clone HEMBA1002612 5'
12118	24988	38590	2.15	0.0E+00	Z20656.1	NT	Homo sapiens of cardiac alpha-myosin heavy chain gene
12124	24993	38595	2.27	0.0E+00	BE264998.1	EST_HUMAN	601193827F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3537774 5'
12124	24993	38596	2.27	0.0E+00	BE264998.1	EST_HUMAN	601193827F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3537774 5'
12131	25000	38605	6.45	0.0E+00	11419020	NT	Homo sapiens nuclear factor of kappa light polypeptide gene enhancer in B-cells inhibitor, epsilon (NFKBIE), mRNA
12131	25000	38608	6.45	0.0E+00	11419020	NT	Homo sapiens nuclear factor of kappa light polypeptide gene enhancer in B-cells inhibitor, epsilon (NFKBIE), mRNA
12146	25972	31299	1.81	0.0E+00	BE312542.1	EST_HUMAN	601150023F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:3503020 5'
12161	25819		1.43	0.0E+00	AL163246.2	NT	Homo sapiens chromosome 21 segment HS21C048
12163	25828		6.62	0.0E+00	AI190993.1	EST_HUMAN	qat1b12.x1 Scarses_fetal_lung_Nhlh19W Homo sapiens cDNA clone IMAGE:1739231 3'
12173	25022		1.33	0.0E+00	AB011396.1	NT	Homo sapiens gene for AF-6, complete cds
12182	25037		2.28	0.0E+00	AL163246.2	NT	Homo sapiens chromosome 21 segment HS21C048
12201	25044		5.82	0.0E+00	11417862	NT	Homo sapiens calcineurin binding protein 1 (KIAA0330), mRNA
12218	25056		3.47	0.0E+00	5802973	NT	Homo sapiens antioxidant protein 1 (AOP1), nuclear gene encoding mitochondrial protein, mRNA
12251	25788	31523	2.06	0.0E+00	AF240786.1	NT	Homo sapiens glutathione S-transferase theta 2 (GSTT2) and glutathione S-transferase theta 1 (GSTT1) genes, complete cds
12265	25798		4.42	0.0E+00	AL041931.1	EST_HUMAN	DKFZp434K0819_r1 434 (synonym: htes3) Homo sapiens cDNA clone DKFZp434K0819 5'
12291	25940		3.76	0.0E+00	11418318	NT	Homo sapiens G-2 and S-phase expressed 1 (GTSE1), mRNA
12299	26110		5.96	0.0E+00	AL046544.1	EST_HUMAN	DKFZp434G218_r1 434 (synonym: htes3) Homo sapiens cDNA clone DKFZp434G218 5'

Page 545 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
12314	25834		1.98	0.0E+00	A1903497.1	EST_HUMAN	IL-BT030-271098-001 BT030 Homo sapiens cDNA
12357	25982		1.82	0.0E+00	N64484.1	EST_HUMAN	yv40e08.at Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:245222 3' similar to SW:POL_BAEVM P10272 POL POLYPROTEIN ;
12371	25157		5.99	0.0E+00	AF108656.1	NT	Homo sapiens adenylosuccinate lyase gene, complete cds
12374	13900	26857	3.44	0.0E+00	4507500	NT	Homo sapiens T-cell lymphoma invasion and metastasis 1 (TIAM1) mRNA
12374	13900	26858	3.44	0.0E+00	4507500	NT	Homo sapiens T-cell lymphoma invasion and metastasis 1 (TIAM1) mRNA
12383	25837		2.56	0.0E+00	10092587	NT	Homo sapiens nuclear factor of activated T-cells, cytoplasmic, calcineurin-dependent 2 (NFATC2), mRNA
12411	13820		2.52	0.0E+00	AF003528.1	NT	Homo sapiens X-linked anhidrotic ectodermal dysplasia protein gene (EDA), exon 2 and flanking repeat regions
12504	25767	31521	3.54	0.0E+00	AW 590082.1	EST_HUMAN	hg31e08.x1 NCL_CGAP_GC8 Homo sapiens cDNA clone IMAGE:2947234 3' similar to contains Alu repetitive element contains element MER22 repetitive element ;
12534	25797		1.41	0.0E+00	L20493.1	NT	Human gamma-glutamyl transpeptidase mRNA, complete cds
12561	25831		2.82	0.0E+00	AF088757.1	NT	Homo sapiens somatostatin receptor subtype 3 (SSTR3) gene, 5' flanking region and partial cds
12597	25300		2.72	0.0E+00	9835487	NT	Human endogenous retrovirus, complete genome
12635	25823		1.47	0.0E+00	AJ204914.1	EST_HUMAN	an05h04.x1 Stratagene schizo brain S11 Homo sapiens cDNA clone IMAGE:1684759 3'
12683	15027	28034	1.88	0.0E+00	5912457	NT	Homo sapiens calcineurin binding protein 1 (KIAA0330), mRNA
12883	15027	28035	1.88	0.0E+00	5912457	NT	Homo sapiens calcineurin binding protein 1 (KIAA0330), mRNA
12701	25361	31797	1.52	0.0E+00	AF036365.1	NT	Homo sapiens caveolin-3 (CAV3) mRNA, complete cds
12712	14723	27705	4.49	0.0E+00	H30132.1	EST_HUMAN	y59e08.r1 Soares breast 3NBHst Homo sapiens cDNA clone IMAGE:182246 5' similar to gb:M64099 GAMMA-GLUTAMYL TRANSPEPTIDASE 5 PRECURSOR (HUMAN);
12712	14723	27706	4.49	0.0E+00	H30132.1	EST_HUMAN	y59e08.r1 Soares breast 3NBHst Homo sapiens cDNA clone IMAGE:182246 5' similar to gb:M64099 GAMMA-GLUTAMYL TRANSPEPTIDASE 5 PRECURSOR (HUMAN);
12724	25377		52.99	0.0E+00	D50659.1	NT	Human gamma-cytoplasmic actin (ACTGP8) pseudogene
12725	25378	31743	3.83	0.0E+00	11418189	NT	Homo sapiens thyroid autoantigen 70kD (Ku antigen) (G22P1), mRNA
12725	25378	31744	3.83	0.0E+00	11418189	NT	Homo sapiens thyroid autoantigen 70kD (Ku antigen) (G22P1), mRNA
12739	15120	28141	2.42	0.0E+00	4769499	NT	Homo sapiens GTP binding protein 1 (GTPBP1) mRNA
12760	25415		1.39	0.0E+00	AW664999.1	EST_HUMAN	h188a06.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2879154 3'
							TCBAP1E4488 Pediatric pre-B cell acute lymphoblastic leukemia Baylor-HGSC project=TCBA Homo sapiens cDNA clone TCBAP4488
12818	25440	31721	1.51	0.0E+00	BE248780.1	EST_HUMAN	Homo sapiens hypothetical protein FLJ20454 (FLJ20454), mRNA
12827	25446		1.55	0.0E+00	11526291	NT	Homo sapiens G protein-coupled receptor 24 (GPR24), mRNA
12849	18338	31287	3.07	0.0E+00	4895312	NT	Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA
12858	18346	31282	1.88	0.0E+00	5806918	NT	Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA
12863	25468		2.17	0.0E+00	AB029900.1	NT	Homo sapiens CST gene for cerebrosidase sulfotransferase, exon 1, 2, 3, 4, 5

Page 546 of 546
Table 4
Single Exon Probes Expressed in Bone Marrow

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
12902	25486	31733	2.53	0.0E+00	9558724	NT	Homo sapiens cleavage and polyadenylation specific factor 1, 160kD subunit (CPSF1), mRNA
12927	26984		3.32	0.0E+00	AL163248.2	NT	Homo sapiens chromosome 21 segment HS21C048
12935	13692	26609	2.65	0.0E+00	6806918	NT	Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA
12986	14499	27473	1.32	0.0E+00	6912457	NT	Homo sapiens calcineurin binding protein 1 (KIAA0330), mRNA
13018	25568		3.02	0.0E+00	7657020	NT	Homo sapiens DKFZp434P211 protein (DKFZP434P211), mRNA
13051	25590	31685	1.36	0.0E+00	8567387	NT	Homo sapiens period (Drosophila) homolog 3 (PER3), mRNA
13082	26613		1.63	0.0E+00	X57147.1	NT	Human endogenous retrovirus pHE.1 (ERV9)
13103	14203	27156	1.4	0.0E+00	9968844	NT	Homo sapiens chromosome 12 open reading frame 3 (C12ORF3), mRNA

1/10




Fig. 1

2/10




Fig. 2




Fig. 3

4/10




Fig. 4

5/10




Fig. 5

6/10





Fig. 6



EST Hit
Bone Marrow
Brain
BT474
Fetal Liver
HBL100
Heart
Hela
Liver
Lung
Placenta

Fig. 7a

ratio legend

>9
8
7
6
5
4
3
2
1



Fig. 7b




Fig. 7c




Fig. 8

9/10




Fig. 9

10/10

Fig. 10

